

## REFERENCES CITED

- Ager, D. V. 1963. Principles of Paleoecology—An introduction to the study of how and where animals and plants lived in the past. McGraw-Hill. New York. 371 p.
- Aleotti, G., G. Dieci, & F. Russo. 1986. Éponge Permiennes de la Vallé de Sosio (Sicile). Révision systématique des Sphinctozoaires. Annales de Paléontologie 72(3):211–246, 1 fig., 8 pl.
- Altman, P. L., & D. S. Dittmer. 1962. Growth including reproduction and morphological development. Committee on Biological Handbook, Federation of American Societies for Experimental Biology. Washington, D.C. 608 p.
- . 1964. Biology Data Book. Committee on Biological Handbook, Federation of American Societies for Experimental Biology. Washington, D.C. xix + 633 p.
- Ankel, W. E. 1948. Über Fragen der Formbildung und der Zelldetermination bei Süßwasserschwämmen. Deutsche Zoologische Gesellschaft Verhandlungen, Leipzig 1948:58–66, 8 fig.
- Ankel, W. E., G. Wintermann-Kilian, & E. F. Kilian. 1955. Fehlbildungen bei *Ephydatia fluviatilis* und ihre Bedeutung für das Verständnis der normalen Korrelationen. Deutsche Zoologische Gesellschaft Verhandlungen 1954:362–371, 11 fig.
- Annandale, Nelson. 1911. Freshwater sponges, hydroids and Polyzoa. In A. E. Shipley, ed., The Fauna of British India, including Ceylon and Burma. Taylor and Francis. London. p. 27–126, 241–245, pl. 1–2.
- d'Archiac, E. J. A. 1843 [1842]. Description géologique du Département de l'Aisne. Mémoire de la Société Géologique de France, Paris (series 2, part 2) 5:129–419 (1–290), pl. 21–31.
- . 1846. Description des fossiles recueillis par M. Thorent dans les couches à Nummulites des environs de Bayonne. Mémoire de la Société Géologique de France, Paris (series 2) 2(1), 4:197.
- Arendt, Y. A. 1959. [A new calcareous sponge from the Lower Carboniferous of the Moscow Basin]. Paleontologicheskii Zhurnal 2:46–52, 1 pl. In Russian.
- Armstrong, J., J. Young, & J. Robertson. 1876. Catalogue of Western Scottish Fossils. British Association for the Advancement of Science. Blackie & Son. Glasgow.
- Arndt, W. 1941. Bibliographia Spongiologica. I. Spongiae utiles (1940). W. Junk. The Hague. 114 p.
- Ayling, A. M. 1968. The feeding behavior of *Rostanga rubicunda* (Mollusca, Nudibranchia). Tane 14:25–42, 7 fig.
- Baer, Leopold. 1906 [1905]. Silicispongien von Sansibar, Kapstadt and Papeete. Archiv für Naturgeschichte 72(1):1–32, 5 pl.
- Bagby, R. M. 1965. The contractile system of marine sponges. Dissertation Abstracts 25:6721.
- Bakus, G. J. H. 1964. The effects of fish-grazing on invertebrate evolution in shallow tropical waters. Allan Hancock Foundation Occasional Papers 27:1–29, 1 fig., 1 table.
- Balss, H. 1927. Decapoda. In Kukenthal und Krumbach, ed., Handbuch der Zoologie, de Gruyter, Berlin 3(1):840–1,038, 217 fig.
- Barboza du Bocage, J. V. 1869. Éponges siliceuses nouvelles de Portugal et de l'ile Saint-Iago (archipel de Cap-vert). Jornal de Sciencias mathematicas, physicas et naturae, publicado sob os auspicios da Academia real das sciencias de Lisboa (May 1869) 4:159–162, pl. 10–11.
- Barrois, Charles. 1882. Recherches sur les terrains anciens des Asturias et de la Galice. Association pour l'Avancement des Sciences, Congrès de Rouen. Lille. 630 p., 20 pl.
- Bartolomäus, Werner, & Martin Lange. 1998. A new Ordovician sponge from the Kaolinsand Formation of the Isle of Sylt. Archiv fuer Geschieberkunde 2(6):398–402.
- Bassler, R. S. 1927. A new Ordovician sponge fauna. Journal of the Washington Academy of Science 17(15):390–394.
- . 1941. The Nevada Early Ordovician (Pogonip) sponge fauna. Proceedings of the United States National Museum 91(3,126):91–102, pl. 19–24.
- Batten, R. L. 1958. Permian gastropods of the southwestern United States. 2. Pleurotomariacea; Portlockiellidae, Phymatopleuridae, and Eotomariidae. American Museum of Natural History Bulletin 114:153–246, 17 fig., pl. 32–42, 29 tables.
- Beauvais, L. 1980. Les Calcarea (spongaires) du Lias du Maros. Annales de Paléontologie (Invertebrata) 66(1):21–41.
- Bechstädt, T., & R. Brandner. 1970. Das Anis zwischen St. Vigil und dem Hohlensteinal (Prager- und Olanger Dolomiten, Südtirol). Festband Geologische Institut. 300 Jahr-Freier Universitet Innsbruch. p. 9–103, 4 fig., 18 pl.
- Bedford, R., & W. R. Bedford. 1934. New species of Archaeocyathinae and other organisms from the Lower Cambrian of Beltana, South Australia. Kyancutta Museum Memoir 1:1–7, fig. 1–36, pl. 1–6.
- . 1936. Further notes on Archaeocyathi (Cyathospongia) and other organisms from the Lower Cambrian of Beltana, South Australia. Kyancutta Museum Memoir 2:9–19, 14 pl.
- Bedford, R., & J. Bedford. 1937. Further notes on Archaeos (Pleospongia) from the Lower Cambrian of South Australia. Kyancutta Museum Memoir 4:27–38, fig. 106–159, pl. 27–41.
- Beecher, C. E. 1889. Brachiospongidae: A memoir on a group of Silurian sponges; with six plates. Peabody Museum of Natural History. Yale University, Memoir 2, part 1. 28 p., 4 fig., 6 pl.
- Beede, J. W. 1899. New fossils from the Kansas Coal Measures. Kansas University Quarterly 8:123–130, pl. 32–33.

- Belyaeva, G. V. 2000. Novye taksony sfinktozoa iz Permskikh rifov iugo-vostochnogo Kitaia [New taxa of Sphinctozoa from the Permian reefs of southeastern China]. *Paleontologicheskii Zhurnal* 2000(2):41–46, 3 fig.
- In Russian. English translation: *Paleontological Journal* 34:155–160, 4 fig.
- Benett, E. 1831. A catalogue of the organic remains of the county of Wilts. Warminster, England. p. i–iv, 1–9, 15 pl.
- Bengtson, Stefan. 1986. Siliceous microfossils from the Upper Cambrian of Queensland. *Alcheringa* 10:195–216, 11 fig.
- \_\_\_\_\_. 1990a. Spicules. In Stefan Bengtson, Simon Conway Morris, B. J. Cooper, P. A. Jell, & B. N. Runnegar, eds., Early Cambrian fossils from South Australia. Association of Australasian Palaeontologists, Memoir 9. Brisbane. p. 24–37, fig. 11–21.
- \_\_\_\_\_. 1990b. Chancelloriids. In Stefan Bengtson, Simon Conway Morris, B. J. Cooper, P. A. Jell, & B. N. Runnegar, eds., Early Cambrian fossils from South Australia. Association of Australasian Palaeontologists, Memoir 9. Brisbane. p. 45–68, fig. 23–40.
- Beresi, M., & J. K. Rigby. 1993. The Lower Ordovician sponges of the San Juan Formation, Argentina. *Brigham Young University Geology Studies* 39:1–64, 8 fig., 13 pl.
- Berg, C. 1899. Substitucion de nombres genericos; III Comm. Museo Nacional. Buenos Aires. p. 1:77–80.
- Bergmann, W., & R. J. Feeney. 1949. Contributions to the study of marine products, XXIII. Sterols from sponges of the family Haliclonidae. *Journal of Organic Chemistry* 14(6):1,078–1,084.
- \_\_\_\_\_. 1950. The isolation of a new thymine pentose from sponges. *Journal of the American Chemical Society* 72:2805.
- Bergmann, W., & W. J. McAleer. 1951. The isolation of metanethole from the sponge *Sphecirospongia vesparia*. *Journal of the American Chemical Society* 73(10):4,969–4,970.
- Bergmann, W., & F. H. McTigue. 1949. Contributions to the study of marine products, XXI. Chondrillasterol. *Journal of Organic Chemistry* 13(5):738–741.
- Bergmann, W., F. H. McTigue, E. M. Low, W. M. Stokes, & R. J. Feeney. 1950. Contributions to the study of marine products, XXVI. Sterols from the sponges of the family Suberitidae. *Journal of Organic Chemistry* 15(1):95–105.
- Bergquist, P. R. 1961. A collection of Porifera from northern New Zealand, with descriptions of seventeen species. *Pacific Science* 15:33–48.
- \_\_\_\_\_. 1965. The sponges of Micronesia, Part 1: the Palau Archipelago. *Pacific Science* 19:123–204, 34 fig.
- \_\_\_\_\_. 1967. Additions to the sponge fauna of the Hawaiian Islands. *Micronesia* 3:159–174.
- \_\_\_\_\_. 1968. The marine fauna of New Zealand, Porifera, Part 1 (Tetractinomorpha and Lithistida).
- New Zealand Department of Scientific and Industrial Research Bulletin 188:1–106.
- \_\_\_\_\_. 1978. Sponges. University of California Press. Berkeley & Los Angeles. 268 p., 81 fig., 12 pl.
- Bergquist, P. R., & W. D. Hartman. 1969. Free amino acid patterns and the classification of the Demospongiae. *Marine Biology* 3:247–268.
- Bergquist, P. R., & J. J. Hogg. 1969. Free amino acids in Demospongiae: a biochemical approach to sponge classification. *Cahiers de Biologie Marine* 10:205–220.
- Bergquist, P. R., & M. E. Sinclair. 1968. The morphology and behaviour of larvae of some intertidal sponges. *New Zealand Journal of Marine and Freshwater Research* 2:426–437.
- Beu, A. G. 1965. Ecological variations of *Chlamys diefenbachii* (Reeve) (Mollusca, Lamellibranchiata). *Transactions of the Royal Society of New Zealand (Zoology)* 7:93–96, 1 pl.
- Bidder, G. P. 1893. On the flask-shaped ectoderm and spongoblasts in one of the Keratosa. *Royal Society Proceedings, London* 52:134–139.
- \_\_\_\_\_. 1898. The skeleton and classification of calcareous sponges. *Proceedings of the Royal Society, London* 64:61–76.
- \_\_\_\_\_. 1923. The relation of the form of a sponge to its currents. *Quarterly Journal of Microscopical Science* 67:293–323.
- \_\_\_\_\_. 1928. Some sponges of the South-West Coast. *Proceedings of the Southwestern Naturalist Union* 1928:12–20, 2 pl.
- \_\_\_\_\_. 1929. Sponges. *Encyclopaedia Britannica*, 14th ed., vol. 21. Encyclopaedia Britannica Company. New York. p. 254–261.
- Billings, Elkanah. 1859. Fossils of the Calciferous sandrock, including some of the deposits of White limestone at Mingan, supposed to belong to the formation. *Canadian Naturalist and Geologist and Proceedings of the Natural History Society of Montreal* 4(27):345–346.
- \_\_\_\_\_. 1861. New species of lower Silurian Fossils. *Geological Survey of Canada Pamphlet* 21:24 p.
- \_\_\_\_\_. 1865. On some new or little-known species of lower Silurian fossils from Potsdam Group (Primordial Zone). In *Palaeozoic Fossils*, vol. 1. Containing Descriptions and Figures of New or Little Known Species of Organic Remains from the Silurian Rocks. Geological Survey of Canada. Baillière. London, New York, & Paris. 426 p., 399 fig.
- \_\_\_\_\_. 1875. On some new or little known fossils from the Silurian and Devonian rocks of Ontario. *Canadian Naturalist (new series)* 7:230–240.
- von Biström, A. F. 1903. Beiträge zur Kenntnis der Fauna des unteren Lias in der Val Solda, Geologisch-paläontologische Studien in den Comasker Alpen, I. Berichte der Naturforschenden Gesellschaft zu Freiburg I. Br. 13:1–99 [116–214], pl. 1–8.
- Bizzarini, Fabrizio, & Franco Russo. 1986. A new genus of Inozoa from S. Cassiano Formation (Dolomiti di Braies, Italy). *Memorie di Scienze Geologiche* 38:129–135.

- Blacher, L. J. 1965. Esquisse de l'histoire des stations biologiques maritimes russes. (Résumé). Vie Milieu, supplément 19:261–263.
- Blacker, R. W. 1965. Recent changes in the benthos of the West Spitsbergen fishing grounds. International Commission of the Northwest Atlantic Fisheries, Special Paper 6(H-1):791–794.
- de Blainville, H. M. D. 1830. Zoophytes. In F. G. Levrault, ed., Dictionnaire des Sciences Naturelles 60:1–546.
- . 1834. Manuel d'Actinologie ou de Zoophytologie. F. G. Lerrault. Paris and Strasbourg. vol. 1, p. i–viii, 1–644; vol. 2, atlas, 100 pl.
- Blumenbach, J. F. 1815. Specimen archaeologicae telluris terrarumque inprinoris Hannoveranarum alterum. Commentationes Societas Scientiarum, Göttingen 3:3–25.
- Sponge on p. 24.
- Bocage—see Barboza du Bocage
- Bodzioch, Adam. 1993. Sponges from the epicontinental Triassic of Europe. In Hans Hagdorn & Adolf Seilacher, eds., Muschelkalk: Schöntaler Symposium 1991. Goldschneck-Verlag Werner K. Weidert. Stuttgart. p. 235–244, 18 fig.
- Böhm, J. 1927. Beitrag zur Kenntnis der Senonfauna der Bithynischen Halbinsel. Palaeontographica, Stuttgart 69:187–222, 3 fig., pl. 11–18.
- Boiko, E. V. 1979. O semeistve Verticillitidae Steinmann, 1882, ego sestare i sistematischeskom polozhenii [On the family Verticillitidae Steinmann, 1882, its composition and systematic position]. Trudy Instituta Geologii i Geofiziki Nauk SSSR, Sibirske Otdelenie 48:74–82.
- In Russian.
- . 1984. Nekotorye pozdnetriasyovye izvestkovye gubki iugo-vostochnogo Pamira [Certain Late Triassic calcareous sponges from southeastern Pamir]. In M. R. Dzhalilov, ed., Namudkhoi navi 'okimondakhoi khaivonot va na'ototi tochikiston [New species of fossil fauna and flora of Tadzhikistan]. Donish. Dushambe. p. 28–41, pl. V–IX.
- In Russian, unpaginated plates.
- . 1990. [On the diversity of skeletal structures of Porifera Camerata]. Akademiya Nauk SSSR. Siberskoe Otdelenie Institut Geologii i Geofiziki Trudy 783:119–129, pl. XXXVII–XLVII.
- In Russian.
- Boiko, E. V., G. V. Belyaeva, & I. T. Zhuravleva. 1991. Sfinktozoa fanerozooya territorii SSSR [Sphinctozoa of the Phanerozoic of the USSR]. Nauka. Moskova. 224 p., 35 fig., 64 pl.
- Bolkhovitinova [Bolkovitinoft], M. A. 1923. O kamennougl'nykh gubkakh Moskovskoi gubernii [Carboniferous sponges of Moscow Province]. Vestnik Moskovskoi Gornoj Akademii 2(1):61–72, 1 pl.
- Borojevic, R. 1967. Éponges calcaires recueillies en Nouvelle-Calédonie par la Mission Singer-Polignac. Expédition Française sur les récifs coralliens de la Nouvelle-Calédonie, Paris 2:1–10.
- . 1968. Éponges calcaires des côtes de France, IV: Le genre *Ascalitis* Haeckel emend. Archives de Zoologie Experimentale et Général 109:193–210.
- . 1979. Evolution des spongiaires Calcarea. Colloques Internationaux, Centre National de la Recherche Scientifique 291:527–530.
- Borojevic, R., & N. Boury-Esnault. 1986. Une nouvelle voie d'évolution chez les éponges Calcinea: description des genera *Burtonella* n. g. et *Levinella* n. g. Bulletin du Muséum national d'Histoire naturelle (series 4, section A) 8(3):443–455.
- Borojevic, R., N. Boury-Esnault, & J. Vacelet. 1990. A revision of the supraspecific classification of the subclass Calcinea (Porifera, class Calcarea). Bulletin du Muséum National d'Histoire Naturelle de Paris 12:243–276.
- Borojevic, Radovan, Nicole Boury-Esnault, Michaël Manuel, & Jean Vacelet. 2002. Order Clathrinida Hartman, 1958. In J. N. A. Hooper & R. W. M. Van Soest, Systema Porifera. Kluwer Academic/Plenum Publishers. New York. p. 1,141–1,152, fig. 1–8.
- Borojevic, R., L. Cabioch, & C. Lévi. 1968. Inventaire de la faune marine de Roscoff, spongiaires. Cahiers de Biologie Marine 9(1):1–44.
- Borojevic, R., & G. Graat-Kleeton. 1965. Sur une nouvelle aspic de *Sycon* et calces demosponge récoltées par le 'Cirrus' dans l'Atlantique Nord. Beaufortia 13:81–85, 1 fig.
- Borojevic, R., & C. Lévi. 1964. Métamorphose artificielle de larves d'éponges, après dissociation et réaggrégation des cellules larvaires. Compte Rendus, Académie des Sciences, Paris 259:4,364–4,366, 1 fig.
- Bouchet, P., & K. Rützler. 2003. Case 3211. Clionidae d'Orbigny, 1851 (Porifera, Hadromerida): proposed emendment of spelling to remove homonymy with Clionidae Rafinesque, 1815 (Mollusca, Pteropoda). Bulletin of the International Commission for Zoolocial Nomenclature 60:99–102.
- Bowerbank, J. S. 1842. *Halichondria johnstoni*; *Pachymatisma johnstoni*. In G. Johnston, History of British sponges and lithophytes. W. H. Kizars. Edinburgh. p. 198, 244.
- . 1845. Observations on the Spongiidae, with descriptions of some new genera. Annals and Magazine of Natural History (series 1) 6:400–410.
- . 1858. On the anatomy and physiology of the Spongiidae, Part I: On the spicula. Philosophical Transactions of the Royal Society of London 148:279–332.
- . 1861. List of British sponges. In R. McAndrew, ed., List of the British marine invertebrate fauna. Reports of the British Association for the Advancement of Science 30:235–236.
- . 1862. On the anatomy and physiology of the Spongiidae, Parts II, III. Philosophical Transactions of the Royal Society of London 152:747–836, 1,087–1,135, pl. 27–36, 72–74.
- . 1863. A monograph of the Spongillidae. Proceedings of the Zoological Society of London 1863:440–472, pl. 38.
- . 1864. A monograph of the British Spongiidae, vol. I. Ray Society. London. 290 p., 37 pl.

- . 1866. A monograph of the British Spongiidae, vol. II. Ray Society. London. 388 p.
- . 1869. A monograph on the siliceo-fibrous sponges. Proceedings of the Scientific Meetings of the Zoological Society, London 1869:66–108, pl. 3–6, part 1; p. 323–351, pl. 20–25, part 3.
- . 1874a. Contributions to a general history of the Spongiidae, part 6. Proceedings of the Geological Society of London 1874:298–305, pl. 41–42.
- . 1874b. A monograph of the British Spongiidae, vol. III. Ray Society. London. xvii + 367 p., 92 pl.
- . 1882. A monograph of the British Spongiidae, vol. IV. Ray Society. London. xvii + 250 p., 17 pl.
- Brasier, M. D. 1992. Nutrient-enriched waters and the early skeletal fossil record. Journal of the Geological Society, London 149:621–629.
- Brasier, M. D., O. Green, & G. Shields. 1997. Ediacaran sponge spicule clusters from southwestern Mongolia and the origin of the Cambrian fauna. Geology 25:303–306.
- Breistroffer, M. 1949. Note de nomenclature paléontologique: Spongiaires crétacés. Bulletin de la Société Scientifique du Dauphine, Grenoble 62(2):103.
- Brien, Paul. 1967. Formation des statoblastes dans le genre *Potamolepis*: *P. symoensi* (Marshall), *P. pechueli* (Marshall), *P. schoutedeni* (Burton). Bulletin de la Classe des Sciences, Académie royale de Belgique 53:573–590.
- . 1969. A propos de deux éponges du Cameroun appartenant au genre *Corvospongilla* (Annandale). Embryogénèse—la Parenchymula—la Gemmule. Revue de Zoologie et de Botanique Africaines 80:121–156, 15 fig., 3 pl.
- . 1970. Let potamolépides africaines nouvelles du Luapula et du Moero. Symposium of the Zoological Society of London 25:163–187, 2 fig., 2 pl.
- . 1973a. Les Démosponges: Morphologie et réproduction. In P. P. Grassé, ed., Traité de Zoologie, Anatomie, Systématique, Biologie, III, Spongiaires. Masson et Cie. Paris. p. 133–461, fig. 90–351.
- . 1973b. *Malawispongia echinoides* Brien: Etudes complémentaires—histologie—sexualité—embryologie—affinités systématiques. Revue de Zoologie et de Botanique Africaines 87(1):50–76, 12 fig.
- Brimaud, C. 1984. Étude biosédimentologique des gisements à Spongiaires du Tortonian des Cordillères bétiques orientales. Thèse, Université de Marseille. 482 p., 32 pl.
- Unpublished.
- Brimaud, Claudine, & Daniel Vachard. 1986. Les Spongiaires siliceux du Tortonian des Bétiques (Miocène de l'Espagne du Sud): espèces nouvelles ou peu connues, I. Choristides et Lithistides. Bulletin du Muséum National d'Histoire Naturelle, Paris (series 4, section C) 8:293–341, 9 pl.
- . 1987 [1986]. Les Spongiaires siliceux du Tortonian des Bétiques (Miocène de l'Espagne du Sud): espèces nouvelles ou peu connues, II. Hexactinellides. Bulletin du Muséum National d'Histoire Naturelle, Paris (series 4, section C) 8:415–445, 7 pl.
- Broecker, W. S. 1974. Chemical Oceanography. Harcourt Brace Jovanovich, Inc. New York. 214 p.
- Bromley, R. G. 1970. Borings as trace fossils and *Entobia cretacea* Portlock, as an example. Geological Journal, Special Issue 3:49–900.
- Bromley, R. G., & Ulla Asgaard. 1993. Endolithic community replacement on a Pliocene rocky coast. Ichnos 2:93–116, 17 fig.
- Brongniart, Adolphe. 1828. Histoire des végétaux fossiles, ou recherches botaniques et géologiques sur les végétaux renfermés dans les diverses couches du globe. G. Dufour et Ed. D'Ocagne, Printers. Paris. vol. 1, 488 p.; vol. 2, plates.
- Brönn, H. G. 1825. System der urweltlichen Pflanzenthiere. J. C. B. Mohr. Heidelberg. i–iv, 1–47 p., 7 pl.
- . 1837–1838. Lethaia geognostica oder Abbildungen und Beschreibungen der für die Gebirgs-Formationen bezeichnendsten Versteinerungen. E. Schweizerbart. Stuttgart. 1,350 p.
- . 1848. Index Palaeontologicus, Übersicht der bis jetzt bekannten fossilen Organismen. Erste Abtheilung, Nomenclator Palaeontologicus, vol. 1, no. 2. E. Schweizerbart. Stuttgart. 1,260 p.
- Brydone, R. M. 1912. The Stratigraphy of the Chalk of Hants, with map and palaeontological notes. Dulau and Co, Ltd. London. 116 p., 3 pl.
- Buckland, W. 1817. Description of the Paramoudra, a singular fossil body, that is found in the Chalk of the north of Ireland, with some general observations upon flint in chalk, tending to illustrate the history of their formation. Transactions of the Geological Society of London 4:413–423.
- van Budden-brock. 1939. Über die Abhängigkeit der Atmung vom Sauerstoffdruck: Zugleich ein Beitrag zur Diffusionstheorie der Atmung. Nova Acta Leopoldina Carol, Halle 6(1939):557–565.
- Bullivant, J. S. 1960. Photographs of the bottom fauna in the Ross Sea, New Zealand Oceanographic Institute, Department of Scientific and Industrial Research, Wellington. New Zealand Journal of Science 2:485–497, 10 fig.
- Bullock, T. H., & G. A. Horridge. 1965. Structure and function in the nervous systems of invertebrates. W. H. Freeman & Co. San Francisco & London. xx + 798 p., vol. 1; vii + p. 799–1,719, vol. 2.
- Burton, M. 1928. Report on some deep-sea sponges from the Indian Museum collected by R.I.M.S. "Investigator," Part II. Tetraxonida (concluded) and Euceratosa. Records of the Indian Museum, Calcutta 30(1):109–138, pl. 1–2.
- . 1929. Description of South African sponges collected in the South African Marine Survey, Part II. The Lithistidae. Union of South Africa Fisheries and Marine Biology Survey South Africa Report 7, Special Report 2:1–12.
- . 1932. Sponges. Discovery Reports 6:237–392, pl. 48–57.

- . 1934. Sponges. Further Zoological Research, Swedish Antarctic Expedition 1901–1903, Stockholm 3(2):1–58, 16 fig., 8 pl.
- . 1948. Ecology of sponges. *Nature* 162(4,106):73–74.
- . 1949. Observations on littoral sponges, including supposed swarming of larvae, movement and coalescence in mature individuals, longevity and death. *Proceedings of the Zoological Society of London* 118:893–915, 27 fig.
- . 1956. The sponges of West Africa. *Atlantide Reports, Danish Science Press IV*:111–147, 4 fig.
- . 1959. Sponges. *Scientific Reports of the John Murray Expedition*, 10(5):151–281, 41 fig.
- . 1963. A Revision of the Classification of the Calcareous Sponges. *British Museum of Natural History, London*. 693 p., 375 fig.
- Carrera, M. G. 1994. An Ordovician sponge from the San Juan Formation, Precordillera Basin, western Argentina. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 191:201–220, 6 fig.
- . 1996. Ordovician megamorinid demosponges from San Juan Formation, Precordillera, western Argentina. *Geobios* 29:643–650, 4 fig., 1 pl.
- . 1998. First Ordovician sponge from the Puna region, northwestern Argentina. *Ameghiniana* 35(2):205–210, fig. 1–3, pl. 1.
- Carrera, M. G., & J. K. Rigby. 1999. Biogeography of Ordovician sponges. *Journal of Paleontology* 73:26–37, 4 fig.
- Carter, H. J. 1849. A descriptive account of the fresh-water sponges (genus *Spongilla*) in the island of Bombay, with observations on their structure and development. *Annals and Magazine of Natural History* (series 2) 4:81–100.
- . 1871. On fossil sponge-spicules of the Greensand compared with those of existing species. *Annals and Magazine of Natural History* (series 4) 7:112–141, pl. 7–10.
- . 1872. On two new sponges from the Antarctic Sea, and on a new species of *Tethya* from Shetland; together with observations on the reproduction of sponges commencing with zygosis of the sponge-animal. *Annals and Magazine of Natural History* (series 4) 9(54):409–435, pl. 20–22.
- . 1873. On the Hexactinellidae and Lithistidae generally, and particularly on the Aphrocallistidae, Aulodictyon, and Farreae, together with facts elicited from their deciduous structures, and descriptions respectively of three new species. *Annals and Magazine of Natural History* (series 4) 12:349–373, 437–472, pl. 13–17.
- . 1874. Descriptions and figures of deep-sea sponges and their spicules from the Atlantic Ocean, dredged up on board H.M.S. "Porcupine," chiefly in 1869; with figures and descriptions of some remarkable spicules from the Agulhas shoal and Colon, Panama. *Annals and Magazine of Natural History* (series 4) 14:207–221, 245–257, pl. 13–15.
- . 1875. Notes introductory to the study and classification of the Spongida. *Annals and Magazine of Natural History* (series 4) 16:1–40 (Part 1, Anatomy and Physiology), 126–145, 177–200 (Part 2, Proposed classification of the Spongida).
- . 1876. Descriptions and figures of deep-sea sponges and their spicules, from the Atlantic Ocean; dredged on board H.M.S. "Porcupine," chiefly in 1862. *Annals and Magazine of Natural History* (series 4) 18:226–240, 307–324, 388–410, 458–473, pl. 12–16.
- . 1878. Mr. James Thomson's fossil sponges from the Carboniferous System of the south-west of Scotland. *Annals and Magazine of Natural History* (series 5) 1:128–143.
- . 1879. On a new species of excavating sponge (*Alectona Millari*); and on a new species of *Rhaphidiotheca* (*R. affinis*). *Journal of Royal Microscopical Society* 2:493–499, pl. 17.
- . 1880a. On fossil sponge-spicules from the Carboniferous of Ben Bulbel near Sligo. *Annals and Magazine of Natural History* (series 5) 6:209–214, pl. 14B.
- . 1880b. Report on specimens dredged up from the Gulf of Manaar and presented to the Liverpool Free Museum by Capt. W. H. Cawne Warren. *Annals and Magazine of Natural History* (series 5) 6(31):35–61, pl. 4–6; p. 129–156, pl. 7–8.
- . 1881a. History and classification of the known species of *Spongilla*. *Annals and Magazine of Natural History* (series 5) 7:77–107, pl. 5–6.
- . 1881b. On *Spongilla cinerea*. *Annals and Magazine of Natural History* (series 5) 7:263–264.
- . 1882. Some sponges from the West Indies and Acapulco in the Liverpool Free Museum described, with general and classificatory remarks. *Annals and Magazine of Natural History* (series 5) 9(52):266–301, 346–368, pl. 11–12.
- . 1885. Report on a collection of marine sponges from Japan made by Dr. J. Anderson, F.R.S. (Hexactinellida). *Annals and Magazine of Natural History* (series 5) 15:387–406.
- . 1886. Descriptions of sponges from the neighborhood of Port Phillip Heads, South Australia, continued. *Annals and Magazine of Natural History* (series 5) 17:40–53, 112–127, 431–441, 502–516; vol. 18:34–55, 126–149.
- Casey, R. 1961. The stratigraphical palaeontology of the Lower Greensand. *Palaeontology* 3:487–621, 8 pl.
- Caster, K. E. 1939. Siliceous sponges from Mississippian and Devonian strata of the Penn-York Embayment. *Journal of Paleontology* 13:1–20, 8 fig.
- . 1941. The Titusvillidae: Paleozoic and Recent branching Hexactinellida. *Palaeontographica Americana* 2:470–523, 5 pl.
- Cavaroc, V. V., & J. C. Ferm. 1968. Siliceous spiculites as shoreline indicators in deltaic sequences. *Geological Society of America Bulletin* 79:263–271.
- Chapman, Frederick. 1940 [1939]. On a new genus of sponges from the Cambrian of the Flinders Range, South Australia. *Transactions of the Royal Society of South Australia* 64(1):101–108, pl. 9–12.

- Chapman, F., & Irene Crespin. 1934. The Palaeontology of the Plantagenet Beds of Western Australia. *Journal of the Royal Society of Western Australia* 20:103–136, pl. 6–11.
- Charlesworth, E. 1848. On the mineral condition and general affinities of the Chalk at Flamborough and Bridlington. *Proceedings of the Yorkshire Philosophical Society*, York 1848:73–77.
- Chen J.-Y., Hou X.-G., & Li G.-X. 1990. New Lower Cambrian demosponges—*Quadrolaminiella* gen. nov. from Chengjiang, Yunnan. *Acta Palaeontologica Sinica* 29(4):402–414, 4 fig., 6 pl. In Chinese with English summary.
- Chen J.-Y., Hou X.-G., & Lu H.-Z. 1989. Lower Cambrian leptomitids (Demospongea), Chengjiang, Yunnan. *Acta Palaeontologica Sinica* 28:17–31, 6 fig., 6 pl. In Chinese with English summary.
- Chen Meng-e, & Xiao Zong-Zheng. 1992. Macrofossil biota from Upper Sinian Doushantuo Formation in eastern Yangtze Gorges, China. *Acta Palaeontologica Sinica* 31(5):513–529, 6 pl. In Chinese with English summary.
- Christ, J. 1925. Ein neues fossilen Spongiengattung *Asteriscosella*, im Unterdevon des Nassauischen Hunsrückschiefers, *Asteriscosella nassovica*. *Jahrbuch des Vereins Naturkunde*, Wiesbaden 77:1–12.
- Church, S. B. 1974. Lower Ordovician patch reefs in western Utah. *Brigham Young University Geology Studies* 21(3):41–62.
- Clarke, J. M. 1900. Dictyonine hexactinellid sponges from the Upper Devonian of New York. *New York State Museum Bulletin* 39:187–194, pl. 10–11.
- . 1908. Early Devonian history of New York and eastern North America. *New York State Museum Memoirs* 9:1–252.
- . 1912. Early adaptation in the feeding habits of starfishes. *Academy of Natural Sciences of Philadelphia Journal* 15(part. III):113–118.
- . 1918. Contributions to the paleontology of New York: Devonian glass sponges. I. The ontogeny of *Hydnoceras*. *New York State Museum Bulletin* 196:177–198, pl. 1–6.
- . 1920. *Armstrongia*, a new genus of Devonian glass sponges. *New York State Museum Bulletin* 219–220:143–146, pl. 1.
- . 1921. Organic dependence and disease, their origin and significance. *New York State Museum Bulletin* 221–222:1–133, 105 fig.
- . 1924. Eighteenth report of the director of the State Museum and Science Departments. *New York State Museum Bulletin* 251:192 p., 20 fig., 31 pl.
- Claus, C. F. W. 1872. *Grundzuge der Zoologie*, 2nd ed. N. G. Elwert. Marburg, Leipzig, & Jena. 1,170 p.
- Clausen, C. K. 1982. *Wienbergia*, new genus for *Barrovia faxensis* (Porifera: Demospongida) from the Middle Danian of Denmark. *Bulletin of the Geological Society of Denmark* 30:111–115, 11 fig.
- Conrad, D. A. 1842. Observation on the Silurian and Devonian Systems of the United States, with descriptions of new organic remains. *Journal of the Academy of Natural Sciences, Philadelphia* 8:267–268, 1 fig., pl. 16.
- Conway, K. W., J. V. Barrie, W. C. Austin, & J. L. Lauternauer. 1991. Holocene sponge bioherms on the western Canadian continental shelf. *Continental Shelf Research* 11:771–790.
- Conway, K. W., M. Krautter, J. V. Barrie, & M. Neuweiler. 2001. Hexactinellid sponge reefs on the Canadian Continental Shelf: A unique “living fossil.” *Geoscience Canada* 28(2):71–78, 8 fig.
- Cossman, M. 1909. Rectifications de nomenclature. *Revue Critique Paléozoologie* 13:67.
- Courtiller, A. 1861. Éponges fossiles des sables du terrain crétacé supérieur des environs de Saumur (étage Sénonien de d’Orbigny). *Annales de la Société Linnaéenne de Maine-et-Loire* 4:117–142, pl. 1–40.
- Croneis, Carey, & D. F. Toomey. 1965. Gunsight (Virgilian) wewokellid sponges and their depositional environment. *Journal of Paleontology* 39:1–16, 2 fig., 7 pl.
- Cuif, J.-P. 1973. Histologie de quelques sphinctozaires (Porifères) Triasiques. *Geobios* 6:115–125, 4 fig., pl. 8–10.
- . 1974. Role des sclérosponges dans la faune récifale du Trias des Dolomites (Italie du Nord). *Geobios* 7:139–153, 5 fig., pl. 29–31.
- . 1979. Caractères morphologiques et microstructuraux de trois sclérosponges triasiques association avec des Chaetetida. In Claude Lévi & Nicole Boury-Esnault, eds., *Biologie des Spongiaires*, Colloques Internationaux du Centre National de la Recherche Scientifique 291:475–481, 1 pl.
- Cuif, J. P., F. Debrenne, J. G. Lafuste, & J. Vacelet. 1979. Comparaison de la microstructure du squelette carbonaté non-spiculaire d'éponges actuelles et fossiles. In Claude Lévi & Nicole Boury-Esnault, eds., *Biologie des Spongiaires*, Colloques Internationaux du Centre National de la Recherche Scientifique 291:459–465.
- Cuif, J. P., & P. Gautret. 1991. Taxonomic value of microstructural features in calcified tissue from recent and fossil Demospongidae and Calcarea. In J. Reitner & H. Keupp, eds., *Fossil and Recent Sponges*. Springer-Verlag, Berlin. p. 159–169.
- Cullison, J. S. 1944. The stratigraphy of some Lower Ordovician formations of the Ozark Uplift. University of Missouri School of Mines and Metallurgy Bulletin (technical series) 15(2):1–112, 35 pl.
- Dawson, J. W. 1883. Preliminary notice of new fossils from the Lower Carboniferous of Nova Scotia and Newfoundland. McGill University Peter Redpath Museum, Report 2:10–15.
- . 1888. Preliminary note on new species of sponges from the Quebec Group at Little Métis. *The Canadian Record of Science* 3(2):49–59.
- . 1896. Additional notes on fossil sponges and other organic remains from the Quebec Group at Little Métis, on the Lower St. Lawrence, with notes on some of the specimens by Dr. G. J. Hinde. *Transactions of the Royal Society of Canada*, Section 4:91–121, 4 pl.

- Dawson, J. W., & G. J. Hinde. 1889. On new species of fossil sponges from the Siluro-Cambrian at Little M<sup>é</sup>tis on the Lower St. Lawrence; including notes on the specimens by Dr. G. J. Hinde, F.G.S. Transactions of the Royal Society of Canada (section IV, Geological and Biological Sciences) 7(4):31–55, 27 fig., pl. III.
- Dayton, P. K., G. A. Robilliard, & R. T. Paiune. 1970. Benthic faunal zonation as a result of anchor ice at McMurdo Sound, Antarctica. In M. W. Holdgate, ed., Antarctic Ecology, vol. 1, part 5. Academic Press, London. p. 244–258, 5 fig., 2 tables.
- Dearborn, J. H. 1965. Ecologic and faunistic investigations of the marine benthos at McMurdo Sound. Ph.D Dissertation. Stanford University. 180 p.
- Debrenne, Fran<sup>ç</sup>oise, & J. Lafuste. 1972. Nouvelle donnée sur la microstructure du squelette de quelque sphinctozoaires. Bulletin de la Société Géologique de France 14:325–330.
- Debrenne, Fran<sup>ç</sup>oise, Henri Termier, & Geneviève Termier. 1971. Sur de nouveaux repr<sup>es</sup>entants de la classe des *Radiocyatha*. Essai sur l'évolution des M<sup>et</sup>tazoaires primitifs. Bulletin de la Société Géologique de France (series 7) 13(3–4):439–444, pl. 29–30.
- Debrenne, Fran<sup>ç</sup>oise, & Rachel Wood. 1990. A new Cambrian sphinctozoan sponge from North America, its relationship to archaeocyathids and the nature of early sphinctozoans. Geological Magazine 127:435–443, 5 fig.
- Debrenne, Fran<sup>ç</sup>oise, & A. Zhuravleva. 1994. Archaeocyathan affinities: how deep can we go into the systematic affiliation of an extinct group? In R. W. M. van Soest, T. M. G. van Kempen, & J. C. Braekman, eds., Sponges in Time and Space. A. A. Balkema, Rotterdam. p. 3–12.
- De France, M. J. L. 1816. *Alcyonium*. In F. G. Levrault, ed., Dictionnaire des Sciences Naturelles, 2nd ed., I. F. G. Levrault. Paris. Supplement, p. 107.
- . 1829. Verticillites. In F. G. Levrault, ed., Dictionnaire des Sciences Naturelles, vol. 58. F. G. Levrault. Paris. p. 5–6.
- Defretin-Lefranc, Simone. 1961. Contribution à l'étude des spongiales siliceux du Crétacé supérieur du Nord de la France. Thèse Présentée à la Faculté des Sciences de Lille pour obtenir le Grade de Docteur es Sciences Naturelles. Université de Lille. Lille. 178 p., 47 fig., 27 pl.
- Delage, Y. 1892. Embryogénie des éponges; développement postlarvaire des éponges siliceuses et fibreuses marine et d'eau douce. Archive de Zoologie Expérimentale et Générale (series 2) 10(3):345–498, 8 pl.
- Dendy, Arthur. 1893. Synopsis of the Australian Calcarea Heterocoela, with a proposed classification of the group, and descriptions of some new genera and species. Proceedings of the Royal Society of Victoria (new series) 5:69–116.
- . 1905. Report on the sponges collected by Professor Herdman, at Ceylon, in 1902. Report on the Pearl Oyster Fisheries of the Gulf of Manaar, Royal Society, London, supplement 18:57–246, 16 pl.
- . 1910. Porifera, Part I—Non-Antarctic sponges. British Antarctic (Terra Nova) Expedition, Zoology 6(3):269–392, 15 pl.
- . 1916. Report on the Homosclerophora and Astrotetraxonida collected by H. M. S. "Sealark" in the Indian Ocean. Transactions of the Linnean Society, Zoology 17:225–271, 4 pl.
- . 1917. On the occurrence of gelatinous spicules and their mode of origin in a new genus of siliceous sponges. Proceedings of the Royal Society of London (section B) 89:315–321.
- . 1921. The tetraxonid sponge spicule: a study in evolution. Acta Zoologica, Stockholm 2:95–152.
- . 1922. Report on the Sigmatotetraplexida collected by H. M. S. "Sealark" in the Indian Ocean. Transactions of the Linnean Society, London 18:1–164, 18 pl.
- . 1924a. Porifera, Part 1. Non-Antarctic Sponges. British Antarctic ("Terra Nova") Expedition, 1910, Zoology 6(3):269–392, 15 pl.
- . 1924b. On an orthogenetic series of growth-forms in certain tetraxonid sponge spicules. Proceedings of the Royal Society of London (section B) 97:243–250, pl. 9–10.
- Dendy, Arthur, & W. H. Row. 1913. The classification and phylogeny of the calcareous sponges, with a reference list of all the described species, systematically arranged. Proceedings of the Zoological Society, London 1913:704–813, 1 fig.
- Deng Zhan-Qiu. 1981. Upper Permian sponges from Laibin of Guangxi. Acta Palaeontologica Sinica 20(5):418–427, 4 pl. In Chinese with English summary.
- . 1982. Paleozoic and Mesozoic sponges from Southwest China. In Stratigraphy and Palaeontology in western Sichuan and eastern Xizang, China, Part 2. Sichuan Renmin Chuban She. Chengdu. p. 245–258, pl. 1–6. In Chinese with English summary.
- . 1990. New materials of Permian sponges. Acta Paleontologica Sinica 29(3):315–320, pl. 1. In Chinese with English summary.
- De Saporta, L. C. J. G. 1887. Nouveaux documents relatifs aux organismes problématiques des anciennes mers. Bulletin de la Société Géologique de France (series 3) 15:286–302, pl. 3–7.
- Dieci, G., A. Antonacci, & R. Zardini. 1968. Le Spugne cassiane (Trias medio-superiore) della regione dolomitica attorno a Cortino d'Ampezzo. Bollettino della Società Paleontologica Italiana 7(2):94–155, pl. 18–33.
- Dieci, G., A. Russo, & F. Russo. 1974a. Nota preliminare sulla microstruttura di spugne aragonitiche del Trias medio-superiore. Bollettino della Società Paleontologica Italiana 13(1–2):99–107, pl. 32–37.
- . 1974b. Revisione del genere *Leiospongia* d'Orbigny (*Sclerospongia triassica*). Bollettino della Società Paleontologica Italiana 13(1–2):135–146, pl. 51–53.
- Ding L., Li Y., Hu X., Xiao Y., Su C., & Huang J. 1996. Sinian Miaohe Biota. Geological Publishing House, Beijing. 221 p.

- Ding Wei-ming, & Qian Yi. 1988. Late Sinian to Early Cambrian small shelly fossils from Yangjiaping, Shimen, Hunan. *Acta Micropalaeontologica Sinica* 5(1):39–55, 4 pl.
- In Chinese with English summary.
- Doederlein, L. 1892. Über *Petrostoma schulzei* n. g., n. sp., der Kalkschwamme. [Description of *Petrostoma schulzei* of Calcarea, representing a new order of Lithones]. *Verhandlungen Deutsche Zoologische Gesellschaft* 2:143–145.
- Dong Xiping, & A. H. Knoll. 1996. Middle and Late Cambrian sponge spicules from Hunan, China. *Journal of Paleontology* 70:173–184, 7 fig.
- Doré, Francis, & R. E. H. Reid. 1965. *Allonia tripodophora* nov. gen., nov. sp., nouvelle Éponge du Cambrien inférieur de Carteret (Manche). *Comptes Rendus Somme Séances, Société Géologique de France* 1:20–21, 1 fig.
- Dorn, P. 1932. Untersuchungen über fränkische Schwammriffe. *Abhandlungen Geologisches Landesamt Bayern Oberbergamt*, München, p. 13–44, 6 pl.
- du Dresnay, Renaud, Geneviève Termier, & Henri Termier. 1978. Les hexactinellides (lyssakides et dictyonines) du lias marocain. *Geobios* 11(3):269–295, 4 fig., 6 pl.
- Duchassaing de Fonbressin, P., & G. Michelotti. 1864. Spongaires de la mer Caraïbe. *Natuurkundige verhandelingen van de Hollandsche maatschappij der wetenschappen te Haarlem* 21(2):1–124, pl. I–XXV.
- Dumortier, E. 1871. Sur calces gisements de l’Oxfordian inférieure de l’Ardeche. Paris-Lyon, 4, 85 p.
- Dunagan, S. P. 1999. A North American freshwater sponge (*Eospongilla morrisonensis* new genus and species) from the Morrison Formation (Upper Jurassic), Colorado. *Journal of Paleontology* 73:389–393, 3 fig.
- Duncan, P. M. 1879. On some spheroidal lithistid Spongida from the Upper Silurian Formation of New Brunswick. *Annals and Magazine of Natural History* (series 5) 4:84–91.
- Duner, H., & B. Pernow. 1963. Chapter 22, Histamine. In U. S. von Euler and H. Heller, eds., *Comparative Endocrinology*, vol. 2. Academic Press, Inc. New York. p. 239–257, 1 fig.
- von Dunikowski, Emil. 1883. Die Pharetronen aus dem Cenoman von Essen, und die Systematische Stellung der Pharetronen. *Paleontographica* 29:283–323, pl. 37–40 (1–4).
- . 1884. Über Permo-Carbon-Schwämme von Spitzbergen. *Koniglia Svenska Vetenskaps Akademiens, Handligar*, Stockholm (series 4) 21:1–18.
- . 1892. Die Pharetronen aus dem Cenoman von Essen und die Systematische Stellung der Pharetronen. *Paleontographica* 29:281–348.
- Dunn, M. T., R. H. Mapes, & J. K. Rigby. 2003. A land plant not a sponge: A re-evaluation of the Mississippian demosponge *Vintonia* and the family Vintoniidae. *Journal of Paleontology* 77:397–399, 1 fig.
- Edwards, M. A., & A. T. Hopwood, eds. 1966. *Nomenclator Zoologicus*, vol. 6, 1946–1955. The Zoological Society of London. London. 329 p.
- Edwards, M. A., & H. G. Vevers, eds. 1975. *Nomenclator Zoologicus*, vol. 7, 1956–1965. The Zoological Society of London. London. 374 p.
- Efremova, S. M. 1965. Experiments on the use of glycin C<sup>14</sup> for the study of the nutrition of sponges *Sycon lingua* Haeck. *Vestnik Leningradskogo Gosudarstvennogo Universiteta* 3:17–23, 6 fig.
- In Russian.
- Eichwald, E. 1860. *Lethaea rossica ou paléontologie de la Russie*, décrite et figurée par Eduard d’Eichwald, vol. 1. E. Schweizerbart, Stuttgart. 359 p.
- Elliott, G. F. 1963. Problematical microfossils from the Cretaceous and Paleocene of the Middle East. *Palaeontology* 6:293–300, 3 pl.
- Emery, K. O., J. L. Tracy Jr., & H. S. Ladd. 1954. Geology of Bikini and nearby atolls. U. S. Geological Survey Professional Paper 260-A:1–265.
- Engeser, T. S. 1986. Nomenklatorische notiz zur gattung *Dictyocoelia* Ott, 1967 (“Sphinctozoa,” Porifera). *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 10:587–590.
- Engeser, T. S., & Dorte Mehl. 1993. Corrections and additions to the nomenclature of the Porifera in The Treatise on Invertebrate Paleontology, (Part E). Berliner Geowissenschaftliche Abhandlungen (Reihe E) 9:183–198.
- Engeser, T. W., & H.-H. Neumann. 1986. Ein neuer verticillitider “sphinctozoe” (Demospongiae, Porifera) aus dem Campan der Krappfeld-Gosau (Kärnten, Österreich). *Mitteilungen, Geologisch-Paläontologische Institut, Universität Hamburg* 61:149–159, 1 pl.
- Engeser, T. S., & P. D. Taylor. 1989. Supposed Triassic bryozoans in the Klipstein Collection from the Italian Dolomites redescribed as calcified demosponges. *Bulletin of the British Museum (Natural History, Geology series)* 45:39–55, 9 fig.
- Esper, E. J. C. 1791. *Oryctographiae Erlangensis specimen quaedam imprimis spongiarium petrefactarum*. Nova Actas Physikal-Medecinische Abhandlungen der Akademie Caesarea Leopold-Carol. Naturae Curios, vol. 8. p. 194–204, pl. 8.
- . 1794. *Die Pflanzethiere in Abbildungen nach der Natur mit Farben erleuchtet nebst Beschreibungen*. Zweiter Theil. Raspe. Nürnberg. 303 p.
- This second part appeared 1791–1794 and contains lieferung 7–12, about sponges, p. 102, 165–282, 289–294.
- Étallon, M. A. 1859a [1858]. Études paléontologiques sur le Haut-Jura. *Additions et Rectifications* S. 24 im Separat-Abdruck der Mémoires de la Société Jurassienne d’Émulation du Département du Doubs 3:1–153.
- . 1859b. Études paléontologiques sur le Haut-Jura, Rayons du Corallien. Part III. Mémoires de la Société Jurassienne d’Émulation du Département du Doubs 3:401–553.
- . 1860. Sur la classification des Spongaires du Haut-Jura, et leur distribution dans les étages. *Actes de la Société Jurassienne d’Émulation*, pendant l’année 1858. Porrentruy. p. 129–160.

- . 1863. *Lethea bruntrutana*. Denkschriften der Schweizerischen naturforschenden Gesellschaft (*Mémoires de la Société helvétique des sciences naturelles*) 20:357–454.
- . 1864. *Lethea bruntrutana*. Siehe No. 222. Études paleontologiques sur le Jura graylois. *Mémoires de la Société d'Émulation du Département du Doubs* 8:221–506.
- Fabricius, O. 1780. *Fauna Groenlandica, systematicae sistens, Animalia Groenlandiae occidentalibus hactenus indagata, quoad nomen specificum, triviale, vernaculumque; synonym auctorum plurium, descriptionem, locum, victim, generationem. Mores, usum, capturamque singuli; prout detegendi occasio fuit, maximaque parti secundum proprias observations. Hafniae & Lipsiae. xvi + 1–452*, 1 pl.
- Fan Jiasong, J. K. Rigby, & Qi Jingwen. 1990. The Permian reefs of South China and comparisons with the Permian reef complex of the Guadalupe Mountains, West Texas and New Mexico. *Brigham Young University Geology Studies* 36:15–55, 16 fig., 11 pl.
- Fan Jiasong, J. K. Rigby, & Zhang Wei. 1991. "Hydrozoa" from Middle and Upper Permian reefs of South China. *Journal of Paleontology* 65:44–68.
- Fan Jiasong, Wang Yu-Mao, & Wu Ya-Sheng. 2002. Calcisponges and hydrozoans from Permian reefs in western Guangxi (China). *Acta Palaeontologica Sinica* 41(3):334–348, 2 fig., pl. 1–4.  
In Chinese with English summary.
- Fan Jiasong, & Zhang Wei. 1985. Sphinctozoans from Late Permian reefs of Lichuan, West Hubei, China. *Facies* 13:1–44, 6 fig., pl. 1–8.
- Fedorov, A. B. 1987. Tip Gubki [Phylum Sponges]. In Yu. Ya. Shabanov & others, *Nizhnii paleozoy yugozapadnogo sklona Anabarskoy anteklizy (po materialam burenii)* [Lower Paleozoic of the southwestern slope of the Anabar Anteclide (according to boring data)]. Nauka. Novosibirsk. 208 p.
- Felix, J. 1913. Über ein cretacéisches Geschiebe mit *Rhizocorallium* Gläseli n. sp. aus dem Diluvium bei Leipzig. *Sitzungsberichte der Naturforschenden Gesellschaft zu Leipzig* 39:19–26.
- Fenton, C. L., & M. A. Fenton. 1932a. Boring sponges in the Devonian of Iowa. *American Midland Naturalist* 13:42–54, pl. 6–9.
- . 1932b. A new species of *Cliona* from the Cretaceous of New Jersey. *American Midland Naturalist* 13:54–55, pl. 7.
- Filatova, Z. A., & N. G. Barsanova. 1964. [The communities of bottom fauna of the western part of the Bering Sea.] *Trudy Instituta Okeanologiya, Moscova* 69:6–97, 4 fig.  
In Russian with English summary.
- Finks, R. M. 1955. *Conularia* in a sponge from the West Texas Permian. *Journal of Paleontology* 29:831–836, pl. 82.
- . 1960. Late Paleozoic sponge faunas of the Texas region: the siliceous sponges. *American Museum of Natural History Bulletin* 120(1):1–160, 77 fig., pl. 1–50.
- . 1967a. The structure of *Saccospongia laxata* Bassler (Ordovician) and the phylogeny of the Demospongea. *Journal of Paleontology* 41:1,137–1,149, 5 fig., pl. 145–146.
- . 1967b. Phylum Porifera Grant 1836. In W. B. Harland, ed., *The Fossil Record*. Geological Society of London. London, p. 333–341, fig. 9.
- . 1970. The evolution and ecologic history of sponges during Palaeozoic times. In W. G. Fry, ed., *The Biology of the Porifera*. Symposia of the Zoological Society of London 25:3–22, fig. 1–15.
- . 1971a. Sponge zonation in the west Texas Permian. *Smithsonian Miscellaneous Contributions, Paleontology* 3:285–300, 3 fig.
- . 1971b. A new Permian eutaxicladine demosponge, mosaic evolution, and the origin of the Dicranocladina. *Journal of Paleontology* 45:977–997, 5 fig., pl. 117–122.
- . 1983a. Pharetronida: Inozoa and Sphinctozoa. In T. W. Broadhead, ed., *Sponges and Spongiomorphs*. Notes for a short course organized by J. K. Rigby and C. W. Stearn, *Studies in Geology* 7. University of Tennessee. Knoxville. p. 55–69.
- . 1983b. Fossil Hexactinellids. In T. W. Broadhead, ed., *Sponges and Spongiomorphs*. Notes for a short course organized by J. K. Rigby and C. W. Stearn, *Studies in Geology* 7. University of Tennessee. Knoxville. p. 101–115, 4 fig.
- . 1990. Late Paleozoic pharetronid radiation in the Texas region. In Klaus Rutzler, ed., *Perspectives in Sponge Biology*. 3rd International Sponge Conference 1985. Smithsonian Institution Press. Washington, D.C. p. 17–24.
- . 1995. Some new genera of Paleozoic calcareous sponges. *The University of Kansas Paleontological Contributions (new series)* 6:9 p., 11 fig.
- . 1997. New name for a Permian calcareous sponge and some related corrections. *Journal of Paleontology* 71:352.
- Finks, R. M., & D. F. Toomey. 1969. The paleoecology of Chazyan (lower Middle Ordovician) "reefs" or "mounds." *New York State Geological Association Guidebook, 41st Annual Meeting*. Plattsburgh. p. 93–120, 4 fig., 6 pl.
- Finks, R. M., E. L. Yochelson, & R. P. Sheldon. 1961. Stratigraphic implications of a Permian sponge occurrence in the Park City Formation of western Wyoming. *Journal of Paleontology* 35:564–568.
- Fischbuch, N. R. 1970. Devonian reef-building stromatoporoids from western Canada. *Journal of Paleontology* 44:1,071–1,084, pl. 145–149.
- Fischer, A. G. 1962. Fossilien aus Riffkomplexen der alpinen Trias: *Cheiilosporites* Wöhner, ein Foraminifere? *Paläontologische Zeitschrift* 36:118–124, pl. 13–14.
- Fischer, J. C. 1970. Révisions et essai de classification des Chaetetida (Cnidaria) post-Paléozoïques. *Annales de Paléontologie des Invertébrés* 56:151–220.
- Fischer, P. 1867. Note sur quelques Spongaires fossiles de la Craie, appartenant au groupe des Géodies. *Actes de la Société Linnéenne de Bordeaux (series 3)* 6:233–238.
- Fischer von Waldheim [de Waldheim], G. F., MS in C. E. d'Eichwald [Eduard von]. 1829. *Zoologia specialis quam expositis animalibus tum vivis, tum fossilibus*

- potissimum Rossiae in universum, et Poloniae in species, in usum lectionum, vol. 1. J. Zawalski. Vilna. vi + 314 p., 5 pl.
- Fischer de Waldheim, G. F. 1830–1837. Oryctographie du Gouvernement de Moscou. Ouvrage publié aux frais de la Société Impériale des Naturalistes de Moscou, 2nd ed. A. Semen. Moscow. v + 202 p., 62 pl.
- Fjeldingstad, E. J. 1961. The ultrastructure of choanocyte collars in *Spongilla lacustris* (L.). Zeitschrift für Zellforschung 53:645–657.
- Fleming, J. 1828. A history of British Animals, exhibiting the descriptive characters and systematical arrangement of the genera and species of quadrupeds, birds, reptiles, fishes, mollusca and radiata of the United Kingdom. Bell and Bradfust. Edinburgh & London. xxiii + 565 p.
- Flügel, E. 1966. Algen aus dem Perm der Karnischen Alpen. Carinthia II, Sonderheft, Klagenfurt 25:3–76, 15 fig., 11 pl.
- . 1981. Paleogeology and facies of Upper Triassic reefs in the Northern Calcareous Alps. In D. F. Toomey, ed., European Fossil Reef Models. SEPM Special Publication 30:291–359, 26 fig.
- Flügel, E., R. Lein, & B. Senowbari-Daryan. 1978. Kalkschwämme, Hydrozoen, Algen und Mikroproblematika aus des Cidarischichten (Karn, Ober-Trias) der Mürztaler Alpen (Stiermark) und des Gosaukammes (Oberösterreich). Mitteilungen Gesellschaft des Geologie- und Bergbaustudenten in Österreich 25:153–195.
- Flügel, E., & G. D. Stanley. 1984. Reorganization, development, and evolution of post-Permian reefs and reef organisms. Palaeontographica Americana 54:177–186, 5 fig.
- Foerste, A. F. 1916. Notes on Cincinnati fossil types. Bulletin of the Scientific Laboratories of Denison University 18:285–355, pl. 1–7.
- Fomin, Yu. M. 1963. O nakhadke arkheotsiatopodovnyk organizmov v strednedevonskikh otlozheniyakh vostochnogo sklona yuzhnogo Urala [On the discovery of Archaeocyatha-like organisms in Middle Devonian deposits of the eastern slopes of the southern Urals]. Paleontologische Zhurnal 1963(2):17–19, fig. 12.
- Fontaine, H. 1962. Nouveau nom pour le genre *Steinmannia* Waagen et Wentzel. Comptes Rendus, Société Géologique de France 7:205.
- Forbes, M. L. 1964. Distribution of the commensal oyster, *Ostrea permollis*, and its host sponge. Bulletin of Marine Science of the Gulf and Caribbean 14:453–464, 2 fig.
- Fox, H. M., & Hugh Ramage. 1930. Spectrographic analyses of animal tissues. Nature 126(3,183):682.
- . 1931. A spectrographic analysis of animal tissues. Proceedings of the Royal Society, London (section B) 108(755):157–173.
- Fraipont, Charles. 1911. Use hexactinellide nouvelle du Dévonien belge (Calcaire Frasnien) *Pseudopemmatites Fourmarieri* nov. g. et. n. sp. Annales de la Société Géologique de Belgique 38:197–206, pl. 13–15.
- de Freitas, Tim A. 1987. A Silurian sphinctozoan sponge from east-central Cornwallis Island, Canadian Arctic. Canadian Journal of Earth Sciences 24:840–844, 3 fig.
- . 1989. Silurian *Archaeoscyphia* from the Canadian Arctic: a case for simplified generic taxonomy in the anthaspidellid lithistids. Canadian Journal of Earth Sciences 26:1,861–1,879.
- . 1991. Ludlow (Silurian) lithistid and hexactinellid sponges, Cape Phillips Formation, Canadian Arctic. Canadian Journal of Earth Sciences 28:2,042–2,061, 9 fig.
- Frentzen, Karl. 1932. Paleobiologisches ueber die koralleworkommen im oberen weissen Jura bei Nattheim, O.-A. Heidenheim. Bodische Geologische Abhandlungen 4:43–57.
- Fretter, V., & A. Graham. 1976a. The prosobranch molluscs of Britain and Denmark, Part 1, Pleurotomariacea, Fissurellacea, and Patellacea. Journal of Molluscan Studies (supplement) 1:1–37, 25 fig.
- . 1976b. Sponges. In V. Fretter & A. Graham, eds., A Functional Anatomy of Invertebrates. Academic Press. London. p. 44–52, 2 fig.
- Complete page information for book: vii + 589 p.
- de Fromentel, M. E. 1860a [1859]. Introduction à l'étude des éponges fossiles. Mémoires de la Société Linnéenne de Normandie 11:1–50, pl. 1–4.
- . 1860b. Catalogue raisonné des Spongaires de l'étage Néocomien. Bulletin de la Société des Sciences historiques et naturelles de l'Yonne (series 4) 14:1–19, pl. 1–4.
- . 1861 [1860]. Catalogue raisonné des Spongaires de l'étage Néocomien. Bulletin de la Société des Sciences historiques et naturelles de l'Yonne (series 4) 14(2):356–372.
- . 1864. Monographie des Polypiers jurassiques supérieurs (étages portlandien et kimmeridgien). Mémoires de la Société Linnéenne de Normandie, Paris 13:1–53, 8 pl.
- . 1865. Polypiers coralliens des environs de Gray, considérés dans leurs rapports avec ceux des bassins coralliens de la France, et dans leur développement pendant la durée de cet étage. Mémoires de la Société Linnéenne de Normandie, Paris 14:1–43.
- . 1875. Stegenda. In L. Pillet & E. Fromentel, Description géologique et paléontologique de la Colline de Lémenc sur Chambéry. Mémoires de la Société académique de Savoie (3) 4:168.
- Fry, W. G. L. 1970. The sponge as a population: a biometric approach. In W. G. Fry, ed., Biology of the Porifera. Zoological Society of London Symposium 25:135–162, 12 fig.
- Fursich, R. T., T. J. Palmer, & K. L. Goodyear. 1994. Growth and the disintegration of bivalve-dominated patch reefs in the Upper Jurassic of southern England. Palaeontology 37:131–171.
- Gaillard, C. 1983. Les bioherms à spongaires et leur environnement dans l'Oxfordien du Jura méridional. Documents des Laboratoires de Géologie de la Faculté des Sciences de Lyon 90:1–515, 187 fig., 42 pl.

- García-Bellido Capdevila, D., & J. K. Rigby. 2004. Devonian and Carboniferous sponges from Spain. *Journal of Paleontology* 78:431–455 p., 15 fig.
- Gatehouse, C. G. 1968 [1967]. The first record of lithistid sponges in the Cambrian of Australia. *Bulletin of the Bureau of Mineral Resources, Geology and Geophysics, Australia* 92:57–67, pl. 7–8.
- Gatenby, H. B., & T. M. Tahmisian. 1959. The contractile vacuoles and Golgi apparatus of *Ephydatia fluviatilis*: an electron microscope study. *Journal of the Royal Microscopical Society (series 3)* 77(3–4):107–115, 5 pl.
- Gautret, P. 1985. Organisation de la phase minérale chez *Vaceletia crypta* (Vacelet) démosponge, sphinctozoaire actuelle. Comparaison avec de formes aragonitiques du Trias de Turquie. *Geobios* 18(5):553–562, 2 fig., 4 pl.
- Gautret, P., & J. P. Cuif. 1989a. Les démosponges calcifiées des biohermes du Jurassique supérieur du Sud Tunisiens (Oxfordian de la région de Tataouine). *Geobios* 22(1):49–63.
- . 1989b. Microstructure granulaire calcitique de trois sphinctozoaires du Trias supérieur des Dolomites et le Turquie. *Annales de Paléontologie* 75(4):171–186, 1 pl.
- Gautret, P., J. Vacelet, & J.-P. Cuif. 1991. Caractéristiques des spicules et du squelette carbonaté des espèces actuelles du genre *Merlia* (démosponge, Meriliida), et comparaison avec des chaetétides fossiles. *Bulletin du Muséum national de l'histoire naturelle de Paris (section A)* 13:289–307.
- Gehling, J. G., & J. K. Rigby. 1996. Long expected sponges from the Neoproterozoic Ediacara fauna of South Australia. *Journal of Paleontology* 70:185–195, 7 fig.
- Geinitz, H. B. 1864. Zwei Arten von *Spongillopsis*, *S. dyadica*, *S. carbonica*. *Neues Jahrbuch für Mineralogie und Geologie* 1864:517–519.
- Gerassimov, P. R. 1960 [1957]. Gubki podmoskovnoi yury i nizhnego mela [Sponges of the Jurassic and Lower Cretaceous of the Moscow area]. Materialy po Geologii i Poleznyim Iskopaemym Tsentral'nykh Rainov Evropeiskoi Chasti SSSR, v. 3.
- Gerth, H. 1909 [1907]. *Timorella permica* n. gen. n. sp., eine Neue Lithistide aus dem Perm von Timor. *Centralblatt für Mineralogie, Geologie und Paläontologie* 22:695–700, 5 fig.
- . 1927. Die Spongen aus dem Perm von Timor. *Jaarboek van het Mijnwesen Nederland-Oost Indien, Verhandelingen für* 1926:99–132.
- . 1929. XXVII. Die Spongen aus dem Perm von Timor. In Joh. Wanner, ed., *Paläontologie von Timor*, nebst kleineren Beiträgen zur paläontologie einiger anderen inseln des ostindischen archipels. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart. p. 1–35, 6 pl.
- Essentially a reprint of the systematics presented in Gerth, 1927.
- Giattini, G. B. 1909 [1908]. *"Manzonia aprutina"* Nuova esattinellidae del Miocene Medio di S. Valentino (Chieti). *Revista Italiana di Paleontologia* 14:57–63.
- Giebel, C. G. 1850 [1849]. Über *Scyphia uvaformis*, n. sp. *Jahresbericht ueber Naturwissenschaftlichen Verein in Halle*, 2 jahrg. Berlin. p. 57–60.
- . 1852. *Deutschlands Petrefacten. Ein systematisches Verzeichniß aller in Deutschland und den angrenzenden Landern vorkommenden Petrefacten nebstd Angabe der Synonymen und Fundorte*. A. Abel. Leipzig. 706 p. Sponges on p. 169–183.
- Gilbert, J. J., & T. L. Simpson. 1976. Sex reversal in a freshwater sponge. *Journal of Experimental Zoology* 195:145–151.
- Girty, G. H. 1895. A revision of the sponges and coelenterates of the Lower Helderberg Group of New York. *New York State Geologist Annual Report* 14(64):259–322, pl. 1–7.
- . 1908. On some new and old species of Carboniferous fossils. *Proceedings of the U.S. National Museum* 34:281–303, pl. 14–21.
- . 1909 [1908]. The Guadalupian Fauna. U.S. Geological Survey Professional Paper 58:1–641, 31 pl.
- . 1912 [1911]. On some new genera and old species of Pennsylvanian fossils from the Wewoka Formation of Oklahoma. *Annual Report of the New York Academy of Sciences* 21:119–156.
- Glaessner, M. F. 1962. Pre-Cambrian fossils. *Biological Reviews of the Cambridge Philosophical Society* 37(4):467–494.
- Goldfuss, A. 1826. *Petrefacta Germaniae oder Abbildungen und Beschreibungen der Petrefacten Deutschlands und der angrenzenden Lander, Band 1, Heft 1. Unter Mitwirkung des Grafen George zu Münster*. Düsseldorf. p. 1–76, pl. i–xxv.
- . 1829. *Petrefacta Germaniae oder Abbildungen und Beschreibungen der Petrefacten Deutschlands und der angrenzenden Lander, Band 1, Heft 2. Unter Mitwirkung des Grafen George zu Münster*. Düsseldorf. p. 77–164, pl. xxvi–l.
- . 1831. *Petrefacta Germaniae oder Abbildungen und Beschreibungen der Petrefacten Deutschlands und der angrenzenden Lander, Band 1, Heft 3. Unter Mitwirkung des Grafen George zu Münster*. Düsseldorf. p. 165–240, pl. li–lxxi.
- . 1833. *Petrefacta Germaniae oder Abbildungen und Beschreibungen der Petrefacten Deutschlands und der angrenzenden Lander, Band 1, Heft 4. Unter Mitwirkung des Grafen George zu Münster*. Düsseldorf. p. 241–252.
- Goryansky, V. Y. 1977. Lervaia Nakhodka ostatkov gubki v nizhnem kembrii vostochnoi sibiri [First discoveries of sponge remains from the Lower Cambrian in eastern Siberia]. *Ezhegodnik Vsesoyuznyi Paleontologiya Obshchestvo* 20:274–278, pl. 1. In Russian.
- Goreau, T. F., & W. D. Hartman. 1963. Boring sponges as controlling factors in the formation and maintenance of coral reefs. *American Association for the Advancement of Science* 75:25–54.
- Grabau, A. W. 1932. Paleozoic centers of faunal evolution and dispersion. *Pan-American Geologist* 58(4):273–284.

- Graham, A. 1971. British prosobranch and other operculate gastropod molluscs. Key and notes for the identification of the species. *Synopses of the British Fauna*, new series, no. 2. The Linnean Society of London. London. p. 1–112, 118 fig.
- Grant, R. E. 1826a. New notice of a new zoophyte (*Ciona celata*) from the Firth of Forth. *Edinburgh New Philosophical Journal* 1:78–81.
- . 1826b. Observations on the structure of some siliceous sponges. *Edinburgh New Philosophical Journal* 1:341–351.
- . 1833. On the classification of the organs of animals and on the organs of support in animacules and poriferous animals. Lecture IV, University of London lectures on comparative anatomy and animal physiology. *The Lancet* (1833–1834, Nov. 2, 1833) 1:194–200.
- . 1835–1841. Porifera. In H. Bailliere, ed., *Outlines of Comparative Anatomy*, vol. 1. London. p. 5–9, 310–313, pl. II–IV.
- . 1836. Animal Kingdom. In R. B. Todd, ed., *The Cyclopaedia of Anatomy and Physiology*, vol. 1. Sherwood, Gilbert, & Piper. London. p. 107–118.
- . 1841. *Outlines of Comparative Anatomy*. Hippolyte Bailliere. London. 656 p., 147 fig.
- Gray, D. I. 1980. Spicule pseudomorphs in a new Palaeozoic chaetid, and its sclerosponge affinities. *Palaeontology* 23(4):803–820, pl. 102–103.
- Gray, J. E. 1832. Synopsis of the contents of the British Museum (London). British Museum Publication, edition 27. London. 212 p.
- . 1835. On the coral known as the glass plant. *Proceedings of the Zoological Society of London* 1835:492–558, pl. 27–28.
- . 1837. A synoptical catalogue of the species of certain tribes or genera of shells contained in the collections of the British Museum and the author's cabinet, with descriptions of new species. *Magazine of Natural History* 1:370–376.
- . 1848. List of specimens of British sponges in the collection of the British Museum (London). British Museum Publication viii:1–24.
- . 1857. Synopsis of the axiferous Zoophytes or barked corals. *Proceedings of the Zoological Society of London* 25:278–294, pl. 9.
- . 1858. On *Aphrocallistes*, a new genus of Spongiidae from Malacca. *Annals and Magazine of Natural History* (series 3) 2:224.
- . 1859. Description of *MacAndrewia* and *Myliusia*, two new forms of sponges. *Proceedings of the Zoological Society of London* 1859:437–440, pl. 15–16.
- Also published in 1860 in the *Annals and Magazine of Natural History* (series 3) 5:495–498.
- . 1867. Notes on the arrangement of sponges, with the description of some new genera. *Proceedings of the Scientific Meetings of the Zoological Society of London* 1867:492–558.
- . 1868a. Note on *Hyalonema schultzei* Semper. *Annals and Magazine of Natural History* (series 4) 2:373–377.
- . 1868b. Note on *Theonella*, a new genus of coralloid sponges from Formosa. *Proceedings of the Zoological Society of London* 3:565–566.
- . 1872a. Notes on the classification of the sponges. *Annals and Magazine of Natural History* (series 4) 9:442–462.
- . 1872b. On a new genus of hexiradiate and other sponges discovered in the Philippine Islands by Dr. A. B. Meyer. *Annals and Magazine of Natural History* (series 4) 10:134–139.
- . 1872c. *Crateromorpha*. In H. J. Carter, Description of two new sponges from the Phillipine Islands. *Annals and Magazine of Natural History* (series 4) 10(56):110–113.
- Gregorio, A. 1883. Coralli Giurresi di Sicilia. *Il Naturalista Siciliano*, Palermo 2(6):121–126.
- . 1908. Sul generi *Zittelspongia*. *Il Naturalista Siciliano*, Palermo 20:83.
- . 1930. Sul Permiano di Sicilia (Fossili del calcare con Fusulina di Palazzo Adriano). *Annals of Geology and Palaeontology* 52:1–70.
- Gümbel, C. W. 1868. Geognostische Beschreibung des Königreichs Bayern. 2. Abth.: Geognostische Beschreibung des Ostbayrischen Grenzgebirge oder des Bayerischen und Oberpfälzer Waldgebirges. Gotha. p. 761, 771.
- Gutschick, R. G., & T. G. Perry. 1959. Sappington (Kinderhookian) sponges and their environment. *Journal of Paleontology* 33:977–985, 3 fig., 2 pl.
- Gwinner, M. P. 1958. Schwämmbänke, Riffe und submarine relief im oberen Weissen Jura der Schwäbischen Alb (Württembrug). *Geologische Rundschau* 47(1):408–418.
- . 1968. Palaeogeographic und Landeschaftsentwicklung im Weissen (ober) Jura der Schwäbischen Alb (Baden-Württemberg). *Geologische Rundschau* 58(1):32–41.
- . 1976. Origin of the Upper Jurassic limestones of the Swabian Alb (southwest Germany). Contributions to Sedimentology 5:1–75.
- Haas, Otto. 1909. Bericht über neue Aufsammlungen in den Zlambach-mergeln der Fischerwiese bei Alt-Aussee. Beiträge zur Paläontologie und Geologie von Österreich-Ungarns und des Orients. Mitteilungen des geologischen und paläontologischen Institutes der Universität Wien 22:143–167, 2 pl.
- von Hacht, Ulrich. 1981. *Syltroclos pyramidoidalis* – eine neu obervordovicische Spongie aus der Braderuper Serie der Kaolinsande von Sylt. Grondboor & Hamer 35(6):154–155.
- . 1990. Wenig bekannte Spongien von Sylt. In U. von Hacht, ed., *Fossilien von Sylt III*. Verlag und Verlagbuchhandlung Inge-Maria von Hacht. Hamburg. p. 43–57, 4 pl.
- . 1994. Sponzentelling op Sylt. Grondboor & Hamer 48(4/5):76–80, 8 fig.
- von Hacht, Ulrich, & F. Rhebergen. 1997. Ordoviziche Geschiebespongien Europas. In M. Zwanzig & H. Löser, Berliner Beiträge zur Geschiebeforschung, CPress Verlag. Dresden. p. 51–63.
- Haeckel, E. 1870. Prodromus eines Systems der Kalkschwämmen. *Jenaer Zeitschrift für Medicin und Naturwissenschaft* 5:236–254.
- Translated in *Annals and Magazine of Natural History* (series 4) 5:176–191.

- . 1872a. Prodromus eines Systems der Kalkschwämme. Zeitschrift für die gesammten Naturwissenschaften, Berlin 6:507–515.
- . 1872b. Die Kalkschwämme. Ein Monographie. Verlag von Georg Reimer. Berlin. Band I, Biologie der Kalkschwämme (Calcispongiens oder Grantien), 484 p.; Band II, System der Kalkschwämme (Calcispongiens oder Grantien), 418 p.; Band III, atlas, 60 pl.
- Hajdu, E., R. W. M. Van Soest, & J. N. A. Hooper. 1994. Proposal for a phylogenetic subordinal classification of poecilosclerid sponges. In R. W. M. van Soest, T. M. G. van Kempen, & J. C. Braekman, eds., Sponges in Time and Space. Balkema. Rotterdam. p. 123–139.
- Hall, James. 1863. Observations upon the genera *Uphantaenia* and *Dictyophyton*, with notice of some species from the Chemung Group of New York and the Waverly sandstone of Ohio. New York State Cabinet 16:84–91, pl. 3–5.
- . 1884. Descriptions of the species of fossil reticulate sponges, constituting the family Dictyospongidae. New York State Museum of Natural History, 35th Annual Report. p. 465–481, pl. 17–21.
- . 1890a. On new genera and species of the family Dictyospongidae. New forms of Dictyospongidae from the rocks of the Chemung Group. Geological Society of America Bulletin 1:22–23.
- . 1890b. Fossil Dictyospongidae of the Devonian and Carboniferous formations; new forms of Dictyospongidae from rocks of the Chemung Group. Ninth Annual Report, New York State Geologist. p. 56–60.
- Hall, James, & J. M. Clarke. 1899 [1898]. A memoir of the Paleozoic reticulate sponges constituting the family Dictyospongidae. New York State Museum Memoir 2:350 p., 45 fig., 70 pl.
- Variously dated as 1898, 1899, and 1900.
- Hancock, Albany. 1849. On the excavating powers of certain sponges belonging to the genus *Cliona*; with descriptions of several new species, and an allied generic form. Annals and Magazine of Natural History (series 2) 3:321–348, pl. 12–15.
- Häntzschel, Walter. 1962. Trace fossils and Problematica. In W. W. Hass, W. Häntzschel, D. W. Fischer, B. F. Howell, F. H. T. Rhodes, K. J. Müller, & R. C. Moore, eds., Treatise on Invertebrate Paleontology, Part W, Miscellanea. University of Kansas & Geological Society of America. Lawrence & Boulder. p. 177–245.
- . 1975. Trace fossils and problematica. In Curt Teichert, ed., Treatise on Invertebrate Paleontology, Part W, Miscellanea, Supplement 1. University of Kansas & Geological Society of America. Lawrence & Boulder. 269 p.
- Hara, J. 1894. On a new species of calcareous sponge, *Lelapia nipponica*. Zoological Magazine 6:369–370. In Japanese.
- Hartman, W. D. 1958a. A re-examination of Bidder's classification of the Calcarea. Systematic Zoology 7:97–110.
- . 1958b. Natural history of the marine sponges of southern New England. Bulletin of the Peabody Museum of Natural History 12:1–155, 46 fig., 12 pl.
- . 1969. New genera and species of coralline sponges (Porifera) from Jamaica. Postilla, Peabody Museum of Natural History 137:1–39, fig. 1–32.
- . 1979. A new sclerosponge from the Bahamas and its relationship to Mesozoic stromatoporoids. In C. Lévi & N. Boury-Esnault, eds., Biologie des Spongiaires, Colloques Internationaux du Centre National de la Recherche Scientifique 291:467–474.
- . 1982. Porifera. In S. P. Parker, ed., Synopsis and classification of living organisms, vol. 1. McGraw-Hill Book Co. New York, London, Toronto. p. 641–666.
- Hartman, W. D., & T. F. Goreau. 1966. *Ceratoporella*, a living sponge with stromatoporoid affinities. American Zoologist 6:262.
- . 1970. Jamaican coralline sponges; their morphology, ecology and fossil relatives. Zoological Society of London Symposium 25:205–243.
- . 1975. A Pacific tabulate sponge, living representative of a new order of Sclerosponges. Postilla, Peabody Museum of Natural History 167:1–14, fig. 1–15.
- Haswell, W. A. 1882. On Australian freshwater sponges. Proceedings of the Linnean Society of New South Wales 7:208–210.
- Hay, W. W., F. Wiedenmayer, & D. S. Marszalek. 1970. Modern organism communities of Bimini Lagoon and their relation to the sediments. In Supko, P., D. Marszalek & W. D. Bock, eds., Sedimentary environments and carbonate rocks, Bimini, Bahamas. Miami Geological Society 4th Annual Field Trip. p. 19–30.
- Hechtel, G. J. 1965. A systematic study of the Demospongiae of Port Royal, Jamaica. Peabody Museum of Natural History Bulletin 20:1–94, 15 fig., 8 pl.
- Hentschel, Ernst. 1909. Tetraxonida, tl. 1. In W. Michaelsen & R. Hartmeyer, Die Fauna Sudwest-Australiens, bd. 2, lfg. 21. G. Fischer. Jena. p. 347–402, 2 pl.
- . 1923–1924. Erste Unterabteilung der Metazoa: Parazoa, Porifera-Schwämme. In W. Küenthal & T. Krumbach, eds., Handbuch der Zoologie, Eine Naturgeschichte der Stämme des Tierreiches, vol. 1, Protozoa, Porifera, Coelenterata, Mesozoa. Walter de Gruyter und Co. Berlin & Leipzig. p. 307–408, fig. 288–377.
- . 1929. Die Kiesel- und Hornschwämmen des Nordlichen meeres. Fauna Arctica, Jena (series 4) 5(4):859–1,042, 4 pl.
- Herak, M. 1943. Zur Kenntnis triadischer Kalkschwämmen (Syclones). Neues Jahrbuch für Geologie und Paläontologie 88:107–135, 5 fig., 2 pl.
- . 1944. Zur Kenntnis triadischer Kalkschwämmen (Syclones). Neues Jahrbucher für Mineralogie, Geologie und Paläontologie 88:107–135, pl. 13–14.
- Hérenger, Lucette. 1942. Contribution à l'étude des spongiaires du Jurassique et du Crétacé de Catalogne. Travaux du Laboratoire de Géologie de la Faculté des

- Sciences de l'Université de Grenoble 23:143–192, 13 fig., 4 pl.
- . 1944. Spongaires siliceux du Crétacé du Sud-Est de la France. Travaux du Laboratoire de Géologie de la Faculté des Sciences de l'Université de Grenoble 24:79–110, 9 fig.
- . 1945 (1944). Nouvelle genre d'éponge siliceuse et remarque sur la classification des Hexactinellides. Comptes Rendus de la Société Géologique de France, Paris 218:688–690.
- . 1946a. Sur calces nouveaux gisements de Spongaires du Crétacé de Provence et sur une Mégamorine bien conservée provenant de l'un d'entre eux. Travaux du Laboratoire de Géologie de la Faculté des Sciences de l'Université de Grenoble 25:3–7.
- . 1946b. Description de nouvelles formes de spongaires du Crétacé supérieur des Petites Pyrénées. Comptes Rendus sommaire de la Société Géologique de France 3/4:46–48.
- Herrmann-Degen, Wolfgang. 1980. Eine hexactinelliden-faunula aus dem "Chalk" (Maastricht?, Paläozän) Sudwest-Ägyptens. Berliner geowissenschaftliche Abhandlungen (Reihe A, Geologie und Paläontologie) 24:1–29, 3 fig., 10 pl.
- Herzer, H. 1901. A new fossil sponge from the Coal Measures. Annual Report of the Ohio State Academy of Science 9:30–31.
- Hicks, H. 1869. Notes on a species of *Eophyon* (?) from the Lower Arenig rocks of St. Davids. The Geological Magazine 6:534–535.
- Hickson, S. J. 1911. On *Ceratopora*, the type of a new family of Alcyonaria. Proceedings of the Royal Society of London (series B) 84:195–200.
- Hill, Dorothy. 1972. Archaeocyatha. In Curt Teichert, ed., Treatise on Invertebrate Paleontology, Part E, revised, vol. 1. Geological Society of America & The University of Kansas Press. Boulder & Lawrence. xxx + 158 p., 107 fig.
- Hilmer, Gero, & B. Senowbari-Daryan. 1986. Sphinctozoa aus dem Cenoman von Mühlheim-Broich, SW-Westfalen. Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg 61:161–187, 8 pl.
- Hinde, G. J. 1875. [untitled abstract]. Proceedings of the Geological Society of London, Quarterly Journal 31:88.
- . 1882. Notes on fossil Calcispongiae, with descriptions of new species. Annals and Magazine of Natural History 10:185–205, pl. 10–12.
- . 1884a [1883]. Catalogue of the fossil sponges in the Geological Department of the British Museum (Natural History). British Museum (Natural History). London. viii + 248 p., 38 pl.
- . 1884b. On fossil calcisponges from the well-boring at Richmond. Quarterly Journal of the Geological Society of London 40:778–783, pl. 35.
- . 1885. On beds of sponge-remains in the Lower and Upper Greensand of the South of England. Philosophical Transactions of the Royal Society, London 1885:403–453, pl. 40–45.
- . 1887a. On the genus *Hindia* Duncan, and the name of a typical species (*fibrosa*) Roemer. Annals and Magazine of Natural History (series 5) 19:67–79.
- . 1887b. A monograph of the British fossil sponges, part 1. Palaeontographical Society Monograph. London. p. 1–92, pl. 1–8.
- . 1888. A monograph of the British fossil sponges, part 2, Sponges of the Palaeozoic Group. Palaeontographical Society Monograph. London. p. 93–188, pl. 9.
- . 1889a. On a new genus of siliceous sponge from the Trenton Formation at Ottawa. Canadian Record of Science 3:395–398.
- . 1889b. On *Archaeocyathus* Billings, and on other genera, allied to or associated with it, from the Cambrian strata of North America, Spain, Sardinia, and Scotland. Quarterly Journal of the Geological Association of London 45:125–148, pl. 5.
- . 1890. On a new genus of siliceous sponge from the lower Calcareous Grit of Yorkshire. Quarterly Journal of the Geological Society of London 46:54–61, pl. 6.
- . 1891. Notes on a new fossil sponge from the Utica Shale formation (Ordovician) at Ottawa, Canada. Geological Magazine (new series, decade III) 8:22–24, 1 fig.
- . 1893a. On *Palaeosaccus dawsoni* Hinde, a new genus and species of hexactinellid sponge from the Quebec Group (Ordovician) at Little Métis, Quebec, Canada. Geological Magazine (new series, decade III) 10(1):56–59, pl. 4.
- . 1893b. A monograph of the British fossil sponges, part 3, Sponges of Jurassic strata. Palaeontographical Society Monograph. London. p. 189–254, pl. 10–19.
- . 1900. On some remarkable calcisponges from the Eocene Strata of Victoria, Australia. Quarterly Journal of the Geological Society (London) 56:50–66, pl. 3–5.
- . 1904. On the structure and affinities of the genus *Porosphaera* Steinmann. Journal of the Royal Microscopical Society 1904:1–25, 2 pl.
- . 1912. A monograph of the British fossil sponges, Index. Palaeontographical Society Monograph. London. p. 255–265.
- Hinde, G. J., & W. M. Holmes. 1892 [1891]. On the sponge-remains in the Lower Tertiary strata near Oamaru, Otago, New Zealand. The Journal of the Linnean Society, Zoology 24:177–262, pl. 7–15.
- Hooper, J. N. A. 2002. Family Acarnidae Dendy, 1922. In J. N. A. Hooper & R. W. M. van Soest, eds., Systema Porifera: A Guide to the Classification of the Sponges. Kluwer Academic/Plenum Publishers. New York. p. 412–431, 13 fig.
- Howell, B. F. 1952. Four new Devonian sponges from Western Australia. Bulletin of the Wagner Free Institute of Science 27(1):1–8, 3 pl.
- . 1956. New Permian sponges from Western Australia. Bulletin of the Wagner Free Institute of Science 31(4):29–38, 3 pl.
- . 1957a. A new Devonian sponge, *Striataspongia cylindrica*, from Western Australia. Bulletin of the Wagner Free Institute of Science 32(1):1–3, 1 pl.
- . 1957b. Four new Cretaceous sponges from Texas. Bulletin of the Wagner Free Institute of Science 32(1):4–10, 2 pl.

- . 1957c. The Australian Devonian sponge, *Devonospongia clarkei* (de Koninck). Bulletin of the Wagner Free Institute of Science 32(2):13–16, 1 pl.
- Howell, B. F., & F. B. van Houten. 1940. A new sponge from the Cambrian of Wyoming. Bulletin of the Wagner Free Institute of Science 15(1):1–8, 3 pl.
- Howell, B. F., & R. W. Landes. 1936. New monactinellid sponges from the Ordovician of Wisconsin. Journal of Paleontology 10:53–59.
- Hozawa, S. 1923. On a new genus of calcareous sponge. Annotationes Zoologicae Japonense, Tokyo (Article 18) 10:183–190, 1 pl.
- Hudson, R. G. S. 1929. A Carboniferous lagoon deposit with sponges. Proceedings of the Yorkshire Geological Society 21:181–195, pl. 6.
- Hughes, G. W. 1985. *Silicospaera asteroderma* (Porifera), a new siliceous microfossil from the South China Sea. Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 10:599–604, 3 fig.
- Hunt, O. D. 1925. The food of the bottom fauna of the Plymouth fishing grounds. Marine Biological Association Journal, Plymouth 1925:568.
- Hurcewicz, Helena. 1966. Siliceous sponges from the Upper Cretaceous of Poland. Part 1. Tetraxonia. Acta Palaeontologica Polonica 11:15–129, 38 fig., 24 pl.
- . 1975. Calcispongea from the Jurassic of Poland. Acta Palaeontologica Polonica 20:223–291, 32 fig., pl. 29–41.
- . 1983 [1982]. Permian sponges from brachiopod cherts at Hornsund, Spitzbergen. Acta Palaeontologica Polonica 27:85–114, pl. 30–40.
- . 1985. [Frasnian sponges from Wietrzna and Kowala, Góry Świętokrzyskie Mts.]. Kwartalnik Geologiczny 29:271–300, 6 pl. English summary, p. 288.
- . 1986. *Astylospongia* Roemer (Porifera) from the Givetian at Gorno (Poland). Prezglad Geologiczny 34(2):89–91.
- . 1993. Sponge spicules from the Middle and Upper Devonian of the Holy Cross Mts., and Silesian uplands. Acta Palaeontologica Polonica 37(1,992):291–296.
- Hurcewicz, H., & S. Czarniecki. 1986. Lyssakidae sponges from the Carboniferous limestone and the Culm of southern Poland and their environmental differentiation. Annales Societatis Geologorum Poloniae 55:333–354, fig. 1–18, pl. I–IX.
- Hyman, L. H. 1925. Respiratory differences along the axis of the sponge *Grantia*. Biological Bulletin 48:379–389.
- . 1940. The Invertebrates: Protozoa through Ctenophora. McGraw-Hill, New York. 726 p.
- ICZN (International Commission on Zoological Nomenclature). 1999. International Code of Zoological Nomenclature, 4th ed. The International Trust for Zoological Nomenclature, London. xxii + 306 p.
- Ijima, Isao. 1902. Studies on the Hexactinellida, II (The genera *Corbitella* and *Heterotella*). Imperial University of Tokyo, Journal of the Science College Tokyo 17(9):36 p., 1 pl.
- . 1903. Studies on the Hexactinellida, III (*Placosoma*, a new euptectellid; *Leucopsacidae* and *Caulophacidae*). Imperial University of Tokyo, Journal of the Science College Tokyo 18(1):124 p., 8 pl.
- . 1904. Studies on the Hexactinellida, IV, Rossellidae. Imperial University of Tokyo, Journal of Science College 18(7):307 p., 23 pl.
- . 1927 [1926]. The Hexactinellida of the Siboga Expedition. Siboga-Expeditie 6:1–383, 36 fig., 26 pl.
- Inai, Yutaka. 1936. *Discosiphonella*, a new ally of *Amblysiphonella*. Proceedings of the Imperial Academy of Japan 12(6):169–171, 4 fig.
- Jablonsky, E. 1975. *Colospongia andrusovi* n. sp., eine neue Art von segmentierten Kalkschwämmen (Sphinctozoa). Geolicky Zbornik-Geologica Carpathica Slovenska Akademie Ved 26(2):269–273, pl. 1–3.
- Jackson, J. B. C., T. F. Goreau, & W. D. Hartman. 1971. Recent brachiopod-coralline sponge communities and their paleoecological significance. Science 173:623–625, 2 fig.
- Jakowska, S., & R. F. Nigrelli. 1960. Antimicrobial substances from sponges. Annals of the New York Academy of Sciences 90:913–916.
- Jansa, L. F., G. Termier, & H. Termier. 1983. Les biohermes à algues, spongaires et coraux des séries carbonatées de la flexure bordière du “paleoshelf” au large du Canada oriental. Revue de Micropaleontologie 25:181–219, 13 pl.
- Jepps, M. W. 1947. Contribution to the study of the sponges. Proceedings of the Royal Society of London 134B(896):408–417, 5 fig.
- Jeuniaux, C. 1963. Distribution in chitin in animals (Protozoa, Porifera, Cnidaria, Rhynchocoela, Acanthocephala, Aschelminthes, Sipunculoidea, Mollusca, Annelida, Crustacea, Insecta, Echinodermata). Proceedings of the 16<sup>th</sup> International Congress of Zoology 16(2):78.
- Johns, R. A. 1994. Ordovician lithistid sponges of the Great Basin. Nevada Bureau of Mines and Geology, NBMG Open-file Report 94-1:vi + 140 p., 16 fig., 16 pl.
- Johnson, J. E. 1899. Notes on some sponges belonging to the Clionidae obtained at Madeira. Journal of the Royal Microscopical Society 1899:461–463.
- Johnston, G. 1842. History of British sponges and lithophytes. Edinburgh. vii + 1–264 p., 25 pl.
- Jones, W. C. 1957. The contractility and healing behaviour of pieces of *Leucosolenia complicata*. Quarterly Journal of Microscopical Science 98:302–217.
- . 1962. Is there a nervous system in sponges? Biological Reviews 37:1–50, 4 fig.
- . 1964. Photographic records of living oscular tubes of *Leuconosolenia variabilis*. I. The choanoderm boundary, the choanocytes and the pore arrangement. Journal of the Marine Biological Association, United Kingdom 44:67–85, 3 pl., 2 fig.
- Jørgensen, C. B. 1955. Quantitative aspects of filter feeding in invertebrates. Biological Revue 30:391–454.
- . 1960. Efficiency of particle retention and rate of water transport in undisturbed lamellibranchs. Journal du Conseil International pour l'Exploration de la Mer 26:94–116, 12 fig.
- . 1966. Biology of suspension feeding. Pergamon Press, Oxford. i–xv + 1–845, 660 fig.

- Jux, Ulrich. 1992. Schwämme aus dem obersten Mitteldevon der Bergisch Gladbach-Paffrather Mulde (Bergisches Land). *Decheniana* 145:302–311, 3 pl.
- . 1994. *Schizorhabdus libycus* Zittel, 1877—a lithistid sponge from the late Maastrichtian of Egypt. *Courier Forschungs-institut Senckenberg* 172:299–306, 3 fig.
- Kapp, U. S. 1975. Paleoecology of Middle Ordovician stromatoporoid mounds in Vermont. *Lethaia* 8:195–207, 3 fig., 6 pl.
- Kaye, H. R. 1990. Reproduction in West Indian commercial sponges: oogenesis, larval development, and behavior. In Klaus Rützler, ed., *New Perspectives in Sponge Biology*. Smithsonian Institution Press. Washington, D.C. p. 161–169.
- Kayser, E. 1885. *Lodanella mire*, ein unterdevonische Spongie. *Zeitschrift der Deutschen Geologischen Gesellschaft* 37:207–213.
- Kazmierczak, J. 1984. Favositid tabulates: evidences for poriferan affinity. *Science* 225:835–837.
- . 1991. Further evidence for poriferan affinities of favositids. In J. Reitner & H. Keupp, eds., *Fossil and Recent Sponges*. Springer-Verlag. Berlin. p. 212–223.
- van Kempen, T. M. G. 1977. *Roeppella solanensis*, new sponge from the mid-Tertiary of S.E. Spain; First fossil record of a hymeniacidonid, with remarks on other fossilized sponges with monaxonid megascleres. I. Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen (series B, Palaeontology, Geology, Physics, and Chemistry) 80(2):106–131, 2 fig.
- . 1978. Anthaspidellid sponges from the Early Paleozoic of Europe and Australia. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 156(3):305–337, 7 fig.
- . 1989. On a new anthaspidellid sponge from the Baltic Early Paleozoic. Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg 68:131–157, fig. 1–2, pl. 1–5.
- . 1990. Two Baltic Ordovician chiastoclonellids (Porifera) from the island of Sylt (NW Germany). In Ulrich von Hacht, ed., *Fossilien von Sylt III*. Inge-Maria von Hacht, Verlag und Verlagsbuchhandlung. Hamburg. p. 151–178, 9 fig.
- Kent, W. S. 1870. On the “Hexactinellidae” or hexaradiate spiculed siliceous sponges taken in the “Norra” expedition off the coast of Spain and Portugal. *Monthly Microscopical Journal* 4:241–252.
- Keupp, Helmut, & Dorte Mehl. 1994. *Ammonella quadrata* Walther 1904 (Porifera, Hexactinellida) aus dem Solnhofener Plattenkalk von Pfalzpaint: Relikt aus dem Altpaläozoikum? *Archaeopteryx* 12:45–54, 3 fig.
- . 1995. *Ammonella quadrata* Walther, 1904 (Porifera, Hexactinellida) of the Solnhofen Plattenkalks: Systematics and environmental deductions. Extended Abstracts, II International Symposium on Lithographic Limestones. Ediciones de la Universidad Autónoma de Madrid. Madrid. p. 93–94, 1 fig.
- Khorshunov [also Korshunov], V. I. 1968. *Gonamispongia*, novily rod gubok seneystva Chancelloriidae [*Gonamispongia*, a new genus of the family Chancelloriidae]. *Paleontologicheskii Zhurnal* 3:127–129, 1 fig.
- English translation in *Palaeontological Journal* 1968(3):398–400, 1 fig.
- Kilian, E. F. 1952. Wasserströmung und Nahrungsannahme beim Süßwasserschwamm *Ephydatia fluviatilis*. *Zeitschrift für Vergleichende Physiologie* 34(5):407–447, 24 fig.
- . 1964. Zur Biologie der einheimischen Spongilliden. Ergebniss und Probleme. Unter besonderer Berücksichtigung eigener Untersuchungen. *Zoologische Beiträg* 10:85–159, 16 fig.
- King, R. H. 1933. A Pennsylvanian sponge fauna from Wise County, Texas. *The University of Texas Bulletin* 3,201:75–85, pl. 7–8.
- . 1938. Pennsylvanian sponges of north-central Texas. *Journal of Paleontology* 12:498–504, 14 fig.
- . 1943. New Carboniferous and Permian sponges. *State Geological Survey of Kansas Bulletin* 47:1–36, 2 fig., pl. 1–3.
- King, W. 1850. A monograph of the Permian fossils of England. Palaeontographical Society. London. p. 11–14, fig. 1–7, pl. 2.
- Kirkpatrick, R. 1900. Description of sponges from Funafuti. *Annals of Natural History* 7:345–362, pl. 13–15.
- . 1908. On two new genera of recent pharetronid sponges. *Annals and Magazine of Natural History* (series 8) 12:503–514, pl. 13–15.
- . 1910a. On a remarkable pharetronid sponge from Christmas Island. *Proceedings of the Royal Society of London* (series B) 83:124–133, pl. 10–11.
- . 1910b. On the affinities of *Astrosclera willeyana* Lister. *Annals and Magazine of Natural History* (series 8) 5:380–383.
- . 1912. *Merlia normani* and its relation to certain Palaeozoic fossils. *Nature* 89:502–503.
- Kling, S. A., & W.-E. Reif. 1969. The Paleozoic history of amphidisc and hemidisc sponges: new evidence from the Carboniferous of Uruguay. *Journal of Paleontology* 43:1,429–1,434, 1 fig., pl. 176.
- von Klipstein, A. 1843–1845. Beiträge zur geologischen Kenntniss der östlichen Alpen. Georg Friedrich Heyer's Verlag. Giessen. 311 p., 20 pl.
- Kobluk, D. R. 1981a. Lower Cambrian cavity-dwelling endolithic (boring) sponges. *Canadian Journal of Earth Sciences* 18:972–980.
- . 1981b. Middle Ordovician (Chazy Group) cavity-dwelling boring sponges. *Canadian Journal of Earth Sciences* 18:1,101–1,108.
- Koenig, C. D. E. 1820. *Icones fossilium sectilis, centuria prima*. C. Koenig. London. 4 p., 19 pl.
- Kolb, Rudolf. 1910–1911. Die Kieselspongien des schwäbischen Weissen Jura. *Palaeontographica* 57:141–256, fig. 1–27, pl. 11–21.
- Koltun, V. M. 1964. Sponges of the Antarctic. 1. Tetraxonida and Cornucospongida. In Biological results of the Soviet Antarctic Expedition (1955–1958). *Issledovaniya Fauny Morei* 2:6–131, 25 fig., 15 pl.
- de Koninck, L. G. 1842–1844. Description des animaux fossiles, qui se trouvent dans le terrain carbonifère de Belgique, vol. I–II. H. Dessain. Liège. iv + 650 p., pl. A–H + 1–53.
- Volume I contains plates, volume II contains text.

- . 1877. Recherches sur les fossiles paléozoïques de la Nouvelle-Galles du Sud (Australie). Mémoires de la Société Royale des Sciences de Liège (series 2) 6:1–135.
- Konyushkov, K. N. 1924. Novie dannie po biostratigrafi Kembriya i archeotsiatam zapadnogo Sayana [New data concerning biostratigraphy of the Cambrian and Archaeocyatha of western Sayan]. Problemy biostratigrafi i paleontologii nizhnego Kembriya Sibiri [Problems of biostratigraphy and paleontology of the Lower Cambrian of Siberia]. Akademiya Nauk. Moscow. p. 124–143, pl. 11–17.
- Korshunov, V. I. 1968. *Gonamispongia*, noviy rod gubok senevystva Chancelleriidae [*Gonamispongia*, a new genus of the family Chancelleriidae]. Paleontologicheskii Zhurnal 3:127–129, 1 fig. English translation in Palaeontological Journal 1968(3):398–400, 1 fig.
- Kovács, Sándor. 1978. New sphinctozoan sponges from the North Hungarian Triassic. Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 1978:685–697, 6 fig.
- Kozur, H. W. 1991. Erster Nachweis von Polyactinellidae Mostler (Calcispongia, Porifera) im Perm und Revision der Gattung *Phobetractinia* Reif. Zeitschrift für Geologische Wissenschaften 19(5):585–591, 2 fig.
- Kozur, H. W., H. Mostler, & J. E. Repetski. 1996. ‘Modern’ siliceous sponges from the lowermost Ordovician (early Ibexian–early Tremadocian) Windfall Formation of the Antelope Range, Eureka County, Nevada, USA. Geologische-Paläontologische Mitteilungen, Innsbruck 21:201–221, 1 fig., 5 pl.
- Krainer, Karl, & Helfried Mostler. 1992. Neue Hexactinellide Poriferen aus der Südälpinen Mitteltrias der Karawanken (Kärnten, Österreich). Geologische-Paläontologische Mitteilungen, Innsbruck 18:131–150, 7 pl.
- Krasnopeeva, P. S. 1937. Vodorosli i arkheotsiaty drevneishikh tolshch potekhinskogo plansheta Khakassi [Algae and Archaeocyatha of the most ancient strata on Potekhin’s topographic map for the Khakass Autonomous Region]. Materialy po Geologii Krasnoyarskogo Kraya 3:1–51.
- . 1940 [1939]. Al’gonskaya flora i fauna Saralinskogo raiona Kuznetskogo Alatau [Algolian (pre-Cambrian) flora and fauna of the Saralynsky region of the Kuznetsky Ala Tau]. Materialy po Geologii Krasnoyarskogo Kraya 8:1–32.
- . 1962. *Occultus* (new name for *Archaeospongia* Krasnopeeva, 1937). In P. D. Rezvoi, I. T. Zhuravleva, & V. M. Koltun, Phylum Porifera, p. 17–74, fig. 1–107. In B. S. Sokolov, ed., Osnovy Paleontologii [Fundamentals of Paleontology], vol. 1, number 2, Porifera, Archaeocyatha, Coelenterata, Vermes. Izdatel’stvo Akademii Nauk SSSR. Moscow. p. 58.
- Krautter, Manfred. 1994. Observations on *Eudea clavata* Lamouroux (Calcarea) from the Upper Jurassic of Portugal. In R. W. M. van Soest, T. M. G. van Kempen, & J.-C. Braekman, eds., Sponges in Time and Space: Biology, Chemistry, Paleontology. A. A. Balkema. Rotterdam. p. 29–34, 12 fig.
- . 1996. Kieselschwämme aus dem unterjurassischen Misonekalk der Trento-Plattform (Südalpen): Taxonomie und phylogenetische Relevanz. Paläontologische Zeitschrift 70(3–4):301–313, 6 fig.
- Krautter, M., K. W. Conway, J. V. Barrie, and M. Neuweller. 2001. Discovery of a “living dinosaur”: globally unique modern hexactinellid sponge reefs off British Columbia, Canada. FACIES 44:265–282, 10 fig., pl. 42–45.
- Kravtsov, A. G. 1968. Maastrichtian spiral sponges of the Crimean Highlands. Paleontologicheskii Zhurnal 1968(3):124–127, 2 fig. Translated in Paleontological Journal 3:401–404.
- Kruse, P. D. 1983. Middle Cambrian *‘Archaeocyathus’* from the Georgina Basin is an anthaspidellid sponge. Alcheringa 7:49–58, fig. 1–6.
- . 1987. Further Australian Cambrian sphinctozoans. Geological Magazine 124:543–553, 3 fig.
- . 1990. Cambrian palaeontology of the Daly Basin. Northern Territory Geological Survey Report 7:1–58, 23 fig., 27 pl.
- Kruse, P. D., & F. Debrenne. 1989. Review of archaeocyath microstructure. Memoirs of the Association of Australasian Palaeontologists 8:133–141.
- Kucera, M. 1993. Sponge spicules from the Lower Devonian (Pragian) of the Barrandian. Journal of the Czech Geological Society 38(3–4):193–200.
- Kügel, H-W. 1987. Sphinctozoen aus dem Auernigschichten des Nassfeldes (Oberkarbon, Karnische Alpen, Österreich. Facies 16:143–156, pl. 33–35.
- Lachasse, Jacques. 1943. Contribution à l’étude des spongiaires fossiles du Campanien des Charentes. Bulletin de la Société géologique de France 1943:43–66, 2 pl.
- Lagneau-Hérenger, Lucette. 1955. Remarques sur la classification des spongiaires fossiles et essai de nouvelle classification. Comptes Rendus de l’Académie des Sciences, Paris 240:1,563–1,564.
- . 1961. Contribution à l’étude des Spongiaires siliceux du Crétacé inférieur. Comptes Rendus de la Société Géologique de France 6:168–169.
- . 1962. Contribution à l’étude des Spongiaires siliceux du Crétacé inférieur. Mémoires de la Société Géologique de France (new series) 95:252 p., 30 fig., 16 pl., 7 tables.
- . 1967. Les Spongiaires Turoniens du Synclinal d’Eygaliers (Baronnies, Drôme). Travaux du Laboratoire de Géologie de la Faculté des Sciences de l’Université de Grenoble 43:79–93, 3 pl.
- de Lamarck, J. P. B. A. 1815 [1814]. Suite des Polypiers empâtés: Téthies, Alcyon, Géodie, Botrylle, et Polycycle (dont l’exposition commence au 20ième vol. des Annales, p. 294). Mémoires du Muséum d’Histoire naturelle, Paris 1:69–80, 162–168, 331–340.

- . 1816a. Histoire des polypiers coralligènes flexibles, vulgairement nommés Zoophytes. F. Poisson. Caen. 560 p., 19 pl.
- . 1816b. Histoire naturelles des animaux sans vertèbres, présentant les caractères généraux et particuliers de ces animaux, vol. 2. Verdière. Paris. p. 1–586.
- Lamont, Archie. 1935. The Drummuck Group, Girvan; a stratigraphical revision, with descriptions of new fossils from the lower part of the group. *Transactions of the Geological Society of Glasgow* 19(2):288–332, 4 fig., pl. 7–8.
- Lamouroux, J. V. F. 1813. Dictionnaire Classique. *Annales du Muséum National d'Histoire Naturelle*, Paris 20(1):285.
- . 1816. Histoire des polypiers coralligènes flexibles, vulgairement nommés Zoophytes. F. Poisson. Caen. 560 p., 19 pl.
- . 1821. Exposition méthodique des genres de l'ordre des Polypiers, des Zoophytes d'Ellis et Solander. Chez Mme. Veuve Agasse. Paris. 115 p., 84 pl.
- . 1822 [1821]. Dictionnaire classique d'histoire naturelle, par Messieurs J. V. Audouin, Barron et Bory de Saint-Vincent, vol. I–IV. Lamouroux et Cie. Bourda. 450 p.
- Lang, B. 1985. Die ersten Sphinctozoen (segmentierte Kalkschwämme) aus dem Ober-Jura der Frankenalb (Suddeutschland). *Mitteilungen Bayerische Staatsammlung für Paläontologie und Historische Geologie* 25:3–15.
- Laube, G. C. 1864. Bemerkungen über die Münsterschen Arten von St. Casian. *Jahrbuch für Koenigliche Geologischen Reichs-Anstalt*, vol. 14. Wien. p. 402–412.
- . 1865. Die Fauna der Schichten von St. Cassian. Ein Beitrag zur Paläontologie der alpinen Trias, I Abtheilung. Spongiten, Corallen, Echiniden und Crinoiden. Denkschriften der Kaiserlichen Akademie der Wissenschaften, Mathematisch-naturwissenschaftliche Klasse 24:223–296, 10 pl.
- de Laubenfels, M. W. 1932a. The marine and freshwater sponges of California. *Proceedings of the U.S. National Museum*, Washington, D.C. 81(4):1–140, 79 fig.
- . 1932b. Physiology and morphology of Porifera exemplified by *Iotrochia birotulata* Higgin. *Carnegie Institution of Washington Publication* 435:37–66, 6 fig., 2 pl.
- . 1934. New sponges from the Puerto Rican deep. *Smithsonian Museum Miscellaneous Collections* 91(17):1–28.
- . 1936. A discussion of the sponge fauna of the Dry Tortugas in particular, and the West Indies in general, with material for revision of the families and orders of the Porifera. *Carnegie Institution of Washington Publication* 467:iii + 1–225, 22 pl., 1 map. Also published as Papers from Tortugas Laboratory, vol. 30, 225 p., 22 pl.
- . 1947. *Monarchopemmatites*, a new genus name for a fossil sponge. *Journal of Paleontology* 21:187.
- . 1950. An ecological discussion of the sponges of Bermuda. *Transactions of the Zoological Society of London* 27:155–201, 4 fig.
- . 1953a. Sponges of the Gulf of Mexico. *Bulletin of Marine Science of the Gulf and Caribbean* 2(3):511–557, 17 fig.
- . 1953b. Fossil sponges of West Australia. *Journal of the Royal Society of Western Australia* 37:105–117, 8 fig.
- . 1954. The sponges of the west-central Pacific. *Oregon State Monographs, Studies in Zoology* 7:306 p., 12 pl.
- . 1955. Porifera. In R. C. Moore, ed., *Treatise on Invertebrate Paleontology*, Part E, Archaeocyatha and Porifera. Geological Society of America & The University of Kansas Press. New York & Lawrence. p. 21–112, fig. 14–89.
- . 1957. New species and records of Hawaiian sponges. *Pacific Science* 11:236–251, 15 fig.
- . 1958. Nomenclature of Porifera, especially concerning the so-called "Glass-sponges" or Hyalosponges. *Journal of Paleontology* 32:611–616.
- Lecompte, Marius. 1936. Contribution à la connaissance des "Recifs" du Frasnian de l'Ardenne. *Mémoires de l'Institut Géologique*, Université de Louvain 10:93–97, sponges.
- . 1956. Stromatoporidea. In R. C. Moore, ed., *Treatise on Invertebrate Paleontology*, Part F, Coelenterata. Geological Society of America & The University of Kansas Press. New York & Lawrence. p. 107–144, fig. 87–114.
- Lees, J. H., & A. O. Thomas. 1919. The Ste. Genevieve marls near Fort Dodge and their fauna. *Des Moines Proceedings of the Iowa Academy of Science* 25:599–616, pl. 12.
- Leidy, J. 1851. *Spongilla fragilis*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 5:278.
- . 1868. Description of a new sponge: *Phaeronomia Annae*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 1868:9–11.
- Lejal-Nicol, A. 1976. *Platyphyllum* sp. In C. Babin, D. Goujet, H. Lardeux, A. Lejal-Nicol, F. Lethiers, P. Morzadec, Y. Plusquellec, & M. Weyant, eds., *La Formation des Schistes de Porsguen (Dévonien supérieur de la rade de Brest, Massif Armorican)*, Lithologie, flore, faune. *Annales de la Société géologique du Nord* 96(4):341.
- von Lendenfeld, Robert. 1887. On the systematic position and classification of sponges. *Zoological Society of London Proceedings* 1886:558–662.
- . 1888. Descriptive catalogue of the sponges in the Australian Museum, Sydney. *The Australian Museum*. Taylor and Francis. London. 260 p., 12 pl.
- . 1889a. A monograph of the horny sponges. *Royal Society of London*, Trübner and Co. London. 936 p., 50 pl.
- . 1889b. Die Gattung Stelletta. *Abhandlungen der Königlich Akademie der Wissenschaften zu Berlin* (Anh.) 2:75 p.
- . 1889c. Das System der Spongiens. *Biologisches Centralblatt* 9(4):113–127.
- . 1903. *Tetraxonia: Das Tierreich*. Königliche Preussische Akademie der Wissenschaften, Berlin 19:xv + 168 p.

- . 1904a. Über die Herstellung von Nadelpräparaten von Kieselschwämmen. Zeitschrift für Wissenschaftliche Mikroskopie und für Mikroskopische Technik 21:23–24.
- . 1904b. Über die deszendenztheoretische Bedeutung der Spongiosa. Biologisches Zentralblatt 24:635–636.
- . 1904c. Porifera. Tetraxonia. In F. E. Schulze, ed., Das Tierreich, vol. 19. Frieländer. Berlin. p. vi–xx, 1–168, 44 fig.
- . 1907. Die Tetraxonia. Wissenschaftliche Ergebnisse der Deutschen Tiefsee-Expedition auf dem Dampfer "Valdivia" 1898–1899, vol. 11, lf. 2. Gustav Fischer. Jena. 373 p., 38 pl.
- . 1910. The sponges. I. The Geodidae. Reports on the Scientific results the expedition to the Eastern Tropical Pacific, in charge of Alexander Agassiz, by the U.S. Fish Commission Steamer "Albatross," from October 1904 to March 1905, Lieut.-Commander L. M. Garrett, U.S.N., Commanding, and of other expeditions of the "Albatross," 1888–1904. No. 21, Museum of Comparative Zoology, Harvard College, Memoir 41(1):1–259, pl. 1–48.
- . 1915. Reports on the scientific results of the expedition to the Eastern Tropical Pacific in charge of Alexander Agassiz, by the U.S. Fish Commission Steamer "Albatross," from October 1904 to March 1905, Lieut.-Commander L. M. Garrett U. S. N., Commanding, and of other expeditions of the "Albatross" 1891–1899, no. 29, The Sponges, 3: Hexactinellida. Museum of Comparative Zoology, Harvard College Memoir 42:1–396 in 2 vol., 109 pl.
- Lentz, T. L. 1966. Histochemical localization of neurohumors in a sponge. Journal of Experimental Zoology 162:171–180.
- Leonhard, Richard. 1897. Die Fauna der Kreideformation in Oberschlesien. Palaeontographica, Beiträge zur Naturgeschichte der Vorzeit, Stuttgart 44:11–70, pl. 3–6.
- Lesquereux, Leo. 1884. Descriptions of the coal flora of the Carboniferous formations in Pennsylvania and throughout the United States. Geological Survey of Pennsylvania, Second Report of Progress. 977 p.
- Lévi, Claude. 1953. Sur une nouvelle classification des Demosponges. Académie des Sciences (Paris), Comptes Rendus des séances 236:853–855.
- . 1955. Les Clavixinellides: demosponges tetractinomorphes. Archives de Zoologie Expérimentale et Générale 92:78–87.
- . 1956. Étude de *Haliscarca* de Roscoff. Embryologie et systématique des Demosponges. Archives de Zoologie Expérimentale et Générale 93:1–181, 62 fig.
- . 1957a. Spongaires des côtes d'Israel. Research Council of Israel Bulletin 6B(3):201–212, 13 fig.
- . 1957b. Ontogeny and systematics in sponges. Systematic Zoology 6:174–183.
- . 1960. Les Spongaires à desmas astéroïdes. Bulletin de l'Institut Océanographique, Monaco 1179:1–8.
- . 1964. Spongaires des zones bathyale, abyssale et hadale. Galathea Report 7:63–112, 62 fig., 10 pl.
- . 1966. Le glycogène chez les Spongaires. Comptes Rendus des Séances, Société de Biologie 160:651–652, 2 pl.
- . 1968. Spongaires. Inventaire de la Faune marine de Roscoff. Travaux de la Station biologique de Roscoff. Robin & Mareuge. Paris. p. 1–28.
- . 1973. Systématique de la classe des Demospongaria (Demosponges). In P.-P. Grassé, ed., Traité de Zoologie. II. Spongaires. Masson et Cie. Paris. p. 37–631.
- Lewis, J. R. 1960. The fauna of the rocky shore of Barbados, West Indies. Canadian Journal of Zoology 38:391–435, 20 fig.
- . 1965a. A preliminary description of some marine benthic communities from Barbados, West Indies. Canadian Journal of Zoology 43(6):1,049–1,060.
- . 1965b. The ecology of rocky shores. English University Press, Ltd. London. p. i–xii, 1–323.
- . 1968. Water movements and their role in rocky shore ecology. Sarsia 34:13–36, 3 fig., 8 pl., 3 maps.
- Li Chia-Wei, Chen Jun-Yuan, & Hua Tzu-En. 1998. Precambrian sponges with cellular structures. Science Magazine 279:879–882.
- Liaci, L. 1963. Ricerche morfologiche e citochimiche sui tesociti di *Apatos apatos* O.S. (Demospongiae). Atti, Societa Peloritana di Scienze Fisiche, Matematiche, e Naturali 9:189–197, 3 fig., 1 pl.
- Lirovich, L. S. 1929. *Uralonema karpinski* nov. gen., nov. sp. i drugie kremnevye gubki iz kamennougl'nykh otlozhennykh sklonov Urala [*Uralonema karpinskii* nov. gen., nov. sp. and other Silicispongia from the Carboniferous of the eastern slope of the Urals]. Trudy Geologicheskogo Komiteta [Mémoire Committee Geology, new series], Leningrad 179:1–57, 1 fig., 3 pl.
- In Russian with English translation.
- Lieberkühn, N. 1856. Zusätze zur Entwicklungsgeschichte der Spongillen. Müller Archiv 1856:496–514.
- . 1859. Neue Beiträge zur Anatomie der Spongien. Archiv für Anatomie, Physiologie und Wissenschaftliche Medicin 1859:353–382, 515–529, pl. 9–11.
- Linck, G. 1883. Zwei neue Spongiengattungen. Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie 2:59–62, pl. 2–3.
- von Linné, C. 1759. Systema Naturae, Vegetabilia, tome 2, 10th ed. Holmiae. Salvii. 1,384 p.
- . 1767. Systema Naturae, 12th ed., vol. 1–2. Holmiae. Salvii. 1,327 p.
- Lister, J. J. 1900. *Astrosclera willeyana*. The type of a new family of sponges. In A. Willey's Zoological Results, part 4. Cambridge University Press. Cambridge. p. 459–482, fig. 1–3, pl. 45–48.
- Little, F. J. 1963. The sponge fauna of the St. Georges sound, Apalachee Bay, and Panama City regions of the Florida gulf coast. Tulane Studies in Zoology 11:31–71.
- Liu, Bingli, J. K. Rigby, Jiang Yanwen, & Zhu Zhongde. 1997. Lower Ordovician lithistid sponges from the eastern Yangtze Gorge area, Hubei, China. Journal of Paleontology 71:194–207, 7 fig.

- Liu Bingli, J. K. Rigby, & Zhu Zhongde. 2003. Middle Ordovician lithistid sponges from the Bachu-Kalpin area, Xinjiang, northwestern China. *Journal of Paleontology* 77:430–441, 6 fig.
- Lonsdale, W. 1849. Notes on fossil zoophytes found in the deposits described by Dr. Fitton in his memoir entitled "A Stratigraphical Account of the Section from Atherfield to Rocken End." *The Quarterly Journal of the Geological Society of London* 5:55–103, pl. 4–5.
- Low, E. M. 1951. Halogenated amino acids of the bath sponge. *Journal of Marine Research* 10:239–245, 1 fig.
- Lowenstam, H. A. 1948. Biostratigraphic studies of the Niagaran inter-reef formation in northeastern Illinois. *Illinois State Museum Scientific Papers* 4:1–146, pl. 1–7.
- . 1957. Chapter 10. Niagaran reefs in the Great Lakes area. In H. S. Ladd, ed., *Treatise on Marine Ecology and Paleoecology*, volume 2, *Paleoecology*. Geological Society of America Memoir 67:215–248, 4 fig.
- Lutfy, R. G. 1960. Histochemical studies on glycogen in the cells of the freshwater sponge *Ephydatia fluviatilis*. *Cellule* 61:145–149, 1 pl.
- MacGinitie, G. E., & N. MacGinitie. 1968. *Natural History of Marine Animals*. McGraw-Hill Book Company. New York, Toronto, London. 523 p., 286 fig.
- Madri, P. P., G. Claus, S. M. Kunen, & E. E. Moss. 1967. Preliminary studies on the *Escherichia coli* uptake of the redbeard sponge (*Microcionia prolifera* Verrill). *Life Sciences* 6:889–894, 1 fig.
- Mägdefrau, Karl. 1932. Über einig Bohrgänge aus dem unteren Muschelkalk von Jena. *Paläontologisches Zeitschrift* 14:513–523.
- . 1933. Zur Entstehung der mitteldeutschen Zechstein-Riffe. *Centralblatt für Mineralogie, Geologie, und Paläontologie* (Abt. B) 11:621–624.
- Maithy, P. K., & R. Babu. 1987 (1986). *Misraea*, a new body fossil from the Lower Vindhyan supergroup (Late Precambrian) around Chopan, Mirzapur, U.P. (India). *Geophytology* 16(2):223–226.
- Makiyama, Jirō. 1931. Stratigraphy of the Kakegawa Pliocene in Tōtōmi. *Memoirs of the College of Science, Kyoto Imperial University* (series B) 7(1):1–52, 4 fig., 3 pl.
- Maldonado, M. 2002. Family Pachastrellidae Carter, 1875. In J. N. A. Hooper & R. W. M. van Soest, eds., *Systema Porifera: A Guide to the Classification of the Sponges*. Kluwer Academic/Plenum Publishers. New York. p. 141–162, 16 fig.
- Malecki, Jerzy. 1996. Die Gattungen *Hyalotragos*, *Aretotragos*, *Pyrgochonia* und *Leiocarenus* (Demospongia, Rhizomorpha) nach dem Material aus dem Weissen Jura von Zalas. *Bulletin of the Polish Academy of Sciences, Earth Sciences* 44(1):1–16, 9 pl.
- Malfatti, Paolo. 1901 [1900]. Contributo alla spongiofauna del cenozoico italiano. *Palaeontographia Italica, Memorie di Paleontologia* 6:267–302, pl. 20–25.
- Mantell, G. A. 1815. Description of a fossil *Alcyonium* from the Chalk strata of Lewes. *Transactions of the Linnean Society* 11:401–402.
- . 1822. The fossils of the South Downs or illustrations of the Geology of Sussex. Lupton Relfe. London. 327 p., 42 pl.
- . 1838. *The Wonders of Geology, or, a familiar exposition of geological phenomena*, 2 vol. Relfe and Fletcher. London. 689 p., 6 leaves of plates.
- Manteufel, B. P. 1938. Kratkaya Khasakteristika osnovnykh Zakonomesnostej Izmeneniyakh planktona Barentseva Morya [A brief characterization of the principal irregularities in the changes of plankton in the Barents Sea]. Trudy Polyarny Nauchno-Issledovatel'skii Proektnyi Institut Morskogo Rybnogo Khozyajstvave i Okeanografi imeni, N. M. Knipovicha (PINRO) 1:134–148, fig. 1–8.
- Marek, Jaroslav. 1984 [1982]. *Runia runica* ichnogen. et ichnosp. nov., a new sponge boring from the Silurian of Bohemia. *Acta Universitatis Carolinae (Geologica)* 1982(4):401–408, 2 pl.
- Marsh, O. C. 1867. Notice of a new genus of fossil sponge from the lower Silurian. *American Journal of Science and Arts* (series 2) 44(no. 30, article 11):88.
- Marshall, W. 1875. Untersuchungen über Hexactinelliden. *Zeitschrift für Wissenschaftliche Zoologie*, Leipzig 27:142–243.
- . 1876. Ideen über die Verwandtschaftsverhältnisse der Hexactinelliden. *Zeitschrift für Wissenschaftliche Zoologie*, Leipzig 27:113–136.
- Marshall, W., & A. B. Meyer. 1879. Über einige Neues und wenig bekannte Philippinische Hexactinelliden. Mitteilungen aus dem kaiserlichen zoologischen Museum zu Dresden 2:261.
- Martin-Wismar, K. 1878a. Untersuchungen über die Organisation von *Astylospongia* Ferd. Roemer, und Bemerkungen über die Natur der Wallsteine, Meyn. *Archiv des Vereins der Freunde der Naturgeschichte in Mecklenburg* 31:1–32.
- . 1878b. Niederlaendische und nordwest-deutsche Sedimentaergeschiebe, ihre Uebereinstimmung, gemeinschaftliche Herkunft und Petrefacten. (*Silurispongia* n. g.). E. J. Brill. Leiden. 106 p., 3 pl.
- Masse, D., & D. Vachard. 1979. Le Carbonifère de Libye occidentale: biostratigraphie et micro-paléontologie. Position dans le domaine téthysien d'Afrique du Nord. *Revue de l'Institut Français du Pétrole* 34(1):3–65, fig. 1–19, pl. 1–9.
- Masse, P. J. L., G. Termier, & H. Termier. 1989. Nouvelles formes de Spongaires dans l'Albien de la Sainte-Baume (Provence, France). *Geobios* 22(6):825–839, 6 fig., 4 pl.
- Mastandrea, A., & F. Russo. 1995. Microstructure and diagenesis of calcified demosponges from the Upper Triassic of Northeastern Dolomites (Italy). *Journal of Paleontology* 69:416–431.
- Matsuoka, Keiji. 1983. Pleistocene freshwater sponges (Porifera: Spongillidae) from the Katata Formation of the Kobiwako Group, Shiga Prefecture, Central Japan. *The Journal of Earth Sciences, Nagoya University* 31:1–16, 6 fig., 3 pl.

- \_\_\_\_\_. 1987. Malacofaunal succession in Pliocene to Pleistocene non-marine sediments in the Omi and Ueno Basins, Central Japan. *The Journal of Earth Sciences* (Nagoya University) 35(1):23–115, 27 fig.
- Matsuoka, Keiji, & Yoshiki Masuda. 2000. A new potamolepid freshwater sponge (Demospongiae) from the Miocene Nakamura Formation, central Japan. *Paleontological Research* 4(2):131–137, 6 fig.
- Matthew, G. F. 1886. Illustrations of the fauna of the St. John Group continued. No. III.—Descriptions of new genera and species, (including a description of a new species of *Solenopleura* by J. F. Whiteaves). *Transactions of the Royal Society of Canada* 3(section IV):29–84, pl. 5–7.
- \_\_\_\_\_. 1891. On Cambrian organisms in Acadia. *Transactions of the Royal Society of Canada* 7(section IV):135–160.
- M'Coy, F. 1846. A synopsis of the Silurian fossils of Ireland, collected from the several districts by Richard Griffith, F.G.S., the whole being named, and the new species drawn and described by Frederick M'Coy, F.G.S.D. M. H. Gill at University Press. Dublin. 72 p., 5 pl.
- Authorship variously listed as M'Coy, as M'Coy in Griffith, as Griffith and M'Coy, and as M'Coy, Griffith, and Salter).
- \_\_\_\_\_. 1848. On some new Mesozoic Radiata. *Annals and Magazine of Natural History* (series 2) 2:397.
- \_\_\_\_\_. 1849. On some new genera and species of Palaeozoic corals and foraminifera. *Annals and Magazine of Natural History* (series 2) 3:1–20, 119–136.
- \_\_\_\_\_. 1850. On some new genera and species of Silurian *Radiata* in the collection of the University of Cambridge. *Annals and Magazine of Natural History* (series 2) 6:270–290.
- \_\_\_\_\_. 1855. *Tetragonis danbyi*, *Vioa prisca*. In A. Sedgwick & F. M'Coy, Synopsis of the classification of British Palaeozoic rocks by the Rev. Adam Sedgwick, M.A., F.R.S., with a systematic description of the British Palaeozoic fossils in the Geological Museum of the University of Cambridge by Frederick M'Coy F.G.S. J. W. Parker & Son. London & Cambridge. p. 62, 260.
- Meek, F. B., & A. H. Worthen. 1860. Descriptions of new Carboniferous fossils from Illinois and other western states. *Academy of Natural Sciences of Philadelphia, Proceedings* for 1860:447–472.
- Mehl, Dorte. 1992. Die entwicklung der Hexactinellida seit dem Mesozoikum-Paläobiologie, Phylogenie und Evolutionsökologie. *Berliner Geowissenschaftliche Abhandlungen* (series E):164 p., 35 fig., 22 pl.
- \_\_\_\_\_. 1996. Phylogenie und Evolutionsökologie der Hexactinellida (Porifera) im Paläozoikum. *Geologisch-Paläontologische Mitteilungen Innsbruck* 4:1–55, 15 fig., 7 pl.
- Mehl, Dorte, & B.-D. Erdtmann. 1994. *Sanshapentella dapangi* n. gen., n. sp.—a new hexactinellid sponge from the Early Cambrian (Tommotian) of China. *Berliner Geowissenschaftliche Abhandlungen* (series E) 13:315–319, 1 pl.
- Mehl, Dorte, & F. T. Fürsch. 1997. Middle Jurassic Porifera from Kachchh, western India. *Paläontologische Zeitschrift* 71(1/2):19–33, 8 fig.
- Mehl, D., & Norbert Hauschke. 1995. *Hyalonema cretaceum* n. sp., erste körperlich erhaltene Amphidiscophora (Porifera, Hexactinellida) aus dem Mesozoikum. *Geologie und Paläontologie des Westfalen* 38:89–97.
- Mehl, Dorte, & O. Lehnert. 1997. Cambro-Ordovician sponge spicule assemblages in the Ordovician of the Argentine Precordillera and paleoenvironmental ties. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 204(2):221–246.
- Mehl, Dorte, & Helfried Mostler. 1993. Neue Spicula aus dem Karbon und Perm: Konsequenzen für die Evolutionsökologie der Hexactinellida (Porifera), Strategien ihrer Gerüstbildung im Spätpaläozoikum und frühen Mesozoikum. *Geologisch-Paläontologische Mitteilungen Innsbruck* 19:1–28, 11 fig., 6 pl.
- Mehl, D., J. K. Rigby, & S. R. Holmes. 1993. Hexactinellid sponges from the Silurian-Devonian Roberts Mountains Formation in Nevada and hypotheses of hexactine-stauractine origin. *Brigham Young University Geology Studies* 39:101–124.
- Meylan, A. 1990. Nutritional characteristics of sponges in the diet of the hawksbill turtle, *Eretmochelys imbricata*. In K. Rutzler, ed., *New Perspectives in Sponge Biology*, Third International Conference on the Biology of Sponges. Smithsonian Institution Press. Washington, D.C. p. 472–477.
- Michelin, H. 1840–1847. *Iconographie Zoophytologique, description par localités et terrains des Polypiers fossiles de France et pays environnants*. P. Bertrand, ed. Paris. 348 p., 79 pl.
- Miller, S. A. 1882. Description of two new genera and eight new species of fossils from the Hudson River Group, with remarks upon others. *Journal of the Cincinnati Society of Natural History* 5:34–44, pl. 1.
- \_\_\_\_\_. 1889. Class Porifera. In *North American Geology and Palaeontology*. Published by the author. Cincinnati. p. 152–167, fig. 89–127.
- \_\_\_\_\_. 1892. Paleontology. *Indiana Department of Geologic and Natural Resources, Annual Report* 17:611–705.
- Miller, S. A., & C. B. Dyer. 1878. Contributions to Palaeontology. *Cincinnati Society of Natural History Journal* 1:24–39.
- Milne-Edwards, Henri, & Jules Haime. 1848. Reserches sur les polypes. *Annales des Sciences Naturelles*, Paris (series 3) 9:37–89, pl. 4–6, 7–10; 10:65–114, 209–320, pl. 1, 5–9.
- \_\_\_\_\_. 1850. Monograph of the British fossil corals, part 1. *Palaeontographical Society Monograph*. London. Introduction, p. i–lxxv; Description of fossil corals, p. 1–322, 11 pl.
- Minchin, E. A. 1889. Éponges Calcaires. *La Clathrine coriacea, Clathrina coriacea* (Montagu). *Zoologie Descriptive des Invertebrés*, tome I, chapter 5. p. 107–147, fig. 35–72.
- \_\_\_\_\_. 1900. Sponges—Phylum Porifera. In E. R. Lankester, ed., *A Treatise on Zoology*, part 2, chapter 3. The Porifera and Coelenterata. Adam and Charles Black. London. p. 1–178, 97 fig.

- . 1905. A speculation on the phylogeny of the hexactinellid sponges. *Zoologische Anzeiger* 28:439–448.
- Moiseev, C. R. 1939. New data on Upper Triassic of North Caucasus and the Crimea. *Doklady Akademii NAUK SSSR* 23(1):816–817.
- . 1944. Vodoroslii, gubki, gidroïdnye polipy i korally verkhnego triasa Kavkazskogo khrebra [Algae, sponges, aqueous polyps and corals of the Upper Trias of the Caucasus]. *Uchenye Zapiski Leningradskogo Gosudarstvennogo Universiteta, Seriya Geologo-Pochvenno-Geograficheskaya* [Scientific Publications of the Leningrad State University] 11(70):15–28, 5 pl.
- Molineaux, Ann. 1994. A Late Pennsylvanian encruster: terminal Paleozoic calcified demospone? Canadian Society of Petroleum Geologists, Memoir 17:967–982, 16 fig.
- Montagu, George. 1818. An essay on sponges, with descriptions of all the species that have been discovered on the coast of Great Britain. *Memoirs of the Wernerian Natural History Society* 2:67–122, pl. 3–16.
- Montanaro-Gallitelli, Eugenia. 1956. Trachyspammiae. In R. C. Moore, ed., *Treatise on Invertebrate Paleontology*, Part F. University of Kansas Press & Geological Society of America. Lawrence, KS & New York, p. 190–192.
- Moore, J. A., ed. 1965. Ideas in modern biology. XVI International Congress of Zoology, Proceedings 6:ix + 563 p., fig.
- Moret, Léon. 1924. Contribution à l'étude des spongaires siliceux du Miocène de l'Algérie. *Mémoires de la Société Géologique de France* (new series) 1:5–27, 4 pl.
- . 1925. Appendix. In C. H. Regnard, Notice sur les Spongaires cénonamiens. *Bulletin de la Société Géologique, Paris* 25:486–487.
- . 1926a [1925]. Sur quelques Spongaires de Catalogne (Argonian, Senonien, Eocene). *Bulletin de la Societat de Ciencias Naturales de Barcelona* 4:8–18, 1 pl.
- . 1926b [1925]. Contribution à l'étude des Spongaires siliceux du Crétacé supérieur français. *Mémoires de la Société Géologique de France* (new series) 5(2):1–120, fig. 1–45, pl. 1–10; 3(1):121–338, fig. 46–88, pl. 11–25.
- . 1927. Note préliminaire sur les spongaires Jurassiques de la Voulte (Ardeche) et de Trept (Isère). *Comptes Rendus de l'Association Française pour l'Avancement des Sciences*, Paris 50:291–292.
- . 1928. Les spongaires siliceux du Callovien de la Voulte-sur-Rhone (Ardeche). In F. Roman, Études sur le Callovien de la Vallée du Rhone. *Travaux du Laboratoire de Géologie de la Faculté des Sciences de Lyon*, Fascicule 13, Mémoire 2:123–140, fig. 23–29, pl. 6–9.
- Morris, S. C., & Chen Menge. 1990. *Blastulosporgia polytreta* n. sp., an enigmatic organism from the Lower Cambrian of Hubei, China. *Journal of Paleontology* 64(1):26–30, 4 fig.
- Morton, J. E. 1967. *Mollusks: An introduction to their form and function*. Harper and Brothers. New York. 232 p., 23 fig.
- Mostler, Helfried. 1985. Neue heteractinide Spongien (*Calcispongiae*) aus dem Unter- und Mittelkambrium Südwestsardiniens. *Berichte des Naturwissenschaftlich-Medizinischen Vereins in Innsbruck* 72:7–32, 11 fig., 5 pl.
- . 1986. Neue Kiesel Schwämme aus den Zlambachschichten (Obertrias, Nördliche Kalkalpen). *Geologische-Paläontologische Mitteilungen*, Innsbruck 13:331–361, 8 fig., 9 pl.
- . 1994. Der erste Nachweis von agelasiden Schwämmen (Demospongiae) aus dem Jungpaläozoikum. *Abhandlungen der Geologischen Bundesanstalt* 50:341–352, 1 fig., 3 pl.
- . 1996a. Demospongien mit aussergewöhnlich gebauten anatriaenen Megaskleren. *Geologisch-Paläontologische Mitteilungen Innsbruck* 21:153–171, 3 fig., 6 pl.
- . 1996b. Polyactinellide Schwämme, eine auf des Paläozoikum beschränkte Calcispongen-Gruppe. *Geologisch-Paläontologische Mitteilungen Innsbruck* 21:223–243, 15 fig., 3 pl.
- . 1996c. Demospongien mit aussergewöhnlich gebauten anatriaenen megaskleren. *Geologisch-Paläontologische Mitteilungen Innsbruck* 21:153–171, 3 fig., 6 pl.
- Mostler, Helfried, & Z. Balogh. 1993–1994. Zur skelettaufbau, entwicklung und stratigraphischen bedeutung ausgewählter lithistider Schwämme aus dem oberjura. *Geologisch-Paläontologische Mitteilungen*, Innsbruck 19:33–153.
- Mostler, Helfried, & A. Mosleh-Yazdi. 1976. Neue Poriferen aus oberkambrischen Gesteinen der Milaformation im Elburzgebirge (Iran). *Geologisch-Paläontologische Mitteilungen Innsbruck* 5(1):1–36, 25 fig., 5 pl.
- Müller, O. F. 1776. *Zoologiae Danicae Prodromus seu Animalium Daniae et Norvegiae indigenarium characters, nomina et synonima imprimis popularium. Icones, fasc. 1 XXXII. Havniae. Copenhagen. Typis Halligeriis. 274 p.*
- Müller, W. 1984. Die Kalkschämme der Unterordnung Inozoa Steinmann aus dem Oberen Jura von Württemberg (SW-Deutschland). *Stuttgarter Beiträge Naturkunde* (Series B, Geologie und Paläontologie) 100:1–85, 24 pl.
- Munier-Chalmas, E. 1882. *Barroisia*, nouvelle genre des éponges. *Bulletin de la Société Géologique de France* (series 3) 10:425.
- Münster, G. Graf zu. 1841. Beschreibung und Abbildung der in den Kalkmergel-schichten von St. Cassian gefundenen Versteinerungen. *Beiträge zur Geognosie und Petrefactenkunde des südöstlichen Tirols, vorzieglich des Schichten von St. Cassian*. Bayreuth. 152 p., 16 pl.
- Murchison, R. I. 1839. *Silurian System, founded on geological researches in the counties of Salop, Hereford, Radnor, Montgomery, Caermarthen, Brecon, Pembroke, Monmouth, Gloucester, Worcester and Stafford; with descriptions of the coal-fields and overlying formations*. John Murray. London. Part 1, p. 1–576; Part 2, p. 577–768, 53 pl.

- Myagkova [Miagkova], E. I. 1955a. K kharakteristike klassa Aphrosalpingoidea Miagkova, 1955 [On the characteristics of the Class Aphrosalpingoidea, Miagkova, 1955]. Akademiya Nauk SSSR Doklady 104:478–481, 2 fig.  
In Russian.
- \_\_\_\_\_. 1955b. Noyye predstaviteli tipa Archaeocyatha [New representatives of the phylum Archaeocyatha]. Akademiya Nauk SSSR, Doklady 104:638–641, 2 fig.
- Naletov, P. I. 1961. Katalog mestonakhozhdeny iskopaemykh fauny, flory, pyl'tsy i slor tsentral'noi chasti Buryatskoi ASSR. Gosudarstvennoe Nauchno-Tekhnicheskoe Izdatel'stvo Literatury po Geologii i Okhrane Nedr, Moskova 1961:1–64.  
In Russian.
- Nardo, G. D. 1833. Auszug aus einem neuen System der Spongiarien, wornach bereits die Aufstellung in der Universitäts-Sammlung zu Poadua gemacht ist. 73, Isis Journal Collection. Oken. Jena. p. 519–523.
- \_\_\_\_\_. 1834. De Spongiis. Isis Journal Collection. Oken. Jena. p. 714–716.
- \_\_\_\_\_. 1847a. Observazioni anatomiche sopra l'animale marino detto rognone di mare. Atti del Instituto Veneto di Scienze, lettere ed Arti, Venice 6:221.
- \_\_\_\_\_. 1847b. Prospetto della fauna marina volgare del Veneto-Estuario con cenni sulle principali specie commestibili dell'Adriatico, sulle venete pesche, sulle valli, etc. In Venezia e le sue lagune. G. Antonelli. Venezia. p. 113–156.  
p. 1–45 in reprint.
- Nazarov, B. B., & L. E. Popov. 1976. Radiolyarii, bezzamkoye brakhioipydy i organizmy neyasnogo sistematicheskogo polozheniya iz srednego ordovika vostochnogo Kazakhstana [Radiolarians, inarticulate brachiopods, and organisms of uncertain systematic position from the Middle Ordovician of eastern Kazakhstan]. Paleontologicheskii Zhurnal 1976 (4):33–42.  
In Russian; English translation published in 1977 by the American Geological Institute.
- Neave, S. A. 1936–1940. Nomenclator Zoologicus, 4 vol. The Zoological Society of London. London. vol. 1, A–C, p. 1–957; vol. 2, D–L, p. 1–1025; vol. 3, M–P, p. 1–1065; vol. 4, Q–Z, p. 1–758.
- \_\_\_\_\_. 1950. Nomenclator Zoologicus, vol. 5. The Zoological Society of London. London. 308 p.
- Nekvasilová, O. T., & D. Stempuroková. 1960. Die Schwämmenadeln der Branik-Schichten (Unterdevon-Böhmen). Casopis pro Mineralogii a Geologii 5:400–405, 2 pl.
- Nestler, H. 1961. Spongien aus der weissen Schreibkreide (Unt. Maastricht.) der Insel Rugen (Ostsee). Paläontologische Abhandlungen, Berlin 1:13–70.
- Newell, N. D. 1957. Paleoecology of Permian reefs in the Guadalupe Mountains area. In H. S. Ladd, ed., Treatise on Marine Ecology and Paleoecology, vol. 2, Paleoecology. Geological Society of America Memoir 67:407–436, 11 fig.
- Newell, N. D., J. B. Chronic, & T. G. Roberts. 1948. Pennsylvanian and Permian of Peru. Geological Society of America Bulletin 58(12):1212.
- Newell, N. D., J. K. Rigby, A. G. Fischer, A. J. Whiteman, J. E. Hickox, & J. S. Bradley. 1953. The Permian reef complex of the Guadalupe Mountains region, Texas and New Mexico. W. H. Freeman and Co. San Francisco. xix + 239 p., 85 fig., 32 pl.
- Nicol, D. 1962. The biotic development of some Niagaran reefs—an example of an ecological succession or sere. Journal of Paleontology 36:172–176.
- Nicol, J. A. C. 1967. The biology of marine animals. John Wiley & Sons, Inc. New York. 699 p.
- Nitecki, M. H., & F. Debrenne. 1979. The nature of radiocyathids and their relationship to receptaculitids and archaeocyathids. Géobios 12(1):5–27, 5 pl.
- Nutsubidze, K. Sh. 1965. [Liassic sponges of the Dzirulbskogho massif]. Trudy Geologicheskogo Instituta, Tbilisi 14:5–36, 15 pl.  
In Russian.
- Oakley, K. P. 1938. Some facts about Cretaceous sponges. South-Eastern Naturalist, London 43:58–61, 1 pl.
- Odum, E. P. 1959. Homeostasis of the ecosystem in relation to animal populations. Proceedings of the International Congress of Zoology 15:783–784.
- Okada, Y. 1928. On the development of a hexactinellid sponge, *Farrea solasii*. Tokyo University, Journal of the Faculty of Sciences (Section 4, Zoology) 2:1–27.
- Oken, L. 1815. Lehrbuch der Naturgeschichte. 3 Band, Lehrbuch der Zoologie, 1<sup>st</sup> Abtheilung, Zoologie, Fleischlose Thiere. C. H. Reclam. Leipzig. 846 p., 40 pl.
- Okulitch, V. J. 1935. Cyathospongia—a new class of Porifera to include the Archaeocyathinae. Transactions of the Royal Society of Canada 29:75–106, 2 fig., 2 pl.
- \_\_\_\_\_. 1937. Some changes in nomenclature of Archaeocyathi (Cyathospongia). Journal of Paleontology 11:251–253.
- \_\_\_\_\_. 1955. Archaeocyatha. In R. C. Moore, ed., Treatise on Invertebrate Paleontology, Part E, Archaeocyatha and Porifera. Geological Society of America & The University of Kansas Press. New York & Lawrence. p. 1–20, fig. 1–13.
- Okulitch, V. J., & W. G. Bell. 1955. *Gallatinospongia*, a new siliceous sponge from the Upper Cambrian of Wyoming. Journal of Paleontology 29:460–461, pl. 48–49.
- Oliver, W. A., Jr. 1951. Middle Devonian coral beds of central New York. American Journal of Science 249(10):705–728.
- \_\_\_\_\_. 1956. Biostromes and bioherms of the Onondaga Limestone in eastern New York. New York State Museum and Science Service Circular 45:1–23.
- Olivi, G. 1792. Zoologia Adriatica ossia Catalogo ragionato degli Animali del Golfo e delle Lagune di Venezia; preceduto de una Dissertazione sulla Storia fisica e naturale del Golfo; e accompagnato da Memoria, ed Osservazioni di Fisica Storia naturale ed. Economia dell' Abate. Bassano, Italy. p. xxxi + 1–334.

- Öpik, A. A. 1961. The geology and palaeontology of the headwaters of the Burke River, Queensland. Bureau of Mineral Resources, Geology and Geophysics, Bulletin 53:249 p., 24 pl.
- Oppiger, F. 1907. Spongiens aus dem Argovien I (Birmenstorferschichten) des Département du Jura, Frankreich. Abhandlungen der Schweizerischen Paläontologischen Gesellschaft 34:1–19.
- . 1915. Die Spongiens der Birmensdorferschichten des schweizerischen Jura. Abhandlungen der Schweizerischen Paläontologischen Gesellschaft (Mémoires de la Société Paléontologique Suisse), Geneva 40:1–84, 12 pl.
- . 1921a. Über Neues Juraspiongen. Actes de la Société Helvétique des Sciences Naturelles, Geneve 101:204–205.
- . 1921b. Über Neues Juraspiongen. Eclogae Geologicae Helveticae 16:133–134.
- . 1926. Kieselspongiens des schweizerischen weissen Jura. Abhandlungen der schweizerischen Paläontologischen Gesellschaft (Mémoires de la Société Paléontologique Suisse), Geneva 46:1–76, fig. 1–6, pl. 1–5.
- d'Orbigny, A. D. 1849 [1848]. Note sur la classe des Amorphozaires. Revue et Magazine de Zoologie pure et appliquée (series 2) 1:545–550.
- . 1850–1852 [1849]. Prodrome de Paléontologie stratigraphique universelle des animaux mollusques et rayonnés faisant suite au cours élémentaire de Paléontologie et de géologie stratigraphiques. Victor Masson, Paris. vol. 1, 394 p. (Jan., 1850); vol. 2, 427 p. (Nov. 1850); vol. 3, p. 1–196, and index, p. 1–190 (1852).
- . 1851. Cours élémentaire de Paléontologie et du Géologie stratigraphiques, vol. 2, no. 1. Victor Masson, Paris. 392 p., pl. 1–17.
- Ortmann, P. 1912. Die Mikroscleren der Kieselspongiens in Schwämmeisen der Senonen Kreide. Neues Jahrbuch für Mineralogie, Geologie und Paläontologie 2:127–149.
- Oswald, F. 1847. Über die Petrifanten von Sadewitz. Uebersicht der Arbeiten und Veränderungen. Schlesischer Gesellschaft für Vaterländische Cultur im Jahre 1846. Breslau. p. 56–65.
- . 1850. Über *Aulocodium* und andere Spongiens der Sadewitzer Geschiebe. Brieflich Mith. an Herrn Beyrich. Zeitschrift der Deutschen Geologischen Gesellschaft 2:83–86.
- Ott, Ernst. 1967a. Segmentierte Kalkschwämme (Sphinctozoa) aus der alpinen Mitteltrias und ihre Bedeutung als Riffbildner im Wettersteinkalk. Bayerische Akademie der Wissenschaften Mathematisch-Naturwissenschaftliche Klasse, Abhandlungen (new series) 131:96 p., fig. 1–9, 10 pl.
- . 1967b. Die Beziehung zwischen *Colospongia* Laube, *Takreamina* Fontaine, *Girtycoelia* King und *Dictyocoelia* n. gen. (segmentierte Kalkschwämme). Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 1967:44–58, 3 fig.
- . 1974. *Phragmocoelia* n. g. (Sphinctozoa), ein segmentierter Kalkschwämme mit neuem Füllgewebetyp aus der Alpinen Trias. Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 12:712–723, 4 fig.
- Ott, Ernst, & Wolfgang Volkheimer. 1972. *Palaeospongilla chubutensis* n. g. et n. sp.—ein Süßwasserschwamm aus der Kreide Patagoniens. Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen 140:49–63, 6 fig.
- Owen, D. D. 1858 [1857]. Second report on the geological survey in Kentucky, made during the years 1856 and 1857. Frankfurt, Kentucky. 391 p.
- Owen, R. 1841. On the new genus and species of sponge (*Euplectella aspergillum*). Proceedings of the Zoological Society 1841:3.
- Pallas, P. S. 1766. Elenchus zoophytorum, sistens generum abdumbrations generaliores specierum cognitarum succinctas descriptiones oum selectes auctorum synonymia. Hagae-Comitum. Petrum van Cleef. The Hague. 451 p.
- . 1776. Reise durch verschiedene Provinzen des Russischen Reichs. Band 3. Kaiserliche Academie des Wissenschaften. St. Petersburg. p. 453–504, pt. 1; p. 701–744, pt. 2; p. 691–760, pt. 3.
- Pantic, S. 1975. *Ceotinella mirunae* gen. nov. (Spongia, Familia 'incertae sedis') from the Middle Triassic of Montenegro. Geoloski Analji Balkanskog Poloustrva 39:153–158.
- Parkinson, James. 1822. Outlines of Orycyciology. An introduction to the study of fossil organic remains, especially those found in the British strata. Published by the author, printed by J. Compton, Printer. London. p. 35–61, pl. 1.
- Parona, C. F. 1933. Le spugne della fauna permiana di Palazzo Adriano (Bacino del Sosio) in Sicilia. Memorie della Società Geologica Italiana 1:1–58, 7 fig., 12 pl.
- Pavans de Ceccatty, M. 1960. Les structures cellulaires de type nerveux et de type musculaire de l'éponge siliceuse *Tethya lyncurium* Lamarck. Comptes Rendus de l'Académie des Sciences, Paris 2,451:1,818–1,819.
- . 1966. Connections cellulaires et jonctions polarisées du réseau intramésenchymateux, chez l'éponge *Hippospongia communis* Lamarck. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris 263D:145–147, 2 fig.
- Penny, J. T., & A. A. Racek. 1968. Comprehensive revision of a worldwide collection of freshwater sponges (Porifera: Spongillidae). United States National Museum Bulletin 272:1–184, 15 pl.
- Phillips, John. 1829–1836. Illustrations of the geology of Yorkshire, Part 1. A description of the strata and organic remains of the Yorkshire coast, accompanied by a geological map, sections and plates of the fossil plants and animals, p. 1–193, 15 pl., T. Wilson and Sons, London; Part 2, The Mountain Limestone District, p. i–xx, + 1–253, 25 pl., John Murray, London.
- . 1875. Illustrations of the Geology of Yorkshire; or a Description of the Strata and Organic Remains, Part I. In R. Etheridge, ed., The Yorkshire Coast, 3rd ed. John Murray. London. x + 354 p., 28 pl.
- Pickett, John. 1969. Middle and Upper Palaeozoic sponges from New South Wales. Memoirs of the Geological Survey of New South Wales, Palaeontology 16:1–24, 11 pl.
- Dated 1967 but not published until 1969.

- . 1982. *Vaceletia progenitor*, the first Tertiary sphinctozoan (Porifera). *Alcheringa* 6:241–247, fig. 1–6.
- . 1983. An annotated bibliography and review of Australian fossil sponges. *Association of Australasian Palaeontologists Memoir* 1:93–120, 13 fig.
- . 2002a. Fossil Calcarea. An overview. In J. N. A. Hooper & R. W. M. Van Soest, eds., *Systema Porifera: A guide to the classification of the sponges*. Kluwer Academic/ Plenum Publishers. New York. p. 1,117–1,119.
- . 2002b. Order Heteractinida Hinde, 1877. In J. N. A. Hooper & R. W. M. Van Soest, eds., *Systema Porifera: A guide to the classification of the sponges*. Kluwer Academic/ Plenum Publishers. New York. p. I,121–I,139, 13 fig.
- Pickett, John, & P. A. Jell. 1983. Middle Cambrian Sphinctozoa (Porifera) from New South Wales. *Memoir Association of Australasian Palaeontologists* 1:85–92, 4 fig.
- Pickett, John, & Yves Plusquellec. 1998. Éponges siliceuses du Dévonien Supérieur de la Rade de Brest (France). *Geobios* 31(6):715–723, 2 fig.
- Pickett, John, & J. K. Rigby. 1983. Sponges from the Early Devonian Garra Formation, New South Wales. *Journal of Paleontology* 57:720–741, 9 fig.
- Pisera, A. A. 1997. Upper Jurassic siliceous sponges from the Swabian Alb: taxonomy and paleoecology. *Palaeontologia Polonica* 57:3–216, 35 fig., 54 pl.
- . 2002. Fossil 'Lithistids,' an overview. In J. N. W. Hooper & R. W. M. van Soest, eds., *Systema Porifera: A Guide to the Classification of Sponges*. Kluwer Academic/Plenum Press. New York. p. 388–402, 22 fig.
- Pisera, Andrzej, & Adam Bodzioch. 1991. Middle Triassic lyssacinosan sponges from Upper Silesia (southern Poland), and the history of hexactinosan and lychniscosan sponges. *Acta Geologica Polonica* 41(3–4):193–207, 4 fig.
- Pisera, A. A., & Pere Busquets. 2002. Eocene siliceous sponges from the Ebro Basin (Catalonia, Spain). *Geobios* 35:321–346, 16 fig.
- Pitcher, M. G. 1964. Evolution of Chazyan (Ordovician) reefs of eastern United States and Canada. *Bulletin of Canadian Petroleum Geology* 12:632–691, 49 fig., 3 pl.
- Playford, P. E. 1967. Devonian reef complexes in the northern Canning Basin, Western Australia. *International Symposium on the Devonian System, Alberta Society of Petroleum Geologists* 2:351–364.
- Playford, P. E., & D.C. Lowry. 1966. Devonian reef complexes of the Canning Basin, Western Australia. *Geological Survey of Western Australia Bulletin* 118:1–150.
- Pocta, Philipp. 1883. Beiträge zur Kenntniss der Spongiens der Böhmisches Kreideformation, part 1, Hexactinellidae. *Abhandlungen der Königlich Böhmisches Gesellschaft der Wissenschaften* (series 6) 12:1–45, 3 pl.
- . 1884. Beiträge zur Kenntniss der Spongiens der Böhmisches Kreideformation, part 2, Lithistidae. *Abhandlungen der Königlich Böhmischen Gesellschaft der Wissenschaften* (series 6) 12(9):1–45, 2 pl.
- . 1885. Beiträge zur Kenntniss der Spongiens der Böhmisches Kreideformation, Tetraclinellidae, Monactinellidae, Calcispongiae, Ceratospongiae, Nachtrag. *Abhandlungen der Königlich Böhmisches Gesellschaft der Wissenschaften* (series 7) 1(3):1–46, 1 pl.
- . 1903a. O nekterych nvcn houbachz kridoeho utraru. *Rozpravy Ceske Akademie Cisare Frantiska Josefa pro vedy slovens ost a umeni* 7(14):8–9.
- . 1903b. Beiträge zur Kenntnis der Calcispongien aus der Kreideformation. *Académie des Sciences de l'Empereur François Joseph 1, Bulletin international Résumés des Travaux présentés (Sciences, Mathématiques et Naturelles)* VII Année:118–124, 2 fig., 2 pl.
- . 1907. Sur quelques éponges du Sénonian de Nice. *Bulletin de la Société Géologique de France*, Paris (series 4) 7:163–173.
- de Poléjaeff, N. 1883. Report on the Calcarea collected by H.M.S. Challenger during the years 1873–1876. *Report on the Scientific Results of the Voyage of H.M.S. 'Challenger'* vol. 8, no. 24. London, Edinburgh, & Dublin, p. 1–76, 9 pl.
- . 1884. Report on the Keratosa collected by H.M.S. Challenger during the years 1873–1876. *Report on the Scientific Results of the Voyage of the H.M.S. 'Challenger'* 1873–1876. *Zoologie* 11. London, Edinburgh, & Dublin, p. 1–88, 10 pl.
- Polunin, N. V. 1960. *Introduction to plant geography and some related sciences*. McGraw-Hill. New York. 640 p.
- Pomel, A. 1872. *Paléontologie ou description de animaux fossiles de la Province d'Oran, Zoophytes, fascicule 5, Spongaires*. Perrier. Oran. 256 p., 36 pl.
- Portlock, J. E. 1843. Report on the Geology of Londonderry and parts of Tyrone and Fermanagh. Andrew Milliken, Dublin; Hodges and Smith, College-Green; and Longman, Brown, Green, and Longmans. London. 784 p., pl. 1–38 and A–I.
- Potts, E. 1880. On freshwater sponges. *Proceedings of the Academy of Natural Sciences of Philadelphia* 1880:356–357.
- Also published in 1881, *Annals and Magazine of Natural History* (series 5) 8:387–388.
- . 1881. Some new genera of freshwater sponges. *Proceedings of the Academy of Natural Sciences of Philadelphia* 1881:149–150.
- Also published in *Annals and Magazine of Natural History* (series 5) 8:387–388.
- Pourbaix, N. 1931. Contribution à l'étude de la nutrition chez les Spongaires (éponges siliceuses). *Bulletin des Station Océanographique Salammbô*, Tunis 23:3–19, 2 pl.
- . 1932. Note sur la nutrition bactérienne des éponges. *Annales de la Société Royale Zoologique de Belgique* 63:11–15, 5 fig.
- . 1933. Mécanisme de la nutrition chez les Spongillidae. *Annales de la Société Royale Zoologique de Belgique* 64:11–20, 1 pl.

- . 1939. Activité respiratoire chez les Spongaires. *Annales de la Société Zoologique de Belgique* 79:197–199.
- Pray, L. C., & M. Esteban. 1977. Upper Guadalupian Facies, Permian Reef Complex, Guadalupe Mountains, New Mexico and West Texas. 1977 Field Conference Guidebook, vol. 2, Permian Basin Section, Society of Economic Paleontologists and Mineralogists, Publication 17-16:194 p.
- Prosser, C. L. 1960. Mechanical responses of sponges. *Anatomical Record* 138(3):37.
- Putter, A. 1914. Der stoffwechsel der Kieselschwämme. *Zeitschrift für Allgemeine Physiologie* 16:65–114.
- Qian Jianxin, & Xiao Bing. 1984. An Early Cambrian small shelly fauna from Aksu-Wushi region, Xinjiang. *Professional Papers on Stratigraphy and Palaeontology* 13:65–90, 4 pl. In Chinese with English summary.
- Qian Yi, & Yin Gongzheng. 1985. Small shelly fossils from the lowermost Cambrian in Guizhou. *Professional Papers on Stratigraphy and Palaeontology* 14:91–121, 6 pl.
- Quenstedt, F. A. 1843. Das Flötzgebirge Würtembergs. H. Laupp'schen, Buchhandlung, Tübingen. p. 407–427, 466–467.
- . 1852. Handbuch der Petrefactenkunde. H. Laupp'schen Buchhandlung, Tübingen. 982 p. Sponges on p. 666–678, 62 pl.
- . 1858. Der Jura. H. Laupp'schen Buchhandlung, Tübingen. 842 p., 100 pl.
- . 1877–1878. Petrefactenkunde Deutschlands. Der ersten Abtheilung, funfter Band. Die Schwamme. Leipzig. 1 Leif., p. 1–96, pl. 115–118, April, 1877; 2 Leif., p. 97–224, pl. 119–124, 1877; 3 Leif., 225–320, pl. 125–130; 1877; 4 Leif., p. 321–448, pl. 131–136, Autumn, 1877; 5 Leif., p. I–VIII, 449–612, pl. 137–142, July 1878.
- Radwanski, A. 1964. Boring animals in Miocene littoral environments of southern Poland. *Bulletin de l'Académie Polonaise des Sciences, Série des Sciences Géologiques et Géographiques* 12:57–62, 6 pl.
- Rafinesque-Schmaltz, Constantine Sam. 1839. Descriptions des genres fossiles *Ditaxopus*, *Trianisites*, *Trioxites*, *Meneptes*, et *Trianistes*. *Bulletin de la Société Géologique*, Paris 10:378–381.
- Ramond de Carbonnière, L. F. É. 1801. Nouveau genre de Polypiers fossiles, *Ocellaria*. *Scientifique Société Philomèle*, Paris, *Bulletin* 2:177.
- Randall, J. E., & W. D. Hartman. 1968. Sponge-feeding fishes of the West Indies. *Marine Biology* 1:216–225.
- Rasmont, R. 1959. L'ultrastructure des choanocytes d'éponges. *Annales des Sciences Naturelles, Zoologie* (series 12) 1(2):253–263, 2 pl.
- Rauff, Hermann. 1891a. Vorläufige Mitteilung über das Skelet der Anomocladinen, sowie über eine eigenthümliche Gruppe fossiler Kalkschwämme (Polysteganinae), die nach dem Sycones-Typus gebaut sind. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie* 1:278–284.
- . 1891b. Über *Palaeospongia prisca* Bornem., *Eophyton* z. Th., *Chondrites antiquus*, *Haliserites* z. Th. und ähnliche Gebilde. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie* 2:92–98.
- . 1891c. Über den Bau des Stützskeletes bei den Anomocladinen und Tetracladinien. *Sitzungsberichte Niederrheinische Gesellschaft* 48:33–37.
- . 1891d. Über eine eigenthümliche Gruppe fossiler Kalkschwämme (Polysteganinae). *Sitzungsberichte Niederrheinische Gesellschaft* 48:45–50.
- . 1892. Untersuchungen über die Organisation und systematische Stellung der Receptaculiten. *Abhandlungen der Bayerische Akademie der Wissenschaften, Mathematisch-Physikalische Klasse* 17:645–722, 12 fig., 7 pl.
- . 1893. Palaeospongiologie, Erster oder allgemeiner Theil, und Zweiter Theil, erste Hälfte. *Palaeontographica* 40:1–232, fig. 1–48.
- . 1894. Palaeospongiologie, Erster oder allgemeiner Theil, und Zweiter Theil, erste Hälfte. *Palaeontographica* 41:233–346, fig. 49–75, pl. 1–17.
- . 1895. Paleospongiologie. Zweiter Theil. Fortsetzung. Spongen des Silurs. *Palaeontographica* 43:223–272, fig. 76–124, pl. 20–26.
- . 1913. *Barroisia* und die Pharetronenfrage. *Palaeontologische Zeitschrift* 13:74–144, 2 fig., 2 pl.
- . 1933. Spongenreste aus dem (oberteronen) Grünsand vom Kassenberg in Mülheim-Broich an der Ruhr. Preussischen Geologischen Landesanstalt, Abhandlungen (new series) 158:75 p., 5 pl.
- . 1938. Über einige Kalkschwämme aus der Trias der peruanischen Kordillere, nebst einem Anhang über *Stelliporia* und ihre Arten. *Palaeontologische Zeitschrift* 20:177–214, 10 fig., pl. 18–21.
- Ravn, J. P. J. 1899. Et par danske Kridtspongen. *Meddelelser fra Dansk Geologisk Forening* 1(5):24–32.
- Raymond, P. E. 1931. Notes on invertebrate fossils, with descriptions of new species. *Bulletin of the Museum of Comparative Zoology at Harvard College* 55:165–213, 6 pl.
- Raymond, P. E., & V. J. Okulitch. 1940. Some Chazyan sponges. *Bulletin of the Museum of Comparative Zoology at Harvard College* 86:197–214, 4 fig., 7 pl.
- Regnard, C.-H. 1926 [1925]. Notice sur les spongaires Cénomaniens de Coulonges-les-Sablons (Orne). *Bulletin de la Société Géologique de France* 25:469–488, pl. 18–21.
- Reid, R. E. H. 1957a. On Hexactinellida, "Hyalospongia," and the classification of siliceous sponges. *Journal of Paleontology* 31:282–286.
- . 1957b. Notes on hexactinellid sponges—II. *Dactyocalyx* Stutchbury and the Family Dactylocalycidae Gray. *Annals and Magazine of Natural History* (series 12) 10:821–826.
- . 1958a. A monograph of the Upper Cretaceous Hexactinellida of Great Britain and Northern Ireland, part I. *Palaeontographical Society Monograph*. London. p. i–xvi.
- . 1958b. Remarks on the Upper Cretaceous Hexactinellida of Country Antrim. *The Irish Naturalists Journal* 12(9,10):236–268.
- . 1959. A monograph of the Upper Cretaceous Hexactinellida of Great Britain and Northern Ireland, part II. *Palaeontographical Society Monograph*. London. London. p. xlvi–xlvi, 1–26, pl. 1–4.

- \_\_\_\_\_. 1961. A monograph of the Upper Cretaceous Hexactinellida of Great Britain and Northern Ireland, part III. Palaeontographical Society Monograph. London. p. 27–48, pl. 5–11.
- \_\_\_\_\_. 1962. Notes on hexactinellid sponges—IV. Nine Cretaceous Lychniscosa. Annals and Magazine of Natural History (series 13) 5:33–45.
- \_\_\_\_\_. 1963a. Notes on a classification of the Hexactinosa. Journal of Paleontology 37:218–231.
- \_\_\_\_\_. 1963b. Hexactinellida or Hyalospongea. Journal of Paleontology 37:232–243.
- \_\_\_\_\_. 1963c. *Spiractinella* Hinde is a demosponge. Irish Naturalists Journal 14:129–131.
- \_\_\_\_\_. 1963d. A classification of the Demospongia. Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 4:196–207, 2 fig.
- \_\_\_\_\_. 1963e. Preliminary notice of a classification of the Demospongida. The Irish Naturalists Journal 14:90–94.
- \_\_\_\_\_. 1964. Upper Cretaceous Hexactinellida of Great Britain and Northern Ireland, part IV. Palaeontographical Society (London), Monograph. Palaeontographical Society. London. p. xlvi–cliv, fig. 25–61.
- \_\_\_\_\_. 1968a. Microscleres in demosponge classification. University of Kansas Paleontology Contributions Paper 35:11–37, fig. 1–10.
- \_\_\_\_\_. 1968b. *Hyalostelia smithii* (Young & Young) and the sponge genus *Hyalostelia* Zittel (Class Hexactinellida). Journal of Paleontology 42:1,243–1,248, pl. 162.
- \_\_\_\_\_. 1968c. The Carboniferous sponge "*Doryderma*" *dalrymplei* Hinde and the origin of heloclones and megaclasses. Journal of Paleontology 42:1,249–1,254.
- \_\_\_\_\_. 1968d. *Tremacystia*, *Barroisia*, and the status of Sphinctozoida (Thalamida) as Porifera. The University of Kansas Paleontological Contributions 34:1–10.
- \_\_\_\_\_. 1969. Notes on hexactinellid sponges: 5, *Verrucococelia* gen. nov., with a discussion of the genera *Verrucococelia* Étallon and *Peribragella* Marshall. Journal of Natural History 3:485–492.
- \_\_\_\_\_. 1970. Tetraxons and demosponge phylogeny. Zoological Society of London Symposium 25:63–69.
- Reid, R. P., & R. N. Ginsburg. 1986. The role of framework in Upper Triassic patch reefs in the Yukon (Canada). *Palaios* 1:590–600, 10 fig.
- Reif, W.-E. 1968. Schwammreste aus dem oberen Ordovizium von Estland und Schweden. Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 12:733–744, 3 fig.
- Reimann, I. G. 1935. *Pseudohydnoceras*, a new Hamilton dictyosponge. Bulletin of the Buffalo Society of Natural Sciences 17(1):13–17, 2 pl.
- \_\_\_\_\_. 1945a. New Middle Devonian octactinellids. Paleontological Contributions, Bulletin of the Buffalo Society of Natural Sciences 19(2):16–21, pl. 2–4.
- \_\_\_\_\_. 1945b. New Hamilton lyssacine sponges. Paleontological Contributions, Bulletin of the Buffalo Society of Natural Sciences 19(2):43–49, pl. 8–9.
- Reiswig, H. M. 1971. The axial symmetry of sponge spicules and its phylogenetic significance. *Cahiers de Biologie Marine* 12:505–514, 1 fig., 1 table.
- \_\_\_\_\_. 1973. Population dynamics of three Jamaican Demospongidae. *Bulletin of Marine Science* 23:191–226.
- \_\_\_\_\_. 1974. Water transport, respiration and energetics of three tropical marine sponges. *Journal of Experimental Marine Biology and Ecology* 14(3):231–249, 6 fig., 4 tables.
- \_\_\_\_\_. 1975. Bacteria as food for temperate-water marine sponges. *Canadian Journal of Zoology* 53(5):582–589, 5 fig.
- \_\_\_\_\_. 2002. Order Hexactinosida Schrammen, 1903. In J. N. A. Hooper & R. W. M. van Soest, eds., *Systema Porifera: A Guide to the Classification of Sponges*. Kluwer Academic/Plenum Press. New York. p. 1281–1360.
- Reitner, Joachim. 1987a. A new calcitic sphinctozoan sponge belonging to the Demospongida from the Cassian Formation (Lower Carnian; Dolomites, northern Italy) and its phylogenetic relationship. *Géobios* 20(5):571–589, 1 fig., 3 pl.
- \_\_\_\_\_. 1987b. Phylogenie und konvergenzen bei Rezenten und fossilen Calcarea (Porifera) mit einem kalkigen basalskelett ("Inozoa," Pharetronida). *Berliner geowissenschaftliche Abhandlungen* (Reihe A, Beiträge zur Paläontologie) 86:87–125, 8 fig., 8 pl.
- \_\_\_\_\_. 1987c. *Euzkadiella erenoensis* n. gen. n. sp. ein Stromatopore mit spikulärem skelett aus dem Oberkarbon von Erefio (Prov. Guipuzcoa, Nordspanien) und die systematische stellung der Stromatoporen. *Paläontologische Zeitschrift* 61:203–222, 11 fig.
- \_\_\_\_\_. 1991. Phylogenetic aspects and new descriptions of spicule-bearing hadromerid sponges with a secondary calcareous skeleton (Tetractinomorpha, Demospongidae). In J. Reitner & H. Keupp, eds., *Fossil and Recent Sponges*. Springer-Verlag. Berlin. p. 179–211.
- \_\_\_\_\_. 1992. "Coralline Spongién:" Der Versuch einer phylogenetisch-taxonomischen Analyse ["Coralline Sponges:" An attempt of a phylogenetic-taxonomic analysis]. *Berliner Geowissenschaftliche Abhandlungen* (Reihe E) 1:1–352, 90 fig., 62 pl.
- Reitner, Joachim, & Theo Engeser. 1985. Revision der Demospongier mit einem Thalamiden, aragonitischen Basalskelett und trabekulärer Internstruktur ("Sphinctozoa" pars). *Berliner Geowissenschaftliche Abhandlungen* (Reihe A) 60:151–193, 10 fig., 6 pl.
- Reitner, J., & H. Keupp. 1991. The fossil record of the haplosclerid excavating sponge *Aka de Laubenfels*. In J. Reitner & H. Keupp, eds., *Fossil and Recent Sponges*. Springer-Verlag. Berlin. p. 102–120, 17 fig.
- Reitner, Joachim, & Felix Schlagintweit. 1990. *Calcisuberites stromatoporoides* n. gen. n. sp., ein neue Taxon der Hadromerida (Demospongidae, Porifera) mit einem kalkigen Basalskelett aus der tethyalen Unterkreide. *Berliner Geowissenschaftliche Abhandlungen* (Reihe A, Geologie und Paläontologie) 124:247–257, 2 fig., 2 pl.
- Rendel, J. M. 1965. The effect of genetic change at different levels. In J. A. Moore, ed., *Ideas in modern*

- biology. XVI International Congress of Zoology, Proceedings 6:285–295.
- Reuss, A. Em. 1840. Geognostische Skizzen aus Böhém, Bd. 1, Die umgebungen von Toplitz und Belin, Ein Beitrag zur Physiographie des böhmischen Mittelgebirges. G. W. Medau & Company. Prague, Leitmeritz, & Toplitz. 298 p., 9 pl.
- . 1844. Geognostische Skizzen aus Böhém. Bd. 2, Die Kreidegebilde des westlichen Böhmens, ein monographischer Versuch, Nebst Bemerkungen über die Braunkohlenlager jenseits der Elbe un eine Uebersicht der fossilen Fischreste Böhmens. G. W. Medau & Company. Prague, Leitmeritz, & Toplitz. 304 p., 3 pl.
- . 1845–1846. Die versteinerungen der Böhmisichen Kreideformation, 2 Abtheilungen. E. Schweizerbart'sche Verlagsbuchhandlung. Stuttgart. 148 p., 51 pl.
- . 1867. Die Bryozoen, Anthozoen und Spongiarien des braunen Jura von Balin bei Krakau. K. K. Hof- und Staatsdruckerei. p. 117–214, 11 pl.
- Reyment, R. A. 1971. Multivariate normality in morphometric analyses. Journal of the International Association for Mathematical Geology 3(4):357–368.
- Rezvoi, P. D., I. T. Zhuravleva, & V. M. Koltun. 1962. Phylum Porifera. In B. S. Sokolov, ed., Osnovy Paleontologii [Fundamentals of Paleontology], vol. 1, number 2, Porifera, Archaeocyatha, Coelenterata, Vermes. Izdatel'stvo Akademii Nauk SSSR. Moscow. p. 17–74, fig. 1–107.
- Translation published in 1972, Israel Program for Scientific Translations Ltd., Jerusalem, p. 5–97.
- Rhebergen, F., R. Eggink, T. Koops, & B. Rhebergen. 2001. Staringia 9, Ordovicische zwerfsteensponzen. Tweemaandelijks tijdschrift van de Nederlandse Geologisch Vereniging, Jaargang 55 (2001), nummer 1. Grondboor & Hamer. 143 p., 68 fig., 43 pl.
- Rhebergen, F., & Ulrich von Hacht. 2000. *Schismospongia sylensis* gen. n. sp. n. (Porifera) ein neuer Geschiebeschwamm aus plio/pleistozänen Kaolinsanden von Sylt (Nordwest-Deutschland). Archiv für Geschiebekunde 2(1):797–804, 1 fig., 3 pl.
- Rhebergen, F., & T. M. G. van Kempen. 2002. An unusual Silurian erratic astylospongiid (Porifera) from Gotland, Sweden. GFF (Geologiska Föreningens i Stockholm Förhandlingar) 124:185–192, 13 fig.
- Richardson, L., & A. G. Thacker. 1920. On the stratigraphical and geographical distribution of the sponges of Inferior Oolite of the West of England. Proceedings of the Geologists' Association, London 31:161–186, pl. 12–13.
- Richter, Gotthard, & Michael Wuttke. 1999. *Lutetiospongilla heili* n. gen. n. sp. und die eozäne Spongillidenfauna von Messel. Courier Forschungs-institut Senckenberg 216:183–195, 3 pl.
- Ridley, S. O. 1881. XI. Spongida. Horny and siliceous sponges of Magellan Straits, S.W. Chili, and Atlantic off SW Brazil. In A. Gunther, ed., Account of the zoological collections made during the survey of H.M.S. 'Alert' in the Straits of Magellan and on the coast of Patagonia. Proceedings of the Zoological Society of London 1881:107–137, 140–141, pl. 10–11.
- Ridley, S. O., & Arthur Dendy. 1886. Preliminary report on the Monaxonida collected by H.M.S. 'Challenger.' Annals and Magazine of Natural History (series 5) 18:325–351, 470–493.
- . 1887. Report on the Monaxonida collected by H.M.S. Challenger during the years 1873–1876. Reports of the Scientific Results of the Voyage of H.M.S. Challenger, Report 20(59):lxviii + 275 p., 51 pl.
- Riedel, R., & B. Senowbari-Daryan. 1991. Pharetronids in Triassic reefs. In J. Reitner & H. Keupp, eds., Fossil and Recent Sponges. Springer-Verlag. Berlin & Heidelberg. p. 465–476, 4 fig.
- Rietschel, Siegfried. 1968a. Die Octactinellida und ihren verwandten paläozoischen Kalkschwämme (Porifera, Calcarea). Paläontologische Zeitschrift 42(1/2):13–32, 4 fig., 1 pl.
- . 1968b. *Devonoscypnia* n. g. und "Scyphia constricta Sandberger," Kieselschwämme (Eutaxicladina) aus dem Mitteldevon der Lahnmulde (Rhein). Schiefergebirge). Jahrbücher des Nassauischen Vereins für Naturkunde 99:98–106, 2 fig., 2 pl.
- . 1970. Beiträge zur Sedimentation und Fossilführung des Hunsrückschiefers. 28. *Rectifungus rudens* n. g., n. sp., ein dictyospongiider Kieselschwamm aus dem Hunsrückschiefere. Notizblatt des Hessischen Landesamtes für Bodenforschung zu Wiesbaden 98:30–35, 2 fig., pl. 4.
- Rigby, J. K. 1966a. *Protospongia hicksi* Hinde from the Middle Cambrian of western Utah. Journal of Paleontology 40:549–554, 7 fig., pl. 66.
- . 1966b. Microstructure and classification of an Ordovician sponge, *Dystactospongia madisonensis* Foerste, from Indiana. Journal of Paleontology 40:1,127–1,130, pl. 146.
- . 1967a. A new polyactinal sponge from the Antelope Valley Formation (Ordovician) in the Toquima Range, Nevada. Journal of Paleontology 41:511–515, 4 fig.
- . 1967b. Two new Early Paleozoic sponges and the sponge-like organism *Gaspespongia basalis* Parks, from the Gaspé Peninsula, Quebec. Journal of Paleontology 41:766–775, 5 fig., pl. 101–102.
- . 1969. A new Middle Cambrian hexactinellid sponge from western Utah. Journal of Paleontology 43:125–128, 2 fig., 1 pl.
- . 1970a. Two new upper Devonian hexactinellid sponges from Alberta. Journal of Paleontology 44:7–16, 2 fig., pl. 3–4.
- . 1970b. *Ellesmerespangia feildeni*, a new Permian sponge from the Canadian Arctic. Journal of Paleontology 44:1,143–1,145, 2 fig.
- . 1971. Sponges of the Ordovician Cat Head Member, Lake Winnipeg, Manitoba. In D.C. McGregor, F. H. Cramer, Rousseau H. Flower, & J. K. Rigby, Contributions to Canadian Paleontology, Fossils of the Ordovician Red River Formation (Cat Head Member), Manitoba. Geological Survey of Canada Bulletin 202:35–78, 6 pl.

- . 1974. *Vaurealispongia* and *Twenhofelella*, two new brachiospongid hexactinellid sponges from the Ordovician and Silurian of Anticosti Island, Quebec. Canadian Journal of Earth Sciences 11:1,343–1,349, 3 fig.
- . 1975. Some unusual hexactinellid sponge spicules from the Cambrian Wilberns Formation of Texas. Journal of Paleontology 49:412–415, 2 fig.
- . 1976a. A new Devonian heteractinid sponge from southwestern Ellesmere Island, Arctic Canada. Canadian Journal of Earth Sciences 13:120–125, 8 fig.
- . 1976b. Some observations on occurrence of Cambrian Porifera in western North America and their evolution. Brigham Young University Geology Studies 23(2):51–90, 6 fig.
- . 1977a. Two new Middle Ordovician sponges from Foxe Plain, southeastern District of Franklin. Geological Survey of Canada Bulletin 269:121–129, 2 pl.
- . 1977b. *Constellatospongia*, a new heteractinid astraeosponge from the Upper Ordovician Churchill River group, Manitoba. In *Geology of Ordovician rocks, Melville Peninsula and region, southeastern District of Franklin*. Geological Survey of Canada Bulletin 269:131–137, 2 fig., 1 pl.
- . 1977c. A new Middle Ordovician sponge from western Newfoundland. Canadian Journal of Earth Sciences 14:2,662–2,668, 8 fig.
- . 1977d. A new chiastoclionellid sponge fauna from the Devonian of Michigan. Journal of Paleontology 51:1,215–1,219, 3 fig.
- . 1978. Two wewokellid calcareous sponges in North America. Journal of Paleontology 52:705–716, 3 fig., 1 pl.
- . 1979. The genus *Ensiferites*, a Devonian astraeosponge of North America. Journal of Paleontology 53:475–493, 2 fig., 3 pl.
- . 1980. *Ichnospongia perplexa*, a new sponge from the Mississippian Chainman Shale near Eureka, Nevada. Journal of Paleontology 54:1,278–1,281, 3 fig.
- . 1981. The sponge fauna of the Eocene Castle Hayne Limestone from east-central North Carolina. Tulane Studies in Geology and Paleontology 16:123–144, 4 fig., 3 pl.
- . 1983a. Sponges of the Middle Cambrian Marjum Limestone from the House Range and Drum Mountains of western Millard County, Utah. Journal of Paleontology 57:240–270, 11 fig.
- . 1983b. Heteractinida. In T. W. Broadhead, ed., *Sponges and Spongiomorphs: Notes for a Short Course*. University of Tennessee Department of Geological Sciences, Studies in Geology 7:70–89, 12 fig.
- . 1984. Permian sponges from western Venezuela. Journal of Paleontology 58:1,436–1,462, 4 fig.
- . 1986a. Sponges of the Burgess Shale (Middle Cambrian) British Columbia. Palaeontographica Canadiana 2:105 p., 27 fig., 20 pl.
- . 1986b. Late Devonian sponges of Western Australia. Geological Survey of Western Australia, Report 18:vii + 59 p., 14 fig., 7 pl.
- . 1986c. The sponge fauna from the Mississippian Heath Formation of central Montana. In J. T. Dutro, Jr. & H. W. Pfefferkorn, eds., *Neuvième Congrès International de Stratigraphie et de Géologie du Carbonifère*. Compte Rendu, vol. 5, Paleontology, Paleogeology, Paleogeography. Southern Illinois University Press. Carbondale & Edwardsville. p. 443–456, 5 fig., 2 pl.
- . 1987a. Early Cambrian sponges from Vermont and Pennsylvania, the only ones described from North America. Journal of Paleontology 61:451–461, 4 fig.
- . 1987b. Phylum Porifera. In R. S. Boardman, A. H. Cheetham, & A. J. Rowell, eds., *Fossil Invertebrates*. Blackwell Scientific Publications. Palo Alto, California. p. 116–139, 21 fig.
- . 1991a. Evolution of Paleozoic heteractinid calcareous sponges and demosponges—patterns and records. In Joachim Reitner & Helmut Keupp, eds., *Fossil and Recent Sponges*. Springer-Verlag. Berlin & Heidelberg. p. 83–101, 15 fig.
- . 1991b. The new Devonian (Givetian) heteractinid sponge *Gondekia* from Ontario, Canada, and evolution of the astraeospongiids and eiffeliids. Journal of Paleontology 65:38–44, 4 fig.
- . 1994. Well-preserved specimens of the sponges *Gondekia* (Heteractinida) and *Pseudohydnoceras* (Hexactinellida), Middle Devonian of New York State. Journal of Paleontology 68:727–734, 4 fig.
- Rigby, J. K., & W. I. Ausich. 1981. Lower Mississippian sponges from the Edwardsville Formation, southern Indiana. Journal of Paleontology 55:370–382, 2 fig., 1 pl.
- Rigby, J. K., & T. N. Bayer. 1971. Sponges of the Ordovician Maquoketa Formation in Minnesota and Iowa. Journal of Paleontology 45:608–627, 9 fig., pl. 69–70.
- Rigby, J. K., & R. B. Blodgett. 1983. Early Middle Devonian sponges from the McGrath Quadrangle of west-central Alaska. Journal of Paleontology 57:773–786, 4 fig.
- Rigby, J. K., & D. W. Boyd. 2004. Sponges from the Park City Formation (Permian) of Wyoming. Journal of Paleontology 78:71–76, 3 fig.
- Rigby, J. K., C. K. Chamberlain, & B. A. Black. 1970. Mississippian and Pennsylvanian sponges from the Ouachita Mountains of Oklahoma. Journal of Paleontology 44:816–832, 12 fig., 3 pl.
- Rigby, J. K., & B. D. E. Chatterton. 1989. Middle Silurian Ludlovian and Wenlockian sponges from Baillie-Hamilton and Cornwallis Islands, Arctic Canada. Geological Survey of Canada Bulletin 391:69 p., 8 fig., 10 pl.
- . 1999. Silurian (Wenlock) demosponges from the Avalanche Lake area of the Mackenzie Mountains, southwestern District of Mackenzie, Northwest Territories, Canada. Palaeontographica Canadiana 16:43 p., 2 fig., 10 pl.
- Rigby, J. K., & C. R. Clement. 1995. Demosponges and hexactinellid sponges from the Lower Devonian Ross Formation of west-central Tennessee. Journal of Paleontology 69:211–232, 12 fig.

- Rigby, J. K., & D. H. Collins. 2004. Sponges of the Middle Cambrian Burgess and Stephen Shale Formations, British Columbia. Royal Ontario Museum Contributions in Science 1:164 p.
- Rigby, J. K., & A. Desrochers. 1995. Lower and Middle Ordovician demosponges of the Mingan Islands, Gulf of St. Lawrence, Quebec. Paleontological Society Memoir 41 (Journal of Paleontology supplement) 60(4):35 p., 14 pl., 5 fig.
- Rigby, J. K., & O. A. Dixon. 1979. Sponge fauna of the Upper Silurian Read Bay Formation, Somerset Island, District of Franklin, Arctic Canada. Journal of Paleontology 53:587–627, 14 fig., 3 pl.
- Rigby, J. K., Patrick Embree, & Michael Murphy. 1996. An unusual Upper Cretaceous (Santonian) hexactinellid sponge from the Great Valley Sequence, western Sacramento Valley, northern California. Journal of Paleontology 70:713–717, 3 fig.
- Rigby, J. K., Fan Jiasong, & Zhang Wei. 1989a. Sphinctozoan sponges from the Permian reefs in South China. Journal of Paleontology 63:404–439, 20 fig.
- \_\_\_\_\_. 1989b. Inozoan calcareous Porifera from the Permian reefs in South China. Journal of Paleontology 63:778–800, 13 fig.
- Rigby, J. K., Fan Jiasong, Zhang Wei, Wang Shenghai, & Zhang Xiaolin. 1994. Sphinctozoan and inozoan sponges from the Permian reefs of South China. Brigham Young University Geology Studies 40:43–109, 15 pl.
- Rigby, J. K., & J. K. Gilland. 1977. A new fossil sponge from the Ordovician Garden City Limestone of southeastern Idaho. Great Basin Naturalist 37:475–480.
- Rigby, J. K., & Q. H. Goodbody. 1986. *Malluviospongia*, a new Devonian heteractinid sponge from the Bird Fiord Formation of southwestern Ellesmere Island, Northwest Territories, Canada. Canadian Journal of Earth Sciences 23:344–349, 2 fig.
- Rigby, J. K., & T. C. Gosney. 1983. First reported Triassic lyssakid sponges from North America. Journal of Paleontology 57:787–796, 5 fig.
- Rigby, J. K., & R. C. Gutschick. 1976. Two new Lower Paleozoic hexactinellid sponges from Utah and Oklahoma. Journal of Paleontology 50:78–85, 1 pl.
- Rigby, J. K., & D. R. Harris. 1979. A new Silurian sponge fauna from northern British Columbia, Canada. Journal of Paleontology 53:968–980, 3 fig., 2 pl.
- Rigby, J. K., R. D. Horrocks, & J. M. Cys. 1982. A new hexactinellid brachiosponge from the Upper Permian of west Texas. Journal of Paleontology 56:315–323, 2 fig., 1 pl.
- Rigby, J. K., & Hou Xian-Guang. 1995. Lower Cambrian demosponges and hexactinellid sponges from Yunnan, China. Journal of Paleontology 69:1,009–1,019, 5 fig.
- Rigby, J. K., R. Keyes Jr., & A. Horowitz. 1979. Two new Mississippian sponges from northeastern Alabama. Journal of Paleontology 53:709–719, 4 fig., 1 pl.
- Rigby, J. K., J. E. King, & L. F. Gunther. 1981. The new Lower Ordovician protosponge, *Asthenospongia*, from the Phi Kappa Formation in central Idaho. Journal of Paleontology 55:842–847, 1 fig., 1 pl.
- Rigby, J. K., & E. I. Leith. 1989. *Tiddalickia manitobensis*, a new dictyosponge, and an unusual specimen of the lithistid sponge, *Aulocopella winnipegensis* Rauff, from the Ordovician of Manitoba. Journal of Paleontology 63:550–553, fig. 1–2.
- Rigby, J. K., & A. C. Lenz. 1978. A new Silurian astylospongid sponge from Baillie-Hamilton Island, Canadian Arctic Archipelago. Canadian Journal of Earth Sciences 15:157–162, 5 fig.
- Rigby, J. K., G. Lindner, & C. H. Stevens. 2004. A new occurrence of the “hydrozoan” *Radiotrabeculopora reticulata* Fan, Rigby, & Zhang, 1991, in the Permian of California. Journal of Paleontology 78(2):410–413, 2 fig.
- Rigby, J. K., & B. J. Maher. 1995. Age of hexactinellid beds of the Roberts Mountains Formation, Snake Mountains, Nevada, and additions to the Silurian sponge fauna. Journal of Paleontology 69:1,020–1,029, 4 fig.
- Rigby, J. K., & W. L. Manger. 1994. Morrowan lithistid demosponges and hexactinellids from the Ozark Mountains of northwestern Arkansas. Journal of Paleontology 68(4):734–746, 7 fig.
- Rigby, J. K., & R. H. Mapes. 2000. Some Pennsylvanian and Permian sponges from southwestern Oklahoma and north-central Texas. Brigham Young University Geology Studies 45:25–67, 6 fig., 6 pl.
- Rigby, J. K., & Dorte Mehl. 1994. Middle Devonian sponges from the northern Simpson Park Range, Nevada. Brigham Young University Geology Studies 40:111–153, 18 fig.
- Rigby, J. K., & R. W. Moyle. 1959. Some Mississippian and Pennsylvanian sponges from Utah. Journal of Paleontology 33:399–403, 1 fig., 1 pl.
- Rigby, J. K., & M. A. Murphy. 1983. *Gabelia*, a new late Devonian lyssakid protosponge from the Roberts Mountains, Nevada. Journal of Paleontology 57:797–803, 5 fig.
- Rigby, J. K., & M. H. Nitecki. 1975. An unusually well preserved heteractinid sponge from the Pennsylvanian of Illinois and a possible classification and evolutionary scheme for the Heteractinida. Journal of Paleontology 49:329–339, 3 fig., 1 pl.
- Rigby, J. K., M. H. Nitecki, C. M. Soja, & R. B. Blodgett. 1994. Silurian aphrosalpingid sphinctozoans from Alaska and Russia. Acta Palaeontologica Polonica 39:341–391, 14 fig.
- Rigby, J. K., A. Pisera, T. T. Wrzolek, & G. Racki. 2001. Upper Devonian sponges from the Holy Cross Mountains, Central Poland. Palaeontology 44(3):447–488, 4 fig., 9 pl.
- Rigby, J. K., & T. L. Pollard Bryant. 1979. Fossil sponges from the Mississippian Fort Payne Chert in northeastern Alabama. Journal of Paleontology 53:1,005–1,012, 1 fig., 1 pl.

- Rigby, J. K., & A. W. Potter. 1986. Ordovician sphinctozoan sponges from the eastern Klamath Mountains, northern California. *Journal of Paleontology (Memoir 20)* 60:1–47, 11 fig.
- Rigby, J. K., A. W. Potter, & R. B. Blodgett. 1988. Ordovician sphinctozoan sponges of Alaska and Yukon Territory. *Journal of Paleontology* 62:731–746, 5 fig.
- Rigby, J. K., G. Racki, & T. Wrzolek. 1982. Occurrence of dictyid hexactinellid sponges in the Upper Devonian of the Holy Cross Mountains (Poland). *Acta Geologica Polonica* 31:163–168, 4 pl.
- Rigby, J. K., D. Schumacher, & S. J. Meader. 1979. The genus *Ensiferites*, a Devonian astraesponge of North America. *Journal of Paleontology* 53:475–493, 2 fig., 3 pl.
- Rigby, J. K., & Baba Senowbari-Daryan. 1995. Permian sponge biogeography and biostratigraphy. In P. A. Scholle, T. M. Peryt, & D. S. Ulmer-Scholle, *The Permian of Northern Pangea*, vol. 1, *Paleogeography, Paleoclimates and Stratigraphy*. Springer-Verlag, Berlin. p. 153–166, 6 fig.
- . 1996a. Upper Permian inozoid, demospongid, and hexactinellid sponges from Djebel Tebagha, Tunisia. *The University of Kansas Paleontological Contributions (new series)* 7:130 p., 81 pl.
- . 1996b. *Gigantospongia*, new genus, the largest known Permian sponge, Capitan Limestone, Guadalupe Mountains, New Mexico. *Journal of Paleontology* 70:347–355, 5 fig.
- Rigby, J. K., Baba Senowbari-Daryan, & Liu Huaibao. 1998. Sponges of the Permian Upper Capitan Limestone, Guadalupe Mountains, New Mexico and Texas. *Brigham Young University Geology Studies* 43:19–117, 19 fig., 13 pl.
- Rigby, J. K., & R. J. Stuart. 1988. Fossil sponges from the Silurian-Devonian Roberts Mountains Formation in northeastern Nevada. In D. L. Wolberg, ed., *Contributions to Paleozoic Paleontology and stratigraphy, in honor of Rousseau H. Flower*. New Mexico Bureau of Mines and Mineral Resources Memoir 44:129–137, 3 fig.
- Rigby, J. K., & F. M. Terrell. 1973. Permian sponges from western Ellesmere Island, Arctic Canada. *Canadian Journal of Earth Sciences* 10:1,431–1,443, 17 fig.
- Rigby, J. K., & A. T. Washburn. 1972. A new hexactinellid sponge from the Mississippian-Pennsylvanian Diamond Peak Formation in eastern Nevada. *Journal of Paleontology* 46:266–270, 3 fig., 1 pl.
- Rigby, J. K., & B. D. Webby. 1988. Late Ordovician sponges from the Malongulli Formation of central New South Wales, Australia. *Palaeontographica Americana* 56:1–147, 24 fig., pl. 1–44.
- Rigby, J. K., Wu Xichung, & Fan Jaisong. 1998. Triassic hexactinellid sponges from patch reefs in north-central Sichuan, People's Republic of China. *Brigham Young University Geology Studies* 43:119–165, 11 pl.
- Ringueberg, E. N. S. 1884. New fossils from the four groups of the Niagara period of western New York. *Proceedings of the Academy of Natural Sciences of Philadelphia* 1884:144–150, 3 pl.
- Robinson, P. D., & S. K. Haslett. 1995. A radiolarian dated sponge microsclere assemblage from the Miocene Dos Bocas Formation of Ecuador. *Journal of South American Earth Sciences* 8(2):195–200, 2 fig., 1 pl.
- Rodionova, N. M. 1962. *Bottonaeaeyathus*. In I. T. Zhuravleva, N. M. Zadorozhny, D. V. Osadchaya, N. V. Pokrovskaya, N. M. Rodionova, & V. D. Fonin, *Fauna nizhnego kembriya Tuvy (opornyy razrez r. Shivelig-Khem)* [Fauna of the Lower Cambrian of Tuva (key section, River Shivelig-Khem)]. Nauka, Moscow. p. 87–98.
- Roemer, C. F. 1848. Über eine neue Art der Gattung *Blumenbachium* (Koenig) und mehrer unzweifelhafte Spongien in obersilurischen Kalkschichten der Grafschaft Decatur im State Tennessee in Nord-Amerika. *Neues Jahrbuch für Mineralogie, Geologie, und Paläontologie* 1848:680–686, pl. 9.
- . 1852. *Lethaea geognostica*, oder Beschreibung und Abbildung der für die Gebirgs-Formationen bezeichnendsten Versteinerungen, 3rd ed., theil II. E. Schweizerbart'sche Verlagshandlung. Stuttgart.
- . 1854. *Palaeo-Lethaea*: Kohlen Periode (Silur-Devon-, Kohlen- und Zechstein Formation), vol. 1, no. 2. In H. G. Brönn & F. Roemer, eds., *Lethaea Geognostica*. E. Schweizerbart. Stuttgart. 788 p.
- . 1860. Silurische Fauna des westlichen Tennessee. Eine paläontologische Monographic. Edvard Trewendt Verlag. Breslau. 97 p.
- . 1861. Die fossile fauna der Silurischen Diluvial-Geschiebe von Sadewitz bei Oels in Nieder-Schlesien. Breslau. p. 1–15, pl. 1–3; p. 55–56, pl. 7.
- . 1876–1880. *Lethaea geognostica* oder Beschreibung und Abbildung der für die Gebirgs-Formationen bezeichnendsten Versteinerungen, Part 1, *Lethaea palaeozoica*. E. Schweizerbart'sche Verlagshandlung. Stuttgart. 668 p., 2 pl.; atlas, 62 pl.
- . 1883. Notiz über die Gattung *Dictyophyton*. *Zeitschrift der Deutsche Geologischen Gesellschaft* 35:704–708.
- . 1885. *Lethaea erratica* oder Aufzählung und Beschreibung der in der norddeutschen Ebene vorkommenden Diluvial-Geschiebe nordischer Sedimentär-Gesteine. *Palaeontologische Abhandlungen herausgeber von Dames und Kayser*, vol. 2, part 5. Georg Reimer. Berlin. 173 p.
- . 1887. *Trochospongia*, eine neue Gattung silurischer Spongen. *Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie* 2:174–177, pl. 6.
- Roemer, F. A. 1839. Nachtrag zu Versteinerungen der Norddeutschen Oolithen Gebirges. Hannover.
- . 1840–1841. Die Versteinerungen des norddeutschen Kreidegebirges. Hahn'schen Hofbuchhandlung. Hannover. Lieferung 1, p. 1–48, pl. 1–8, 1840; Lieferung 2, p. i–iv, 49–145, pl. 8–16, 1841.

- . 1864. Die Spongitarien des norddeutschen Kreidegebirges. *Palaeontographica* 13(1–2):1–64, 19 pl.
- Rogers, W. S., M. Jackson, & K. McKinney. 1964. A new genus of sponge from the Middle Ordovician. *Journal of Paleontology* 38:135–137, 5 fig.
- Roll, Artur. 1934. Form, bau, und entstehung der Schwammstözen im süddeutschen Malm. *Palaeontologische Zeitschrift* 16:197–246, 18 fig.
- Romanenko, Y. W. 1968. Kembriskiye gubki utryada Heteractinellida Altya [Cambrian sponges of the order Heteractinellida in the Altay]. *Paleontologicheski Zhurnal* 2:134–137, 3 fig.  
Translated in *Paleontological Journal* 2:271.
- Rothpletz, A. 1900. Über einen neuen jurassischen Hornschwamm und die darin eingeschlossenen Diatomeen. *Zeitschrift Deutsche Geologische Gesellschaft* 52:154–160, 3 fig.
- Row, R. W. H. 1909. Reports on the marine biology of the Sudanese Red Sea. XIII. Report on the sponges collected by Mr. Cyril Crossland in 1904–5. Part 1, Calcarea. *Journal of the Linnean Society, Zoology* 31:182–214, pl. 19–20.
- Ruedemann, Rudolf. 1921. Report on fossils from the so-called Trenton and Utica beds of Grand Isle, Vermont. *Vermont State Geologist Twelfth Report 1919–1920*:90–100, 1 pl.
- . 1925. The Utica and Lorraine Formations of New York: Part 2, Systematic paleontology; No. I, Plants, sponges, corals, graptolites, crinoids, worms, bryozoans, brachiopods. *New York State Museum Bulletin* 262:1–171, 75 fig., pl. 1–13.
- . 1934. Palaeozoic plankton of North America. *Geological Society of America, Memoir* 2:141 p., 6 fig., 26 pl.
- Russo, Franco. 1981. Nuove spugne calcaree triassiche di Campo (Cortina d'Ampezzo, Belluno). *Bollettino della Società Paleontologica Italiana* 20(1):3–17, 4 pl.
- Rützler, K. 1965a. Substratstabilität als ökologischer Faktor im marinen Benthos, dargestellt am Beispiel adriatischer Poriferen. *Internationale Revue der gesamten Hydrobiologie* 50:281–292.
- . 1965b. Systematik und Ökologie der Poriferen aus Litoral-Schattengebieten der Nordadria. *Zeitschrift für Morphologie und Ökologie der Tiere* 55:1–82, 41 fig.
- . 1971. Bredin-Archold-Smithsonian Biological survey of Dominica; burrowing sponges, genus *Siphonodictyon* Bergquist, from the Caribbean. *Smithsonian Contribution, Zoology* 77:1–37, 11 fig., 9 pl.
- . 1973. Clionid sponges from the coast of Tunisia. *Bulletin de l'Institut National Scientifique et Technique d'Oceanographie et de Peche de Salammbô* 2(4):623–636, 7 fig.
- . 1974. The burrowing sponges of Bermuda. *Smithsonian Contributions to Zoology* 165:1–32, 26 fig.
- Rützler, K., & G. Rieger. 1973. Sponge burrowing: Fine structure of *Cliona lampa* penetrating calcareous substrata. *Marine Biology* 21:144–162.
- Salomon, Dorte. 1990. Nomenklatur und taxonomischer status der fossilen Gattung *Cribrosporgia* d'Orbigny, 1849 (= *Tremadictyon* Zittel, 1877) (Hexactinosa, Hexactinellida). *Berliner geowissenschaftliche Abhandlungen (Reihe A)* 124:35–41, 1 fig., 1 pl.
- Salter, J. W. 1861. Descriptions and lists of fossils, Appendix. In *Geology of the neighbourhood of Edinburgh. Memoirs of the Geological Survey of Great Britain, London, Sheet 32*:132–151, pl. 2.
- . 1864. On some new fossils from the Lingula-Flags of Wales. *Quarterly Journal of the Geological Society of London* 20:233–241, 3 fig., pl. 13.
- Saper, J., & W. E. White. 1958. Amino-acid composition of scleroprotein of the sponge *Hippospongia equina*. *Nature* 181(4,614):285–286.
- Sarà, Michele. 1970. Competition and cooperation in sponge populations. In W. G. Fry, ed., *Biology of the Porifera*. *Zoological Society of London Symposium* 25:273–284, 4 fig.
- Sarà, Michele, & E. Manara. 1991. Cortical structure and adaptation in the genus *Tethya* (Porifera, Demospongiae). In J. Reitner & H. Keupp, eds., *Fossil and Recent Sponges*. Springer-Verlag, Berlin & Heidelberg, p. 306–312, 1 fig.
- Sarà, Michele, & J. Vacelet. 1973. Écologie des demosponges. In P. Grassé, ed., *Traité de Zoologie*, vol. 3. Masson et Cie, Paris. p. 462–576.
- Sars, G. O. 1872. Spongiae. In *Kongelige Norske Universitet*, ed., *On some remarkable forms of animal life from the great depths off the Norwegian coast*. I, Partly from posthumous manuscripts of the late Professor Michael Sars. Brøgger & Christie. Christiana, Norway. p. 62–82.
- Schäfer, P., & B. Senowbari-Daryan. 1981. Facies development and paleontologic zonation of four Upper Triassic patch-reefs, Northern Calcareous Alps near Salzburg, Austria. In D. F. Toomey, ed., *SEPM Special Publication* 30:241–259, 10 fig.
- Schiller, Wolfgang. 2000. Feinstratigraphische Untersuchungen der Kernbohrung Enspel 1991 (2) unter besonderer Berücksichtigung der kiesel Microfossilien. *Mainzer Naturwissenschaftliches Archiv* 38:39–91, 84 fig.
- von Schlotheim, E. F. 1820. Die Petrefactenkunde auf ihrem jetzigen Standpunkte durch die beschreibung seiner Sammlung versteinerter und fossiler Überreste des Thier- und Pflanzenreichs der vorwelt erläutert. Becher'schen Buchhandlung, Gotha. 437 p.
- Schlüter, C. A. 1868. Über die jüngsten Schichten der untern Senon-Bildung en und deren Verbreitung. *Sitzungsberichte der Niederrheinischen Gesellschaft für Natur- und Heilkunde zu Bonn* 1868:92–93.
- . 1870. Über die Spongitarien-Bänke der unteren Mucronaten- und oberen Quadraten-Schichten, und über *Lepidospongia rugosa* inbesondere. *Sitzungsberichte der Niederrheinischen Gesellschaft für Natur- und Heilkunde zu Bonn* 8:139–141.

- . 1872. Über die Spongianen-Bänke der oberen Quadrate und unteren Mukronaten Schichten des Münsterlandes. Festschrift für 20 Haupvers de Deutschen Geologischen Gesellschaft zu Bonn. 38 p., 1 pl.
- . 1884. Über *Astylospongia Gothlandica* sp. n. Verhandlungen des Naturhistorischen Vereines de preussischen Rheinlande und Westfalens Jahrgang 41(5) 1:79–80.
- . 1885. Über eine Spongie des reinischen Devon, *Octacium rhenanum* n. g., et. sp. Sitzungberichte der Niederrheinische Gessellschaft, Naturalhistorische und Heilkunde, Verhandlungen, Bonn 42:151–152.
- Schmidt, Oscar. 1862. Die Spongien des adriatischen Meeres. Wilhelm Engelmann. Leipzig. 88 p., 7 pl.
- . 1864. Supplement der Spongien des adriatischen Meeres. Enthal tend die Histologie und systematische Ergänzungen. Wilhelm Engelmann. Leipzig. iv + 48 p., pl. 1–4.
- . 1868. Die Spongien der Küste von Algier. Mit Nachträgen zu den Spongien des Adriatischen Meeres (Drittes Supplement). Wilhelm Engelmann. Leipzig. vi + 44 p., 5 pl.
- . 1870. Grundzuge einer Spongien-Fauna des atlantischen Gebietes. Jena. Leipzig. iv + 88 p., 6 pl.
- . 1879. Die Spongien des Meerbusen von Mexico und des Caraibischen Meeres, part 1. Verlag von Gustav Fischer. Jena. 32 p., 4 pl.
- . 1880. Die Spongien des Meerbusen von Mexico (und des Caraibischen Meeres), part 2. Verlag von Gustav Fischer. Jena. p. 33–90, pl. 5–10.
- . 1890. Die pliocänen und glacialen Bildungen am Nordabhang des Monte San Salvatore, vol. 2, no. 1. Eclogae geologicae Helvetiae. Mittheilung der Schweizerische Geologisches Gesellschaft. Lausanne. p. 56.
- Schrammen, Anton. 1899. Beitrag zur Kenntnis der obersenonen Tetractinelliden. Mitteilungen aus dem Roemer Museum, Hildesheim 10:9 p., 3 pl.
- . 1901. Neue Kieselschwämme aus der oberen Kreide der Umgebung von Hannover und von Hildesheim. Mitteilungen aus dem Roemer Museum, Hildesheim 14:26 p., 5 pl.
- . 1902. Neue Hexactinelliden aus der oberen Kreide. Mitteilungen aus dem Roemer Museum, Hildesheim 15:26 p., 4 pl.
- . 1903. Zur Systematik der Kieselspongien. Mitteilungen aus dem Roemer Museum, Hildesheim 19:21 p.
- . 1910. Die Kieselspongien der oberen Kreide von Nordwestdeutschland, I Teil, Tetraxonias, Monaxonias und Silicea incert. sedis. Palaeontographica, Supplement 5(1):1–175, 8 fig., 24 pl.
- . 1912. Die Kieselspongien der oberen Kreide von Nordwestdeutschland, II Teil, Triaxonias (Hexactinellida). Palaeontographica, Supplement 5(2):177–385, fig. 9–15, pl. 25–45.
- . 1924a. Die Kieselspongien der oberen Kreide von Nordwestdeutschland, III und letzter Teil. In W. Soergel, ed., Monographien zur Geologie und Palaeontologie, serie 1, heft 2. Verlag von Gebrüder Borntraeger. Berlin. 159 p., 17 pl.
- . 1924b. Zur Revision der Jura-Spongien von Süddeutschland. Jahresbericht und Mittheilungen Oberrheinischen Geologie (new series) 13:125–154.
- . 1936. Die Kieselspongien des oberen Jura von Süddeutschland. A. Vorwort und Allgemeiner Teil. Palaeontographica (Abt. A) 84:149–194, pl. 14–23 (1–10).
- . 1937 [1936]. Die Kieselspongien des oberen Jura von Süddeutschland. B. Besonderer Teil. Palaeontographica (Abt. A) 85:1–114, pl. 1–17 (11–27).
- Schröder, R. 1963 [1962]. Vertikalverteilung des Zooplanktons und thermokline. Archiv fuer Hydrobiologie, supplement 25(4):401–410, 9 fig.
- Schulze, F. E. 1880. Untersuchungen über den Bau und die Entwicklung der Spongien. IX Mittheilungen. Die Plakiniden. Zeitschrift für Wissenschaftliche Zoologie 34:407–451, pl. xx–xxii.
- . 1885. The Hexactinellida. In T. H. Tizard, H. N. Moseley, J. Y. Buchanan, & J. Murray, eds., Narrative of the Cruise of the H.M.S. ‘Challenger’, with a general account of the Scientific Results of the Expedition. Narrative 1(1):437–451.
- Complete page information: ix–liv + 508 p.
- . 1887a. Report on the Hexactinellida collected by H. M. S. Challenger during the years 1873–1876. Reports of the Scientific Results of the Voyage of H.M.S. Challenger, Zoology 21:513 p., 104 pl., 1 map.
- . 1887b. Über den Bau und das System der Hexactinelliden. Abhandlungen der Königlichen preussischen Akademie der Wissenschaften zu Berlin (Physikalisch-Mathematische Classe) 1886:1–97.
- . 1897. Revision des Systems de Asconematidae und Rossellidae. Königliche Preussische Akademie der Wissenschaften, Berlin, Sitzungberichte 26:520–558.
- . 1899. Amerikanische Hexactinelliden nach dem Materials der Albatross-Expedition. Verlag Gustav Fischer. Jena. 126 p., 19 pl.
- . 1904. Hexactinellida. Wissenschaftliche Ergebnisse der Deutschen Tiefsee-Expedition auf dem Dampfer “Valdivia” 1898–1899, vol. 4. Gustav Fisher. Jena. 266 p., 52 pl.
- Schulze, F. E., & R. Kirkpatrick. 1910a. Preliminary notice on Hexactinellida of the Gausse-Expedition. Zoologischer Anzeiger 35:293–302.
- . 1910b. Die Hexactinelliden der deutschen Südpolar-Expedition 1901–1903 (Aus. d. Engl. übers.). Deutsche Südpolar-Expedition 1901–1903, G. Reimer, Berlin 12(1):1–62, 10 pl.
- Schweigger, A. F. 1819. Beobachtungen auf naturhistorischen Reisen von August Friedrich Schweigger. George Reimer. Berlin. 127 p., 8 pl., 12 tables.
- . 1820. Handbuch der Naturgeschichte skeletloser ungegliederter Thiere. Leipzig. 766 p.

- Sdzuy, Klaus. 1969. Unter- und mittelkambrische Porifera (Chancelloriida und Hexactinellida). *Paläontologische Zeitschrift* 43(3/4):115–147, 9 fig., pl. 14–16.
- Seeley, H. M. 1885. A new genus of Chazy sponges, *Strephocetus*. *American Journal of Science* (series 3) 30:355–357, 3 fig.
- . 1902. Some sponges of the Chazy Formation. In G. H. Perkins, *The Geology of Grand Isle. Report of the State Geologist on the mineral industries and geology of certain areas of Vermont*, Report 3:151–161, 1 pl.
- Seilacher, A. 1962 [1961]. Die Sphinctozoa, eine Gruppe fossiler Kalkschwämme. Akademie der Wissenschaften und der Literatur in Mainz, Abhandlungen der Mathematisch-Naturwissenschaftlichen Klasse Jahrgang 1961, 10:721–790, 7 fig., 9 pl.
- Selenka, E. 1879. Über einen Kieselschwamm von achtstrahligen Bau, und über Entwicklung der Schwammknospen. *Zeitschrift für Wissenschaftliche Zoologie* 33:467, pl. 27–28.
- Semper, C. 1868a. (On *Hyalonema schultzei* and on *Eurete*). Einige neue Kieselschwämme der Philippinen. *Annals and Magazine of Natural History* (series 4) 2:372–373.
- . 1868b. Über einige neue Kieselschwämme der Philippinen. *Verhandlungen der physikalisch-medizinische Gesellschaft Würzburg* 1:29–30.
- . 1874. Die Stammverwandtschaft der Wirbeltiere und Wirbellosen. Arbeiten aus dem Zoologisch Zootomischen Institut in Würzburg (new series) 2:25–76, pl. 3–5.
- Senowbari-Daryan, Baba. 1978. Neue Sphinctozoen (segmentierte Kalkschwämme) aus den „oberrähtischen“ Riffkalken der nördlichen Kalkalpen (Hintersee/Salzburg). *Senckenbergiana lethaea* 59:205–227.
- . 1980. Neue Kalkschwämme (Sphinctozoen) aus ober-triadischen Riffkalken von Sizilien (Beiträge zur Paläontologie und Microfazies der obertriadischen Riffe des alpin-mediterranen, Gebietes 15). *Mitteilungen Gesellschaft der Geologie, Bergbaustudenten* 26:179–203.
- . 1981. Zur paläontologie einer kleinen riffs innerhalb der Amphyyclinen-Schichten (Localität: Huda Juzna, Slowenien). *Rozpravi IV. Razpreda Slovenska Akademija Znabistu in Umetnosti* 23(3):99–118, 1 fig., 10 pl.
- . 1989. Spicula in segmentierten Schwämmen. *Berliner Geowissenschaftliche Abhandlungen* (Reihe A) 106:473–515, 4 fig., 14 pl.
- . 1990. Die systematische Stellung der thalamiden Schwämme und ihre Bedeutung in der Erdgeschichte. *Münchner Geowissenschaftliche Abhandlungen* (Reihe A, Geologie und Paläontologie) 21:1–325, 70 fig., pl. 1–63.
- . 1991. “Sphinctozoa:” An overview. In J. Reitner & H. Keupp, eds., *Fossil and Recent Sponges*. Springer-Verlag, New York, Berlin, p. 224–241, 8 fig.
- . 1994a. Segmentierte Schwämme (“Sphinctozoen”) aus der Obertrias (Nor) des Taurus-Gebirges (S-Türkei). *Jahrbuch der Geologischen Bundesanstalt* 50:415–446.
- . 1994b. Mesozoic sponges of the Pucará Group, Peru. *Palaeontographica* (Abt. A) 233:57–74, 3 fig., 12 pl.
- Senowbari-Daryan, B., & Pietro Di Stefano. 1988. Microfacies and sphinctozoan assemblage of some Lower Permian breccias from the Lercara Formation (Sicily). *Rivista Italiana di Paleontologia e Stratigrafia* 94:3–34, 8 pl.
- Senowbari-Daryan, B., & Theo Engeser. 1996. Ein Beitrag zur Nomenklatur sphinctozoider Schwämme (Porifera). *Paläontologische Zeitschrift* 70(1/2):269–271.
- Senowbari-Daryan, Baba, & D. C. García-Bellido. 2002. Fossil ‘Sphinctozoa:’ Chambered sponges (polyphyletic). In J. N. A. Hooper & R. W. M. Van Soest, eds., *Systema Porifera: A guide to the classification of sponges*. Kluwer Academic/Plenum Publishers, New York, p. 1,511–1,533, 13 fig.
- Senowbari-Daryan, Baba, & Rucha Ingavat-Helmcke. 1994. Sponge assemblage of some Upper Permian reef limestones from Phrae province (Northern Thailand). *Geologija* 36:3–59, 13 pl.
- Senowbari-Daryan, Baba, & R. P. Reid. 1987. Upper Triassic sponges (Sphinctozoa) from southern Yukon, Stikinia terrane. *Canadian Journal of Earth Sciences* 24:882–902, 5 fig., 7 pl.
- Senowbari-Daryan, Baba, & J. K. Rigby. 1988. Upper Permian segmented sponges from Djebel Tebaga, Tunisia. *Facies* 19:171–250, 15 fig., pl. 22–40.
- . 1991. Three additional thalamid sponges from the Upper Permian reefs of Djebel Tebaga (Tunisia). *Journal of Paleontology* 65:623–629.
- Senowbari-Daryan, Baba, & P. Schäfer. 1979. Neue Kalkschwämme und ein Problematisches (*Radiomura cautica* n. g., n. sp.) aus Oberräht-Riffen südlich von Salzburg (Nördliche Kalkalpen). *Mitteilungen der Österreichischen Geologischen Gesellschaft* 70:17–42, 2 fig., 7 pl.
- . 1986. Sphinctozoen (Kalkschwämme) aus den norischen Riffen von Sizilien. *Facies* 14:235–284, pl. 44–53.
- Senowbari-Daryan, Baba, P. Schäfer, & B. Abate. 1982. Obertriadische Riffe und Rifforganismen in Sizilien. *Facies* 6:165–184, 4 fig., 3 pl.
- Senowbari-Daryan, Baba, Kazem Seyed-Emami, & Ali Aghanabati. 1997. Some inozooid sponges from Upper Triassic (Norian-Rhaetian) Nayband Formation of central Iran. *Rivista Italiana di Paleontologia e Stratigrafia* 103(3):293–321, 9 pl.
- Senowbari-Daryan, B., & G. D. Stanley. 1988. Triassic sponges (“Sphinctozoa”) from Hells Canyon, Oregon. *Journal of Paleontology* 63(3):419–423, 3 fig.
- . 1992. New thalamid sponges from the Triassic Luning Formation of Nevada. *Journal of Paleontology* 66:183–193.

- Senowbari-Daryan, B., & Detlef Wurm. 1994. *Radioecella prima* n. g., n. sp., der erste segmentierte Schwamm mit tetracladinen Skelett aus den Dachstein-Riffkalken (Nor) des Gosaukammes (Nördliche Kalkalpen, Österreich). Festschrift zum 60. Geburstag von Erik Flügel. Abhandlungen der Geologischen Bundesanstalt (Austria) 50:447–452, 4 fig., 1 pl.
- Senowbari-Daryan, Baba, Rainer Zühlke, Thilo Bechstädt, & Erik Flügel. 1993. Anisian (Middle Triassic) buildups of the Northern Dolomites (Italy): The recovery of reef communities after the Permian/Triassic crisis. *Facies* 28:181–256, 17 fig., pl. 40–65.
- Sherborn, C. D. 1922–1932. *Index Animalium, sive index nominum qua ab A. D. MDCCCLVIII, generibus et speciebus animalium imposita sunt*. Cambridge University Press. Cambridge. Sectio Primo, MDCCCLVIII–MDCCC, p. i–lix, 1–1,195; Sectio Secundo, MDCCI–MDCCL, parts 1–28, p. i–xxxii, 1–7,056; part 29, Epilogue, additions to bibliography, additions and corrections, index to trivialia under genera, p. cxxxiii–cxlvi, 1–1,098.
- Sieber, R. A. 1937. Neue Untersuchungen über die Stratigraphie und Ökologie der alpinen Triasfaunen. I. Die Fauna der nordalpinen Rhätirrfkalke. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie* 78:123–188.
- Siemiradzki, J. R. 1913. Die spongien der Polnischen Juraformation. Beiträge zur Paläontologie und Geologie Österreich-Ungarns und des Orients: Mitteilungen des Geologischen und Paläontologischen Institutes der Universität Wien 26:163–211, 8 pl.
- Simon, L. 1953. Über die Spezifität der Nadeln und die Variabilität der Arten bei den Spongilliden. *Zoologische Jahrbücher für Allgemeine Zoologie* 64:207–234, 19 fig.
- Simonowitsch, S. 1871. Beiträge zur Kenntniss der Bryozoen des Essener Grünsande. Verhandlungen der Naturhistorischen vereins der preussische Rheinland und Westfalens (series 3) 8:27–34, 1 pl.
- Simpson, T. L. 1963. The biology of the marine sponge *Microciona prolifera* (Ellis and Solander). I. A study of cellular function and differentiation. *Journal of Experimental Zoology* 154:135–151, 3 fig., 2 pl.
- Sintzova, I. 1878. O melovykh gubkakh Saratovskoi gubernii (Dopolnenie k state "O yurskikh i melovykh okamenelostyakh Saratovskoi gubernii") [Cretaceous sponges of the Saratov region. Supplement to the article "Jurassic and Cretaceous fossils of the Saratov region"]. Zapiski Novorossiiskogo Obshchestva Estestvoispytatelei 6(1):1–40.
- . 1879. On calcareous sponges from the government of Saratow (Russia). *Transactions of the New Russian Society of Natural History* 6:1–40, pl. 1–6. Listed in Rauff, 1893, as Kalkspongien des gouvernement Saratow (Russich). Mémoire, Société Nouvelle Russie, Odessa 6:1–40.
- Siribelli, Lycia. 1961. Differenze nell' aspetto sterno e nello scheletro fra *Axinella verrucosa* O.S. e *Axinella damicornia* (exper.) O. S. (Demospongiae). Analli Institute e Museo Zoologica, Universitario Napoli 13(5):1–23, 3 pl.
- Sirková, A. 1938a. Houby z kopiri ivnického tithonu na Morave. *Rozpravy České Akademie Ved A Umení, Trída 2*, 48(36):1–31, pl. 7.
- . 1938b. Die Schwämme aus dem Koprivicer Tithon in Mähren. *Bulletin International de l'Académie Tchèque des Sciences*, Prague 39:181–191, 1 pl.
- Smith, J. 1911. Carboniferous limestone rocks of the Isle of Man. *Transactions of the Geological Society, Glasgow* 14(2):119–164.
- Smith, J. Toulmin. 1847. On the Ventriculidae of the Chalk; including the description of peculiar characteristics of structure observed in their tissues. *Annals and Magazine of Natural History* (series 1) 20:74–97, 176–191, pl. 7–8.
- . 1848. On the Ventriculidae of the Chalk; their classification. *Annals and Magazine of Natural History* (series 2) 1:36–48, 203–220, 279–295, 352–372, pl. 13–16.
- van Soest, R. W. M. 1980. Marine sponges from Curaçao and other Caribbean localities. Part II. Haplosclerida. *Studies on the Fauna of Curaçao and other Caribbean Islands* 62(191):1–173.
- . 1991. Demosponge higher taxa classification re-examined. In J. Reitner and H. Keupp, eds., *Fossil and Recent Sponges*. Springer-Verlag. Berlin. p. 54–71.
- . 2002. Family Desmacididae Schmidt, 1870. In J. N. A. Hooper & R. W. M. van Soest, eds., *Systema Porifera: A Guide to the Classification of the Sponges*. Kluwer Academic/Plenum Publishers. New York. p. 572–574, 1 fig.
- Sokolova, M. 1964. Nekotorye zakonomerstv raspredeleniya pishchevykh gruppipiravok globukovodnog e bentosa. *Okeanologiya* 4(6):1,079–1,088.
- Sokolova [also Sokoleva], V. Z. 1962. [Feeding resources of benthos in Lake Syamoze]. In S. V. Gerd, Transactions of the Syamozer Complex Expedition, vol. 2. ANSSR. Leningrad. p. 36–55, 2 fig.
- Sollas, W. J. 1873. On the coprolites of the upper Greensand Formation and on flints. *Quarterly Journal of the Geological Society of London* (new series) 29:76–81.
- . 1875. Sponges. *Encyclopedia Britannica*, 9th ed. Adam and Charles Black. Edinburgh. p. 427–446, 26 fig.
- . 1876a. On *Eubrochus clausus*, a vitreohexactinellid sponge from the Cambridge "Coprolite" bed. *Geological Magazine* (new series, Decade II) 3:398–403, pl. 14.
- . 1876b. On the foraminifera and sponges of the Cambridge Upper Greensand. *Proceedings of the Cambridge Philosophical Society* 1876:299–300.
- . 1877a. On *Pharetrospongia strahani* Sollas, a fossil holophrapidote sponge. *Journal of the Geological Society (London)* 33:242–255.
- . 1877b. On *Stauronema*, a new genus of fossil hexactinellid sponges, with a description of its two

- species, *S. carteri* and *S. lobata*. Annals and Magazine of Natural History (series 4) 19:1–25, pl. 1–5.
- . 1878. On the structure and affinities of the genus *Catagma*. Annals and Magazine of Natural History (series 5) 2:353–364.
- . 1880a. On the structure and affinities of the genus *Protospongia*. Quarterly Journal of the Geological Society of London 36:362–367, 2 fig.
- . 1880b. The sponge-fauna of Norway; a report on the Rev. A. M. Norman's collection of sponges from the Norwegian coast. Annals and Magazine of Natural History; Zoology, Botany and Geology (series 5) 5:130–144, pl. 6–7, 11–12, 17.
- . 1880c. On sponge spicules from the Chalk of Trimmingham, Norfolk. Reports of the British Association for the Advancement of Science 1880:586–587.
- . 1880d. On the flint nodules of the Trimmingham Chalk. Annals and Magazine of Natural History; Zoology, Botany and Geology (series 5) 6:384–395, pl. 19–20.
- . 1881. On *Astroconia granti*, a new lyssakine hexactinellid from the Silurian formation of Canada. Quarterly Journal of the Geological Society, London 37:254–260, fig. 1–11.
- . 1883. Descriptions of fossil sponges from the Inferior Oolite, with a notice of some from the Great Oolite. Quarterly Journal of the Geological Society of London (new series) 39:541–554, pl. 20–21.
- . 1884. On the development of *Haliscarca lobularis*. Quarterly Journal of Microscopical Science 24:603–621, fig. 1–39, pl. 37.
- . 1885a. A classification of the sponges. Annals of Natural History (series 5) 16:395.
- . 1885b. On *Vetulina stalactites* (O.S.) and the skeleton of the Anomocladina. Proceedings of the Royal Irish Academy of Science (series 2) 4(4):486–492, pl. 3–4.
- . 1886. Preliminary account of the tetractinellid sponges dredged by the 'Challenger' 1872–1876. Scientific Proceedings of the Royal Dublin Society (new series) 5:177–199.
- . 1887. Sponges. Encyclopaedia Britannica, 9th ed., vol. 22. Adam and Charles Black. Edinburgh. p. 412–429, 26 fig.
- . 1888. Report on the Tetractinellida collected by H. M. S. Challenger during the years 1873–1876. Report on the Scientific Results of the voyage of H. M. S. Challenger during the years 1873–76, Zoology, vol. 25. London, Edinburgh, & Dublin. clxvi + 458 p., 44 pl., 1 map.
- Solle, Gerhard. 1938. Die ersten Bohr-Spongien im europäischen Devon und einige andere Spuren. Senckenbergiana 20:154–178, 22 fig.
- Sorokin, J. I. 1964. Quantitative study of the microflora in the Central Pacific Ocean. Journal Conseil 29:25–60.
- Spreiterbach, J. 1935. Beiträge zur Kenntnis der Fauna des rheinischen Devon. Jahrbuch, Preussische Geologische Landesanstalt 1935:447–483, 2 fig., 2 pl.
- Stearn, C. W., & J. W. Pickett. 1994. The stromatoporoid animal revisited: building the skeleton. Lethaia 27:1–10.
- Steiner, M. D., D. Mehl, J. Reitner, & B.-D Erdtmann. 1993. Oldest entirely preserved sponges and other fossils from the lowermost Cambrian and a new facies reconstruction of the Yangtze platform (China). Berliner Geowissenschaftliche Abhandlungen (series E) 9:293–329, 13 fig., 7 pl.
- Steinmann, Gustav. 1878. Über fossile Hydrozoen aus der Familie der Coryniden. Paläontographica 25(3):101–124.
- . 1881. Über *Prototetraclis linki*, n. f., eine Lithistide des Malm. Neues Jahrbuch 2:154–163, pl. 9.
- . 1882. Pharetronen-Studien. Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie 2:139–191, pl. 6–9.
- . 1913. Pharetronen. In F. Toula, Die Kalke von Jägerhause unweit Baden (Rauchstallbrunnengraben) mit nordalpiner St. Cassianer Fauna. Jahrbuch der Kaiserlich-Königliche Geologischen Reichsanstalt, Wien 63:86–89, fig. 1–4.
- Stempfen, M. F. Jr. 1960. The nucleic acids of sponges. Annals of the New York Academy of Science 50:910–912.
- Stewart, C. 1870. On a new sponge, *Tethyopsis columnifer*. Quarterly Journal of Microscopical Science, London (new series) 10:281–282.
- Stoehr (Stöhr), P. A. 1880. Die Radiolarienfauna der Tripoli von Grotte Provinz Gergenti in Sicilien. Palaeontographica 26 (1879–1880):69–124.
- Stoppani, Antonio. 1858. Les Petrifications d'Énsino ou description des fossiles appartenant au dépôt Triasique supérieur des environs d'Énsino en Lombardie. Milan. p. 126–131, pl. 29–31.
- . 1860. Risultati paleontologici dedotti dallo studio dei petrefatti d'Esino: 1, Del parallelismo del deposito di Esino con altri fuori de Lombardia. 2, Del posto occupato dal deposito de Esino nella serie stratigraphica de Lombardia. Atti della Società Italiana di Scienze naturali, Milano 2(1859–1860):65–92.
- Strand, E. 1928. Miscellanea nomenclatorica zoologica et palaeontologica. Archiv für Naturgeschichte, Berlin 72A:31–36.
- Stuckenbergs, A. 1895. Korallen und Bryozoen der Steinkohlenablagerungen des Ural und des Timan. Mémoires du Comité Géologique, St. Petersbourg 10(3):244 p., 24 pl.
- Stutchbury, S. 1842 [1841]. Description of a new sponge from Barbados. Proceedings of the Zoological Society of London 9:86–87.
- Tanaka-Ichihara, Keiko, & Yoko Watanabe. 1990. Gametogenic cycle in *Halichondria okadai*. In Klaus Rutzler, ed., New perspectives in sponge biology, Smithsonian Press. Washington, D.C. & London. p. 170–174, 3 fig.
- Tate, Ralph. 1865. On the correlation of the Cretaceous formations of the north-east of Ireland. Quarterly Journal of the Geological Society of London 21:15–44, pl. 3–5.

- Taylor, S., & J. G. Wells. 1975. Cowries. T. F. H. Publications Inc., Ltd. Neptune City, New Jersey. 288 p., pl.
- Teichert, Curt. 1958. Cold- and deep-water coral banks. American Association of Petroleum Geologists Bulletin 42(5):1,064–1,082.
- Teichert, Curt, ed. 1972. Treatise on Invertebrate Paleontology, Part E, revised, vol. 1. Geological Society of America & The University of Kansas Press. Boulder & Lawrence. xxx + 158 p., 107 fig.
- Termier, Henri, & Geneviève Termier. 1955. Contribution à l'étude des Spongaires permien du Djebel Tebaga (Extrême Sud Tunisiens). Bulletin de la Société Géologique de France (series 6) 5:613–630.
- . 1973. Stromatopores, sclérosponges et Pharétomes: les Ischyrospongia. Annales des Mines et la Géologie, Tunis 26:285–297.
- . 1974. Sponges permiens du Djebel Tebaga (sud Tunisiens). Comptes Rendus de l'Académie des Sciences, Paris (series D) 279:247–249.
- . 1977a. Paléontologie des Invertébrés. In Henri Termier, Geneviève Termier, & D. Vachard, Monographie paléontologique des affleurements Permien du Djebel Tebaga (sud Tunisiens). Palaeontographica (Abt. A) 156:25–99.
- . 1977b. Structure et évolution des spongaires hypercalcifiés du Paléozoïque supérieur. Mémoires de l'Institut Géologique de l'Université de Louvain 29:57–109.
- . 1980. Stromatopores, trépostomes et tabuliatomorphes du Paléozoïque d'Afrique du nord. Annales de Paléontologie (Invertébrés) 66(1):1–16, 4 pl.
- . 1981. Descriptions of species. In H. Termier, G. Termier, & H. H. Tsien, Spongaires des calcaires récifaux du Frasnien de l'Ardenne. Bulletin de la Société belge de Géologie 90(4):290–292, fig. 3, pl. 3.
- Termier, Henri, Geneviève Termier, & H. H. Tsien. 1981. Spongaires des calcaires récifaux du Frasnien de l'Ardenne. Bulletin de la Société belge de Géologie 90(4):287–298, fig. 3, pl. 3.
- Termier, Henri, Geneviève Termier, & J. Thibieroz. 1990. Hexactinella Lyssakida liassiques de la bordure sud-est des Cévennes. Bulletin Trimestriel de la Société Géologique de Normandie et des Amis du Muséum du Havre 77(3–4):5–17, 1 fig., 4 pl.
- Termier, Henri, Geneviève Termier, & Daniel Vachard. 1977a. Monographie paléontologique des affleurements permiens du Djebel Tebaga (sud Tunisiens). Palaeontographica (Abt. A) 156:1–109, 52 fig., 18 pl.
- . 1977b. Étude comparative de quelques ischyrosponges. Géologie Méditerranéenne 4(2):139–180.
- Thomas, A. O. 1922. Some new Paleozoic glass-sponges from Iowa. Proceedings of the Iowa Academy of Science 29:85–91, pl. 1.
- Thomson, C. W. 1868. On the vitreous sponges. Annals and Magazine of Natural History (series 4) 1(2):114–132, pl. 4.
- . 1873a. The depths of the sea. Macmillan and Co. London. 527 p., 84 fig.
- . 1873b. Notes from the 'Challenger,' I–VII. Nature 8:28–30, 51–53, 109–110, 246–249, 266–267, 347–349, 400–403.
- . 1877. The voyage of the 'Challenger.' The Atlantic, a preliminary account of the general results of the exploring voyage of H.M.S Challenger during the year 1873 and the early part of the year 1876. Macmillan and Co. London. vol. 1., p. 1–424; vol. 2, p. 1–396.
- Tiwari, Meera. 1997. *Nabaviella acanthomorpha* n. sp., a sponge spicule from the Precambrian-Cambrian boundary interval in the Tethys sequence of north-western Kashmir. Journal Geological Society of India 50:655–658, 2 fig.
- . 1999. Organic-walled microfossils from the Chert-phosphorite Member, Tal Formation, Precambrian-Cambrian boundary, India. Precambrian Research 97:99–113, 4 fig.
- Tiwari, Meera, C. C. Pant, & V. C. Tewari. 2000. Neoproterozoic sponge spicules and organic-walled microfossils from the Gangolihat Dolomite, Lesser Himalaya, India. Current Science 79(5):651–654.
- Toomey, D. F. 1964. Ellenburger (Lower Ordovician) sponge beds of central Texas. Tulsa Geological Society Digest 32:98–111, 2 fig., 3 pl.
- . 1970. An unhurried look at a Lower Ordovician mound horizon, southern Franklin Mountains, west Texas. Journal of Sedimentary Petrology 40:1,318–1,334, 15 fig.
- Toomey, D. F., & R. M. Finks. 1969. The paleoecology of Chazyan (lower Middle Ordovician) "reefs" or "mounds" and Middle Ordovician (Chazyan) mounds, southern Quebec, Canada, a summary report. New York State Geological Association Guidebook, 41st Annual meeting, Plattsburgh, New York. State University of New York, Department of Geology. Brockport. p. 93–134.
- Toomey, D. F., & M. H. Nitecki. 1979. Organic build-ups in the Lower Ordovician (Canadian) of Texas and Oklahoma. Field Museum of Natural History, Fieldiana, Geology (new series) 2:1–181, 85 fig.
- Topsent, Émile. 1892. Contribution à l'étude des Spongaires de l'Atlantique Nord, fasc. II. Résultats des Campagnes scientifiques accomplies sur son yacht par Albert I, Prince souverain de Monaco. Publié sous sa direction, avec le concours du Baron Jules de Guerne. Imprimerie de Monaco. Monaco. 165 p., 11 pl.
- . 1894. Une réforme dans la classification des Halichondrina. Mémoires de la Société zoologique de France 7:5–26.
- . 1898. Introduction à l'étude monographique des Monaxonides de France, Classification des Hadromerina. Archives de Zoologie expérimentale et générale 4(3):91–113.
- . 1901a. Les Spongaires de l'expédition antarctique belge et la biopolarité des faunes. Comptes Rendus, Académie des Sciences 132(3):168–169.

- . 1901b. Considérations sur la Faune des Spongaires des Côtes d'Algérie: Éponges de la Calle. Archives de Zoologie expérimentale et générale (series 3) 9:327–370.
- . 1902. Spongaires. Expédition Antarctique Belge, Résultats du voyage du S. Y. Belgica en 1897–1898–1899, Rapports Scientifiques, Zoologie. J. E. Buschmann. Anvers. 54 p., 6 pl.
- . 1904. Spongaires des Açores, fasc. XXV. Résultats des Campagnes Scientifiques accomplies sur son yacht par Albert I., Prince souverain de Monaco. Publié sous sa direction, avec the concours du M. Jules Richard. Monaco. Imprimerie de Monaco. p. 1–280, 18 pl.
- . 1913. Spongaires provenant des Campagnes scientifiques de la *Princess-Alice* dans les Mers du Nord (1898–1899–1906–1907). Résultats des Campagnes Scientifiques du Prince de Monaco 45:1–67, 5 pl.
- . 1920a. Spongaires du Musée zoologique de Strasburg. Monaxonides. Bulletin de l'Institut océanographique, Monaco 381:1–36.
- . 1920b. *Tethya aurantium* et les *Tethya* de Lamarck. Bulletin du Muséum d'Histoire Naturelle, Paris 1920:640–646.
- . 1922. Les mégasclères polytylotes des Monaxonides et la parenté de Latrunculines. Bulletin de l'Institut océanographique, Monaco 415:1–8.
- . 1928a. Une Mycaline productrice de desmes, *Desmatiderma arbuscula*, n. g., n. sp. Bulletin de l'Institut Océanographique, Monaco 519:1–8.
- . 1928b. Spongaires de l'Atlantique et de la Méditerranée. Résultats des Campagnes Scientifiques du Prince Albert 1<sup>er</sup> de Monaco 74:1–376, 11 pl.
- . 1928c. Sur deux Euréties du Japan (Note préliminaire). Bulletin de l'Institut océanographique, Monaco 74:1–4.
- Trammer, Jerzy. 1979. Some aspects of the biology of fossil solid-branching demosponges, exemplified by *Reiswigia ramosa* gen. n., sp. n., from the Lower Oxfordian of Poland. Acta Geologica Polonica 29(1):39–49, fig. 1–5, pl. 1–3.
- . 1989. Middle to Upper Oxfordian sponges of the Polish Jura. Acta Geologica Polonica 39(104):49–91.
- Trautschold, H. 1870. Palaeontologischer Nachtrag zu der Abhandlung des Fürsten P. Krapotkin über die geognostischen Verhältnisse des Kreises Meschtschowsk im Gouvernement Kaluga. Bulletin de la Société Impériale des Naturalistes de Moscou 42 (année 1869, no. 4):230–233, 1 pl.
- Trébougoff, G. 1942. Contribution à la connaissance des larves planctoniques d'éponges. Archives de Zoologie Expérimentale et Générale 82:357–399, 7 fig., pl. ix–x.
- Trejo, M. 1967. La esponja fosil *Rhxella sorbyana* (Blake) y su significación estratigráfica. Boletín de la Asociación Mexicana de geólogos petroleros 19:33–38, 7 pl.
- Trest'yan, G. N. 1972. New Upper Cretaceous glass sponges (Hyalospongiae) from the Dniester region. Paleontologicheskii Zhurnal 1972(2):32–41, 4 fig. In Russian, translated into English in 1972, Paleontological Journal 6(2):171–179.
- van Trigt, H. 1919. A contribution to the physiology of the fresh-water sponges (Spongillidae). Leiden Tijdschrift Nederlands Dierk. Verhandelingen (series 2) 17:1–220, 6 pl.
- Tschernyshev, T. 1898. Über die Artinsk- und Carbon-Schwämme vom Ural und vom Timan. Bulletin of the Academy of Science, St. Petersburg (series 5) 9:1–36, pl. 1–5.
- Tschernyshev, T., & R. Stepanov. 1916. Obercarbon Fauna von Konig Oskars und vom Heibergs Land. In Report of the Second Norwegian Arctic Expedition in the "Fram" 1898–1902, vol. 4. Videnskabs-Selskabet i Kristiana (Society of Arts and Sciences of Kristiana). A. W. Brogger. Oslo. p. 1–67, 12 pl.
- Tuzet, Odette. 1973a. Introduction et place des spongaires dans la classification. In P.-P. Grassé, ed., Traité de Zoologie. Anatomie, Systématique, Biologie, III. Spongaires. Masson et Cie. Paris. p. 1–26, fig. 1–10.
- . 1973b. Éponges calcaires. In P.-P. Grassé, ed., Traité de Zoologie. Anatomie, Systématique, Biologie, III. Spongaires. Masson et Cie. Paris. p. 27–132, fig. 12–89.
- Tuzet, O., & R. Connes. 1962. Spicules anormaux d'une variété écologique d'*Ephidatia fluviatilis* Linné. Vie et Milieu 13:467–470, 1 fig.
- Tuzet, O., & J. Paris. 1964. La spermatogenèse, l'ovogénèse, la fécondation et les premiers stades du développement chez *Octavella galangaui* Tuzet et Paris. Vie et Milieu 15:309–327, 9 fig.
- Tuzet, O., & M. Pavans de Ceccatty. 1959. La spermatogenèse, l'ovogénèse, la fécondation et les premiers stades du développement d'*Hippospongia communis* Lmk. (=*H. equina* O.S.). Bulletin Biologique 92:1,331–1,348, 5 fig.
- Twenhofel, W. H. 1928. The geology of Anticosti Island. Memoir of the Geological Survey of Canada 154:481 p., 60 pl.
- Ulrich, Hans. 1974. Die Spongien der Ilseburg-Entwicklung (Oberes Unter-Campan) der Subherzenyn Kreidemulde. Freiberger Forschungshefte (Paläontologie) C291:121 p., 19 pl.
- Ulrich, E. O. 1878. Descriptions of new genera and species of fossils from the Lower Silurian about Cincinnati. Journal of the Cincinnati Society of Natural History 2:8–30.
- . 1879 [1878]. Descriptions of some new species of fossils from the Cincinnati group. Journal of the Cincinnati Society of Natural History 1:92–100.
- . 1889. Preliminary description of new lower Silurian sponges. The American Geologist 3:233–248, fig. 1–7.
- . 1890a. American Paleozoic sponges. Illinois Geological Survey (Paleontology of Illinois, part 2, section 3) Bulletin 8:209–241.

- . 1890b. Sponges of the Devonian and Carboniferous systems. Illinois Geological Survey (Paleontology of Illinois, part 2, section 4) Bulletin 8:242–253.
- Ulrich, E. O., & Oliver Everett. 1890. Lower Silurian sponges. Illinois Geological Survey (Paleontology of Illinois, part 2, section 5) Bulletin 8:255–282.
- Ushakov, P. V. 1955. Polychaetes of the far-eastern seas of the Soviet Union. Ed. ZIN, Akademiya Nauk SSSR (Academy of Science, USSR), Tabulation and Analysis of the fauna of the USSR 56:445 p., 164 fig. In Russian.
- Vacelet, J. 1961. Quelques éponges remarquables de Méditerranée. Revue des Travaux, Institut des Pêches Maritimes 25:351–354.
- . 1962. Existence de formations de réserve chez une éponge calcaire pharétronide. Comptes Rendus, Académie des Sciences, Paris 254:2,425–2,426, 3 fig.
- . 1965 [1964]. Étude monographique de l'éponge calcaire pharétronide de Méditerranée, *Petrobonia masiliiana* Vacelet et Lévi. Les pharétronides actuelles et fossiles. Recueils des Travaux aux de la Station Marine d'Endoume 50(34):1–125.
- . 1967a. Descriptions d'éponges pharétronides actuelles des tunnels obscurs sous-récifaux de Tuléar (Madagascar). Recueils des Travaux de la Station Marine d'Endoume, fascicule hors série supplément 6:37–62, 6 fig., 13 pl.
- . 1967b. Quelques éponges pharétronides et "silico-calcaires" des grottes sous-marines obscures. Recueils et Travaux de la Station Marine d'Endoume 58(42):121–132.
- . 1969. Éponges de la roche du large et de l'étage bathyal de Méditerranée. Muséum National d'Histoire Naturelle (Paris), Mémoires (series A) 59:145–219, 54 fig., 12 pl.
- . 1977a. Éponges pharétronides actuelles et sclérosponges de Polynésie française, de Madagascar et de la Réunion. Bulletin du Muséum National d'Histoire Naturelle (Paris), Zoologie 307(44):345–367, 7 fig., 2 pl.
- . 1977b. Une nouvelle relique du secondaire: un représentant actuel des éponges fossiles sphinctozoaires. Comptes Rendus Hebdomaires des Séances de l'Académie des Sciences, Paris 285(5):509–511, 1 pl.
- . 1979. Description et affinités d'une éponge sphinctozoaire actuelle. In C. Lévi & N. Boury-Esnault, eds., Biologie des Spongiaires, Colloques Internationaux du Centre National de la Recherche Scientifique 291:483–493.
- . 1980. Squelette calcaire facultatif et corps de régénérations dans le genre *Merlia*, éponges apparentées aux chaetétides fossiles. Comptes Rendus Hebdomadaires des Séances, Académie des Sciences, Paris (series D) 290(3):227–230.
- . 1981. Éponges hypercalcifiées ('pharétronides', 'sclerosponges') des cavités des récifs coralliens de Nouvelle-Calédonie. Bulletin, Muséum National d'Histoire Naturelle (Paris) Zoologie, Biologie et Ecologie Animales 3(2):313–351.
- . 1983. Les éponges hypercalcifiées, reliques des organismes constructeurs de récifs du Paléozoïque et du Mésozoïque. Bulletin de la Société Zoologique de France 108:547–557.
- . 1985. Coralline sponges and the evolution of Porifera. In S. Conway-Morris, ed., Organisms and Relationships of Lower Invertebrates. Systematics Association Special Volume 28:2–13.
- . 1991. Recent Calcarea with a reinforced skeleton ("Pharetrotrids"). In J. Reitner and H. Keupp, eds., Fossil and Recent Sponges, Springer-Verlag, Berlin, p. 252–265.
- . 1994. Porifera. In C. Juberthie & V. Decu, eds., Encyclopædia Biospeologica, vol. 1. Société de Biospéologie. Saint-Girons, France. p. 36–38.
- Vacelet, J., N. Boury-Esnault, & J.-G. Harmelin. 1994. Hexactinellid Cave, a unique deep-sea habitat in the scuba zone. Deep-Sea Research 1, 41(7):965–973.
- Vacelet, Jean, & Claude Lévi. 1958. Un cas de survie, en Méditerranée, du groupe d'éponges fossiles des Pharétronides. Comptes Rendus hebdomadaires des Séances de l'Académie des Sciences, Paris 246(2):318–320, 3 fig.
- Vacelet, J., & M. J. Uriz. 1991. Deficient spiculation in a new species of *Merlia* (Merliida, Demospongiae) from the Balearic Islands. In J. Reitner & H. Keupp, eds., Fossil and Recent Sponges. Springer-Verlag, Berlin, p. 170–178.
- Vacelet, J., & P. Vasseur. 1971a. Éponges des récifs coralliens de Tuléar (Madagascar). Tethys, Supplément 1:51–126, 77 fig., 4 pl.
- . 1971b. Spongiaires des grottes et surplombs des récifs de Tuléar (Madagascar). Recueils et Travaux de la Station Marine d'Endoume (Fascicule Hors Serie) Supplement 4:71–123.
- Vachard, D., & C. Montenat. 1981. Biostratigraphie, micropaléontologie et paléogéographie du Permien de la région de Tezak (Montagnes Centrales d'Afghanistan). Palaeontographica (Abt. B) 178:1–88, 15 pl.
- Vandercammen, Antoine. 1950. Contribution à l'étude des spongiaires hétéactinellides. Bulletin de l'Institut Royal des Sciences de la Société Naturelle de Belgique 26 (19):1–23, 1 fig., 6 pl.
- Van de Graaf, W. J. E. 1969. Carboniferous Sphinctozoa from the Cantabrian Mountains, Spain. Leidse Geologische Mededelingen 42:239–257, 2 pl.
- Vanuxem, Lardner. 1842. Geology of New York. Part 3. Comprising a survey of the third geological district. New York Geological Survey. Albany. 306 p.
- Van Weel, P. B. 1949. On the physiology of the tropical fresh water sponge *Spongilla proliferans*. I. Ingestion, digestion and excretion. Physiologia Comparata Oecologia 1:110–126.
- Vasserot, Jean. 1961. Caractère hautement spécialisé du régime alimentaire chez les astérides *Echinaster sepositus* et *Henricia sanguinolenta*, prédateurs de spongiaires. Bulletin de la Société Zoologique de France 86(6):796–809, 5 fig.
- Vasseur, G. 1880. Reproduction asexuelle de la *Leucosolenia botryoides*. Archives de Zoologie expérimentale et générale, Paris 8:59–65.

- Vaughan, T. W., & J. W. Wells. 1943. Revision of the suborders, families, and genera of the Scleractinia. Geological Society of America Special Paper 44:363 p., 39 fig., 51 pl.
- Veizer, V., & J. Wendt. 1976a. Mineralogy and chemical composition of Recent and fossil skeletons of calcareous sponges. Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 1976(9):558–573, 8 fig.
- . 1976b. The Southern Bükk (N. Hungary) Triassic revisited: The Beruavölgy limestone. Annales Section Geologique 27:16–65, 15 pl.
- Vernadsky, W. J. 1934 [1933]. Ozeanographie und Geochemie. Mineralogische und Petrographische Mitteilungen 44(2–3):168–192.
- Verrill, A. E. 1907. Porifera of the Bermuda Islands. New Haven, Connecticut, Transactions of the Academy of Arts and Sciences 12:330–344.
- Vinassa de Regny, P. 1901. Trias-spongien aus dem Bakony. Resultatae der Wissenschaften Erforschung der Balatonsees, I, Palaeontologie der Umgebung des Balatonsees, vol. 1. Wien. 22 p., 7 fig., 3 pl.
- . 1911a. Trias-Spongien aus dem Bakony. In Resultate der wissenschaftlichen Untersuchungen des Balaton (Plattensee), Anhang I, Band 1911, no. 2. Wien. p. 1–22, 3 pl.
- . 1911b. Neue Schwamme, Tabulaten und Hydrozoen aus dem Bakony. In Resultate der wissenschaftlichen Untersuchungen des Balaton (Plattensee), Anhang I, Band 1911, no. 3. Wien. p. 1–18, 4 pl.
- . 1915. VIII. Triadische Algen, Spongien, Anthozoen und Bryozoen aus Timor. Paläontologie von Timor, Abhandlung 8, Lieferung 4. M. Wanner. Stuttgart. p. 75–118, 3 fig., pl. 63–72.
- Vinogradov, A. P. 1953. The elementary chemical composition of marine organisms. Sears Foundation for Marine Research, Memoir 2:176–193.
- Vinogradov, M. E. 1959a. Über die quantitative Verbreitung des Tiefseaplanktons im nordwestlichen Teil des Stillen Ozeans. Internationale Revue der Hydrobiologie 44(2):217–225, 3 fig.
- . 1959b. On the vertical distribution of deep-sea plankton in the west part of the Pacific Ocean. Proceedings of the International Congress of Zoology 15:223–225.
- Vinogradov, N. G. 1958. Vertikalnoe raspredelenie glubokovodnogo donnai faune okeana. Trudy Institut Okeanologii Akademii Nauk SSSR, 1958:86–122.
- Volkmer, C. 1963. *Spongilla jewelli* n. sp. from freshwater sponge at Brazil. Anais Academia Brasileira de Ciencia 35(2):271–273.
- Volkmer-Ribeiro, C. 1970. *Oncosclera*—a new genus of freshwater sponges (Porifera-Spongillidae) with redescription of two species. Amazoniana 2(4):435–442.
- Vologdin, A. G. 1956. Klassifikatsiya tipa Archaeocyatha [Classification of the Archaeocyath]. Doklady Akademii Nauk SSSR 111(4):877–880.
- . 1962. Phylum Archaeocyatha. In Yu. A. Orlov & B. S. Sokolov, eds., Osnovy Paleontologii [Fundamentals of Paleontology], vol. 1, no. 2, Porifera, Archaeocyatha, Coelenterata, Vermes. Izdatel'stvo Akademii Nauk SSSR. Moscow. p. 89–133, fig. 1–128.
- Translation published in 1972, Israel Program for Scientific Translations Ltd., Jerusalem, p. 130–188.
- Von Brand, Theodor. 1939 [1938]. Further experiments on the decomposition and regeneration of nitrogenous organic matter in sea water. Biological Bulletin 77:285–296.
- Von der Marck, 1876 [1873]. Neue Beiträge zur Kenntniß der fossilen Fische und anderer Theireste. Palaeontographica 22:55–74, pl. 2, 10.
- Vosmaer, G. C. J. 1880. The sponges of the Leyden Museum, I, The Family of the Desmacidinae. Notes from the Leyden Museum [Rijksmuseum voor de Geschiedenis der Natuurwetenschappen, Leyden] 2:99–136.
- . 1882. Spongien (Porifera). In H. G. Brönn, ed., Die Klassen und Ordnungen des Thierreichs, part 1. H. G. Brönn. Leipzig & Heidelberg. p. 1–32, pl. 1, 2, 4.
- Translated by A. Dendy, Annals and Magazine of Natural History (series 5) 19:249–260.
- . 1883. Spongien (Porifera). In H. G. Brönn, ed., Die Klassen und Ordnungen des Thierreichs, part 2. H. G. Brönn. Leipzig & Heidelberg. p. 33–64, pl. 5–6.
- Translated by A. Dendy, Annals and Magazine of Natural History (series 5) 19:249–260.
- . 1884. Spongien (Porifera). In H. G. Brönn, ed., Die Klassen und Ordnungen des Thierreichs, parts 3–6. H. G. Brönn. Leipzig & Heidelberg. p. 65–176, pl. 3, 7, 8.
- Translated by A. Dendy, Annals and Magazine of Natural History (series 5) 19:249–260.
- . 1885. Spongien (Porifera). In H. G. Brönn, ed., Die Klassen und Ordnungen des Thierreichs, parts 7–10. H. G. Brönn. Leipzig & Heidelberg. p. 177–320, pl. 19–25.
- Translated by A. Dendy, Annals and Magazine of Natural History (series 5) 19:249–260.
- . 1887. Spongien (Porifera). In H. G. Brönn, ed., Die Klassen und Ordnungen des Thierreichs, parts 11–16. H. G. Brönn. Leipzig & Heidelberg. p. 321–496.
- Translated by A. Dendy, Annals and Magazine of Natural History (series 5) 19:249–260.
- Vosmaer, G. C. J., & H. P. Wijsman. 1904. Ober den Bouw van sommige Kiezelspicula bij Sponzen. I. De stijl van *Tethya lyncurium*. Koninklijke Akademie van Wetenschappen te Amsterdam. Verslag van de gewone Vergaderingen der Wisen Natuurkundige Afdeeling, Published by the society. Amsterdam. p. 733–748, 1 fig.
- Waagen, W., & J. Wentzel. 1888. Salt-Range Fossils. Productus Limestones: Coelenterata, Amorphozoa, Protozoa. Memoirs of the Geological Survey of India 1(4\5):529–998, pl. 117–128.
- Wagner, Wolfgang. 1963. Die schwammfauna der Oberkreide von Neuberg (Donau). Palaeontographica (Abt. A) 122:166–250, 5 pl.

- . 1964. Kalkschwämme aus dem Korallenkalk des oberen Malm von Laisacker bei Neuburg a. d. Donau. Mitteilungen der Bayer. Staatssammlung für Paläontologie und historische Geologie 4:23–36, 7 fig., pl. 5–7.
- Wähner, F. 1903. Das Sonnwendgebirge im Unterinntal, ein Typus eines alpinen Gebirgsbaues. F. Deuticke. Leipzig-Wien. 356 p., 19 pl., 96 fig.
- Walch, J. E. I. 1768–1776. Recueil des monuments des catastrophes que le globe de la terre a éssuées contenant des pétrefactions et d'autres pierres curieuses, (commencé) par G. W. Knorr (et continué par J. E. I. Walch), vol. II–IV. Nuremberg.
- Walcott, C. D. 1879. Fossils of the Utica Shale. Transactions of the Albany Institute 10:18–19, fig. 16–18, pl. 2.
- . 1886. Second contribution to the studies of the Cambrian faunas of North America. United States Geological Survey Bulletin 30:369 p.
- . 1892. Preliminary notes on the discovery of a vertebrate fauna in Silurian (Ordovician) strata. Bulletin of the Geological Society of America 3:153–172, pl. 3–5.
- . 1912. Notes on fossils from limestones of Steeprock series, Ontario, Canada. Canada Department of Mines, Geological Survey Branch, Memoir 28:16–23, pl. 1–2.
- . 1919. Cambrian geology and paleontology, IV. Middle Cambrian algae. Smithsonian Miscellaneous Collections 67(5):217–260.
- . 1920. Cambrian Geology and Paleontology. IV. no. 6. Middle Cambrian Spongiae. Smithsonian Miscellaneous Collections 67(6):261–364, fig. 4–10, pl. 60–90.
- Walker, W. R., & R. K. Bambach. 1974. Analysis of communities. Sedimenta 4. Principles of benthic community analysis. In A. M. Ziegler, K. R. Walker, E. J. Anderson, E. G. Kauffman, R. N. Ginsberg, and N. P. James. Sedimenta 4, Principles of benthic community analysis, Notes for a short course. Division of Marine Geology, Rosenstiel School of Marine and Atmospheric Sciences, University of Miami. Miami, Florida. p. 2.1–2.20, 10 fig.
- Wallace, S. J. 1878. On the “geodes” of the Keokuk Formation and the genus *Biopalla*, with some new species. American Journal of Science (series 3) 15:366–370.
- Walther, J. 1893–1894. Einleitung in die Geologie als historische Wissenschaft, I Bionomie des Meeres, II. Die Lebenweise der Meerestiere. G. Fischer. Jena. xxx + 531 p.
- . 1904. Die Fauna der Solnhofener plattenkalke. Denkschriften der Medecinisch-naturwissenschaftlichen Gesellschaft, vol. 11. Festschrift E. Haeckel. Jena. p. 161–163.
- Warburton, F. E. 1960. Influences of currents on form of sponges. Science 133:89, 1 fig.
- Watanabe, Y. 1957. Development of *Tethya serica* Lebwohl, a tetraxonian sponge. Observations on external changes. Natural Science Report, Ochanomizu University 8:97–104.
- Webby, B. D. 1969. Ordovician stromatoporoids from New South Wales. Palaeontology 12:637–662, pl. 117–129.
- Webby, B. D., & Lin Baoyu. 1988. Upper Ordovician cliefdenellids (Porifera: Sphinctozoa) from China. Geological Magazine 125:149–159, 6 fig.
- Webby, B. D., & J. K. Rigby. 1985. Ordovician sphinctozoan sponges from central New South Wales. Alcheringa 9:209–220, 10 fig.
- Webby, B. D., & J. Trotter. 1993. Ordovician sponge spicules from New South Wales, Australia. Journal of Paleontology 67:28–41, 7 fig.
- Weidlich, O., & B. Senowbari-Daryan. 1996. Late Permian “sphinctozoans” from reefal blocks of the Ba’id area, Oman Mountains. Journal of Paleontology 70:27–46.
- Weller, J. M. 1930. Siliceous sponge spicules of Pennsylvanian age from Illinois and Indiana. Journal of Paleontology 4:233–251, pl. 15–20.
- Wells, J. W. 1957. Corals. In J. W. Hedgpeth, ed., Treatise on Marine Ecology and Paleoecology, Volume I, Ecology. Geological Society of America Memoir 67:1,087–1,104, 1 fig.
- Welter, O. A. 1911 [1910]. Die Pharetronen aus dem Essener Grünsand. Verhandlungen des Naturhistorischen Vereins der preussischen Rheinlande und Westfalen 67:1–82, 10 fig., 3 pl.
- Wendt, J. 1974. Der Skelettbau aragonitischer Kalkschwämmen aus der alpinen Obertrias. Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 1974:498–511, fig. 1–9.
- . 1979. Development of skeletal formation, microstructure, and mineralogy of rigid calcareous sponges from the Late Palaeozoic. Colloque Internationaux, Centre National de la Recherche Scientifique 291:449–457.
- Whitelegge, T. 1901. Report on sponges from the coastal beaches of New South Wales. Records of the Australian Museum 4(2):55–118, pl. 10–15.
- Whitfield, R. P. 1881. Remarks on *Dictyophyon* and descriptions of new species of allied forms from the Keokuk beds, at Crawfordsville, Indiana. American Museum of Natural History Bulletin 1:10–20.
- . 1886. Notice of a new fossil body, probably a sponge related to *Dictyophyon*. Bulletin of the American Museum of Natural History 1(8):346–348, pl. 35.
- . 1905. Descriptions of new fossil sponges from the Hamilton group of Indiana. American Museum of Natural History Bulletin 21:297–300.
- Wiedenmayer, F. 1974. Recent marine shallow-water sponges of the West Indies and problems of speciation. In Contributions to the geology and paleoecology of the Caribbean and adjacent areas. Verhandlungen der Naturforschenden Gesellschaft in Basel 84(1):361–376.
- . 1977a. Shallow-water sponges of the western Bahamas. Experientia, Supplementum 28:1–287, 43 pl.
- . 1977b. The Nepheliospongiidae Clarke, 1900 (Demospongia, Upper Devonian to Recent), an ul-

- traconservative, chiefly shallow-water sponge family. *Eclogae Geologicae Helvetiae* 70(3):885–918.
- . 1994. Contributions to the knowledge of post-Paleozoic neritic and archibenthal sponges (Porifera). Kommission der Schweizerischen Paläontologischen Abhandlungen 116:5–140.
- Wilckens, O. 1937. Beiträge zur Paläontologie des Ostindischen Archipels, XIV. Korallen und Kalkschwämme aus dem obertriadischen Pharetronenkalk von Seran (Molukken). Neues Jahrbuch für Mineralogie, Geologie und Paläontologie (Abt. B) 77:171–211, pl. 6–13.
- Wilson, A. E. 1948. Miscellaneous classes of fossils, Ottawa Formation, Ottawa-St. Lawrence Valley. Canada Department of Mines and Resources, Geological Survey Bulletin 11:116 p., 4 fig., 28 pl.
- Wilson, B. R., & D. S. Gillette. 1971. Australian shells; illustrating and describing 600 species of marine gastropods found in Australian waters. Reed. Sydney. 168 p.
- Wilson, H. V. 1904. Sponges. Reports on an exploration off the west coasts of Mexico, Central and South America, and off the Galapagos Islands, in charge of Alexander Agassiz, by the U. S. Fisheries Commission Steamer "Albatross" during 1891. Memoir of the Museum of Comparative Zoology, Harvard College XXX(1):161 p., 26 pl.
- . 1925. Siliceous and horny sponges collected by the U. S. Fisheries steamer "Albatross" during the Phillipine Expedition, 1907–1910. U.S. National Museum Bulletin 100, vol. 2(4):273–506, 16 pl.
- Wilson, J. L. 1950. An Upper Cambrian pleospongoid (?). *Journal of Paleontology* 24:591–593, 1 fig., pl. 80.
- Winchell, N. H., & Charles Schuchert. 1893. Sponges, graptolites and corals from the Lower Silurian of Minnesota. Minnesota Geological Survey Final Report 3(1):55–95, pl. F–G.
- Wintermann, G. 1951. Entwicklungs-physiologie Untersuchungen an Süsswasserschwämmen. Zoologische Jahrbücher, Abteilung für Anatomie und Ontogenie der Tiere 71(4):428–486, 38 fig.
- Wisnioski, A. 1885. Staniswaka gabek w systematycze zwierząt wedlug Marshall [Systematic position of sponges according to Marshall]. *Wscheswiat* 4:563.
- Wisnioski, T. 1888. Wiadomość o krzemiennach jurajskich okolicy Krakao. *Kosmos Rocznicki* 13:175–185.
- . 1889a [1888]. Przyczynek do poznania microfauny krzemieni jurajskich okolic Krakowa. *Kosmos Rocznicki*, vol. 13 [Beitrag zur Kenntnis der Mikrofauna aus den oberjurassischen Feuersteinknollen der Umgegend von Krakau]. Jahrbuch der Kaiserlich-Königlichen Geologischen Reichsanstalt 38:657–702.
- . 1889b. Nowy przyczynek do zbadania górnourajskich Monactinellidów i Tetractinellidów. *Kosmos Roczniki* 14:185–189, 230–237.
- Wolfenden, E. B. 1959. New sponges from Lower Carboniferous reefs of Derbyshire and Yorkshire. *Journal of Paleontology* 33:566–568.
- Wood, R. 1990. Reef-building sponges. *American Scientist* 78:224–235.
- . 1991. Non-spicular biomineralization in calcified demosponges. In J. Reitner & H. Keupp, eds., *Fossil and Recent Sponges*. Springer-Verlag, Berlin, p. 322–340, 9 fig.
- Wood, R., & J. Reitner. 1988. The Upper Cretaceous "chaetid" demosponge *Stromatoxinella irregularis* n.g. (Michelin) and its systematic implications. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 177:213–224.
- Wood, R., J. Reitner, & R. R. West. 1989. Systematics and phylogenetic implications of the haplosclerid stromatoporoid *Newellia mira* nov. gen. *Lethaia* 22:85–93.
- Worthen, A. H. 1875. *Cnemidium? trentonensis*. In F. B. Meek & A. H. Worthen, Descriptions of invertebrates. Illinois Geological Survey 6:491.
- Wu S. K. 1965. Comparative functional studies of the digestive systems of the muricid gastropods *Drupa ricina* and *Morula granulata*. *Malacologia* 2:211–233, 5 pl.
- Wu Xichun. 1989. Late Triassic Carnian strata in western Sichuan Basin and a new sponge family. *Acta Palaeontologica Sinica*, Beijing 28(6):766–771, 1 pl. In Chinese, with English summary.
- . 1990 [1989]. Late Triassic Lychniscosa fauna in northwestern Sichuan. *Acta Palaeontologica Sinica* 29(3):349–363, 3 pl. In Chinese, with English summary.
- Wu Xichun, & Xiao Rongwu. 1989. Discovery of Late Triassic sponge fauna in northwestern Sichuan. *Journal of Kunming Institute of Technology* 14(1):12–21, 1 pl. In Chinese.
- Wu Ya Sheng, & Zhang L. 1982. Late Triassic (Carnian) sponge patch reefs in northwestern Sichuan basin. *Scientia Geologica Sinica* 10:379–385. In Chinese with English abstract.
- Wu Ya Sheng. 1991. Organisms and communities of Permian reef of Xiangbo, China. International Academic Publishers. Beijing. 192 p., 26 pl.
- Wu Ya Sheng, & Fan Jiasong. 2002. Permian-Triassic history of reefal thalamid sponges: evolution and extinction. *Acta Palaeontologica Sinica* 41(2):163–177, 1 fig. In Chinese and English.
- Wulff, J. L. 1994. Sponge feeding by Caribbean angelfishes, trunkfishes, and filefishes. In R. W. M. Van Soest, T. M. G. Van Kempen and J.-C. Braekman, eds., *Sponges in Time and Space, Proceedings of the 4th International Porifera Congress*, Amsterdam. A. A. Balkema. Rotterdam. p. 265–271, 1 fig.
- Wyatt, D. J. 1979. Carbonate mud mounds from the Lower Ordovician Wah Wah Limestone of the Ibex area, western Millard County, Utah. Brigham Young University Geology Studies 26(2):101–114.
- Xiao Shuhai, Xunlai Yuan, M. Steiner, & A. H. Knoll. 2002. Macroscopic carbonaceous compressions in a terminal Proterozoic shale: a systematic reassessment of the Miaohe Biota, South China. *Journal of Paleontology* 76(2):347–376, 11 fig.

- Yabe, Hisakatsu, & Toshio Sugiyama. 1934. *Ambly-siphonella* and *Rhabdactinia* gen. and sp. nov. from the Upper Palaeozoic Limestone of Mimikiri, near Sakawa-mati, Tosa Province, Sikoku, Japan. Japanese Journal of Geology and Geography 11:175–180, pl. 20–22.
- \_\_\_\_\_. 1939. *Marindiqueia mirabilis*, gen. et sp. nov., a sponge-like fossil from the Eocene limestone of Marinduqu Island, Phillipine Islands. Transactions and Proceedings of the Palaeontological Society of Japan 15:68–71.
- Yochelson, E. L. 1968. Biostratigraphy of the Phosphoria, Park City, and Shedham Formations. U.S. Geological Survey Professional Paper 313-D:571–600.
- Young, J., & J. Young. 1876. *Acanthospongia smithii*. In John Armstrong, John Young, & David Robertson, Catalogue of western Scottish fossils. British Association for the Advancement of Science. Blackie and Son. Glasgow. p. 38.
- \_\_\_\_\_. 1877. On a Carboniferous *Hyalonema* and other sponges from Ayrshire. Annals and Magazine of Natural History (series 4) 20:425–432, pl. 14–15.
- Yuan, Xunlai, Shuhai Xiao, R. L. Parsley, Chuanming Zhou, Zhe Chen, & Jie Hu. 2002. Towering sponges in an Early Cambrian lagerstätte: disparity between nonbilaterian and bilaterian epifaunal tierers at the Neoproterozoic-Cambrian transition. Geology 30(4):363–366, 4 fig.
- Yurewicz, D. A. 1977a. Evolution of the Capitan massive limestone (Permian) of Guadalupe Mountains, New Mexico and West Texas. American Association of Petroleum Geologists, Bulletin 61(5):843–844.
- \_\_\_\_\_. 1977b. The origin of the massive facies of the lower and middle Capitan Limestone (Permian), Guadalupe Mountains. In M. E. Hileman & S. J. Mazzullo, eds., Upper Guadalupian facies, Permian reef complex, Guadalupe Mountains, New Mexico and West Texas. Society of Economic Paleontologists and Mineralogists, Permian Basin Section, 1977, Field Conference Guidebook, Publication 76-16:45–92.
- Zahálka, Cenek. 1900 [1899]. Pásma IX–Brezezenské–kridového útvaru v Poohri. (Die IX (Preisner) Etage der Kreideformation im Egergebiete). Sitzungsberichte der Kaiserlichen Böhmischen Gesellschaft der Wissenschaften, 1899, article 4:103 p., 6 pl.
- \_\_\_\_\_. 1901 [1900]. Pásma X–Teplické–kridového útvaru v Poohri. (Die X (Teplitzer) Etage der Kreideformation im Egergebiete). Sitzungsberichte der Kaiserlichen Böhmischen Gesellschaft der Wissenschaften, 1900, article 9:51 p., 3 pl.
- Zangerl, Rainer, & E. S. Richardson, Jr. 1963. The paleoecological history of two Pennsylvanian black shales. Fieldiana, Geological Memoir 4:352 p., 55 pl.
- Zeise, O. 1897. Die Spongien der Stramberger Schichten. Palaeontologische Studien über die Grenzschichten der Jura- und Kreideformation im Gebiete der Karpathen, Alpen, und Apeninen, VIII. Palaeontographica, Supplement 2:i–iv, 289–342, pl. 19–21.
- Zenker, J. C. 1836. Historisch-topographisches Taschenbuch von Jena und seiner Umgebung, besonders in naturwissenschaftlicher und medicinischer Beziehung. F. Fromman. Jena. 388 p.
- Zenkovich, B. 1963. Biology of the Seas of the U.S.S.R. Interscience Publishers of John Wiley & Sons & George Allen & Unwin, Ltd. New York & London. 955 p., 427 fig.
- Zhang Wei. 1983. Study on the sphinctozoans of Upper Permian Changxing Formation from Lichuan area, West Hubei, China. In A collection of Theses for Master's Degree (1981). Institute of Geology, Academia Sinica. Beijing. p. 1–11.
- \_\_\_\_\_. 1987. A new genus *Neoguadalupia* with notes on connections of interrelated genera in Sebargasiidae, Sphinctozoa. Scientia Geologica Sinica 7:231–238, 5 fig.
- Zhang Xiaolin, & Zhang Wei. 1990. Paleoecology of reef-building sponges in Kefeng Reef, Longlin, Guangxi. Shiyou Yu Tianranji Dizhi 11(4):427–535. In Chinese with English summary.
- Zhuravleva, I. T. 1962. *Tscheryschevo-Stuckenbergsia*. In P. D. Rezvoi, I. T. Zhuravleva, & V. M. Koltun, Class Porifera (Spongia). Osnovy Paleontologii [Fundamentals of Paleontology], Porifera, Archaeocyatha, Coelenterata, Vermes. Akademii Nauk SSSR. Moscow. p. 63.

- English translation, p. 72, A. Mercado and H. Mills, Israel Program for Scientific Translations Ltd., 1971, available from U. S. Department of Commerce, National Technical Information Service.
- . 1967. *Girphanovella* Zhuravleva, *gen. nov.* In I. T. Zhuravleva, N. M. Zadorozhnaya, D. V. Osadchaja, N. V. Pokrovskaya, N. M. Rodionova, & V. D. Fonin, Fauna Nzyhnego Kembryja Tuvy (Oporny Razrez r. Shivelig-Khem) [Lower Cambrian fauna of Tuva (the Reference Section of the Shivelig-Khem River)]. Akademii Nauk SSSR. Moscow. p. 107–108, pl. 59.
- Zhuravleva, I. T., & I. A. Pyanovskaya. 1995. Fossil description. In I. A. Pyanovskaya & I. T. Zhuravleva, Biostratigraphy and new forms of Lower Paleozoic fossils of the Bogambir Ridge (North Nuratau Range, South Tien Shan). *Geologiya i Geofizika* (Russian Geology and Geophysics) (Novosibirsk) 36(3):31–44, fig. 1–4.
- Ziegler, Bernhard. 1962. Beobachtungen an hexactinelliden spongien. *Elogae Geologicae Helvetiae* 55:573–586, 2 fig., 3 pl.
- Ziegler, Bernhard, & Siegfried Rietschel. 1970. Phylogenetic relationships of fossil calcisponges. In W. G. Fry, ed., *The Biology of the Porifera*, Zoological Society of London Symposium 25:23–40, 4 fig.
- von Zittel, K. A. 1876. Über *Coelptychium*. In Beitrag zur Kenntnis der Organization fossiler Spongien. Abhandlungen der mathematisch-physikalischen Classe der Königliche bayerischen Akademie der Wissenschaften (München) 12(3):1–80, 7 pl.
- . 1877a. Beiträge zur Systematik der fossilen Spongien. Neues Jahrbuch für Mineralogie, Geologie und Paläontologie 1877(1):337–378.
- . 1877b. Studien über fossile Spongien, 1 Abt., Hexactinellidae. Königlich Bayerischen Akademie der Wissenschaften, Mathematisch-Physikalischen Klasse, Abhandlungen 13(1):1–63, pl. 1–4. Translated in Annals and Magazine of Natural History (series 5) 20:257–273, 405–424, 501–517.
- . 1877c. *Protachilleum kayseri*. In E. Kayser, Über primordial und Untersilurische Fossilien aus der Argentine Republik. *Beiträge Geologie und Paläontologie der Argentine Republik* 2(1):22–23.
- . 1878a. Studien über fossile Spongien, II, Lithistidae. A. Allgemeiner Theil. Abhandlungen der kaiserliche Bayerischen Akademie der Wissenschaften 13(1):67–154, pl. 1–10. Translated in Annals and Magazine of Natural History (series 5) 2:113–135, 235–248, 324–341, 385–394, 467–482.
- . 1878b. Studien über fossile Spongien, Dritte Abtheilung: Monactinellidae, Tetractinellidae und Calcispongiae. Abhandlungen der kaiserische Bayerischen Akademie der Wissenschaften 13(2):1(93)–48(138), pl. 11–12. Translated in Annals and Magazine of Natural History (series 5) 3:304–312, 364–379, and vol. 5:61–73, 120–135.
- . 1878c. Handbuch der Palaeontologie: Protozoa, Coelenterata, Echinodermata und Molluscoidea, vol. 1, no. 1, Class Spongia, Seeschwämme. In *Paläozoologie*, 1876–1880. R. Oldenbourg. München & Leipzig. p. 128–202.
- . 1878d. Beiträge zur Systematik der fossilen Spongien, II Theil. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie*.
- . 1879. Beiträge zur Systematik der fossilen Spongien, Dreitter Theil. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie*, 1879:1–40, 3 pl.
- . 1884. Über Astylospongidae und Anomocladina. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie* 2:75–80, pl. 1–2.
- . 1895. Grundzüge der Paläontologie (Paläozoologie), Abteilung 1, Invertebrata. R. Oldenbourg. München & Leipzig. p. viii + 1–971.
- . 1903. Grundzüge der Paläontologie (Paläozoologie), ed. 2., Abteilung 1, Invertebrata. R. Oldenbourg. München & Berlin. 558 p., 1,405 fig.

# INDEX

- Acanothyia 555  
Acanothyra 555  
Acanthactinella 338  
Acanthaspongia 562  
Acanthastrella 176, 178, 179  
ACANTHASTRELLIDAE 1,  
176, 178, 179  
Acanthochaetes 586, 589, 590,  
592  
Acanthochonia 773  
Acanthocryna 404  
Acanthodictya 346, 411  
Acanthophora 182  
Acanthoplakina 177  
Acanthoraphis 51  
Acanthospongia 340, 562  
Acarnia 51  
ACARNIIDAE 2, 51  
Acarnus 49  
Acca 42  
Acestra 458  
Achilleum 312, 507, 595, 616,  
617, 618, 739, 745, 765, 772,  
773  
Achrochordiella 227, 229  
Acloedictya 398, 400, 401  
Acoelia 627, 628  
Acoelidae 596  
Acoeliidae 627, 628  
ACOELIINAE 3, 627  
Acrochordonia 227  
Acrochordoniidae 224, 227  
ACROCHORDONIINAE 4,  
227  
Acrochordoninae 227  
Actinocelia 118  
Actinocyclus 535  
Actinodictya 346  
Actinofungia 745  
Actinopagia 770  
Actinosiphonia 210  
Actinospongia 193, 745, 770  
Actinospicilla 193  
Actinostrombus 299  
Adelphocoelia 765  
ADOCIIDAE 1, 40  
Adrianella 644  
Agelas 586, 591  
AGELASIDA 3, 586, 587, 590,  
591, 592, 594  
AGELASIDAE 5, 171, 591  
Aglithodictya 365, 368, 372  
AGLITHODICTYIDAE 6, 365  
Aglithodictyiidae 365  
Aglithodictyinae 365  
Aka 42  
Alaskaspomgia 647  
Alasonia 762  
Alcyoncellidae 450  
Alcyoniolithes 765  
Alcyonium 26, 43, 194, 217, 529,  
773  
Alcyonolithes 765  
Alectona 38  
Allantospongia 18  
Allassospongia 118  
Allomera 283  
Allonia 558  
Allosaccus 104  
Alosculum 466, 469  
Alpinothalamia 725  
Alpinothalamiidae 725  
Alveolites 773  
Ambithalamia 692  
Amblysiphonella 651, 654, 675,  
677, 678, 680, 686  
Amblysiphonelloides 647  
Ammonella 346  
Amorphocelia 765  
Amorphofungia 739  
Amorphospongia 289, 739, 767,  
770  
Amphibleptula 295  
Amphibleptulidae 300  
Amphiblestrum 547  
Amphichondriidae 300, 301  
Amphichondrum 301, 307  
Amphidiscaria 320  
AMPHIDISCOPHORA 6, 319,  
320, 420, 449  
AMPHIDISCOSA 6, 320  
Amphihamma 303  
AMPHILECTIDAE 2, 51  
Amphilectus 51  
Amphiplectella 263  
Amphispongia 362  
AMPHISPONGIIDAE 6, 362  
Amphistomium 301, 304  
Amphisyringium 303  
Amphithelion 276, 301, 303, 304  
Amphithelionidae 301, 303  
AMPHITHELIONINAE 5, 302,  
303  
Amphoriscidae 8, 737  
Amphoriscus 737  
Amphorithalamia 658  
Amphorithalamiidae 658  
Amphorothalamia 658  
Amplaspongia 62  
Ancorina 186  
ANCORINIDA 2, 176, 185, 195  
ANCORINIDAE 2, 183, 185,  
186, 188  
ANCORININAE 2, 186  
Andreaea 490  
Aegidia 765  
Angullongia 647  
ANGULLONGIIDAE 3, 647  
Anisothalamia 654  
Annaecocelia 708  
Annaecoceliidae 725  
Annulipspongia 365  
Annulospongia 62  
Anocorinida 193  
Anomaloides 559, 773  
Anomocladidae 267  
Anomocladina 251, 253, 267, 275  
Anomocladinidae 251, 253  
Anomoclonella 118, 253  
Anomoclonellidae 272  
Anomorphites 258, 263  
Antalythalamia 654  
Anthaspidella 62, 88, 98, 108,  
253, 771  
ANTHASPIDELLIDAE 4, 18,  
62, 203  
Anthastraea 188  
Anthelia 773  
Anthophyllum 767, 773  
Anthracosycon 124, 125  
ANTHRACOSYCONIDAE 4,  
124  
Antrispomgia 555  
Antrospongia 105  
Aphlebospongia 762  
Aphrocallistes 501  
APHROCALLISTIDAE 7, 500,  
542  
APHROSALPINGIDAE 3, 667  
Aphrosalpinx 668  
Aploptytis 765  
Aplosphecion 748  
Aplysina 45  
Aplysinofibria 45  
Apocoelia 658  
Araeoplocia 765  
Arakespongia 323, 333, 421  
Arborella 89  
Arborispomgia 20  
Arborohindia 157  
Arbuscula 733, 734  
Arbusculana 734  
Archaeocyatha 559, 561, 585,  
586, 767  
Archaeocyathus 124  
Archaeodoryderma 164, 254  
ARCAEODORYDERMATIDAE  
5, 164  
Archaeoscypnia 64, 78, 85, 96,  
112, 277, 278, 291  
Archaeoscyphiidae 116  
Archaeoscyphiidae 62, 203  
Archaeospomgia 770  
Archiasterella 558

- Archichladium 581  
 Aretotragos 300  
 ARETOTRAGOSIDAE 5, 299  
 Arhoussia 451  
 Armstrongia 365  
 Arthaberia 197  
 Arthrocyclaria 486, 765  
 Arystidictya 400, 403  
 Arystidictyon 400  
 Asconematidae 456  
 Ascospangiella 323  
 Ascospomphyma 688, 712, 719, 721  
 Ascospomphymatidae 712, 719  
 ASEMEMATIDAE 6, 456  
 ASEMEMATINAE 6, 456  
 Asociatella 368  
 Aspiculata 594  
 Asteractinella 557, 558, 560, 577  
 Asteractinellidae 561  
 Asteriospongia 557, 561, 562  
 Asteriscosella 765  
 Asterocalyx 214  
 Asteroderma 262  
 Asteropagia 267, 765  
 Asterospongia 221, 267, 765  
 Asthenospongia 346, 355  
 Astraeoconus 558, 561, 571  
 Astraeospongia 572  
 ASTRAEOSPONGIIDAE 8, 561, 562  
 Astraeospongium 557, 558, 559, 560, 562  
 Astroblelia 237, 289, 771  
 Astroboliiidae 289  
 ASTROBOLIINAE 5, 289  
 Astrocladia 218, 221  
 Astrocladiidae 220  
 ASTROCLADIIDAE 4, 205, 220  
 Astroconia 338  
 Astrofungia 762  
 Astrolemma 214  
 Astroirma 748, 765  
 Astropegma 529  
 Astrophora 175, 176  
 Astrosclera 586, 590, 591  
 Astroscleridae 591  
 Astrospomaria 745  
 Asturiaspongia 323  
 Astylomanon 138  
 Astyloscyphia 127  
 Astylospongia 127, 134, 138  
 Astylospongidae 125  
 Astylospongiella 130  
 ASTYLOSPONGIIDAE 4, 125, 251, 253, 267, 269, 609, 771  
 Astylostroma 130  
 Astylotuba 130  
 Ateloracia 611, 739  
 Atelosphecion 765  
 Atikokania 762  
 Atractophora 198  
 Atractosella 171  
 Attungaia 127, 130, 134  
 Attungaiidae 125  
 Attungiidae 127  
 Aulacopagia 616  
 Aulacosia 481  
 Aulacospomaria 65  
 Aulaxinia 208, 210  
 Aulaxiniidae 206, 208  
 AULOCALYCIDAE 7, 460, 507  
 Aulocopella 108  
 Aulocopidiidae 62, 203  
 Aulocopina 65  
 Aulocopium 108, 426  
 Aulocopoides 108  
 Aulocystis 523  
 Aulodictyon 460  
 Aulodomus 463  
 Auloplaciidae 542  
 Auloplax 501  
 Aulosoma 277, 285  
 Aulosomatinae 287  
 Aulosomidae 279, 285  
 AULOSOMINAE 5, 285  
 Auriculospongia 618  
 AURICULOSPONGIIDAE 3, 594, 618  
 AURICULOSPONGIINAE 3, 618  
 Aurora 185  
 Australispongia 442  
 Australospongia 65  
 AXINELLIDA 5, 169, 265  
 AXINELLIDAE 5, 171  
 Azorica 201, 276, 277, 279, 280  
 AZORICIDAE 5, 275, 277, 278, 279, 280  
 AZORICINAE 5, 279, 280  
 AZORICOIDEA 5, 277, 278, 279  
 Baccispongia 555  
 Bactronella 754, 756  
 Bactronellidae 753  
 Badinskia 501, 765  
 Balantionella 473  
 Barroisia 587, 593, 660, 712, 717, 750, 751, 752  
 Barroisiidae 750  
 Batalleria 765  
 Bathotheca 210  
 Batospongia 765  
 Batotheca 210  
 Battaglia 666, 697  
 BATTAGLIINAE 4, 697  
 Battersbya 182  
 Bayviewia 323  
 Beaussetia 514  
 Bebryce 773  
 Becksia 519, 520, 523  
 Becksidae 519  
 Becksiiinae 473  
 BECKSINAE 7, 514, 518, 519, 528  
 Belemnospongia 18, 21, 171  
 Belonia 476  
 Belubulaia 647  
 Belubulaspomaria 157, 158  
 Belyeaevaspomaria 651  
 Bembixastrum 291, 765  
 Benacia 274  
 Bengtsonella 758  
 Bicoelia 637  
 Bicupula 235, 765  
 Biopalla 765  
 Bisiphonella 635, 637, 692  
 Blastasteria 558, 559, 561, 562  
 Blastinia 745  
 Blastinoidea 739  
 Blastulospomaria 698  
 Blondetia 466  
 Blumenbachium 562, 565  
 Boikothalamia 712  
 Boikothalamidae 712  
 Bolidium 289  
 Bolitesia 535  
 Bolitesidae 535  
 BOLITESIINAE 7, 535  
 Bolojera 214  
 Bolospongia 217  
 Bonneyia 767  
 Boonderooia 142  
 Bortepesia 762  
 Bothriopeltia 767  
 Bothrochlaenia 316  
 Bothroconis 555  
 Bothrolemma 294, 295  
 Botroclonium 483  
 Botryodictya 384, 390  
 Botryosella 463  
 Bottonaacyathus 767  
 Brachiaster 204  
 Brachiolites 520, 523, 524, 541, 768, 770  
 Brachiospongia 320, 321, 421, 422, 423  
 BRACHIOSPONGIIDAE 6, 359, 422  
 BRACHIOSPONGIOIDEA 6, 422, 429  
 Brachodora 260  
 Brevisiphonella 611  
 Brianispomaria 65  
 Brochodora 258, 260  
 Broseocnemis 767  
 Bulbospongia 417  
 Burgundia 590  
 Bursispongia 767

- Caesaria 486  
 Caithiscus 542  
 Calathiscus 542  
 Calathium 73, 148, 253  
 Calathospongia 390  
 CALATHOSPONGIINAE 6, 390  
 CALCAREA 8, 312, 486, 560, 562, 585, 587, 589, 590, 592, 593, 594, 734, 739  
 CALCARONEA 8, 587, 592, 593, 737, 738, 752  
 Calcarosa 734  
 Calceolispongia 773  
 Calcichondrilla 586  
 Calcifibrospongia 591  
 Calcisextinia 340  
 CALCINEA 8, 592, 593, 734  
 Calcispongea 734  
 Calcispongiae 734  
 Calcisuberites 43  
 Calicispomia 323  
 Caliculospomia 127, 130  
 Callibrochis 473  
 CALLICYLICINAE 7, 519, 523, 537  
 Callicylix 523  
 Calliopsis 221  
 Callipela 250  
 Calloidicyon 514, 518  
 Calloidyonella 514  
 CALLODICTYONIDAE 7, 473, 513, 514, 526, 528  
 CALLODICTYONINAE 7, 514, 518, 519  
 Callopegma 205, 210  
 Calpia 767  
 Calpidospomia 421  
 Calthropella 180  
 Calthropellidae 179, 180, 185  
 CALTHROPELLINAE 2, 180, 182, 183  
 Calycocelia 65  
 Calymorphia 458  
 Calyospomia 481  
 Calyospangiidae 463  
 Calymenospomia 660  
 Calymma 767  
 Calymmatina 217  
 Calymmospongia 767  
 Calyptellidae 555  
 Calyprella 449, 513  
 CALYPTRELLIDAE 7, 513  
 Camarocladia 773  
 Camellaspongia 127, 130  
 Camerocelia 767  
 CAMEROPTYCHINAE 7, 526, 528  
 Cameroptychium 526, 528, 537  
 Cameroscyphia 539  
 Camerospongia 528, 537, 539, 540, 555, 772  
 CAMEROSPONGIIDAE 7, 524, 525, 528, 537  
 Caminus 189  
 Canistrumella 572  
 Cannigella 69  
 Capsospongia 18, 69  
 Carbonella 426  
 Carinthisponges 508  
 Carnosa 175  
 Carpithes 404, 408  
 Carpomanon 134  
 Carpospongia 134  
 Carterella 204, 217, 255  
 CARTERELLIDAE 5, 255  
 CARTERELLINAE 5, 255  
 Caryoconus 134  
 Caryomanon 134  
 Caryospongia 127, 134  
 Casearia 460, 486  
 Caseariidae 486  
 CASEARIINAE 7, 486  
 Caseispongia 508  
 Cassianothalamia 586, 593, 725  
 Catagma 741  
 Catalopia 767  
 Catenispongia 591, 594, 596  
 CATENISPONGIIDAE 3, 591, 594  
 Caucasocoelia 486  
 Caulicospongia 69  
 Caulophacidae 456  
 CAULOPHACINAE 6, 456  
 Caulophacus 456  
 Cavispongia 552  
 Cavospongiella 323  
 Cavusonella 618  
 Cellepora 773  
 Celyphia 725, 731  
 CELYPHIIDAE 2, 725  
 Centrosia 523  
 Ceoloscyphia 556  
 Ceotinella 732  
 CEOTINELLIDAE 2, 732  
 Cephalites 507, 524, 540, 773  
 Cephalocoelia 767  
 Cephaloraphidites 195  
 CEPHALORAPHIDITIDAE 2, 176, 194, 195, 254  
 CERACTINOMORPHA 2, 43, 45, 587, 592, 594  
 Céactinomorphes 43, 594  
 Ceratodictya 365, 384, 390  
 Ceratoporella 586, 589, 590, 591  
 Ceratoporellidae 591, 592, 668  
 Ceriodicyon 524  
 Cerionites 773  
 Ceriopelta 767  
 Ceriopeltia 767  
 Ceriopora 752, 767, 771, 773  
 Chaetete 589  
 Chaetetes 586, 587, 592, 725  
 Chaetetida 585  
 Chalaropegma 265, 266  
 Chalina 56  
 Chancelloria 558, 561  
 Chancelloriidae 561  
 Chaunactis 142, 148  
 Cheilosporites 710  
 CHEILOSPORITIIDAE 4, 710  
 Chelispongia 443  
 Chelotropella 180, 183  
 Chenendopora 235, 236, 237, 304, 316, 767  
 CHENENDOPORIDAE 4, 205, 208, 235  
 Chenendoporidae 235  
 Chenendoporinae 235  
 Chenendroscyphia 767  
 Chiastoclonella 118, 253  
 CHIASTOCLONELLIDAE 4, 118  
 Chilcaia 571  
 Chinaspongia 677  
 Chirospongia 321  
 Chitoracia 767  
 Chlaenia 316  
 Chlamys 183  
 Choanites 208, 210, 539, 773  
 Choanitidae 43  
 Choia 18, 21  
 Choiaella 18  
 CHOIIDAE 1, 18  
 Chondriophyllum 304, 307  
 Chondrocladia 50  
 Chonelasma 466, 473, 474, 476, 484  
 Chonelasmatidae 437, 463, 473  
 CHONELASMATINAE 7, 473  
 Chonella 277, 278, 279, 280, 312  
 Chonellidae 278, 279, 280  
 Chonellopsis 295  
 Chonodictyon 461  
 Chonophyma 254  
 CHORISTIDA 1, 175, 176, 179, 193, 249  
 Choristidae 175  
 Cinachyra 189  
 Cinclidella 516  
 Cincliderma 506  
 Cinnabaria 721  
 Ciocalyptidae 46  
 Cisselia 280  
 Cladolithosia 316  
 Cladocalpia 767  
 Cladocincis 767  
 Cladodermia 205, 227, 229  
 Cladodia 269  
 Cladopagia 767  
 Cladopeltidae 275, 279, 291  
 Cladorhiza 50  
 Cladorhizeae 50  
 CLADORHIZIDAE 2, 50  
 Cladosmila 767  
 Cladostelgis 303, 304, 529

- Clathrina 734  
 CLATHRINIDA 8, 734  
 Clathrinidae 8, 734  
 Clathrospomgia 371, 376, 398,  
     400  
 CLAVAXINELLIDA 1, 9  
 Claviscopula 460  
 CLAVULINA 1, 35  
 Cleodictyia 384, 389  
 Clepsydrospongia 384, 386  
 Cliefdenella 681, 683  
 CLIEFDENELLIDAE 3, 681  
 Cliefdenospongia 165  
 Climacospongia 69  
 Cliona 37  
 CLIONAIDAE 1, 35  
 Cloniidae 35  
 Clionidae 35  
 Clionoides 40  
 Clionolithes 40  
 Clionothes 767  
 Cnemaulax 280  
 Cnemicoelia 767  
 Cnemicopanon 769  
 CNEMIDIASTRIDAE 5, 277,  
     278, 279, 287, 291  
 Cnemidiastrum 278, 284, 291,  
     292, 765  
 Cnemidium 104, 289, 291, 292,  
     611, 637, 739, 748, 764, 765,  
     767, 769, 770, 772  
 Cnemipsechia 767  
 Cnemiracia 767  
 Cnemiseudea 481  
 Cnemispongia 283, 284  
 Cnemopeltia 291, 292  
 Coccinopora 529  
 Cockbainia 69  
 Coelocladia 32, 35  
 Coelocladiella 35  
 Coeloconia 743  
 Coelocorypa 283  
 Coelophyllum 769  
 COELOPTYCHIDAE 7, 518,  
     525, 526, 528, 537  
 Coelptychidea 525  
 COELOPTYCHINAE 7, 526,  
     528  
 Coelptychium 526, 532, 535,  
     769, 771  
 Coeloscleritophora 558  
 Coeloscyphia 541, 555, 743  
 Coelosmila 767  
 Coelosphaeridium 767  
 Coelosphaeroma 285  
 Colinispomgia 69  
 Collatipora 124  
 Collojera 767  
 Colospongia 422, 654, 686, 697,  
     725  
 COLOSPONGIIDAE 4, 697  
 COLOSPONGIINAE 4, 697  
 Colossalcius 224  
 Colpoploca 767  
 Colpospongia 422  
 Columellaespomgia 142  
 Columellaespomgiidae 141  
 Compsapsis 221  
 Conciliapomgia 189  
 Condylacanthus 197  
 Confervites 767  
 Coniatopenia 762  
 Conicospongia 437  
 Coniculospomgia 21  
 Conis 555  
 Conispongia 746, 747  
 Conocelia 739  
 Conosclera 596  
 Conscinospongia 242  
 Constellatospongia 557, 561, 565  
 Copanon 768  
 Corallidium 292  
 Corallistes 200, 202, 227, 239,  
     240, 242, 275  
 CORALLISTIDAE 4, 202, 239,  
     240, 241, 242, 249, 250, 251  
 CORALLISTINAE 4, 242, 248  
 Corbitellinae 451  
 Cordiospongia 438  
 Cornuspongia 762  
 Corralia 18, 69  
 Corthyia 767  
 Corticella 180  
 Corticellopsis 180  
 Corticidae 179  
 Corticolaiae 177  
 Corticum 177, 179, 183  
 Corticospongia 390  
 Corticulospongia 404  
 Corymbospongia 701, 703  
 CORYMBOSPONGIINAE 4,  
     701  
 Corynella 635, 748, 749  
 Corynillidae 632  
 Corynospongia 31, 762  
 Coscinaulus 517  
 Coscindiscidae 253  
 Coscindiscus 254  
 Coscinopora 529, 534, 535  
 Coscinoporidae 437, 463  
 Coscinoscypnia 529  
 Coscinospongia 242  
 Coscinospomgiidae 239, 241, 248,  
     250  
 Coscinostoma 277, 279, 280, 283  
 Costamorpha 183  
 COSTAMORPHIIDAE 2, 183  
 Costaspongia 64  
 Costifer 254, 257  
 Cotylahindia 158  
 Cotyliscus 762  
 Crambe 267  
 Craniella 194  
 CRANIELLIDA 2, 176, 193, 278  
 Craniellidae 193, 194  
 Craterella 217  
 Crateromorpha 458  
 Crateromorphidae 456  
 Craticularia 477, 486  
 CRATICULARIIDAE 7, 437,  
     463, 473, 476, 477, 481, 484,  
     486, 490  
 CRATICULARIINAE 7, 476,  
     477, 481, 484  
 Craticularinae 437, 476  
 Crawneya 142, 148  
 Crepospongia 421  
 CREPOSPONGIIDAE 6, 421  
 CREPOSPONGIOIDEA 6, 421  
 Cribrococlia 767  
 Cribroscyphia 767  
 Cribrospomgia 460, 490, 495,  
     511, 767  
 Cribrospomgidea 490  
 CRIBROSPONGIIDAE 7, 490,  
     504  
 Cribrothalamia 712  
 CRIBROTHALAMIIDAE 4, 710  
 Cricophorina 171  
 Criccospongia 171, 768  
 CRICCOSPONGIIDAE 5, 171  
 Crispispongia 748  
 Crucispongia 555  
 Crumillospongia 28  
 Cymocoelia 677  
 Cryptaxonida 266  
 Cryptochiderma 550  
 Cryptocoelia 653, 671  
 CRYPTOCOELIIDAE 3, 653,  
     654, 752  
 Cryptocoeliopsis 692  
 Cryptodesma 269  
 Cryptodictya 390  
 Cryptothelion 301, 304  
 Cucumaltina 292  
 Cuneiphycus 762  
 Cupulina 316  
 Cupulochonnia 768  
 Cupulospongia 230, 257, 280,  
     768  
 Cyathodictya 411  
 Cyathophycella 374  
 Cyathophycus 359, 411  
 Cyathoplocia 550, 768  
 Cyathospongia 411  
 Cycloclema 223  
 Cyclocrinites 773  
 Cyclospongia 768  
 Cyclostigma 523, 525  
 Cydonium 188, 189  
 Cylindrites 773  
 Cylindrophyma 202, 251, 253,  
     265  
 CYLINDROPHYMATIDAE 4,  
     202, 253  
 Cylindrophymidae 253

- Cylindrospongia 768  
 Cymbochlaenia 316  
 Cypellia 550  
 Cypelliidae 550  
 Cypellidae 552  
**CYPELLIIDAE** 7, 550  
 Cypellospongia 432, 451  
 Cyronella 768  
 Cyrtaulon 449  
 Cyrtobolia 507  
 Cystauletes 668, 686, 687, 688, 752  
 Cystauletidae 686  
 Cystispongia 507, 540, 544, 767, 768  
**CYSTISPONGIIDAE** 7, 507  
 Cystoloena 768  
 Cystopora 712, 768  
 Cystospongia 597  
 Cystothalamia 686, 688, 691, 725  
 Cystothalamiella 668  
 Cystothalamiidae 686  
 Cytoracea 283  
 Cytoracidae 283  
 Cytoracia 277, 278, 283, 284  
 Cytoracidae 279  
**CYTORACIINAE** 5, 283  
 Cytorea 213, 315, 747  
 Czarnockiella 368
- Dactylites 124  
**DACTYLOCALYCIDAЕ** 7, 542  
**DACTYLOCALYCINAE** 7, 542  
 Dactylocalyces 192, 227, 316  
 Dactylocalyx 192, 242, 542  
 Dactylocoelia 596  
 Dactylotus 234, 235  
 Daedalopelta 202, 250  
 Daedalopeltidae 251  
 Daharella 624  
**DAHARELLINAE** 3, 624  
 Defordia 118, 122, 123  
**DEMOSPONGEA** 1, 9, 61, 175, 199, 278, 319, 585, 590, 594  
 Demospongiae 9, 594  
 Dendroceratida 2  
 Dendroclonella 108, 118  
 Dendrocoelia 743  
 Dendosclera 597  
 Dendrospongia 553, 768  
 Deningeria 692, 697  
 Deningeriidae 691  
 Dercites 182, 768  
 Dercitites 768  
 Dercitus 182  
 Dermispongia 743  
 Desmacidiidae 56  
 Desmacidinae 56  
 Desmacidon 58  
**DESMACIDONIDAE** 2, 56
- Desmacidontida 179, 255  
 Desmacidontidae 56  
 Desmatiderma 255, 267  
 Desmocinia 477  
 Desmoderma 517  
 Desmospongia 745, 768  
 Devonoscypnia 127, 134  
 Devonospongia 124  
 Diacyparia 297, 316  
 Diagoniella 346, 351, 355  
 Dialyscypnia 374  
 Dialytina 562  
 Diaplectia 739  
 Diasterofungia 739  
 Dichojerea 258, 260  
 Dichoplectella 768  
 Dichoreia 747, 768  
**DICRANOCLADINA** 4, 202, 227, 239, 240, 241, 249, 250, 251, 275  
 Dicranocladine 200  
 Dicranoclonella 240, 242  
**DICTYOCERATIDA** 2, 43  
 Dictyoceratina 43  
 Dictyocladia 768  
 Dictyocoelia 692  
 Dictyocrinus 773  
 Dictyonocoelia 477  
 Dictyophyton 372, 380, 381, 384, 390, 393, 398, 400, 403  
 Dictyophytra 376, 380, 381  
 Dictyorhabdus 374  
 Dictyosmilia 768  
 Dictyospongia 372, 374, 381  
**DICTYOSPONGIIDAE** 6, 319, 372, 380, 384, 390, 393, 398, 449, 450  
**DICTYOSPONGIINAE** 6, 372  
**DICTYOSPONGIOIDEA** 6, 372, 403, 408  
 Didesmospongia 768  
**DIDYMMORINA** 4, 202, 251, 253, 265, 275  
 Didymoriniidae 251, 253  
 Didymosphaera 253  
 Diecithalamia 688  
 Dierespangia 359  
**DIERESPONGIIDAE** 6, 359  
**DIERESPONGIOIDEA** 6, 359, 362, 364, 365  
 Diestosphecia 762  
 Dimorpha 235, 236, 237, 316  
 Dimorphina 235  
 Diotrichicum 73  
 Diphyllospira 477  
 Diplodictyon 517  
 Diplopleura 555  
 Diplopleuriana 555  
 Diplostoma 762  
 Diplostomella 762
- Discispongia 186  
 Discocelia 743  
 Discocoeliidae 738  
 Discodermia 200, 204, 205, 224, 225, 227, 229, 240  
 Discodermiidae 204, 205, 224, 237  
 Discoderminae 224  
 Discodermites 316  
 Discoelia 743, 772  
 Discophyma 537  
 Discopycha 519  
 Discosiphonella 687, 688, 703, 719  
 Discostroma 295  
**DISCOSTROMATIDAЕ** 5, 277, 295  
**DISCOSTROMATINAE** 5, 295, 297  
 Discostromidae 295  
 Diseasea 768  
 Distheles 768, 769  
 Ditraenella 43  
 Ditriaenella 40, 43  
 Divaricospongia 340  
 Djemelia 624, 635  
 Docoderma 403, 429  
**DOCODERMATIDAЕ** 6, 403  
 Dodecaactinella 758  
 Dolispongia 768  
 Donatiidae 26  
 Donatiidae 26  
 Donatispongia 768  
 Doryderma 164, 204, 257, 258, 260, 263  
 Dorydermatidae 257, 258, 260  
 Dorydermidae 258  
 Dracholynchus 486  
 Dracolynchidae 486  
 Dracolynchos 486  
 Dracospongia 466  
 Dulmius 768  
 Dunhillia 73  
 Dvoria 758  
 Dyoconia 743  
 Dyocopanon 762  
 Dysidea 44  
**DYSIDEIDAE** 2, 44  
 Dystactospongia 58, 61  
**DYSTACTOSPONGIIDAE** 4, 58
- Ecblastesia 488  
 Echidnina 417  
 Ecionema 186  
 Ecionemina 186  
 Ectenodictya 390  
 Edriospangia 108  
 Eflugelia 762  
 Egania 73

- Eifellia 560  
 Eiffelia 558, 559, 561, 567, 571  
**EIFFELIIDAE** 8, 561, 569  
 Eiffelospongia 559, 572  
 Elasma 518  
 Elasmalimus 316  
 Elasmeudea 747, 768  
 Elasmocelia 741  
 Elasmocoeliidae 738  
 Elasmocerea 500, 741  
 Elasmolimus 316  
 Elasmopagia 616  
 Elasmostoma 741, 744, 745, 762  
 Elasmostomatidae 738  
 Eligma 542, 768  
 Eligmaella 768  
 Ellesmerespongia 134  
 Emploca 254, 507  
 Emplocia 768  
 Emplociata 768  
**EMPLOCIDAE** 7, 507  
 Enaulofungia 611, 745  
 Enaulospongia 746  
 Endoplegma 408, 421  
 Endostoma 748  
**ENDOSTOMATIDAE** 8, 593, 748  
 Enoplocoelia 654, 660  
 Ensiferites 557, 559, 561, 566  
**ENTEROPYCNUSES** 768  
 Entobia 40  
 Eochaunactis 167  
 Eocoryne 762  
 Eospongia 76, 96, 108  
 Eospongidae 62  
 Eospongia 53  
 Epaphroditus 504  
 Epeudea 309, 746, 747  
 Ephidatia 53  
 Ephydatia 53  
 Epiplastospongia 168  
 Epipolasida 176, 185, 195  
 Epistomella 302, 303  
 Epitheles 611, 743, 769  
 Erineum 490  
 Erylidiae 188  
**ERYLINAE** 2, 191  
 Erylus 191, 192  
 Erythrospongia 421, 768  
 Eschara 773  
 Esperites 58  
 Estrellaespongia 323  
 Estrellospongia 632  
**ESTRELLOSPONGIINAE** 3, 632  
 Étallonnia 529  
 Etallonniella 529  
 Etheridgia 528  
 Euastrosa 176  
 Eubrochis 473, 476  
 Eubrochus 490  
 Eucoscinia 768  
 Eudea 214, 644, 746, 747, 768  
 Eudictyon 508, 532  
 Euepirrhysis 614  
 Euleraphe 195  
 Eulespongia 257  
 Eunapius 53  
 Euplectella 393, 451  
 Euplectelliidae 450  
**EUPLECTELLIDAE** 6, 450  
 Euplectellina 456  
**EUPLECTELLINAE** 6, 451  
 Eurete 463, 469  
**EURETIDAE** 7, 437, 460, 463, 473, 476, 498, 507, 514, 542, 555  
**EURETINAE** 7, 463, 471, 473  
 Eurydiscites 58  
 Euryplegma 460, 507  
**EURYPLEGMATIDAE** 7, 460  
 Eurusiphonella 644  
 Eusiphonella 613, 743, 748  
 Eustrobilus 229  
 Eutactostomium 479  
 Eutactus 469  
**EUTAXICLADINA** 2, 154, 202, 241, 253, 275  
 Eutaxicladinidae 154, 253  
 Euzitellia 741  
 Euzkadilla 587  
 Evinosporgia 768  
 Exanthes 542, 544  
 Exaulipora 703  
 Exochopora 73, 89, 96, 108  
 Exodictydia 269  
 Exosinior 768  
 Exotubispongia 610  
**EXOTUBISPONGIIDAE** 3, 594, 610  
 Falospongia 28  
 Fania 721  
 Faniinae 721  
 Fanthalamia 721  
**FANTHALAMIINAE** 4, 721  
 Farrea 449, 460, 461, 463  
 Farreidae 460  
**FARREIDAE** 7, 460  
 Farreopsis 555  
 Favispongia 547  
 Favositida 585  
 Favospongia 768  
 Feifelia 493  
 Felixium 45  
 Fenestrospongia 158  
 Fibrocoelia 76  
 Fibularia 773  
 Fieldingia 506  
 Fieldospongia 76  
 Filuroda 40  
 Finksella 76  
**FISSISPONGIIDAE** 3, 642  
 Fistellaspongia 422  
 Fistulispongiidae 667  
 Fistulosponginina 588, 667, 668  
**FISTULOSOSPONGIA** 76  
 Fistulosponginidae 667  
**FISTULOSPONGININAE** 3, 667  
 Flabellisclera 624  
 Flabellispongia 529  
 Floria 768  
 Floriana 768  
 Flosculus 444  
 Fluegelisponges 691  
 Foerstella 359  
 Follicatena 664, 665, 667  
 Foraminifera 681  
 Forcepia 49  
 Forospongia 297, 768  
 Fungispongia 624, 768  
 Fungites 773  
 Furcianalis 508  
 Fusiferella 198  
 Gabelia 351  
 Galeospongia 329  
 Gallatinosporgia 112, 116, 118  
 Garrasporgia 138  
 Gastrophanella 285  
 Gelasinophorus 244  
 Gelatinous 585  
 Gemmellarella 768  
 Geodia 188, 189  
 Geodiidae 188  
**GEODIIDAE** 2, 185, 188  
**GEODIINAE** 2, 188  
 Geolina 188  
 Geodiopsis 189  
 Geodites 189  
 Geoditesia 189  
 Gerthiella 88  
 Gevreyia 493  
 Gigantodesma 260, 265  
 Gigantosclera 624  
 Gigantospongia 624  
**GIGANTOSPONGIINAE** 3, 624  
 Gigantothalamia 705  
**GIGANTOTHALAMIIDAE** 4, 704  
 Gignouxia 241, 244, 253  
 Gignouxiidae 241, 244  
**GIGNOUXIINAE** 4, 244  
 Gilletia 244  
 Ginkgospongia 21  
 Girphanovella 559, 561, 581

Girphanovellidae 561  
*Girtycoelia* 685, 686, 698, 701  
**GIRTYCOELIIDAE** 3, 685  
*Girtycoelia* 658, 660, 671, 677, 702, 725  
**GIRTYOCOELIIDAE** 3, 647, 658, 673  
*Gleesonia* 76  
*Glenodictyum* 762  
*Globispongia* 138  
*Glomocystospongia* 673, 674  
**GLOMOCYSTOSPONGIIDAE** 3, 673  
*Glossospongia* 410  
*Gomphites* 458  
*Gonamispongia* 559, 561, 581  
*Gondekia* 572  
*Gongylospongia* 398  
*Goniocoelia* 768  
*Goniopongia* 768  
*Gonis* 555  
*Goreauiella* 591, 601  
*Gracilitubulus* 624  
*Graminospongia* 710  
*Grantia* 737  
**GRANTIIDAE** 8, 737  
*Graptospongia* 768  
*Gravestockia* 758  
*Grifodictya* 392, 420  
*Grossortubellina* 616  
*Guadalupia* 678, 686, 688, 691, 703, 707, 708, 710, 719  
**GUADALUPIIDAE** 3, 588, 668, 686  
*Guangxispongia* 651  
*Guemeuria* 451  
*Guettardia* 484, 493, 494  
*Guettardiscyphia* 493, 494, 495  
*Guitarra* 58  
*Gymnomyrmeicum* 612, 768  
*Gymnorea* 747, 769  
*Gyrispongia* 522

*Habrosium* 473  
**HADROMERIDA** 2, 586, 587, 590, 591, 592, 593, 724  
*Hadromerina* 35, 724  
*Hadrophragmos* 329  
*Halichondria* 46, 49, 189  
*Halichondriidae* 46  
**HALICHONDRIDAE** 2, 46  
*Halichondridae* 46  
**HALICHONDRIIDAE** 2, 46  
*Halichondrites* 19  
**HALICHONDRITIDAE** 1, 18  
*Haliclona* 56  
**HALICLONIDAE** 2, 56  
*Halina* 179, 182  
*Haliniidae* 179, 182, 185  
**HALININAE** 2, 180, 182  
*Hallirhoa* 208, 212, 769  
*Hallirhoiidae* 206, 208  
*Hallisida* 769  
*Halldictyta* 393

*Hamacantha* 51  
*Hamptonia* 13  
*Hamptoniella* 13  
**HAMPTONIIDAE** 1, 13  
*Hapalopegma* 463  
*Haplospongia* 17  
**HAPLISTIIDI** 5, 141, 279  
*Haplistion* 35, 141, 145, 148, 150, 278  
*Haplistonella* 168  
**HAPLOSCLERIDA** 2, 53, 587  
*Haplosclerina* 53  
*Hartmanina* 595, 617, 618  
*Haynespongia* 495  
*Hazelia* 21, 26, 28  
**HAZELIIDAE** 1, 26  
*Helicodictya* 380, 381  
*Heliolites* 773  
*Heliospongia* 31, 33, 35, 253  
**HELIOSPONGIIDAE** 1, 30  
**HELMINTHOPHYLLIDAE** 2, 197, 249  
*Helminthophyllum* 197, 249  
*Helobrachiidae* 176, 258  
*Helobrachium* 180, 182, 258  
**HELOMORINA** 5, 201, 204, 254, 255  
*Helophloeina* 255  
*Heloraphinia* 257  
*Hemicoetus* 769  
*Hemidiscaria* 420  
**HEMIDISCO** 6, 420  
*Hemipenia* 769  
*Hemispongia* 769  
*Henricellum* 660, 673  
*Heptatubispongia* 642  
**HEPTATUBISPONGIINAE** 3, 642  
*Herophlyctia* 769  
*Herpothis* 769  
*Hertwigiidae* 450  
*Hesperiocoelia* 96, 112  
**HETAIRACYATHIDA** 8, 561, 581  
**HETAIRACYATHIDAE** 8, 561, 581  
*Hetairacyathina* 581  
*Hetairacyathus* 561, 581  
*Hetairacyathida* 560  
*Heteractinellida* 319  
*Heteractinellidae* 560, 572  
**HETERACTINIDA** 8, 319, 557, 560, 561, 585, 587, 589, 590  
*Heterochone* 466, 473, 507  
*Heterocoelia* 658  
*Heterocyathidae* 581  
*Heterocyathina* 581  
*Heterocyathus* 581  
*Heteromeyenia* 53  
*Heteropenia* 741  
*Heterophymia* 242, 244, 248  
*Heteroplia* 737  
*Heteropliidae* 8, 737  
*Heteroraphidites* 195  
*Heterosmila* 769  
*Heterospongia* 58  
*Heterostella* 583  
*Heterostinia* 258, 263  
*Heterostiniidae* 257, 258, 262  
**HETEROSTINIINAE** 5, 258, 262  
*Heterothelion* 301, 303  
*Heterothelionidae* 276, 300, 301  
*Hexactinella* 319, 495, 504  
**HEXACTINELLIDA** 6, 251, 303, 304, 319, 320, 420, 449  
*Hexactinellidae* 319, 501  
*Hexactinoderma* 432  
**HEXACTINOSA** 7, 319, 430, 449, 459, 498, 507, 513, 514, 542, 547, 549, 553  
**HEXASTEROPHORA** 6, 319, 420, 421, 429, 430, 432, 434, 449, 459, 513  
*Hexatractiella* 351  
*Hillendia* 494  
*Himatella* 608, 613  
*Hindia* 154, 158, 162, 164, 241, 253, 338  
*Hindiidae* 154  
**HINDIIDAE** 2, 154, 241, 589  
*Hintzespongia* 411  
**HINTZESPONGIIDAE** 6, 359, 411  
*Hintzespongioidea* 6, 411  
*Hippalimus* 274  
*Hispidopetra* 591  
*Histiodia* 312  
*Histodia* 312  
*Hodsia* 555  
*Holasterella* 333, 338  
*Holcosinion* 769  
*Holcospongia* 739, 745, 746  
**HOLCOSPONGIINAE** 8, 745  
*Holcoelia* 762  
*Holodictyon* 265  
*Holoracia* 769  
*Holosphencion* 637, 748, 769  
*Homalodora* 262  
*Homalodoriana* 260  
*Homalorea* 747, 769  
*Homolodora* 260  
*Homolpia* 769  
*Homoptychium* 526, 769  
*Homosclerophora* 176, 587  
*Hormathospongia* 462  
*Hormospongia* 642  
*Huayingia* 674  
*Hudsonospongia* 112  
*Hunanospongia* 351, 355  
*Hyaloderma* 295  
*Hyalonema* 320, 450  
*Hyalonemadae* 320  
**HYALONEMATIDAE** 6, 320  
*Hyalosinica* 374  
*Hyalospongea* 319  
*Hyalospongia* 297  
*Hyalospongiae* 319

- Hyalostelia 336, 340, 344, 351, 355  
 Hyalotragos 275, 279, 295, 297, 768  
 Hyalotragosidae 277, 295  
*Hydroangulus* 387  
*Hydnoceras* 384, 387, 390  
**HYDNOCERATINAE** 6, 384, 390, 393  
*Hydnocerina* 384, 387, 389, 398  
*Hydnodictya* 362  
**HYDNOICTYIDAE** 6, 362  
*Hydnopora* 773  
*Hydriodictya* 393  
*Hylospongia* 769  
*Hymedesmia* 51  
*Hymeniacidon* 51, 182  
**HYMENIACIDONIDAE** 2, 46, 47  
*Hyphantaenia* 398  
*Hypothyra* 316  
*Hystriospongia* 769  
*Hystrispongia* 769  
  
*Iberospongia* 351  
*Ichnospongia* 773  
*Idiodictyon* 508  
*Imbricareola* 508  
*Imbricatocaelia* 703  
*Imbricatocoeliidae* 697  
*Imperatoria* 637, 698  
*Incrassospongia* 78  
*Incrustospongia* 172  
*Incrustospongiella* 78  
*Ingentilotus* 234, 235  
*Inglispongia* 127, 138  
*Innaeacoelia* 486  
*Innaeacoelidae* 486  
*Inobolia* 747  
*Inodia* 255  
*Inozoa* 585  
*Inozoida* 594  
*Insulipora* 122  
*Intextum* 483  
*Intrasporocoelia* 609, 651, 678, 730  
**INTRASPOREOCOELIIDAE** 3, 651  
*Intrasporocoelia* 724  
*Intrabotspongia* 597  
*Iophon* 49  
*Iophonopsis* 49  
*Iouea* 239, 247  
*Iowaspongia* 365  
*Irpspongia* 340  
*Ischadria* 773  
*Ishadia* 316  
*Isis* 773  
*Isispongia* 78  
*Isodictya* 51  
*Isophyllum* 769  
*Isoraphinia* 257  
*Isoraphiniidae* 255, 257  
**ISORAPHINIINAE** 5, 255, 257  
  
*Itararella* 340, 420  
*Ithacadictya* 380, 381  
  
*Jablonskya* 725  
*Jablonskyia* 725  
*Jaspis* 195  
*Jawonya* 558, 578, 589  
*Jazwicella* 138  
*Jere* 203, 204, 208, 210, 212, 220, 227, 248, 255, 287, 307, 309, 316  
*Jereica* 204, 208, 307  
**JEREICIDAE** 5, 277, 279, 300, 307  
*Jereidae* 206, 208, 260  
*Jereina* 78, 203  
*Jereomorpha* 204, 220  
*Jereopsisidae* 307  
*Jereopsisidea* 309  
*Jereopsis* 208, 307, 309  
*Jianghania* 78  
*Jima* 546  
*Jumarella* 269  
  
*Kaiyangites* 773  
*Kaliapsidae* 221  
*Kaliapsis* 312  
*Kalimnospongia* 434  
*Kalpinella* 217  
*Karaya* 559  
*Kazakovicyathus* 769  
*Kazania* 98, 145  
*Kebira* 750  
*Keriocoelia* 598  
*Keriogastrospongia* 329, 471  
*Keriogastrospongidae* 321  
*Keuppiella* 495  
*Khalfinaea* 681  
*Kiwetinokia* 351, 355  
*Koleostoma* 495  
*Kometia* 444  
*Konyru* 444  
*Kozlowskispongia* 217  
*Krainerella* 458  
*Kucerella* 758  
*Kuraya* 558, 559, 561, 562, 567  
*Kyphoclonella* 202, 242  
*Kyphonella* 240  
  
*Labyrintholithes* 769  
*Lacosiphonella* 675, 677  
*Lamellispongia* 762  
*Lancispongia* 549  
*Lanuginellidae* 456  
*Lanuginellinae* 456  
*Laocaetidae* 437, 476  
*Laocoetididae* 481  
**LAOCOETIDINAE** 7, 476, 477, 481  
*Laocoetis* 477, 481, 483, 488, 489, 490, 770  
*Laosciadia* 312  
*Lapidoleuconidae* 737  
*Larispongia* 329  
  
*Lasiocladia* 28  
*Lasithrix* 13  
*Latrunculia* 43, 51, 591  
**LATRUNCULIIDAE** 2, 51, 591  
*Laubenfelsia* 124, 125  
*Le Rouxia* 220  
*Le Rouxides* 220  
*Lebedictya* 400, 401  
*Lecanella* 251, 253, 274  
**LECANELLIDAE** 5, 253, 267, 272  
*Lecanocoelospongia* 329  
*Lefroyella* 472  
*Leidorellidae* 301  
*Leinia* 728  
*Leiocarenus* 239, 240, 244, 251  
*Leiochonchia* 287  
*Leiochoniidae* 279, 287  
**LEIOCHONIINAE** 5, 287  
*Leiodermatiidae* 279  
*Leiodorella* 303, 304  
*Leiodorellidae* 301, 302  
**LEIODORELLINAE** 5, 302  
*Leiofungia* 595, 614, 615, 617, 618  
**LEIOFUNGIINAE** 3, 614  
*Leiohyphe* 239, 244  
*Leiophyllum* 225  
*Leiospongia* 595, 616, 617, 618, 745  
*Leiostracosia* 532, 535, 537, 541, 555  
*Lelapia* 750  
*Lelapiella* 737  
*Lelapiellidae* 592  
**LELAPIIDAE** 8, 593, 750  
*Lemonea* 688, 691  
*Lenica* 18  
*Lepidoleucon* 589, 753  
*Lepidoleuconidae* 594, 754  
**LEPIDOLEUCONIIDAE** 8, 752  
*Lepidolites* 773  
*Lepidospongia* 532  
*Leptolacis* 483  
*Leptomitella* 10  
**LEPTOMITIDAE** 1, 9  
*Leptomitosia* 769  
*Leptomitus* 9, 10, 18  
*Leptophragma* 484  
*Leptophragmatidae* 437, 476, 481, 484  
**LEPTOPHRAGMATINAE** 7, 473, 476, 477, 481, 484  
*Leptophragmella* 473, 484  
*Leptophragmidae* 437, 476, 484  
*Leptophragmus* 484  
*Leptopoterion* 321, 559  
*Lerouxia* 204, 220  
**LEROUXIINAE** 4, 220  
*Leucaltidae* 8, 734  
*Leucaltis* 734  
*Leucascidae* 8, 734  
*Leucascus* 734  
*Leucetta* 734

- Leucettidae 8, 734  
 Leuconia 737, 738  
 Leuconidae 737  
 LEUCONIIDAE 8, 737  
 LEUCOPSACIDAE 6, 458  
 Leucosolenia 737  
 LEUCOSOLENIDA 8, 737  
 Leucosoleniidae 8, 737  
 Levinella 734  
 Levinellidae 8, 734  
 Lewinia 145  
 Lichenopora 773  
 Lichuanospongia 688, 703  
 Licosinion 532  
 Limnorea 315, 747, 770  
 Lingunocelia 677  
 Linochone 254  
 Linonema 466  
 Linosoma 466  
 Liscombispongia 329  
 Lissocelia 112, 116  
 LITHISTIDA 4, 61, 176, 199,  
     200, 201, 203, 265  
 Lithistidae 61, 199, 275  
 Lithistina 61, 199  
 Lithones 754  
 Lithonia 752  
 LITHONIDA 8, 590, 593, 594,  
     752, 753  
 Lithosia 769  
 Lithosiella 769  
 Lithospongiae 542  
 Lithospongites 769  
 Lithostrobilus 291, 292  
 Lobptychium 769  
 Lobospongia 374  
 Loczia 728  
 Lodonella 769  
 Loenocelia 743, 769  
 Loenopagia 618  
 Loganiella 61  
 Lonsda 555  
 Lopadophorus 223  
 Lopanella 466  
 Lophacanthus 200  
 Lophiophora 289  
 Lophiophoridae 279  
 Lophptychium 526  
 Lumectospongia 429  
 LUMECTOSPONGIIDAE 6,  
     429  
 LUMECTOSPONGIOIDEA 6,  
     429  
 Lutetia 53  
 LYCHNISCAULINAE 7, 536  
 Lychniscaulus 536, 537  
 LYCHNISCOSA 7, 304, 449,  
     473, 498, 507, 513, 523, 525,  
     528, 537, 540, 542, 546, 549  
 Lychniskophora 513  
 Lydium 255, 257, 262  
 Lymnorea 213, 747, 748, 765,  
     768  
 Lymnarella 747  
 Lymnoreotheles 747  
 Lyrodictya 393  
 Lysactinella 332  
 Lyssacina 320, 449  
 Lyssacinaria 421  
 LYSSACINOSA 6, 421, 429, 449  
 Lyssakina 421  
 Macandrewia 200, 202, 227, 240,  
     250, 251, 275  
 Macandrewiidae 250  
 MACANDREWIIDAE 4, 202,  
     240, 250  
 Macandrewites 316  
 MACROBROCHINAE 5, 272  
 Macrobrochus 267, 269, 272  
 Madonia 691  
 Madrespongia 769  
 Maeandroptychium 769  
 Maeandrospongia 546  
 Maeandrospongidae 437, 463,  
     542  
 Maeandrostia 644, 747  
 MAEANDROSTIIDAE 3, 644  
 Magenia 567  
 Mahalospongia 30  
 MAHALOSPONGIIDAE 1, 30  
 Makiyama 51  
 Malfattispongia 500  
 Malinowskiella 138  
 Malluviospongia 567  
 Malongullospongia 85  
 MALUMISPONGIIDAE 6, 426  
 Malumispongium 426  
 Mamelohindia 158  
 Mammillopora 747, 748, 772  
 Manon 134, 304, 309, 315, 316,  
     511, 525, 529, 611, 664, 686,  
     697, 725, 741, 744, 748, 769,  
     770, 771, 772  
 Mantellia 769  
 Manzonia 519  
 Manzonispongia 519  
 Marawandia 642  
 Marginioierea 217  
 Marginospongia 217  
 Marinduequia 712  
 Marisca 309  
 Marshallia 518  
 Mastodictya 374  
 Mastodictyum 466  
 Mastophoratus 220  
 Mastophorus 220  
 Mastophyma 85, 98  
 Mastoscinia 471, 769  
 Mastosia 251, 253, 269  
 Mastosiidae 267  
 Mastospongia 541, 549, 550  
 Mastostroma 316  
 Mattaspongia 401  
 Meandrospongia 546, 765  
 Medenina 601  
 Megalelasma 764  
 Megalithista 258, 263, 265  
 MEGALITHISTIDA 5, 164,  
     195, 199, 202, 254, 255  
 Megalithistidae 257, 258  
 Megalodictyon 474  
 Megaloraphium 197  
 Megamastictora 734  
 MEGAMORINA 5, 164, 182,  
     201, 204, 254, 257, 260, 275  
 Megamorinidae 164  
 Megarhiza 255, 265, 266  
 MEGARHIZIDAE 5, 265, 266  
 MEGARHIZOMORINA 5, 265,  
     266, 275  
 Megasclerophora 176  
 Megaspongia 769  
 Megastroma 769  
 Megastylia 355  
 Melitionidae 500  
 Mellitionidae 500  
 Melonanchora 49  
 Melonella 251, 254  
 Menathalamia 716, 717  
 Merlia 586, 587, 589, 592, 724  
 Merliida 725  
 Meta 309, 311  
 Meyenia 53  
 Miassocyathus 769  
 Microblastididae 518  
 MICROBLASTIDINAE 7, 514,  
     518  
 Microblastidium 518  
 Microcionina 591  
 Microcladina 236  
 Microdendron 221  
 Microhemidiscia 320, 420  
 MICROHEMIDISCIIDAE 6,  
     420  
 Microrhizophora 289  
 Microscleroderma 277, 300, 301  
 Microsclerophora 175, 176  
 Microsphaerispongia 601  
 Microspongia 154, 158, 253  
 Microspongidae 154  
 Microstaura 374, 420, 449, 460  
 Millepora 756, 773  
 Mimeticosia 488  
 Minchinella 754  
 MINCHINELLIDAE 8, 589,  
     593, 753, 754  
 Minisiphonella 678  
 Minispongia 641  
 Misonia 508  
 Misraea 764  
 Moleculospina 21  
 Molengraaffia 764

- Molengraafia 764  
 Mona 769  
 Monakidae 437, 463  
 MONALITHISTIDA 5, 199,  
   203, 251, 265, 266  
 Monamona 769  
 Monanthus 265  
 Monarchopemmatites 141, 148  
 Monaxonia 202, 251, 265  
 Monaxonida 176, 195  
 Monilispongia 486  
 Monilispongidae 486  
 Monilites 769  
 Monoraphididae 320  
 Monotheles 769  
 Montanaroa 728, 731  
 Morania 28  
 Moretia 544  
 Moretiella 542, 544  
 Moretiellidae 544  
 Moretispongia 278, 309  
 Mortiera 142  
 Mortieria 148  
 Muellerithalamia 754  
 Multiloqua 508  
 Multipocula 267, 269  
 Multistella 85, 89  
 MULTIVASCULATIDAE 6, 362  
 Multivasculatus 362  
 Murguiaithalamia 717  
 Murguiaithalamiidae 712  
 Murrayonna 587, 589, 735  
 MURRAYONIDA 8, 590, 592,  
   593, 594, 734  
 MURRAYONIDAE 8, 592, 735  
 Myenia 53  
 Mylius 467  
 Myliusiidae 437, 463, 481  
 Myrmecidium 612, 613, 743  
 Myrmeciphytum 218, 221  
 Myrmecioptychium 526  
 Myrmecium 612, 613, 743, 768  
 Mysterium 508  
 Mystrum 508  
 Myxilla 49  
 MYXILLIDAE 2, 49  
 Myxillina 591  
 Nabaviella 558, 583  
 Nanodiscites 770  
 Napaea 532  
 Napaeana 532  
 Nedlandsia 225  
 Nelumbia 212  
 Nelumbifoliidae 490  
 Nelumbifolium 495  
 Nelumbosium 770  
 Nemarete 467  
 Nematiniion 255  
 Nemasalpinx 668  
 Neoaulocystidae 552  
 Neoaulocystis 523  
 Neocoelia 717  
 Neoguadalupia 703  
 Neoheliospongia 35  
 Neohindia 248  
 Neomoretia 544  
 Neopelta 202, 251, 278  
 NEOPELTIDAE 4, 202, 251,  
   275  
 Neoseliscothon 300  
 Neosiphonia 208  
 Nepheliospongia 448  
 Nethca 180  
 Nethea 180, 182  
 Nevadathalamia 719  
 Nevadocelia 85, 96  
 Newellia 587, 593  
 Nexitpongia 550, 770  
 Nexuspongia 168  
 NEXOSPONGIIDAЕ 5, 168  
 Nibiconia 650  
 Nidulites 773  
 Nipterella 148  
 Nitidus 504  
 Niuganmafia 13  
 Norfordia 381  
 Nucha 577  
 NUCHIDAE 8, 577  
 Nudispongia 770  
 Occultus 770  
 Ocellaria 316, 481, 769, 770, 771  
 Ocellarioscyphia 316, 529, 770  
 Octacium 562  
 OCTACTINELLIDA 8, 560,  
   561, 562  
 Octactinellidae 560, 562  
 Octobrurm 511  
 Oculispongia 223, 769  
 Oculospongia 747, 748, 772  
 Oegophymia 770  
 Offela 13  
 Okulitchina 85  
 Olangocelia 681  
 OLANGOCOELIIDAE 3, 681  
 Oligocelia 678  
 Oligoplagia 764  
 Olkenbachia 40  
 Olynthia 770  
 Oncocladia 289  
 Oncodona 285  
 Oncolpia 520, 523, 526  
 Oncophora 285  
 Oncophoridae 279  
 Oncosclera 54  
 Oncosella 423, 426  
 Oncostamnia 540  
 Oncotoechus 544  
 Oospongia 421  
 Opeamorphus 458  
 Operytis 739, 770  
 Opetionella 21  
 Ophiodesia 197  
 Ophiraphidites 195  
 Ophiraphiditidae 176, 195, 254  
 Ophrystoma 544  
 Ophrystomatidae 544  
 OPHRYSTOMATINAE 7, 544  
 Oppligeria 51  
 ORCHOCLADINA 4, 61, 202,  
   203, 249, 250, 265, 272, 275,  
   277, 278, 279, 291  
 Orchocladiniae 61  
 Orchocladinidae 203  
 Ordinatus 469  
 Oreycya 213, 315, 747  
 Oremo 148  
 Orispongia 746, 770  
 Orlinocyathus 112  
 Ornatus 540  
 Orospecion 316, 748, 772  
 Orthodiscus 532  
 Ortmannia 316  
 Ortmannispongia 316  
 Ossimimus 596  
 Osterobium 735  
 Oxyrhizium 473  
 Ozarkocelia 112, 116  
 Ozospongia 374  
 Ozotrachelus 267, 269, 272  
 Pachaena 770  
 Pachastrella 179, 180, 182, 183,  
   204  
 PACHASTRELLIDA 2, 176,  
   179, 185, 193, 254  
 Pachastrellidae 2, 178, 179, 182,  
   183, 185, 186, 202, 204  
 Pachastrellina 179, 180  
 PACHASTRELLINAE 2, 180,  
   182, 183, 186  
 Pachastrellites 770  
 Pachastrissa 180, 182  
 Pachinion 248, 250, 253, 275  
 Pachinionidae 241, 248, 249, 250  
 PACHINIONINAE 4, 248  
 Pachyascus 477, 481, 483  
 Pachycalymma 208, 210  
 Pachychlaenia 525  
 Pachycincis 770  
 Pachycorynea 232  
 Pachycothon 257  
 Pachylepisma 532, 555  
 Pachymatisma 189  
 Pachymura 741  
 Pachynion 248  
 Pachypegma 770  
 Pachypoterion 258, 260, 262, 263  
 Pachysechia 316  
 Pachyrhachis 549, 550  
 Pachysalax 291  
 Pachyselis 278, 312

- Pachyspongia 371  
 Pachyteichisma 549, 550  
 PACHYTEICHISMATIDAE 7, 528, 549  
 Pachyteichismatinae 549  
 Pachytheca 770  
*Pachytildia* 739, 743  
*Pachytochia* 770  
*Pachytoecia* 770  
*Pachytrachelus* 269, 272  
*Paelospongia* 192  
 PAELOSPONGIIDAE 2, 192  
*Palaeacis* 773  
*Palaeoderma* 770  
*Palaeoierea* 88, 611, 664  
*Palaeoieria* 770  
*Palaeojerea* 88  
*Palaeomanon* 138  
*Palaeophragmodictya* 376  
*Palaeophyma* 88  
*Palaeosabella* 40  
*Palaeosaccus* 351, 355  
*Palaeoschadidae* 671  
 PALAEOSCHADINAE 3, 671  
*Palaeoscheda* 672  
*Palaeospongia* 773  
*Palaeospongilla* 55  
*Paläosabella* 40  
*Paleocraticularia* 438  
*Paleoramospongia* 437  
*Paleoregularia* 437  
*Paleostauronema* 371  
*Palermocoelia* 654  
 PALERMOCOELIIDAE 3, 654  
*Palmatohindia* 162  
*Pamirocoelia* 728  
*Pamirothalamia* 666  
*Pamirovorticillites* 667  
*Panormida* 692  
*Paracinclis* 770  
*Paracorallistes* 240, 242  
*Paracorynella* 597  
*Paracorynellidae* 596  
*Paracraticularia* 477, 500  
*Paracypellia* 550  
*Paradeningeria* 692  
*Paraglossotubenella* 770  
*Parahexactinella* 504  
*Parahimatella* 608  
 PARAHIMATELLINAE 3, 608  
*Paralepacia* 750  
*Paraleptomitella* 10  
*Paramblysiphonella* 677, 678  
*Paramelonella* 770  
*Paramorphospongia* 770  
*Paramoudra* 770  
*Paramurrayona* 589, 736  
 PARAMURRAYONIDAE 8, 592, 735  
*Paraplocia* 544  
*Pararete* 463  
*Paraspelaeum* 217  
*Parauvanella* 703  
*Parauvanellidae* 697  
*Paravesicocaulis* 728  
*Parenia* 770  
*Pareudea* 743  
*Paristellispongia* 597  
*Parodospongia* 148  
*Paronadella* 633, 635, 743  
*Paropsites* 182  
*Pasceolus* 773  
*Patanophyma* 299  
*Patellispongia* 88, 98  
*Pattersonia* 321  
 PATTERSONIIDAE 6, 321, 359  
*Pelicaspongia* 321, 329  
 PELICASPONGIIDAE 6, 321  
*Pemmatites* 102, 141, 142, 148  
*Penares* 186, 188  
*Peregrinellus* 770  
*Peregrinus* 770  
*Perimera* 315, 317  
*Periphora* 542, 770  
*Periphragella* 469, 471  
*Periplectum* 488  
*Perispongia* 770  
*Perissocoelia* 116  
*Permocorynella* 635  
 PERMOCORYNELLINAE 3, 635  
*Peronella* 743  
*Peronidella* 633, 635, 743, 744, 772  
*Peronidellidae* 594, 632  
*Petalope* 495  
*Petaloptyon* 572  
*Petraia* 64  
*Petrobiona* 587, 589  
*Petrobionia* 758  
 PETROBIONIDAE 8, 593, 754, 758  
*Petrocalpia* 317  
*Petromica* 265  
*Petrosia* 56  
 PETROSIIDAE 2, 56  
*Petrosites* 172  
*Petrostroma* 754  
*Phacellopegma* 78, 88, 253, 618  
*Phalacrus* 540  
*Phalangium* 239, 247  
*Phanerochiderma* 550  
*Pharetronida* 312  
*Pharetraspomia* 614  
 PHARETROSPONGIIDAE 3, 590, 592, 614  
 PHARETROSPONGIINAE 3, 614  
*Pheronema* 450  
*Pheronemadae* 450  
 PHERONEMATIDAE 6, 320, 450  
*Phialaspongia* 127, 141  
*Phlyctaenium* 541  
*Phlyctia* 313  
*Phobetractinia* 759  
*Pholidocladia* 223  
*Phormosella* 376, 380, 381  
*Phraethalamia* 660  
*Phragmocoelia* 650, 696  
 PHRAGMOCOELIIDAE 3, 650  
*Phragmodictya* 393, 398  
*Phragmoscinia* 770  
*Phrissospongia* 244  
*Phrissospongidae* 241  
*Phylactinium* 550  
*Phyllobrochis* 463  
*Phyllodermia* 212, 227, 229  
*Phymaplectia* 231  
 PHYMAPLECTIINAE 4, 231  
*Phymaraphinia* 221  
 PHYMARAPHINIIDAE 4, 204, 205, 221, 231  
*Phymaraphiniae* 221  
*Phymatella* 214, 217, 218  
*Phymatellidae* 205, 206  
 PHYMATELLINAE 4, 206, 214, 221  
*Phymatocoelia* 770  
*Phymatolpia* 770  
*Phymocoetus* 770  
*Phymoracia* 218  
*Phymosinion* 532  
*Phymostamnia* 540  
*Physocalpia* 316  
*Physospongia* 393, 398  
 PHYSOSPONGIINAE 6, 393, 398  
*Pileolites* 421, 432, 434  
 PILEOLITIDAE 7, 432  
 PILEOLITOIDEA 7, 432  
*Pileospongia* 442  
 PILEOSPONGIIDAE 7, 442  
*Pillaraspongia* 430  
 PILLARASPONGIIDAE 7, 430  
 PILLARASPONGIOIDEA 7, 430  
*Pilosphecion* 770  
*Pinnatispongia* 555  
*Pirania* 21  
 PIRANIIDAE 1, 20  
*Pisothalamia* 725, 728  
*Pisothalamiidae* 725  
*Placochlaenia* 498  
*Placojerea* 316  
*Placonella* 263, 265  
*Placoplegmatidae* 450  
*Placorea* 747, 770  
*Placoscytus* 205, 225  
*Placospongia* 333  
*Placotelia* 537  
*Placotrema* 504, 506  
 PLACOTREMATINAE 7, 504  
*Plakina* 176, 177, 179  
*Plakinastrellidae* 178  
 PLAKINIDA 1, 176, 193  
 PLAKINIDAE 1, 176, 177, 178, 179  
*Plakinolopha* 177  
*Planispongia* 770  
*Platispongia* 316  
*Platychnonia* 279, 294, 295

- PLATYCHONIIDAE 5, 277, 292, 294, 299, 302  
 PLATYCHONIODEA 5, 277, 278, 279, 292  
*Platiphyllum* 376  
*Platysphaerocoelia* 724  
*Platythalamia* 686, 703  
*Playfordiella* 65, 88  
*Plectascus* 553  
*Plecteurete* 469  
*Plectinia* 764  
*Plectoderma* 355  
*Plectodermatium* 532  
*Plectodocis* 770  
*Plectospyris* 469  
*Plectroninia* 754  
*Pleodioria* 355  
*Pleroma* 254, 257, 258, 262  
 PLEROMATIDAE 5, 257, 258  
 PLEROMATINAE 5, 258  
*Pleromidae* 258  
*Plesiocnemis* 770  
*Plethocoetis* 770  
*Plethosiphonia* 317  
*Pleurochorium* 469  
*Pleuroguettardia* 484  
*Pleuromera* 283  
*Pleurope* 517  
*Pleurophymia* 301, 307  
*Pleuropyge* 534  
*Pleurostelgis* 303, 529  
*Pleurostoma* 484, 517, 518  
*Pleurothyris* 471  
*Pleurothyrididae* 437, 463  
*Pleurotoma* 546  
*Priegatella* 229  
*Plinthodermatiidae* 280  
*Plinthodermatium* 283  
*Plinthosella* 205, 234, 235, 240  
 PLINTHOSELLIDAE 4, 204, 205, 234, 240  
*Plinthosellinae* 234  
*Plinthosellopsis* 234  
*Pliobolia* 279, 280, 283  
*Pliobilopsis* 283  
*Pliobunia* 317  
*Pliocoelia* 743  
*Plococoelia* 770  
*Plococonia* 315  
*Plocoscyphia* 218, 522, 523, 542, 767, 772  
*Pocilospongia* 315  
*Podapsis* 317  
*Poecillastra* 179, 180  
*Poecillastrida* 179, 202, 204  
*Poecilosclerida* 179  
 POECILOSCLERIDA 2, 49, 586, 587, 591, 593, 725  
*Poeciloscleridae* 49  
*Poecilosclerina* 49  
*Poecilospongia* 315  
*Polonoscypnia* 376  
*Polonospongia* 439  
*Polyactinella* 758  
*POLYACTINELLIDAE* 8, 758  
*POLYBLASTIDIIDAE* 7, 540  
*Polyblastidium* 541  
*Polycantha* 770  
*Polycladium* 583  
*Polycnemiseudea* 764  
*Polycoelia* 743, 747, 769  
*Polycoystocoelia* 678  
*Polycoystothalamia* 688  
*Polycoystothalamiidae* 686  
*Polyedra* 660  
*Polyendostoma* 748  
*Polygonatum* 507  
*Polyierea* 212, 213, 214  
*Polyjerea* 212, 258, 260  
*Polylophalis* 333  
*Polylophidium* 359  
*Polyoplesia* 495, 504  
*Polyozia* 770  
*Polypatina* 773  
*Polyphemus* 508  
*Polyphymaspongia* 686  
*Polyplectella* 359  
*Polypora* 269  
*Polyptoticia* 771  
*Polyptothecia* 232, 260  
*Polyproctus* 770  
*Polyptycha* 520  
*Polyptyge* 469  
*Polyrhipidium* 223  
*Polyrhizophora* 285  
*Polyschema* 498  
*Polyscyphia* 771  
*Polyssiphon* 733  
*Polyssiphonaria* 644  
*Polyssiphonella* 613, 651  
*Polyssiphonellidae* 611, 651  
*Polyssiphoneudea* 317  
*Polyssiphonia* 317, 644  
 POLYSIPHONIDAE 2, 733  
*Polyssiphoniidae* 654  
*Polyssiphospongia* 724  
 POLYSIPHOSPONGIINAE 4, 723  
*Polystigmantium* 484  
*Polystoma* 212, 315, 317  
*Polystomiella* 317  
*Polyssyge* 469  
*Polythalamia* 695  
*Polytholosia* 719, 721  
*Polytholosidae* 691  
*Polytholosidae* 712, 719  
 POLYTHOLOSIINAE 4, 719  
*Polythyra* 317  
*Polythyrididae* 471  
 POLYTHYRIDINAE 7, 463, 471  
*Polythyris* 471  
*Polytrema* 772  
*Polytretia* 197  
*Polytubifungia* 605  
*Pomelia* 309  
*Porefieldia* 667  
*Porifera* 1, 320, 559  
*Poriferella* 371, 372  
*Porochonia* 518  
*Porocyclus* 535  
*Porocypellia* 552  
*Porosmila* 771  
*Porosphaera* 756  
*Porosphaerella* 756  
*Porosphaeridae* 753  
*Porospongia* 490, 511, 544  
*Porostoma* 511, 537  
*Porsguenospongia* 376  
*Potamolepidae* 55  
*Poteridium* 481  
*Poterionella* 274  
*Praeoculospongia* 745  
*Praephobractinia* 759  
*Praethalamopora* 691  
*Precorynella* 611, 637, 641, 642, 748, 769  
*Precorynellidae* 637  
 PRECORYNELLINAE 3, 637  
*Preeudea* 601, 624  
 PREEUDINAE 3, 601  
*Prenehydnoceras* 333  
*Preperoniella* 632, 633, 635  
 PREPERONIDELLIDAE 3, 632  
*Prestellispongia* 629  
 PRESTELLISPOONGIINAE 3, 629  
*Preverticillites* 667, 695, 712  
*Prismodictya* 376, 380, 381, 384, 390  
 PRISMODICTYINAE 6, 380, 381, 384, 393  
*Procaliopsis* 224  
*Procorallistes* 239, 245, 250  
*Prodacyloaclycites* 192  
*Proeuplectella* 452, 504  
*Proeurete* 469  
*Prohexactinella* 452, 504  
*Prokaliopsis* 224  
*Propachastrella* 180, 183, 204  
*Propetrosia* 56  
*Propleroma* 258, 262  
*Proselsiscothon* 279, 297  
*Prosiphonella* 646  
*Protachilleum* 88  
*Protetraclis* 202, 206  
 PROTETRACLISIDAE 4, 202, 206, 224, 234, 240, 241  
*Protoarmstrongia* 365  
*Protocoleria* 771  
*Protohyalostelia* 340  
*Protohyalostella* 340  
*Protoleucon* 560, 737  
 PROTOMONAXONIDA 1, 9  
*Protoprisma* 389  
*Protosporgia* 346, 351, 355, 356, 376  
 PROTOSPONGIIDAE 6, 344, 345  
 PROTOSPONGIOIDEA 6, 320, 344, 410  
*Protosycon* 737

- Protremadictyon 372  
*Psarodictyum* 85, 89  
*Psephosyllodus* 480  
*Pseudoamblysiphonella* 660, 678  
*Pseudoboeckesia* 472, 473  
*PSEUDOBECKSIINAE* 7, 463, 472  
*Pseudocavispomgia* 469  
*Pseudocytoracea* 287  
*Pseudodictyocoelia* 764  
*Pseudoguadalupia* 678  
*Pseudoguettardia* 484  
*Pseudohimatella* 608  
*PSEUDOHIMATELLINAE* 3, 607  
*Pseudohydnoceras* 333  
*Pseudoimperatoria* 698  
*Pseudojerea* 205, 229, 240  
*Pseudolancicula* 448  
*Pseudomultistella* 89  
*Pseudopalmatohindia* 89  
*Pseudopemmatites* 141, 148, 372  
*Pseudoplocoscyphia* 214  
*Pseudoporefeldia* 667  
*Pseudoporospongia* 552  
*PSEUDORHIZOMORINA* 4, 202, 240, 249, 250, 275, 278  
*Pseudorhizomorinidae* 249, 250  
*Pseudoscytalina* 288, 289  
*Pseudosclerithon* 314  
*Pseudosiphonia* 771  
*Pseudouvanella* 732  
*Pseudoverruculina* 240, 249  
*PSEUDOVERRUCULINIDAE* 4, 202, 249  
*Pseudoverticillites* 486  
*Pseudovirgula* 596, 606  
*Pseudovirgulopsis* 123  
*Psilobolia* 771  
*Psilocalyx* 504  
*Pterocalpia* 317  
*Pterosmilia* 771  
*Ptychocoetus* 484  
*Ptychodesia* 475, 476, 484  
*Ptychorete* 475  
*Puvillus* 771  
*Pumicia* 280  
*Puppispongia* 771  
*Purisiphonia* 452  
*Pychnogaster* 768  
*Pycnocalyptra* 480, 481  
*Pycnoclonella* 239, 240, 242, 247  
*Pynodesma* 235  
*Pycnogaster* 768  
*Pycnopegma* 118  
*Pycnospongia* 89  
*Pyrenospongia* 421  
*Pyrgochonia* 297, 299  
*Pyrgochoniidae* 295, 297  
*PYRGOCOCHONIINAE* 5, 297  
*Pyritonema* 458  
*Pyrospongia* 546  
*Pyruspongia* 423  
*PYRUSPONGIIDAE* 6, 423  
*Quadrolaminiella* 355  
*Quenstedtella* 771  
*Raanespongia* 141  
*Raanespongidae* 125  
*Racemina* 688  
*Racodiscula* 202, 204, 227, 240  
*Radiatospongia* 141, 148  
*Radicanalospongia* 618  
*Radicispongia* 743, 771  
*Radiocella* 205  
*RADIOCELLIIDAE* 4, 205  
*Radiocyatha* 559, 561  
*Radiocyathidae* 561  
*Radiocyathus* 559, 561, 581  
*Radiofibra* 635  
*Radioplaca* 466, 469  
*Radiospongilla* 56  
*Radiothalamos* 650  
*Radiotrabeculopora* 624  
*Ragadinia* 230, 231  
*Rahbahthalamia* 651  
*Ramalmerina* 504  
*Ramispongia* 471  
*Ramospongia* 596  
*Ramostella* 641  
*Ramulospongia* 376  
*Rankenella* 89  
*Raphidonema* 741, 745, 750  
*Raphidotethya* 193  
*Ratcliffeponsiglia* 411  
*Rauf* 764  
*Rauffella* 58, 771  
*Rayneria* 56  
*Receptaculites* 773  
*Regadrella* 451, 452  
*Regispongia* 557, 560, 577  
*Regnardia* 253, 274  
*Regnardiela* 518  
*Reguantella* 458  
*Reifelia* 761  
*Reiswigia* 315  
*Reniera* 56  
*Repospongia* 376  
*Reteporites* 771  
*Retia* 771  
*Reticulariaria* 481  
*Reticulocelia* 598  
*RETICULOSA* 6, 320, 344, 359, 372, 410  
*Retifungus* 376  
*Retiscyphia* 534  
*Retispinopora* 756  
*Retispongia* 534  
*Retopora* 773  
*Rhabdactinia* 651, 724  
*Rhabdarria* 771  
*Rhabdium* 508, 511  
*Rhabdocnemis* 481  
*Rhabdoctoetis* 481, 771  
*Rhabdospongia* 384, 390  
*Rhabdospongia* 197  
*Rhabdotum* 314  
*Rhaeaspongia* 422  
*Rhagadinia* 223, 224, 230  
*Rhagosphecion* 289  
*Rhakistella* 338, 344  
*Rhaphidistia* 141, 150  
*Rhxella* 189  
*Rhxelloides* 191  
*Rhipidotaxis* 771  
*Rhiposinion* 771  
*Rhizinia* 286  
*Rhizocheton* 534  
*Rhizocorallium* 45  
*Rhizogonima* 771  
*RHIZOMORINA* 5, 141, 201, 204, 235, 250, 265, 275, 276, 277, 278, 279, 294, 301  
*Rhizomorinidae* 250  
*Rhizopoterion* 528, 532, 534, 535  
*Rhizopoterionopsis* 534  
*Rhizopsis* 21  
*Rhizospongia* 317, 771  
*Rhizostele* 317  
*Rhizotetraclis* 202, 206, 241  
*Rhodanospomgia* 498  
*Rhodesispongia* 89  
*Rhogostomium* 511  
*Rhombedonium* 511  
*Rhombodictyon* 418  
*Rhopalicus* 495  
*Rhopaloecia* 85, 96, 102  
*Rhopaloconus* 43  
*Rhopalospongia* 232  
*Rhoptrum* 225, 227  
*Rhysospongia* 771  
*Rhytidoderma* 269  
*Rhytidolpia* 771  
*Rhytistamnia* 524, 539, 540  
*Rhyzospongia* 771  
*Rigbyella* 344  
*Rigbyetta* 681, 683  
*Rigbyspongia* 654  
*Risospongia* 771  
*Rizoscyphia* 771  
*Roemerispongia* 398  
*Roepella* 47  
*Ropalospongia* 171  
*ROSELLIDAE* 6, 449, 456, 458  
*ROSSELLINAE* 6, 458  
*Rufuspongia* 418  
*Rugocoelia* 96  
*Rugosoderma* 555  
*Rugospongia* 168  
*Runia* 40  
*Russospongia* 671  
*Rutkowskella* 123  
*Saccospongia* 61, 165, 168, 255  
*SACCOSPONGIIDAE* 5, 165  
*Saccotragos* 297  
*Sadleria* 158, 163  
*Saetaspongia* 355

- Sagarites 51  
*Saginospongia* 637  
*Sagittularia* 756  
*Sahraja* 696  
*Salzburgia* 710  
*SALZBURGIIDAE* 4, 710  
*Sanshadictya* 376  
*Sanshapentella* 351, 355  
*Sardospongia* 758, 762  
*Saropora* 523  
*Satyrus* 771  
*Saynospomgia* 500  
*Scaphiomonan* 426  
*Sceptringtus* 591  
*Scheiella* 154, 158, 164, 241, 589  
*Scheielloides* 164  
*Scheia* 164, 241  
*Schismospongia* 96  
*Schizoptychium* 526  
*Schizorhabdus* 262  
*Schrammeniella* 239, 242, 247  
*Sciadosinion* 771  
*Scipiospongia* 483  
*Scleritoderma* 277, 278, 300, 301, 302  
*SCLERITODERMATIDAE* 5, 275, 276, 277, 278, 279, 294, 300, 302  
*SCLERITODERMATINAE* 5, 301, 307  
*SCLERITODERMATOIDEA* 5, 277, 278, 294, 300  
*Scleritodermidae* 300, 301  
*Sclerocoelia* 600  
*Sclerokalia* 553  
*Scleroplegma* 546  
*Sclerothamnidae* 501  
*Sclerothamnopsis* 504  
*Sclerothamnus* 365  
*Scolecosia* 544  
*SCOLIORAPHIDIDAE* 2, 197  
*Scolioraphis* 197  
*Scotospongia* 511  
*Scribroporella* 764  
*Scyphia* 217, 253, 294, 315, 316, 317, 422, 469, 471, 477, 481, 484, 486, 490, 495, 517, 522, 534, 539, 547, 550, 552, 660, 692, 737, 743, 744, 748, 762, 765, 767, 768, 769, 770, 771, 773  
*Scytalia* 277, 287  
*Scytaliidae* 287  
*Scythia* 771  
*Scytophymia* 304  
*Scytophymia* 304  
*Sebargasia* 675, 677  
*SEBARGASHIIDAE* 3, 675  
*Seliscothon* 201, 277, 279, 300, 301, 312  
*SELISCOTHONIDAE* 5, 277, 278, 279, 294, 300, 311  
*Semperella* 450  
*Senowbaridaryana* 697  
*Sentinelia* 152, 411  
*Seranella* 692, 697  
*Sestrimia* 771  
*Sestrocladia* 554  
*Sestrocladiella* 556  
*Sestrodicyton* 547  
*Sestromella* 664  
*Sestromostella* 611  
*Sestrostamnia* 540  
*Sestrostomella* 591, 611, 637, 641, 744, 747  
*SESTROSTOMELLIDAE* 3, 611  
*Shuqraiosis* 771  
*Siderospongia* 771  
*Sigmatophora* 175, 176, 193  
*Sigmatosclerophora* 58  
*SIGMATOSCLEROPHORIDA* 4, 58  
*Silesiaspongia* 456  
*Silicosphaera* 188, 444  
*Silicunculus* 445  
*Silurispongia* 771  
*Sinocoelia* 678  
*Sinospongia* 13  
*SINOSPONGIIDAE* 1, 13  
*Siphoneudea* 208  
*Siphonia* 127, 134, 138, 205, 208, 210, 212, 227, 254, 317, 534, 767, 768  
*Siphoniidae* 206  
*Siphoniidiidae* 275, 279, 291  
*SIPHONIDIINAE* 5, 291  
*Siphonidium* 291  
*SIPHONIIDAE* 4, 204, 205, 206, 208, 214, 221, 227, 255  
*SIPHONIINAE* 4, 208, 214  
*Siphonocoelia* 210, 257, 283, 285, 317, 739, 743, 744  
*Siphonodictyon* 42  
*Solactiniella* 448  
*Soleneiscidae* 8, 734  
*Soleneiscus* 734  
*Solenocoelia* 664  
*Solenolmia* 692  
*SOLENOLMIIDAE* 4, 691  
*SOLENOLMIINAE* 4, 692  
*Solenopsechia* 692  
*Solenothyria* 528, 772  
*Solidothalamia* 710  
*Sollasella* 21, 225  
*SOLLASELLIDAE* 1, 21  
*Sollasia* 664, 666  
*Solutossaspongia* 628, 692  
*Somerstellia* 96  
*Somphospongia* 773  
*Sontheimia* 205, 206, 234, 241  
*Sontheimiidae* 205, 206  
*Sparsispongia* 772  
*Sphaeriella* 21  
*SPHAEROCLADINA* 5, 251, 253, 265, 266, 267  
*Sphaerocladinidae* 266  
*Sphaerocoelia* 593, 750  
*SPHAEROCOELIIDA* 8, 590, 593, 750  
*SPHAEROCOELIIDAE* 8, 593, 750, 752  
*Sphaerodictya* 411, 417  
*Sphaerolites* 154, 164  
*Sphaeropegma* 274  
*Sphaeropontia* 609  
*SPHAEROPONTIIDAE* 3, 594, 609  
*Sphaerosiphonidae* 675  
*Sphaerospongia* 773  
*Sphaerotethalamia* 654  
*Sphaeroverticillites* 666, 667  
*Sphecidion* 748, 772  
*Spheciopsis* 772  
*Sphenaulacidae* 477  
*Sphenaulax* 481  
*Sphenodictya* 772  
*Sphenopoterium* 772  
*Sphincterella* 185  
*Sphinctonella* 752  
*Sphinctozoa* 585, 589, 750  
*Sphinctrella* 185  
*Spica* 667, 668  
*Spicidae* 667  
*Spinocladia* 247  
*Spinospongia* 624  
*SPINOSPONGIINAE* 3, 624  
*Spiractinella* 323, 333  
*Spirastralla* 43  
*Spirastrellida* 185, 278  
*SPIRASTRELLIDAE* 1, 43  
*Spirolophia* 518, 526  
*Spirophrides* 193  
*Spirosclerina* 193  
*Spirosclerophora* 141  
*SPIROSCLEROPHORIDA* 5, 141  
*Spirospongia* 534  
*Spitsbergenia* 35  
*Spongarium* 772  
*Spongelia* 44  
*Spongeliomorpha* 45  
*Spongellites* 45  
*Spongia* 43, 44, 45, 46, 53, 56, 58, 260, 262, 285, 288, 307, 312, 315, 544, 633, 737, 739, 743, 745, 768, 769, 771, 772  
*Spongidae* 43  
*Spongiarum* 772  
*SPONGIIDAE* 2, 43  
*Spongilla* 53, 54, 56  
*SPONGILLIDAE* 2, 53, 54  
*Spongillopsis* 772  
*Spongites* 294, 303, 498, 552, 743, 770, 773  
*Spongoconia* 772  
*Spongodiscus* 232  
*Spongopagia* 772  
*Spongisoritidae* 46  
*Spongospira* 772

- Spongus 522, **556**, 769  
 Sporadopyge 552  
 Sporadopyle 547  
**SPORADOPYLIDAE** 7, **546**,  
 549  
 Sporadoscinia 529, **534**, 535  
 Sporadothelion 301, 303  
 Sporocalpia 772  
 Sporosinina 772  
 Spumispongia 772  
 Squamella 703  
 Stachyspongia 285  
 Stamnia 524, 540  
 Stammocnemis 772  
 Stauroctinella **458**  
**STAURACTINELLIDAE** 6, **458**  
 Stauroderma 498, 537  
**STAURODERMATIDAE** 7, **498**  
 Stauronema 535  
 Stauronemata 535  
 Stauronematidae 535  
**STAURONEMATINAE** 7, **535**  
 Stegenda 747, 772  
 Stegeudea 747, 772  
 Steinmanella 744  
 Steinmannia 686, 697  
 Stelgis 303, 304, 529  
 Stelidium 223, 237  
 Steliella **96**  
 Stellarispongia 558, 560, 561, **569**  
 Stelletta **188**, 191  
 Stellettidae 185, 186  
 Stellettina 185, 186  
**STELLETTINAE** 2, **186**, 188  
 Stelletites 227  
 Stellispongia 218, 283, 611, 629,  
 739, 745, 747  
 Stellispongiella **629**, 739  
**STELLISPONGIELLIIDAE** 3,  
 594, **629**, 739  
**STELLISPONGIELLINEAE** 3,  
 629  
**STELLISPONGIIDA** 8, 590,  
 592, 593, 738  
**STELLISPONGIIDAE** 8, 589,  
 593, 611, 629, **738**, 739  
**STELLISPONGIINAE** 8, 635,  
 739  
 Stenocoelia 748, 772  
 Stephanella **360**  
 Stephanospongia 411  
 Stereina 752  
 Stereochlamis 490, 495  
**STEREODICTYIDAE** 6, **408**  
 Stereodictyum **410**  
 Starrastroa 176, 188  
 Stichmaptyx **498**  
 Stichophyma 309  
 Sticophyma 311  
 Stioderma 338, 340, 344  
**STIODERMATIDAE** 6, **338**  
 Stiodermiella 336
- Stollanella **641**  
 Stolleya 188  
 Strambergia **764**  
 Stratispongia **596**  
 Strebilospongia 321  
 Strebilia 772  
 Strephinia 484  
 Strephochetus 771, **772**  
 Strephorhetus 771, **772**  
 Streptastrosa 176, 179, 204  
 Streptosclerophora 154, 179, 204  
**STREPTOSCLEROPHORIDA**  
 2, 154  
 Streptosolen 104, 108  
**STREPTOSOLENIDAE** 4, **104**  
 Streptospongia 61  
 Striataspongia 772  
 Strobilospongia 321  
**STROMATIDIIDAE** 8, **445**  
 Stromatidium 446  
 Stromatoxinella 586  
 Stromatocoelia 678  
 Stromatopagia 772  
 Stromatoporoidea 585  
 Stromatospongia 591  
 Strotospongia **98**  
 Stuckenbergia 98  
 Stychofyma 311  
 Stylocoelia **680**  
 Stylopegma 644, 646, 651, 696  
 Stylorelinae 46  
 Stylothalamia 654, 712, 716, **717**  
 Stylothalamiidae 712  
 Subascosymplegma **700**  
 Suberites 43  
**SUBERITIDAE** 1, 43  
 Subularia 53  
 Sulcastrella 237  
 Sulcispomia 772  
 Sycetta 737  
**SYCETTIDA** 8, **737**  
 Sycettidae 8, 737  
 Sycodictya **360**  
 Syltispongia 124  
 Syltroclos 173  
 Synaulia **489**  
 Syncalpia 748, 772  
 Synolynthia **539**  
 Synopella 748  
 Syringelasma **98**  
 Syringium 483  
 Syringophyllum 98
- Tadassia **448**  
**TADASSIIDAE** 8, **448**, 486  
 Taegeria 451  
**TAEGERINAE** 6, **451**  
 Tagountia 455  
 Takakkawia 30  
**TAKAKKAWIIDAE** 1, **28**  
 Takreamina 686, 697  
 Talacastonia 98
- Taleolaspongia **419**  
 Talpaspongia 560, 577  
 Taothis 772  
 Taplowia **150**  
 Taprobane 277, 300, 301  
 Taprobaneidae 300  
 Taraxaculum 583  
 Taseoconia 772  
 Taxoploca 507  
 Tebagathalamia **707**, 708  
**TEBAGATHALAMIIDAE** 4,  
 686, **706**  
 Tedania 49  
**TEDANIIDAE** 2, **49**  
 Tedaniina 49  
 Teganiella **419**  
**TEGANIIDAE** 6, **411**  
 Teganium **411**  
 Tentorina 278  
 Terebella 486  
 Terpios 458  
 Tesselispongia **511**  
 Tesselospongia **498**  
 Testaspongia 772  
 Testiispongia 346, 356  
 Tethaea 183  
 Tethya 21, 26, 185  
**TETHYIDAE** 1, **26**  
 Tethylites 772  
 Tethyopsidinae 186  
 Tethyopsis 185  
 Tetilla 189, 193, 194  
**TETILLIDAE** 2, 189, **193**, 194  
 Tetillopsis **194**  
**TETRACLADINA** 4, 200, 201,  
 202, **203**, 204, 206, 235, 240,  
 255, 260, 265, 266, 275  
 Tetracladine 200  
 Tetraclina 202  
 Tetractinellida 176  
 Tetractinellidae 175  
**TETRACTINOMORPHA** 2,  
 154, 169, 171, 586, 587, 592,  
 724  
 Tétractinomorphes 154, 724  
 Tetradiina 175  
 Tetragonis 380, 381  
**TETRALITHISTIDA** 4, 199,  
 201, 202, 251, 265, 275  
 Tetraproctosia 719, **721**  
 Tetrasmila 772  
 Tetraspongia 272  
 Tetraxonida 201, 239, 255, 265  
 Tetraxonida 257  
 Textispongia 772  
 Thalamida 750  
 Thalamopora 750, **752**  
 Thalamosmila 772  
 Thalamospongia 772  
 Thallocorallia 585  
 Thallospongia **628**  
 Thamnodictya 400, 403

- Thamnonema 691  
 Thamnospongia 205, 232  
 Thaumastocoelia 591, 611, 664,  
   667  
 THAUMASTOCOELIIDAE 3,  
   664  
 Thecosiphonia 213  
 Thecospionia 772  
 Thenea 183, 185  
 THENEIDAE 2, 183, 186, 202  
 Theneopsis 185  
 Theonella 200, 204, 205, 224  
 THEONELLIDAE 4, 204, 205,  
   206, 208, 212, 219, 221, 224,  
   227, 234, 237, 240  
 THEONELLINAE 4, 224  
 Theonoa 773  
 Tholiasteralla 560  
 Tholiasterella 558, 560, 577  
 Tholothis 772  
 Thoosa 38, 40  
 Thoracospongia 344  
 Thrachythya 773  
 THROMBIDIAE 1, 176, 177,  
   178  
 Thrombus 176, 177  
 Thyia 773  
 Thyridium 477  
 Thyroidium 477  
 Thyronia 773  
 Thysanodictya 376, 393, 398,  
   400  
 THYSANODICTYINAE 6, 398  
 Tiddalickia 381  
 Tillichia 456  
 Timidella 98  
 Timorella 98  
 Tisiphonia 180  
 Titusvillia 365  
 TITUSVILLIDAE 6, 364  
 Tolminothalamia 671  
 Tongluspongia 732  
 Toomeyospongia 429  
 TOOMEYOSPONGIIDAE 6,  
   429  
 Topsentia 40  
 Topsentopsis 40  
 Toquimiella 558, 559, 560, 561,  
   572  
 Toriscodermia 773  
 Toulminia 524, 540  
 Trachycinclis 260, 262  
 Trachycnemis 773  
 Trachydictya 312, 315  
 Trachygelius 193  
 Trachynotidae 279, 280  
 Trachynoton 283  
 Trachynotus 283  
 Trachypenia 744  
 Trachyphlyctia 739  
 Trachysinia 745  
 Trachysinion 773  
 Trachysphecion 739, 745  
 Trachysycon 218, 220  
 Trachytilla 613  
 Trachylum 98, 112, 118  
 Tragalinus 235, 237  
 Tragos 295, 297, 299, 316, 613,  
   618, 739, 741, 768, 770, 772  
 Trammeria 764  
 Tremabolites 524, 525, 537  
 Tremacystia 587, 593, 750, 752  
 Tremadictyon 490  
 Tremaphorus 511  
 Tremastrum 292  
 Tremospongia 747, 748, 762, 769  
 Tretocalcia 748  
 Tretocalcidae 501  
 Tretocochone 475  
 TRETODICTYIDAE 7, 495,  
   501, 549  
 TRETODICTYINAE 7, 501  
 Tretodictyum 501, 504  
 Tretolmia 773  
 Tretoloplia 773  
 Tretorete 495  
 Tretostamnia 540  
 Tretotoechus 219  
 Triaenina 175  
 Triate 191, 192  
 Trichospongia 24  
 Tricranocladina 154, 202, 241  
 Trimonactinophora 459  
 Trinacriella 773  
 Trinaciella 773  
 Trioxites 773  
 Triphyllactis 773  
 Triplosphaerilla 773  
 Triptolemma 180, 182, 204  
 Triptolemus 182, 204  
 Tristratocelia 700  
 Triticosporgia 357  
 Trochobolus 549, 550  
 Trochospongia 98, 771  
 Troegerella 526  
 Tschermscheshevostuckenbergia 98  
 Trachycnemis 773  
 Tubipora 751  
 Tubispongia 773  
 Tubulispongia 624  
 Tubulispangiidae 596, 618  
 Tubulosporgia 748, 767, 773  
 Tulearinia 756  
 Tupha 53  
 Tuponia 9, 76  
 Turonia 214, 232, 769  
 Twenhofelella 329, 336  
 Tylodictya 384, 390  
 Typhlopleura 476  
 Ubiquiradius 535, 541  
 Ulospongiella 16  
 ULOSPONGIELLIDAE 1, 16  
 Ungula 764  
 Ungulaspiongia 198  
 Uphantaenia 393  
 Uphantenia 398  
 Uralonema 320, 344  
 Uranosphaera 558, 559, 561, 562,  
   581  
 Uranosphaeridae 561  
 Urnacristata 289  
 Urnospiongia 439  
 Ursaspongia 383  
 Uvacoelia 668  
 Uvanella 703, 725, 732  
 Uvothermaliamia 701  
 Vaceletia 586, 592, 691, 692, 697,  
   712, 717, 719, 747  
 VACELETIDA 4, 590, 592, 691,  
   747  
 Valhalla 262  
 Valospiongia 362, 411  
 Vandonia 102  
 Vankempenia 102  
 Varneycoelia 152  
 Vascothalamia 717  
 Vaurealispongia 329, 336  
 Vauxia 46  
 VAUXIIDAE 2, 45  
 Vauxininae 45  
 Vellospiongia 102  
 Ventriculidae 528  
 Ventriculites 303, 304, 316, 518,  
   528, 529, 532, 534, 537, 539,  
   540, 768, 770, 771, 772, 773  
 VENTRICULITIDAE 7, 517,  
   528, 529, 535, 537, 540, 541  
 VENTRICULITINAE 7, 529,  
   535, 537, 539  
 Vermiculissimum 237  
 Vermifistula 511  
 Vermispongia 607, 771, 773  
 Vermispongiæ 743  
 Vermispongiella 607  
 Verongia 45, 46  
 VERONGIDA 2, 45  
 VERONGIIDAE 2, 45  
 Verongiinae 45  
 Verpaspongia 118  
 Verrucocoelia 466, 469, 471, 550  
 Verrucodesma 232  
 Verrucospongia 303, 304, 315,  
   529  
 Verruculina 275, 276, 301, 303,  
   304, 307  
 Verruculinidae 276, 300, 301  
 Verruculinopsis 303  
 Verticillipora 712  
 Verticillitites 696, 697, 712, 717,  
   752, 754, 768  
 VERTICILLITIDAE 4, 644, 712,  
   719  
 VERTICILLITINAE 4, 712  
 Verticillocoelia 712

- Vesicocaulidae 667  
**VESICOCAULIINAE 3, 669**  
 Vesicocaulis **669**, 671, 681  
 Vesicotubularia **681**  
*Vetulina* 251, 253, 266, **267**  
**VETULINIDAE 5, 267, 269, 272**  
**VETULINAE 5, 267**  
*Vintonia* **773**  
*Vioa* 40  
*Virgaspongia* **102**  
*Virgaspongiella* **102**  
*Virgola* **596**  
**VIRGOLIDAE 3, 594, 596**  
**VIRGOLINAE 3, 596**  
*Virgula* 596  
*Virgulidae* 594, 596  
*Virmula* 748  
*Volvulinidae* 501  
*Vomacisponges* **773**  
*Waagenella* 686, 697  
*Waagenium* 686, 697  
*Wagima* 558, **579**, 590  
*Walcottella* 495  
*Walliospongia* **429**  
*Wapchia* 18  
**WAPKIIDAE 1, 18**  
*Wapkiosa* **471**  
*Wapkiosidae* 437, 463  
*Warembaia* 432, **434**, 437  
**WAREEMBAIIDAE 7, 432**  
*Wareiella* **10**  
*Warrigalia* **152**  
*Welteria* **697**  
*Wewokella* 557, 558, 560, **575, 577**  
*Wewokellida* 560, 572  
**WEWOKELLIDAE 8, 560, 561, 572, 589**  
*Wienbergia* 712, 717  
*Wilbernicyathus* 118  
*Winwoodia* **614**  
*Wollemannia* 475, 476  
*Wongaspongia* **338**  
*Xenoschrammenum* 547  
*Xenospongina* 26  
*Xilinxiaella* 13  
*Xylospongia* **554**  
*Xystostamnia* 540  
*Yarrowigahia* **104**  
*Yodomia* 180, 204  
*Youngella* **183**  
*Yrrhiza* **286**  
*Yukonella* **671**  
*Zangerlispongia* 558, 559, 560, 561, **572**  
*Zanklithalamia* 705  
*Zardinia* 725, 733, **734**  
*Zittellella* **98, 104, 112, 771**  
*Zitteleus* **232**  
*Zittelispongia* **471**  
*Zittelospongia* **500**  
*Zittelospongia* **500**  
*Zosterospongia* 242