

REFERENCES

Compiled by JOANN SANNER

[Smithsonian Institution, Washington, D.C.]

- Alberstadt, L. P., Walker, K. R., & Zurawski, R. P., 1974, *Patch reefs in the Carters Limestone (Middle Ordovician) in Tennessee, and vertical zonation in Ordovician reefs*: Geol. Soc. Am. Bull., v. 85, p. 1171-1182, 10 text-fig.
- Allman, G. J., 1856, *A Monograph of the Fresh-water Polyzoa, including all the known species, both British and foreign*: vii + 119 p., 17 text-fig., 11 pl., The Ray Society (London).
- Annoscia, Enrico, 1968, *Briozoi; introduzione allo studio con particolare riguardo ai Briozoi italiani e mediterranei*: 397 p., 24 pl., Palaeontographia Italica (Pisa).
- Anstey, R. L., Pachut, J. F., & Prezbindowski, D. R., 1976, *Morphogenetic gradients in Paleozoic bryozoan colonies*: Paleobiology, v. 2, p. 131-146, 13 text-fig.
- Armstrong, John, 1970, *Zoarial microstructures of two Permian species of the bryozoan genus Stenopora*: Palaeontology, v. 13, p. 581-587, pl. 112-117.
- Astrova, G. G., 1955, *Mshanki*: in E. A. Ivanova *et al.*, Fauna ordovika i gotlandiya nizhnego techeniya r. podkamennoj Tunguski, ee ekologiya i stratigraficheskoe znachenie, Tr. Akad. Nauk SSSR Paleontol. Inst., v. 56, p. 128-161, text-fig. 11-22, pl. 14-21. [Bryozoa: in Fauna of the Ordovician and Gotlandian of the lower reaches of the Podkamennaya Tunguska River, its ecology and stratigraphic significance.]
- , 1960a, *Obschchaya chast'*: in Osnovy Paleontologii, p. 15-42, text-fig. 1-27. [General part: in Fundamentals of paleontology; see T. G. SARYCHEVA, 1960 for complete citation.]
- , 1960b, *Silurijskie Fistuliporidy iz severnykh rajonov RSFSR*: Tr. Akad. Nauk SSSR Kom. Fil. Syktyvkar Inst. Geol., v. 1, p. 352-376, 1 text-fig., 5 pl. [Silurian fistuliporids from the northern regions of the RSFSR.]
- , 1964, *O novom otryade paleozojskikh mshanok*: Paleontol. Zh., 1964, no. 2, p. 22-31, 3 text-fig. [A new order of Paleozoic Bryozoa.]
- , 1965, *Morfologiya, istoriya razvitiya i sistema ordovikskikh i silurijskikh mshanok*: Tr. Akad. Nauk SSSR Paleontol. Inst., v. 106, 432 p., 52 text-fig., 84 pl. [Morphology, evolutionary history, and systematics of Ordovician and Silurian bryozoans.]
- , 1971, *K voprosu o morfologii i funktsional'nom znachenii akantopor u trepostomat (Bryozoa)*: Paleontol. Zh., 1971, no. 3, p. 72-79, pl. 7,8. [Morphology and functional significance of acanthopores in the Trepostomata (Bryozoa).]
- , 1973, *Polymorphism and its development in the trepostomatous Bryozoa*: in G. P. Larwood (ed.), Living and Fossil Bryozoa, p. 1-10. 2 pl., Academic Press (London).
- , & Morozova, I. P., 1956, *K sistematike mshanok otryada Cryptostomata*: Dokl. Akad. Nauk SSSR, n.ser., v. 110, p. 661-664. [Systematics of Bryozoa of the order Cryptostomata.]
- , & Yaroshinskaya, A. M., 1968, *Rannedevonskie i eyfel'skie mshanki Salaira i Gornogo Altaya*: Tr. Tomsk. Gos. Univ., v. 202, p. 47-62, 2 text-fig., 5 pl. [Early Devonian and Eifelian Bryozoa of Salair and Gorno-Altai.]
- Audouin, J. V., & Milne-Edwards, Henri, 1828, *Résumé des recherches sur les animaux sans vertèbres, faites aux îles Chausey*: Ann. Sci. Nat., v. 15, p. 5-19.
- Balakin, G. V., 1974, *Pseudonematopora, novyj rod rannekamennougol'nykh mshanok*: Paleontol. Zh., 1974, no. 4, p. 130-132, 1 text-fig. [Pseudonematopora, a new Early Carboniferous bryozoan genus; transl. Paleontol. J., v. 8, p. 557-559.]
- Banner, F. T., & Wood, G. V., 1964, *Recrystallization in microfossiliferous limestones*: Geol. J., v. 4, p. 21-34, 1 text-fig. pl. 1-6.
- Banta, W. C., 1968, *The body wall of cheilostome Bryozoa, I. The ectocyst of Watersipora nigra (Canu and Bassler)*: J. Morphol., v. 125, p. 497-508, 6 text-fig., 1 pl.
- , 1969, *The body wall of cheilostome Bryozoa, II. Interzoidal communication organs*: J. Morphol., v. 129, p. 149-170, 35 text-fig., 1 pl.
- , 1970, *The body wall of cheilostome Bryozoa, III. The frontal wall of Watersipora arcuata Banta, with a revision of the Cryptocystidea*: J. Morphol., v. 131, p. 37-56, 26 text-fig.
- , 1971, *The body wall of cheilostome Bryozoa, IV. The frontal wall of Schizoporella unicornis (Johnston)*: J. Morphol., v. 135, p. 165-184, 6 pl.
- , 1972, *The body wall of cheilostome Bryozoa, V. Frontal budding in Schizoporella unicornis floridana*: Mar. Biol., v. 14, p. 63-71, 3 text-fig.
- , 1975, *Origin and early evolution of cheilostome Bryozoa*: in S. Pouyet (ed.), Bryozoa 1974, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 2, p. 565-582, 25 text-fig., 2 pl.
- , McKinney, F. K., & Zimmer, R. L., 1974, *Bryozoan monticules; excurrent water outlets?*: Science, v. 185, p. 783-784, 2 text-fig.
- Barnes, D. J., 1970, *Coral skeletons; an explanation of their growth and structure*: Science, v. 170, p. 1305-1308, 2 text-fig.
- Barrois, Jules, 1877, *Recherches sur l'embryologie des Bryozaires*: Trav. Inst. Zool. Lille, fasc. 1, 305 p., 16 pl.
- , 1882, *Embryogénie des Bryozaires; essai*

- d'une théorie générale du développement basée sur l'étude de la métamorphose*: J. Anat. Physiol. Norm. Pathol. Homme Anim., v. 18, p. 124–157, pl. II.
- Bassi, Ferdinando**, 1757, *De quibusdam exiguis madreporis Agri Bononiensis*: De Bononiensis Scientiarum et Artium Instituto atque Academia Commentarii, 49 p., pl. 1–4 (Bononia).
- Bassler, R. S.**, 1911, *The early Paleozoic Bryozoa of the Baltic Provinces*: U.S. Natl. Mus. Bull. 77, 382 p., 226 text-fig., 13 pl.
- , 1913, *Bryozoa*: in K. A. von Zittel & C. R. Eastman (eds.), Text-book of Paleontology, 2nd ed., v. 1, p. 314–355, text-fig. 436–525, Macmillan and Co. (London).
- , 1927, *Bryozoa*: in W. H. Twenhofel, *Geology of Anticosti Island*, Can. Geol. Surv. Mem. 154 [Geol. Ser. 135], p. 143–168, pl. 5–14.
- , 1929, *The Permian Bryozoa of Timor*: Paläontologie von Timor, Lief. 16, no. 28, p. 36–89, pl. 225–247 (Stuttgart).
- , 1934, *Notes on fossil and recent Bryozoa*: J. Wash. Acad. Sci., v. 24, p. 404–408.
- , 1935, *Bryozoa*: in W. Quenstedt (ed.), *Fossilium Catalogus*, 1: Animalia, pt. 67, 229 p., W. Junk ('s-Gravenhage).
- , 1936, *Nomenclatorial notes on fossil and recent Bryozoa*: J. Wash. Acad. Sci., v. 26, p. 156–162, 12 text-fig.
- , 1952, *Taxonomic notes on genera of fossil and recent Bryozoa*: J. Wash. Acad. Sci., v. 42, p. 381–385, 27 text-fig.
- , 1953, *Bryozoa*: in R. C. Moore (ed.), *Treatise on Invertebrate Paleontology*, Part G, xiv + 253 p., 175 text-fig., Geological Society of America & University of Kansas Press (New York & Lawrence).
- Bathurst, R. G. C.**, 1975, *Carbonate Sediments and their Diagenesis*: Developments in Sedimentology, v. 12, 2nd ed., 658 p., 359 text-fig., Elsevier (New York).
- Beerbower, J. R.**, 1960, *Search for the Past; An Introduction to Paleontology*: 562 p., Prentice-Hall, Inc. (Englewood Cliffs).
- Beneden, P.-J. Van**, 1848, *Recherches sur les Bryozoaires fluviatiles de Belgique*: Mem. Acad. R. Bruxelles, v. 21, p. 1–33, 2 pl.
- Berner, R. A.**, 1971, *Principles of Chemical Sedimentology*: 240 p., McGraw-Hill Book Co. (New York).
- Billings, Elkanah**, 1865, *Palaeozoic Fossils, Vol. 1; containing descriptions and figures of new or little known species of organic remains from the Silurian rocks*: Geol. Surv. Can., 426 p., 401 text-fig.
- Blainville, H. M. de**, 1820, *Flustre*: in G. Cuvier, *Dictionnaire des Sciences Naturelles*, v. 17, p. 171–179 (Paris).
- , 1834, *Manuel d'Actinologie et de Zoophytologie*: viii + 694 p., 103 pl. (Paris).
- Blake, D. B.**, 1973a, *Acanthopore ultrastructure in the Paleozoic bryozoan family Rhabdomesidae*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 221–229, 2 pl., Academic Press (London).
- , 1973b, *Acanthopore morphology and function in the bryozoan family Rhabdomesidae*: J. Paleontol., v. 47, p. 421–435, 1 text-fig., 4 pl.
- , 1973c, *Coloniality and polymorphism in Bryozoa of the families Rhabdomesidae and Hypphasporidae (order Rhabdomesonata)*: in R. S. Boardman, A. H. Cheetham, & W. A. Oliver, Jr. (eds.), *Animal Colonies*, p. 361–376, 37 text-fig., Dowden, Hutchinson, & Ross (Stroudsburg).
- , 1975, *The order Cryptostomata resurrected*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 211–223, 3 pl.
- , 1976, *Functional morphology and taxonomy of branch dimorphism in the Paleozoic bryozoan genus Rhabdomeson*: *Lethaia*, v. 9, p. 169–178, 11 text-fig.
- , 1980, *Homeomorphy in Paleozoic bryozoans; a search for explanations*: *Paleobiology*, v. 6, p. 451–465, 5 text-fig.
- , & Towe, K. M., 1971, *Acanthopore ultrastructure in the Paleozoic bryozoan *Idioclema insigne* Girty*: J. Paleontol., v. 45, p. 913–917, 2 text-fig.
- Boardman, R. S.**, 1960, *Trepomatous Bryozoa of the Hamilton group of New York State*: U.S. Geol. Surv. Prof. Pap. 340, iv + 87 p., 27 text-fig., 22 pl.
- , 1968, *Colony development and convergent evolution of budding pattern in "rhombotrypid" Bryozoa*: in E. Annoscia (ed.), *Proceedings of the First International Conference on Bryozoa*, Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano, v. 108, p. 179–184.
- , 1971, *Mode of growth and functional morphology of autozooids in some recent and Paleozoic tubular Bryozoa*: *Smithson. Contrib. Paleobiol.*, no. 8, 51 p., 6 text-fig., 11 pl.
- , 1973, *Body walls and attachment organs in some recent cyclostomes and Paleozoic trepostomes*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 231–246, 4 text-fig., 3 pl., Academic Press (London).
- , 1975, *Taxonomic characters for phylogenetic classifications of cyclostome Bryozoa*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 2, p. 595–606, 4 pl.
- , & Cheetham, A. H., 1969, *Skeletal growth, intracolony variation, and evolution in Bryozoa; a review*: J. Paleontol., v. 43, p. 205–233, 8 text-fig., pl. 27–30.
- , & ———, 1973, *Degrees of colony dominance in stenolaemate and gymnotaemate Bryozoa*: in R. S. Boardman, A. H. Cheetham, & W. A. Oliver, Jr. (eds.), *Animal Colonies*, p. 121–220, 40 text-fig., Dowden, Hutchinson, & Ross (Stroudsburg).

- , ———, & Cook, P. L., 1970, *Intracolony variation and the genus concept in Bryozoa*: North American Paleontological Convention, Chicago, 1969, Proc., v. 1, pt. C, p. 294–320, 12 text-fig.
- , & McKinney, F. K., 1976, *Skeletal architecture and preserved organs of four-sided zooids in convergent genera of Paleozoic Trepostomata (Bryozoa)*: J. Paleontol., v. 50, p. 25–78, 18 text-fig., 16 pl.
- , & Towe, K. M., 1966, *Crystal growth and lamellar development in some recent cyclostome Bryozoa (abstr.)*: Geol. Soc. Am. Program 1966 Annu. Meet., p. 20.
- , & Utgaard, John, 1964, *Modifications of study methods for Paleozoic Bryozoa*: J. Paleontol., v. 38, p. 768–770.
- , & ———, 1966, *A revision of the Ordovician bryozoan genera Monticulipora, Peronopora, Heterotrypa, and Dekayia*: J. Paleontol., v. 40, p. 1082–1108, 9 text-fig., pl. 133–142.
- Bobin, Geneviève**, 1958a, *Structure et genèse des diaphragmes autozoëciaux chez Bowerbankia imbricata (Adams)*: Arch. Zool. Exp. Gen., v. 96, p. 53–99, text-fig. 1–9.
- , 1958b, *Histologie des bourgeons autozoëciaux et genèse de leurs diaphragmes chez Vesicularia spinosa (Linné) (Bryozoaire Cténostome)*: Bull. Soc. Zool. Fr., v. 83, p. 132–144, 4 text-fig.
- , 1964, *Cytologie de rosettes de Bowerbankia imbricata (Adams) (Bryozoaire Cténostome, vésicularine). Hypothèse sur leur fonctionnement*: Arch. Zool. Exp. Gen., v. 104, p. 1–44, 8 text-fig.
- , 1971, *Histophysiologie du système rosettes—funicule de Bowerbankia imbricata (Adams) (Bryozoaire Cténostome). Les lipides*: Arch. Zool. Exp. Gen., v. 112, p. 771–792, 3 text-fig.
- , 1977, *Interzoecial communications and the funicular system*: in R. M. Woollacott & R. L. Zimmer (eds.), *Biology of Bryozoans*, p. 307–333, 5 text-fig., Academic Press (New York).
- , & Prenant, Marcel, 1957, *Les cellules cystidiennes et les phénomènes d'histolyse et de phagocytose chez Alcyonidium gelatinosum (L.) (Bryozoaire Cténostomes)*: Bull. Biol. Fr. Belg., v. 91, p. 203–224, 9 text-fig., 1 pl.
- , & ———, 1968, *Sur le calcaire des parois autozoëciales d'Electra verticillata (Ell. et Sol.), Bryozoaire Chilostome, Anasca. Notions préliminaires*: Arch. Zool. Exp. Gen., v. 109, p. 157–191, 9 text-fig.
- , & ———, 1972, *Sur les cellules cavitaires de quelques Vésicularines (Bryozoaires Cténostomes)*: Cah. Biol. Mar., v. 13, p. 479–510, 7 text-fig.
- Boeschoten, G. J.**, 1970, *On Bryozoan borings from the Danian at Fakse, Denmark*: in T. P. Crimes & J. C. Harper (eds.), *Trace Fossils*, Geol. J., spec. issue no. 3, p. 43–48, 1 text-fig., Seel House Press (Liverpool).
- Borg, Folke**, 1926a, *Studies on recent cyclostomatous Bryozoa*: Zool. Bidr. Uppsala, bd. 10, p. 181–507, 109 text-fig., 14 pl.
- , 1926b, *On the body-wall in Bryozoa*: Q. J. Microsc. Sci., v. 70, p. 583–598, 6 text-fig.
- , 1933, *A revision of recent Heteroporidae (Bryozoa)*: Zool. Bidr. Uppsala, bd. 14, p. 253–394, 29 text-fig., 14 pl.
- , 1941, *On the structure and relationships of Crisina (Bryozoa Stenolaemata)*: Ark. Zool., v. 33A, no. 11, p. 1–44, 16 text-fig., 4 pl.
- , 1944, *The stenolaematous Bryozoa*: in S. Bock (ed.), *Further Zoological Results of the Swedish Antarctic Expedition 1901–1903*. . . , v. 3, no. 5, 276 p., 26 text-fig., 16 pl., P. A. Norstedt & Söner (Stockholm).
- , 1965, *A comparative and phyletic study on fossil and recent Bryozoa of the suborders Cyclostomata and Trepostomata*: Ark. Zool., ser. 2, v. 17, p. 1–91, pl. 1–14 [posthumously edited by LARS SILÉN and NILS SPJELDNAES].
- Braem, Fritz**, 1890, *Untersuchungen über die Bryozoen des süßen Wassers*: Bibl. Zool., v. 2, Heft 6, 134 p., 15 pl.
- , 1896, *Die geschlechtliche Entwicklung von Paludicella ehrenbergii*: Zool. Anz., v. 19, p. 54–57, 4 text-fig.
- , 1897, *Die geschlechtliche Entwicklung von Plumatella fungosa*: Zoologica, v. 10, no. 23, p. 1–96, 9 text-fig., 8 pl.
- Brettnall, R. W.**, 1926, *Descriptions of some Western Australian fossil Polyzoa*: West. Aust. Geol. Surv. Bull. 88, ser. 7, no. 13, p. 7–33, 4 pl.
- Brien, Paul**, 1936, *Contribution à l'étude de la reproduction asexuée des Phylactolémates*: Mus. R. Hist. Nat. Belg. Mem., ser. 2, fasc. 3, p. 570–625, 28 text-fig.
- , 1953, *Étude sur les Phylactolémates. Evolution de la zoécie—Bourgeoisement d'accroissement—Bourgeoisement statoblastique—Embryogénèse—l'Ontogénèse multiple*: Ann. Soc. R. Zool. Belg., v. 84, p. 301–444, 66 text-fig.
- , 1954, *À propos des Bryozoaires phylactolémates*: Bull. Soc. Zool. Fr., v. 79, p. 203–239, 19 text-fig.
- , 1960, *Classe des Bryozoaires*: in P. Grassé (ed.), *Traité de Zoologie*, v. 5, fasc. 2, p. 1054–1335, text-fig. 876–1223, Masson (Paris).
- Bromley, R. G.**, 1970, *Borings as trace fossils and Entobia cretacea Portlock, as an example*: in T. P. Crimes & J. C. Harper (eds.), *Trace Fossils*, Geol. J., spec. issue no. 3, p. 49–90, 4 text-fig., 5 pl., Seel House Press (Liverpool).
- Bronstein, Georges**, 1937, *Étude du système nerveux de quelques Bryozoaires gymnolemides*: Stat. Biol. Roscoff. Trav., v. 15, p. 155–174, 12 text-fig.
- Brood, Krister**, 1970, *On two species of Saffordotaxis (Bryozoa) from the Silurian of Gotland, Sweden*: Stockholm Contrib. Geol., v. 21, p. 57–68, 4 text-fig., 9 pl.

- , 1972, *Cyclostomatous Bryozoa from the Upper Cretaceous and Danian in Scandinavia*: Stockholm Contrib. Geol., v. 26, 464 p., 148 text-fig., 78 pl.
- , 1973, *Paleozoic Cyclostomata (a preliminary report)*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 247–256, 2 text-fig., 2 pl., Academic Press (London).
- , 1975a, *Paleoecology of Silurian Bryozoa from Gotland (Sweden)*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 2, p. 401–414, 4 text-fig., 4 pl.
- , 1975b, *Cyclostomatous Bryozoa from the Silurian of Gotland*: Stockholm Contrib. Geol., v. 28, p. 45–119, 19 text-fig., 16 pl.
- , 1976, *Wall structure and evolution in cyclostomate Bryozoa*: *Lethaia*, v. 9, p. 377–389, 11 text-fig.
- Brown, C. J. D., 1933, *A limnological study of certain fresh-water Polyzoa with special reference to their statoblasts*: Trans. Am. Microsc. Soc., v. 52, p. 271–316, 3 text-fig., pl. 39–40.
- Brown, D. A., 1958, *The relative merits of the class names "Polyzoa" and "Bryozoa"*: Bull. Zool. Nomencl., v. 15, p. 540–542.
- Bryan, W. H., 1941, *Spherulites and allied structures, I*: Proc. R. Soc. Queensl., v. 52, p. 41–53, 10 text-fig., pl. 3–5.
- , & Hill, Dorothy, 1941, *Spherulitic crystallization as a mechanism of skeletal growth in the hexacorals*: Proc. R. Soc. Queensl., v. 52, p. 78–91, 2 text-fig.
- Brydone, R. M., 1929, *Further notes on new or imperfectly known Chalk Polyzoa, pt. 1*: 40 p., 14 pl., Dulau & Co. (London).
- Buge, Émile, 1952, *Classe des Bryozoaires*: in J. Piveteau (ed.), *Traité de Paléontologie*, v. 1, p. 688–749, 142 text-fig., Masson (Paris).
- , 1957, *Les Bryozoaires du Néogène de l'ouest de la France et leur signification stratigraphique et paléobiologique*: Mem. Mus. Natl. Hist. Nat. Paris, Ser. C. t. 6, 435 p., 53 text-fig., 12 pl.
- Bushnell, J. H., 1966, *Environmental relations of Michigan Ectoprocta, and dynamics of natural populations of Plumatella repens*: Ecol. Monogr., v. 36, p. 95–123, 14 text-fig.
- , 1974, *Bryozoans (Ectoprocta)*: in C. W. Hart, Jr. & S. L. H. Fuller (eds.), *Pollution Ecology of Freshwater Invertebrates*, p. 157–194, Academic Press (New York).
- , & Rao, K. S., 1974, *Dormant or quiescent stages and structures among the Ectoprocta; physical and chemical factors affecting viability and germination of statoblasts*: Trans. Am. Microsc. Soc., v. 93, p. 524–543, 18 text-fig.
- , & Wood, T. S., 1971, *Honeycomb colonies of Plumatella casmiana Oka (Ectoprocta: Phylactolaemata)*: Trans. Am. Microsc. Soc., v. 90, p. 229–231, 1 text-fig.
- Busk, George, 1852, *An account of the Polyzoa, and serularian Zoophytes. . .*: in J. MacGillivray, Narrative of the Voyage of H.M.S. Rattlesnake, . . . during the years 1846–1850, v. 1, p. 343–402, 1 pl., T. & W. Boone (London).
- , 1859, *A monograph of the fossil Polyzoa of the Crag*: xiv + 136 p., 7 text-fig., 22 pl., Palaeontographical Society (London).
- , 1884, *Report on the Polyzoa (Part I.—The Cheilostomata)*: in J. Murray, Report on the Scientific Results of the Voyage of H.M.S. Challenger during the years 1873–76. . . , Zoology, v. 10, pt. 30, xxiv + 216 p., 59 text-fig., 36 pl., H.M. Stationery Office (London).
- , 1886, *Report on the Polyzoa (Part II.—The Cyclostomata, Ctenostomata, and Pedicellinea)*: in J. Murray, Report on the Scientific Results of the Voyage of H.M.S. Challenger during the years 1873–76. . . , Zoology, v. 17, pt. 50, viii + 47 p., 2 text-fig., 10 pl., H.M. Stationery Office (London).
- Calvet, Louis, 1900, *Contributions à l'histoire naturelle de Bryozoaires Ectoproctes marins*: Trav. Inst. Zool. Univ. Montpellier, n.ser., mem. 8, 488 p., 45 text-fig., 13 pl.
- Canu, Ferdinand, 1900, *Revision des Bryozoaires du Crétacé figurés par d'Orbigny, II. Cheilostomata*: Bull. Soc. Geol. Fr., ser. 3, t. 28, p. 334–463, 71 text-fig., pl. 4–7.
- , & Bassler, R. S., 1917, *A synopsis of American Early Tertiary cheilostome Bryozoa*: U.S. Natl. Mus. Bull. 96, 87 p., 6 pl.
- , & ———, 1920, *North American Early Tertiary Bryozoa*: U.S. Natl. Mus. Bull. 106, 879 p., 279 text-fig., 162 pl.
- Caster, K. E., 1934, *The stratigraphy and paleontology of northwestern Pennsylvania, part 1—Stratigraphy*: Bull. Am. Paleontol., v. 21, no. 71, 185 p., 12 text-fig.
- Chapman, Frederick, 1920, *Lower Carboniferous limestone fossils from New South Wales*: Proc. Linn. Soc. N.S.W., v. 45, p. 364–367, pl. 24.
- Cheetham, A. H., 1963, *Late Eocene zoogeography of the eastern Gulf Coast region*: Geol. Soc. Am. Mem. 91, xii + 113 p., 34 text-fig., 3 pl.
- , 1968, *Morphology and systematics of the bryozoan genus Metrarabdotos*: Smithsonian. Misc. Collect., v. 153, no. 1, viii + 122 p., 24 text-fig., 18 pl.
- , 1971, *Functional morphology and biofacies distribution of cheilostome Bryozoa in the Danian Stage (Paleocene) of southern Scandinavia*: Smithsonian. Contrib. Paleobiol., no. 6, 87 p., 29 text-fig., 7 pl.
- , 1972, *Cheilostome Bryozoa of late Eocene age from Eua, Tonga*: U.S. Geol. Surv. Prof. Pap. 640-E, vii + 26 p., 7 text-fig., 7 pl.
- , 1975a, *Preliminary report on early Eocene cheilostome bryozoans from Site 308—Leg 32, Deep Sea Drilling Project*: in R. L. Larson, R. Moberly et al., Initial Reports of the Deep Sea Drilling Project, v. 32, p. 835–851, 2 text-fig., 4 pl. U.S. Government Printing Office (Washington).

- , 1975b, *Taxonomic significance of autozooid size and shape in some early multiserial cheilostomes from the Gulf Coast of the U.S.A.*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 2, p. 547–564, 11 text-fig., 3 pl.
- , & Håkansson, Eckart, 1972, *Preliminary report on Bryozoa (Site 117)*: in A. S. Laughton, W. A. Berggren *et al.*, *Initial Reports of the Deep Sea Drilling Project*, v. 12, p. 432–441, text-fig. 29. pl. 13–28, U.S. Government Printing Office (Washington).
- , & Lorenz, D. M., 1976, *A vector approach to size and shape comparisons among zooids in cheilostome Bryozoa*: *Smithson. Contrib. Paleobiol.*, no. 29, vi + 56 p., 37 text-fig.
- , Rucker, J. B., & Carver, R. E., 1969, *Wall structure and mineralogy of the cheilostome bryozoan *Metrarabdotos**: *J. Paleontol.*, v. 43, p. 129–135, 1 text-fig., pl. 26.
- Cook, P. L., 1963, *Observations on live lunulitiform zoaria of Polyzoa*: *Cah. Biol. Mar.*, v. 4, p. 407–413, 1 text-fig., 1 pl.
- , 1964, *Polyzoa from West Africa, I. Notes on the Steganoporellidae, Thalamoporellidae and Onychocellidae (Anasca, Coilostega)*: *Ann. Inst. Oceanogr. (Paris)*, t. 41, p. 43–78, 13 text-fig., 1 pl.
- , 1968a, *Polyzoa from West Africa, the Malacostega, Part I*: *Bull. Br. Mus. Nat. Hist. Zool.*, v. 16, p. 115–160, 20 text-fig., 3 pl.
- , 1968b, *Bryozoa (Polyzoa) from the coasts of tropical West Africa*: *Atl. Rep.*, no. 10, p. 115–262, 2 text-fig., pl. 8–11.
- , 1968c, *Observations on living Bryozoa*: in E. Annoscia (ed.), *Proceedings of the First International Conference on Bryozoa*, Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano, v. 108, p. 155–160, 3 text-fig.
- , 1973a, *Settlement and early colony development in some Cheilostomata*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 65–71, 4 text-fig., Academic Press (London).
- , 1973b, *Preliminary notes on the ontogeny of the frontal body wall in the Adeonidae and Adeonellidae (Bryozoa, Cheilostomata)*: *Bull. Br. Mus. Nat. Hist. Zool.*, v. 25, p. 245–263, pl. 1–3.
- , 1975, *The genus *Tropidozoum* Harmer*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 161–168, 3 text-fig., 3 pl.
- , 1977, *Colony-wide water currents in living Bryozoa*: *Cah. Biol. Mar.*, v. 18, p. 31–47, 1 text-fig., 1 pl.
- , & Lagaij, Robert, 1976, *Some Tertiary and recent conesharelliniform Bryozoa*: *Bull. Br. Mus. Nat. Hist. Zool.*, v. 29, p. 319–376, 7 text-fig., 8 pl.
- Cori, C. J., 1941, *Ordnung der Tentaculata; Bryozoa*: in W. Kükenthal & T. Krumbach (eds.), *Handbuch der Zoologie*, Bd. 3, Heft 2, p. 263–502, text-fig. 272–611, W. de Gruyter & Co. (Berlin).
- Corneliusen, E. F., & Perry, T. G., 1973, *Monotrypa, Hallopora, Amplexopora, and Hennigopora (Ectoprocta) from the Brownsport Formation (Niagara), western Tennessee*: *J. Paleontol.*, v. 47, p. 151–220, 34 text-fig., 10 pl.
- Coryell, H. N., 1921, *Bryozoan faunas of the Stones River group of central Tennessee*: *Proc. Indiana Acad. Sci.*, 1919, p. 261–340, 3 text-fig., 14 pl.
- Crockford, Joan, 1941, *Bryozoa from the Silurian and Devonian of New South Wales*: *J. Proc. R. Soc. N.S.W.*, v. 75, p. 104–114, 1 text-fig., pl. 5.
- , 1944, *Bryozoa from the Permian of Western Australia*: *Proc. Linn. Soc. N.S.W.*, v. 69, p. 139–175, 49 text-fig., pl. 4, 5.
- , 1947, *Bryozoa from the Lower Carboniferous of New South Wales and Queensland*: *Proc. Linn. Soc. N.S.W.*, v. 72, p. 1–48, 51 text-fig., 6 pl.
- , 1957, *Permian Bryozoa from the Fitzroy Basin, Western Australia*: *Aust. Bur. Miner. Resour. Geol. Geophys. Bull.* 34, 136 p., 13 text-fig., 21 pl.
- Crowe, J. H., 1971, *Anhydrobiosis; an unsolved problem*: *Am. Nat.*, v. 105, p. 563–573.
- Cuffey, R. J., 1969, *Bryozoa versus Ectoprocta—The necessity for precision*: *Syst. Zool.*, v. 18, p. 250–251.
- , 1973, *An improved classification, based upon numerical-taxonomic analyses, for the higher taxa of entoproct and ectoproct bryozoans*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 549–564, 4 text-fig., Academic Press (London).
- Cummings, E. R., 1904, *Development of some Paleozoic Bryozoa*: *Am. J. Sci.*, ser. 4, v. 17, p. 49–78, 83 text-fig.
- , 1905, *Development of *Fenestella**: *Am. J. Sci.*, ser. 4, v. 20, p. 169–177, pl. 5–7.
- , 1906, *Descriptions of the Bryozoa of the Salem Limestone of southern Indiana*: *Indiana Dept. Geol. Nat. Res.* 30th Annu. Rep., p. 1274–1296, pl. 27–40.
- , 1912, *Development and systematic position of the monticuliporoids*: *Geol. Soc. Am. Bull.*, v. 23, p. 357–370, pl. 19–22.
- , & Galloway, J. J., 1913, *The stratigraphy and paleontology of the Tanner's Creek section of the Cincinnati Series of Indiana*: *Indiana Dept. Geol. Nat. Res.* 37th Annu. Rep., p. 353–478, 20 pl.
- , & ———, 1915, *Studies of the morphology and histology of the Trepostomata or monticuliporoids*: *Geol. Soc. Am. Bull.*, v. 26, p. 349–374, pl. 10–15.
- Cutler, J. F., 1973, *Nature of "acanthopores" and related structures in the Ordovician bryozoan *Constellaria**: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 257–260, Academic Press (Lon-

- don).
- Dall, W. H., 1877, Note on "Die Gasteropoden Fauna Baikalsees": Proc. Boston Soc. Nat. Hist., v. 19, p. 43-47.
- Dana, J. D., 1846, *Zoophytes: in United States Exploring Expedition . . . 1838-42, under the command of Charles Wilkes, v. 7, 740 p., C. Sherman (Philadelphia).*
- , 1849, *Atlas. Zoophytes: in United States Exploring Expedition . . . 1838-42, under the command of Charles Wilkes, 61 pl., Lea & Blanchard (Philadelphia).*
- Davenport, C. B., 1890, *Cristatella; the origin and development of the individual in the colony: Bull. Mus. Comp. Zool. Harvard Univ. [Coll.], v. 20, p. 101-151, text-fig. a, b, 11 pl.*
- , 1891, *Observations on budding in Paludicella and some other Bryozoa: Bull. Mus. Comp. Zool. Harvard Univ. [Coll.], v. 22, p. 1-114, 12 pl.*
- Dawydoff, Constantin, & Grassé, P.-P., 1959, *Classe des phoronidiens: in P. Grassé (ed.), Traité de Zoologie, v. 5, fasc. 1, p. 1008-1053, text-fig. 835-875, pl. 5, Masson (Paris).*
- Delage, M. Y., & Herourard, Edgard, 1897, *Traité de zoologie concrète; Les Vermidiens (v. 5): xii + 372 p., 523 text-fig., 46 pl. (Paris).*
- DeVries, Hugo, 1890, *Die Pflanzen und Thiere in den dunklen Räumen der Rotterdamer Wasserleitung. Bericht über die biologischen Untersuchungen der Crenothrix-Commission zu Rotterdam. . . 1887: 73 p., illus., (Jena).*
- Dodd, J. R., 1963, *Paleoecological implications of shell mineralogy in two pelecypod species: J. Geol., v. 71, p. 1-11, 8 text-fig.*
- , 1967, *Magnesium and strontium in calcareous skeletons; a review: J. Paleontol., v. 41, p. 1313-1329, 4 text-fig.*
- Dollfus, G. F., 1875, *Observations critiques sur la classification des Polyptiers paléozoïques: C. R. Acad. Sci. Paris, v. 80, p. 681-683.*
- Dudley, J. W., 1970, *Differential utilization of phytoplankton food resources by marine ectoprocts: Biol. Bull. Woods Hole Mass., v. 139, p. 420.*
- Duméril, A. M. C., 1806, *Zoologie analytique, ou méthode naturelle de classification des animaux, rendue plus facile à l'aide de tableaux synoptiques: xxxii + 344 p. (Paris).*
- Dunaeva, N. N., 1968, *On the mode of sexual reproduction of some trepostomatous Bryozoa: in E. Annoscia (ed.), Proceedings of the First International Conference on Bryozoa, Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano, v. 108, p. 61-63, 1 text-fig.*
- , 1973, *Mshanki roda Megacanthopora iz kamennougol'nykh otlozhenij Bol'shogo Donbassa: Paleontol. Zh., 1973, no. 4, p. 56-61, pl. 9. [Bryozoans of the genus Megacanthopora from Carboniferous deposits of the Greater Donbass.]*
- , & Morozova, I. P., 1967, *Osobennosti razvitiya i sistematicheskoe polozhenie nekotorykh pozdne-Paleozojskikh Trepostomat: Paleontol. Zh., 1967, no. 4, p. 86-94, 2 text-fig., pl. 5. [Evolutionary features and systematic position of some late Paleozoic Trepostomata.]*
- , & ———, 1975, *Revision of the suborder Fenestelloidea: in S. Pouyet (ed.), Bryozoa 1974, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 225-233.*
- Duncan, Helen, 1949, *Genotypes of some Paleozoic Bryozoa: J. Wash. Acad. Sci., v. 39, p. 122-136.*
- , 1957, *Bryozoans: in H. S. Ladd (ed.), Treatise on Marine Ecology and Paleoecology, v. 2, Geol. Soc. Am. Mem. 67, p. 783-799.*
- Dybowski, Władysław, 1877, *Die Chaetetiden der ostbaltischen Silur-formation: 134 p., 4 pl., Kaiserlichen Akademie der Wissenschaften (St. Petersburg).*
- Dzik, Jerzy, 1975, *The origin and early phylogeny of the cheilostomatous Bryozoa: Acta Paleontol. Pol., v. 20, p. 395-423, 12 text-fig., pl. 15-18.*
- Ehrenberg, C. G., 1831, *Symbolae Physicae, seu Icones et descriptiones Corporum Naturalium novorum aut minus cognitorum, quae ex itineribus per Libyam, Aegyptum, Nubiam, Dongalam, Syriam, Arabiam et Habessiniam. . . studio annis 1820-25 redierunt. . . Pars Zoologica: v. 4, Animalia Evertibrata exclusis Insectis, 10 pl. (Berolini).*
- Eichwald, C. E., 1829, *Zoologia specialis quam expositis Animalibus tum vivis, tum fossilibus potissimum Rossiae in universum, et Poloniae in specie, etc.: v. 1, vi + 314 p., 5 pl. (Vilna).*
- , 1842, *Die Urwelt Russlands, durch Abbildungen erläutert: Heft 2, 184 p., 4 pl., Kaiserlichen Akademie der Wissenschaften (St. Petersburg).*
- , 1860, *Lethaea Rossica, ou Paléontologie de la Russie. . . : v. 1 (l'ancienne période), p. 355-518, E. Schweizerbart (Stuttgart).*
- Eitan, Gabriel, 1972, *Types of metamorphosis and early astogeny in Hippopodina feegeensis (Busk) (Bryozoa—Ascophora): J. Exp. Mar. Biol. Ecol., v. 8, p. 27-30, 1 text-fig.*
- Elias, M. K., 1954, *Cambroporella and Coeloclema, Lower Cambrian and Ordovician bryozoans: J. Paleontol., v. 28, p. 52-58, pl. 9-10.*
- , 1957, *Late Mississippian fauna from the Redoak Hollow formation of southern Oklahoma, part 1: J. Paleontol., v. 31, p. 370-427, pl. 39-50.*
- , & Condra, G. E., 1957, *Fenestella from the Permian of West Texas: Geol. Soc. Am. Mem. 70, x + 158 p., 17 text-fig., 23 pl.*
- Ellis, John, 1754, *Observations on a remarkable coralline. . . : Philos. Trans. R. Soc. London, v. 48, pt. 1, p. 115-117, pl. 5.*
- , 1755a, *A letter to Mr. Peter Collinson concerning a particular species of coralline: Philos. Trans. R. Soc. London, v. 48, pt. 2, p. 504-507, pl. 17-18.*
- , 1755b, *A letter from Mr. John Ellis to Mr. Peter Collinson concerning the animal life of cor-*

- allines, that look like minute trees.* . . : Philos. Trans. R. Soc. London, v. 48, pt. 2, p. 627–633, pl. 22–23.
- , 1755c, *An essay towards a natural history of the corallines and other marine productions of the like kind, commonly found on the coasts of Great Britain and Ireland*: xvii + 103 p., 38 pl. (London).
- Erben, H. K., 1974, *On the structure and growth of the nacreous tablets in gastropods*: Biomineralisation Forschungsber., Bd. 7, p. 14–27, 5 pl.
- Eschscholtz, J. F. von, 1825, *Bericht über die zoologische Ausbeute während der Reise von Kronstadt bis St. Peter und Paul*: Isis von Oken, 1825, col. 733–747, pl. 5.
- Etheridge, Robert, Jr., 1873, *Description of Carinella, a new genus of Carboniferous Polyzoa*: Geol. Mag., v. 10, p. 433–434, pl. 15.
- , 1875, *Note on a new provisional genus of Carboniferous Polyzoa*: Ann. Mag. Nat. Hist., ser. 4, v. 15, p. 43–45, pl. 4.
- , 1876, *Carboniferous and post-Tertiary Polyzoa*: Geol. Mag., n.ser., dec. 2, v. 3, p. 522–523, 1 text-fig.
- , 1917, “*Vetofistula*,” a new form of Palaeozoic Polyzoa, allied to “*Rhabdomeson*” Young and Young, from Reid’s Gap, near Townsville: Geol. Surv. Queensl. Publ. no. 260, p. 17–20, pl. 4.
- , & Foord, A. H., 1884, *Descriptions of Paleozoic corals in the collections of the British Museum (Natural History)*: Ann. Mag. Nat. Hist., ser. 5, v. 13, p. 472–476, pl. 17.
- Farmer, J. D., Valentine, J. W., & Cowen, Richard, 1973, *Adaptive strategies leading to the ectoproct ground-plan*: Syst. Zool., v. 22, p. 233–239, 1 text-fig.
- Farre, Arthur, 1837, *Observations on the minute structure of some of the higher forms of Polypti, with views of a more natural arrangement of the class*: Philos. Trans. R. Soc. London, v. 127, p. 387–426, pl. 20–27.
- Fischer, Paul, 1866, *Étude sur les Bryozoaires perforants de la famille des Térébriporides*: Nouv. Arch. Mus. Natl. Hist. Nat. Paris, t. 2, p. 293–313, pl. 11.
- Fleming, P. J. G., 1969, *Fossils from the Neerkol Formation of central Queensland*: in K. S. W. Campbell (ed.), *Stratigraphy and Palaeontology*; Essays in Honour of Dorothy Hill, p. 264–275, pl. 16, 17, Australian National University Press (Canberra).
- Foerste, A. F., 1887, *Letters to the editor: recent methods in the study of Bryozoa*: Science, v. 10, no. 248, p. 225–226.
- Franzén, Åke, 1970, *Phylogenetic aspects of the morphology of spermatozoa and spermiogenesis*: in B. Baccetti (ed.), *Comparative Spermatology*, p. 29–46, 8 text-fig., Accademia Nazionale dei Lincei & Academic Press (Rome & New York).
- Fritz, M. A., 1947, *Cambrian Bryozoa*: J. Paleontol., v. 21, p. 434–435, pl. 60.
- Fry, H. C., & Cuffey, R. J., 1976, *Filiramoporina kretaphilia—A new genus and species of bifoliate tubulobryozoan (Ectoprocta) from the Lower Permian Wreford Megacyclothem of Kansas*: Univ. Kans. Paleontol. Contrib. Pap. 84, 12 p., 3 fig., 2 pl.
- Fyfe, W. S., & Bischoff, J. L., 1965, *The calcite-aragonite problem*: in L. C. Pray & R. C. Murray (eds.), *Dolomitization and Limestone Diagenesis—A Symposium*, Soc. Econ. Paleontol. Mineral. Spec. Publ. 13, p. 3–13.
- Gabb, W. M., & Horn, G. H., 1862, *Monograph of the fossil Polyzoa of the secondary and tertiary formations of North America*: J. Acad. Nat. Sci. Philadelphia, v. 5, p. 111–179, pl. 19–21.
- Gautier, T. G., 1970, *Interpretive morphology and taxonomy of bryozoan genus Tabulipora*: Univ. Kans. Paleontol. Contrib. Pap. 48, p. 1–21, 9 text-fig., 8 pl.
- , 1972, *Growth, form, and functional morphology of Permian acanthocladiid Bryozoa from the Glass Mountains, West Texas*: Unpubl. Ph.D. dissert., University of Kansas, 187 p., 37 text-fig., 21 pl.
- , 1973, *Growth in bryozoans of the order Fenestrata*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 271–274, 2 text-fig., Academic Press (London).
- Geiser, S. W., 1937, *Pectinatella magnifica Leidy, an occasional river-pest in Iowa*: Field Lab., v. 5, p. 65–76, 1 text-fig.
- Gervais, Paul, 1837, *Recherches sur les polyptes d’eau douce des genres Plumatella, Cristatella, et Paludicella*: Ann. Sci. Nat. Zool. Biol. Anim., ser. 2, v. 7, p. 74–93, 1 pl.
- Gerwerzhagen, Adolf, 1913, *Beiträge zur Kenntnis der Bryozoen I. Das Nervensystem von Cristatella mucedo Cuv.*: Z. Wiss. Zool., v. 107, p. 309–345, 3 text-fig., pl. 12–14.
- Girty, G. H., 1910, *New genera and species of Carboniferous fossils from the Fayetteville Shale of Arkansas*: Ann. N.Y. Acad. Sci., v. 20, no. 3, pt. 2, p. 189–238.
- Goldfuss, G. A., 1829, *Petrefacta Germaniae, Abbildung und Beschreibungen der Petrefacten Deutschlands und der angrenzenden Länder*: Bd. 1, lief. 2, p. 77–164, pl. 26–50, Arnz & Co. (Düsseldorf).
- , 1831, *Petrefacta Germaniae . . .*: Bd. 1, lief. 3, p. 165–240, pl. 51–71, Arnz & Co. (Düsseldorf).
- Gordon, D. P., 1968, *Zooidal dimorphism in the polyzoan Hippopodina adpressa (Busk)*: Nature (London), v. 219, p. 633–634, 1 text-fig.
- , 1971a, *Colony formation in the cheilostomatous bryozoan Fenestrulina malusii var. thyreophora*: N.Z. J. Mar. Freshwater Res., v. 5, p. 342–351, 6 text-fig.
- , 1971b, *Zooidal budding in the cheilostomatous bryozoan Fenestrulina malusii var. thy-*

- reophora*: N.Z. J. Mar. Freshwater Res., v. 5, p. 453-460, 5 text-fig.
- , 1975, *Ultrastructure of communication pore areas in two bryozoans*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 187-192, 1 text-fig., 2 pl.
- Goryunova [Gorjunova], R. V., 1969, *O novom rode mshanok iz verkhnego karbona Srednego Urala*: Paleontol. Zh., 1969, no. 2, p. 129-131, 1 text-fig. [*New Upper Carboniferous bryozoan genus from the Central Urals.*]
- , 1972, *Semejstvo Actinotrypidae, ego sostav i sistematicheskoe polozhenie*: Paleontol. Zh., 1972, no. 2, p. 147-150, 1 text-fig. [*The family Actinotrypidae, its composition and systematic position.*]
- , 1975, *Permskie mshanki Pamira*: Tr. Akad. Nauk SSSR Paleontol. Inst., v. 148, 128 p., 20 text-fig., 29 pl. [*Permian Bryozoa of the Pamirs.*]
- , & Morozova, I. P., 1979, *Pozdnepaleozojskie mshanki Mongolii*: Trudy Sovmestnaya Sovetski-Mongol'skaya Paleontologicheskaya Ekspeditsiya, v. 9, 139 p., 17 text-fig., 27 pl. [*Late Paleozoic Bryozoa of Mongolia: Proceedings of the Joint Soviet-Mongolian Paleontological Expedition.*]
- Gould, S. J., & Katz, Michael, 1975, *Disruption of ideal geometry in the growth of receptaculitids; a natural experiment in theoretical morphology*: Paleobiology, v. 1, p. 1-20, 12 text-fig.
- Grant, R. E., 1827, *Observations on the structure and nature of Flustra*: Edinburgh New Philos. J., ser. 2, v. 3, p. 107-118, 337-342.
- Greeley, Ronald, 1967, *Natural orientation of lunulitiform bryozoans*: Geol. Soc. Am. Bull., v. 78, p. 1179-1182, 2 text-fig., 2 pl.
- , 1969, *Basally "uncalcified" zoaria of lunulitiform Bryozoa*: J. Paleontol., v. 43, p. 252-256, 2 text-fig., pl. 33-34.
- Gregorio, Antonio de, 1930, *Sul Permiano di Sicilia*: Ann. Geol. Paleontol. Palermo, v. 52, p. 1-69, 21 pl.
- Gregory, J. W., 1893, *On the British Palaeogene Bryozoa*: Trans. Zool. Soc. London, v. 13, p. 219-279, pl. 29-32.
- , 1896, *Catalogue of the fossil Bryozoa in the Department of Geology of the British Museum (Natural History). The Jurassic Bryozoa*: 239 p., 22 text-fig. 11 pl. (London).
- , 1909, *Catalogue of the fossil Bryozoa (Polyzoa) in the Department of Geology, British Museum (Natural History). The Cretaceous Bryozoa (Polyzoa)*: v. 2, 346 p., 75 text-fig., 9 pl. (London).
- Grubbs, D. M., 1939, *Fauna of the Niagaran nodules of the Chicago area*: J. Paleontol., v. 13, p. 543-560, 2 text-fig., pl. 61-62.
- Gürich, Georg, 1896, *Das Palaeozoicum im polnischen Mittelgebirge*: Zap. Vses. Mineral. O-va., v. 32, 539 p.
- Gurley, W. F. E., 1884, *New Carboniferous fossils*: Bulletin no. 2, 12 p., Privately published (Danville, Ill.).
- Håkansson, Eckart, 1973, *Mode of growth of the Cupuladriidae (Bryozoa, Cheilostomata)*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 287-298, 2 text-fig., 2 pl., Academic Press (London).
- Häntzschel, Walter, 1975, *Trace fossils and problematica*: in Curt Teichert (ed.), *Treatise on Invertebrate Paleontology*, Part W, Supplement 1. xxii + 269 p., 110 text-fig., Geological Society of America & University of Kansas (Boulder & Lawrence).
- Hall, James, 1847, *Organic remains of the lower division of the New York system*: Natural History of New York, Pt. 6, Paleontology of New York, v. 1, xxiv + 338 p., 88 pl.
- , 1852, *Organic remains of the lower middle division of the New York system*: Natural History of New York, Pt. 6, Paleontology of New York, v. 2, viii + 362 p., 85 pl.
- , 1874, *Descriptions of Bryozoa and corals of the Lower Helderberg group*: N.Y. State Mus. Nat. Hist., 26th Annu. Rep., p. 93-116.
- , 1876, *The fauna of the Niagara group in central Indiana*: N.Y. State Mus. Nat. Hist., 28th Annu. Rep., 32 pl. and explanations.
- , 1881, *Bryozoans of the Upper Helderberg and Hamilton groups*: Trans. Albany Inst., v. 10 (1883), 36 p. [Issued as abstract in 1881 (from Nickles & Bassler, 1900).]
- , 1883a, *Fossil corals and bryozoans of the Lower Helderberg group, and fossil bryozoans of the Upper Helderberg group*: State Geologist of New York, Rep. for 1882, pl. 1-33.
- , 1883b, *Bryozoans of the Upper Helderberg and Hamilton groups*: Trans. Albany Inst., v. 10, p. 145-197.
- , 1886, *Bryozoa of the Upper Helderberg group; plates and explanations*: State Geologist of New York, 5th Annu. Rep. for 1885, pl. 25-53.
- , & Simpson, G. B., 1887, *Corals and Bryozoa; text and plates containing descriptions and figures of species from the Lower Helderberg, Upper Helderberg, and Hamilton groups*: Natural History of New York, Pt. 6, Paleontology of New York, v. 6, xxvi + 298 pl., 66 pl.
- Hallam, Anthony, & O'Hara, M. J., 1962, *Aragonic fossils in the Lower Carboniferous of Scotland*: Nature (London), v. 195, p. 273-274.
- Harmelin, J.-G., 1973, *Morphologic variations and ecology of the recent cyclostome bryozoan "Idmonea" atlantica from the Mediterranean*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 95-106, 6 text-fig., Academic Press (London).
- , 1974, *Les Bryozoaires Cyclostomes de Méditerranée, écologie et systématique*: Thèse présentée à l'Université d'Aix-Marseille, 2 vol., 365 p., 53 text-fig., 38 pl.
- , 1975, *Relations entre la forme zoariale et l'habitat chez les Bryozoaires Cyclostomes. Conséquences taxonomiques*: in S. Pouyet (ed.), *Bryo-*

- zoa 1974, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 2, p. 369–384, 6 text-fig., 3 pl.
- , 1976, *Le sous-ordre de Tubuliporina (Bryozoaires Cyclostomes) en Méditerranée, écologie et systématique*: Mem. Inst. Oceanogr. Monaco no. 10, 326 p., 50 text-fig., 38 pl.
- Harmer, S. F.**, 1893, *On the occurrence of embryonic fission in cyclostomatous Polyzoa*: Q. J. Microsc. Sci., n.ser., v. 34, p. 199–241, pl. 22–24.
- , 1896, *On the development of Lichenopora verrucaria Fabr.*: Q. J. Microsc. Sci., n.ser., v. 39, p. 71–144, pl. 7–10.
- , 1898, *On the development of Tubulipora, and on some British and northern species of this genus*: Q. J. Microsc. Sci., n.ser., v. 41, p. 73–157, pl. 8–10.
- , 1901, *On the structure and classification of the cheilostomatous Polyzoa*: Proc. Cambridge Philos. Soc., v. 11, p. 11–17.
- , 1902, *On the morphology of the Cheilostomata*: Q. J. Microsc. Sci., n.ser., v. 46, p. 263–350, pl. 15–18.
- , 1915, *The Polyzoa of the Siboga Expedition (Part I.—Entoprocta, Ctenostomata, and Cyclostomata)*: Siboga-Expeditie, v. 28a, p. 1–180, pl. 1–12, E. J. Brill (Leiden).
- , 1926, *The Polyzoa of the Siboga Expedition (Part II.—Cheilostomata anasca) with additions to previous reports*: Siboga-Expeditie, v. 28b, p. 181–501, text-fig. 1–23, pl. 13–34, E. J. Brill (Leiden).
- , 1930, *Polyzoa (Presidential address)*: Proc. Linn. Soc. London, v. 141, p. 68–118, 11 text-fig., 1 pl.
- , 1931, *Recent work on Polyzoa (Presidential address)*: Proc. Linn. Soc. London, v. 143, p. 113–168, 6 text-fig.
- , 1934, *The Polyzoa of the Siboga Expedition (Part III.—Cheilostomata Ascophora. I. Family Reteporidae)*: Siboga-Expeditie, v. 28c, p. 503–640, text-fig. 24–48, pl. 35–41, E. J. Brill (Leiden).
- , 1947, *On the relative merits of the names Bryozoa and Polyzoa as the name for the class in the animal kingdom now known by one or the other of these names*: Bull. Zool. Nomencl., v. 1, p. 230–231.
- , 1957, *The Polyzoa of the Siboga Expedition (Part IV.—Cheilostomata Ascophora. II. Ascophora, except Reteporidae) with additions to Part II, Anasca*: Siboga-Expeditie, v. 28d, p. 641–1147, text-fig. 49–118, pl. 42–74, E. J. Brill (Leiden).
- Hastings, A. B.**, 1943, *Polyzoa (Bryozoa) I.—Scrupocellariidae, Epistomiidae, Farciminariidae, Bicellariellidae, Aetidae, Scrupariidae*: Discovery Rep., v. 22, p. 301–510, 66 text-fig., pl. 5–13.
- , 1957, *Explanatory note*: in S. F. Harmer, *The Polyzoa of the Siboga Expedition, Siboga-Expeditie*, v. 28d, p. xiii–xv, E. J. Brill (Leiden).
- Hatschek, Berthold**, 1888, *Lehrbuch der Zoologie, eine morphologische Übersicht des Tierreiches zur Einführung in das Studium dieser Wissenschaft*: v. 1, 144 p., 155 text-fig., Gustav Fischer (Jena).
- Hay, W. W., Wise, S. W., Jr., & Stieglitz, R. D.**, 1970, *Scanning electron microscope study of fine grain size biogenic carbonate particles*: Trans. Gulf Coast Assoc. Geol. Soc., v. 20, p. 287–302, 23 fig.
- Healey, N. D., & Utgaard, John**, 1979, *Ultrastructure of the skeleton of the cystoporate bryozoans Ceramophylla, Crassaluna and Cystodictya*: in G. P. Larwood & M. B. Abbott (eds.), *Advances in Bryozoology*, p. 179–194, 2 pl., Academic Press (New York).
- Herwig, Ernst**, 1913, *Beiträge zur Kenntniss der Knospung bei den Bryozoen*: Arch. Naturgesch., Abt. A, v. 79, p. 1–24, 29 text-fig.
- Hiller, Stanisław**, 1939, *The so-called colonial nervous system in Bryozoa*: Nature (London), v. 143, p. 1069–1070, 1 text-fig.
- Hillmer, Gero**, 1968, *Artificial moulds for studying the internal structure of paleontological objects*: in E. Annoscia (ed.), *Proceedings of the First International Conference on Bryozoa*, Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano, v. 108, p. 37–42, pl. 2.
- , 1971, *Bryozoen (Cyclostomata) aus dem Unter-Hauterive von Nordwestdeutschland*: Mitt. Geol. Palaeontol. Inst. Univ. Hamburg, v. 40, 106 p., 30 text-fig., 22 pl.
- Hilton, W. A.**, 1923, *A study of the movements of entoproctan bryozoans*: Trans. Am. Microsc. Soc., v. 42, p. 135–143, 9 text-fig.
- Hincks, Thomas**, 1887, *Critical notes on the Polyzoa*: Ann. Mag. Nat. Hist., ser. 5, v. 19, p. 150–164.
- , 1890, *Critical notes on the Polyzoa*: Ann. Mag. Nat. Hist., ser. 6, v. 5, p. 83–103.
- Hinds, R. W.**, 1973, *Intrazoecial structures in some tubuliporinid cyclostome Bryozoa*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 299–306, 1 text-fig., 1 pl., Academic Press (London).
- , 1975, *Growth mode and homeomorphism in cyclostome Bryozoa*: J. Paleontol., v. 49, p. 875–910, 18 text-fig., 4 pl.
- Hofmann, H. J.**, 1975, *Bolopora not a bryozoan, but an Ordovician phosphatic, oncologic accretion*: Geol. Mag., v. 112, p. 523–526, 1 text-fig., 1 pl.
- d'Hondt, J.-L.**, 1975, *Bryozoaires Ctenostomes bathyaux et abyssaux de l'Atlantique Nord*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 2, p. 311–333, 8 text-fig.
- Hubschman, J. H.**, 1970, *Substrate discrimination in Pectinatella magnifica Leidy (Bryozoa)*: J. Exp. Biol., v. 52, p. 603–607, 1 text-fig.
- Hudleston, W. H.**, 1883, *Notes on a collection of fossils and of rock-specimens from West Australia*,

- north of the Gascoyne River: Q. J. Geol. Soc. London, v. 39, p. 582-595, 2 text-fig., pl. 23.
- Hudson, J. D., 1962, *Pseudo-pleochroic calcite in recrystallized shell-limestones*: Geol. Mag., v. 99, p. 492-500, pl. 21.
- Huxley, T. H., 1853, *On the morphology of the cephalous Mollusca, as illustrated by the anatomy of certain Heteropoda and Pteropoda, collected during the voyage of H.M.S. Rattlesnake in 1846-50*: Philos. Trans. R. Soc. London, v. 143, p. 29-66, pl. 2-5.
- Hyman, L. H., 1958, *The occurrence of chitin in the lophophorate phyla*: Biol. Bull. Woods Hole Mass., v. 114, p. 106-112.
- , 1959, *The Invertebrates; Smaller Coelomate Groups*: v. 5, 783 p., 241 text-fig., McGraw-Hill Book Co. (New York).
- , 1966, *Further notes on the occurrence of chitin in invertebrates*: Biol. Bull. Woods Hole Mass., v. 130, p. 94-95.
- Imperato, Ferrante, 1599, *Dell'Historia Naturale . . . libri XXVIII, nella quale ordinatamente di tratta della diversa condition de Miniere, e Pietre. Con alcune historie de Piante ed Animali; sin hora non date in luce*: xxiv + 791 p., illus., C. Vitale (Naples).
- James, U. P., 1878, *Descriptions of newly discovered species of fossils from the lower Silurian formation, Cincinnatti group*: The Palaeontologist, no. 1, 8 p.
- Jebram, Diethardt, 1973a, *Stolonen-Entwicklung und Systematik bei den Bryozoa Ctenostomata*: Z. Zool. Syst. Evolutionsforsch., v. 11, p. 1-48, 7 text-fig., 3 pl.
- , 1973b, *The importance of different growth directions in the Phylactolaemata and Gymnolaemata for reconstructing the phylogeny of the Bryozoa*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 565-576, 1 text-fig., Academic Press (London).
- , 1975, *Dauerknospen ("Hibernacula") bei den Bryozoa Ctenostomata in mesohalinen und vollmarinen Gewässern*: Mar. Biol., v. 31, p. 129-137, 3 text-fig.
- Jeuniaux, Charles, 1963, *Chitine et chitinolyse; un chapitre de la biologie moléculaire*: 181 p., 28 text-fig., Masson (Paris).
- , 1971, *Chitinous structures*: in M. Florkin & E. H. Strotz (eds.), *Comprehensive Biochemistry*, v. 26, pt. C, p. 595-632, 11 text-fig., Elsevier (New York).
- Johnston, George, 1833, *Illustrations in British zoology*: Mag. Nat. Hist., v. 6, p. 232-235, text-fig. 24-25.
- , 1838, *A History of the British Zoophytes*: xii + 341 p., 44 pl., W. H. Lizars (Edinburgh).
- , 1847, *A History of the British Zoophytes*: 2nd ed., v. 1, xvi + 488 p., 87 text-fig.; v. 2, 74 pl., John Van Voorst (London).
- Jullien, Jules, 1881, *Note sur une nouvelle division de Bryozoaires cheilostomiens*: Bull. Soc. Zool. Fr., v. 6, p. 271-285, 5 text-fig.
- , 1885, *Monographie des Bryozoaires d'eau douce*: Bull. Soc. Zool. Fr., v. 10, p. 91-207, 250 text-fig.
- , 1888a, *Bryozoaires*: in *Mission Scientifique du Cap Horn, 1882-1883*, v. 6, Zoologie, pt. 3, 92 p., 15 pl. (Paris).
- , 1888b, *Observations anatomiques sur les Caténicelles*: Mem. Soc. Zool. Fr., v. 1, p. 274-280, pl. 11.
- , 1888c, *Sur la sortie et la rentrée du polypide dans les zooécies chez les Bryozoaires cheilostomiens monodermiés*: Bull. Soc. Zool. Fr., v. 13, p. 67-68.
- Karklins, O. L., 1969, *The cryptostome Bryozoa from the Middle Ordovician Decorah Shale, Minnesota*: Minn. Geol. Surv. Spec. Publ. Ser., SP-6, vi + 121 p., 11 text-fig., 18 pl.
- , 1970, *Restudy of type species of the Ordovician bryozoan genus Stictoporellina*: J. Paleontol., v. 44, p. 133-139, pl. 32-34.
- Kaufmann, K. W., 1971, *The form and functions of the avicularia of Bugula (phylum Ectoprocta)*: Postilla, no. 151, 26 p., 9 text-fig.
- Keyserling, A. F. M. von, 1846, *Wissenschaftliche Beobachtungen auf einer Reise in das Petschora-Land im Jahre 1843*: iv + 465 p., 22 pl. (St. Petersburg).
- Kiseleva, A. V., 1973, *Nekotorye novye i redkie Cystoporata iz verkhnjej Permi Yuzhnogo Primor'ya*: Paleontol. Zh., 1973, no. 3, p. 65-70, pl. 5-6. [Some new and rare Cystoporata from the upper Permian of southern Primorye.]
- Kobayashi, Iwao, 1969, *Internal microstructure of the shell of bivalve molluscs*: Am. Zool., v. 9, p. 663-672, 3 text-fig., 1 pl.
- , 1971, *Internal shell microstructure of recent bivalvian molluscs*: Niigata Univ. Sci. Rep., ser. E, no. 2, p. 27-50.
- de Koninck, L. G., 1873, *Recherches sur les animaux fossiles, Pt. 2.—Monographie des fossiles Carbonifères de Bleiberg en Carinthie*: 116 p., 4 pl. (Bruxelles).
- Kopayevich, G. V., 1968, *O novom rode mshanok semejstva Rbinidictyidae iz Silura Estonii*: Byull. Mosk. O-va. Ispyt. Priir. Otd. Geol., v. 43, no. 3, p. 127-129, 1 text-fig. [A new bryozoan genus of the family Rbinidictyidae from the Silurian of Estonia.]
- , 1972, *O polimorfizme mshanok semejstva Ptilodictyidae*: Paleontol. Zh., 1972, no. 1, p. 57-63, pl. 9, 10. [On polymorphism in Bryozoa of the family Ptilodictyidae.]
- , 1973, *Rody Stictopora i Rbinidictya semejstva Rbinidictyidae (Bryozoa, Cryptostomata)*: Paleontol. Zh., 1973, no. 3, p. 59-64, 2 text-fig. [The genera Stictopora and Rbinidictya of the family Rbinidictyidae (Bryozoa, Cryptostomata).]
- , 1975, *Silurijskie mshanki Estonii i Podolii*

- (*Cryptostomata, Rhabdomesonata*): Tr. Akad. Nauk SSSR Paleontol. Inst., v. 151, 155 p., 13 text-fig., 28 pl. [*Silurian Bryozoa of Estonia and Podolia*.]
- Korde, K. B., 1950, *Dasycladaceae iz kembriya Tuvy*: Dokl. Akad. Nauk SSSR, v. 73, no. 2, p. 371–374, 3 text-fig. [*Dasycladaceae from the Cambrian of Tuva*.]
- Koschinsky, Carl, 1885, *Ein Beitrag zur Kenntniss der Bryozoenfauna der älteren Tertiärschichten des südlichen Bayerns, I. Abtheilung. Cheilostomata*: Palaeontographica, v. 32, 73 p., 7 pl.
- Kraepelin, K. M. F., 1886, *Die Fauna der Hamburger Wasserleitung*: Abh. Naturwiss. Ver. Hamburg, v. 9, no. 1, p. 1–15.
- , 1887, *Die deutschen süßwasser-Bryozoen. Eine Monographie. I. Anatomisch-systematischer Teil*: Abh. Naturwiss. Ver. Hamburg, v. 10, no. 9, 168 p., 7 pl.
- , 1892, *Die deutschen Süßwasser-Bryozoen. Eine Monographie. II. Entwicklungsgeschichtlicher Teil*: Abh. Naturwiss. Ver. Hamburg, v. 12, no. 2, 68 p., 5 pl.
- Labracherie, Monique, 1973, *Functional morphology and habitat of Bryozoa in the Eocene of the northern Aquitaine basin, France*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 129–138. 6 text-fig., Academic Press (London).
- , & Sigal, Jacques, 1975, *Les Bryozoaires Cheilostomes des formations Eocène inférieur du Site 246 (croisière 25, Deep Sea Drilling Project)*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 2, p. 449–466, 2 text-fig.
- Lacourt, A. W., 1968, *A monograph of the freshwater Bryozoa—Phylactolaemata*: Zool. Verh. Rijksmus. Nat. Hist. Leiden, no. 93, 159 p., 13 text-fig., 18 pl.
- Lagaaij, Robert, & Cook, P. L., 1973, *Some Tertiary to recent Bryozoa*: in A. Hallam (ed.), *Atlas of Paleobiogeography*, p. 489–498, 4 text-fig., 1 pl., Elsevier (Amsterdam).
- , & Gautier, Y. V., 1965, *Bryozoan assemblages from marine sediments of the Rhône delta, France*: Micropaleontology, v. 11, p. 39–58, 34 text-fig.
- Land, L. S., MacKenzie, F. T., & Gould, S. J., 1967, *Pleistocene history of Bermuda*: Geol. Soc. Am. Bull., v. 78, p. 993–1006, 5 text-fig., 4 pl.
- Lang, W. D., 1916, *A revision of the "cribrimorph" Cretaceous Polyzoa*: Ann. Mag. Nat. Hist., ser. 8, v. 18, p. 381–410.
- Lankester, E. R., 1885, *Polyzoa*: in *Encyclopedia Britannica*, 9th ed., v. 19, p. 429–441, University of Chicago Press (Chicago).
- Larwood, G. P., 1969, *Frontal calcification and its function in some Cretaceous and recent cribrimorph and other cheilostome Bryozoa*: Bull. Br. Mus. Nat. Hist. Zool., v. 18, p. 171–182, 10 text-fig.
- , 1975, *Preliminary report on early (pre-Cenomanian) cheilostome Bryozoa*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 2, p. 539–545, 1 text-fig.
- Lea, Isaac, 1833, *Contributions to geology*: vi + 227 p., 6 pl., Carey, Lea, & Blanchard (Philadelphia).
- Leveaux, Marcelle, 1939, *La formation des gemmules chez les Spongillidae*: Ann. Soc. R. Zool. Belg., v. 70, p. 53–96, 21 text-fig.
- Levinsen, G. M. R., 1902, *Studies on Bryozoa*: Vidensk. Medd. Naturhist. Foren. Kjøbenhavn, 1902, p. 1–31.
- , 1909, *Morphological and Systematic Studies on the Cheilostomatous Bryozoa*: viii + 431 p., 6 text-fig., 27 pl., Nationale Forfatteres Forlag (Copenhagen).
- , 1912, *Studies on the Cyclostomata operculata*: Acad. R. Sci. Let. Danemark Mem., ser. 7, sect. sci., v. 10, p. 1–52, 2 text-fig., 7 pl.
- Lewis, H. P., 1926, *On Bolopora undosa gen. et sp. nov.; a rock-building bryozoan with phosphatized skeleton, from the basal Arenig rocks of Ffestiniog (North Wales)*: Q. J. Geol. Soc. London, v. 82, p. 411–427, 7 text-fig., pl. 27–29.
- Lindström, Gustav, 1876, *On the affinities of the Anthozoa Tabulata*: Ann. Mag. Nat. Hist., ser. 4, v. 18, p. 1–17.
- Linné, Carl, 1758, *Systema naturae per regna tria naturae secundum classes, ordines, genera, species, cum characteribus, differentiis synonymis, locis*: 10th ed., v. 1, 823 p., Laurentii Salvii (Holmiae).
- Lippmann, Friedrich, 1973, *Sedimentary Carbonate Minerals*: 228 p., 54 text-fig., Springer-Verlag (Berlin).
- Lister, J. J., 1834, *Some observations on the structure and functions of tubular and cellular Polypi, and of Ascidiae*: Philos. Trans. R. Soc. London, v. 124, p. 365–388, pl. 8–12.
- Lonsdale, William, 1839, *Corals*: in R. I. Murchison, *The Silurian System, Part II.—Organic remains*, p. 675–694, pl. 25, 26, John Murray (London).
- Lowenstam, H. A., 1954, *Factors affecting the aragonite-calcite ratios in carbonate-secreting marine organisms*: J. Geol., v. 62, p. 284–322, 15 text-fig.
- , 1963, *Biologic problems relating to the composition and diagenesis of sediments*: in T. W. Donnelly (ed.), *The Earth Sciences—Problems and Progress in Current Research*, p. 137–195, 14 text-fig., 4 pl., University of Chicago Press (Chicago).
- , 1964a, *Sr/Ca ratio of skeletal aragonites from the recent marine biota at Palau and from fossil gastropods*: in H. Craig, S. L. Miller, & G. J. Wasserburg (eds.), *Isotopic and Cosmic Chemistry*, p. 114–132, 2 text-fig., North Holland Publishing Co. (Amsterdam).
- , 1964b, *Coexisting calcites and aragonites from skeletal carbonates of marine organisms and*

- their strontium and magnesium contents: in Y. Miyake & T. Komaya (eds.), Recent Research in the Fields of Hydrosphere, Atmosphere, and Nuclear Geochemistry, p. 373-404, 5 text-fig., 1 pl., Nagoya University, Water Research Laboratory (Suguwara Festival Volume).
- Lutaud, Geneviève, 1959a, *Étude cinématographique du bourgeonnement chez Membranipora membranacea* (Linné), *Bryozoaire chilostome. I.—Le développement du polypide*: Bull. Soc. Zool. Fr., v. 84, p. 167-173, 1 text-fig.
- , 1959b, *Application de la microcinématographie à l'étude de la croissance et du bourgeonnement chez les Bryozoaires chilostomes*: Research Film, v. 3, p. 193-196, 6 text-fig.
- , 1961, *Contribution à l'étude du bourgeonnement et de la croissance des colonies chez Membranipora membranacea* (Linné), *Bryozoaire chilostome*: Ann. Soc. R. Zool. Belg., v. 91, p. 157-300, 28 text-fig., 8 pl.
- , 1969, *Le "plexus" pariétal de Hiller et la coloration du système nerveux par le bleu de méthylène chez quelques Bryozoaires chilostomes*: Z. Zellforsch., v. 99, p. 302-314, 4 text-fig.
- , 1973, *L'innervation du lophophore chez le Bryozoaire chilostome Electra pilosa* (L.): Z. Zellforsch., v. 140, p. 217-234, 8 text-fig.
- , 1974, *Le plexus pariétal des Cténostomes chez Bowerbankia gracilis Leidy (Vésicularines)*: Cah. Biol. Mar., v. 15, p. 403-408, 1 text-fig., 1 pl.
- , 1977, *The bryozoan nervous system*: in R. M. Woollacott & R. L. Zimmer (eds.), *Biology of Bryozoans*, p. 377-410, 6 text-fig., 5 pl., Academic Press (New York).
- , 1979, *Étude ultrastructurale du "plexus colonial" et recherche de connexions nerveuses interzoïdales chez le Bryozoaire chilostome Electra pilosa* (Linné): Cah. Biol. Mar., v. 20, p. 315-324, 1 text-fig., pl. 14.
- , 1981, *The innervation of the external wall in the carnosan ctenostome Alcyonidium polyoum* (Hassall): in G. P. Larwood & C. Nielsen (eds.), *Recent and Fossil Bryozoa*, p. 143-150, 3 text-fig., Olsen & Olsen (Fredensborg).
- , & Painleve, J., 1961, *Le bourgeonnement et la croissance des colonies chez Membranipora membranacea* (L.), *Bryozoaire Chilostome*: Film, black-and-white 16 mm, Institut de Cinématographie Scientifique, Paris.
- MacClintock, Copeland, 1967, *Shell structure of patelloid and bellerophontoid gastropods* (Mollusca): Peabody Mus. Nat. Hist. Yale Univ. Bull., v. 22, x + 140 p., 128 text-fig., 32 pl.
- McCoy, Frederick, 1849, *On some new genera and species of Palaeozoic corals and Foraminifera*: Ann. Mag. Nat. Hist., ser. 2, v. 3, p. 119-136, 6 text-fig.
- , 1851-1855, *A systematic description of the British Palaeozoic fossils in the Geological Museum of the University of Cambridge*: in Adam Sedgwick, *A Synopsis of the Classification of the British Palaeozoic Rocks*: 611 p., 25 pl., J. W. Parker (London). [p. 1-184, 1851; p. 185-406, 1852; p. 407-611, 1855.]
- McFarlan, A. C., 1926, *The bryozoan faunas of the Chester series of Illinois and Kentucky*: University of Chicago, Thesis Abstracts.
- McKinney, F. K., 1969, *Organic structures in a Late Mississippian trepostomatous ectoproct (bryozoan)*: J. Paleontol., v. 43, p. 285-288, 1 text-fig., pl. 50.
- , 1975, *Autozoecial budding patterns in dendroid stenolaemate bryozoans*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 65-76, 2 text-fig., 4 pl.
- , 1977a, *Functional interpretation of lyre-shaped Bryozoa*: Paleobiology, v. 3, p. 90-97, 5 text-fig.
- , 1977b, *Autozoecial budding patterns in dendroid Paleozoic bryozoans*: J. Paleontol., v. 51, p. 303-329, 6 text-fig., 9 pl.
- , 1977c, *Paraboloid colony bases in Paleozoic stenolaemate bryozoans*: Lethaia, v. 10, p. 209-217, 3 text-fig.
- McNair, A. H., 1937, *Cryptostomatous Bryozoa from the Middle Devonian Traverse group of Michigan*: Mich. Univ. Mus. Paleontol. Contrib., v. 5, no. 9, p. 103-170, 1 text-fig., 14 pl.
- , 1942, *Upper Devonian Bryozoa*: J. Paleontol., v. 16, p. 343-350, pl. 45-49.
- Männil, R. M., 1958, *Nouye mshanki otryada Cryptostomata iz Ordovika Estonii*: Eesti NSV Tead. Akad. Toim. Fuus.-Mat. Tehnikatead. Seer., v. 7, no. 4, p. 330-347, 6 text-fig., 8 pl. [*New bryozoans of the order Cryptostomata from the Ordovician of Estonia.*]
- , 1959, *Voprosy stratigrafii i mshanki Ordovika Estonii*: 40 p., Akademiya Nauk Estonskoj SSR, Otdelenie Tekhnicheskikh i Fiziko-Matematicheskikh Nauk (Tallin). *Dissertatsii na soiskanie uchenoj stepeni kandidata geologo-mineralogicheskikh nauk.* [*Problems of stratigraphy and Bryozoa of the Ordovician of Estonia. Dissertations for the degree of Candidate in Geological-Mineralogical Sciences.*]
- Majewski, O. P., 1969, *Recognition of Invertebrate Fossil Fragments in Rocks and Thin Sections*: 101 p., 106 pl., E. J. Brill (Leiden).
- Marcus, Ernst, 1926, *Beobachtungen und Versuche an lebenden Süßwasserbryozoen*: Zool. Jahrb. Abt. Syst. Oekol. Geogr. Tiere, Bd. 52, p. 279-350, 34 text-fig., 6 pl.
- , 1934, *Über Lophopus crystallinus* (Pall.): Zool. Jahrb. Abt. Anat. Ontog. Tiere, Bd. 58, p. 501-606, 66 text-fig.
- , 1938a, *Bryozoarios marinhos brasileiros—II*: Univ. Sao Paulo Fac. Filos. Cienc. Let. Bol., no. 4, Zool., no. 2, p. 1-137, pl. 1-29.

- , 1938b, *Bryozoarios perforadores de conchas*: Arq. Inst. Biol. Sao Paulo, v. 9, p. 273–296, 7 text-fig.
- , 1941, *Sobre Bryozoa do Brasil*: Univ. Sao Paulo Fac. Filos. Cienc. Let. Bol., no. 12, Zool., no. 5, p. 3–208, 9 text-fig., 18 pl.
- , 1958, *On the evolution of the animal phyla*: Q. Rev. Biol., v. 33, p. 24–58, 1 text-fig.
- Marcus, Evelina, 1955, *Polyzoa*: in The Percy Sladen Trust Expedition to Lake Titicaca. . ., Trans. Linn. Soc. London, ser. 3, v. 1, pt. 3, p. 355–357.
- , & Marcus, Ernst, 1962, *On some lunulitiform Bryozoa*: Univ. Sao Paulo Fac. Filos. Cienc. Let. Bol., no. 261, Zool., no. 24, p. 281–324, 5 pl.
- Matricorn, Isabelle, 1973, *Quelques données ultra-structurales sur un myoépithélium; le pharynx d'un Bryozoaire*: Z. Zellforsch., v. 136, p. 569–578, 4 pl.
- Maturo, F. J. S., Jr., 1973, *Offspring variation from known maternal stocks of Parasmittina nitida (Verrill)*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 577–584, 1 pl., Academic Press (London).
- Mawatari, Shizuo, 1965, *Tentaculata*: in T. Uchida (ed.), *Systematic Zoology, Dōbutsu keitō bunruigaku*, v. 8-I, p. 9–258, 190 text-fig. [In Japanese.]
- Mayr, Ernst, 1968, *Bryozoa versus Ectoprocta*: Syst. Zool., v. 17, p. 213–216.
- Medd, A. W., 1964, *On the musculature of some Cretaceous membraniform Polyzoa*: Ann. Mag. Nat. Hist., ser. 13, v. 7, p. 185–187, 3 text-fig.
- Meek, F. B., 1872, *Report on the paleontology of eastern Nebraska*: in F. V. Hayden, *Final Report of the United States Geological Survey of Nebraska and Portions of the Adjacent Territories*. . ., p. 81–239, 11 pl. U.S. Government Printing Office (Washington).
- , & Worthen, A. H., 1865, *Descriptions of new species of Crinoidea, etc., from the Paleozoic rocks of Illinois and some of the adjoining states*: Proc. Acad. Nat. Sci. Philadelphia, 1865, p. 143–166.
- Merida, J. E., & Boardman, R. S., 1967, *The use of Paleozoic Bryozoa from well cuttings*: J. Paleontol., v. 41, p. 763–765, pl. 100.
- Miller, S. A., 1889, *North American Geology and Paleontology for the Use of Amateurs, Students, and Scientists*: 664 p., 1194 text-fig., Western Methodist Book Concern (Cincinnati).
- Milliman, J. D., 1974, *Marine carbonates*: in Recent Sedimentary Carbonates, part 1, 375 p., 94 text-fig., 39 pl., Springer-Verlag (New York).
- Milne-Edwards, Henri, 1836, *Histoire des polypes*: in J. B. P. A. de Lamarck, *Histoire naturelle des animaux sans vertèbres*, 2nd ed., v. 2 683 p., Baillière (Paris).
- , 1843, *Éléments de zoologie, ou Leçons sur l'anatomie, la physiologie, la classification et les mœurs des animaux*: 2nd ed., v. 3 [Animaux sans vertèbres], 360 p., text-fig. 432–853, Fortin, Masson et Cie (Paris).
- , & Haime, Jules, 1850[–1855], *A Monograph of the British Fossil Corals*: lxxxvi + 322 p., 72 pl. [p. i–lxxxv, 1–71, pl. 1–11 (1850), p. 72–146, pl. 12–30 (1851), p. 147–210, pl. 31–46 (1852), p. 211–244, pl. 47–56 (1853), p. 245–299, pl. 57–72 (1855)], Palaeontographical Society (London).
- Moore, R. C., 1929, *A bryozoan fauna from the Upper Graham formation, Pennsylvania: of north central Texas*: J. Paleontol., v. 3, p. 1–27, 3 text-fig., 3 pl.
- , & Dudley, R. M., 1944, *Cheilotrypid bryozoans from Pennsylvanian and Permian rocks of the midcontinent region*: Kansas State Geol. Surv. Bull. 52, pt. 6, p. 229–408, 48 pl.
- Morozova, I. P., 1955, *O nakhodke novogo roda mshanok v verkhnem Karbone Donskoy luki*: Dokl. Akad. Nauk SSSR, v. 100, p. 567–569, 1 text-fig. [A new bryozoan genus from the Upper Carboniferous of the Don bend.]
- , 1959a, *Novyj rod mshanok semejstva Fistuliporidae iz Devona Kuznetskogo Bassejna*: Paleontol. Zh., 1959, no. 2, p. 79–81, 1 text-fig. [A new bryozoan genus of the family Fistuliporidae from the Devonian of the Kuznetsk basin.]
- , 1959b, *Devonskie mshanki otryada Cyclostomata iz Kuznetskoj i Minusinskikh Kotlov*: Akad. Nauk SSSR Paleontol. Inst., Materialy k "Osnovam Paleontologii," v. 3, p. 7–11, pl. 2. [Devonian Bryozoa of the order Cyclostomata from Kuznetsk and the Minusinsk basins.]
- , 1960, *Otryad Cryptostomata; Sem. Hexagonellidae, Sulcoreteporidae, i Goniocladidae*: in Osnovy Paleontologii, p. 84–88, text-fig. 156–167. [Order Cryptostomata, families Hexagonellidae, Sulcoreteporidae, and Goniocladidae; see T. G. SARYCHEVA, 1960 for complete citation.]
- , 1966, *Novyj podotryad pozdnepaleozojskikh mshanok otryada Cryptostomata*: Paleontol. Zh., 1966, no. 2, p. 33–41, pl. 5, 6. [A new suborder of late Paleozoic bryozoans of the order Cryptostomata.]
- , 1970, *Mshanki pozdnej Permi*: Tr. Akad. Nauk SSSR Paleontol. Inst., v. 122, 314 p., 43 text-fig., 64 pl. [Late Permian bryozoans.]
- Morton, S. G., 1829, *Note; containing a notice of some fossils recently discovered in New Jersey*: J. Acad. Nat. Sci. Philadelphia, v. 6, p. 120–129, pl. 7.
- , 1834, *Synopsis of the Organic Remains of the Cretaceous Group of the United States*: vi + 88 p., 19 pl., Key & Biddle (Philadelphia).
- Mukai, Hideo, 1974, *Germination of the statoblasts of a freshwater bryozoan, Pectinatella gelatinosa*: J. Exp. Zool., v. 187, p. 27–40, 3 text-fig.
- Mutvei, Harry, 1972, *Ultrastructural relationships*

- between the prismatic and nacreous layers in *Nautilus* (*Cephalopoda*): Biomineralisation Forschungsber., Bd. 4, p. 80–86, 2 text-fig., 2 pl.
- Nekhoroshev, V. P., 1948a, *Devonskie mshanki Altaya*: Akad. Nauk SSSR Paleontol. Inst., Paleontol. SSSR, v. 3, ch. 2, vyp. 1, 172 p., 34 text-fig., 48 pl. [*Devonian bryozoans of the Altai.*]
- , 1948b, *Kamennougol'nye mshanki Severo-Vostochnogo Pribalkhash'ya*: Akad. Nauk Kaz. SSR, Alma-Ata, 70 p., 11 pl. [*Carboniferous Bryozoa of Northeast Pribalkhash.*]
- , 1953, *Nizhnekamennougol'nye mshanki Kazakhstana*: Tr. Vses. Neft. Nauchno-Issled. Geol. Razved. Inst. (VNIGRI), 234 p., 25 pl. [*Lower Carboniferous Bryozoa of Kazakhstan.*]
- , 1956a, *Bryozoa*: in *Materialy po paleontologii, novye semejstva i rody*, Vses. Nauchno-Issled. Geol. Inst. (VSEGEI), Materialy, n.ser., vyp. 12, p. 42–49, 1 pl. [*Bryozoa in Materials for paleontology, new families and genera.*]
- , 1956b, *Nizhnekamennougol'nye mshanki Altaya i Sibiri*: Tr. Vses. Nauchno-Issled. Geol. Inst. (VSEGEI), n.ser., v. 13, 420 p., 72 text-fig., 57 pl. [*Lower Carboniferous Bryozoa of the Altai and Siberia.*]
- , 1960, *Nekotorye vidy Paleozojskikh cryptostomat SSSR*: in B. P. Markovskiy (ed.), *Novye vidy drevnikh rastenij i bespozvonochnykh SSSR*, Ch. 1, p. 268–283, pl. 67–71, Vses. Nauchno-Issled. Geol. Inst. (VSEGEI), (Moscow). [*Some species of Paleozoic Cryptostomata of the USSR*: in B. P. Markovskiy (ed.), *New species of ancient plants and invertebrates of the USSR.*]
- , 1961, *Ordovikskie i Silurijskie mshanki Sibirskoj Platformy, Otryad Cryptostomata*: Tr. Vses. Nauchno-Issled. Geol. Inst. (VSEGEI), n.ser., v. 41, vyp. 2, 246 p., 37 pl. [*Ordovician and Silurian Bryozoa of the Siberian Platform, Order Cryptostomata.*]
- , & Modzalevskaya, E. A. 1966, *Stratigraficheskie rubezhi na primere evolyutsionnogo razvitiya Paleozojskikh mshanok*: in *Paleontologicheskie kriterii ob'ema i ranga stratigraficheskikh podrazdelenij*, Tr. Vses. Paleontol. Obshch., 8 sess., p. 93–112. [*Stratigraphic boundaries based on the evolutionary development of Paleozoic Bryozoa*: in *Paleontologic criteria of the size and rank of stratigraphic subdivisions.*]
- Neviani, Antonio, 1894, *Terza contribuzione alla conoscenza dei Briozoi fossili italiani; di alcuni Briozoi pliocenici del Rio Landa, illustrati da Ferdinando Bassi nel 1757*: Boll. Soc. Geol. Ital. Roma, v. 12 (1893), p. 659–668, 4 text-fig., pl. 1–12.
- Newton, G. B., 1971, *Rhabdomesid bryozoans of the Wrexford Megacyclothem (Wolfcampian, Permian) of Nebraska, Kansas, and Oklahoma*: Univ. Kans. Paleontol. Contrib. Artic. 56 (Bryozoa 2), 71 p., 19 text-fig., 2 pl.
- Nicholson, H. A., 1874a, *Summary of recent researches on the paleontology of the Province of Ontario, with brief descriptions of some new genera*: Can. J. Sci. Lit. Hist., n.ser., v. 14, p. 125–136.
- , 1874b, *Descriptions of new fossils from the Devonian formations of Canada West*: Geol. Mag., n.ser., dec. 2, v. 1, p. 117–126, text-fig. 15, pl. 6.
- , 1874c, *Descriptions of new fossils from the Devonian formations of Canada West*: Geol. Mag., n.ser., dec. 2, v. 1, p. 159–163, pl. 9.
- , 1875, *Descriptions of new species and of a new genus of Polyzoa from the Paleozoic rocks of North America*: Geol. Mag., n.ser., dec. 2, v. 2, p. 33–38.
- , 1876, *Notes on the Paleozoic corals of the State of Ohio*: Ann. Mag. Nat. Hist., ser. 4, v. 18, p. 85–95, pl. 5.
- , 1879, *On the structure and affinities of the "tabulate corals" of the Paleozoic Period, with critical descriptions of illustrative species*: 342 p., 44 text-fig., 15 pl., William Blackwood & Sons (Edinburgh).
- , 1881, *On the structure and affinities of the genus Monticulipora and its subgenera, with critical descriptions of illustrative species*: 240 p., 50 text-fig., 6 pl., William Blackwood & Sons (Edinburgh).
- Nickles, J. M., & Bassler, R. S., 1900, *A synopsis of American fossil Bryozoa including bibliography and synonymy*: U.S. Geol. Surv. Bull. 173, 663 p.
- Nielsen, Claus, 1970, *On metamorphosis and ancestrula formation in cyclostomatous bryozoans: Ophelia*, v. 7, p. 217–256, 41 text-fig.
- , 1971, *Entoproct life-cycles and the entoproct/ectoproct relationship*: Ophelia, v. 9, p. 209–341, 82 text-fig.
- , & Pedersen, K. J., 1979, *Cystid structure and protrusion of the polypide in Crisia (Bryozoa, Cyclostomata)*: Acta Zool. Stockholm, v. 60, p. 65–88, 24 text-fig.
- Nikoforova, A. I., 1927, *Materialy k poznaniyu nizhne-kamennougol'nykh mshanok Donetskogo bassejna*: Izv. Geol. Kom., v. 46, p. 245–268, 2 text-fig., pl. 12–14. [*Materials for the understanding of Lower Carboniferous Bryozoa of the Donets Basin.*]
- , 1938, *Tipy kamennougol'nykh mshanok Evropejskoj chasti SSSR*: Akad. Nauk SSSR Paleontol. Inst., Paleontol. SSSR, v. 4, ch. 5, vyp. 1, 290 p., 80 text-fig., 55 pl. [*Types of Carboniferous Bryozoa of the European part of the USSR.*]
- , 1948, *Nizhnekamennougol'nye mshanki Karatau*: Akad. Nauk Kaz. SSR, Alma Ata, 53 p., 15 pl. [*Lower Carboniferous Bryozoa of Karatau.*]
- Nitsche, Hinrich, 1869, *Beiträge zur Kenntniss der Bryozoen*: Z. Wiss. Zool., Bd. 20, heft 1, p. 1–36, pl. 1–3.
- , 1871, *Beiträge zur Kenntniss der Bryozoen*: Z. Wiss. Zool. Bd. 21, Heft 4, p. 37–119, 4

- text-fig., pl. 4-6.
- Nye, O. B., Jr., 1968, *Aspects of microstructure in post-Paleozoic Cyclostomata*: in E. Annoscia (ed.), *Proceedings of the First International Conference on Bryozoa*, Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano, v. 108, p. 111-114.
- , 1976, *Generic revision and skeletal morphology of some cerioporid cyclostomes (Bryozoa)*: *Bull. Am. Paleontol.*, v. 69, no. 291, 222 p., 20 text-fig., 51 pl.
- , Dean, D. A., & Hinds, R. W., 1972, *Improved thin section techniques for fossil and recent organisms*: *J. Paleontol.*, v. 46, p. 271-275, 1 pl.
- Oda, Shuzitu, 1959, *Germination of the statoblasts in freshwater Bryozoa*: *Sci. Rep. Tokyo Kyoiku Daigaku Sect. B*, v. 9, no. 135, p. 90-131, 16 text-fig.
- Oka, Asajiro, 1891, *Observations on freshwater Polyzoa (Pectinatella gelatinosa nov. sp.)*: *J. Coll. Sci. Imp. Univ. Japan, Tokyo*, v. 4, p. 89-150, pl. 17-20.
- d'Orbigny, A. D., 1839, *Zoophytes*: in *Voyage dans l'Amérique méridionale (le Brésil. . . l'Uruguay, la République Argentine, la Patagonie. . . Chili. . . Bolivie. . . Pérou)*, exécuté pendant. . . 1826-33, v. 5, pt. 4, 28 p., 13 pl.
- , 1849, *Description de quelques genres nouveaux de Mollusques Bryozoaires*: *Rev. Mag. Zool.*, ser. 2, v. 1, p. 499-504.
- , 1851-1854, *Bryozoaires*: in *Paléontologie française. Description des animaux invertébrés. . . continuée. . . sous la direction d'un comité spécial, Terrains crétacés*, v. 5, p. 1-188 (1851); p. 185-472 (1852); p. 473-984 (1853); p. 985-1192, pl. 600-800 (1854), Masson (Paris).
- Ostroumov [Ostroumoff], A. A., 1886a, *Opyt izsledovaniya mshanok Sevastopol'skoj bukhty v sistematicheskom i morfologicheskom otnosheniyakh*: *Tr. Imp. Univ. Kazan Obshchest. Estestvo.*, v. 16, p. 1-124, pl. 1-5. [*Studies on the Bryozoa of Sevastopol Bay with reference to their systematics and morphology.*]
- , 1886b, *Contribution à l'étude zoologique et morphologique des Bryozoaires du Golfe de Sébastopol (Pt. 1.—Données systématiques. Pt. 2.—Données anatomiques. Pt. 3.—Données sur l'histoire du développement.)*: *Arch. Slaves Biol.*, v. 1, p. 557-569; v. 2, p. 8-25, 184-190, 329-355, 5 pl.
- , 1903, *Sur le développement du cryptocyst et de la chambre de compensation*: *Zool. Anz.*, Bd. 27, p. 96-97.
- Perry, T. G., & Hattin, D. E., 1958, *Astogenetic study of fistuliporoid bryozoans*: *J. Paleontol.*, v. 32, p. 1039-1050, 1 text-fig., pl. 129-131.
- Phillips, John, 1836, *Illustrations of the Geology of Yorkshire; or, a description of the strata and organic remains of the Yorkshire coast, etc. Part II.—The Mountain Limestone district*: xx + 253 p., 25 pl. (London).
- , 1841, *Figures and Descriptions of the Palaeozoic Fossils of Cornwall, Devon, and West Somerset*: 231 p., 60 pl., Longmans, Brown, Green, & Longmans (London).
- Phillips, J. R. P. [J. R. P. Ross], 1960, *Restudy of types of seven Ordovician bifoliate Bryozoa*: *Palaeontology*, v. 3, p. 1-25, 2 text-fig., pl. 1-10.
- Pinter Morris, P. A., 1975, *A comparative study of decalcification of Mollusca shells by various bryozoans*: in S. Pouyet (ed.), *Bryozoa 1974*. *Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1*, p. 109-113, 2 pl.
- Pitt, L. J., 1976, *A new cheilostome bryozoan from the British Aptian*: *Proc. Geol. Assoc.*, v. 87, p. 65-67, 1 pl.
- Počta, Philippe, 1894, *Bryozoaires, hydrozoaires et partie des anthozoaires*: in Joachim Barrande, *Système Silurien du Centre de la Bohême*, v. 8, x + 230 p., 21 pl. (Prague).
- Pohowsky, R. A., 1973, *A Jurassic cheilostome from England*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 447-461, 3 text-fig., 1 pl., Academic Press (London).
- , 1974, *Notes on the study and nomenclature of boring Bryozoa*: *J. Paleontol.*, v. 48, p. 556-564, 1 pl.
- , 1975, *Boring Bryozoa*: in S. Pouyet (ed.), *Bryozoa 1974*, *Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1*, p. 255-256.
- Poluzzi, Angelo, & Sartori, Renzo, 1973, *Carbonate mineralogy of some Bryozoa from Talbot Shoal (Strait of Sicily, Mediterranean)*: *G. Geol.*, ser. 2a, v. 39, p. 11-15.
- , & ———, 1975, *Report on the carbonate mineralogy of Bryozoa*: in S. Pouyet (ed.), *Bryozoa 1974*, *Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1*, p. 193-210, 5 text-fig.
- Pouyet, Simone, 1971, *Schizoporella violacea (Canu et Bassler, 1930) (Bryozoa Cheilostomata); variations et croissance zoariale*: *Geobios*, v. 4, fasc. 3, p. 185-197, 3 text-fig., pl. 13-14.
- Powell, N. A., 1970, *Schizoporella unicornis—An alien bryozoan introduced into the Strait of Georgia*: *J. Fish. Res. Board Can.*, v. 27, p. 1847-1853, 5 text-fig.
- Prantl, Ferdinand, 1935a, *Über Gattung Lemmatopora Počta*: *Zentralbl. Mineral. Geol. Palaeontol.*, Jahrg. 1935, Abt. B, no. 2, p. 40-45, 3 text-fig.
- , 1935b, *O nových mechovkách z vápenců bránických gř: Rozpr. Ceska Akad. Ved Rada Mat. Prir. Ved*, v. 45, no. 5, 12 p., 5 text-fig., 1 pl. [*New cyclostomatous Bryozoa from the Braník limestone gř.*]
- Prenant, Marcel, & Bobin, Geneviève, 1966, *Bryozoaires, deuxième partie, Chilostomes Anasca*: *Faune de France*, v. 68, p. 1-647, 210 text-fig. Prigogine, Ilya, Nicolis, Gregoire, & Babloyantz,

- Agnes, 1972, *Thermodynamics of evolution*, I: Phys. Today, 1972 (November), v. 25, no. 11 p. 23–28., 2 text-fig.
- Prout, H. A., 1860, *Fourth series of descriptions of Bryozoa from the Paleozoic rocks of the western states and territories*: Trans. St. Louis Acad. Sci., v. 1, p. 571–581.
- Purdy, E. G., 1968, *Carbonate diagenesis; an environmental survey*: Geol. Rom., v. 7, p. 183–228, 10 text-fig., 6 pl.
- Quenstedt, F. A., 1878–1881, *Petrefactenfunde Deutschlands, etc.; Band VI.—Korallen (Röhren- und Sternkorallen)*: lief. 6, p. 1–144 (1878); lief. 7–9, p. 145–624 (1879); lief. 10–11, p. 625–912 (1880); lief. 12, p. 913–1094 (1881), Atlas containing 42 pl. (1881), Fues's Verlag, R. Reissland (Leipzig).
- Rafinesque, C. S., 1831, *Enumeration and Account of some Remarkable Natural Objects of the Cabinet of Prof. Rafinesque, in Philadelphia; being animals, shells, plants, and fossils, collected by him in North America between 1816 and 1831*: 8 p. (Philadelphia).
- Raup, D. M., 1966, *Geometric analysis of shell coiling; general problems*: J. Paleontol., v. 40, p. 1178–1190, 10 text-fig.
- Reed, F. R. C., 1907, *New fossils from Haverford-west. VII*: Geol. Mag., ser. 2, dec. 5, v. 4, p. 208–211, pl. 6.
- Repiachoff, W. M., 1880, *Zur Kenntnis der Bow-erbankia-Larven*: Zool. Anz., v. 3, p. 260.
- Reuss, A. E., 1851, *Ein Beitrag zur Paläontologie der Tertiärschichten Oberschlesiens*: Z. Dtsch. Geol. Ges. Berlin, v. 3, p. 149–184, pl. 8–9.
- , 1864, *Die Fossilen Foraminiferen, Anthozoen und Bryozoen von Oberburg in Steiermark. Ein Beitrag zur Fauna der Oberen Nummuliten-schichten*: Akad. Wiss. Wien Math. Naturwiss. Kl. Denkschr., v. 23, p. 1–38, 10 pl.
- Richards, R. P., 1974, *A Devonian Immergentia (Ectoprocta Ctenostomata) from Ohio*: J. Paleontol., v. 48, p. 940–946, 2 text-fig., 1 pl.
- Ringueberg, E. N. S., 1886, *New genera and species of fossils from the Niagara shales*: Bull. Buffalo Soc. Nat. Sci., v. 5, p. 5–22, 2 pl.
- Rogers, A. F., 1900, *New bryozoans from the coal measures of Kansas and Missouri*: Kans. Univ. Q., v. 9, ser. A. p. 1–12, pl. 1–4.
- Rogick, M. D., 1935, *Studies on freshwater Bryozoa. II. The Bryozoa of Lake Erie*: Trans. Am. Microsc. Soc., v. 54, p. 245–263, pl. 40–42.
- , 1937, *Studies on freshwater Bryozoa. VI. The finer anatomy of Lophopodella carteri var. typica*: Trans. Am. Microsc. Soc., v. 56, p. 367–396, 7 pl.
- , 1938, *Studies on freshwater Bryozoa. VII. On the viability of dried statoblasts of Lophopodella carteri var. typica*: Trans. Am. Microsc. Soc., v. 57, p. 178–199, 3 pl.
- , & Brown, C. J. D., 1942, *Studies of fresh-water Bryozoa. XII. A collection from various sources*: Ann. New York Acad. Sci., v. 43, p. 123–143, 4 pl.
- Romanchuk, T. V., 1966, *Novye permskie mshanki Khabarovskogo kraya*: Paleontol. Zh., 1966, no. 2, p. 42–48, pl. 7, 8. [*New Permian bryozoans from Khabarovsk Krai*.]
- , 1975, *Pervye nakhodki kamennougol'nykh mshanok v Tuguro-Chumikanskom rajone Khabarovskogo kraya*: Paleontol. Zh., 1975, no. 2, p. 69–78, pl. 5, 6. [*First records of Carboniferous Bryozoa in the Tuguro-Chumikansk region of the Khabarovsk Krai*.]
- , & Kiseleva, A. V., 1968, *Novye pozdnepermskie mshanki Dal'nego Vostoka*: Paleontol. Zh., 1968, no. 4, p. 55–60, 2 text-fig. [*New Late Permian bryozoans of the Far East*.]
- Rominger, Carl, 1866, *Observations on Chaetetes and some related genera, in regard to their systematic position; with an appended description of some new species*: Proc. Acad. Nat. Sci. Philadelphia, [v. 18], p. 113–123.
- Rose, Gustav, 1859, *Über die heteromorphen Zustände der kohlen-sauren Kalkerde. II. Vorkommen des Aragonits und Kalkspaths in der organischen Natur*: K. Akad. Wiss. Berlin Abhandl., 1858, p. 63–111, 3 pl.
- Ross, J. R. P. [J. R. P. Phillips], 1960a, *Type species of Ptilodictya—Ptilodictya lanceolata (Goldfuss)*: J. Paleontol., v. 34, p. 440–446, 1 text-fig., pl. 61, 62.
- , 1960b, *Re-evaluation of the type species of Arthropora Ulrich*: J. Paleontol., v. 34, p. 859–861, pl. 108.
- , 1960c, *Larger cryptostome Bryozoa of the Ordovician and Silurian, Anticosti Island, Canada—Part 1*: J. Paleontol., v. 34, p. 1057–1076, 2 text-fig., pl. 125–128.
- , 1961a, *Larger cryptostome Bryozoa of the Ordovician and Silurian, Anticosti Island, Canada—Part 2*: J. Paleontol., v. 35, p. 331–344, pl. 41–45.
- , 1961b, *Ordovician, Silurian, and Devonian Bryozoa of Australia*: Aust. Bur. Miner. Resour. Geol. Geophys. Bull. 50, 1972 p., 13 text-fig., 28 pl.
- , 1963a, *Constellaria from the Chazyan (Ordovician), Isle la Motte, Vermont*: J. Paleontol., v. 37, p. 51–56, 2 text-fig., pl. 5, 6.
- , 1963b, *Ordovician cryptostome Bryozoa, standard Chazyan Series, New York and Vermont*: Geol. Soc. Am. Bull., v. 74, p. 577–607, 7 text-fig., 10 pl.
- , 1964a, *Champlainian cryptostome Bryozoa from New York State*: J. Paleontol., v. 38, p. 1–32, 11 text-fig., pl. 1–8.
- , 1964b, *Morphology and phylogeny of early Ectoprocta (Bryozoa)*: Geol. Soc. Am. Bull., v. 75, p. 927–948, 10 text-fig.
- , 1966a, *Early Ordovician ectoproct from*

- Oklahoma: Okla. Geol. Notes, v. 26, p. 218-224, 3 pl.
- , 1966b, *Stictopora* Hall 1847 (*Ectoprocta*, *Cryptostomata*), a valid name: J. Paleontol., v. 40, p. 1400-1401.
- , 1970, *Distribution, paleoecology and correlation of Champlainian Ectoprocta (Bryozoa), New York State, part III*: J. Paleontol., v. 44, p. 346-382, 8 text-fig., pl. 67-74.
- , 1972, *Paleoecology of Middle Ordovician ectoproct assemblages*: Rep. Int. Geol. Congr. 24th Sess., sec. 7, Paleontol., p. 96-102, 2 text-fig. (Montreal).
- , 1976, *Body wall ultrastructure of living cyclostome ectoprocts*: J. Paleontol., v. 50, p. 350-353, 2 text-fig.
- Rucker, J. B., 1967, *Carbonate mineralogy of recent cheilostome Bryozoa (abstr.)*: Geol. Soc. Am. Abstr. Program, 1967, p. 191-192.
- , & Carver, R. E., 1969, *A survey of the carbonate mineralogy of cheilostome Bryozoa*: J. Paleontol., v. 43, p. 791-799, 5 text-fig.
- Ryland, J. S., 1970, *Bryozoans*: 175 p., 21 text-fig., Hutchinson University Library (London).
- , 1976, *Physiology and ecology of marine bryozoans*: Adv. Mar. Biol., v. 14, p. 285-443, 44 text-fig.
- Sakagami, Sumio, 1960, *Hayasakapora, a new Permian bryozoan genus from Iwaizaki, Miyagi Prefecture, Japan*: Trans. Proc. Paleontol. Soc. Jpn. New Ser., no. 39, p. 321-323, pl. 37.
- Salter, J. W., 1858, *On Graptopora, a new genus of Polyzoa, allied to the graptolites*: Proc. Am. Assoc. Adv. Sci., v. 11, pt. 2, p. 63-66.
- Sandberg, P. A., 1971, *Scanning electron microscopy of cheilostome bryozoan skeletons; techniques and preliminary observations*: Micropaleontology, v. 17, p. 129-151, 1 text-fig., pl. 1-4.
- , 1973, *Degree of individuality in cheilostome Bryozoa; skeletal criteria*: in R. S. Boardman, A. H. Cheetham, and W. A. Oliver, Jr. (eds.), *Animal Colonies*, p. 305-315, 17 text-fig., Dowden, Hutchinson, & Ross (Stroudsburg).
- , 1975a, *Bryozoan diagenesis; bearing on the nature of the original skeleton of rugose corals*: J. Paleontol., v. 49, p. 587-606, 4 pl.
- , 1975b, *New interpretations of Great Salt Lake ooids and of ancient non-skeletal carbonate mineralogy*: Sedimentology, v. 22, p. 497-537, 24 text-fig.
- , 1976, *Ultrastructural clues to skeletal development in cheilostome Bryozoa*: Stockholm Contrib. Geol., v. 30, p. 1-14, 2 pl.
- Sandberg, P. A. et al., 1969, *Relationship between ultrastructure and mineralogy in some cheilostome bryozoans*: Geol. Soc. Am. Abstr. 1969, part 4 (southeast sect.), p. 72-73.
- , Schneiderman, Nahum, & Wunder, S. J., 1973, *Aragonitic ultrastructural relics in calcite-replaced Pleistocene skeletons*: Nat. London Phys. Sci., v. 245, no. 148, p. 133-134, 1 text-fig.
- Sanders, J. E., & Friedman, G. M., 1967, *Origin and occurrence of limestones*: in G. V. Chilingar, H. J. Bissell, & R. W. Fairbridge (eds.), *Carbonate Rocks: Origin, Occurrence and Classification*, Developments in Sedimentology, v. 9A, p. 169-265, 10 text-fig., Elsevier (Amsterdam).
- Sarycheva, T. G. (ed.), 1960, *Osnovy paleontologii, spravochnik dlya paleontologov i geologov SSSR; Mshanki, brakhiopody; prilozhenie: Foronidy*: 343 p., illus., Izdatelstvo Akademii Nauk SSSR (Moscow). *Fundamentals of Paleontology, a reference book for paleontologists and geologists of the USSR: Bryozoa, Brachiopoda; Appendix: Phoronidae*; English transl., 1972, *Fundamentals of Paleontology*, v. 7, Bryozoa: Indian Natl. Sci. Doc. Cent., New Delhi, 233 p.]
- Schneider, Dietrich, 1957, *Orientiertes Wachstum von Calcit-Kristallen in der Cuticula mariner Bryozoen*: Verh. Dtsch. Zool. Ges., v. 21, p. 250-255, 7 text-fig.
- , 1958, *Calcitwachstum und Phototropismus bei Bugula (Bryozoa)*: Inst. Wiss. Film, Göttingen, film B 762, with text, 14 p., 5 text-fig.
- , 1963, *Normal and phototropic growth reactions in the marine bryozoan Bugula avicularia*: in E. C. Dougherty et al. (eds.), *The Lower Metazoa*, p. 357-371, 13 text-fig., University of California Press (Berkeley).
- Schneidermann, N., 1970, *Genesis of some Cretaceous carbonates in Israel*: Isr. J. Earth Sci., v. 19, p. 97-115, 5 text-fig., 13 pl.
- Schoenmann [Sheynmann], Yu. M., 1927, *Mshanki verkhnego Silura r. Srednej Tunguzki*: Izv. Geol. Kom., t. 45, p. 783-794, pl. 25. [*Upper Silurian Bryozoa from the Middle Tunguzka River.*]
- Schopf, T. J. M., 1967, *Names of phyla: Ectoprocta and Entoprocta, and Bryozoa*: Syst. Zool., v. 16, p. 276-278.
- , 1968, *Ectoprocta, Entoprocta, and Bryozoa*: Syst. Zool., v. 17, p. 470-472.
- , 1969a, *Paleoecology of ectoprocts (bryozoans)*: J. Paleontol., v. 43, p. 234-244, 5 text-fig.
- , 1969b, *Geographic and depth distribution of the phylum Ectoprocta from 200 to 6,000 meters*: Proc. Am. Philos. Soc., v. 113, p. 464-474, 4 text-fig.
- , 1973, *Ergonomics of polymorphism; its relation to the colony as the unit of natural selection in species of the phylum Ectoprocta*: in R. S. Boardman, A. H. Cheetham, & W. A. Oliver, Jr. (eds.), *Animal Colonies*, p. 247-294, 3 text-fig., Dowden, Hutchinson, & Ross (Stroudsburg).
- , & Bassett, E. L., 1973, *F. A. Smitt, marine Bryozoa, and the introduction of Darwin into Sweden*: Trans. Am. Philos. Soc., n.ser., v. 63, pt. 7, p. 3-30, 1 text-fig.

- , & Manheim, F. T., 1967, *Chemical composition of Ectoprocta (Bryozoa)*: J. Paleontol., v. 41, p. 1197–1225, 6 text-fig.
- Sharpe, Daniel, 1853, *Description of the new species of Zoophyta and Mollusca from the Lower Silurian formations of the Serra de Bussaco*: Q. J. Geol. Soc. London, v. 9, p. 146–158, pl. 7–9.
- Sherborn, C. D., 1940, *Where is the ——— Collection? An account of the various natural history collections which have come under the notice of the compiler between 1880 and 1939*: 149 p., University Press (Cambridge).
- Shishova, N. A., 1964, *Novye pozdnepermiskie rabdomezonidy Sovetskogo Soyuza*: Paleontol. Zh., 1964, no. 3, p. 52–57. [New Late Permian Rhabdomesonidae of the Soviet Union.]
- , 1965, *O sistematicheskom polozenii i ob'eme semejstva Hyphasmoporidae*: Paleontol. Zh., 1965, no. 2, p. 55–62, 1 text-fig., pl. 6. [The systematic position and size of the family Hyphasmoporidae.]
- , 1968, *New order of Paleozoic bryozoans*: Paleontol. J., v. 2, no. 1, p. 117–121. [Transl. of *Novyj otryad Paleozojskikh mshanok*: Paleontol. Zh., 1968, no. 1, p. 129–132.]
- , 1970, *Nektorye novye silurijskie i devonskie mshanki Mongolii*: in *Novye vidy paleozojskikh mshanok i korallov*, p. 28–31, illus., Akademiya Nauk SSSR (Moscow). [Some Silurian and Devonian bryozoans from Mongolia: in *New species of Paleozoic Bryozoa and corals*.]
- Shulga-Nesterenko, M. I., 1931, *Novyj rod Lyrocladia iz nizhnepermiskikh mshanok Pechorskogo kraya*: Vses. Paleontol. Obshch. Ezhegodnik, t. 9, p. 47–94. [A new Lower Permian bryozoan genus, *Lyrocladia* from Pechora Krai.]
- , 1933, *Mshankovaya fauna uglenosnykh i poduglenosnykh otlozhenij Pechorskogo kraya*: Tr. Vses. Geol. Razved. Obedin., vyp. 259, 64 p., 39 text-fig., 9 pl. [Bryozoan fauna from the coal-bearing and subjacent deposits of Pechora Krai.]
- , 1949, *Funktsionalnoe, filogeneticheskoe i stratigraficheskoe zhabchenie mikrostruktury skeljetnykh tkanej mshanok*: Tr. Akad. Nauk SSSR Paleontol. Inst., t. 23, 67 p., 26 text-fig., 12 pl. [Functional, phylogenetic, and stratigraphic significance of the microstructure of bryozoan skeletal material.]
- , 1955, *Kamenougol'nye mshanki Russkoj platformy*: Tr. Akad. Nauk SSSR Paleontol. Inst., v. 57, 207 p., 62 text-fig., 32 pl. [Carboniferous bryozoans of the Russian platform.]
- , Nekhoroshev, V. P., Morozova, I. P., Astrova, G. G., & Shishova, N. A., 1960, *Otryad Cryptostomata*: in *Osnovy Paleontologii*, p. 72–93, text-fig. 112–184. [Order *Cryptostomata*; see T. G. SARYCHEVA, 1960 for complete citation.]
- Siegfried, Paul, 1963, *Bryozoen in Steinkernerhaltung aus ordovizischem Geschiebe*: Paleontol. Z., v. 37, p. 135–146. 4 text-fig., pl. 4–7.
- Silén, Lars, 1938, *Zur Kenntnis des Polymorphismus der Bryozoen. Die Avicularien der Cheilostomata Anasca*: Zool. Bidr. Uppsala, Bd. 17, p. 149–366, 80 text-fig., 18 pl.
- , 1942, *Origin and development of the cheilostenostomatous stem of Bryozoa*: Zool. Bidr. Uppsala, v. 22, p. 1–59, 64 text-fig.
- , 1944a, *The anatomy of Labiostomella gisleni Silén (Bryozoa Protocheilostomata) with special regard to the embryo chambers of the different groups of Bryozoa and to the origin and development of the bryozoan zoarium*: K. Sven. Vetenskapskad. Handl., ser. 3, v. 21, no. 6, 111 p., 85 text-fig., 5 pl.
- , 1944b, *On the formation of the interzooidal communications of the Bryozoa*: Zool. Bidr. Uppsala, v. 22, p. 433–488, 59 text-fig., 1 pl.
- , 1947, *On the anatomy and biology of Penetrantiidae and Immergentiidae (Bryozoa)*: Ark. Zool., v. 40A, no. 4, 48 p., 70 text-fig.
- , 1966, *On the fertilization problem in the gymnoaematous Bryozoa*: Ophelia, v. 3, p. 113–140, 15 text-fig.
- , 1972, *Fertilization in the Bryozoa*: Ophelia, v. 10, p. 27–34.
- , & Harmelin, J. G., 1974, *Observations on living Diastoporidae (Bryozoa Cyclostomata), with special regard to polymorphism*: Acta Zool. Stockholm, v. 55, p. 81–96, 22 text-fig.
- Silliman, Benjamin, Silliman, Benjamin, Jr., & Dana, J. D., 1851, *New genera of fossil corals from the report of James Hall, on the paleontology of New York*: Am. J. Sci. Arts, ser. 2, v. 11, p. 398–401.
- Simma-Krieg, Brigitte, 1969, *On the variation and special reproduction habits of Aetea sica (Couch)*: Cah. Biol. Mar., v. 10, p. 129–137, 5 text-fig., 2 pl.
- Simpson, G. B., 1897 (1895), *A Handbook of the Genera of the North American Paleozoic Bryozoa; with an introduction upon the structure of living species*: State Geol. N.Y., 14th Annu. Rep., p. 403–669, pl. A–E, 1–25.
- Smitt, F. A., 1865, *Kritisk förteckning öfver Skandinavien Hafsbryozoen, I.*: Ofvers. K. Vetenskapskad. Forh. Stockholm, v. 22, p. 115–142, pl. 16.
- , 1866, *Kritisk förteckning öfver Skandinavien Hafsbryozoen, II.*: Ofvers. K. Vetenskapskad. Forh. Stockholm, v. 23 (suppl.), p. 395–533, p. 3–13.
- , 1867, *Kritisk förteckning öfver Skandinavien Hafsbryozoen, III.*: Ofvers. K. Vetenskapskad. Forh. Stockholm, v. 24, p. 279–429, pl. 16–20.
- , 1868, *Bryozoa marina in regionibus arcticis et borealibus viventia recensuit*: Ofvers. K. Vetenskapskad. Forh. Stockholm, v. 24, p. 443–487.
- , 1872, *Remarks on Dr. Nitsche's researches on Bryozoa*: Q. J. Microsc. Sci., n.ser., v. 12, p. 246–248.

- Sneath, P. H. A., & Sokal, R. R., 1973, *Numerical Taxonomy, the Principles and Practice of Numerical Classification*: 573 p., W. H. Freeman (San Francisco).
- Söderqvist, S. T., 1968, *Observations on extracellular body wall structures in Crisia eburnea L.*: in E. Annoscia (ed.), Proceedings of the First International Conference on Bryozoa, Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano, v. 108, p. 115–118, pl. 4.
- Sorauf, J. E., 1971, *Microstructure in the exoskeleton of some Rugosa (Coelenterata)*: J. Paleontol., v. 45, p. 23–32, 3 text-fig., pl. 5–11.
- , 1974, *Growth lines on tabulae of Favosites (Silurian, Iowa)*: J. Paleontol., v. 48, p. 553–555, 1 pl.
- Sorby, H. C., 1863, *On the cause of the difference in the state of preservation of different kinds of fossil shells*: Br. Assoc. Adv. Sci. Rep. 32 (1862), Notices & Abstr., p. 95–96.
- , 1879, *On the structure and origin of limestones. The anniversary address of the president*: Proc. Geol. Soc. London, v. 35, p. 39–95.
- Soule, J. D., 1954, *Post-larval development in relation to the classification of the Bryozoa Ctenostomata*: Bull. South. Calif. Acad. Sci., v. 53, p. 13–34, pl. 5–7.
- , & Soule, D. F., 1968, *Perspectives on the Bryozoa: Ectoprocta question*: Syst. Zool., v. 17, p. 468–470.
- , & ———, 1969, *Systematics and biogeography of burrowing bryozoans*: Am. Zool., v. 9, p. 791–802, 6 text-fig.
- , & ———, 1975, *Spathipora, its anatomy and phylogenetic affinities*: in S. Pouyet (ed.). Bryozoa 1974, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 247–253, 2 text-fig., 4 pl.
- Spijldnaes, Nils, 1957, *A redescription of some type specimens of British Ordovician Bryozoa*: Geol. Mag., v. 94, p. 364–376, 1 text-fig., pl. 12, 13.
- Stach, L. W., 1936, *Correlation of zoarial form with habitat*: J. Geol., v. 44, p. 60–65, 1 text-fig.
- Steen, E. B., 1971, *Dictionary of Biology*: Barnes & Noble (New York).
- Stehli, F. G., 1956, *Shell mineralogy in Paleozoic invertebrates*: Science, v. 123, p. 1031–1032.
- Steininger, Johann, 1831, *Bemerkungen über die Versteinerungen, welche in dem Übergange-Kalkgebirge der Eifel gefunden werden*: Gymnasium zu Trier, Jahresberichte, p. 1–44.
- Stieglitz, R. D., 1972, *Scanning electron microscopy of the fine fraction of recent carbonate sediments from Bimini, Bahamas*: J. Sediment. Petrol., v. 42, p. 211–226.
- Stratton, J. F., 1975, *Ovicells in Fenestella from the Speed Member, North Vernon Limestone (Eifelian, Middle Devonian) in southern Indiana, U.S.A.*: in S. Pouyet (ed.), Bryozoa 1974, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 169–177, 3 text-fig.
- Stuckenberg, A. A., 1895, *Korally i mshanki kamennougol'nykh otlozhenij Urala i Timana*: Tr. Geol. Kom., t. 10 (1890–1895), no. 3, p. 1–244, 24 pl. [*Corals and Bryozoa from Carboniferous deposits of the Urals and Timan*; German summary p. 179–244.]
- , 1905, *Fauna verkhne-kamennougol'noj tolsbchi Samarskoj luki*: Tr. Geol. Kom., n.ser., vyp. 23, p. 1–144, 13 pl. [*Fauna of the Upper Carboniferous strata of the Samara bend*; German summary p. 111–144.]
- Tavener-Smith, Ronald, 1966, *Ovicells in fenestrate cryptostomes of Visean age*: J. Paleontol., v. 40, p. 190–198, 2 text-fig., pl. 25.
- , 1968, *Skeletal structure and growth in the Fenestellidae (Bryozoa) (preliminary report)*: in E. Annoscia (ed.), Proceedings of the First International Conference on Bryozoa, Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano, v. 108, p. 85–92.
- , 1969a, *Skeletal structure and growth in the Fenestellidae (Bryozoa)*: Palaeontology, v. 12, p. 281–309, 9 text-fig., pl. 52–56.
- , 1969b, *Wall structure and acanthopores in the bryozoan Leioclema asperum*: Lethaia, v. 2, p. 89–97, 7 text-fig.
- , 1971, *Polypora stenostoma: A Carboniferous bryozoan with cheilostomatous features*: Palaeontology, v. 14, p. 178–187, 5 text-fig., pl. 25.
- , 1973, *Some aspects of skeletal organization in Bryozoa*: in G. P. Larwood (ed.), Living and Fossil Bryozoa, p. 349–359, 5 text-fig., 1 pl., Academic Press (London).
- , 1974, *Early growth stages in rhabdomesoid bryozoans from the Lower Carboniferous of Hook Head, Ireland*: Palaeontology, v. 17, p. 149–164, 4 text-fig., pl. 16, 17.
- , 1975, *The phylogenetic affinities of fenestelloid bryozoans*: Palaeontology, v. 18, p. 1–17, 5 text-fig., 2 pl.
- , & Williams, Alwyn, 1970, *Structure of the compensation sac in two ascoporan bryozoans*: Proc. R. Soc. London Ser. B, v. 175, p. 235–254, 35 text-fig., pl. 42–48.
- , & ———, 1972, *The secretion and structure of the skeleton of living and fossil Bryozoa*: Philos. Trans. R. Soc. London Ser. B, v. 264, p. 97–159, pl. 6–30.
- Taylor, J. D., 1973, *The structural evolution of the bivalve shell*: Palaeontology, v. 16, p. 519–534, 5 text-fig., pl. 60.
- , Kennedy, W. J., & Hall, A., 1969, *The shell structure and mineralogy of the Bivalvia. Introduction, Nuculacea-Trigonacea*: Bull. Br. Mus. Nat. Hist. Zool., suppl. 3, 125 p., 77 text-fig., 29 pl.
- Taylor, P. D., 1975, *Monticules in a Jurassic cyclostomatous bryozoan*: Geol. Mag., v. 112, p. 601–

- 606, 2 text-fig., 1 pl.
- Termier, Henri, & Termier, Geneviève**, 1971, *Bryozoaires du Paléozoïque supérieur de l'Afghanistan*: Doc. Lab. Geol. Fac. Sci. Lyon, no. 47, 52 p., 6 text-fig., 32 pl.
- Thomas, H. D., & Larwood, G. P.**, 1956, *Some "uniserial" membraniporine polyzoan genera and a new American Albian species*: Geol. Mag., v. 93, p. 369–376, 3 text-fig.
- , & ———, 1960, *The Cretaceous species of Pyripora d'Orbigny and Rhammatopora Lang*: Palaeontology, v. 3, p. 370–386, 4 text-fig., pl. 60–62.
- Thompson, J. V.**, 1830, *On Polyzoa, a new animal discovered as an inhabitant of some Zoophytes, with a description of the newly instituted genera of Pedicellaria and Vesicularia, and their species*: in Zoological researches, and illustrations; or natural history of nondescript or imperfectly known animals, in a series of memoirs, Mem. 5, p. 89–102, 3 pl., King & Ridings (Cork).
- Thorpe, J. P.**, 1975, *Behaviour and colonial activity in Membranipora membranacea (L.)*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 115–121, 3 text-fig.
- , **Shelton, G. A. B., & Laverack, M. S.**, 1975a, *Colonial nervous control of lophophore retraction in cheilostome Bryozoa*: Science, v. 189, p. 60–61, 2 text-fig.
- , ———, & ———, 1975b, *Electrophysiology and co-ordinated behavioural responses in the colonial bryozoan Membranipora membranacea (L.)*: J. Exp. Biol., v. 62, p. 389–404, 14 text-fig.
- Tillier, Simon**, 1975, *Recherches sur la structure et revision systématique des hétéroporides (Bryozoa, Cyclostomata) des faluns de Touraine*: Trav. Univ. Paris Fac. Sci. Orsay Lab. Paleontol., 100 p., 31 text-fig., 8 pl.
- Toriumi, Makoto**, 1956, *Taxonomical study on freshwater Bryozoa, XVII.—General consideration: interspecific relation of described species and phylogenetic consideration*: Tohoku Univ. Sci. Rep., ser. 4, v. 22, p. 57–88, 18 text-fig.
- Toula, Franz**, 1875, *Permo-Carbon-Fossilien von der Westküste von Spitzbergen*: Neues Jahrb. Mineral. Geol. Palaeontol., Jahrg. 1875, p. 225–264, 3 text-fig., pl. 5–10.
- Towe, K. M.**, 1972, *Invertebrate shell structure and the organic matrix concept: Biomineralisation* Forschungsber., Bd. 4, p. 1–14, 2 text-fig., 7 pl.
- , & **Cifelli, Richard**, 1967, *Wall ultrastructure in the calcareous Foraminifera—Crystallographic aspects and a model for calcification*: J. Paleontol., v. 41, p. 742–762, pl. 87–99.
- , & **Hemleben, Christoph**, 1976, *Diagenesis of magnesian calcite: evidence from miliolacean Foraminifera*: Geology, v. 4, p. 337–339, 1 text-fig.
- Trautschold, H. A.**, 1876, *Die Kalkbrüche von Mjatschkova. Eine Monographie des oberen Bergkalks*: Moskov. O-vo. Ispyt. Prir. Nov. Mem., v. 13, p. 325–374, pl. 32–38.
- Trembley, Abraham**, 1744, *Mémoires pour servir à l'histoire d'un genre de Polyypes d'eau douce, à bras en forme de cornes*: xv + 324 p., 13 pl., J. & H. Verbeke (Leiden).
- Trizna, V. B.**, 1950, *K. kharakteristike rifyovykh i sloistykh fatsij sentral'noj chasti Ufmskogo plato*: Tr. Vses. Nauchno-Issled. Geol. Inst. (VNI-GRI), n.ser., vyp. 50, p. 47–144, pl. 1–16. [*Characterization of reef and bedded facies of the central region of the Ufmsk plateau.*]
- , 1958, *Rannekamennougol'nye mshanki Kuznetskoj Kotloviny*: Tr. Vses. Nauchno-Issled. Geol. Inst. (VNI-GRI), vyp. 122, 436 p., 26 text-fig., 64 pl. [*Early Carboniferous Bryozoa of the Kuznetsk Basin.*]
- Turner, R. F.**, 1975, *A new Upper Cretaceous cribrimorph from North America with calcareous opercula*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 2, p. 273–279, 1 pl.
- Ulrich, E. O.**, 1878, *Descriptions of some new species of fossils from the Cincinnati group*: J. Cincinnati Soc. Nat. Hist., v. 1, p. 92–100.
- , 1879, *Descriptions of new genera and species of fossils from the Lower Silurian about Cincinnati*: J. Cincinnati Soc. Nat. Hist., v. 2, p. 8–30, pl. 7.
- , 1882, *American Paleozoic Bryozoa*: J. Cincinnati Soc. Nat. Hist., v. 5, p. 121–175, pl. 6–8; p. 232–257, pl. 10–11.
- , 1883, *American Paleozoic Bryozoa*: J. Cincinnati Soc. Nat. Hist., v. 6, p. 245–279, pl. 12–14.
- , 1884, *American Paleozoic Bryozoa*: J. Cincinnati Soc. Nat. Hist., v. 7, p. 24–51, pl. 1–3.
- , 1886a, *Report on the Lower Silurian Bryozoa with preliminary descriptions of some of new species*: Minn. Geol. Nat. Hist. Surv. Annu. Rep. 14, p. 57–103.
- , 1886b, *Description of new Silurian and Devonian fossils*: in Contributions to American Paleontology, v. 1, p. 3–35, pl. 1–3, E. O. Ulrich (Cincinnati).
- , 1888a, *On Sceptropora, a new genus of Bryozoa, with remarks on Helopora Hall, and other genera of that type*: Am. Geol., v. 1, p. 228–234, 2 text-fig.
- , 1888b, *A list of the Bryozoa of the Waverly Group in Ohio, with descriptions of new species*: Denison Univ. Sci. Lab. Bull., v. 4, p. 62–96, pl. 13, 14.
- , 1889, *Contributions to the micro-palaeontology of the Cambro-Silurian rocks of Canada, Part II*: Geol. Nat. Hist. Surv. Can., p. 22–57, pl. 8, 9.
- , 1890, *Palaeozoic Bryozoa*: Ill. Geol. Surv.,

- v. 8, p. 283–688, pl. 29–78.
- , 1893 (1895), *On Lower Silurian Bryozoa of Minnesota*: Minn. Geol. Nat. Hist. Surv. Final Rep., v. 3, pt. 1, p. 96–332, text-fig. 8–20, 28 pl. [Author's separate issued 1893.]
- , 1896, *Bryozoa*: in K. A. von Zittel & C. R. Eastman (transl. & ed.), *Text-book of Paleontology*, v. 1, p. 257–291, text-fig. 411–488, Macmillan & Co. (New York).
- , & Bassler, R. S., 1913, *Systematic paleontology of the Lower Devonian deposits of Maryland; Bryozoa*: Md. Geol. Surv., Lower Devonian volume, text, p. 259–290.
- Utgaard, John, 1968a, *A revision of North American genera of ceramoporoid bryozoans (Ectoprocta). Part I, Anolotrichiidae*: J. Paleontol., v. 42, p. 1033–1041, pl. 129–132.
- , 1968b, *A revision of North American genera of ceramoporoid bryozoans (Ectoprocta). Part II, Crepipora, Ceramoporella, Acanthoceramoporella, and Ceramophylla*: J. Paleontol., v. 42, p. 1444–1455, pl. 181–184.
- , 1969, *A revision of North American genera of ceramoporoid bryozoans (Ectoprocta). Part III, the ceramoporoid genera Ceramopora, Papillularia, Favositella, and Haplotrypa*: J. Paleontol., v. 43, p. 289–297, pl. 51–54.
- , 1973, *Mode of colony growth, autozooids, and polymorphism in the bryozoan order Cystopora*: in R. S. Boardman, A. H. Cheetham, & W. A. Oliver, Jr. (eds.), *Animal Colonies*, p. 317–360. 74 text-fig., Dowden, Hutchinson, & Ross (Stroudsburg).
- Vágel, Eugen, 1894, *Daten zur Bryozoen-fauna Ungarns*: Zool. Anz., v. 17, p. 153–155.
- Viganò, Antonio, 1968, *Note su Plumatella casmiana Oka (Bryozoa)*: Riv. Idrobiol., v. 7, p. 421–468, 4 text-fig., 22 pl.
- Vigelius, W. J., 1884, *Morphologische Untersuchungen über Flustra membranaceo-truncata Smitt*: Biol. Zentralbl., v. 3, p. 705–721.
- , 1886, *Zur Ontogenie der marinen Bryozoen*: Mittheil. Zool. Sta. Neapel, v. 6, p. 499–541, pl. 26–27.
- , 1888, *Zur Ontogenie der marinen Bryozoen*: Mittheil. Zool. Sta. Neapel, v. 8, p. 374–376, pl. 19.
- Vinassa de Regny, P. E., 1921, *Sulla classificazione dei Trepostomidi*: Atti Soc. Ital. Sci. Nat. Mus. Civ. Stor. Nat. Milano, v. 59, p. 212–231.
- Vine, G. R., 1884, *Fourth report of the committee, consisting of Dr. H. C. Sorby and Mr. G. R. Vine, appointed for the purpose of reporting on fossil Bryozoa*: Br. Assoc. Adv. Sci., 53rd Meeting (Southport, 1883), p. 161–209, 3 text-fig.
- , 1885, *Further notes on new species, and other Yorkshire Carboniferous Polyzoa described by Prof. John Phillips*: Proc. Yorks. Geol. Soc., n.ser., v. 8, p. 377–393, pl. 20, 21.
- , 1886, *Notes on the Yoredale Polyzoa of North Lancashire*: Proc. Yorks. Geol. Soc., n.ser., v. 9, p. 70–98, pl. 10.
- Viskova, L. A., 1972, *Pozdnelovoye mshanki Cyclostomata Povolzh'ya i Kryma*: Tr. Akad. Nauk SSSR Paleontol. Inst., v. 132, 90 p., 40 text-fig., 18 pl. [Late Cretaceous cyclostomatous bryozoans of the Volga region and the Crimea.]
- , 1973, *On the morphology and systematics of some Late Cretaceous cyclostomatous Bryozoa*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 497–502, 2 pl., Academic Press (London).
- Voigt, Ehrhard, 1959, *La signification stratigraphique des Bryozoaires dans le Crétacé supérieur*: Congrès Soc. Savantes, v. 84, p. 701–707.
- , 1966, *Die Erhaltung vergänglicher Organismen durch Abformung infolge Inkerustation durch sessile Tiere*: Neues Jahrb. Geol. Palaeontol. Abhandl., Bd. 125, p. 401–422, 6 text-fig., pl. 33–37.
- , 1968, *Eine fossile Art von Arachnidium (Bryozoa, Ctenostomata) in der Unteren Kreide Norddeutschlands*: Neues Jahrb. Geol. Palaeontol. Abhandl., Bd. 132, p. 87–96, 4 text-fig., pl. 7.
- , 1972a, *Amathia immurata n. sp., ein durch Biomuration erhaltenes ctenostomes Bryozoon aus der Maastrichter Tuffereide*: Palaeontol. Z., v. 46, p. 87–92, 1 text-fig. pl. 17.
- , 1972b, *Les méthodes d'utilisation stratigraphique des Bryozoaires du Crétacé supérieur*: Mem. Bur. Geol. Min. Fr., no. 77, v. 1, p. 45–53.
- , 1973, *Vinelloidea Canu, 1913 (angeblich jurassische Bryozoa Ctenostomata) = Nubeculinella Cushman, 1930 (Foraminifera)*: Palaeontol. Abhandl. Abt. A, Bd. 4, Heft 4, p. 665–670, 1 pl.
- , 1974, *Über Opercula bei der fossilen Bryozoengattung Inversaria v. Hagenow 1851 (Cbeilostomata, Ob. Kreide)*: Palaeontol. Z., v. 48, p. 214–229, 2 text-fig., pl. 32–34.
- , 1975, *Heteromorphy in Cretaceous Bryozoa*: in S. Pouyet (ed.), *Bryozoa 1974*, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 77–95, 10 pl.
- , & Soule, J. D., 1973, *Cretaceous burrowing bryozoans*: J. Paleontol., v. 47, p. 21–33, 1 text-fig., pl. 1–4.
- Vovelle, Jean, 1972, *Sclérotinisation et minéralisation des structures squelettiques chez les Mollusques*: Haliotis, v. 2, p. 133–165, 7 text-fig.
- Waagen, W. H., & Pichl, J., 1885, *Salt Range fossils; Productus-limestone fossils*: Mem. Geol. Surv. India (Palaeontol. Indica), ser. 13, v. 1, pt. 5, p. 771–834, pl. 87–96.
- , & Wentzel, Joseph, 1886, *Salt Range fossils; Productus-limestone fossils*: Mem. Geol. Surv. India (Palaeontol. Indica), ser. 13, v. 1, pt. 6, p. 835–924, pl. 97–116.
- Wada, Koji, 1972, *Nucleation and growth of aragonite crystals in the nacre of some bivalve molluscs*:

- Biominalisation Forschungsber., Bd. 6, p. 141–159, 34 text-fig.
- Walker, K. R., 1972, *Community ecology of the Middle Ordovician Black River Group of New York State*: Geol. Soc. Am. Bull., v. 83, p. 2499–2524, 16 text-fig.
- , & Ferrigno, K. F., 1973, *Major middle Ordovician reef tract in east Tennessee*: Am. J. Sci., v. 273-A (Cooper Memorial Volume), p. 294–325, 6 text-fig., 3 pl.
- Walter, Bernard, & Powell, H. P., 1973, *Exceptional preservation in cyclostome Bryozoa from the Middle Lias of Northamptonshire*: Palaeontology, v. 16, p. 219–220, pl. 20.
- Warner, D. J., & Cuffey, R. J., 1973, *Fistuliporaean bryozoans of the Wrexford Megacyclothem (Lower Permian) of Kansas*: Univ. Kans. Paleontol. Contrib. Pap. 65, 24 p., 5 text-fig., 3 pl.
- Wass, R. E., & Yoo, J. J., 1975, *Bryozoa from Site 282 west of Tasmania*: in J. P. Kennett et al., Initial Reports of the Deep Sea Drilling Project, v. 29, p. 809–831, 9 pl., U.S. Government Printing Office (Washington).
- Waters, A. W., 1889, *Supplementary report on the Polyzoa*: in J. Murray, Report on the Scientific Results of the Voyage of H.M.S. Challenger During the Years 1873–76. . . , Zoology v. 31, pt. 79, 41 p., 3 pl., H.M. Stationery Office (London).
- , 1913, *The marine fauna of British East Africa and Zanzibar from collections made by Cyril Crossland in the years 1901–1902. Bryozoa Cheilostomata*: Proc. Zool. Soc. London, 1913, p. 458–537, text-fig. 79–82, pl. 64–73.
- Webers, G. F., 1972, *Paleoecology of the Cambrian and Ordovician strata of Minnesota*: in P. K. Sims & G. B. Morey (eds.), Geology of Minnesota: A Centennial Volume, p. 474–484, text-fig. 22–31, Minnesota Geological Survey (St. Paul).
- Wells, J. W., 1969, *The formation of dissepiments in zoanthinarian corals*: in K. S. W. Campbell (ed.), Stratigraphy and Palaeontology: Essays in Honour of Dorothy Hill, p. 17–26, text-fig. 5, pl. 1, 2, Australian National University Press (Canberra).
- Westbroek, Peter, 1967, *Morphological observations with systematic implications on some Palaeozoic Rhynchonellida from Europe, with special emphasis on the Uncilulidae*: Leidse Geol. Meded., deel 41, p. 1–82, 81 text-fig., 14 pl.
- Whipple, G. C., 1910, *The Microscopy of Drinking Water*: 2nd ed., xiii + 323 p., 19 pl., John Wiley & Sons (New York).
- Wiebach, Fritz, 1963, *Studien über Plumatella casmiana Oka (Bryozoa)*: Vie Milieu, v. 14, p. 579–596, 4 text-fig.
- , 1975, *Specific structures of sessoblasts (Bryozoa, Phylactolaemata)*: in S. Pouyet (ed.), Bryozoa 1974, Doc. Lab. Geol. Fac. Sci. Lyon, hors-série 3, fasc. 1, p. 149–154, 3 pl.
- Williams, Alwyn, 1968, *A history of skeletal secretion among articulate brachiopods*: Lethaia, v. 1, p. 268–287, 13 text-fig.
- , 1971a, *Ultrastructure of the growing tip and the process of calcification in some Bryozoa (abstr.)*: International Bryozoology Association, 2nd International Conference, University of Durham, England, Abstr. no. 2.
- , 1971b, *Scanning electron microscopy of the calcareous skeleton of fossil and living Brachiopoda*: in V. H. Heywood (ed.), Scanning Electron Microscopy, Systematic and Evolutionary Applications, p. 37–66, 3 text-fig., 5 pl., Academic Press (London).
- Winston, J. E., 1976, *Experimental culture of the estuarine ectoproct Conopeum tenuissimum from Chesapeake Bay*: Biol. Bull. Woods Hole Mass., v. 150, p. 318–335, 4 text-fig.
- , 1978, *Polypide morphology and feeding behavior in marine ectoprocts*: Bull. Mar. Sci., v. 28, p. 1–31, 15 text-fig.
- Wise, S. W., Jr., 1969, *Study of molluscan shell ultrastructures*: in Scanning electron microscopy/1969, Proceedings of the 2nd Annual Scanning Electron Microscope Symposium Chicago, p. 205–216, 23 text-fig.
- , 1970, *Microarchitecture and deposition of gastropod naere*: Science, v. 167, p. 1486–1488, 1 text-fig.
- , & de Villiers, Johan, 1971, *Scanning electron microscopy of molluscan shell ultrastructures—Screw dislocations in pelecypod naere*: Trans. Am. Microsc. Soc., v. 90, p. 376–380, 9 text-fig.
- Wood, T. S., 1973, *Colony development in species of Plumatella and Fredericella (Ectoprocta: Phylactolaemata)*: in R. S. Boardman, A. H. Cheetham, & W. A. Oliver, Jr. (eds.), Animal Colonies, p. 395–432, 23 text-fig., Dowden, Hutchinson, & Ross (Stroudsburg).
- Woollacott, R. M., & Zimmer, R. L., 1972a, *Origin and structure of the brood chamber in Bugula neritina (Bryozoa)*: Mar. Biol., v. 16, p. 165–170, 4 text-fig.
- , ———, 1972b, *A simplified placenta-like brooding system in Bugula neritina (Bryozoa)*: in C. J. Arceneaux (ed.), 30th Annual Proceedings of the Electron Microscopy Society of America, p. 130–131, 2 text-fig. (Los Angeles)
- , ———, 1975, *A simplified placenta-like system for the transport of extraembryonic nutrients during embryogenesis of Bugula neritina (Bryozoa)*: J. Morphol., v. 147, p. 355–378, 2 text-fig., 7 pl.
- Yang, King-Chih, 1957, *Some Bryozoa from the upper part of the Lower Ordovician of Liangshan, southern Shensi (including a new genus)*: Acta Palaeontol. Sinica, v. 5, p. 1–10, 2 text-fig., 2 pl.
- Yaroshinskaya, A. M., 1960, *Tip Bryozoa. Mshanki*: in L. L. Khalfin (ed.), Biostratigrafiya paleozoya

- Sayano-Altajskoj gornoj oblasti, v. 1, Nizhnij paleozoj: Tr. Sib. Nauchno-Issled. Inst. Geol. Geofiz. Miner. Syrya, v. 19, p. 393–400, pl. 14–16. [*Phylum Bryozoa*: in L. L. Khalfin (ed.), Biostratigraphy of the Paleozoic of the Sayan-Altai mountain region, v. 1, Lower Paleozoic.]
- Yonge, C. M., 1953, *The monomyarian condition in the Lamellibranchia*: Trans. R. Soc. Edinburgh, v. 62, p. 443–478, 13 text-fig.
- Young, John, & Young, John, 1874, *On a new genus of Carboniferous Polyzoa*: Ann. Mag. Nat. Hist., ser. 4, v. 13, p. 335–339, pl. 16.
- Zimmer, R. L., 1973, *Morphological and developmental affinities of the lophophorates*: in G. P. Larwood (ed.), *Living and Fossil Bryozoa*, p. 593–599, Academic Press (London).
- Zittel, K. A., 1880, *Handbuch der Palaeontologie, Abt. 1. Palaeozoologie*: Bd. 1, 765 p., 558 text-fig., R. Oldenbourg (München).

INDEX

Italicized names in the following index are considered to be invalid; those printed in roman type are accepted as valid. The names of all taxa above the rank of superfamily are distinguished by the use of full capitals, and authors' names are set in large and small capitals. Page references having chief importance are in boldface type.

- abandoned chamber, 304, 332
Acanthoceramoporella, 339, 359
Acanthocladidae, 458
Acanthoclema, 539, 542, 551, 584, 591
Acanthopora, 429
acanthopore, 105, 304, 345
acanthorod, 304, 345
acanthostyle, 105, 304, 344, 345, 486, 539, 540
accretionary banding, 265, 304
Acrogenia, 423
Acrogeniidae, 422
Actinotrypa, 408
Actinotrypella, 408
Actinotrypidae, 345, 377, 407–409, 459
adventitious bud, 295, 304; polymorph, 180, 304
Aetomacladia, 342, 434
Aisenvergia, 335
aktinostyle, 304, 539
ALBERSTADT, WALKER, & ZURAWSKI, 453
Alcyonidium, 190, 206
Allantopora, 199
ALLMAN, 10, 140, 141, 146, 287, 302
Altshedata, 370
Alveolaria, 65
Amathia, 205
ambiguous characters, 125–127
Amsassipora, 359
anascans, 164, 304
anastomosing colony, 29, 304, 354
ancestrula, 8, 26, 108, 192, 301, 304, 354
Anellina, 438
Anisopora, 549
ANNOSCIA, 9, 140
annulus, 298, 304
Anolotichia, 331, 335, 346, 370
Anolotichiidae, 370–376
ANSTEY, PACHUT, & PREZBINDOWSKI, 120, 121, 543
anus, 92
apertural muscle, 230, 305
aperture, 21, 305
Arachnidium, 204–207, 209
aragonite crystal morphology, 273; skeletons, 242, 267
Arcanopora, 439, 440
Arcanoporidae, 442, 458
Archaeomeson, 592
Archaeotrypa, 438
ARMSTRONG, 106, 540
Arthroclema, 535, 551, 554, 561
Arthrocleridae, 553
Arthronema, 553
Arthronemidae, 553
Arthropora, 499
Arthrostyliidae, 445, 446, 458, 530, 543, 546–549, 553–569
Arthrostyloecia, 551, 557
Arthrostylus, 535, 551, 553, 557
articulate colony, 305, 354, 543, 548
ASCOPHORA, 213, 215, 230
ascophoran, 164, 305
Ascopora, 535, 552, 569, 571
ascus, 144, 147, 170, 305
asexual growth, 110–125
astogenetic change, zone of, 9, 26, 32, 115, 320; primary, 36, 58, 116, 192, 316; subsequent, 192, 318
astogenetic differences, 39, 305
astogenetic repetition, zone of, 9, 32, 116, 320; primary, 36, 58, 192, 317; subsequent, 192, 318
astogeny, 36, 41, 58, 190–194, 300, 305, 354, 545
Astreptodictya, 513
ASTROVA, 9, 11, 43, 55, 106, 355, 452, 453, 458–461, 464, 481, 486, 520, 540
ASTROVA & MOROZOVA, 443, 456, 458, 459, 546
Athrophragma, 509, 520, 535
atrial bag, 223, 305
AUDOUIN & MILNE-EDWARDS, 10, 140
autozoecia, 468–475, 534–536
autozoid, 148, 178, 305, 328
autozooidal polymorph, 305; see polymorph
avicularium, 180, 305
axial bundle, 305, 532, 536; cylinder, 532, 536; zoecium, 305, 536
Bactropora, 544, 552, 583, 591
Bactroporidae, 530, 546–549, 582–583, 591
BALAKIN, 565
ball-and-socket joint, 543
BANNER & WOOD, 244
BANTA, 145, 147, 152, 160, 168, 172, 178, 184, 194, 195, 197–200, 203, 205, 207, 216, 218, 228, 238, 245, 269, 277, 283, 285
BANTA, MCKINNEY, & ZIMMER, 121, 174, 484, 543
BARNES, 279
BARROIS, 146
basal attachment, 305, 461; bud, 194, 305; canal, 227, 305; diaphragm, 76, 305, 332, 344–345, 475; disc, 26, 108–110, 305; layer, 305, 342, 343, 346; plate, 305; platform, 156, 305; window, 156, 305; zoecium, 305, 328, 339–340, 359; zooidal wall, 6, 18, 29, 61–65, 154–156, 305
BASSI, 9, 140
BASSLER, 10, 43, 52, 100, 133, 145, 146, 148, 198, 334, 335, 450, 459, 461, 462, 466, 481, 546, 556
BATHURST, 240, 242
beak, 181, 305
BEERBOWER, 244
BERNER, 240
bifoliate colony, 18, 62, 305
bilaminate branches, 154, 305

- bimineralic skeleton, 152, 267, **305**
 biological interference, 239, **305**
 bisexual, 305
 DE BLAINVILLE, 10
 BLAKE, 106, 440–452, 486, 530–592
 BLAKE & TOWE, 105, 540
 blastema, 211, **305**
 blastula, 300, **306**
 BOARDMAN, 49–137, 328, 330, 331, 335–338, 349
 BOARDMAN & CHEETHAM, 11, 40, 47, 54, 57, 58, 62, 66, 68, 72, 74, 110, 133, 156, 200–203, 205, 207, 209, 218, 249, 277, 285, 342, 348, 350, 354, 487, 536, 540, 544, 546
 BOARDMAN, CHEETHAM, & COOK, 3–48, 58, 192, 203, 205, 277, 355
 BOARDMAN & MCKINNEY, 57, 58, 86, 94, 97, 99, 110, 116, 119, 120, 338
 BOARDMAN & TOWE, 62, 133, 260
 BOARDMAN & UTGAARD, 57, 117, 124, 350, 351
 BOBIN, 178, 195, 218, 228
 BOBIN & PRENANT, 178, 195, 215, 216
 body cavity, 4, 88–94, 174–182, **306**; wall, 4, **306**
 BOEKSCHOTEN, 141
 Bolopora, 439
 BORG, 10, 43, 52, 56, 58, 66, 68, 72, 74, 90, 92, 100, 107, 108, 113, 128, 129, 135, 141, 146, 328, 330, 331, 333, 334, 339, 349, 350, 544, 545
 borings, 138, **306**
 Botryllopora, 332, 351, 407
 Botrylloporidae, 407
 BRACHIOPODA, 10
 BRAEM, 146, 190, 297, 299
 branch, 121, 548; midrib, **306**, 341
 BRIEN, 289, 294, 295, 297, 301, 303
 BROMLEY, 141
 BRONSTEIN, 232, 234
 BROOD, 58, 66, 68, 74, 83, 85, 100, 106, 124, 133, 279, 540, 542, 545, 546
 brood chamber, 24, 90, 107, 186, **306**, 328
 brooding, 186–188
 BROWN, 10, 298
 brown body, 9, 94, **306**, 332; deposit, 94, **306**, 332
 BRYAN, 239
 BRYAN & HILL, 239
 BRYDONE, 141
 BRYOZOAIRES
 CELLULINÉS, 141
 BRYOZOAIRES
 CENTRIFUGINÉS, 141
 bud, 9, 113, 115, 194–195, 294, **306**
 budding, 306, 446, 548; patterns, 117, **306**, 536
 BUGE, 148, 303
 Bugula, 211, 213, 218
 BUSHNELL, 287, 298
 BUSHNELL & RAO, 298
 BUSHNELL & WOOD, 302
 BUSK, 10, 11, 50, 140, 141
 Buskopora, **381**, 400, 404
 Bythotrypa, 368, 371
 CaCO₃ polymorphs, 269, **306**
 caecum, 224, **306**
 calcification, 149–154
 calcite crystal morphology, 275–277
 calcite skeleton, 242–244, 267
 Callocladia, 549
 Callopora, 201, 218
 CALVET, 144, 146, 168, 213, 215, 216, 218, 221, 230, 231
 CAMAROSTEGA, 145
 Cambroporella, 439
 canaliculus, **306**, 332, 345
 CANU, 144
 CANU & BASSLER, 10, 54, 145, 148
 Canutrypa, 348, 353, **383**
 cap, in tentacle protrusion, 92
 capillary system, 486, 540
Caramella, 411
 cardia, 224, **306**
 cardiac stomach, 293, **306**
 carina, **306**, 354
Carinella, 434
 Carinodictya, 509
 CARNOSA, 209, 223
 carnosan, 205, **306**
 CASTER, 247
c-axis orientation, 271
 Cellaria, 203
 cell-mosaic, 275
 celluliferous side of colony, **306**
 Ceramella, 411
 Ceramophylla, 339, 345, 353, **360**
 Ceramopora, 329, 339, 351, **358**
 Ceramoporella, 333, 363
Ceramoporellidae, 358
 Ceramoporidae, 338, 358–369, 458
 CERAMOPORINA, 327, 329, 331, 342–345, 358–369, 459
Ceramporella, 363
 cerebral ganglion, 232, **306**
 Ceriocava, 335
 Championodictya, 499
 Charixa, 201, 202
 Chazydictya, 499
 CHEETHAM, 138, 139, 154, 176, 184, 186, 200–202, 240, 532
 CHEETHAM & COOK, 138–207
 CHEETHAM & HÅKANSSON, 138
 CHEETHAM & LORENZ, 200, 201
 CHEETHAM, RUCKER, & CARVER, 152, 267, 269
Cheiloporella, 363
 CHEILOSTOMATA, 11, 135, 138
 Cheilotrypa, 348, 350, 352, **383**
Cheilotrypidae, 380
Chiloporella, 363
Chilotrypa, 383
Chilotrypidae, 380
 circular muscle layer, 289, **306**
 Clathropora, 457, 490
Clathroporidae, 489
 Clausotrypa, 592
 Cliotrypa, 332, 340, 348, **384**, 405
 closure, **306**
 Coelocaulis, **385**
Coeloclema, 360, 363, 388
 Coeloclemis, 549
Coeloconus, 537, 544, 569, 591
 coelom, 4, 23, 302, **306**
 Coenites, 439
 COILOSTEGA, 145
 collar, 172, **306**
 colony, 3, 4, 34–42, 300–302, **306**; control, 39–42, **306**, 327, 341, 350; wall, 289, **306**
 columnar epithelium, 208, **306**
 common bud, **306**
 communication in colony, 22, 30, 327

- communication organ, 178, 306; pore, 65, 86, 307, 327
 compensating sac, 307
 compound range wall, 341
 compound skeletal wall, 62, 307
 condyles, 181, 307
 confluent budding zone, 61, 307; multizooidal, 113–115, 307; zooidal, 115, 307
 connecting segment, 307, 461
 Conopeum, 199, 200, 201
 Constellaria, 124, 341, 345, 352, 353, 378
 Constellariidae, 377, 378–380
 conveyor-belt model, 246
 Cook, 45, 124, 170, 174, 181, 182, 192, 199, 202, 203, 238, 283
 COOK & LAGAAIJ, 192
 core, 307, 537, 540
 CORI, 303
 cormidial orifice, 281, 307
 CORNELIUSSEN & PERRY, 94, 97
 cortex, 307
 Coscinella, 503
 Coscinium, 411
 Coscinotrypa, 413
 costa, 307
 costal shield, 164, 307
 Crassaluna, 348, 373
 Crassimarginatella, 201
Crateriopora, 529
 Crepipora, 334–336, 363
 cribrate colony, 307, 354
 cribrimorph structure, 164, 307
 CRIBRIMORPHA, 147–148
 Crisia, 90, 544
 Cristatella, 234, 294, 298, 299, 301–303
 CROWE, 297
 cryptocyst, 166, 307
 cryptocystidean, 269, 307
 CRYPTOSTOMATA, 11, 52, 349, 440–452, 453–592, 458, 459
 Cryptosula, 205
 CTENOSTOMATA, 11, 138
 ctenostomate fossils, boring, 138; nonboring, 138–139
Cucumulites, 380
 CUFFEY, 10, 11, 16, 43, 443, 446
 CUMINGS, 36, 51, 52, 56, 58, 110, 116
 CUMINGS & GALLOWAY, 51, 56, 83, 94, 97, 335, 486, 541, 545
 Cuneatopora, 549, 551, 557, 561, 584, 591
 Cupuladria, 203, 544
 cuticle, 18, 26, 208, 285–286, 307
 CUTLER, 341
 Cycloidotrypa, 438
 CYCLOSTOMATA, 11, 50, 52, 458
 Cyclotrypa, 335, 385
 cyphonautes larva, 190, 307
 cyst, hollow spherical, 334–336, 478
 cystiphragm, 83, 133, 307, 335, 478
 Cystiramus, 385
 Cystodictya, 349, 423
 Cystodictyonidae, 341, 342, 422–433, 458
 cystoidal diaphragm, 307
 CYSTOPORATA, 11, 54, 108, 327–357, 358–439
 cystopore, 307, 327
 dactylethra, 100, 307
 dark zone, 484, 533–534
 DAVENPORT, 144, 294
 DAWYDOFF & GRASSE, 303
 degeneration-regeneration cycle, 23, 88
 DELAGE & HEROURARD, 10
 dendrite, 307
 dendritic thickening, 249, 307
 dendroid colony, 18, 307
 Denmeadopora, 592
 Densipora, 106
 DeVRIES, 287
 Diamesopora, 348, 352, 361, 385, 388
 Dianulites, 439
 diaphragm, 23, 308, 537
 diaphragmatic dilator muscle, 31, 308
Diaphragmopora, 439
 Dichotrypa, 335, 341, 422, 423
Dicranopora, 507
Didymopora, 439
 digestive epithelium, 208, 308
 dilator muscle, 31, 176, 308
 Diploclema, 348
 Diplosolen, 100
 Diptheropora, 438
 direct nerve, 233, 308
 Discoporella, 544
Discorrypella, 393
 Disporella, 122
 distal bud, 194, 308;
 direction, 308; hemiseptum, 81, 308
Disteichia, 529
 distolateral bud, 194, 308
 divaricator muscle, 176, 308
Dnestropora, 367, 368
 DODD, 246, 267
 DOLLFUS, 51
 dormancy, statoblast, 298
 double-walled colony, 308;
 growth model, 349–350
 DUDLEY, 536
 DUMÉRIL, 51
 DUNAeva, 335, 336, 580
 DUNAeva & MOROZOVA, 338, 450, 479
 DUNCAN, 50, 590
 Duncanoclema, 348, 391
 duplicate bud, 295, 308
 duplicature muscle, 34, 308
 DYBOWSKI, 54, 94
Dybowskaia, 391
 Dybowskiella, 348, 352, 391
 Dyscritella, 549
 DZIK, 152, 197, 200, 201, 205, 207
 ectocyst, 208, 308
 ectoderm, 208, 308
 ECTOPROCTA, 10
 edgewise growth, 62, 260, 308
 eggs, 107, 182, 188, 299
 EHRENBERG, 10, 140, 457
 EICHWALD, 457
 EITAN, 192
 Electra, 199, 206, 218, 220, 228, 232, 236
 ELIAS & CONDRA, 11, 54, 349, 443
 ELLIS, 9, 140
 Elzerina, 206, 207
 embryonic fission, 26, 107, 188, 308
 encrusting colony, 29, 308;
 walls, 61, 62, 308; tubular
 extensions of, 128
 endocyst, 208, 308
 endoplasmic reticulum, 210, 308
 endozone, 18, 65, 308, 470
 Ensiphragma, 483, 492
 Ensipora, 492
 ENTOPROCTA, 10
 entosaccal cavity, 22, 90, 308
 environmental control, 45–47, 127–132
 Eofistulotrypa, 391
 Eopachydictya, 510
 Epiactinotrypa, 409
 epidermis, 4, 23, 308, 545
 epifrontal fold, 238, 308
 epistome, 7, 293, 308
 epithelial layer, 289, 308

- epithelium, 208, 309
ERBEN, 273
 erect colony, 29, 309
Eridopora, 393
Erydopora, 393
Escharopora, 457, 459, 461, 498, 501
Escharoporidae, 456, 487, 498–502, 503, 517
 esophagus, 224, 309
Etherella, 433
Etherellidae, 433
Eurydictya, 510
EURYSTOMATA, 11
Euspilopora, 460, 521, 527
 eustegal epithelium, 309
Euthyrisella, 197, 203, 285
Evactinopora, 415
Evactinostella, 417
 evolutionary classification, 42–48
 excurrent chimney, 57, 122, 309, 543
 exilozooecium, 103, 309, 329, 338–339, 479, 542
 exosaccal cavity, 23, 90, 309
 exozone, 18, 65, 309, 470, 548
 explanate colony, 309
 exterior orificial walls, 5
 exterior skeletal walls, ultrastructure, 277, 309
 exterior walls, 5, 94, 128, 285–286, 309
 external muscle, 230, 309
 extrazoecial skeleton, 484–487
 extrazooidal part, 4, 24, 31, 41, 61, 103–107, 182–186, 309, 534, 535; skeleton, 24, 184, 309, 340–342
- FARMER, VALENTINE, & COWEN**, 10
FARRE, 140, 144
Favicella, 393, 404
Favicellidae, 380
 feeding currents, 121–125; organs, 88–94; zooids, 5, 309
 Feigl's solution staining, 309
Fenestella, 450
Fenestellidae, 450, 458, 459
FENESTELLOIDEA, 450, 459
FENESTRATA, 11, 54, 108, 110, 349, 443
 fenestrate colony, 122, 309
 fenestrule, 122, 309
- Fenestrulina*, 209
 fibrillation, 213, 309
Filiramoporina, 427
Fimbriopora, 529
 firmatopore, 309
FISCHER, 141
Fistulammina, 417
Fistulicella, 404
Fistuliphragma, 332, 348, 395
Fistulipora, 334, 335, 351, 380
Fistuliporella, 395
Fistuliporidae, 327, 340, 349, 380–405, 458
Fistuliporida, 395
FISTULIPORINA, 327, 328, 331, 333, 341, 345–349, 369–438
Fistuliporina, 404
Fistuliporinidae, 380
FISTULIPOROIDEA, 369
Fistuliramus, 395
Fistulocladia, 353, 397
Fistulotrypa, 398
 fixed-walled colony, 21, 74, 309; combined with free-walled, 74–75
 flask-shaped chamber, 97, 309, 328, 337–338
 flexibly erect colony, 29, 309
 floatoblast, 298, 309
FLUSTRA, 218
Flustrellidra, 190, 205
FOERSTE, 55
 fragmentation, 8, 309, 544–545
FRANZÉN, 299
Fredericella, 287, 289, 291, 298, 300–303
 free-living colony, 29, 309
 free-walled colony, 21, 72–74, 309; combined with fixed-walled, 74–75
 frondose colony, 309, 353
 frontal budding, 160, 309; closure, 172, 310; membrane, 310; shield, 162, 310; structure, 310; wall, 6, 160, 283, 310
 frontal side of colony, 310
 frontal zooidal walls, 18, 30, 66–70
 funicular strand, 5, 310
Funiculus, 293, 295, 297, 310
 funnel cystiphragm, 310, 328, 345
 funnel-shaped chambers, 310, see flask-shaped chamber
 fused-walled, see fixed-walled
FYFE & BISCHOFF, 242
- GABB & HORN**, 141
Ganiella, 353, 368
GAUTIER, 65, 83, 88, 110, 265
GEISER, 300
 genetic control, 34–42, 127, 132–137
GERVAIS, 10
GERWERZHAGEN, 234, 294
 giant bud, 210, 310
 gizzard, 224, 310
Glauconome, 440, 458
Glauconomella, 440, 458, 550, 557
Glossotrypa, 439
 glycoprotein, 320
Glyptopora, 335, 342, 417
Glyptotrypa, 417
GOLDFUSS, 457
Goldfussitrypa, 592
 Golgi apparatus, 210, 310
Goniocladia, 434
Goniocладиella, 434
Goniocladidiidae, 434–438, 459
Goniocladinae, 434
Goniotrypa, 510
 gonozooecium, 107, 108, 310, 328, 340, 542
GORDON, 178, 182, 194, 195, 209, 228
GORYUNOVA, 460, 542, 546, 580
GORYUNOVA & MOROZOVA, 537
GOULD & KATZ, 532
GRANT, 10, 140
 granular microstructure, 310, 331, 346, 471
 granular-prismatic microstructure, 310, 331, 346
Graptodictya, 499, 501
Graptopora, 529
GREELEY, 153, 181, 269
GREGORY, 52, 100, 144
 growing tip, 209, 310
 growth banding, 251; habit, 3, 130–132, 283, 301–302, 310, 530; orientation, 5, 281
 growth models, skeletal, 245–267, 349, 545; brachiopod-molluscan, 245–249
 gymnocyst, 164, 310
 gymnocystidean, 269, 310
GYMNOLAEMATA, 10, 11, 26
- HÅKANSSON**, 156, 158, 186, 192, 195, 203, 269, 285
HÄNTZSCHEL, 141

- HALL, 457
 HALLAM & O'HARA, 242
 Hallopora, 103
 HARMELIN, 49, 50, 54, 57, 65, 66, 81, 83, 92, 113, 132, 133, 547, 548
 HARMER, 9, 10, 56, 107, 144–146, 148, 160, 162, 164, 176, 184, 186, 192, 203, 209, 245
 HASTINGS, 181
 HATSCHKE, 10
 HAY, WISE, & STIEGLITZ, 238
 Hayasakopora, 592
 HEALY & UTGAARD, 344–346, 349
 Heliotrypa, 460, 528
 Heloclema, 552, 559
 Helopora, 542, 548, 549, 551, 557, 559, 561, 565
Hemidictya, 507
 Heminematopora, 551, 559
Hemipachydictya, 529
 hemiphragm, 83, 310, 334
 hemisepta, 52, 81, 133, 310, 334, 447, 537, 548
 hemispherical colony, 120, 310
 Hemiulrichostylus, 551, 560
 Hennigopora, 377
 HERWIG, 221
Heterodictya, 490
 heteromorphy, 180
 Heteropora, 129, 130, 334, 458
 Heteroporidae, 349
 heterostyle, 311, 539
 heterozoid, 180, 311
 Hexagonella, 341, 349, 411
 Hexagonellidae, 342, 409–422, 427, 459
 Hexagonellinae, 409
 HEXAPOGONA, 146
 Hexites, 551, 552, 560
 hibernaculum, 32, 194, 311
 HILLER, 234
 HILLMER, 58, 113, 124, 129
 HILTON, 232
 HINCKS, 145
 HINDS, 54, 68, 74, 76, 81, 265
 Hippopetraliella, 205
 Hippothoa, 199, 205, 206
 hollow ramose colony, 311
 holoblastic cleavage, 300, 311
 homogeneous ultrastructure, 271
 D'HONDT, 139
 Hornera, 335, 349
 HUBSCHMAN, 300
 HUDSON, 242
 HUXLEY, 10
 Hyalinella, 301, 303
 Hyalotoechus, 549, 592
 hydrostatic system, 144, 148, 311
 HYMAN, 9, 10, 211, 289, 303
 Hyphasmopora, 535, 552, 587
 Hyphasmoporidae, 530, 542, 546–549, 587–591
 hypostegal coelom, 168, 311, 327; epithelium, 311, 333
 hypostegia, 311
 ichnotaxa, 141
 Idioclema, 540, 549, 592
 immature region, 311
 Immergentia, 206
 IMPERATO, 140
 inferior hemiseptum, 311, 478
 initial layer of skeleton, 311
 inner epithelium, 311, 333
 Insignia, 492
 integration, 311, 546
 intercalary cuticle, 218, 311
 interior skeletal walls, 5, 279, 285–286, 311; ultrastructure, 279, 311
 intermonticular autozoocia, 329
 interray, 311, 341
 intertentacular organ, 190, 311
 interzooidal budding, 113, 311; communication organ, 176, 311; connection, 41; growth, 311; polymorph, 180, 311
 intracoelomic muscle, 293–294, 311
 intracolony overgrowth, 129, 311
 intracuticular skeleton, 152, 311
 Intrapora, 483, 503
 Intraporidae, 456, 460, 461, 487, 503–505, 517
 intrazooidal budding, 113, 311; communication organ, 178, 311; polymorphs, 42, 311
 intrinsic body-wall muscle, 33, 312
 JEBRAM, 43, 92, 147, 194, 198, 206, 303
 JEUNIAUX, 211
 JOHNSTON, 50, 141
 jointed-erect colony, 29, 312
 JULLIEN, 144, 168, 302
 KARKLINS, 453–488, 489–529
 Kasakhstanella, 400
 KAUFMANN, 181
 keel, 289, 312
 kenozoid, 100, 180, 192, 312; vicarious, 180, 339
 key to genera of
 Rhabdomesina, 550–553
 Klaucena, 552, 578, 591
 KOBAYASHI, 269
 KOPAYEVICH, 481, 486
 KOSCHINSKY, 144
 KRAEPELIN, 141, 146, 152, 287, 289, 294, 297, 302
 LABRACHERIE, 202
 LABRACHERIE & SIGAL, 138
 LACOURT, 298, 302
 LAGAARJ & COOK, 139
 LAGAARJ & GAUTIER, 202
 lamellar growth, 260, 312, 532–533; profile, 533; ultrastructure, 260, 269–273, 312, 344, 533
 laminated microstructure, 342–343, 345, 472
 Lamtshinopora, 356, 370, 375
 lanceolate colony, 312
 LAND, MACKENZIE, & GOULD, 242
 LANKESTER, 10
Lanopora, 590, 591
 larvae, 7, 108, 190, 300, 312; planktotrophic, 190
 LARWOOD, 148, 200, 201
 lateral skeletal projections, 81, 312, 334–336, 476
 lateral wall, 156, 312
 LEA, 140
 lecithotrophic development, 188, 312
Lemmatopora, 518
 lepralioid, 238, 312
 leptoblast, 298, 312
 Leptotrypa, 335
 LEVEAUX, 297
 LEVINSSEN, 100, 145, 148, 176, 275
 libria, 341, 354
 Lichenalia, 407
 Lichenopora, 122, 124, 327, 337, 347, 351
 Lichenoporidae, 349
 Lichenotrypa, 348, 400
 ligament, 231, 312
 Liguloclema, 433
 LINDSTRÖM, 51
 lineal growth, 209, 312; series, 153, 312
 LINNÉ, 9

- Linotaxis, 549, 592
 lipid, 312
 LIPPMANN, 240
 LISTER, 140
 living chamber, 76, 312, 331–334
 longitudinal direction, 312; partition, 216, 312; ridge, 312, 342, 541; section, 312; wall, 312, 468
 longitudinal muscle layer, 289, 293, 312
 LONSDALE, 457
 Lophoclema, 427
 lophophoral fold, 223, 313
LOPHOPHORATA, 10
 lophophore, 6, 291, 295, 303, 313; neck of, 174, 313
 Lophopodella, 293, 297, 303
 Lophopus, 234, 294, 298, 301, 302
 LOWENSTAM, 267, 269
 Lunaferamita, 378
 lunarial core, 313, 344; deposit, 313, 344, 347
 lunarium, 313, 327, 330–331
 lunulitiform colony, 269, 313
 LUTAUD, 34, 195, 208–237
 LUTAUD & PAINLEVÉ, 211, 216, 223, 226

 MACCLINTOCK, 247
 macula, 24, 118–121, 313
 main bud, 295, 313
 MAJEWSKE, 238
 Mamillopora, 203
 mandible, 181, 313
 MÄNNIL, 452
 mantle, 300, 313
 MARCUS, 11, 13, 43, 141, 146, 182, 188, 195, 232, 234, 289, 293, 294, 298–300, 303
 MARCUS & MARCUS, 544
 Margaretta, 203, 205, 286
 marginal zoecium, 313, 478
 massive colony, 120, 313
 maternal zooid, 186, 313
 MATRICON, 224, 231
 mature region, 313
 MATURO, 285
 MAWATARI, 147
 Maychella, 592
 MAYR, 10
 McCOY, 457
 MCKINNEY, 58, 94, 105, 113, 122, 350, 352, 353
 McNAIR, 440–443, 458, 459, 546

 MEDD, 176
 median granular zone, 313, 466
 median lamina, 313; plate, 531–532; rod, 313, 466; tubule, 313; wall, 62, 313
 Mediapora, 553, 571
 Meekopora, 417
 Meekoporella, 418
 Megacanthopora, 548, 552, 579, 591
 Meliceritites, 118
 Membranipora, 148, 199, 200, 203, 228
 membranous sac, 22, 90, 94, 313, 337
 MERIDA & BOARDMAN, 57
 mesenchyme, 208, 313
 mesocoel, 289, 293, 313
 mesoderm, 208, 313
 mesopore, 313
 mesotheca, 313, 342–344, 346, 464–468
 mesozoecia, 103, 313, 482, 542
 metacoel, 289, 313
 metamorphosis, 8, 313
 metapore, 313, 542, 549
 Metelipora, 400
 Metrarabdotos, 203, 205, 259
 microenvironmental variation, 36, 128, 314
 microstructure, 132–133, 342–349
 microvilli, 227, 314
 midray partition, 314, 341, 345
 MILLIMAN, 240
 MILNE-EDWARDS, 10, 457
 minutopore, 314, 345
 mitochondrion, 314
 mixed nerve, 233, 314
 MOLLUSCA, 10
MOLLUSCOIDEA, 10
 Mongoloclema, 592
 monila, 314
 Monobryozoon, 148
 monocious, 299, 314
 monomineralic skeleton, 152, 314
 monomorphic colony, 42, 314, 328; polypide, 289, 314; zoecia, 61, 314
 Monoporella, 205
 monothetic classification, 12
 monticular zoecia, 329, 339
 monticule, 118, 314, 484, 543
Monticuliporidae, 133, 458
 MOORE & DUDLEY, 350
 MOROZOVA, 355, 443, 456

 morphologic differences among polymorphs, 42
 MORTON, 140
 morular cell, 215–216, 314
 Moyerella, 541, 551, 561
Mystaina, 429
 mucopolysaccharide, 314
 MUKAI, 298
 multifoliare colony, 314
 multilaminar colony, 160, 192, 314
 multiserial budding, 194, 314
 multizoooidal bud, 314; layers, 156, 314; parts, 4, 61, 314, 342, 534
 multizoooidal budding zone, 26, 182, 314
 mural lacuna, 314, 485; spine, 83, 314, 334, 478, 540; style, 314, 485; tabula, 314, 345
 muscle layer, 289, 314
 MUTVAI, 273
 myocyte, 230, 314
 myoepithelial cell, 314
 Myriapora, 203, 285

 nanozooid, 100, 314, 339
 NEKHOROSHEV, 55, 453, 459, 461, 462
 NEKHOROSHEV & MODZALEVSKAYA, 456
 Nellaia, 203, 205
 Nemaacanthopora, 592
 Nemataxidra, 592
 Nemataxis, 543, 549, 552, 571
 Nematopora, 535, 551, 552, 555–557, 559, 561, 565, 583, 591
 nematopore, 314
 Nematotrypa, 592
Neorbombopora, 579, 591
 nervous system, 294
 NEVIANI, 9
 NEWTON, 536, 545, 546
 NICHOLSON, 51, 54, 55, 457
 Nicholsonella, 244
 Nicholsonia, 529
 NICKLES & BASSLER, 457–459
 Nicklesopora, 543, 552, 574
 NIELSEN, 10, 23, 65, 108, 110, 303
 NIELSEN & PEDERSEN, 23, 90
 Nikiforopora, 549
 NIKIFOROVA, 55, 565
 Nikiforovella, 542, 551, 584, 587
 Nikiforovellidae, 530, 542, 546–549, 583–587

- NITSCHKE, 10, 144
 noncelluliferous side of colony, 314
 NYE, 54, 120, 124, 333
 NYE, DEAN, & HINDS, 57, 88
- Oanduella, 501
Oandupora, 569
 obverse side of colony, 314
 occlusor muscle, 176, 314
 ODA, 297, 298
 Odontotrypa, 400
Odontotrypidae, 380
 Ogbinopora, 536, 552, 589
 OKA, 294, 297
 ontogenetic variation, 34, 315
 opercular scar, 172, 315
 operculum, 30, 72, 172, 315;
 in cystoporates, 334; in
 fistuliporines, 334
 opesia, 315
 D'ORBIGNY, 141, 457
 organic matrix of crystals, 271
 orifice, 5, 315
 orificial wall, 21, 30, 70–72,
 170–174, 315
 orificial-vestibular membrane,
 92, 94
 Orthopora, 535, 537, 540,
 542, 549, 552, 553, 574,
 578, 583
 Osburnostylus, 535, 551, 563,
 592
 OSTROUMOV, 144, 145
 Otoseetaxis, 592
 outer coelomic space, 22, 315
 oviceil, 188, 315, 542
- Pachydictya, 458, 459, 512,
 520
Pakridictya, 439
 Paludicella, 206
 PALUDICELLEA, 141
 Pamirella, 539, 552, 580
 Papillalunaria, 369
 parallel fibrous ultrastructure,
 315, see planar spherulitic
 ultrastructure
 parietal budding, 294–295;
 muscle, 31, 174, 315
 parietodepressor muscle, 230,
 315
 parietodiaphragmatic muscle,
 230, 315
 parietovaginal muscle, 231,
 315
 PAS test, 315
 paurostyle, 315, 538
 paving machine model, 247
- Pectinatella, 289, 293, 294,
 298, 300, 301, 303
 pellicles, 334
 Penetrantia, 206, 207
 Penniretepora, 557
 periancestrular budding, 194,
 315
 perigastric cavity, 315
 perimetrical attachment organ,
 92, 315
 peripharyngeal ganglion, 232,
 315
 peripheral nerve, 231, 315
 peristome, 6, 172, 174, 315,
 541
 peritoneum, 4, 23, 289, 316
 PERRY & HATTIN, 355
 Pesnastylus, 592
 Petalopora, 118, 551
 Petaloporella, 591, 592
 Petraliella, 205
 petraliiform colony, 269, 316
 Phaenopora, 458, 459, 495;
 province, 460
 Phaenoporella, 459, 496
Phaenoporinae, 460, 489
 phagocyte, 215, 316
 pharynx, 224, 316
 PHILLIPS, 459, 461, 464, 466,
 468, 481
 Pholidopora, 400
 PHORONIDA, 10
 Phractopora, 419
 Phragmopora, 506
 Phragmopheridae, 456, 460,
 487, 505–506
 PHYLACTOLAEMATA, 10,
 11, 32, 287–303
 Phylodictya, 458, 513
 Phylloporinidae, 445, 449,
 450, 458, 459, 554
 Pileotrypa, 402
 Pinacotrypa, 404
 Pinegopora, 551, 584
 pinnate growth habit, 316
 PINTER MORRIS, 206
 piptoblast, 299, 316
 PITT, 201, 202
 pivotal bar, 181, 316
 Plagioecia, 103
 planar spherulitic
 ultrastructure, 316, see
 spherulitic
 planktotrophic larva, 190, 316
 pleated collar, see collar
 Plumatella, 287, 289, 293–
 295, 297, 298, 301–303
 PODAXONIA, 10
 POWOWSKY, 138, 141, 147,
 199, 206
- POLUZZI & SARTORI, 152, 267
 polyembryony, 316, see
 embryonic fission
 polymorph, 5, 23, 31, 42, 58,
 99–103, 316, 478, 534;
 adventitious, 180;
 interzooidal, 180; vicarious,
 188
 polymorphic colony, 316, 328
 polymorphism, 36, 99–103,
 178–182, 316; of soft parts,
 178
- POLYPIARIA
HIPPOCREPIA, 10
 POLYPIARIA
INFUNDIBULATA, 10
 polypidial bud, 221, 316
 polypide, 208, 289, 316, 332,
 334, 337, 536, 545
 polypidial vesicle, 221, 316
 polysaccharide, 316
 polythetic classification, 12
 POLYZOA, 10
 pore chamber, 178, 316; plate,
 30, 316
 Poricellaria, 205
 postmandibular area, 182, 316
 POUYET, 194
 POWELL, 188
 PRENANT & BOBIN, 147
 PRIGOGINE, NICOLIS, &
 BABLOYANTZ, 244
 primary bud, 208, 316;
 zooids, 192, 317
 primary direction of
 encrusting growth, 116, 316
 primary wedge of encrusting
 zooids, 116, 316
 primordium, 294, 317
 Primorella, 552, 580, 592
 principal body cavity, 174,
 317
 Prismopora, 334, 420
 Proavella, 501
 Profistulipora, 356, 370, 376
 protoeol, 289, 317
 proximal bud, 194, 317;
 direction, 34, 317;
 hemiseptum, 81, 317
 proximolateral bud, 194, 317
 pseudocoel, 23, 317
 pseudomesopore, 481
 Pseudonematopora, 552, 565
 Pseudopachydictya, 520
 pseudopore, 62, 70, 72, 317
 Pseudostictoporella, 518
 Pteropora, 496
Pteropora, 431, 432
 Ptilocella, 427

- Ptilodictya*, 440, 457, 458, 478, 490
Ptilodictyidae, 456, 458, 459, 460, 461, 484, 486, 487, 489–498
PTILODICTYINA, 453–488, 489–529
Ptilodictyinae, 460, 489
PTILODICTYOIDEA, 443, 459
Ptilodictyonidae, 489
Ptilotrypa, 460, 522
Ptilotrypina, 460, 483, 523
PURDY, 242
 pustule, 317, 485
 pylorus, 223, 317
Pyriporopsis, 198–200, 205–207
Pyropora, 209, 285
PYXIBRYOZOA, 11, 16
- Ramipora*, 436
Ramiporalia, 438
Ramiporella, 438
Ramiporidra, 438
Ramiporina, 422
 ramose colony, 317
 range of zooids, 317
 range partition, 317, 485; wall, 317, 341
RAUP, 246
 ray, 317
 recrystallization, 240–245, 348–349
 rectal pouch, 223, 317
 rectum, 317
 redundant characters, 127
 regenerative budding, 221, 317
REPIACHOFF, 146
 retractor muscle, 23, 176, 317
REUSS, 141
Revalopora, 341, 380
Revalotrypa, 439
 reverse side of colony, 317
Rhabdomesidae, 458, 530, 546–549, 569–576, 592
RHABDOMESINA, 500–592, 530–549
RHABDOMESOIDEA, 459, 550
Rhabdomeson, 440, 535–537, 543, 544, 545, 552, 569, 592
RHABDOMESONATA, 54, 443, 550
Rhabdomesontidae, 458, 569
Rhammatopora, 200–202
Rhinidictya, 507
Rhinidictyidae, 445, 456, 458–461, 466, 480, 484–487, 506–516, 520
Rhinidictyonidae, 506
Rhinopora, 406
Rhinoporidae, 341, 405–407
Rhombocladia, 592
Rhombopora, 530, 535, 542–544, 548, 552, 576, 580, 581, 592
Rhomboporella, 592
Rhomboporidae, 530, 546–549, 576–581, 592
RICHARDS, 206
 rigidly erect colony, 29, 317
 ring septum, 83, 317
ROGICK, 293, 302
ROGICK & BROWN, 289
ROMANCHUK, 540
ROMANCHUK & KISELEVA, 580
ROMINGER, 51
ROSE, 240
 rosette, 218, 317
ROSS, 66, 113, 350, 450, 452, 453, 456, 458, 459, 460, 461, 464, 466, 478, 481, 485
RUCKER, 267
RUCKER & CARVER, 152, 153, 267
RYLAND, 9, 11, 43, 54, 147, 148, 182, 186, 188, 190, 192, 195, 285, 328, 461, 536
- Saffordotaxis*, 548, 552, 581, 592
 sagittal section, 317
SANDBERG, 152, 153, 156, 164, 168, 203, 238–286, 349
SANDBERG, SCHNEIDERMANN, & WUNDER, 242
SANDERS & FRIEDMAN, 242
SARYCHEVA, 355
Scalaripora, 422
Scenellopora, 376
Sceptropora, 551, 565
Schizoporella, 148, 203
SCHNEIDER, 211, 213, 281
SCHNEIDERMANN, 244
SCHOPF, 10, 47, 139, 202, 203
SCHOPF & MANHEIM, 244, 267
 screw-dislocation structure, 239, 269, 317
 secondary direction of encrusting growth, 117, 317
 secondary wedge of encrusting zooids, 116, 317
Selenopora, 404
Selenoporidae, 380
- Semiopora*, 429
 septula, 218, 318
 septum, 32, 318, 345, 347
 sessoblast, 298, 318
 Setosellina, 205
 sexual reproduction, 107–110, 299–300; zooids, 182, 318
 sheath laminae, 106, 318, 537
SHISHOVA, 49, 54, 443, 542, 546
SHULGA-NESTERENKO, 340, 450, 486
Sibiredictya, 513
SILÉN, 5, 11, 43, 107, 145–148, 160, 164, 180, 182, 188, 194, 206, 209, 216, 218, 221, 245, 277, 285
SILÉN & HARMELIN, 103, 537
 similarity estimates, 12
SIMMA-KRIEG, 194
 simple wall, 318, see fixed-walled
 simple-walled colony, 318
 single-walled, 318, see fixed-walled
 sinus, 318
 sinus and keel configuration, 117
 skeletal growth, sequential, 86
 skeletal ridges, 541–542
 skeletal walls, compound 62, 545; simple, 62, 545
 skeleton, 5, 249, 318, 532–534
Sladina, 529
SMITT, 141, 144, 148
SNEATH & SOKAL, 12
SÖDERQVIST, 279
 soft part polymorph, 56, 318
Solenopora, 439
 solid ramose colony, 318
SORAUF, 279
SORBY, 240, 242
SOULE, 147, 176, 221, 223
SOULE & SOULE, 10, 147, 206, 207
Spatiopora, 439
 sperm, 107, 182, 188, 299
 spherulitic ultrastructure, 239, 269–273, 279, 281, 318
 spine, 164, 318; base, 164, 318
Spira, 578
 spiral growth, 532
Spirentolophora, 118
Spirillopora, 592
STACH, 49, 202, 203
 statoblast, 32, 297–299, 303, 318; ancestrula, 297, 318
Steginoporella, 199

- STEHLI, 242
 stellatopore, 540
Stellipora, 378
Stelliporidae, 378
Stenocladia, 549
 STENOLAEMATA, 10, 11, 18, 49
Stenopora, 106, 540
Stenoporidae, 580
 STENOSTOMATA, 11
 stereom, 318, 327, 340–341, 484–485
Stictocella, 429
Stictopora, 457–459, 461, 470, 507, 520
Stictoporella, 440, 448, 517
Stictoporellidae, 445, 453, 458–461, 487, 503, 516–518
Stictoporellina, 501, 518
Stictoporidae, 458
Stictoporida, 427, 428
Stictoporina, 427, 529
Stictotrypa, 460, 524
 STIEGLITZ, 238
 stolon, 209, 318
Stolonicella, 205
 STOLONIFERA, 209, 213, 218, 223, 227, 228, 230, 237
 stoloniferan, 206, 318
 stomodaal cavity, 293, 318
 stratigraphic ranges of taxa, 321–326; *Cystopora*, 356–357; *Ptilodictyina*, 453–456; *Rhabdomesina*, 530, 546
 STRATTON, 108
Streblascopora, 552, 590, 592
Streblocladia, 592
Streblotrypa, 535, 549, 552, 584, 587, 590, 591
Streblotrypella, 542, 551, 584, 585, 590, 592
Streblotrypidae, 587
 striae, 318
Strotopora, 332, 340, 348, 404
 style, 105, 318
 styler, 224, 318, 537, 541, 549
Stylopoma, 205
 subcolony, 124, 318
 subterminal diaphragms, 85, 333–334, 345
Sulcopora, 507
Sulcoretepora, 429, 440, 458
Sulcoreteporidae, 422, 459
 superficial layer of frontal wall, 170, 318
 superior hemiseptum, 319, 477
 supporting walls, 5, 319
Syringoclemis, 549, 592
Taeniodictya, 460, 522, 524
Taeniopora, 348, 431
 tangential section, 319
 TAVENER-SMITH, 62, 106, 108, 110, 198, 248, 265, 345, 348, 349, 461, 466, 486, 541, 545, 546
 TAVENER-SMITH & WILLIAMS, 58, 62, 70, 152, 166, 168, 170, 210–213, 245, 269, 279, 283, 348, 443, 466, 532
 TAYLOR, 120, 275
 TAYLOR, KENNEDY, & HALL, 248, 267
Tennysonia, 117
 tentacle, 7, 23, 31, 303, 319
 tentacle crown, 121, 319; protrusion, 90; sheath, 7, 319
 tentacular atrium, 224, 319
 TENTACULATA, 10
Terebellaria, 100
 tergopore, 319
 TERMIER & TERMIER, 443
 terminal diaphragm, 76, 85, 319, 333–334, 345, 537
Tessaradoma, 205
Thamnopora, 432
Thamnotrypa, 432
Thamnotrypidae, 422
 thin-section use, 54, 57
 THOMAS & LARWOOD, 201, 285
 THOMPSON, 110, 140
 THORPE, 249
 THORPE, SHELTON, & LAVERACK, 176, 235
 TILLIER, 54, 120
 TIMANODICTYOIDEA, 443
 TORIUMI, 293, 302
 TOWE, 271
 TOWE & CIFELLI, 271
 TOWE & HEMLEBEN, 242
 transverse partition, 216, 319; wall, 29, 156, 283, 319
 transverse spherulitic ultrastructure, 271, 319
Trematella, 542, 549, 553, 576, 592
 TREMBLEY, 140, 302
Trepocryptopora, 460, 527
 TREPOSTOMATA, 11, 51, 330, 349, 458, 459, 480
 trifold nerve, 232, 319
 trifoliate colony, 319
Trigonodictya, 461, 484, 513
Triphyllotrypa, 391
Triphyllozoon, 285
Tropidopora, 535, 552, 566, 592
Tuberculopora, 438
Tubulipora, 128, 130, 136
 TUBULIPORATA, 11, 51, 55, 330, 349, 452, 458
 TUBULIPORINA, 50
 TUBULOBRYOZOA, 11, 16
 tunnel, 319, 341–342
 TURNER, 172
 ULRICH, 11, 49, 51, 52, 54, 55, 120, 141, 198, 334, 335, 340, 342, 350, 440, 450, 453, 458, 461, 462, 466, 481
Ulrichostylus, 448, 534, 543, 549, 551, 555, 556, 566
 ultrastructure, 342–349
 umbonuloid, 238, 319; shield, 166, 319
 uniformitarian comparison technique, 57
 unilaminar colony, 18, 62, 319
 uniserial budding, 194, 319; colony, 18, 319
 unisexual, 319
 URNATELLEA, 141
 UTGAARD, 86, 94, 97, 327–439
 valvae, 341
 VAN BENDEN, 10
 VANGEL, 302
 VERMES, 10
 VERMIDEA, 10
 vertical plate, 319, 341, 346; walls, 6, 18, 29, 40, 65–66, 156, 319
 vesicle, 319, 484; roof, 319, 327; well, 320, 327
 vesicular cell, 215, 320; tissue, 320, 327, 340–341, 347
 vestibular dilator muscle, 34, 320
 vestibular wall, 5, 320
 vestibule, 6, 320
Vetofistula, 592
vibraculum, 320
 vicarious polymorph, 180, 320
 VIGANÒ, 293, 298
 VIGELIUS, 144, 146
 VINE, 11, 51, 52, 440, 458
 VINELLOIDEA, 139
Virgatella, 520

- Virgatellidae, 456, 460, 480, 485, 487, 518-520
 VISOVA, 54
 VOIGT, 138, 172, 180, 202
 VOIGT & SOULE, 138, 141, 206
 Volgia, 422
 Volnovachia, 336
 VOVELLE, 215
- WAAGEN & WENTZEL, 51
 WADA, 239, 260, 269
 WALKER, 453, 456
 WALKER & FERRIGNO, 453
 WALTER & POWELL, 97
 WARNER & CUFFEY, 348
 WASS & YOO, 138
 WATERS, 145, 148
 Watersipora, 218, 228
 Wawalia, 200, 201
 WEBERS, 453
 WELLS, 240, 279
 WESTBROEK, 247
- WHIPPLE, 287
 WIEBACH, 298
 Wilbertopora, 200-202
 WILLIAMS, 239, 246, 345, 348
 WINSTON, 121, 203
 WISE, 260
 WISE & DEVILLIERS, 269
 WOOD, 287-303
 WOOLLACOTT & ZIMMER, 188
- Xenotrypa, 356, 377
 Xenotrypidae, 376-378
- YANG, 527
 yellow tissue, 345
 YONGE, 246
- ZIMMER, 195
 ZITTEL, 51, 457
 zoarial growth form, 350-354; bifoliate, 353-354, 547-548; encrusting sheetlike, 351; frondescent, 353; hemispherical, 351-352; hollow ramose, 352; massive, 351-352; multifoliate, 353-354; solid ramose, 352-353; trifoliate, 353-354
 zoarium, 5, 320
 zooecial apertures, 70-72; axis, 534; boundary, 534; compartment, 208, 320; lining, 252, 320, 472; wall, 320, 346, 549
 zooecium, 5, 320
 zooid, 3, 4, 58, 61-103, 289-294, 320, 534
 zooidal autonomy, 40, 320; bend, 320; boundary, 66, 320; control, 40, 320; pattern, 26, 116-125, 133, 320
 ZOOPHYTA, 9