

REFERENCES

- Abdullah, Mohammad. 1964. New heteromerous beetles (Coleoptera) from the Baltic amber of eastern Prussia and gum copal of Zanzibar. *Transactions of the Royal Entomological Society of London* 116:329–346, pl. 1–2.
- . 1965. New Anthicidae and Pyrochroidae (Coleoptera) from the Baltic amber (Oligocene). *Entomologist* 98:38–42, pl. 1.
- . 1967. *Palaeoasemum crowsoni* and *P. dufyi*, a new genus and two new species of the Asemini (Coleoptera, Cerambycidae) from the Baltic amber. *Deutsche entomologische Zeitschrift* 14:147–151, pl. 1–2.
- . 1968. The discovery and probable phylogenetic significance of *Lathrobium (Palaeolobrathrium) whitei*, a new subgenus and species of the Paederinae (Col., Staphylinidae) from Baltic amber. *Entomologists' Monthly Magazine* 104: 1–3, pl. 1.
- . 1969. *Dromius bakeri*, a new species of the Lebiini from the Kleb's collection of the Baltic amber (Coleoptera, Carabidae). *Deutsche entomologische Zeitschrift* 16:399–403, text-fig. 1–3.
- Abdullah, Mohammad, & Abida Abdullah. 1967. *Crichtonia macheani*, a new genus and species of the Hedobiini (Coleoptera: Anobiidae) from the Baltic amber. *Entomological News* 78:23–27, text-fig. 1–2.
- Achtelik, M., & N. P. Kristensen. 1973. A re-examination of the relationships of the Raphidioptera (Insecta). *Zeitschrift fuer zoologische Systematik und Evolutionsforschung* 11:268–274, text-fig. 1–2, pl. 1–10.
- Achterberg, C. van. 1982. The fossil species of the subfamily Blacinae described by C. T. Brues (Hym.: Braconidae). *Entomologische Berichten* 42:91–96, text-fig. 1–6.
- Aczel, M. L. 1948. Grundlagen einer Monographie der Dorilaen (Diptera). Dorilaen Studien, VI. IV. Palaeontologie der Familie. *Acta Zoologica Lilloana* 6:107–139, text-fig. 8–12.
- Adams, P. A. 1956. A new genus and new species of Chrysopidae from the western United States, with remarks on the wing venation of the family (Neuroptera). *Psyche* 63:67–74, pl. 2.
- . 1958. Studies in the Neuroptera, with special reference to wing structure and evolution in the Osmyoidea. Ph.D. thesis. Harvard University (Cambridge). 120 p., 1 text-fig., 16 pl.
- . 1967. A review of the Mesochrysinae and Nothochrysinae (Neuroptera: Chrysopidae). *Bulletin of the Museum of Comparative Zoology, Harvard University* 135:215–238, text-fig. 1–47.
- Agassiz, Louis, & A. A. Gould. 1872. *Principles of Zoology*. Gould & Lincoln. Boston. 250 p., 170 text-fig.
- Agnus, A. N. 1902. Description d'un névropète fossile nouveau. *Homoioptera gigantea*. *Bulletin de la Societe entomologique de France (new series)* 7:259–261, pl. 1.
- Aldrich, J. M. 1932. New Diptera, or two-winged flies, from America, Asia, and Java, with additional notes. *Proceedings of the United States National Museum* 81(9):1–28, pl. 1.
- Alekseyev, V. N., & A. P. Rasnitsyn. 1981. Pozdnemelovye Megaspilidae (Hymenoptera) iz iskopaemykh smol Tajmyra [Late Cretaceous Megaspilidae (Hymenoptera) from amber of the Taimyr]. *Paleontologicheskij zhurnal* 1981(4): 127–130, text-fig. 1–2.
- Alexander, C. P. 1919. The crane-flies of New York. Part I. Distribution and taxonomy of the adult flies. *Cornell University Agricultural Experiment Station, Memoirs (Ithaca)* 25:ii + 767–993, text-fig. 122–132, pl. 30–55.
- . 1920a. The crane-flies of New York. Part II. Biology and phylogeny. *Cornell University Agricultural Experiment Station, Memoirs (Ithaca)* 38:ii + 695–1134, text-fig. 1–539.
- . 1920b. The crane-flies collected by the Swedish expedition (1895–1896) to Southern Chile and Tierra del Fuego (Tipulidae, Diptera). *Arkiv foer zoologi* 13(6):1–32, pl. 1–2.
- . 1927a. Diptera: Fam. Tipulidae, Subfam. Cylindrotominae, p. 1–16, pl. 1–2. In *Genera Insectorum*, v. 187. Bruxelles.
- . 1927b. Diptera: Fam. Ptychopteridae, p. 1–12, pl. 1. In *Genera Insectorum*, v. 188. Bruxelles.
- . 1927c. Diptera: Fam. Tanyderidae, p. 1–13, pl. 1. In *Genera Insectorum*, v. 189. Bruxelles.
- . 1931. Crane-flies of the Baltic amber (Diptera). *Bernstein-Forschungen* 2:1–136, text-fig. 1–169.
- Alexander, R. D. 1964. The evolution of mating behavior in arthropods, p. 78–94, text-fig. 1–3. In K. C. Hingnam, ed., *Insect Reproduction. Symposia of the Royal Entomological Society of London* 2.
- Alexander, R. D., & W. L. Brown, Jr. 1963. Mating behavior and the origin of insect wings. *Occasional Papers of the Museum of Zoology, University of Michigan* 628:1–19, text-fig. 1.
- Allen, H. A. 1901. On an insect from the coal-measures of South Wales. *Geological Magazine (new series)* 8:65–68, text-fig. 1.
- Altena, C. O. van R. 1958. A revision of some types of Jurassic insects in the Teyler Museum, Haarlem. *Tijdschrift voor entomologie* 101:89–91, pl. 2.
- . 1959. De fossiele tracheaten van Teyler's Museum. *Entomologische Berichten* 19:98–101.
- Ammon, Ludwig von. 1903. Neue Aufschlüsse im

- pfälzischen Steinkohlengebirge. Geognostische Jahreshefte 15:281–286.
- Amyot, C. J. B., & J. G. A. Audinet-Serville. 1843. Histoire naturelle des insectes. Hémiptères. Roret. Paris. lxxvi + 676 p., 12 pl.
- Ander, K. L. 1936. Orthoptera Saltatorias fylogeni på grundval av jämförande automiska studier, p. 93–94. In N. A. Kemner, Det femte nordiska entomologmötet i Lund, 3–6 augusti 1968. Opuscula Entomologica 1.
- . 1939. Vergleichend anatomische und phylogenetische Studien über die Ensifera (Saltatoria). Opuscula Entomologica (suppl.) 2:1–306, text-fig. 1–172.
- . 1942. Die Insektenfauna des baltischen Bernsteins nebst damit verknüpften zoogeographischen Problemen. Acta Universitatis Lundensis 38(4):1–83, maps 1–10, tables 1–8.
- Andersen, N. M. 1982a. A fossil water measurer (Insecta, Hemiptera, Hydrometridae) from the Paleocene/Eocene of Denmark and its phylogenetic relationships. Bulletin of the Geological Society of Denmark 30:91–96, text-fig. 1–12.
- . 1982b. The Semiaquatic Bugs (Hemiptera, Gerromorpha): Phylogeny, Adaptations, Biogeography and Classification. Entomonograph, v. 3. Scandinavian Science Press. Klampenborg, Denmark. 455 p., 638 text-fig.
- Fossils, p. 249–252.
- Andree, Richard. 1864. Die versteinerungen der steinkohlenformation von Stradonitz in Böhmen. Neues Jahrbuch fuer Mineralogie, Geologie und Palaeontologie 2:160–176, pl. 4.
- Armbuster, Ludwig. 1938. Versteinerte Honigbienen aus dem obermiocänen Randecker Maar: 1, 2, 3. Archiv fuer Bienenkunde 19:1–48, 73–93, 97–133, pl. 1–2.
- . 1941. Über Insektenstaaten der Vorwelt. 1. Miocene Randecker Termiten. Archiv fuer Bienenkunde 22:3–43.
- Arnoldi, L. V. 1977. *Rhynchophora*, semejstvo Eobelidae [*Rhynchophora*, family Eobelidae], p. 142–176, text-fig. 76–106, pl. 12–14. In B. B. Rohdendorf, ed., Mezozojskie zhestokokrylyye [Mesozoic Coleoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 161.
- Asahina, Syoziro. 1954. A morphological study of a relic dragonfly, *Epiophlebia superstes* Selys (Odonata, Anisozygoptera). Japan Society for the Promotion of Science. Tokyo. iv + 154 p., 71 pl.
- . 1958. On a re-discovery of the larva of *Epiophlebia laidlawi* Tillyard from the Himalayas (Odonata, Anisozygoptera). Tombo 1:1–2, text-fig. 1–4.
- . 1963. Description of the possible adult dragonfly of *Epiophlebia laidlawi* from the Himalayas. Tombo 6:18–20, text-fig. 1–5.
- Ashmead, W. H. 1888. Descriptions of some new genera and species of Canadian Proctotrupidae. Canadian Entomologist 20:48–55.
- . 1899. Classification of the bees, or the subfamily Apoidea. Transactions of the American Entomological Society, Philadelphia 26:49–100.
- . 1901. Classification of the Ichneumon flies, or the superfamily Ichneumonoidea. Proceedings of the United States National Museum 23:1–220.
- Assmann, August. 1870. Paleontologie. Beiträge zur Insekten-Fauna der Vorwelt. I. Die fossilen Insekten des tertiären (miocenen) Thonlagers von Schössnitz bei Kanth in Schlesien. II. Fossile Insekten aus der tertiären (oligocenen) Braunkohle von Naumburg am Bober. Zeitschrift fuer Entomologie Vereins fuer schlesische Insektenkunde zu Breslau (new series) 1:1–62, pl. 1.
- . 1877. Ueber die von Germar beschriebenen und im paläontologischen Museum zu München befindlichen Insekten aus dem lithographischen Schiefer in Bayern. Amtlicher Bericht der Versammlung deutscher Naturforscher und Aerzte in Muenchen 50:191–192.
- Atkins, D. M. 1958. Observations on the flight, wing movements and wing structure of male *Priacma serrata* (Lec.) (Coleoptera: Cupedidae). Canadian Entomologist 90:339–347, text-fig. 1–4.
- Aymard, Auguste. 1854. Rapport sur les collections de M. Pichat-Dumazel, p. 42. In Congrès scientifique de France, mémoires et procès-verbaux, sess. 22. Le Puy.
- Bachmayer, Friedrich. 1960. Insektenreste aus den Congerienschichten (Pannon) von Brunn-Vössendorf (südl. von Wien) Niederösterreich. Sitzungsberichte der Oesterreichische Akademie der Wissenschaften, mathematisch-naturwissenschaftliche Klasse (Abt. I) 169:11–16, text-fig. 1–8, pl. 1–2.
- . 1961. Neue Insektenfunde aus dem österreichischen Tertiär. Sitzungsberichte der Oesterreichische Akademie der Wissenschaften, mathematisch-naturwissenschaftliche Klasse (Abt. I) 170:159–164, text-fig. 1–2, pl. 1–4.
- Bachoffen-Echt, Adolf. 1949. Die Bernstein und seine Einschlüsse. Springer-Verlag. Wien. 204 p., 188 text-fig.
- Bagnall, R. S. 1912. Some considerations in regard to the classification of the order Thysanoptera. Annals and Magazine of Natural History (series 8) 10:220–222.
- . 1914. Fossil insect in amber. On *Stenurothrips succineus*, gen. et sp. nov., an interesting Tertiary thysanopteron. Geological Magazine (new series, decade 6) 1:483–485, pl. 36.
- . 1923. Fossil Thysanoptera, I. Terebrantia, Pt. 1. Entomologists' Monthly Magazine 59:35–38.
- . 1924a. Von Schlechtendal's work on fossil

- Thysanoptera in the light of recent knowledge. Annals and Magazine of Natural History (series 9) 14:156–162.
- . 1924b. Fossil Thysanoptera, II. Terebrantia, Pt. 2. Entomologists' Monthly Magazine 60: 130–133.
- . 1924c. Fossil Thysanoptera, III. Terebrantia, Pt. 3. Entomologists' Monthly Magazine 60:251–252.
- . 1926. Fossil Thysanoptera, IV. Melanothripidae. Entomologists' Monthly Magazine 62: 16–17.
- . 1927. Contributions towards a knowledge of the European Thysanoptera, III. Annals and Magazine of Natural History (series 9) 20:561–585.
- . 1929. Fossil Thysanoptera, V. Tubulifera, Pt. 1. Entomologists' Monthly Magazine 65:95–100.
- Baker, A. C. 1920. Generic classification of the hemipterous family Aphididae. U.S. Department of Agriculture, Bulletin 826:1–109, pl. 1–16.
- . 1922. Two new aphids from Baltic amber. Journal of the Washington Academy of Sciences 12:353–358, text-fig. 1.
- Bakkendorf, O. 1948. A comparison of a mymarid from Baltic amber with a recent species, *Petiolaria anomala* (Micro-Hym.). Entomologiske Meddelelser 25:213–218, text-fig. 1–3.
- Banks, Nathan. 1900. New genera and species of nearctic neuropteroid insects. Transactions of the American Entomological Society 26:239–259.
- . 1903. A revision of the Nearctic Chrysopidae. Transactions of the American Entomological Society 29:137–162, pl. 2
- . 1905. A revision of the nearctic Hemerobiidae. Transactions of the American Entomological Society 32:21–52, pl. 3–5.
- Barber, H. S. 1913. The remarkable life-history of a new family (Micromalthidae) of beetles. Proceedings of the Biological Society of Washington 26:185–190.
- Baroni Urbani, Cesare. 1980a. First description of fossil gardening ants. Stuttgarter Beitraege zur Naturkunde (series B) 54:1–13, text-fig. 1–15.
- . 1980b. *Anochetus corayi* n. sp., the first fossil Odontomachiti ant. Stuttgarter Beitraege zur Naturkunde (series B) 55:1–6, text-fig. 1–4.
- . 1980c. The first fossil species of the Australian ant genus *Leptomyrmex* in amber from the Dominican Republic. Stuttgarter Beitraege zur Naturkunde (series B) 62:1–10, text-fig. 1–6.
- . 1980d. The ant genus *Gnampogenys* in Dominican amber. Stuttgarter Beitraege zur Naturkunde (series B) 67:1–10, text-fig. 1–9.
- Barthelemy-Lapommeraye, A. 1850. Carabe d'Agassiz (*Carabus agassizii*). Marseille. 4 p.
- Printed first in French, then in Latin.
- Bassi, C. A. 1841. Memorie intorno alle studio degl'insetti fossili in genere. Societa italiana per il progresso delle scienze, atti della Riunione 3: 400–401.
- Beal, R. S., Jr. 1972. A new fossil *Cryptorhopalum* (Dermestidae: Coleoptera) from Tertiary amber of Chiapas, Mexico. Journal of Paleontology 46: 317–318, text-fig. 1.
- Beardsley, J. W. 1969. A new fossil scale insect (Homoptera: Coccoidea) from Canadian amber. Psyche 76:270–279, text-fig. 1–8, table 1.
- Becker, E. C. 1963. Three new fossil elaterids from the amber of Chiapas, Mexico, including a new genus (Coleoptera). Journal of Paleontology 37: 125–128, text-fig. 1–5, pl. 17.
- Becker-Migdisova, E. E. 1940. Iskopaemye perm-skie tsikady semejstva Prosbolidae s reki soyany [Fossil Permian cicadas of the family Prosbolidae from the Soyana River]. Trudy paleontologicheskogo instituta akademii nauk SSSR 11(2): 1–79, text-fig. 1–60, pl. 1–6.
- . 1946. Ocherki po sravnitel'noj morfologii sovremennyykh i permskikh Homoptera [Contributions to the knowledge of comparative morphology of recent and Permian Homoptera]. Izvestiya akademii nauk SSSR 6:741–766, text-fig. 1–25.
- . 1947. *Cicadoprosbole sogutensis* gen. n. sp. n.—Perekhodnaya forma mezhdu permskimi Prosbolidae i sovremennymi Cicadidae [*Cicadoprosbole sogutensis* gen. n., sp. n.—transitional form between Permian Prosbolidae and living Cicadidae]. Doklady akademii nauk SSSR 55: 445–448, text-fig. 1.
- . 1948a. Ocherki po sravnitel'noj morfologii sovremennyykh i permskikh Homoptera. Chast' 2 [Contributions on the comparative morphology of recent and Permian Homoptera. Part 2]. Izvestiya akademii nauk SSSR, seriya biologicheskaya 1948(1):123–142, text-fig. 1–16.
- . 1948b. Tipy izmenchivosti zhilkovaniya kryl'ev Homoptera [Types of variability of wing venation of Homoptera]. Izvestiya akademii nauk SSSR, seriya biologicheskaya 1948(2):187–192, text-fig. 1–7.
- . 1948c. Permskie tsikady semejstva Scytinopteridae s reki soyany [Permian cicadas of family Scytinopteridae from the Soyana River]. Trudy paleontologicheskogo instituta akademii nauk SSSR 15(2):1–42, text-fig. 1–72, pl. 1–3.
- . 1949a. Novoe permskoe semejstvo Boreoscytidae i vopros o filogenii predkov Homoptera [New Permian family Boreoscytidae and the problem of phylogeny of the ancestors of the Homoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 20:171–182, text-fig. 1–7.
- . 1949b. Mesozojskie Homoptera Srednej Azii [Mesozoic Homoptera of Middle Asia]. Trudy paleontologicheskogo instituta akademii nauk SSSR 22:1–68, text-fig. 1–33, pl. 1.

- . 1950. Yurskie Palaeontinidae novogo mestorozhdeniya na reke ii [Jurassic Paleontinidae from a new locality on the Ii River]. Doklady akademii nauk SSSR 71:1105–1108, text-fig. 1–3.
- . 1951. Svoeobraznye novye iskopaemye nasekomye iz gruppy paraneoptera [New fossil insects of Paraneoptera]. Doklady akademii nauk SSSR 78:1207–1210, text-fig. 1–4.
- . 1952. Novye ravnokrylye iz permi Kuzbassa i nekotorye zamechaniya ob ipsvichiidakh [New Homoptera from the Permian of the Kuznetsk basin and some notes on Ipsviciidae]. Trudy paleontologicheskogo instituta akademii nauk SSSR 40:77–186.
- . 1953a. Obzor faun ravnokrylykh i senoedov erunakovskoj i kuznetskoj svit kuzbassa [Survey of Homoptera and Psocoptera faunas of Erunakovsk and Kuznetsk formation of the Kuznetsk basin]. Doklady akademii nauk SSSR 90: 97–100.
- . 1953b. Pervaya nakhodka senoeda (Psocoptera) iz Kuznetskogo bassejna [First record of Psocoptera in the Kuznetsk basin]. Doklady akademii nauk SSSR 90:279–282, text-fig. 1.
- . 1953c. Dva predstavitelya poluzhestkокрыlykh nasekomykh iz urochishcha madygen [Two representatives of Hemiptera from the Madygen border]. Doklady akademii nauk SSSR 90:461–464, text-fig. 1–2.
- . 1954. Nakhodka yuzhnoj tsikadky v miotsene zapadnoj sibiri [The discovery of a southern cicada in the Miocene of western Siberia]. Voprosy geologii Azii 1:799–805, text-fig. 1–3.
- . 1955. Iskopaemye nasekomye iz triasa Sibiri [Fossil insects from the Triassic of Siberia]. Doklady akademii nauk SSSR 105:1100–1103, text-fig. 1–3.
- . 1958. Novye iskopaemye ravnokrylye [New fossil Homoptera]. Materialy k osnovam paleontologii 2:57–67, text-fig. 1–7.
- . 1959a. Nekotorye novye predstavitelei gruppy sternorinkh iz permi i mezozoya SSSR [Some new representatives of a group of Sternorrhyncha from the Permian and Mesozoic of the USSR]. Materialy k osnovam paleontologii 3:104–116, text-fig. 1–10.
- . 1959b. Novyj rod *Borisrohdendorfia* (Homoptera) iz kuznetskoj svity kuznetskogo bassejna [A new genus, *Borisrohdendorfia* (Homoptera), from the Kuznetsk Formation of the Kuznetsk basin]. Paleontologicheskij zhurnal 1979(1):138–140, text-fig. 1–2.
- . 1960. Novye permkskie ravnokrylye evropejskoj chasti SSSR [New Permian Homoptera from European USSR]. Trudy paleontologicheskogo instituta akademii nauk SSSR 76:1–112, text-fig. 1–49.
- . 1961a. Otryad Blattodea. Tarakanovye [Order Blattodea. Cockroaches], p. 89–152, text-fig. 38–86, pl. 3–9. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85.
- Apparently, the journal used the number 85 to designate two different volumes.
- . 1961b. Otryad Psocoptera [Order Psocoptera], p. 271–286, text-fig. 203–214. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85.
- Apparently, the journal used the number 85 to designate two different volumes.
- . 1961c. Otryad Homoptera [Order Homoptera], p. 286–393, text-fig. 215–317, pl. 21–28. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85.
- Apparently, the journal used the number 85 to designate two different volumes.
- . 1961d. Die Archescytinidae als Vermutliche Vorfahren der Blattläuse, p. 298–301, text-fig. 1–2. In Hans Strouhal & Max Beier, eds., 11th Internationaler Kongress fuer Entomologie (Wien, 1960), Verhandlungen, v. 1. Vienna.
- . 1962a. Nekotorye novye poluzhestkокрыlye i senoedy [Some new Hemiptera and Psocoptera]. Paleontologicheskij zhurnal 1962(1): 89–104, text-fig. 1–17.
- . 1962b. Otryad Homoptera, Otryad Heteroptera [Orders Homoptera and Heteroptera], p. 162–194, 199–224, text-fig. 426–563, 578–672, pl. 12–16. In Yu. A. Orlov, ed., Osnovy Paleontologii [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1962c. Paraneoptera Incertae Sedis, p. 238–239, text-fig. 716–717. In Yu. A. Orlov, ed., Osnovy Paleontologii [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1964. Tretichnye ravnokrylye stavropol'ya [Tertiary Homoptera of Stavropol]. Trudy paleontologicheskogo instituta akademii nauk SSSR 104:1–116, text-fig. 1–80, pl. 1–7.
- . 1967. Tertiary Homoptera of Stavropol and a method of reconstruction of Continental palaeobiocoenoses. Palaeontology 10:542–553.
- . 1968. Protopsyllidiidy i ikh morfolgiya (Homoptera, Protopsyllidiidae) [Protopsyllidiids and their morphology (Homoptera, Protopsyllidiidae)], p. 87–98, text-fig. 1–4, pl.

- 9–10. In B. B. Rohdendorf, ed., *Yurskie nasekomye karatau [Jurassic insects of Karatau]*. Akademiya Nauk SSSR Otdelenie Obshchej Biologii. Moscow.
- . 1973. Novye vidy tlej iz baltijskogo yan-tarya [New aphid species from Baltic amber]. *Paleontologicheskiy zhurnal* 1973(3):86–99, text-fig. 1–4, pl. 9–10.
- Becker-Migdisova, E. E., & E. E. Aizenberg. 1962. Infraotriad Aphido-morpha [Suborder Aphido-morpha], p. 194–199, text-fig. 564–577. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- Becker-Migdisova, E. E., & O. M. Martynova. 1951. Mestonakhozdenie miotsenovykh nasekomykh v tsentral'nom tyan'-shane i opisanie novogo vida tsikadki [A Miocene insect locality in Central Tien-Shan and description of a new species of jassid]. *Doklady akademii nauk SSSR* 78:761–763, text-fig. 1.
- Becker-Migdisova, E. E., & Yu. A. Popov. 1962. Otryad Hemiptera, Heteroptera incertae sedis [Order Hemiptera, Heteroptera incertae sedis], p. 224–226, text-fig. 672–677. In Yu. A. Orlov, ed., *Osnovy paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1963. Nekotorye novye predstaviteli Heteroptera iz yury karatau [Some new Heteroptera from the Jurassic of Karatau]. *Paleontologicheskiy zhurnal* 1963(2):74–82, text-fig. 1–4.
- Becker-Migdisova, E. E., & V. N. Vishniakova. 1962. Otryad Psocoptera [Order Psocoptera], p. 226–235, text-fig. 678–707. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- Becker-Migdisova, E. E., & R. J. Wootton. 1965. Novye paleoentinoidy azii [New paleoentinoids of Asia]. *Paleontologicheskiy zhurnal* 1965(2):63–79, text-fig. 1–7, pl. 7–8.
- Beier, Max. 1952. Miozäne und oligozäne Insekten aus Österreich und den unmittelbar angrenzenden Gebieten. *Sitzungsberichten der Österreichische Akademie Wissenschaften, mathematisch-naturwissenschaftliche Klasse* 161:129–134, text-fig. 1–2, pl. 1.
- . 1957. Arthropoda. Insecta. Orthopteroidea: Ordnung Cheleutoptera Crampton 1915 (Phasmida Leach 1815), p. 305–454, text-fig. 1–73. In Bronns Klassen und Ordnungen des Tierreichs, v. 5 (Abteilung 3, Buch 6, Lieferung 2).
- . 1967. *Mantis religiosa* L. im Pliozän des Harzvorlandes. Bericht der naturhistorischen Gesellschaft zu Hannover 111:63–64, text-fig. 1.
- Beneden, P. J. van, & Eugène Coemans. 1867. Un insecte et un gastéropode pulmoné du terrain houiller. *Bulletins de l'Academie royal des sciences, des lettres, et des beaux-arts de Belgique* (series 2) 23:384–401, pl. 1.
- Bengtsson, Simon. 1913. Undersökningar öfver äggen hos Ephemeriderna. *Entomologisk tidskrift* 34:271–320, text-fig. 1–14, pl. 1–3.
- Benick, Ludwig. 1943. Ein *Stenus* aus dem baltsischen Bernstein: *St. (Parastenus) priscus* n. sp. *Arbeiten ueber morphologische und taxonomische Entomologie* aus Berlin-Dahlem 10:101–104, text-fig. 1.
- Benson, R. B. 1955. On the genera of the Cephidae and the erection of a new family Syntaxidae (Hymenoptera). *Annals and Magazine of Natural History* (series 10) 16:535–553.
- Bequaert, J. C. 1929. Some additional remarks on the masarid wasps (Hymenoptera). *Psyche* 36: 364–369.
- . 1930a. On the generic and subgeneric divisions of the Vespaiae (Hymenoptera). *Bulletin of the Brooklyn Entomological Society* 25: 59–70.
- . 1930b. Tsetse flies—past and present (Diptera: Muscoidea). *Entomological News* 41: 158–164, 202–203, 227–233.
- Bequaert, J. C., & F. M. Carpenter. 1936. The Nemestrinidae of the Miocene of Florissant, Colorado, and their relations to the recent fauna. *Journal of Paleontology* 10:395–409, text-fig. 1–7.
- . 1941. The antiquity of social insects. *Psyche* 48:50–55.
- Berendt, G. C., ed. 1845–1856. Die im Bernstein befindlichen organischen Resten der Vorwelt. 2 vol. Berlin.
- Volume 1, section 1. H. R. Goeppert & G. C. Berendt. 1845. Der Bernstein und die in ihm befindlichen Pflanzenreste der Vorwelt. iv + 126 p., 7 pl.
- Volume 1, section 2. C. L. Koch & G. C. Berendt. 1854. Die im Bernstein befindlichen Crustaceen, Myriapoden, Arachniden und Apteriden der Vorwelt. iv + 124 p., 17 pl.
- Volume 2, section 1. E. F. Germar & G. C. Berendt. 1856. Die im Bernstein befindlichen Hemipteren und Orthopteren der Vorwelt. ii + 40 p., 4 pl. (pl. 1–4).
- Volume 2, section 2. F. J. Picet & H. A. Hagen. 1856. Die im Bernstein befindlichen Neuropteren der Vorwelt. 86 p. (p. 41–126), 4 pl. (pl. 5–8).
- Sections 1 and 2 of Volume 2 were published together; hence, the pagination is continuous for the 2 separate parts.
- Bernardi, Nelson. 1974. Revisao de Neorhynchocephalus Lichtwardt (Diptera Nemestrinidae). *Papeis Avulsos de Zoologia* 28:31–60, text-fig. 1–79.

- Berry, E. W. 1927. A new type of caddis case from the lower Eocene of Tennessee. Proceedings of the United States National Museum 71(14):1-4, pl. 1.
- . 1928. A caddis case of leaf pieces from the Miocene of Washington. Journal of the Washington Academy of Sciences 18:60-61, text-fig. 1.
- Bervoets, Raymond. 1910. Diagnoses de quelques nouvelles espèces de cicadines de l'ambre de la Baltique. Annales Historico-Naturalis musei nationalis Hungarici 8:125-128, pl. 1.
- Betten, Cornelius. 1934. Caddis flies or Trichoptera of New York State. New York State Museum Bulletin 292:1-576, text-fig. 1-61, pl. 1-67.
- With special chapters by B. L. Kjellgren, p. 22-56, A. W. Orcutt, p. 57-81, and M. B. Davis, p. 82-106.
- Bey-Bienko, G. Ya. 1936. Insectes dermaptères, p. 1-239, text-fig. 1-67. In Payha CCCP [Fauna of the USSR]. Akademiya Nauk SSSR. Zoolo-gicheskij Institut. Moscow.
- Bigot, J. M. F. 1852. Essai d'une classification générale et synoptique de l'ordre des insectes diptères. Annales de la Societe entomologique de France 2(10):471-490.
- Billberg, G. J. 1820. Enumeratio Insectorum in Museo. Gadelianis. ii + 138 p.
- Biosystematics Research Institute. 1981. Manual of Nearctic Diptera, v. 1, Monograph 27. Canada, Department of Agriculture, Research Branch. Ottawa. 674 p., 2028 text-fig.
- Birket-Smith, S. J. R. 1981. A wing of Phasmida from the Cretaceous Period (Insecta). Entomologica Scandinavica 12:245-249, text-fig. 1.
- Bischoff, Hans. 1917. Bernsteinhymenopteren. Beitraege zur Naturkunde Preussens physikalische-oeconomischen Gesellschaft Koenigsberg 56:139-144, text-fig. 1-4.
- Blair, K. G. 1943. Scolytidae (Col.) from the Wealden Formation. Entomologists' Monthly Magazine 79:59-60.
- Blood, B. N., & J. P. Kryger. 1922. A new Mymarid from Brockenhurst. Entomologists' Monthly Magazine 58:229-230, pl. 1.
- Bode, Arnold. 1905. Orthoptera und Neuroptera aus dem oberen Lias von Braunschweig. Jahrbuch der koeniglich preussischen geologischen Landesanstalt 25:218-245, pl. 6-7.
- . 1953. Die Insektenfauna des Ostniedersächsischen oberen Lias. Palaeontographica (Abt. A) 103:1-375, pl. 1-15.
- Boesel, M. W. 1937. Diptera, p. 44-55, text-fig. 7-11. In F. M. Carpenter, J. W. Folsom, E. O. Essig, A. C. Kinsey, C. T. Brues, M. W. Boesel, & H. E. Ewing, Insects and arachnids from Canadian amber. University of Toronto Studies, Geological Series 40.
- Bogachev, A. V. 1940. Fossil Forficula from the salt beds of Nakhichevan ASSR. Izvestiya azerbaidzhanskogo filiala akademiya nauk SSSR 5: 66-68.
- Bohart, R. M., & A. S. Menke. 1976. Sphecid wasps of the world, a generic revision. University of California Press. Berkeley & Los Angeles. 696 p., 190 text-fig.
- Boisduval, J. B. A. 1828. Europaeorum Lepidopterorum Index Methodicus. Tribus Psychidae. Pars I. Méquignon-Marvis. Paris. 103 p.
- . 1836. Spécies général des Lépidoptères. Histoire naturelle des Insectes. Paris. xii + 690 p., atlas.
- . 1840. Rapport sur une empreinte de Lépidoptère trouvée dans les marnes des environs d'Aix-en-Provence, et communiquée par M. de Saporta. Annales de la Societe entomologique de France 9:371-374, pl. 8.
- Bollow, H. 1940. Die erste Helminida (Col. Dryop.) aus Bernstein. Mitteilungen muenchener entomologischen Gesellschaft 30(1):117-119.
- Bolton, Herbert. 1912. Insect-remains from the Midland and South-Eastern coal measures. Quarterly Journal of the Geological Society of London 68:310-323, pl. 31-33.
- . 1914. On the occurrence of a giant dragonfly in the Radstock coal measures. Quarterly Journal of the Geological Society of London 70: 119-127, pl. 18-19.
- . 1916. On some insects from the British Coal Measures. Quarterly Journal of the Geological Society of London 72:43-62, text-fig. 1-6, pl. 3-4.
- . 1917a. The "Mark Stirrup" collection of fossil insects from the Coal Measures of Commentry (Allier), Central France. Memoirs and Proceedings of the Manchester Literary and Philosophical Society 61(2):1-24, pl. 1-5.
- . 1917b. On blattoid and other insect remains from the South Staffordshire Coalfield. Memoirs and Proceedings of the Birmingham Natural History and Philosophical Society 14: 100-106, pl. 7.
- . 1921. A monograph of the fossil insects of the British coal measures. Part I. Palaeontographical Society (1919). London. 80 p., 24 text-fig., 4 pl.
- . 1922. A monograph of the fossil insects of the British coal measures. Part II. Palaeontographical Society (1920). London. p. 81-156, text-fig. 25-45, pl. 5-10.
- . 1925. Insects from the coal measures of Commentry. British Museum (Natural History) Fossil Insects 2:1-56, text-fig. 1-19, pl. 1-3.
- . 1934. Fossil insect from the British coal measures. Nature (London) 134:183.
- Börner, Carl. 1904. Zur Systematik der Hexapoden. Zoologischer Anzeiger 27:511-533, text-fig. 1-4.
- . 1908. Eine monographische Studie über

- die Chermiden. Arbeiten aus der biologischen Abteilung fuer Land- und Forstwirtschaft am kaiserlichen Gesundheitsamte, Berlin 6(2):81–320, pl. 1–3.
- . 1913. Die Familien der Collembolen. Zoologischer Anzeiger 41:315–322.
- . 1939. Die Grundlagen meines Lepidopterensystems, p. 1372–1424, text-fig. 1–51. In K. Jordan & E. M. Hering, eds., 7th Internationaler Kongress fuer Entomologie (Berlin, 1938), Verhandlungen, v. 2. Weimar.
- Borre, A. P. 1875a. Note sur des empreintes d'insectes fossiles decouvertes dans les schistes houillers des environs de Mons. Premiere note. Annales de la Societe entomologique de Belgique 18:xxxix–xlii.
- The "Comptes-rendus des seances de la Societe entomologique de Belgique," of which this and the next entry are a part, immediately follows the "Annales de la Societe entomologique de Belgique" and is paginated separately with roman numerals.
- . 1875b. Complement de la note sur des empreintes d'insectes fossiles. Seconde note. Annales de la Societe entomologique de Belgique 18:lvi–lxvi, pl. 5–6.
- Borror, D. J., & D. M. DeLong. 1970. An Introduction to the Study of Insects, 3rd ed. Holt, Rinehart, and Winston. New York. 812 p., 652 text-fig.
- Bosc, L. A. G. 1803. Note sur une fossile remarquable de la montagne de Saint-Géraud-le-Puy, entre Moulines et Roanne, département de l'Allier, appellée l'*Indusie tubuleuse*. Journal des mines 17:397–400, pl. 7.
- Botosaneanu, Lazare. 1981. On a false and a genuine caddis-fly from Burmese amber (Insecta: Trichoptera, Homoptera). Bulletin Zoologisch museum, Universiteit van Amsterdam 8:73–78, text-fig. 1–10.
- Botosaneanu, Lazare, & Wilfried Wichard. 1983. Upper-Cretaceous Siberian and Canadian amber caddisflies (Insecta: Trichoptera). Bijdragen tot de dierkunde 53:187–217, text-fig. 1–51, pl. 1–2.
- Boudreault, H. B. 1979. Arthropod Phylogeny with Special Reference to Insects. John Wiley & Sons. New York. 320 p., 80 text-fig.
- Bradley, J. C. 1940. The origin and significance of metamorphosis and wings among insects. Proceedings of the Eighth Pan-American Congress, Zoology:303–309, text-fig. 1–7. Washington, D.C.
- Bradley, W. H. 1924. Fossil caddice fly cases from the Green River Formation of Wyoming. American Journal of Science (series 5) 7:310–312.
- . 1931. Origin and microfossils of the oil shale of the Green River Formation of Colorado and Utah. United States Geological Survey Professional Paper 168:1–58, text-fig. 1–3, pl. 1–28.
- Branscheid, F. 1969. Funde von Tagfaltern (Rhopalocera, Lepidopt.) im Pliozän von Willershausen. Bericht der naturhistorischen Gesellschaft zu Hannover 113:101–106, text-fig. 1–4.
- Brauckmann, Carsten. 1983. Ein Insektenrest (Odonata, Meganisoptera) aus dem Ober-Karbon des Piesberges bei Osnabrück. Osnabrucker naturwissenschaftliche Mitteilungen 10:7–14, text-fig. 1–5.
- . 1984. Weitere neue Insekten (Palaeodictyoptera: Protorthoptera) aus dem Namurium B von Hagen-Vorhalle. Jahresberichte des naturwissenschaftlichen Vereins in Wuppertal 37:108–115, text-fig. 1–4.
- Brauckmann, Carsten, & Gerhard Hahn. 1978. Ein neuer Palaeodictyopteren-Fund aus dem westdeutschen Namurium. Palaeontologische Zeitschrift 52:13–18, text-fig. 1.
- . 1980. Ein neuer Insektenfund aus dem Westfalen von Ibbenbüren (Westdeutschland). Palaeontologische Zeitschrift 54:301–312, text-fig. 1–16.
- . 1983. Ein Palaeodictyopteren-Flügel aus dem Ober-Karbon der Karnischen Alpen. Carinthia II 93:245–251, text-fig. 1–3.
- Brauckmann, Carsten, & Lutz Koch. 1982. Neue Insekten aus den Vorhalle-Schichten (oberes Namurium B) von Hagen-Vorhalle. Dortmunder Beitraege zur Landeskunde, Naturwissen Mitteilungen 16:15–26, text-fig. 1–6.
- . 1983. Eine weitere neue Insektenart aus den Vorhalle-Schichten (Ober-Karbon, oberes Namurium B) von Hagen-Vorhalle. Dortmunder Beitraege zur Landeskunde, Naturwissen Mitteilungen 17:3–8, text-fig. 1–4.
- Brauer, Friedrich. 1857. Neuroptera Austriaca. Wien. 82 p., 5 pl.
- . 1868. Verzeichniss der bis jetzt bekannten Neuropteren im Sinne Linné's. Erster Abschnitt. Wien. 58 p.
- . 1883. Ueber die Verwandtschaft und systematische Stellung der Blepharoceriden. Wiener entomologische Zeitung 1:1–4.
- . 1885. Systematische-zoologische Studien. Sitzungsberichte der (K.) Akademie der Wissenschaften in Wien, mathematische-naturwissenschaftlichen Klasse 91:237–431, pl. 1.
- Brauer, Friedrich, & J. E. von Bergenstamm. 1889. Die Zweiflügler des kaiserlichen Museums zu Wien. IV. Vorarbeiten zu einer monographie der *Muscaria Schizometopa* (exclusive Anthomyidae), Pars 1. Denkschriften der Akademie der Wissenschaften in Wien 56(1):69–180, pl. 1–2.
- Brauer, Friedrich, Josef Redtenbacher, & Ludwig Ganglbauer. 1889. Fossile Insekten aus der Juraf ormation Ost-Sibiriens. Memoires de l'Academie imperiale des sciences de St. Petersbourg (series 7) 36(15):1–22, pl. 1–2.

- Breuning, Stefan. 1928a. Monographie der Gattung *Calosoma* Web. (Carab.), Teil 2. Wiener entomologische Zeitung 44:81–141.
- . 1928b. Monographie der Gattung *Calosoma* Web. (Col. Carab.), Teil 3. Koleopterologische Rundschau 14:43–101.
- Brice, Denise, & Daniel Laurentiaux. 1964. Une sauterelle mio-pliocène de l'Ardèche. Annales de la Societe géologique du nord 83:259–262, text-fig. 1–2, pl. 29.
- Britton, E. B. 1960. Beetles from the London Clay (Eocene) of Bognor Regis, Sussex. Bulletin of the British Museum (Natural History), Geology 4(2):30–50, pl. 2–7.
- . 1970. Coleoptera (Beetles), p. 495–621, text-fig. 1–12. In CSIRO, The Insects of Australia. Melbourne University Press. Melbourne.
- Brodie, P. B. 1845. A History of the Fossil Insects in the Secondary Rocks of England. Accompanied by a particular account of the strata in which they occur, and of the circumstances connected with their preservation. J. Van Voorst. London. xviii + 130 p., 11 pl.
- Many generic and specific names are by J. O. Westwood.
- . 1849. Notice on the discovery of a dragonfly and a new species of *Leptolepis* in the upper Lias near Cheltenham, with a few remarks on that formation in Gloucestershire. Quarterly Journal of the Geological Society of London 5: 31–35, 1 unnumbered pl.
- Brongniart, Alexander. 1810. Sur les terrains qui paroissent avoir été formés sous l'eau douce. Annales du Museum d'histoire naturelle 15:357–405.
- Brongniart, Charles. 1878. Note suivante sur la découverte d'un Orthoptère coureur de la famille des Phasmiens (*Protophasma dumasi*) dans les terrains supra-houillers de Commentry (Allier). Bulletin des séances de la Société entomologique de France 47:57–60.
- . 1883. Aperçu sur les insectes fossiles en général. Le Naturaliste 5:266–268.
- . 1884. Sur un gigantesque Néurothropète, provenant des terrains houillers de Commentry (Allier). Comptes rendus hebdomadaires des séances de l'Academie des sciences 98:832–833.
- . 1885a. Les insectes fossiles des terrains primaires. Coup d'œil rapide sur la faune entomologique des terrains paléozoïques. Bulletin de la Société des amis des sciences naturelles de Rouen 1885:50–68, pl. 1–3.
- . 1885b. [*Dasyleptus lucasi*]. Bulletin des séances de la Société entomologique de France 1885:ci–cii.
- . 1889. Les blattes de l'époque houillère. Comptes rendus hebdomadaires des séances de l'Academie des sciences 108:252–254.
- . 1893. Recherches pour servir à l'histoire des insectes fossiles des temps primaires, précédées d'une étude sur la nervation des ailes des insectes. Thèse présentée à la Faculté des Sciences de Paris, no. 821. 495 p., 37 pl.
- Also published as Bulletin de la Société d'Industrie Minérale de Saint-Etienne, series 3, v. 7, sec. 4, p. 124–615, pl. 17–53. All page and plate citations in this Treatise refer to the Thèse, for this is the only form of Brongniart's publication usually available.
- Brothers, D. J. 1975. Phylogeny and classification of the aculeate Hymenoptera, with special reference to Mutillidae. University of Kansas Science Bulletin 50(11):483–648, text-fig. 1–101.
- Brown, F. M. 1976. *Oligodonta florissantensis*, gen. n., sp. nov. (Lepidoptera, Pieridae). Bulletin of the Allyn Museum 37:1–4, text-fig. 1–3.
- . 1984. Two undescribed fossil Dermaptera from Florissant, Colorado. Entomological News 95:33–35, text-fig. 1–3.
- Brown, R. W. 1934. *Celliforma spirifer*, the fossil larval chambers of mining bees. Journal of the Washington Academy of Sciences 24:532–539, text-fig. 1–5.
- . 1935. Further notes on fossil larval chambers of mining bees. Journal of the Washington Academy of Sciences 25:526–528.
- . 1941a. The comb of a wasp nest from the upper Cretaceous of Utah. American Journal of Science (series 5) 239:54–56, pl. 1.
- . 1941b. Concerning the antiquity of social insects. Psyche 48:105–110.
- . 1954. Composition of Scientific Words. Published by author. Baltimore. 882 p.
- . 1957. Cockroach egg case from the Eocene of Wyoming. Journal of the Washington Academy of Sciences 47:340–342, text-fig. 1–3.
- Brown, W. L., Jr. 1958. Contributions toward a reclassification of the Formicidae. II. Tribe Ecitonini (Hymenoptera). Bulletin of the Museum of Comparative Zoology, Harvard University 118:175–362, text-fig. 1–48.
- . 1975. Contributions towards a reclassification of the Formicidae. V. Ponerinae, tribes Platthyreini, Cerapachyini, Cylindromyrmeini, Acanthostichini, and Aenictogitini. Search Agriculture 5(1):1–115, text-fig. 1–141.
- . 1976. *Ctenobethylus* (Bethylidae), a new synonym of *Iridomyrmex* (Formicidae, Hymenoptera). Psyche 83:213–215.
- Brown, W. L., Jr., & F. M. Carpenter. 1978. A restudy of two ants from the Sicilian amber. Psyche 85:417–423, text-fig. 1–2.
- Bruand, C. T. 1849. Catalogue systématique synonymique des Lépidoptères du département du Doubs: Microlépidoptères. Mémoires de la Société d'emulation du Doubs 3(2):23–60, pl. 1–2.
- Brues, C. T. 1906. Fossil parasitic and phytoph-

- agous Hymenoptera from Florissant, Colorado. Bulletin of the American Museum of Natural History 22:491–498, text-fig. 1–7.
- . 1908a. Two fossil Phoridae from the Miocene shales of Florissant, Colorado. Bulletin of the American Museum of Natural History 24: 273–275, text-fig. 1–2.
- . 1908b. New phytophagous Hymenoptera from the Tertiary of Florissant, Colorado. Bulletin of the Museum of Comparative Zoology, Harvard University 51:259–276, text-fig. 1–10.
- . 1910. The parasitic Hymenoptera of the Tertiary of Florissant, Colorado. Bulletin of the Museum of Comparative Zoology, Harvard University 54:1–125, text-fig. 1–88, pl. 1.
- . 1923a. Some new fossil parasitic Hymenoptera from Baltic amber. Proceedings of the American Academy of Arts and Sciences 58:327–346, text-fig. 1.
- . 1923b. Two new species of Phoridae from Baltic amber. Psyche 30:59–62.
- . 1923c. A fossil genus of Dinapsidae from Baltic amber (Hymenoptera). Psyche 30:31–35, text-fig. 1.
- . 1926. A species of *Urocerus* from Baltic amber. Psyche 33:168–169, text-fig. 1.
- . 1933. The parasitic Hymenoptera of the Baltic amber, Part I. Bernstein-Forschungen 3: 1–178, pl. 1–13.
- . 1937. Hymenoptera, superfamilies Ichneumonoidea, Serphoidea, Chalcidoidea, p. 27–44, text-fig. 4–6. In F. M. Carpenter, J. W. Folsum, E. O. Essig, A. C. Kinsley, C. T. Brues, M. W. Boesel, & H. E. Ewing, Insects and Arachnids from Canadian amber. University of Toronto Studies, Geological Series 40.
- . 1939a. Fossil Phoridae in Baltic amber. Bulletin of the Museum of Comparative Zoology, Harvard University 85:413–436, text-fig. 1–7.
- . 1939b. New Oligocene Braconidae and Bethylidae from Baltic amber. Annals of the Entomological Society of America 32:251–263, text-fig. 1–7.
- . 1940a. Calliceratidae in Baltic amber. Proceedings of the American Academy of Arts and Sciences 73:265–269, text-fig. 1–5.
- . 1940b. Fossil parasitic Hymenoptera of the family Scelionidae from Baltic amber. Proceedings of the American Academy of Arts and Sciences 74:69–90, text-fig. 1–18.
- Brues, C. T., & A. L. Melander. 1915. Key to the families of North American insects. An introduction to the classification of insects. Privately printed. Boston & Pullman. 140 p., 18 pl.
- . 1932. Classification of insects. A key to the known families of insects and other terrestrial Arthropods. Bulletin of the Museum of Comparative Zoology, Harvard College 73:1–672, text-fig. 1–1121.
- Brues, C. T., A. L. Melander, & F. M. Carpenter. 1954. Classification of insects. Bulletin of the Museum of Comparative Zoology, Harvard University 108:1–918, text-fig. 1–1219.
- Brullé, Auguste. 1832. Classe insectes: expédition scientifique de Morée, v. 3(I). Levraut. Paris. p. 64–395.
- . 1835. Histoire naturelle des insectes. Orthoptères et Hémiptères, v. 9. Pillot. Paris. 416 p.
- Brundin, Lars. 1976. A Neocomian chironomid and Podonominae-Aphroteniinae (Diptera) in the light of phylogenetics and biogeography. Zoologica Scripta 5:139–160, text-fig. 1–8.
- Brunner, Karl von Wattenwyl. 1882. Prodromus der europäischen orthopteren. Engelmann. Leipzig. xxxii + 466 p., 11 pl.
- . 1893. Prodromus der europäischen orthopteren. Révision du système des Orthoptères. Annali del Museo civico di storia naturale di Genoa 2(13):1–230, pl. 1–6.
- Bruyant, Charles. 1902. Buprestide fossile des lignites de Monat, *Lampra gautieri*. Revue scientifique du Bourbonnais et du Centre de la France 15:63–65, text-fig. 1.
- Bryk, Felix. 1912. "Parnassiana," V: Zur Synopsis der asiatischen Mnemosyne. Societas Entomologica 27:52–53.
- . 1934. Lepidoptera: Baroniidae, Teinopalpidae, Parnassiidae, pars I. Das Tierreich 64: xxiv + 1–132, text-fig. 1–87.
- Buckland, William. 1838. On the discovery of a fossil wing of a neuropterous insect in the Stonesfield slate. Proceedings of the Geological Society of London 2:688.
- Buckman, James. 1844. Insects, p. 1–113, pl. 1–13. In R. I. Murchison, Outline of the Geology of the Neighborhood of Cheltenham, 2nd ed., revised by James Buckman and H. E. Strickland. Cheltenham.
- Buckton, G. B. 1883. Monograph of the British Aphides, v. 4. Ray Society. London. ix + 228 p., pl. D–I, 115–134.
- Burdick, D. J. 1959. Notes on the taxonomy of the fossil Xyelidae (Hymenoptera, Symphyta). Journal of the Kansas Entomological Society 32: 120–122.
- Burgeff, H. 1951. Die Meeralpengrenze der Zygaenen (Lep.), eine mit Hilfe der Populationsanalyse der Arten der Gattung *Zygaena* (Lepidoptera) durchgeführte Untersuchung über die Lokalisation und die Bedeutung geographischer Rassen in ihrem Zusammenhang mit der Eiszeit. Biologisches Zentralblatt 70:1–23, text-fig. 1–14.
- Burks, B. D. 1939. A new genus of *Chalcidini* from Central America (Hymenoptera: Chalcidoidea). Arbeiten ueber morphologische und taxonomische Entomologie aus Berlin-Dahlem 6:184–187, text-fig. 1.

- . 1979. Mymaridae, p. 1022–1033. In K. V. Krombein, P. D. Hurd, Jr., D. R. Smith, & B. D. Burks, eds., *Hymenoptera of America North of Mexico*. 3 vols. Smithsonian Institution Press. Washington, D.C.
- Burleigh, Richard, & Paul Whalley. 1983. On the relative geological ages of amber and copal. *Journal of Natural History* 17:919–921.
- Burmeister, H. C. C. 1831. [List of insects in Baltic amber], p. 1100. In L. Hünefeld, *Isis von Oken*. Brockhaus. Leipzig.
- Each column on 2-column page numbered.
- . 1838–1839. *Handbuch der Entomologie*, 2 vol. Reimer. Berlin. 1050 p.
- This book, though bound together, was apparently published in 2 parts. The first, p. 1–400, was published in 1839; the second (p. I–VII, p. 397–756, p. I–XII, p. 757–1050) was published in 1838.
- Burnham, Laurie. 1978. Survey of social insects in the fossil record. *Psyche* 85:85–133, text-fig. 1–5.
- . 1983. Studies on Upper Carboniferous Insects. 1. The Geraridae (Order Protorthoptera). *Psyche* 90:1–57, text-fig. 1–28.
- . 1984. Les insectes du Carbonifère supérieur de Montceau-les-Mines. *Annales de paléontologie* 70:167–180, text-fig. 1–4.
- . 1986. Studies on Upper Carboniferous Insects. 2. The Spanioderidae (Order Protorthoptera). Unpublished Ph.D. thesis, Cornell University. Ithaca.
- Burr, Malcolm. 1899. Essai sur les Eumastacides tribu des Acridoidea. *Anales de la Sociedad española de historia natural*, Madrid 28:75–112, pl. 7, 10.
- . 1911. Dermaptera (earwigs) preserved in amber from Prussia. *Transactions of the Linnean Society of London* 2(11):145–150, pl. 31.
- Butler, A. G. 1873. *Lepidoptera Exotica, or Descriptions and Illustrations of Exotic Lepidoptera*. E. W. Janson. London. 190 p., 64 pl. Fossil butterflies, p. 126–128, pl. 48.
- . 1889. Description of a new genus of fossil moths belonging to the geometrid family Euschemidae. *Proceedings of the Zoological Society of London* 1889(20):292–297, pl. 31.
- Buttel-Reepen, H. von. 1906. Apistica. Beiträge zur Systematik, Biologie, sowie zur geschichtlichen und geographischen Verbreitung der Honigbiene (*Apis mellifica* L.), ihrer Varietäten und der übrigen *Apis*-Arten. Mitteilungen aus dem Zoologischen Museum in Berlin 3:117–201, text-fig. 1–8.
- Byers, G. W. 1965. Families and genera of Mecoptera, p. 123. In Paul Freeman, ed., *Proceedings of the 12th International Congress of Entomology* (London, 1964). Royal Entomological Society of London. London.
- . 1973. Zoogeography of the Meropidae. *Journal of the Kansas Entomological Society* 46: 511–516, text-fig. 1–2.
- Cabrera, Angel. 1928. Un segundo ortóptero del Triásico argentino. *Eos* 4:371–374, pl. 6.
- Calvert, P. P. 1901. Neuroptera, p. 17–72, pl. ii–iv. In F. D. Godman, ed., *Biología Centrali-Americana*. London.
- . 1913. The fossil odonate *Phenacolestes*, with a discussion of the venation of the legion *Podagrion* Selys. *Proceedings of the Academy of Natural Sciences of Philadelphia* 65:225–272, pl. 14.
- Cameron, Peter. 1890. A Monograph of the British Phytophagous Hymenoptera (*Tenthredo*, *Sirex* and *Cynips*, Linne), v. 3. Ray Society. London. 274 p., 17 pl.
- Campbell, J. M. 1964. A fossil beetle of the genus *Hymenoroides* (Coleoptera: Alleculidae) found in amber from Chiapas, Mexico. *University of California, Berkeley, Publications in Entomology* 31: 41–42, pl. 3.
- Campion, Herbert. 1916. *Triaeschna gossi*, a new genus, and species of Odonata from the Eocene of Bournemouth. *Annals and Magazine of Natural History* (series 8) 18:229–234, pl. 11.
- . 1923. Descriptions of three species of *Notogomphus* (Odonata) from East Africa. *Annals and Magazine of Natural History* (series 9) 12: 659–669, text-fig. 1–4.
- Carpenter, F. M. 1928. A scorpion-fly from the Green River Eocene. *Annals of the Carnegie Museum* 18:241–246, text-fig. 1, pl. 12.
- . 1929a. A Jurassic neuropteran from the Lithographic Limestone of Bavaria. *Psyche* 36: 190–194, text-fig. 1.
- . 1929b. A fossil ant from the lower Eocene (Wilcox) of Tennessee. *Journal of the Washington Academy of Sciences* 19:300–301, text-fig. 1.
- . 1930a. The fossil ants of North America. *Bulletin of the Museum of Comparative Zoology, Harvard University* 70:1–66, pl. 1–11.
- . 1930b. The Lower Permian insects of Kansas. Part I. Introduction and the Order Mecoptera. *Bulletin of the Museum of Comparative Zoology, Harvard University* 70:69–101, text-fig. 1–3, pl. 1–5.
- . 1930c. A review of our present knowledge of the geological history of the insects. *Psyche* 37:15–34, pl. 1.
- . 1930d. The Lower Permian insects of Kansas. Part 3. The Protohymenoptera. *Psyche* 37: 343–374, text-fig. 1–4, pl. 15–17.
- . 1931a. The Lower Permian insects of Kansas. Part 2. The orders Paleodictyoptera, Protoodonata, and Odonata. *American Journal of Science* (series 5) 21:97–139, text-fig. 1–6.
- . 1931b. The Lower Permian insects of Kan-

- sas. Part 4. The order Hemiptera, and additions to the Paleodictyoptera and Protohymenoptera. *American Journal of Science* (series 5) 22:113–130, text-fig. 1–8.
- . 1931c. The affinities of *Holcorpa maculosa* Scudder and other Tertiary Mecoptera, with descriptions of new genera. *Journal of the New York Entomological Society* 39:405–414, text-fig. 1–2, pl. 33.
- . 1931d. Insects from the Miocene (Latah) of Washington: I, Introduction; VI, Trichoptera. *Annals of the Entomological Society of America* 24:307–309, 319–322, text-fig. 3–5.
- . 1932a. Jurassic insects from Solenhofen in the Carnegie Museum and the Museum of Comparative Zoology. *Annals of the Carnegie Museum* 21:97–129, text-fig. 1–11.
- . 1932b. The Lower Permian insects of Kansas. Part 5. Psocoptera and additions to the Homoptera. *American Journal of Science* (series 5) 24:1–22, text-fig. 1–11.
- . 1933a. The Lower Permian insects of Kansas. Part 6. Delopteridae, Protelytroptera, Plectoptera and a new collection of Protodonata, Odonata, Megasecoptera, Homoptera, and Psocoptera. *Proceedings of the American Academy of Arts and Sciences* 68:411–503, text-fig. 1–29, pl. 1.
- . 1933b. A new megaseopteron from the Carboniferous of Kansas. *University of Kansas Science Bulletin* 21:365–367, text-fig. 1.
- . 1934. Carboniferous insects from Pennsylvania in the Carnegie Museum and the Museum of Comparative Zoology. *Annals of the Carnegie Museum* 22:323–341, text-fig. 1–13, pl. 24.
- . 1935a. The Lower Permian insects of Kansas. Part 7. The order Protopleraria. *Proceedings of the American Academy of Arts and Sciences* 70:103–146, text-fig. 1–11, pl. 1–2.
- . 1935b. A new name for *Lithomyrmex* Carp. (Hymenoptera). *Psyche* 42:91.
- . 1935c. Tertiary insects of the family Chrysopidae. *Journal of Paleontology* 9:259–271, text-fig. 1–9.
- . 1936. Revision of the Nearctic Raphidiodea (recent and fossil). *Proceedings of the American Academy of Arts and Sciences* 71:89–157, text-fig. 1–13, pl. 1–2.
- . 1938. Two Carboniferous insects from the vicinity of Mazon Creek, Illinois. *American Journal of Science* (series 5) 36:445–452, text-fig. 1–3.
- . 1939. The Lower Permian insects of Kansas. Part 8. Additional Megasecoptera, Protodonata, Odonata, Homoptera, Psocoptera, Protelytroptera, Plectoptera, and Protoperlaria. *Proceedings of the American Academy of Arts and Sciences* 73:29–70, text-fig. 1–27, pl. 1–2.
- . 1940a. A revision of the Nearctic Hemeroibiidae, Berothidae, Sisyridae, Polystoechotidae and Dilaridae (Neuroptera). *Proceedings of the American Academy of Arts and Sciences* 74:193–280, text-fig. 1–75, pl. 1–3.
- . 1940b. Carboniferous insects from the Stanton Formation, Kansas. *American Journal of Science* (series 5) 238:636–642, text-fig. 1, pl. 1.
- . 1943a. The Lower Permian insects of Kansas. Part 9. The orders Neuroptera, Raphidiodea, Caloneurodea and Protorthoptera (Probnisidae), with additional Protodonata and Megasecoptera. *Proceedings of the American Academy of Arts and Sciences* 75:55–84, text-fig. 1–16, pl. 1.
- . 1943b. Studies on Carboniferous insects from Commentry, France. Part I. Introduction and families Protagriidae, Meganeuridae, and Campylopteridae. *Geological Society of America Bulletin* 54:527–554, text-fig. 1–5, pl. 1.
- . 1943c. Osmylidæ of the Florissant Shales, Colorado (Insecta-Neuroptera). *American Journal of Science* (series 5) 241:753–760, text-fig. 1–3, pl. 1.
- . 1944. Carboniferous insects from the vicinity of Mazon Creek, Illinois. *Illinois State Museum, Scientific Papers* 3(1):1–20, text-fig. 1–5, pl. 1–4.
- . 1947. Lower Permian insects from Oklahoma. Part I. Introduction and the orders Megasecoptera, Protodonata, and Odonata. *Proceedings of the American Academy of Arts and Sciences* 76:25–54, text-fig. 1–28, pl. 1–2.
- . 1948a. The supposed nymphs of the Palaeodictyoptera. *Psyche* 55:41–50, pl. 6–7.
- . 1948b. A Permian insect from Texas. *Psyche* 55:101–103, text-fig. 1.
- . 1950. The Lower Permian insects of Kansas. Part 10. The order Protorthoptera: The family Liomopteridae and its relatives. *Proceedings of the American Academy of Arts and Sciences* 78:187–219, text-fig. 1–11, pl. 1–3.
- . 1951. Studies on Carboniferous insects from Commentry, France. Part II. The Megasecoptera. *Journal of Paleontology* 25:336–355, text-fig. 1–11, pl. 53.
- . 1954. The Baltic amber Mecoptera. *Psyche* 61:31–40, text-fig. 1–4.
- . 1955. An Eocene *Bittacus* (Mecoptera). *Psyche* 62:39–41, text-fig. 1–2.
- . 1956. The Baltic amber snake-flies (Neuroptera). *Psyche* 63:77–81, text-fig. 1–3.
- . 1959. Fossil Nemopteridae (Neuroptera). *Psyche* 66:20–24, text-fig. 1, pl. 1.
- . 1960a. The female of *Inocellia pilicornis* Carp. (Neuroptera: Inocelliidae). *Psyche* 67:41–42, text-fig. 1.
- . 1960b. Studies on North American Carboniferous insects. 1. The Protodonata. *Psyche* 67:98–110, text-fig. 1–4, pl. 11.
- . 1960c. A Triassic odonate from Argentina. *Psyche* 67:71–75, text-fig. 1, pl. 9.
- . 1961. Studies on Carboniferous insects of

- Commentry, France. Part III. The Caloneurodea. *Psyche* 68:145–153, text-fig. 1–2.
- . 1962. A Permian megasecopteron from Texas. *Psyche* 69:37–41, text-fig. 1–2, pl. 1.
- . 1963a. A megasecopteron from Upper Carboniferous strata of Spain. *Psyche* 70:44–49, text-fig. 1, pl. 4–5.
- . 1963b. Studies on North American Carboniferous insects. 2. The genus *Brodiptera*, from the Maritime Provinces, Canada. *Psyche* 70:59–63, text-fig. 1–2.
- . 1963c. Studies on Carboniferous insects from Commentry, France. Part IV. The genus *Triplosoba*. *Psyche* 70:120–128, pl. 13–14.
- . 1963d. Studies on Carboniferous insects of Commentry, France. Part V. The genus *Diaphanoptera* and the order Diaphanopterodea. *Psyche* 70:240–256, text-fig. 1, pl. 28–30.
- . 1964a. Studies on Carboniferous insects of Commentry, France. Part VI. The genus *Dicyoptilus* (Palaeodictyoptera). *Psyche* 71:104–116, text-fig. 1, pl. 13–14.
- . 1964b. Studies on North American Carboniferous insects. 3. A spilapterid from the vicinity of Mazon Creek, Illinois (Palaeodictyoptera). *Psyche* 71:117–124, pl. 15–18.
- . 1964c. Lower Permian insect fauna from Elmo, Kansas, p. 302–303. In R. C. Moore, Paleogeological aspects of Kansas Pennsylvanian and Permian cyclothsems. Kansas State Geological Survey Bulletin 169.
- . 1965. Studies on North American Carboniferous insects. 4. The genera *Metropator*, *Eubleptus*, *Hapaloptera*, and *Hadentomum*. *Psyche* 72:175–190, text-fig. 1–7.
- . 1966. The Lower Permian Insects of Kansas. Part 11. The orders Protorthoptera and Orthoptera. *Psyche* 73:46–88, text-fig. 1–20, pl. 4–7.
- . 1967a. Studies on North American Carboniferous insects. 5. Palaeodictyoptera and Megasecoptera from Illinois and Tennessee, with a discussion of the order Sypharopteroidea. *Psyche* 74:58–84, text-fig. 1–5, pl. 8–14.
- . 1967b. Cretaceous insects from Labrador. 2. A new family of snake-flies (Neuroptera: Alloraphidiidae). *Psyche* 74:270–275, text-fig. 1–2.
- . 1967c. The structure and relationships of *Stefanomiopelta* Guthörl (Miomoptera-Palaeomanteidae). *Psyche* 74:224–227, text-fig. 1–2.
- . 1968. The affinities of the genus *Sobobapteron* Pierce. *Bulletin of the Southern California Academy of Sciences* 67:263–265, text-fig. 1.
- . 1969. Fossil insects from Antarctica. *Psyche* 76:418–425, text-fig. 1–6.
- . 1970. Fossil insects from New Mexico. *Psyche* 77:400–412, text-fig. 1–7.
- . 1972. The affinities of *Eomerope* and *Dinopanopha*. *Psyche* 79:79–87, text-fig. 1–9.
- . 1976. The Lower Permian insects of Kansas. Part 12. Protorthoptera (continued), Neuroptera, additional Palaeodictyoptera, and families of uncertain position. *Psyche* 83:336–376, text-fig. 1–23.
- . 1979. Lower Permian insects from Oklahoma. Part 2. Orders Ephemeroptera and Palaeodictyoptera. *Psyche* 86:261–290, text-fig. 1–17.
- . 1980. Studies on North American Carboniferous insects. 6. Upper Carboniferous insects from Pennsylvania. *Psyche* 87:107–119, text-fig. 1–5.
- . 1983. Studies on North American Carboniferous insects. 7. The structure and relationships of *Eubleptus danielsi* (Palaeodictyoptera). *Psyche* 90:81–95, text-fig. 1–8.
- . 1986. Substitute names for some extinct genera of fossil insects. *Psyche* 92:575–583.
- Dated 1985, mailed in 1986.
- . 1987. Substitute names for the extinct genera *Cyclopelta* Martynova (Mecoptera) and *Parelcana* Carpenter (Orthoptera). *Psyche* 93: 375–376.
- . 1988. Review of the extinct family Syn-tonopteridae (order uncertain). *Psyche* 94:373–388, text-fig. 1–9.
- Dated 1987, mailed in 1988.
- . 1990. A substitute name for the extinct genus *Eoricania* Haupt (Hemiptera: Homoptera: Ricanidae). *Psyche* 97:131.
- . 1991. A substitute name for the extinct genus *Proberotha* Riek (Neuroptera). *Psyche* 98: 87.
- . 1992. Affinities of the extinct genera *Chresmoda* (Orthoptera) and *Propygolampis* (Phasmatodea). *Psyche* 99:(in press).
- Carpenter, F. M., & Laurie Burnham. 1985. The geological record of insects. *Annual Review of Earth and Planetary Sciences* 13:297–314, text-fig. 1–2.
- Carpenter, F. M., T. D. A. Cockerell, C. H. Kennedy, T. E. Snyder, & H. F. Wickham. 1931. Insects from the Miocene (Latah) of Washington. *Annals of the Entomological Society of America* 24:307–323, text-fig. 1–5, pl. 1.
- Carpenter, F. M., J. W. Folsom, E. O. Essig, A. C. Kinsey, C. T. Brues, M. W. Boesel, & H. E. Ewing. 1937. Insects and arachnids from Canadian amber. *University of Toronto Studies, Geological Series* 40:7–62, text-fig. 1–11.
- Carpenter, F. M., & F. M. Hull. 1939. The fossil Pipunculidae. *Bernstein-Forschungen* 4:8–17, text-fig. 1–9.
- Carpenter, F. M., & Jarmila Kukalová. 1964. The structure of the Protelytroptera, with description of a new genus from Permian strata of Moravia. *Psyche* 71:183–197, text-fig. 1–6, pl. 22.
- Carpenter, F. M., & E. S. Richardson, Jr. 1968. Megasecopterous nymphs in Pennsylvanian con-

- cretions from Illinois. *Psyche* 75:295–309, text-fig. 1–2, pl. 24–28.
- . 1971. Additional insects in Pennsylvanian concretions from Illinois. *Psyche* 78:268–295, text-fig. 1–20.
- . 1976. Structure and relationships of the Upper Carboniferous insect, *Eucaenus ovalis* (Protorthoptera: Eucaenidae). *Psyche* 83:223–242, text-fig. 1–8.
- . 1978. Structure and relationships of the Upper Carboniferous insect *Prochoroptera calopteryx* (Diaphanopteroidea, Prochoropteridae). *Psyche* 85:219–228, text-fig. 1–3.
- Carpenter, F. M., T. E. Snyder, C. P. Alexander, M. T. James, & F. M. Hull. 1938. Fossil insects from the Creede Formation, Colorado. Part I. Introduction, Neuroptera, Isoptera and Diptera. *Psyche* 45:105–119, text-fig. 1–3, pl. 13.
- Carpenter, F. M., & P. E. S. Whalley. 1981. *Typus Sellards, 1909 (Insecta, Protodonata)*: Proposed conservation under plenary powers. *Z. N. (S.)* 2359. *Bulletin of Zoological Nomenclature* 38: 285–287.
- Carpenter, G. H. 1903. On the relationships between the classes of Arthropoda. *Proceedings of the Royal Irish Academy, Dublin* 24(B):320–360.
- . 1905. Notes on the segmentation and phylogeny of the Arthropoda, with an account of the maxillae in *Polyxenus lagarus*. *Quarterly Journal of the Microscopical Society of London* 49:469–491, pl. 28.
- Carvalho, J. C. M. 1954. Zur systematischen Stellung zweier fossiler deutscher Miriden-Gattungen (Hemiptera Heteroptera). *Beitrag zur Entomologie* 4:188–189.
- Castelnau, F. L. de. 1840. *Histoire naturelle des animaux articulés, insectes*. Roret. Paris. 288 p., 14 pl.
- This author also published under the name Laporte. *Webster's Biographical Dictionary* lists his name as: Francis de la Porte de Castelnau.
- Chapman, T. A. 1917. *Micropteryx* entitled to ordinal rank; order Zeugloptera. *Transactions of the Entomological Society of London* 1916:310–314, pl. 81–92.
- Parts I and II were published in 1916; parts III–V, including the Chapman article, were published in 1917.
- Charpentier, Toussaint de. 1825. *Horae Entomologicae*. Breslau. 255 p., 9 pl.
- . 1843. Über einige fossile insecten aus Radoboj in Croatién. *Nova Acta Leopoldina* 20: 399–410, pl. 21–23.
- Chen, Sicien, & Chuan-chieh T'an. 1973. A new family of Coleoptera from the lower Cretaceous of Kansu. *Acta Entomologica Sinica* 16:169–179, text-fig. 1–6, pl. 1.
- China, W. E. 1962. South American Peloridiidae (Hemiptera-Homoptera: Coleorrhynche). *Transactions of the Royal Entomological Society of London* 114(5):131–161, text-fig. 1–15.
- Chopard, Lucien. 1920. Recherches sur la conformation et le développement des derniers segments abdominaux chez les Orthoptères. Thèse présenté à la Faculté des Sciences de Paris. 352 p., 623 text-fig., 7 pl.
- . 1936a. Un remarquable genre d'Orthoptères de l'ambre de la Baltique, p. 163–168, text-fig. 1–11, pl. 6. In *Livre jubilaire de M. Eugène-Louis Bouvier*. Paris.
- . 1936b. Orthoptères fossiles et subfossiles de l'ambre et du copal. *Annales de la Société entomologique de France* 105:375–386, text-fig. 1–13.
- Christiansen, Kenneth. 1971. Notes on Miocene amber Collembola from Chiapas. *University of California, Berkeley, Publications in Entomology* 63:45–48, text-fig. 1–2.
- Christiansen, Kenneth, & Peter Bellinger. 1980. The Collembola of North America, North of the Rio Grande. A taxonomic analysis. Grinnell College. Grinnell. Part 3, p. 785–1042, text-fig. 630–855.
- Book divided into 4 parts, bound in 2 loose-leaf notebooks. Pages typed & duplicated.
- Clark, Jean, Rosina Cole, Sonia Fawcett, Margaret Green, Judith Howcroft, Shiela Niedbala, Katherine Rawlins, Olga Theobald, & Mary Tobias. 1971. *Insecta. Zoological Record*, v. 104(13). The Zoological Society of London. London. xvi + 704 p.
- Cobben, R. H. 1971. A fossil shore bug from the Tertiary amber of Chiapas, Mexico (Heteroptera, Saldidae). *University of California, Berkeley, Publications in Entomology* 63:49–56, text-fig. 1–2.
- Cockerell, T. D. A. 1899. First supplement to the check-list of the Coccidae. *Bulletin of the Illinois State Laboratory of Natural History, Urbana, Illinois* 5:389–398.
- . 1905. Tables for the identification of Rocky Mountain Coccidae (scale insects and mealy bugs). *Colorado University Studies* 2:189–203.
- . 1906a. Notes on Coccidae. *Proceedings of the Entomological Society of Washington* 8:33–35.
- . 1906b. Fossil Hymenoptera from Florissant, Colorado. *Bulletin of the Museum of Comparative Zoology, Harvard University* 50:33–58.
- . 1906c. A fossil cicada from Florissant, Colorado. *Bulletin of the American Museum of Natural History* 22:457–458.
- . 1906d. Fossil saw-flies from Florissant, Colorado. *Bulletin of the American Museum of Natural History* 22:499–501, text-fig. 1–3.

- . 1906e. A fossil water bug. Canadian Entomologist 38:209.
- . 1907a. A fossil caterpillar. Canadian Entomologist 39:187–188, text-fig. 9.
- . 1907b. Fossil dragonflies from Florissant, Colorado. Bulletin of the American Museum of Natural History 23:133–139, text-fig. 1–3.
- . 1907c. Some fossil arthropods from Florissant, Colorado. Bulletin of the American Museum of Natural History 23:605–616, text-fig. 1–6.
- . 1907d. A fossil tsetse-fly in Colorado. Nature 76:414.
- . 1907e. A fossil honey-bee. Entomologist 40:227–229.
- . 1907f. Some old world types of insects in the Miocene of Colorado. Science (new series) 26:446–447.
- . 1907g. A fossil butterfly of the genus *Chlorippa*. Canadian Entomologist 39:361–363, pl. 10.
- . 1907h. A fossil tortricid moth. Canadian Entomologist 39:416.
- . 1908a. Descriptions of Tertiary insects, I. American Journal of Science (series 4) 25:51–52, text-fig. 1–3.
- . 1908b. A fossil leaf-cutting bee. Canadian Entomologist 40:31–32.
- . 1908c. The fossil saw-fly *Perga coloradensis*. Science 27:113–114.
- . 1908d. Fossil Chrysopidae. Canadian Entomologist 40:90–91.
- . 1908e. Descriptions of Tertiary insects, II. American Journal of Science (series 4) 25:227–232, text-fig. 1–5.
- . 1908f. Descriptions and records of bees, XIX. Annals and Magazine of Natural History (series 8) 1:337–344.
- . 1908g. Descriptions of Tertiary insects, III. American Journal of Science (series 4) 25: 309–312, text-fig. 1.
- . 1908h. Two fossil Diptera. Canadian Entomologist 40:173–175, pl. 4.
- . 1908i. List of fossil Histeridae from Tertiary strata. In George Lewis, On new species of Histeridae and notices of others. Annals and Magazine of Natural History (series 8) 2:160–162.
- . 1908j. Descriptions of Tertiary insects, IV. American Journal of Science (series 4) 26:69–75, text-fig. 1–4.
- . 1908k. Fossil Cercopidae (Homoptera). Bulletin of the Wisconsin Natural History Society 6:35–38, text-fig. 1–3.
- . 1908l. Florissant: a Miocene Pompeii. Popular Science Monthly 73:112–126.
- . 1908m. Some results of the Florissant expedition of 1908. American Naturalist 42: 569–581, text-fig. 1–12.
- . 1908n. Descriptions and records of bees, XX. Annals and Magazine of Natural History (series 8) 2:323–334, 1 diagram.
- . 1908o. A fossil fly of the family Blepharoceridae. Entomologist 41:262–265, text-fig. 1.
- . 1908p. Fossil insects from Florissant, Colorado. Bulletin of the American Museum of Natural History 24:59–69, pl. 5.
- . 1908q. A dragon-fly puzzle and its solution. Entomological News 19:455–459.
- . 1908r. Fossil Osmylidae (Neuroptera) in America. Canadian Entomologist 40:341–342, pl. 9.
- . 1908s. The first American fossil mantis. Canadian Entomologist 40:343–344.
- . 1908t. A fossil orthopterous insect with the media and cubitus fusing. Entomological News 19:126–128.
- . 1908u. Fossil Aphididae from Florissant, Colorado. Nature 78:318–319.
- . 1909a. Fossil Diptera from Florissant, Colorado. Bulletin of the American Museum of Natural History 26:9–12, text-fig. 1, pl. 1.
- . 1909b. Fossil insects from Florissant, Colorado. Bulletin of the American Museum of Natural History 26:67–76, pl. 16.
- . 1909c. A catalogue of the generic names based on American insects and arachnids from the Tertiary rocks, with indications of the type species. Bulletin of the American Museum of Natural History 26:77–86.
- . 1909d. Descriptions of Tertiary insects, V. American Journal of Science (series 4) 27: 53–58, text-fig. 1.
- . 1909e. Another fossil tsetse fly. Nature 80:128.
- . 1909f. Two fossil bees. Entomological News 20:159–161.
- . 1909g. The coccid genus *Ceroputo*. Entomologist 42:100.
- . 1909h. Descriptions of Tertiary insects, VI. American Journal of Science (series 4) 27: 381–387, text-fig. 1–12.
- . 1909i. Two fossil Chrysopidae. Canadian Entomologist 41:218–219, text-fig. 5–6.
- . 1909j. Fossil insects from Colorado. Entomologist 42:170–174, 3 unnumbered text-fig.
- . 1909k. New North American bees. Canadian Entomologist 41:393–395.
- . 1909l. Eocene fossils from Green River, Wyoming. American Journal of Science (series 4) 28:447–448, text-fig. 1–2.
- . 1909m. Some European fossil bees. Entomologist 42:313–317.
- . 1909n. New fossil insects from Florissant, Colorado. Annals of the Entomological Society of America 2:251–256, pl. 28.
- . 1909o. Descriptions of Hymenoptera from Baltic amber. Schriften der physikalisch-ökonomischen Gesellschaft zu Koenigsberg in Preussen 50:1–20, text-fig. 1–14.

- . 1909p. Some additional bees from Prussian amber. *Schriften der physikalisch-oekonomischen Gesellschaft zu Koenigsberg in Preussen* 50:21–25.
- . 1909q. Description of Tertiary insects, 7. *American Journal of Science* (series 4) 28:283–286, text-fig. 1–4.
- . 1910a. The fossil Crabronidae. *Entomologist* 43:60–61.
- . 1910b. Some insects in Baltic amber. *Entomologist* 43:153–155, text-fig. 1.
- . 1910c. Fossil insects and a crustacean from Florissant, Colorado. *Bulletin of the American Museum of Natural History* 28:275–288, text-fig. 1–4.
- . 1911a. Descriptions and records of bees, XXXIV. *Annals and Magazine of Natural History* (series 8) 7:225–237.
- . 1911b. Fossil insects from Florissant, Colorado. *Bulletin of the American Museum of Natural History* 30:71–82, text-fig. 1–3, pl. 3.
- . 1912a. A fossil *Raphidia* (Neur., Planip.). *Entomological News* 23:215–216, text-fig. 1.
- . 1912b. The oldest American homopterous insect. *Canadian Entomologist* 44:93–95, text-fig. 4.
- . 1913a. The genus *Phryganea* (Trichoptera) in the Florissant shales. *Psyche* 20:95–96.
- . 1913b. Some fossil insects from Florissant, Colorado. *Proceedings of the United States National Museum* 44:341–346, text-fig. 1–3, pl. 56.
- . 1913c. Two fossil insects from Florissant, Colorado, with a discussion of the venation of the aeshnine dragon-flies. *Proceedings of the United States National Museum* 45:577–583, text-fig. 1–3.
- . 1913d. The first fossil mydaiid fly. *Entomologist* 46:207–208.
- . 1913e. A fossil asilid fly from Colorado. *Entomologist* 46:213–214.
- . 1913f. Some fossil insects from Florissant, Colorado. *Canadian Entomologist* 45:229–233, text-fig. 9.
- . 1914a. A new fossil saw-fly from Florissant, Colorado. *Canadian Entomologist* 46:32.
- . 1914b. Three Diptera from the Miocene of Colorado. *Canadian Entomologist* 46:101–102.
- . 1914c. The fossil and recent Bombyliidae compared. *Bulletin of the American Museum of Natural History* 33:229–236, text-fig. 1–20.
- . 1914d. New and little-known insects from the Miocene of Florissant, Colorado. *Journal of Geology* 22:714–724, text-fig. 1–11.
- . 1914e. [Fossil Saturniidae.] In A. S. Packard, *Monograph of the bombycine moths of North America . . . including their transformation and origin of the larval markings and armature. Part iii. Families Ceratocampidae (exclusive of Cer-*
- atocampinae), Saturniidae, Hemileucidae and Brahmaeidae
- (edited with additions by T. D. A. Cockerell). *Memoirs of the National Academy of Science* 12:271, text-fig. 34.
- . 1914f. Miocene fossil insects. *Proceedings of the Academy of Natural Sciences of Philadelphia* 66:634–648, 3 unnumbered text-fig.
- . 1915. British fossil insects. *Proceedings of the United States National Museum* 49:469–499, pl. 60–65.
- . 1916a. Insects in Burmese amber. *American Journal of Science* (series 4) 42:135–138, text-fig. 1–4.
- . 1916b. The third fossil tsetse-fly. *Nature* 98:70.
- . 1916c. Some American fossil insects. *Proceedings of the United States National Museum* 51:89–106, text-fig. 1–9, pl. 2.
- . 1917a. A fossil tsetse fly and other Diptera from Florissant, Colorado. *Proceedings of the Biological Society of Washington* 30:19–22.
- . 1917b. New Tertiary insects. *Proceedings of the United States National Museum* 52:373–384, pl. 31.
- . 1917c. Fossil insects. *Annals of the Entomological Society of America* 10:1–22, text-fig. 1–6.
- . 1917d. Arthropods in Burmese amber. *Psyche* 24:40–45, text-fig. 1–6.
- . 1917e. Descriptions of fossil insects. *Proceedings of the Biological Society of Washington* 30:79–82, text-fig. 1–4.
- . 1917f. Some fossil insects from Florissant, Colorado. *Proceedings of the United States National Museum* 53:389–392.
- . 1917g. Arthropods in Burmese amber. *American Journal of Science* (series 4) 44:360–368, text-fig. 1–8.
- . 1917h. Insects in Burmese amber. *Annals of the Entomological Society of America* 10:323–329, text-fig. 1–10.
- . 1918. New species of North American fossil beetles, cockroaches, and tsetse flies. *Proceedings of the United States National Museum* 54:301–311, text-fig. 1–5, pl. 54–55.
- . 1919a. The oldest mosquitoes. *Nature* 103: 44.
- . 1919b. Some fossil parasitic Hymenoptera. *American Journal of Science* (series 4) 47: 376–380, text-fig. 1–6.
- . 1919c. Antiquity of the Ichneumonidae. *Entomologist* 52:121–122, text-fig. 1.
- . 1919d. Two interesting insects in Burmese amber. *Entomologist* 52:193–195, text-fig. 1–3.
- . 1919e. Insects in Burmese amber. *Entomologist* 52:241–243, text-fig. 1–3.
- . 1920a. Fossil arthropods in the British Museum, I. *Annals and Magazine of Natural History* (series 9) 5:273–279, text-fig. 1–3.
- . 1920b. Fossil arthropods in the British

- Museum, II. Annals and Magazine of Natural History (series 9) 5:455–463, text-fig. 1–6, pl. 16.
- . 1920c. Eocene insects from the Rocky Mountains. Proceedings of the United States National Museum 57:233–260, text-fig. 1–11, pl. 32–36.
- . 1920d. Fossil arthropods in the British Museum, III. Annals and Magazine of Natural History (series 9) 6:65–72, text-fig. 1–10.
- . 1920e. Fossil arthropods in the British Museum, IV. Annals and Magazine of Natural History (series 9) 6:211–214, text-fig. 1–2.
- . 1921a. Fossil arthropods in the British Museum, V. Annals and Magazine of Natural History (series 9) 7:1–25, text-fig. 1–32.
- . 1921b. Some British fossil insects. Canadian Entomologist 53:22–23, text-fig. 26–28.
- . 1921c. An ortalid fly in British amber. Entomologist 54:30–31, text-fig. 1.
- . 1921d. Fossil arthropods in the British Museum, VI. Annals and Magazine of Natural History (series 9) 7:453–480, text-fig. 1–50.
- . 1921e. Some Eocene insects from Colorado and Wyoming. Proceedings of the United States National Museum 59:29–39, text-fig. 1–9, pl. 8.
- . 1921f. Fossil arthropods in the British Museum, VII. Annals and Magazine of Natural History (series 9) 8:541–545, text-fig. 1–5.
- . 1922a. New name for a fossil tipulid fly. Entomologist 55:17.
- . 1922b. Two families of insects new to British Tertiary strata. Canadian Entomologist 54:33–34, text-fig. 1–2.
- . 1922c. A fossil moth from Florissant, Colorado. American Museum Novitates 34:1–2, text-fig. 1.
- . 1922d. The fossil sawflies of Florissant, Colorado. Entomologist 55:49–50.
- . 1922e. Fossils in Burmese amber. Nature 109:713–714.
- . 1922f. Fossil arthropods in the British Museum, VIII. Annals and Magazine of Natural History (series 9) 10:157–161, text-fig. 1–3.
- . 1922g. A new fossil longicorn beetle. Entomologist 55:176–178.
- . 1922h. An ancient wasp. Nature 110:313.
- . 1923a. The earliest known ponerine ant. Entomologist 56:51–52, text-fig. 1.
- . 1923b. Insects in amber from South America. American Journal of Science (series 5) 5:331–333.
- . 1923c. Fossil insects from the Eocene of Texas. American Journal of Science (series 5) 5:397–400, text-fig. 1–2.
- Text-fig. 2 is printed before text-fig. 1.
- . 1923d. A new genus of mayflies from the Miocene of Florissant, Colorado. Psyche 30:170–172.
- . 1923e. Two fossil Hymenoptera from Florissant (Vespidae, Megachilidae). Entomological News 34:270–271.
- . 1923f. A fossil caddis-case. Nature 112: 794, text-fig. 1.
- . 1924a. Fossil insects in the United States National Museum. Proceedings of the United States National Museum 64(13):1–15, text-fig. 1–2, pl. 1–2.
- . 1924b. Fossils in the Ondai Sair formation, Mongolia. Bulletin of the American Museum of Natural History 51:129–144, text-fig. 1–6, pl. 1–2.
- . 1924c. Fossil ichneumons believed to have been parasitic on sawflies. Entomologist 57:9–10.
- . 1924d. An ancestor of the Agromyzidae. The Entomologist 57:199–201.
- . 1924e. Fossil insects. Entomological News 35:28–30.
- . 1925a. Plant and insect fossils from the Green River Eocene of Colorado. Proceedings of the United States National Museum 66(19):1–13, pl. 1–2.
- . 1925b. A new fossil dragonfly from Florissant. Entomologist 58:205–206.
- . 1925c. The Eocene fossil fly *Eophlebomyia*. Psyche 32:229–230.
- . 1925d. Descriptions and records of bees, CVI. Annals and Magazine of Natural History (series 9) 16:416–423.
- . 1925e. Tertiary fossil insects from Argentina. Nature 116:711–712, text-fig. 1.
- . 1925f. Tertiary insects from Argentina. Proceedings of the United States National Museum 68(1):1–5, text-fig. 1, pl. 1.
- . 1925g. Tertiary insects from Kudia River Maritime Province, Siberia. Proceedings of the United States National Museum 68(5):1–16, text-fig. 1–5, pl. 1–2.
- . 1926a. Tertiary fossil insects from Argentina. American Journal of Science (series 5) 11: 501–504, text-fig. 1–4.
- . 1926b. Some Tertiary fossil insects. Annals and Magazine of Natural History (series 9) 18: 313–324, text-fig. 1–14.
- . 1926c. A new fossil moth from Florissant. Psyche 33:16–17, text-fig. 1.
- . 1927a. New light on the giant fossil mayflies of Mongolia. American Museum Novitates 244:1–4, text-fig. 1–2.
- . 1927b. Fossil insects from the Miocene of Colorado. Annals and Magazine of Natural History (series 9) 19:161–166.
- . 1927c. A new fossil dragonfly from the Eocene of Colorado. Entomologist 60:81–82, text-fig. 1.
- . 1927d. Hymenoptera and a caddis-larva

- from the Miocene of Colorado. *Annals and Magazine of Natural History* (series 9) 20:429–435.
- . 1927e. Fossil insects in the British Museum. *Annals and Magazine of Natural History* (series 9) 20:585–594, text-fig. 1–2.
- . 1927f. New name for a trichopterous genus. *Entomologist* 60:184.
- . 1927g. The Carboniferous insects of Maryland. *Annals and Magazine of Natural History* (series 9) 19:385–416, pl. 5–7.
- . 1928a. Appendix. In S. A. Northrop, Beetles from the Fox Hills Cretaceous strata of South Dakota. *American Journal of Science* (series 5) 15:37–38.
- . 1928b. The Jurassic insects of Turkestan. *Psyche* 35:126–130, text-fig. 1–2.
- . 1928c. A remarkable new dragon-fly from the Eocene (Odonata). *Entomological News* 39: 297–301, text-fig. 1, pl. 13.
- . 1930. A fossil dragonfly from California (Odonata: Calopterygidae). *Entomological News* 41:49–50, pl. 6.
- . 1931a. A supposed insect larva from the Jurassic. *Bulletin of the Brooklyn Entomological Society* 26:96–97, text-fig. 1.
- . 1931b. Insects from the Miocene (Latah) of Washington: II, Hymenoptera and Hemiptera. *Annals of the Entomological Society of America* 24:309–312, pl. 1.
- . 1933a. A fossil sawfly from the Miocene shales near Creede, Colorado. *Bulletin of the Brooklyn Entomological Society* 28:186–187, text-fig. 1.
- . 1933b. A second moth from the Colorado Eocene. *American Naturalist* 67:479–480, text-fig. 1.
- . 1936. The fauna of the Sunchal (or Margas Verdes) formation, Northern Argentina. *American Museum Novitates* 886:1–10, text-fig. 1–19.
- . 1940a. A dragon-fly from the Eocene of Colorado (Odonata: Agrionidae). *Entomological News* 51:103–105, text-fig. 1–2.
- . 1940b. Note on a fossil sawfly from Creede, Colorado. *Bulletin of the Brooklyn Entomological Society* 35:72.
- . 1941. Some Tertiary insects (Hymenoptera) from Colorado. *American Journal of Science* (series 5) 239:354–356, pl. 1.
- . 1943. A beetle. In M. Y. Williams, The stratigraphy and palaeontology of Hong Kong and new territories. *Transactions of the Royal Society of Canada* (series 3, section 4) 37:115–116, pl. 1.
- Cockerell, T. D. A., & Clarence Custer. 1925. A new fossil *Inocellia* (Neuroptera) from Florissant. *Entomologist* 58:295–297, text-fig. 1.
- Cockerell, T. D. A., & F. A. Haines. 1921. Fossil Tipulidae from the Oligocene of the Isle of Wight. *Entomologist* 54:81–84, 109–112, text-fig. 9.
- Cockerell, T. D. A., & Norma LeVeque. 1931. The antiquity of insect structures. *American Naturalist* 65:351–359, 2 unnumbered text-fig.
- Cockerell, T. D. A., & Grace Sandhouse. 1921. Some Eocene insects of the Family Fulgoridae. *Proceedings of the United States National Museum* 59:455–457, pl. 98.
- Coe, R. L. 1966. Fossil Pipunculidae, p. 20. In *Handbooks for the identification of British insects*, v. 10, pt. 2c. Royal Entomological Society of London. London.
- Collado, J. G. 1926. Nota sobre algunos insectos fosiles de Ribesalbes (Castellon). *Boletin del Instituto geologico y minero de Espana* (series 3) 6:89–107, text-fig. 1–13, pl. 1–5.
- Colless, D. H., & D. K. McAlpine. 1970. Diptera (flies), p. 656–740, text-fig. 1–37. In *CSIRO, The Insects of Australia*. Melbourne University Press. Melbourne.
- Collins, R. L. 1925. A Lower Eocene termite from Tennessee. *American Journal of Science* (series 5) 9:406–410, text-fig. 1–7.
- Common, I. F. B. 1970. Lepidoptera (moths and butterflies), p. 765–866, text-fig. 1–52. In *CSIRO, The Insects of Australia*. Melbourne University Press. Melbourne.
- . 1975. Evolution and classification of the Lepidoptera. *Annual Review of Entomology* 20: 183–203.
- Comstock, J. H. 1895. The venation of the wings of insects, chapter 7, p. 75–91, text-fig. 1–9. In J. H. Comstock & V. L. Kellogg, *Elements of Insect Anatomy*. Comstock Publishing Co. Ithaca, New York.
- . 1918. *The Wings of Insects*. Comstock Publishing Co. Ithaca, New York. xviii + 430 p., 427 text-fig., 10 pl.
- Comstock, J. H., & A. B. Comstock. 1895. A Manual for the Study of Insects. Comstock Publishing Co. Ithaca, New York. 701 p., 797 text-fig.
- Comstock, J. H., & J. G. Needham. 1898–1899. *The Wings of Insects*. Comstock Publishing Co. Ithaca, New York. 124 p., 90 text-fig.
- Originally published as a series of ten articles in the *American Naturalist*, v. 32 & 33, 1898–1899.
- Comstock, W. P. 1961. Butterflies of the American Tropics, the Genus *Anaea* (Lepidoptera Nymphalidae): A study of the species heretofore included in the genera *Anaea*, *Coenophlebia*, *Hypna*, *Polygrapha*, *Protagonius*, *Siderone*, and *Zretis*. American Museum of Natural History. New York. 214 p., 250 text-fig., 30 pl.
- Cook, E. F. 1971. Fossil Scatopsidae in Mexican amber (Diptera: Insecta). *University of California, Berkeley, Publications in Entomology* 63: 57–61, text-fig. 1–13.

- Cooper, K. W. 1941. *Davispia bearcreekensis* Cooper, a new cicada from the Paleocene, with a brief review of the fossil Cicadidae. American Journal of Science (series 5) 239:286–304, text-fig. 1–3, pl. 1.
- Copeland, M. J. 1957. The arthropod fauna of the Upper Carboniferous rocks of the Maritime Provinces. Geological Survey of Canada, Memoir 286:1–110, pl. 1–21.
- Costa, Achille. 1852. *Cimicum Regni Neapolitanii Centuriae*. Napoli. 73 p., 3 pl.
- Costa Lima, A. da. 1950. Ninfa de Efemerideo fossil do Ceará. Anais da Academia brasileira de ciencias 22:419–420, text-fig. 1.
- Cowley, J. 1934a. Changes in the generic names of the Odonata. Entomologist 67:200–205.
- . 1934b. The types of some genera of Odonata. Entomologist 67:249–253.
- . 1934c. The types of some genera of Gomphidae (Odonata). Entomologist 67:273–276.
- . 1934d. Notes on some generic names of Odonata. Entomologists' Monthly Magazine 70: 240–247.
- . 1942. Descriptions of some genera of fossil Odonata. Proceedings of the Royal Entomological Society of London (series B) 11:63–78.
- Crampton, G. C. 1916. The phylogenetic origin and the nature of the wings of insects according to the paranotal theory. Journal of the New York Entomological Society 24:1–39, pl. 1–2.
- . 1920. Remarks on the ancestry of insects and their allies. Report of the Entomological Society of Canada 36:105–110.
- . 1924. The phylogeny and classification of insects. Journal of Entomology and Zoology, Pomona College 16:33–47.
- . 1927. The abdominal structures of the orthopteroid family Grylloblattidae and the relationships of the group. Pan-Pacific Entomologist 3:115–135, text-fig. 1–10, A–B.
- . 1928a. The evolution of insects, chilopods, diplopods, crustacea and other arthropods indicated by a study of the head capsule. Canadian Entomologist 60:129–141, pl. 8–12.
- . 1928b. The evolution of the head region in lower arthropods and its bearing upon the origin and relationships of the arthropodan groups. Canadian Entomologist 60:284–301, pl. 20–22.
- . 1933. The affinities of the archaic orthopteroid family Grylloblattidae, and its position in the general phylogenetic scheme. Journal of the New York Entomological Society 41:127–166.
- . 1935. A defense of the view that the grylloblattids are descended from the Protorthoptera and lead to the tettigonioid family Stenopelmatidae—A reply to Dr. E. M. Walker. Journal of the New York Entomological Society 43:97–111.
- . 1938. The structures called parameres in male insects. Bulletin of the Brooklyn Entomological Society (new series) 33:16–23, pl. 1.
- Cresson, E. T. 1887. Synopsis of the families and genera of the Hymenoptera of America, north of Mexico, together with a catalogue of the described species, and bibliography. Transactions of the American Entomological Society, Philadelphia (supplementary volume) 1887: vi + 350 p., 13 text-fig.
- Crosskey, R. W. 1966. The putative genus *Pallexorista* Townsend and its identity with *Prosturmia* Townsend (Diptera: Tachinidae). Proceedings of the Royal Entomological Society of London (series B) 35:133–137.
- Crowson, R. A. 1960. The phylogeny of the Coleoptera. Annual Review of Entomology 5:111–134.
- . 1962. Observations on the beetle family Cupedidae, with descriptions of two new fossil forms and a key to the recent genera. Annals and Magazine of Natural History (series 13) 5:147–157, pl. 3–4.
- . 1964. A review of the classification of Cleroidea (Coleoptera), with descriptions of two new genera of Peltidae and of several new larval types. Transactions of the Royal Entomological Society of London 116:275–328, text-fig. 1–80, pl. 1.
- . 1967. The Natural Classification of the Families of Coleoptera. Classey. Hampton, Middlesex. 213 p., 212 text-fig.
- . 1973. On a new superfamily Artematopoidea of polyphagan beetles, with the definition of two new fossil genera from the Baltic amber. Journal of Natural History 7:225–238, text-fig. 1–11.
- . 1981. The Biology of the Coleoptera. Academic Press. London. xii + 802 p., 319 text-fig., 9 pl.
- CSIRO. 1970. The Insects of Australia. Melbourne University Press. Melbourne. 1030 p., 702 text-fig., 8 pl.
- Curtis, John. 1823–1840. British Entomology, Being Illustrations and Descriptions of the Genera of Insects found in Great Britain and Ireland. 8 vol. London. 769 pl.
- Plate 561 and plate 544 are bound in vol. IV.
- . 1840. [Coleopterous elytra], p. 174–179. In Charles Lyell, On the boulder formation or drift and associated fresh water deposits composing the mud cliffs of eastern Norfolk. Proceedings of the Geological Society of London 3.
- Cutten, F. E. A., & D. K. McE. Kevan. 1970. The Nymphomyiidae (Diptera), with special reference to *Palaeodipteron walkeri* Ide and its larva in Quebec, and a description of a new genus and species from India. Canadian Journal of Zoology 48:1–24, text-fig. 1–37.
- Czerny, Leander. 1928. 54a: Clusiidae. In Erwin

- Lindner, ed., Die Fliegen der palaearktischen Region, v. 6(1). Stuttgart. 12 p., 18 text-fig.
- Dalman, J. W. 1826. Om insekter inneslutne i kopal; jemte beskrifning på några deribland fore-kommande nya slägten och arter. Kongliga svenska vetenskaps-akademiens handlingar 1825: 375–410, pl. 5.
- Daly, H. V. 1973. Bees of the genus *Ceratina* in America north of Mexico (Hymenoptera: Apoidea). University of California, Berkeley, Publications in Entomology 74:1–114, text-fig. 1–31, pl. 1–2.
- Dampf, Alfons. 1911. *Palaeopsylla klebiana* n. sp., ein fossiler Floh aus dem baltischen Bernstein. Schriften der physikalisch-oekonomischen Gesellschaft zu Koenigsberg in Preussen 51:248–259, pl. 5–6.
- Dana, J. D. 1864. On fossil insects from the Carboniferous formation of Illinois. American Journal of Science (series 2) 37:34–35, text-fig. 1–2.
- Darlington, P. J., Jr. 1929. Notes on the structure and significance of *Palaeogyrinus*. Psyche 36:216–219.
- . 1950. Paussid beetles. Transactions of the American Entomological Society 76:47–142, text-fig. 1–207.
- . 1969. A fossil carabid beetle from the Miocene of Montana. Contributions from the Museum of Paleontology, University of Michigan 22:193–197, pl. 1–2.
- Davies, D. A. L. 1981. A synopsis of the extant genera of the Odonata. Societas Internationalis Odontologica, Rapid Communications 3:1–58. University of Utrecht, the Netherlands.
- Davis, Consett. 1939a. Taxonomic notes on the order Embioptera, III. Proceedings of the Linnean Society of New South Wales 64:369–372, text-fig. 1–6.
- . 1939b. Taxonomic notes on the Order Embioptera, IV. Proceedings of the Linnean Society of New South Wales 64:373–381, text-fig. 1–16.
- . 1939c. Taxonomic notes on the Order Embioptera, V. Proceedings of the Linnean Society of New South Wales 64:381–384, text-fig. 1–5.
- . 1940a. Family classification of the order Embioptera. Annals of the Entomological Society of America 33:677–682.
- . 1940b. Taxonomic notes on the order Embioptera, XVIII. Proceedings of the Linnean Society of New South Wales 65:362–387, text-fig. 1–83.
- . 1942. Hemiptera and Copeognatha from the Upper Permian of New South Wales. Proceedings of the Linnean Society of New South Wales 67:111–122, text-fig. 1–24.
- . 1943. A new species of *Permitbone* (Neuroptera Planipennia) from the Upper Permian of New South Wales. Proceedings of the Linnean Society of New South Wales 68:11–12, text-fig. 1, pl. 1.
- Davis, M. B. 1934. Habits of the Trichoptera, p. 82–106. In Cornelius Betten, Caddis flies or Trichoptera of New York State. New York State Museum Bulletin 292.
- Dawson, J. W. 1867. On some remains of Paleozoic insects recently discovered in Nova Scotia and New Brunswick. Canadian Naturalist and Geologist (new series) 3:202–206, text-fig. 1–5. Includes Scudder's descriptions of Paleozoic insects.
- Deichmüller, J. V. 1881. Fossile Insekten aus den Diatomeenschiefer von Kutschlin bei Bilin, Böhmen. Nova Acta Leopoldina 42:293–331, pl. 21.
- . 1882. Ueber einiger Blattiden aus dem Brandschiefern der unteren Dyas von Weissig bei Pillnitz. Abhandlungen der naturwissenschaftlichen Gesellschaft "Isis" 1882:33–44, pl. 1.
- . 1886. Die Insekten aus dem lithographischen Schiefer im Dresdener Museum. Mitteilungen aus dem koeniglichen mineralogisch-geologischen und praehistorischen Museum in Dresden 7:1–84, pl. 1–5.
- Delamare Deboutteville, Claude, & Zaher Massoud. 1967. Un groupe panchronique: les Collemboles. Essai critique sur *Rhyniella precursor*. Annales de la Societe entomologique de France (new series) 3:625–630, text-fig. 1.
- . 1968. Révision de *Protentomobrya walkeri* Folsom, Collembole du Crétacé, et remarques sur sa position systématique. Revue d'écologie et de biologie du sol 5:619–630, text-fig. 1–2.
- Delany, M. J. 1961. A study on the post-embryonic development of *Machiloides delanyi* Wygodzinsky (Thysanura: Meinertellidae). Proceedings of the Royal Entomological Society of London (series A) 36:81–87, text-fig 1–12.
- Demoulin, Georges. 1953. À-propos d'*Hexagenites weyenberghi* Scudder, Ephéméroptère du Jurassique supérieur de Solenhofen. Bulletin de l'Institut royal des sciences naturelles de Belgique 29(25):1–8, text-fig. 1–2.
- . 1954a. Les Ephéméroptères jurassiques du Sinkiang. Bulletin et annales de la Societe entomologique de Belgique 90:322–326, text-fig. 1–2.
- . 1954b. Quelques remarques sur les Archodonates. Bulletin et annales de la Societe entomologique de Belgique 90:327–337, text-fig. 1.
- . 1954c. Essai sur quelques éphéméroptères fossiles adultes, p. 547–574. In Volume jubilaire Victor van Straelen, v. 1. Institut Royal des Sciences Naturelles de Belgique. Bruxelles.
- . 1955a. Remarques critiques sur *Cronicus anomalus* (Pictet), Ephéméroptère de l'ambre oligocène de la Baltique. Bulletin de l'Institut

- royal des sciences naturelles de Belgique 31(4): 1–4, text-fig. 1.
- . 1955b. Contribution à l'étude morphologique, systématique et phylogénique des Éphéméroptères jurassiques d'Europe centrale. I. Mesephemeridae. Bulletin de l'Institut royal des sciences naturelles de Belgique 31(39):1–14, text-fig. 1, pl. 1.
- . 1955c. Contribution à l'étude morphologique, systématique et phylogénique des Éphéméroptères jurassiques d'Europe centrale. II. Paedephemeridae. Bulletin de l'Institut royal des sciences naturelles de Belgique 31(55):1–10, text-fig. 1, pl. 1.
- . 1955d. Sur une larve siphlonuridienne d'éphémère fossile du Brésil. Bulletin et annales de la Société royale d'entomologie de Belgique 91:270.
- . 1956a. *Electrogenia dewalschei* n. gen. n. sp., éphéméroptère fossile de l'ambre. Bulletin et annales de la Société royale d'entomologie de Belgique 92:95–100, text-fig. 1.
- . 1956b. Note sur un "Lépisme" du Miocène de Florissant. Bulletin et annales de la Société royale d'entomologie de Belgique 92:263–264.
- . 1956c. Nouvelles recherches sur *Triplosoba pulchella* (Brongniart) (Insectes Éphéméroptères). Bulletin de l'Institut royal des sciences naturelles de Belgique 32(14):1–8, text-fig. 1, pl. 1.
- . 1956d. Le "mystère" des *Ephemeropsis* (Éphéméroptères jurassico-crétacés d'Asie paléarctique). Bulletin de l'Institut royal des sciences naturelles de Belgique 32(53):1–8, text-fig. 1.
- . 1957. À-propos de deux insectes éocènes. Bulletin de l'Institut royal des sciences naturelles de Belgique 33(45):1–4, text-fig. 1.
- . 1958a. Nouvelles recherches sur *Patteiskya bouckaerti* Laurentiaux (Insecte paléodictyoptère). Bulletin et annales de la Société royale d'entomologie de Belgique 94:357–364, text-fig. 1, pl. 1.
- . 1958b. Nouveau schéma de classification des Archodonates et des Éphéméroptères. Bulletin de l'Institut royal des sciences naturelles de Belgique 34(27):1–20.
- . 1960. Quelques remarques sur un insecte fossile abracadabrant: *Lycocercus goldenbergi* (Brongniart, 1885). Bulletin de l'Institut royal des sciences naturelles de Belgique 36(44):1–4, pl. 1.
- . 1962. À-propos de l'ordre Aphlebophobia (Insecta Palaeoptera). Bulletin de l'Institut royal des sciences naturelles de Belgique 38(8): 1–4, text-fig. 1.
- . 1965. Contribution à la connaissance des Éphéméroptères de l'ambre oligocène de la Baltique. Entomologiske Meddelelser 34:143–153, text-fig. 1–5.
- . 1966. Remarques sur les Éphéméroptères Misthodotidae d'Europe et sur leurs rapports avec les autres Éphéméroptères permien. Bulletin de l'Institut royal des sciences naturelles de Belgique 42(15):1–6.
- . 1967a. Contribution à l'étude morphologique, systématique et phylogénique des Éphéméroptères jurassiques d'Europe centrale. IV. Hexagenitidae et Paedephemeridae. Bulletin de l'Institut royal des sciences naturelles de Belgique 43(21):1–10, text-fig. 1, pl. 1.
- . 1967b. Redescription de l'holotype ♀ imago de *Chromarcys magnifica* Navás et discussion des affinités phylétiques du genre *Chromarcys* Navás (Ephemeroptera, Chromarcyninae). Bulletin de l'Institut royal des sciences naturelles de Belgique 43(31):1–10, text-fig. 1.
- . 1968a. À-propos du genre *Stackelbergisca* Tshernova et des formes affines (Ephemeroptera, Siphlonuridae). Bulletin de l'Institut royal des sciences naturelles de Belgique 44(1):1–4.
- . 1968b. Remarques sur la position systématique de deux Éphéméroptères du Jurassique inférieur de Sibérie orientale. Bulletin de l'Institut royal des sciences naturelles de Belgique 44(18):1–8.
- . 1968c. Deuxième contribution à la connaissance des Éphéméroptères de l'ambre oligocène de la Baltique. Deutsche entomologische Zeitschrift 15(1–3):233–276, text-fig. 1–39.
- . 1969a. Sur les rapports phylétiques des Aenigmephemeridae avec les autres familles des Siphonuroidea (Ephemeroptera). Bulletin de l'Institut royal des sciences naturelles de Belgique 45(13):1–6, text-fig. 1.
- . 1969b. Quelques remarques sur certains Ephemeroptera triasiques et jurassiques. Bulletin de l'Institut royal des sciences naturelles de Belgique 45(42):1–10.
- . 1970a. Troisième contribution à la connaissance des Éphéméroptères de l'ambre oligocène de la Baltique. Bulletin de l'Institut royal des sciences naturelles de Belgique 46(2):1–11, text-fig. 1–9.
- . 1970b. Remarques critiques sur des larves "éphéméromorphes" du Permien. Bulletin de l'Institut royal des sciences naturelles de Belgique 46(3):1–10.
- . 1970c. Contribution à l'étude morphologique, systématique et phylogénique des Éphéméroptères jurassiques d'Europe centrale. V. Hexagenitidae = Paedephemeridae (syn. nov.). Bulletin de l'Institut royal des sciences naturelles de Belgique 46(4):1–8, text-fig. 1–2, pl. 1.
- . 1970d. Contribution à la connaissance des Éphéméroptères du Miocène. I. *Suphlurites explanatus* Cockerell. Bulletin de l'Institut royal des sciences naturelles de Belgique 46(5):1–4, text-fig. 1.

- . 1974. Quatrième contribution à la connaissance des Ephéméroptères de l'ambre oligocène de la Baltique. Bulletin de l'Institut royal des sciences naturelles de Belgique, entomologie 50(3):1–4, text-fig. 1.
- . 1979. À propos des genitalia ♂ et des trachéobranches des Éphéméroptères "Permo-plectoptères": un problème d'homologies. Bulletin de l'Institut royal des sciences naturelles de Belgique, entomologie 51(5):1–5.
- Desneux, J. 1904a. À propos de la phylogénie des termitides. Annales de la Société entomologique de Belgique 48:278–286.
- . 1904b. Isoptera. Fam. Termitidae, p. 1–52, text-fig. 1–11, pl. 1–2. In Genera Insectorum, v. 25. Bruxelles.
- Dessart, Paul. 1976. Contribution à l'étude des Lagynodinae (Hym. Ceraphronoidea Megaspilidae). Bulletin et annales de la Société royale d'entomologie de Belgique 113:277–319, text-fig. 1–46.
- . 1977. Révision de trois *Conostigmus* de l'ambre de la Baltique (Hym. Ceraphronoidea Megaspilidae). Bulletin et annales de la Société royale d'entomologie de Belgique 114:50–58, text-fig. 1–14.
- Distant, W. L. 1905. Rhynchotal Notes, XXXV. The Annals and Magazine of Natural History (series 7) 16:265–281.
- Dlussky, G. M. 1975. Semejstvo Formicidae [Family Formicidae]. In A. P. Rasnitsyn, Vysshie pereponchatokrylyye mezozoja [Hymenoptera Apocrita of the Mesozoic]. Trudy paleontologicheskogo instituta akademii nauk SSSR 147: 114–122, text-fig. 128–134, pl. 7.
- . 1981. Miotsenovye murav'i (Hymenoptera, Formicidae) SSSR [New Miocene ants (Hymenoptera, Formicidae) from USSR], p. 64–83, text-fig. 49–53. In V. N. Vishniakova, G. M. Dlussky, & L. N. Pritikina, Novye iskopaemye nasekomye s territorii SSSR [New fossil insects from the territory of the USSR]. Trudy paleontologicheskogo instituta akademii nauk SSSR 183.
- . 1983. Novoe semejstvo pozdnemelovykh pereponchatokrylykh—"promezhutochnoe zveno" mezhdu murav'yami i skolioidami [A new family of Late Cretaceous Hymenoptera: an "intermediate link" between the ants and the scolioids]. Paleontologicheskij zhurnal 1983(3): 65–78, text-fig. 1–9.
- Dohrn, Anton. 1859. Catalogus Hemipterorum. Herrcke & Lebeling. Stettin. 112 p.
- . 1866. *Eugeron boeckingi*, eine neue Insektensform aus dem Tortiegenden. Palaeontographica 13:333–340, pl. 41.
- . 1867. Zur kenntniss der Insecten in den primär-formation. Palaeontographica 16:129–134, pl. 8.
- Dolin, V. G. 1973. Iskopaemye formy zhukov-shchelkunov (Elateridae, Coleoptera) iz nizhnjej yury srednej azii [Fossil forms of click-beetles (Elateridae, Coleoptera) from the Lower Jurassic of Middle Asia], p. 71–82, text-fig. 1–4. In M. F. Yaroshenko & others, ed., Fauna i Biologiya Nasekomykh Moldavii [Fauna and Biology of Moldavian Insects]. Akademiya Nauk Moldavskoj SSR, Institut Zoologii. Kishinev.
- . 1975. K sistematike mezozojskikh zhukov-shchelkunov (Coleoptera, Elateridae) [A contribution to the systematics of the Mesozoic click-beetles (Coleoptera, Elateridae)]. Paleontologicheskij zhurnal 1975(4):51–61, text-fig. 1–8.
- . 1976. Iskopaemye zhuki-shchelkuny (Coleoptera, Elateridae) podsemejstv Negastriinae i Cardiophorinae iz verkhnej yury Karatau [Fossil click-beetles of subfamilies Negastrinae and Cariophorinae from the Upper Jurassic of Karatau (Coleoptera, Elateridae)]. Vestnik zoologii 1976(2):68–75, text-fig. 1–2.
- . 1978. Filogeniya zhukov-shchelkunov (Coleoptera, Elateridae) [Phylogeny of click-beetles (Coleoptera, Elateridae)]. Vestnik zoologii 1978(3):3–12, text-fig. 1–3.
- . 1980. Zhuki-shchelkuny (Coleoptera, Elateridae) iz verkhnej yury Karatau [Fossil click-beetles (Coleoptera, Elateridae) from the Upper Jurassic of Karatau], p. 17–81, text-fig. 1–85, pl. 1–7. In V. G. Dolin, D. V. Panfilov, A. G. Ponomarenko, & L. N. Pritykina, Iskopaemye nasekomye mezozoja [Fossil insects of the Mesozoic]. Akademiya Nauk Ukrainskoj SSR, Institut Zoologii, Naukova Dumka. Kiev.
- V. A. Topachevskij, editor.
- Donisthorpe, H. St. J. K. 1920. British Oligocene ants. Annals and Magazine of Natural History (series 9) 6:81–94, pl. 5.
- Douglas, M. M. 1980. Thermoregulatory significance of thoracic lobes in the evolution of insect wings. Science 211:84–86, text-fig. 1–2.
- Doutt, R. L. 1973a. The genus *Polynemoidea* Girault (Hymenoptera: Mymaridae). Pan-Pacific Entomologist 49:215–220, text-fig. 1–12.
- . 1973b. The fossil Mymaridae (Hymenoptera: Chalcidoidea). Pan-Pacific Entomologist 49: 221–228, text-fig. 1.
- Drake, C. J. 1950. Concerning the Cantacaderinae of the world (Hemiptera: Tingidae). Arthropoda 1:153–166, text-fig. 1–3.
- Drake, C. J., & F. A. Ruhoff. 1960. Lace-bug genera of the world (Hemiptera: Tingidae). Proceedings of the United States National Museum 112:1–106, text-fig. 1–5, pl. 1–9.
- Dubinin, V. B. 1948. Nakhozhdzenie pleistotsenovych vshej (Anoplura) i nematod pri issledovani trupov indigirsikh iskopaemykh suslikov

- [Finds of Pleistocene lice (Anoplura) and nematodes during studies of bodies of fossil ground-squirrels from the Indigirka]. Doklady akademii nauk SSSR 62:417–420, text-fig. 1–3.
- Duda, Oswald. 1924. Beitrag zur Systematik der Drosophiliden unter besonderer Berücksichtigung der paläarktischen u. orientalischen Arten (Dipteren). Archiv fuer Naturgeschichte (Abt. A) 90(3):172–234, pl. 1–7.
- Dunbar, C. O., & R. J. Tillyard. 1924. Kansas Permian insects. Part I. The geologic occurrence and the environment of the insects (Dunbar). With a description of a new palaeodictyopterid (Tillyard). American Journal of Science (series 5) 7:171–209, text-fig. 1–4, pl. 1–2.
- Dunstan, B. 1923. Mesozoic insects of Queensland. Part 1. Introduction and Coleoptera. Geological Survey of Queensland, Publication 273:1–74, text-fig. 1, pl. 1–7.
- Durden, C. J. 1978. A dasyleptid from the Permian of Kansas, *Lepidodasypus sharovi* n. gen., n. sp. (Insecta: Thysanura: Monura). Pearce-Sellards Series, Texas Memorial Museum 30:1–9, text-fig. 1–3.
- Durden, C. J., & Hugh Rose. 1978. Butterflies from the middle Eocene: the earliest occurrence of fossil Papilionoidea (Lepidoptera). Pearce-Sellards Series, Texas Memorial Museum 29:1–25, text-fig. 1–7.
- Dürrenfeldt, Achim. 1968. Dipteren aus dem Oberpliozän von Willershausen. Bericht der naturhistorischen Gesellschaft zu Hannover 6: 43–81, text-fig. 1–28, pl. 1–22.
- Dybas, H. S. 1961. A new fossil feather-wing beetle from Baltic amber (Coleoptera: Ptiliidae). Fieldiana Zoology 44:1–9, text-fig. 1–5.
- Eastop, V. F., & D. Hille Ris Lambers. 1976. Survey of the World's Aphids. Dr. W. Junk b. v. The Hague. 573 p.
- Eaton, Erich. 1871. A monograph on the Ephemeroptera. Transactions of the Entomological Society of London 1871:1–164, pl. 1–6.
- Edmunds, G. F., Jr. 1972. Biogeography and evolution of Ephemeroptera. Annual Review of Entomology 17:21–42, text-fig. 1.
- Edmunds, G. F., Jr., & J. R. Traver. 1954. The flight mechanics and evolution of the wings of Ephemeroptera, with notes on the archetype insect wing. Journal of the Washington Academy of Sciences 44:390–400, text-fig. 1–14.
- Edwards, F. W. 1921. A note on the subfamily Bruchomyiinae (Diptera, Nematocera). Annals and Magazine of Natural History (series 9) 7: 437–439, text-fig. 1.
- . 1922. A note on the Jurassic dipteran *Platyura fittoni* Brodie. Annals and Magazine of Natural History (series 9) 9:269–270, text-fig. 1.
- . 1923. Oligocene mosquitoes in the British Museum; summary of our present knowledge concerning fossil Culicidae. Quarterly Journal of the Geological Society of London 79:139–155, text-fig. 1–4, pl. 7.
- . 1928. Diptera. Fam. Protorhyphidae, Anisopodidae, Pachyneuridae, Trichoceridae, p. 1–42, pl. 1–2. In Genera Insectorum, v. 190. Bruxelles.
- . 1929. A note on the amber moth-fly, *Eophlebotomus connectens* Cockerell. Annals and Magazine of Natural History (series 10) 3:424–425, text-fig. 1.
- . 1940. Redefinitions and synonymy of some genera of amber fungus-gnats (Diptera, Mycetophilidae). Proceedings of the Royal Entomological Society of London (series B) 9:120–126.
- Eichwald, Ed. d'. 1864. Sur un terrain jurassique à poissons et insectes d'eau douce de la Sibérie orientale. Bulletin de la Societe géologique de France (series 2) 21:19–25.
- Ellenberger, François, Paul Ellenberger, Daniel Laurentiaux, & Jean Ricour. 1952. Note préliminaire sur la faune et un niveau insectifère des lentilles de grès et schistes noirs des gypses de la Vanoise (Trias supérieur). Bulletin de la Societe géologique de France (series 6) 2:269–274, text-fig. 1, pl. 13.
- Emelianov, A. F. 1983. Nosatka iz mela tajmyra (Insecta, Homoptera) [Dictyopharidae from the Cretaceous deposits on the Taymyr Peninsula (Insecta, Homoptera)]. Paleontologicheskij zhurnal 1983(3):79–85, text-fig. 1–3.
- Emerson, A. E. 1933. A revision of the genera of fossil and recent Termopsinae (Isoptera). University of California, Berkeley, Publications in Entomology 6:165–196, text-fig. 1–40.
- . 1942. The relations of a relict South African termite (Isoptera, Hodotermitidae, Stolotermes). American Museum Novitates 1187:1–12, text-fig. 1–2.
- . 1955. Geographical origins and dispersions of termite genera. Fieldiana Zoology 37: 465–521.
- . 1965. A review of the Mastotermitidae (Isoptera) including a new fossil genus from Brazil. American Museum Novitates 2236:1–46, text-fig. 1–4.
- . 1967. Cretaceous insects from Labrador. 3. A new genus and species of termite (Isoptera: Hodotermitidae). Psyche 74:276–289, text-fig. 1–3.
- . 1968. A revision of the fossil genus *Ulmeriella* (Isoptera, Hodotermitidae, Hodotermitinae). American Museum Novitates 2332:1–22, text-fig. 1–2.
- . 1969. A revision of the Tertiary fossil species of the Kalotermitidae (Isoptera). American Museum Novitates 2359:1–58, text-fig. 1–12.
- . 1971. Tertiary fossil species of the Rhinoceros beetle genus *Neocerambyx* (Coleoptera, Cerambycidae). American Museum Novitates 2382:1–22, text-fig. 1–2.

- termitidae (Isoptera), phylogeny of genera, and reciprocal phylogeny of associated Flagellata (Protozoa) and the Staphylinidae (Coleoptera). Bulletin of the American Museum of Natural History 146:243–304, text-fig. 1–15.
- Emerson, A. E., & Kumar Krishna. 1975. The termite family Serritermitidae (Isoptera). American Museum Novitates 2570:1–31, text-fig. 1–6.
- Emery, Carlo. 1886. Ueber Phylogenie und Systematik der Insekten. Biologisches Zentralblatt 5(21):648–656.
- . 1891. Le formiche dell'ambra Siciliana nel museo mineralogico dell'Università di Bologna. Memorie delle Reale accademia delle scienze dell'Istituto di Bologna 5(1):567–591, pl. 1–3.
- . 1905. Deux fourmis de l'ambre de la Baltique (Hym.). Bulletin de la Societe entomologique de France 1905:187–189, text-fig. 1–2.
- . 1912. [Leptomymrula n. gen. for *Leptomyrmex maravignae* Emery], p. 16, note 1, in Hymenoptera: Fam. Formicidae, Subfam. Dolichoderinae. In Genera Insectorum, v. 137. Bruxelles.
- . 1921. Formiche tessitrici del genere *Oecophylla* fossili e viventi. Rendiconti delle sessioni dell'(R) Accademia delle scienze dell'Istituto di Bologna 1921:99–105.
- Enderlein, Günther. 1903. Die Copeognathen des Indo-Australischen Faunengebietes. Annales Historico-Naturales musei nationales Hungarici 1:179–344, text-fig. 1–12, pl. 1–14.
- . 1905a. Morphologie, Systematik und Biologie der Atropiden und Troctiden, sowie Zusammenstellung aller bisher bekannten recenten und fossilen Formen. Jagerskiöld expedition, 18:1–58, text-fig. 1–11, pl. 1–4.
- . 1905b. Zwei neue beschuppte Copeognathen aus dem Bernstein. Zoologischer Anzeiger 29:576–580, text-fig. 1–6.
- . 1909. Zur Kenntnis fruhjurassischer Copeognathen und Coniopterygiden und über das Schicksal der Archipsylliden. Zoologischer Anzeiger 34:770–776, text-fig. 1–3.
- . 1910a. Über die Phylogenie und Klassifikation der Mecopteren unter Berücksichtigung der fossilen Formen. Zoologische Anzeiger 35: 385–399, text-fig. 1–3.
- . 1910b. Über die Beziehungen der fossilen Coniopterygiden zu den recenten und über *Archiconiocompsa prisca* nov. gen. nov. spec. Zoologischer Anzeiger 35:673–677, text-fig. 1–4.
- . 1911. Die fossilen Copeognathen und ihre Phylogenie. Palaeontographica 58:279–360, text-fig. 1–18.
- . 1914. Psyllidologica III. *Strophingia oligocaenica* nov. spec., eine fossile Psyllide. Zoologischer Anzeiger 45:246–248, text-fig. 1–3.
- . 1921a. Das System der Kriebelmücken (Simuliidae). Deutsche tierärztliche Wochenschrift-tierärztliche Rundschau 29:197–200.
- . 1921b. Ein fossiler Simuliiden-Riese. Zoologischer Anzeiger 53:74–75.
- . 1929. Über die Drusenhaare der Larve des fossilen *Trichadenotecnum trigonoscenea*. Zoologischer Anzeiger 83:177–180, text-fig. 1–3.
- . 1930. Die Klassifikation der Coniopterygiden auf Grund der recenten und fossilen Gattungen. Archiv fuer klassifikatorische und phylogenetische Entomologie, Vienna 1:98–114, text-fig. 1–3.
- Englemann, Franz. 1970. The Physiology of Insect Reproduction. Pergamon Press. Oxford. ix + 307 p., 86 text-fig.
- Erichson, W. F. 1848. Naturgeschichte der Insekten Deutschlands, Erste Abteilung: Coleoptera, v. 3. Berlin. 968 p.
- Ermisch, K. 1941. Mordelliden und Scriptiiden aus baltischen Bernstein. Entomologische Blätter 37:177–185, pl. 1.
- . 1942. *Airaphilus denticollis*, n. sp. Entomologische Blätter 38:128–129, text-fig. 1.
- . 1943. Eine neue Mordellide und Scriptide aus baltischem Bernstein (Coleoptera: Mordellidae & Scriptiidae). Arbeiten ueber morphologische und taxonomische Entomologie aus Berlin-Dahlem 10(1):64–68, text-fig. 1–3.
- Esaki, Teiso. 1949. The occurrence of the Mesozoic insect *Chresmoda* in the Far East. Insecta Matsumurana 17:4–5, pl. 1.
- Esaki, Teiso, & Syoziro Asahina. 1957. On two Tertiary dragonfly species from the Oya-formation in Kazusa, Nagasaki Prefecture. Konchu 25: 82–88, text-fig. 1–2, pl. 7–8.
- Esben-Petersen, P. 1915. A synonymic list of the order Mecoptera together with descriptions of new species. Entomologiske Meddelelser 10:216–242.
- . 1921. Collections zoologiques du Baron Edm. de Selys Longchamps. Fasc. V (Deuxième partie) Mecoptera. Hayez. Bruxelles. 172 p., 188 text-fig., 2 pl.
- Essig, E. O. 1942. College Entomology. Macmillan. New York. vii + 900 p., 308 fig.
- Etheridge, Robert, Jr., & A. S. Olliff. 1890. The Mesozoic and Tertiary insects of New South Wales. Memoirs of the Geological Survey of New South Wales, Palaeontology 7:xii + 1–18, pl. 1–2.
- Evans, H. E. 1963. A new family of wasps. Psyche 70:7–16, pl. 2.
- . 1966. The Comparative Ethology and Evolution of the Sand Wasps. Harvard University Press. Cambridge. xviii + 526 p., 215 text-fig.
- . 1969. Three new Cretaceous aculeate wasps (Hymenoptera). Psyche 76:251–261, text-fig. 1–5.
- . 1973. Cretaceous aculeate wasps from Tai-

- myr, Siberia (Hymenoptera). *Psyche* 80:166–178, text-fig. 1–16.
- Evans, J. W. 1943a. Two interesting Upper Permian Homoptera from New South Wales. *Transactions of the Royal Society of South Australia* 67:7–9, text-fig. 1–2, pl. 1.
- . 1943b. Upper Permian Homoptera from New South Wales. *Records of the Australian Museum* 21:180–198, text-fig. 1–64.
- . 1946a. A natural classification of leaf-hoppers (Jassoidea, Homoptera). Part 1. External morphology and systematic position. *Transactions of the Royal Entomological Society of London* 96:47–60, text-fig. 1–25.
- . 1946b. A natural classification of leaf-hoppers (Jassoidea, Homoptera). Part 2. Aetalionidae, Hylidae, and Eurymelidae. *Transactions of the Royal Entomological Society of London* 97:39–54, 3 unnumbered text-fig.
- . 1947a. A natural classification of leaf-hoppers (Jassoidea, Homoptera). Part 3. Jassidae. *Transactions of the Royal Entomological Society of London* 98:105–272, text-fig. 1–36.
- . 1947b. A new fossil homopteron from Kimbles Hill, Belmont (Upper Permian). *Records of the Australian Museum* 21:431–432, text-fig. 1, pl. 40.
- . 1950. A re-examination of an Upper Permian insect, *Paraknightia magnifica* Ev. *Records of the Australian Museum* 22:246–250, text-fig. 1–15.
- . 1956. Palaeozoic and Mesozoic Hemiptera (Insecta): *Australian Journal of Zoology* 4:165–258, text-fig. 1–32.
- . 1957. Some aspects of the morphology and inter-relationships of extinct and recent Homoptera. *Transactions of the Royal Entomological Society of London* 109(9):275–294, text-fig. 1–6.
- . 1958. New Upper Permian Homoptera from the Belmont Beds (Homoptera: Insecta). *Records of the Australian Museum* 24:109–114, text-fig. 1–5.
- . 1961. Some Upper Triassic Hemiptera from Queensland. *Memoirs of the Queensland Museum* 14:13–23, text-fig. 1–5.
- . 1963. The systematic position of the Ipsviciidae (Upper Triassic Hemiptera) and some new Upper Permian and Middle Triassic Hemiptera from Australia (Insecta). *Journal of the Entomological Society of Queensland* 2:17–23, text-fig. 1–6, pl. 1.
- . 1971. Some Upper Triassic Hemiptera from Mount Crosby, Queensland. *Memoirs of the Queensland Museum* 16:145–152, text-fig. 1–5.
- . 1972. Some remarks on the family Jasocidae (Homoptera, Auchenorrhyncha). *Psyche* 79:120–121.
- Evans, W. P. 1931. Traces of a lepidopterous insect from the Middle Waikato coal-measures. *Transactions and Proceedings of the New Zealand Institute* 62:99–101, pl. 12.
- Evenhuis, N. L. 1984. A reassessment of the taxonomic position of the fossil species *Protophthiria palpalis* and *P. atra* (Diptera: Bombyliidae). *International Journal of Entomology* 26:157–161, text-fig. 1–7.
- Fabricius, J. C. 1793. *Entomologica Systematica*, v. 2. Hafniae. 519 p.
- Fairchild, G. B. 1951. Some nomenclatorial notes on Psychodidae (Diptera). *Bulletin of the Brooklyn Entomological Society* 46:10–18.
- Fallén, K. F. 1810. *Specimen Entomologicum Novam Diptera Disponendi Methodum Exhibens. Litteris Berlingianis. Lundae.* 26 p., 1 pl.
- . 1814. *Specimen Novam Hemiptera Disponendi Methodum Exhibens. Litteris Berlingianis. Lundae.* 26 p.
- . 1815. *Platopezinae et Bombylarii Sueciae. Litteris Berlingianis. Lundae.* 12 p.
- . 1820. *Sciomyzides Sueciae. Litteris Berlingianis. Lundae.* 16 p.
- Fennah, R. G. 1961. The occurrence of a cixiine fulgoroid (Homoptera) in the Weald Clay. *Annals and Magazine of Natural History (series 13)* 4: 161–163, text-fig. 1.
- . 1963. New fossil fulgorid Homoptera from the amber of Chiapas, Mexico, p. 43–48, text-fig. 132–134, pl. 3. In Alexander Petrunkevitch, J. M. Campbell, R. Fennah, E. Turk, & W. Wittmer, *Studies of fossiliferous amber arthropods of Chiapas, Mexico*. University of California, Berkeley, *Publications in Entomology* 31.
- . 1968. A new genus and species of Ricaniidae from Palaeocene deposits of North Dakota. *Journal of Natural History* 2:143–146, text-fig. 1–3.
- Ferris, G. F. 1941. Contributions to the knowledge of the Coccoidea (Homoptera) IX. A forgotten genus of family Margarodidae from Baltic Amber. *Microentomology: Contributions to Entomology from the Natural History Museum of Stanford University* 6:6–10, text-fig. 1.
- Fieber, F. X. 1851. *Genera Hydrocoridum Secundum Ordinem Naturalem in Familias Disposita. Calve. Pragae.* 30 p., 4 pl.
- . 1853. *Synopsis der europäischen Orthoptera. Lotos* 3:115–129.
- . 1860. *Fauna Austriaca: die europäischen Hemiptera. Part 1. Wien.* 108 p., 2 pl.
- Fiori, Andrea. 1932. Note su alcuni insetti fossili italiani. *Giornale de geologia, Bologna* 7:47–54, pl. 1.
- Fischer, F. C. J. 1960. *Trichopterorum Catalogus. Vol. I. Necrotauliidae, Prosepidididae, Rhyacophilidae. Nederlandse Entomologische Vereeniging. Amsterdam.* iv + 168 p.
- . 1961. *Trichopterorum Catalogus. Vol. II. Philopotamidae, Hydroptilidae, Stenopsychi-*

- dae. Nederlandsche Entomologische Vereeniging. Amsterdam. iv + 190 p.
- . 1962. Trichopterorum Catalogus. Vol. III. Polycentropodidae, Psychomyidae. Nederlandsche Entomologische Vereeniging. Amsterdam. vi + 238 p.
- . 1963. Trichopterorum Catalogus. Vol. IV. Hydropsychidae, Arctopsychidae. Nederlandsche Entomologische Vereeniging. Amsterdam. vi + 226 p.
- . 1964. Trichopterorum Catalogus. Vol. V. Phryganeidae, Limnocentropodidae. Nederlandsche Entomologische Vereeniging. Amsterdam. vi + 214 p.
- . 1965. Trichopterorum Catalogus. Vol. VI. Calamoceratidae, Philorheithridae, Odontoceridae, Leptoceridae, pars 1. Nederlandsche Entomologische Vereeniging. Amsterdam. vi + 242 p.
- . 1966. Trichopterorum Catalogus. Vol. VII. Leptoceridae, pars 2. Nederlandsche Entomologische Vereeniging. Amsterdam. vi + 164 p.
- . 1967. Trichopterorum Catalogus. Vol. VIII. Goeridae, Limnephilidae, pars 1. Nederlandsche Entomologische Vereeniging. Amsterdam. iv + 264 p.
- . 1968. Trichopterorum Catalogus. Vol. IX. Limnephilidae, pars 2. Nederlandsche Entomologische Vereeniging. Amsterdam. vi + 362 p.
- . 1969. Trichopterorum Catalogus. Vol. X. Limnephilidae, pars 3. Nederlandsche Entomologische Vereeniging. Amsterdam. vi + 332 p.
- . 1970. Trichopterorum Catalogus. Vol. XI. Philanisidae, Lepidostomatidae, Brachycentridae, Beraeidae, Sericostomatidae, Thremmatidae, Helicopsychidae. Nederlandsche Entomologische Vereeniging. Amsterdam. vi + 316 p.
- . 1971. Trichopterorum Catalogus. Vol. XII. Supplement to vol. I and II. Microptysmatidae, Necrotauliidae, Prosepididontidae, Kalophryganeidae, Cladochoristidae, Prorhyacophilidae, Glossosomatidae, Rhyacophilidae, Philopotamidae, Hydroptilidae, Stenopsychidae. Nederlandsche Entomologische Vereeniging. Amsterdam. viii + 312 p.
- . 1972. Trichopterorum Catalogus. Vol. XIII. Supplement to vol. III and IV. Polycentropodidae, Psychomyiidae, Xiphocentronidae, Hydropsychidae, Arctopsychidae. Nederlandsche Entomologische Vereeniging. Amsterdam. viii + 172 p.
- Flach, C. 1890. Ueber zwei fossile Silphiden (Coleoptera) aus den Phosphoriten von Caylux. Deutsche entomologische Zeitschrift 1890:105–109, pl. 1.
- Fliche, P. 1901. Sur un insecte fossile trouvé dans le Trias en Lorraine. Comptes rendus hebdomadaires des séances de l'Academie des sciences 132:650–651.
- Flint, O. S. 1964. Caddisflies of Puerto Rico. Technical Paper, Puerto Rican Agricultural Experiment Station 40:1–80, text-fig. 1–19.
- Flower, J. W. 1964. On the origin of flight in insects. Journal of Insect Physiology 10:81–88, text-fig. 1–4.
- Folsom, J. W. 1937. Order Collembola, p. 14–17, text-fig. 1. In F. M. Carpenter & others, Insects and arachnids from Canadian amber. University of Toronto Studies, Geology Series 40.
- Forbes, W. T. M. 1931. The oldest moth. American Naturalist 65:479–480, text-fig. 1–2.
- . 1932. How old are the Lepidoptera? American Naturalist 66:452–460.
- . 1943. The origin of wings and venational types in insects. American Midland Naturalist 29:381–405, text-fig. 1–10.
- Förster, Arnold. 1856. Hymenopterologische Studien: Synoptische Uebersicht der Familien und Gattungen in den beiden Gruppen der Chalcidae Spin. und Proctotrupii Latr. Ernst ter Meer. Aachen. 152 p.
- 94 line drawings are pasted on blank leaves throughout the text.
- . 1869. Ueber die Gallwespen. Verhandlungen der kaiserlich-koeniglichen zoologisch-botanischen Gesellschaft in Wien 19:327–370.
- Förster, B. 1891. Die Insekten des "Plattigen Steinmergels" von Brunstatt. Abhandlungen zur geologischen Spezialkarte von Elsass-Lothringen 3:333–594, pl. 11–16.
- Fraser, F. C. 1940. A note on the classification of *Zacallites balli* Cockerell (Upper Eocene) (Order Odonata). Proceedings of the Royal Entomological Society of London (series B) 9:62–64, text-fig. 1–2.
- . 1945. A note on the importance of *Eolestes synthetica* Cockerell in the phylogeny of the Odonata. Proceedings of the Royal Entomological Society of London (series A) 20:54–56, text-fig. 1.
- . 1951. Two new species of Odonata from the Tertiary of Radoboj. Proceedings of the Royal Entomological Society of London (series B) 20: 51–52, text-fig. 1–2.
- . 1955a. An odonate fossil wing from the Oligocene of Oregon. Psyche 62:42–44, text-fig. 1.
- . 1955b. Note on *Tarsophlebiopsis mayi* Till-yard (Odonata: Tarsophlebiidae). Psyche 62: 134–135, text-fig. 1.
- . 1957. A reclassification of the order Odonata. Proceedings of the Royal Zoological Society of New South Wales. 333 p., 62 text-fig.
- Frey, Richard. 1921. Studien über den Bau des Mundes der niederen Diptera Schizophora nebst bemerkungen über die Systematik dieser Dippterengruppe. Acta Societatis pro Fauna et Flora Fennica 48(3):1–245, pl. 1–10.

- . 1942. Entwurf einer neuen Klassifikation der Mückenfamilie Sciaridae (Lycoriidae). Notulae Entomologicae 22:5–44, text-fig. 1–12.
- . 1948. Entwurf einer neuen Klassifikation der Mückenfamilie Sciaridae (Lycoriidae), II. Die nordeuropäischen Arten. Notulae Entomologicae 27:33–92, text-fig. 1–10, pl. 3–22.
- Fritsch, Anton. 1869a. Palaeontologische Untersuchungen der einzelnen Schichten in der böhmischen Kreideformation. Archiv fuer die naturwissenschaftliche Landesdurchforschung von Boehmen 1(2):81–242, text-fig. 47–53, pl. 3.
- . 1869b. Notiz über eine Heuschrecke aus der Braunkohle von Freudenhain. Archiv fuer die naturwissenschaftlichen Landesdurchforschung von Boehmen 1, text-fig. 55.
- . 1874. Fauna der Steinkohlenformation Böhmens. Archiv fuer die Naturwissenschaftliche Landesdurchforschung von Boehmen 2(1): 1–16, pl. 1–4.
- . 1880. Dva noví členovci z útvaru kamenouhelného v Čechách [Two new arthropods from the coal system in Bohemia]. Vesmir 9:241–242, text-fig. A, B.
- . 1882. Fossile Arthropoden aus der Steinkohlen- und Kreideformation Böhmens. Beiträge zur Palaeontologie und Geologie Oesterreich-Ungarns und des Orients 2:1–7, pl. 1–2.
- . 1884a. O hmyzech v českém útvaru krídovém [Concerning insects from the Bohemian Cretaceous]. Vesmir 13:205–206, text-fig. 79.
- . 1884b. Ueber einen fossilen Maikäfer (*Anomalites fugitivus* Fr.) aus dem tertären Süsswasserquarz von Nogent le Rotou in Frankreich, p. 163–165. Sitzungsberichte der koeniglich bohemischen Gesellschaft der Wissenschaften.
- . 1889. Dva noví brouči z českého útvaru krídového [Two new beetles from the Bohemian Cretaceous]. Vesmir 18(1888):8, text-fig. 5.
- Fritsch, K. W. 1885. Insektenreste aus dem Steinkohlengebirge von Wettin u. Löbejün, p. 64–65. In Catalogue de l'Exposition géologique. Congrès Géologique International, session 3. Berlin.
- . 1900. Beschreibung einiger neuen fossilen Insekten in Schleiferton des Steinkohlengebirge v. Wettin, p. 1–263, pl. 1. In Franz Beyschlag & K. W. Fritsch, Das jüngere Steinkohlengebirge und das Rothliegende in der Provinz Sachsen und den angrenzenden Gebieten. Abhandlungen der preussischen geologischen Landesanstalt (new series) 10.
- . 1901. Die Thierischen Reste der Perucer Schichten, in Studien Böhmischem Kriede Formation. Archiv fuer die naturwissenschaftliche Landesdurchforschung von Boehmen 11(1900): 163–180, text-fig. 1–31.
- Froggatt, W. W. 1896. Australian Termitidae, Part II. Proceedings of the Linnean Society of New South Wales 21:510–552, pl. 35–36.
- Fujiyama, Ienori. 1968a. A Pleistocene fossil *Parapilio* from Shiobara, Japan. Bulletin of the National Science Museum, Tokyo 11:85–95, text-fig. 1–4, pl. 1–3.
- . 1968b. A Miocene fossil of tropical dung beetle from Noto, Japan (Tertiary insect fauna of Japan, 2). Bulletin of the National Science Museum, Tokyo 11:201–210, text-fig. 1–4, pl. 1.
- . 1969. A Miocene cicada from Nasu, with an additional record of a Pleistocene cicada from Shiobara, Japan (Tertiary insect fauna of Japan, 3). Bulletin of the National Science Museum, Tokyo 12:863–873, text-fig. 1–3, pl. 1.
- . 1970. Fossil insects from the Chojabaru Formation, Iki Island, Japan. Memoirs of the National Science Museum, Tokyo 3:65–74, text-fig. 1–5, pl. 15.
- . 1973. Mesozoic insect fauna of East Asia, Part I. Introduction and Upper Triassic faunas. Bulletin of the National Science Museum, Tokyo 16:331–386, text-fig. 1–21, pl. 1–5.
- . 1974. A Liassic cockroach from Toyora, Japan. Bulletin of the National Science Museum, Tokyo 17:311–314, text-fig. 1–2.
- . 1978. Some fossil insects from the Tedori Group (Upper Jurassic-Lower Cretaceous), Japan. Bulletin of the National Science Museum, Tokyo (series C) 4:181–192, text-fig. 1–6, pl. 1–2.
- Fujiyama, Ienori, & Yūshirō Iwao. 1974b. Fossil insects from Tōgō Kagoshima, Japan (Tertiary insect fauna of Japan, 5). Bulletin of the National Science Museum, Tokyo 17:87–96, text-fig. 1–6, pl. 1.
- Funkhouser, W. D. 1950–1952. Homoptera: Fam. Membracidae, p. 1–384, pl. 1–14. In Genera Insectorum, v. 208. Bruxelles.
- Gadeau de Kerville, Henri. 1893. Note sur les Thysanoures fossiles de genre *Machilis* et description d'une espèce nouvelle du succin (*Machilis succini* G. de K.). Annales de la Société entomologique de France 62:463–466, text-fig. 1.
- Gagné, R. J. 1973. Cecidomyiidae from Mexican Tertiary amber (Diptera). Proceedings of the Entomological Society of Washington 75:169–171.
- . 1977. Cecidomyiidae (Diptera) from Canadian amber. Proceedings of the Entomological Society of Washington 79:57–62, text-fig. 1–9.
- Gardiner, B. G. 1961. New Rhaetic and Liassic beetles. Palaeontology 4:87–89, text-fig. 1–3.
- Geer, Carl de. 1773. Mémoires pour servir à l'histoire des insectes, v. 3. Stockholm. 696 p., 44 pl.
- Geinitz, F. E. 1880. Der Jura von Dobbertin in Mecklenburg und seine Versteinerungen. Zeitschrift der deutschen geologischen Gesellschaft 32:510–535, pl. 22.

- . 1883. Die Flötzformationen Mecklenburgs. Archiv des Vereins der Freunde der Naturgeschichte in Mecklenburg 37:1–151, pl. 1–6.
- . 1884. Über die Fauna des Dobbertiner Lias. Zeitschrift der deutschen geologischen Gesellschaft 36:566–583, pl. 13.
- . 1886. IX. Beitrag zur Geologie Mecklenburgs. Archiv des Vereins der Freunde der Naturgeschichte in Mecklenburg 40:193–209, pl. 1–3.
- . 1887. IX. Beitrag zur Geologie Mecklenburgs. Archiv des Vereins der Freunde der Naturgeschichte in Mecklenburg 41:143–216, pl. 4–6.
- . 1894. Die Käferreste des Dobbertiner Lias. Archiv des Vereins der Freunde der Naturgeschichte in Mecklenburg 48:71–78, pl. 1.
- Germar, E. F. 1813. Insekten in Bernstein eingeschlossen, beschrieben aus dem academischen Mineralien-Cabinet zu Halle. Magasin d'entomologie 1:11–18.
- . 1837. Fauna Insectorum Europae. Fasc. 19. Insectorum protogae specimen, sistens insects carbonum fossilium. C. A. Kümmel. Halle. 2 p., 25 pl.
- . 1839. Die versteinerten Insekten Solenhofens. Nova Acta Leopoldina 19:187–222, text-fig. 21–23.
- . 1842. Beschreibung einiger neuen fossilen Insecten (i) in den lithographischen Schiefer von Bayern und (ii) im Schieferthron des Steinkohlen-Gebirges von Wettin. Beitraege zur Petrefactenkunde, Muenster 5:79–94, pl. 9, 13.
- . 1844–1853. Ueberreste von Insekten. Die Versteinerungen des Steinkohlengebirges von Wettin und Löbejün im Saalkreise. Halle. 116 p., 40 pl.
- Blattina, 1851, fasc. 8, p. 81–88, pl. 31, 39.
- . 1849. Ueber einige Insekten aus Tertiärbildungen. Zeitschrift der deutschen geologischen Gesellschaft 1:52–66, pl. 2.
- Germar, E. F., & G. C. Berendt. 1856. Die im Bernstein befindlichen Hemipteren und Orthopteren der Vorwelt, p. ii + 1–40, pl. 1–4. In G. C. Berendt, ed., Die im Bernstein befindlichen organischen Reste der Vorwelt, v. 2(1). Berlin.
- Gersdorf, Erasmus. 1969. Käfer (Coleoptera) aus dem Jungtertiär Norddeutschlands. Geologisches Jahrbuch 87:295–331, text-fig. 1–2, pl. 16–17.
- . 1970. Weitere Käfer (Coleoptera) aus dem Jungtertiär Norddeutschlands. Geologisches Jahrbuch 88:629–669, pl. 61–62.
- . 1976. Dritter Beitrag über Käfer (Coleoptera) aus dem Jungtertiär von Willershausen, Bl. Northeim 4226. Geologisches Jahrbuch (Reihe A) 36:103–145, pl. 1–2.
- Gerstaecker, A. 1867. Ueber die Gattung *Oxybelus* Latr. und die bei Berlin vorkommenden Arten derselben. Zeitschrift fuer die gesammten Naturwissenschaften 30:1–96.
- Gibson, G. A. P. 1980. A revision of the genus *Macrophya Dahlbom* (Hymenoptera: Symphyta, Tenthredinidae) of North America. Memoirs of the Entomological Society of Canada 114:1–167, text-fig. 1–202.
- Fossils, p. 134.
- Giebel, C. G. A. 1846. Palaeozoologie: Entwurf einer systematischen Darstellung der Fauna der Vorwelt. Garcke. Merseburg. vii + 360 p.
- . 1856. Fauna der Vorwelt, Bd. II. Die Insekten und Spinnen der Vorwelt. F. U. Brodhaus. Leipzig. xviii + 511 p.
- . 1860. Eine neue *Aeschna* aus dem lithographischen Schiefer von Solenhofen. Zeitschrift fuer die gesammten Naturwissenschaften 16: 127–131, pl. 1.
- . 1862. Wirbeltier- und Insektenreste im Bernstein. Zeitschrift fuer die gesammten Naturwissenschaften 20:311–322.
- . 1867. Charakteristik mehrerer Schabenflügel aus der Steinkohlenformation von Löbejün. Zeitschrift fuer die gesammten Naturwissenschaften 30:416–417.
- Girault, A. A. 1920. New genera and species of chalcid-flies from Australia (Hymenoptera). Insecutor Inscitiae Menstruus 8:37–50.
- . 1931. A new habit in an old insect, *Homo pudicus*, and new Eurytomidae. Privately published. Brisbane. 4 p.
- Girschner, Ernst. 1896. Ein neues Musciden—System auf Grund der Thoracalbeborstung und der Segmentierung des Hinterleibes. Illustrierte Wochenschrift fuer Entomologie 1:61–64, text-fig. 17–33.
- Goecke, Hans. 1943. Monographie der Schildkäfer. II. Die fossilen Funde und ihre Bestimmung. (13. Beitrag zur Kenntnis der Donaciinen). Nova Acta Leopoldina (new series) 12:339–380, text-fig. 1–45, pl. 1.
- Goldenberg, C. F. 1854. Die fossilen Insekten der Kohlenformation von Saarbrücken. Palaeontographica 4:17–40, pl. 3–6.
- . 1869. Zur Kenntnis der fossilen Insecten in der Steinkohlen-Formation. Neues Jahrbuch fuer Mineralogie, Geologie und Palaeontologie 1869:158–168, pl. 3.
- . 1873. Fauna Saraepontana Fossilis. Die fossilen Thiere aus der Steinkohlenformation von Saarbrücken, Part I. Möllinger. Saarbrücken. 26 p., 2 pl.
- . 1877. Fauna Saraepontana Fossilis. Die fossilen Thiere aus der Steinkohlenformation von Saarbrücken, Part II. Möllinger. Saarbrücken. 54 p., 2 pl.
- Gozmány, L. A. 1957. Notes on the generic group *Symmoca* Hbn. (Lep. Gelechiidae). Annales His-

- torico-Naturales musei nationalis Hungarici (new series) 8:325–346, text-fig. 1–9.
- Grabau, A. W. 1923. Cretaceous fossils from Shantung. Bulletin of the Geological Survey of China 5:143–181, text-fig. 1–7, pl. 1–2.
- Grassi, B. 1888. Anatomia comparata dei *Tisanuri* e considerazioni generali sull'organizzazione degli insetti. Atti della R. Accademia nazionale dei Lincei, Roma 4:543–606, pl. 1–5.
- Grauvogel, Louis, & Daniel Laurentiaux. 1952. Un Protodonate du Trias des Vosges. Annales de paleontologie 38:121–129, text-fig. 1–5, pl. 4.
- Gressitt, J. L. 1963. A fossil chrysomelid beetle from the amber of Chiapas, Mexico. Journal of Paleontology 37:108–109, text-fig. 1.
- . 1971. A second fossil chrysomelid beetle from the amber of Chiapas, Mexico. University of California, Berkeley, Publications in Entomology 63:63–64, text-fig. 1–2.
- Grissell, E. E. 1976. A revision of western Nearctic species of *Torymus Dalman* (Hymenoptera: Torymidae). University of California, Berkeley, Publications in Entomology 79:1–120, text-fig. 1–109, pl. 1–6.
- . 1980. New Torymidae from Tertiary amber of the Dominican Republic and a world list of fossil torymids (Hymenoptera: Chalcidoidea). Proceedings of the Entomological Society of Washington 82:252–259, text-fig. 1–11.
- Grote, A. R. 1886. Book notice: systematic review of fossil Myriopods, Arachnoids, and Insects, by Samuel H. Scudder. Canadian Entomologist 18: 100.
- Grote substitutes the new name *Mengea* for *Triaena* Menge, 1866.
- Grunin, K. J. 1973. Pervaya nakhodka lichinok zheludochnogo ovida mamonta—*Cobboldia* (*Mamontia*, subgen. n.) *russanovi*, sp. n. (Diptera, Gasterophilidae) [The first discovery of larvae of the mammoth bot-fly, *Cobboldia* (*Mamontia*, subgen. n.) *russanovi*, sp. n.]. Entomologicheskoe obozrenie 52:228–233, text-fig. 1–9.
- Guérin-Méneville, F. E. 1823. Note topographique sur quelques insectes coléoptères et description de deux espèces des genres *Badister* et *Bembidion*. Bulletin de la Societe philomatique de Paris 1823:121–124.
- . 1838. [Note sur la lettre de M. Maravigna sur des insectes trouvés dans l'ambre de la Sicile], p. 169. In Carmelo Maravigna, Lettre sur des insectes trouvés dans l'ambre de la Sicile. Revue zoologique par la Societe Cuvierienne 1.
- . 1851. Carabe d'Agassiz, *Carabus agassizi*, par Barthélémy. Revue et magasin de zoologie, pure et appliquée 2(3):205–206.
- Gupta, A. P., ed. 1979. Arthropod Phylogeny. Van Nostrand Reinhold. New York. 762 p., 227 text-fig., 4 pl.
- Guthörl, Paul. 1930. Neue Insektenfunde aus dem Saarcarbon. Neues Jahrbuch fuer Mineralogie, Geologie, und Palaeontologie (B) 64:147–164, text-fig. 1–10, pl. 11.
- . 1931. *Cleffia sarana*, n. g. n. sp., eine neue Insektenform aus dem Saar-carbon. Zentralblatt fuer Mineralogie, Geologie, und Palaeontologie (B) 2:91–94, text-fig. 1–2.
- . 1934. Die Arthropoden aus dem Carbon und Perm des Saar-Nahe-Pfalz-Gebietes. Abhandlungen der koenigliche preussischen geologischen Landesanstalt 164:1–219, text-fig. 1–116, pl. 1–20.
- . 1936. Neue Beiträge zur Insekten-Fauna des Saar-Carbons. Senckenbergiana 18:82–112, text-fig. 1–18, pl. 1–4.
- . 1939. Zur Arthropoden-Fauna des Karbons und Perms. 9. Palaeodictyoptera, Mixotermitoidea, Miomoptera and Blattariae. Senckenbergiana 21:314–329, text-fig. 1–5.
- . 1940. Zur Arthropoden-Fauna des Karbons und Perms. 11. Neue Insektenfunde (Palaeodictyoptera) aus Schacht 5 der Grube Frankenholz-Saar. Senckenbergiana 22:35–73, text-fig. 1–11, pl. 1–8.
- . 1962a. Zur Arthropoden-Fauna des Karbons und Perms. 13. Neue Funde von Miomopteren (Insecta) aus dem Stefan A des Saarkarbons. Palaeontologische Zeitschrift 36 (suppl.):64–76, text-fig. 1–7, pl. 1–2.
- . 1962b. Zur Arthropoden-Fauna des Karbons und Perms. 14. *Kohlwaldia kubni* n. g. n. sp. (Ins., Protodon.) aus dem Westfal D des Saarkarbons mit einer Zusammenstellung der bis jetzt bekannten palaeozoischen Protodonatenarten. Annales Universitatis Saraviensis, Scientia 10:49–57, text-fig. 1–2, pl. 1.
- . 1962c. Zur Arthropoden-Fauna des Karbons und Perms. 16. *Frankenholzia culmanni* n. g. n. sp. (Ins., Palaeodict.) aus dem Westfal D der Grube Frankenholz-Saar. Palaeontologische Zeitschrift 36:226–231, text-fig. 1–3.
- . 1963. Zur Arthropoden-Fauna des Karbons und Perms. 17. *Saaronioptera jordani* n. g. n. sp. (Ins., Miomoptera) aus dem Stefan A des Saarkarbons. Mitteilungen der bayerische Staats-sammlung fuer Palaeontologie und historische Geologie 3:21–26, text-fig. 1–2, pl. 3.
- . 1965. Zur Arthropoden-Fauna des Karbons und Perms. 21. *Protoreisma rosenrayersis* n. sp., ein Ephemeropteren-Fund (Insecta) aus dem niederrheinischen Zechstein. Palaeontologische Zeitschrift 39(3/4):229–233, text-fig. 1–2, pl. 30.
- Haase, Erich. 1890a. Bemerkungen zur Palaeontologie der Insecten. Neues Jahrbuch fuer Mineralogie, Geologie, und Palaeontologie (B) 2:1–33, pl. 1.
- . 1890b. Beiträge zur Kenntnis der fossilen Arachniden. Zeitschrift der deutschen geologischen Gesellschaft 42:629–657, pl. 30–31.

- Hagedorn, Max. 1906. Borkenkäfer des baltischen Bernsteins. Schriften der physikalisch-oekonomischen Gesellschaft zu Koenigsberg in Preussen 47:115–121, text-fig. 1–12.
- Hagen, H. A. 1848. Die fossilen Libellen Europa's. Stettiner entomologische Zeitung 9:6–13.
- . 1854. Ueber die Neuropteren der Bernsteinaufauna. Verhandlungen der zoologisch-botanischen Gesellschaft in Wien 4:221–232.
- . 1858a. Zwei Libellen aus der Braunkohle von Sieblos. Palaeontographica 5:121–124, pl. 24.
- Plate 24 in a separate atlas.
- . 1858b. *Ascalaphus proavus* aus der rheinischen Braunkohle. Palaeontographica 5:125–126, pl. 25.
- Plate 25 in a separate atlas.
- . 1858c. Monographie der Termiten, part 2. Linnaea Entomologia 12:1–342.
- . 1861. Synopsis of the Neuroptera of North America with a list of South American species. Smithsonian Institution. Washington. xx + 348 p.
- Also published in 1862 as v. 4 of Smithsonian Miscellaneous Collections.
- . 1861–1863. Neuropteren aus der Braunkohle von Rott im Siebengebirge. Palaeontographica 10:247–269, pl. 43–45.
- . 1862. Ueber die Neuropteren aus dem lithographischen Schiefer in Bayern. Palaeontographica 10:96–145, pl. 13–15.
- . 1866a. Die Neuroptera des lithographischen Schiefers in Bayern. Pars 1: *Tarsophlebia*, *Isophlebia*, *Stenophlebia*, *Anax*. Palaeontographica 15:57–96, pl. 11–14.
- . 1866b. On some aberrant Psocina. Entomologists' Monthly Magazine 2:170–172.
- . 1866c. Psocinorum et Embidinorum Synopsis Synonymica. Verhandlungen der zoologisch-botanischen Gesellschaft in Wien 66:201–222.
- . 1866d. Hemerobidarum synopsis synonymica. Stettiner entomologische Zeitung 27: 369–462.
- . 1870. Ueber rationelle Benennung des Geäders in den Flügeln der Insekten. Stettiner entomologische Zeitung 31:316–320, pl. 3.
- . 1881a. The oldest fossil insects. Nature 23:483–484.
- . 1881b. The Devonian insects of New Brunswick. Bulletin of the Museum of Comparative Zoology 8:275–284.
- . 1882. Beiträge zur Monographie der Psociden: über Psociden in Bernstein. Stettiner entomologische Zeitung 42:217–238, 265–300, 524–526, pl. 1–2.
- . 1883. Beiträge zur Monographie der Psociden: über Psociden in Bernstein. Stettiner entomologische Zeitung 44:285–332.
- . 1885. Die devonischen Insecten. Zoologischer Anzeiger 8:296–301.
- Hahn, C. W. 1831. Die Wanzenartigen Insecten, v. 1. Zeh'schen. Nürnberg. 256 p., 36 pl.
- Plates numbered consecutively through several volumes.
- Haliday, A. H. 1833. An essay on the classification of the parasitic Hymenoptera of Britain, which correspond with the *Ichneumones minutis* of Linnaeus. Entomological Magazine 1:259–276.
- . 1836. An Epitome of the British genera, in the order Thysanoptera, with indications of a few species. Entomological Magazine 3:439–451.
- Hamilton, K. G. A. 1971. A remarkable fossil homopteran from Canadian Cretaceous amber representing a new family. Canadian Entomologist 103:943–946, text-fig. 1–6.
- Handlirsch, Anton. 1903. Zur Phylogenie der Hexapoden. Sitzungsberichte der (K.) Akademie der Wissenschaften in Wein, mathematische-naturwissenschaftliche Klasse 112(1):716–738, pl. 1.
- . 1904a. Les insectes houillers de la Belgique. Memoirs du Musée royal d'histoire naturelle de Belgique 3:1–20, pl. 1–7.
- . 1904b. Über einige Insektenreste aus der Permformation Russlands. Zapiski imperatorskoy akademii nauk (series 8) 16(5):1–8, pl. 1.
- . 1904c. Zur Systematik der Hexapoden. Zoologischer Anzeiger 27:733–759.
- . 1906a. Revision of American Paleozoic insects. Proceedings of the United States National Museum 29:661–820, text-fig. 1–109.
- This English translation of a specially prepared account of the Paleozoic insects known from North American deposits contains descriptions and illustrations of new species, genera, and higher taxa and is dated March 7. That the first part of *Die fossilen Insekten* (1906b) was published after the English account is shown by included references (e.g., p. 281, species of *Neomylacris*) to specific pages in the *Proceedings* article. Unfortunately, many taxa already described in the *Proceedings* account were described and designated as new again in the German treatise.
- . 1906b. Die fossilen Insekten und die Phylogenie der rezenten Formen. Ein Handbuch für Paläontologen und Zoologen. Engelmann. Leipzig. p. ix + 1–640, pl. 1–36.
- A note at the bottom of p. ix states that *Die fossilen Insekten* was published in 9 parts over 3 years (1906–1908).
- . 1907. Die fossilen Insekten und die Phylogenie der rezenten Formen. Ein Handbuch für Paläontologen und Zoologen. Engelmann. Leipzig. p. 641–1120, pl. 37–51.

- . 1908a. Die fossilen Insekten und die Phylogenie der rezenten Formen. Ein Handbuch für Paläontologen und Zoologen. Engelmann. Leipzig. p. 1121–1430.
- . 1908b. [Einige vom tiergeographischen Standpunkte interessanter fossiler Insekten]. Verhandlungen der zoologisch-botanischen Gesellschaft in Wien 58:(205)–(207).
- Pagination of this issue is unusual. There are 2 series of pages: (1–273) and 1–541.
- . 1909a. Zur Phylogenie und Flügelmorphologie der Ptychopteriden (Dipteren). Annalen des (K. K.) naturhistorischen Hofmuseums 23:263–272, pl. 11.
- . 1909b. Zur Kenntnis "frühjurassischer Copeognathen und Coniopterygiden" und über das Schicksal der Archipsylliden. Zoologischer Anzeiger 35:233–240, text-fig. 1–6.
- . 1909c. Über Insektenreste aus der Trias Frankens. Abhandlungen der naturhistorischen Gesellschaft zu Nürnberg 18:77–82.
- . 1910a. Ein neuer Jura-Laufkäfer. Deutsche entomologische National-Bibliothek 1(3):23–24, text-fig. 1.
- . 1910b. Canadian fossil insects. Insects from the Tertiary lake deposits of the southern interior of British Columbia, collected by Mr. Lawrence M. Lambe in 1906. Geological Survey of Canada, Memoir 12:i–viii + 93–129, text-fig. 1–36.
- Contributions to Canadian Palaeontology, no. 2.
- . 1910c. Fossile Wespennester. Bericht der senckenbergischen naturforschenden Gesellschaft in Frankfurt am Main 41:265–266, 1 unnumbered text-fig.
- . 1910d. Das erste fossile Insekt aus dem Oberkarbon Westfalens. Verhandlungen der zoologisch-botanischen Gesellschaft in Wien 60: 249–251, 1 unnumbered text-fig.
- . 1911. New Paleozoic insects from the vicinity of Mazon Creek, Illinois. American Journal of Science (series 4) 31:297–326, 353–377, text-fig. 1–63.
- . 1918. Fossile Ephemerenlarven aus dem Buntsandstein der Vogesen. Verhandlungen der zoologisch-botanischen Gesellschaft in Wien 68: (112)–(114), 1 unnumbered text-fig.
- Pagination of this issue is unusual. There are 2 series of pages: (1–298) and 1–247.
- . 1919a. Eine neue Kalligrammide (Neuroptera) aus dem Solnhofener Plattenkalke. Senckenbergiana 1:61–63, text-fig. 1.
- . 1919b. Revision der palaeozoischen Insekten. Denkschriften der Kaiserlichen Akademie der Wissenschaften, Wien, mathematisch-naturwissenschaftliche Klasse 96:511–592, text-fig. 1–91.
- . 1920. Geschichte, Literatur, Technik,

Paläontologie, Phylogenie, Systematik, p. viii + 1–1202, text-fig. 1–1040. In Christoph Schröder, ed., Handbuch der Entomologie, v. 3. Fischer. Jena.

This work has frequently been cited as published in 1925, but Handlirsch, in 1922, page 11, recorded the year as 1920.

- . 1922. Insecta Palaezoica. Fossilium Catalogus, Animalia, no. 16. W. Junk. Berlin. 230 p.
- . 1929. Insecta, p. 403–1036, text-fig. 478–1156. In Willy Kükenthal, Handbuch der Zoolo-
gie, 4. Walter de Gruyter & Co. Berlin & Leipzig.

Saltatoria, p. 692–750, text-fig. 723–796.

- . 1937. Neue Untersuchungen über die fos-
silen Insekten, part 1. Annalen des Naturhis-
torischen Museums in Wien 48:1–140.

- . 1939. Neue Untersuchungen über die fos-
silen Insekten, part 2. Annalen des Naturhis-
torischen Museums in Wien 49:1–240, pl. 1–
16.

The pagination of this issue is as follows: (1)–
(74), then 1–294.

- Handschin, Eduard. 1926a. Revision der Collembolen des baltischen Bernsteins. Entomologische Mitteilungen 15:161–185, 211–223, 330–342,
text-fig. 1–8, pl. 3–4.

This article was published in three separate issues under the same title. Although 25 text-figures are mentioned, only 8 are included in these pages.

- . 1926b. Ueber Bernstein Collembola. Revue suisse de la zoologie 33:375–378.

- . 1937. Fossile Insekten aus Siebenburgen.
Mitteilungen der schweizerischen entomolog-
ischen Gesellschaft 17:25–29, text-fig. 1–2.

- . 1944. Insekten aus den Phosphoriten des
Quercy. Schweizerische palaeontologische
Abhandlungen 64(4):1–23, text-fig. 1–7, pl.
1–3.

- Hansen, H. J. 1893. Zur morphologie der Glied-
massen und Mundtheile bei Crustaceen und
Insecten. Zoologischer Anzeiger 16:193–198,
201–213.

- Hardy, D. E. 1971. A new *Plecia* (Diptera: Bibionidae) from Mexican amber. University of California, Berkeley, Publications in Entomology 63:
65–68, text-fig. 1.

- Harris, A. C. 1983. An Eocene larval insect fossil
(Diptera, Bibionidae) from North Otago, New
Zealand. Journal of the Royal Society of New
Zealand 13:93–102, text-fig. 1–14.

- Harz, Kurt. 1967. Zur Heuschrecken-Fauna des
Pliozäns von Willershausen. Bericht der natur-
historischen Gesellschaft zu Hannover 111:57–
62, text-fig. 1–3.

- Hatch, M. H. 1925. The phylogeny and phylo-

- genetic tendencies of Gyrinidae. Papers of the Michigan Academy of Science, Arts & Letters 5: 429–467.
- . 1927a. A revision of fossil Gyrinidae. Bulletin of the Brooklyn Entomological Society 22: 89–96, pl. 7.
- . 1927b. Studies on the Silphinae. Journal of the New York Entomological Society 35:331–370, pl. 16.
- Haughton, S. H. 1924. The fauna and stratigraphy of the Stormberg Series in South and Central Africa. Annals of the South African Museum 12: 323–497, text-fig. 1–55.
- Haupt, Hermann. 1929. Neueinteilung der Homoptera-Cicadina nach phylogenetisch zu wertenden Merkmalen. Zoologische Jahrbuecher, Abteilung fuer Systematik Oekologie und Geographie der Tiere 58:173–286, text-fig. 1–85.
- . 1941. Die ältesten geflügelten Insekten und ihre Beziehungen zur Fauna der Jetztzeit. Zeitschrift fuer die Naturwissenschaften 94:60–121, text-fig. 1–31.
- . 1949. Rekonstruktionen permokarbonischer Insekten. Beitraege zur taxonomischen zoologie, Poessneck 1:23–43, pl. 1–3.
- . 1950. Die Käfer (Coleoptera) aus der eozänen Braunkohle des Geiseltales. Geologica 6: 1–168, text-fig. 1–113.
- . 1952. Insektenfunde aus den Goldlaufer-Schichten des Thuringer Waldes. Hallesches Jahrbuch fuer mitteldeutsch Erdgeschichte 1:241–258, text-fig. 1–18, pl. 1.
- . 1956. Beitrag zur Kenntnis der eozänen Arthropodenfauna des Geiseltales. Nova Acta Leopoldina 18(128):1–90, text-fig. 1–106.
- Heer, Oswald. 1843. Ueber *Trichopteryx* Kirby. Stettiner entomologische Zeitung 4:39–62, pl. 1.
- . 1847. Die Insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Croatiens. Vol. 1. Käfer. Engelmann. Leipzig. 222 p., 8 pl.
- . 1849. Die Insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Croatiens. Vol. 2. Heuschrecken, Florfliegen, Alderflügen, Schmetterlinge, und Fliegen. Engelmann. Leipzig. 264 p., 17 pl.
- . 1852. Die Lias-Insel des Aargau's, p. 1–15, pl. 1. In Oswald Heer & A. Escher von der Linth, Geologische Vorträge gehalten im März 1852. Riesling. Zurich.
- . 1853a. Die Insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Croatiens. Vol. 3. Rhynchoten. Engelmann. Leipzig. 138 p., 15 pl.
- . 1853b. Beschreibung der angeführten Pflanzen und Insekten. Neue Denkschriften der allgemeinen schweizerischen Gesellschaft fuer der gesammten Naturwissenschaften 13:115–135, pl. 6–8.
- . 1856. Ueber die fossilen insekten von Aix in der Provence. Vierteljahrsschrift der naturforschenden Gesellschaft in Zuerich 1:1–40, pl. 1–2.
- . 1858. Ueber die Insectenfauna von Radoboj. Amtlicher Bericht der Versammlung deutscher Naturforscher und Aerzte 32:118–126.
- . 1860. Ueber die fossilen Calosomen. Zurich. 10 p., 1 pl.
- . 1861. Recherches sur le climat et la végétation du pays tertiaire. J. Würster & Co. Winterthur, Geneva, & Paris. 220 p., 1 pl.
- . 1862a. Beitraege zur Insektenfauna Oeningens. Coleoptera-Geodephagen, Hydrocanthariden, Gyriniden, Brachelytren, Clavicornen, Lamellicornen und Buprestiden. Natuurkundige verhandelingen van de Hollandsche maatschappij der wetenschappen te Haarlem 2(16):1–90, pl. 1–7.
- . 1862b. On the fossil flora of Bovey Tracey. Philosophical Transactions of the Royal Society of London 152:1039–1086, pl. 55–71.
- . 1864. Ueber die fossilen Kakerlaken. Vierteljahrsschrift der naturforschenden Gesellschaft in Zuerich 9:273–302.
- . 1865. Die Urwelt der Schweiz. Friedrich Schulthess. Zurich. xxx + 628 p., 365 text-fig., 11 pl.
- . 1867. Fossile Hymenopteren aus Oeningen und Radoboj. Neue Denkschriften der allgemeinen schweizerischen Gesellschaft fuer der gesammten Naturwissenschaften 22:1–42, pl. 1–3.
- . 1868. Fossile Insekten von Nordgrönland, part 2, p. 129–130. In Flora Fossilis Arctica: die fossile Flora der Polarländer. J. Würster & Co. Zurich.
- . 1869. Flora fossilis alaskana. Fossile Flora von Alaska. Kongliga svenska vetenskaps-akademiens handlingar 8(4):1–41, pl. 1–10.
- . 1870a. Die Miocene Flora und Fauna Spitzbergens. Mit einen Anhang über die Diluvialen Ablagerungen Spitzbergens. Kongliga svenska vetenskaps-akademiens handlingar 8(7): 1–98, text-fig. 1–4, pl. 1–16.
- . 1870b. Contributions to the fossil flora of North Greenland, being a description of the plants collected by Mr. Edward Whymper during the summer of 1867. Philosophical Transactions of the Royal Society of London 159:445–488, 1 unnumbered text-fig., pl. 39–56.
- . 1874a. Nachträge zur miocenen Flora Grönlands, enthaltend die von der schwedischen Expedition im Sommer 1870 gesammelten miocenen Pflanzen. Kongliga svenska vetenskaps-akademiens handlingar (new series) 13(2):1–29, pl. 1–5.
- . 1874b. Die Kreide-Flora der arctischen Zone, gegründet auf die von den schwedischen Expeditionen von 1870 und 1872 in Grönland

- und Spitzbergen gesammelten Pflanzen. Kon-
gliga svenska vetenskaps-akademiens handlingar
(new series) 12(6):1–138, pl. 1–38.
- . 1877. Flora Fossilis Helvetica. Die vor-
weltliche Flora der Schweiz. J. Würster & Co.
Zurich. 182 p., 70 pl.
- . 1878. Ueber einige Insektenreste aus der
raetischen Formation Schonens. Geologiska foer-
eningens i Stockholm foerhandlingar 4:192–197,
pl. 13.
- . 1883. Ueber die fossilen Insekten Grön-
lands, p. 143–148, pl. 86, 109. In Die fossile
Flora Grönlands, 2. J. Würster & Co. Zurich.
Hegh, Emile. 1929. Les Tse-tses. Bruxelles. 742
p., 327 text-fig., 15 pl.
- Heie, O. E. 1967. Studies on fossil aphids
(Homoptera: Aphidoidea). Spolia Zoologica
Musei Hauniensis 26:1–273, text-fig. 1–87.
- . 1968a. Pliocene aphids from Willershau-
sen (Homoptera: Aphidiodea). Beihefte zu den
berichten naturhistorischen Gesellschaft zu Han-
nover 6:25–39, text-fig. 1–13.
- . 1968b. An aphid identified with *Aphis
transparens* Germar et Berendt, 1856, and some
other Baltic amber aphids in German collections.
Stuttgarter Beitraege zur Naturkunde 184:1–7,
text-fig. 1.
- . 1969a. Aphids in the Berendt collection
of amber fossils in Berlin (Homoptera: Aphido-
idea). Deutsche entomologische Zeitschrift
(new series) 16:175–183, text-fig. 1.
- . 1969b. The Baltic amber Aphidoidea of
the Geologisches Staatsinstitut of Hamburg.
Mitteilungen aus dem Geologisch-Palaeontolog-
ischen Institut der Universitaet Hamburg 38:
143–151, text-fig. 1–3.
- . 1969c. *Schizoneura patchiae* Börner &
Blunck, 1916, and *S. patchi* Meunier, 1947, a
case of virtual homonymy, and a proposed solution
(Insecta, Hemiptera, Aphidoidea). Z.N.(S.).
Bulletin of Zoological Nomenclature 25(6):222–
223.
- . 1970a. Lower Eocene aphids (Insecta) from
Denmark. Bulletin of the Geological Society of
Denmark 20:162–168, text-fig. 1–7.
- . 1970b. Notes on six little known Tertiary
aphids (Hem., Aphidoidea). Entomologica
Scandinavica 1:109–119, text-fig. 1–14.
- . 1971. The rediscovered types of the fossil
aphids described by Germar and Berendt in 1856.
Deutsche entomologische Zeitschrift (new series)
18:251–264, text-fig. 1–7.
- . 1972. Some new fossil aphids from Baltic
amber in the Copenhagen collection (Insecta,
Homoptera, Aphidiidae). Steenstrupia 2:247–
262, text-fig. 1–36.
- . 1976. Taxonomy and phylogeny of the
fossil family Elektraphididae Steffan, 1968
(Homoptera: Aphidoidea) with a key to the spe-
cies and description of *Schizoneurites obliquus* n.
- sp. Entomologica Scandinavica 7:53–58, text-
fig. 1–9.
- . 1980. The Aphidoidea (Hemiptera) of
Fennoscandia and Denmark. I. General Part. The
families Mindaridae, Hormaphididae, Thelaxi-
dae, Anoeciidae, and Pemphigidae. Fauna Ento-
mologica Scandinavica 9:1–236, text-fig. 1–247.
- . 1981. Morphology and phylogeny of some
Mesozoic aphids (Insecta, Hemiptera). Ento-
mologica Scandinavica Supplement 15:401–415,
text-fig. 1–26.
- . 1982. The Aphidoidea (Hemiptera) of
Fennoscandia and Denmark. II. The family
Drepanosiphidae. Fauna Entomologica Scandi-
navica 11:1–176, text-fig. 1–25.
- . 1985. Fossil Aphids. A catalogue of fossil
aphids, with comments on systematics and evolu-
tion, p. 101–134. In Evolution and Biosys-
tematics of Aphids. Proceedings of the Interna-
tional Aphidological Symposium at Jablonna,
Poland, April 1981.
- . 1986. The Aphidoidea (Hemiptera) of
Fennoscandia and Denmark. III. Family Aphidi-
idae: subfamily Pterocommatinae & tribe
Aphidiini of subfamily Aphidiinae. Fauna Ento-
mologica Scandinavica 17:1–314, text-fig. 1–
502.
- Heie, O. E., & W. L. Friedrich. 1971. A fossil
specimen of the North American hickory aphid
(*Longistima caryaee* Harris), found in Tertiary
deposits in Iceland. Entomologica Scandinavica
2:74–80, text-fig. 1–6.
- Hendel, Friedrich. 1910. Über die Nomenklatur
der Acalyptratengattungen nach Th. Beckers
Katalog der paläarktischen Dipteren, v. 4. Wi-
ener entomologische Zeitung 29:307–313.
- . 1913. Acalyptrate Musciden (Dipt.) II, in
H. Sauter's Formosa-Ausbeute. Supplementa
Entomologica 2:77–112, text-fig. 1–7.
- . 1918. Die paläarktischen Agromyzidae
(Dipt.). Archiv fuer Naturgeschichte 84A(7):
109–174.
- . 1923. Neue europäische Melanagromyze-
Arten (Dipt.). Konowia 2:142–145.
- . 1931. Kritische und synonymische Bemer-
kungen über Dipteren. Verhandlungen der zo-
ologisch-botanischen Gesellschaft 81:4–19.
- Henke, K. 1951. Die Musterbildung der Versor-
gungssysteme im Insektenflügel. Biologisches
Zentralblatt 72:1–51, text-fig. 1–16.
- Hennig, Willi. 1938. Die Gattung *Rhabicerus*
Walker und ihre Verwandten im Baltischen
Bernstein (Dipt.). Zoologischer Anzeiger 123:
33–41, text-fig. 1–13.
- . 1939. Über einen Floh aus der Bernsteinsammlung des Herrn Scheele (Aphaniptera:
Ctenopsyllidae). Arbeiten ueber morphologische
und taxonomische Entomologie aus Berlin-Dah-
lem 6:330–333.
- . 1940. Über die systematische Stellung von

- Palaeotimia boesti* Meun. Arbeiten ueber morphologische und taxonomische Entomologie aus Berlin-Dahlem 7:89–91, text-fig. 1–2.
- . 1958. Die Familien der Diptera Schizophora und ihre phylogenetischen Verwandtschaftsbeziehungen. Beitraege zur Entomologie 8:505–688, text-fig. 1–365.
- . 1964. Die Dipteren-Familie Sciadoceridae im Baltischen Bernstein (Diptera: Cyclorrhapha Aschiza). Stuttgarter Beitraege zur Naturkunde 127:1–10, text-fig. 1–13.
- . 1965. Die Acalyptratae des Baltischen Bernsteins und ihre Bedeutung für die Erforschung der phylogenetischen Entwicklung dieser Dipteren-Gruppe. Stuttgarter Beitraege zur Naturkunde 145:1–215, text-fig. 1–319.
- . 1966a. *Fannia scalaris* Fabricius, eine rezente Art im Baltischen Bernstein? (Diptera: Muscidae). Stuttgarter Beitraege zur Naturkunde 150:1–12, text-fig. 1–6.
- . 1966b. Dixidae aus dem Baltischen Bernstein, mit Bemerkungen über einige andere fossile Arten aus der Gruppe Culicoidea (Diptera: Nematocera). Stuttgarter Beitraege zur Naturkunde 153:1–16, text-fig. 1–21.
- . 1966c. Conopidae im Baltischen Bernstein (Diptera: Cyclorrhapha). Stuttgarter Beitraege zur Naturkunde 154:1–24, text-fig. 1–27.
- . 1966d. Einige Bemerkungen über die Typen der von Giebel 1862 angeblich aus dem Bernstein beschriebenen Insektenarten. Stuttgarter Beitraege zur Naturkunde 162:1–7.
- . 1966e. Spinnenparasiten der Familie Acroceridae im Baltischen Bernstein. Stuttgarter Beitraege zur Naturkunde 165:1–21, text-fig. 1–34.
- . 1966f. Bombyliidae im Kopal und im Baltischen Bernstein (Diptera: Brachycera). Stuttgarter Beitraege zur Naturkunde 166:1–20, text-fig. 1–27.
- . 1967a. Die sogenannten "niederen Brachycera" im Baltischen Bernstein. (Diptera: Fam. Xylophagidae, Xylomyidae, Rhagionidae, Tabanidae). Stuttgarter Beitraege zur Naturkunde 174:1–51, text-fig. 1–72.
- . 1967b. Neue Acalyptratae aus dem Baltischen Bernstein (Diptera: Cyclorrhapha). Stuttgarter Beitraege zur Naturkunde 175:1–27, text-fig. 1–39.
- . 1967c. Therevidae aus dem Baltischen Bernstein mit einigen Bemerkungen über Asilidae und Bombyliidae (Diptera: Brachycera). Stuttgarter Beitraege zur Naturkunde 176:1–14, text-fig. 1–25.
- . 1968. Ein weiterer Vertreter der Familie Acroceridae im Baltischen Bernstein (Diptera: Brachycera). Stuttgarter Beitraege zur Naturkunde 185:1–6, text-fig. 1–11.
- . 1969a. Neue Ubersicht über die aus dem Baltischen Bernstein bekannten Acalyptratae (Diptera: Cyclorrhapha). Stuttgarter Beitraege zur Naturkunde 209:1–42, text-fig. 1–43.
- . 1969b. Kritische Betrachtungen über die phylogenetische Bedeutung von Bernsteinfossilien: Die Gattungen *Proplatypygus* (Diptera, Bombyliidae) und *Palaeopylla* (Siphonaptera). Memorie della Societa entomologica italiana 48: 57–67, text-fig. 1–7.
- . 1969c. Die Stammesgeschichte der Insekten. Verlag Kramer. Frankfurt am Main. 436 p., 136 text-fig., 7 maps.
- . 1970. Insektenfossilien aus der unteren Kreide. II. Empididae (Diptera, Brachycera). Stuttgarter Beitraege zur Naturkunde 214:1–12, text-fig. 1–16.
- . 1971a. Neue Untersuchungen über die Familien der Diptera Schizophora (Diptera: Cyclorrhapha). Stuttgarter Beitraege zur Naturkunde 226:1–76, text-fig. 1–108.
- . 1971b. Insektenfossilien aus der unteren Kreide. III. Empidiformia ("Microphorinae") aus der unteren Kreide und aus dem baltischen Bernstein; ein Vertreter der Cyclorrhapha aus der unteren Kreide. Stuttgarter Beitraege zur Naturkunde 232:1–28, text-fig. 1–33.
- . 1971c. Die Familien Pseudopomyzidae und Milichiidae im baltischen Bernstein (Diptera: Cyclorrhapha). Stuttgarter Beitraege zur Naturkunde 233:1–16, text-fig. 1–21.
- . 1972a. Beitrage zur Kenntnis der rezenten und fossilen Carnidae, mit besonderer Berücksichtigung einer neuen Gattung aus Chile (Diptera: Cyclorrhapha). Stuttgarter Beitraege zur Naturkunde 240:1–20, text-fig. 1–23.
- . 1972b. Insektenfossilien aus der unteren Kreide. IV. Psychodidae (Phlebotominae), mit einer kritischen Übersicht über das phylogenetische System der Familie und die bisher beschriebenen Fossilien (Diptera). Stuttgarter Beitraege zur Naturkunde 241:1–69, text-fig. 1–83.
- . 1973. Diptera (Zweiflügler). Handbuch der Zoologie. Vol. 4. Arthropoda, part 2. Insecta, no. 31. De Gruyter. Berlin. 337 p., 143 text-fig.
- . 1981. Insect Phylogeny. Edited and translated by A. C. Pont. Wiley & Sons. New York. xxii + 514 p., 143 text-fig.
- Henriksen, K. L. 1917. En Bemaerkning om Tertiaret ved Kap Dalton i Ost-Grönland. Meddelelser om Groenland 56:203–206, text-fig. 1–2.
- . 1922a. A new dragon fly, *Oplonaeschna stauropleboides* n. sp., from Denmark. Meddelelser fra Dansk geologisk Forening 6(9):3–5, text-fig. 1.
- . 1922b. Eocene insects from Denmark. Danmarks geologiske Undersøgelse (series 2) 37:1–36, text-fig. 1–20.
- . 1929. A new Eocene grasshopper, *Tetti-*

- gonia (Locusta) amoena* n. sp. from Denmark. Bulletin of the Geological Society of Denmark 7:317–320, text-fig. 1–2.
- Henry, C. S. 1976. Some aspects of the external morphology of larval owlflies (Neuroptera: Ascalaphidae), with particular reference to *Ululodes* and *Ascalopteryx*. Psyche 83:1–31, text-fig. 1–10.
- Hequist, K.-J. 1961. Notes on Cleonymidae (Hym. Chalcidoidea), I. Entomologisk tidskrift 82:91–110, text-fig. 1–5.
- Text-figure 2 is printed before text-figure 1.
- Hering, Martin. 1930. Eine Agromyziden-Mine aus dem Tertiär (Dipt. Agromyz.). Deutsche entomologische Zeitschrift 1930(1):63–64, text-fig. 1, pl. 1.
- Herrick-Schaeffer, G. A. W. 1846. Systematische Bearbeitung der Schmetterlinge von Europa, als Text, Revision und Supplement zu J. Huebers Sammlung europäischer Schmetterlinge, v. 2. Manz. Regensburg. 450 p., 190 pl.
- Heyden, Carl von. 1847. *Chrysobothris veterana* und *Blabera avita*, zwei fossile Insekten von Solenhofen. Palaeontographica 1:99–101, text-fig. 4–5, pl. 12.
- . 1856. Reste von Insekten aus der Braunkohle von Salzhausen und Westerburg. Palaeontographica 4:198–201, pl. 37–38.
- . 1858. Fossile Insekten aus der Braunkohle von Sieblos. Palaeontographica 5:115–120, pl. 23.
- . 1859a. Fossile Insekten aus der rheinischen Braunkohle. Palaeontographica 8:1–15, text-fig. 1–13, pl. 1–2.
- . 1859b. Fossile Insekten aus der Braunkohle von Sieblos. Palaeontographica 8:15–17, text-fig. 7–9, pl. 3.
- . 1862. Gliedertiere aus der Braunkohle des Niederrheins, der Wetterau und der Rhön. Palaeontographica 10:62–82, pl. 10.
- Heyden, Carl von, & Lucas von Heyden. 1865. Fossile Insekten aus der Braunkohle von Salzhausen. Paleontographica 14:31–35, text-fig. 13–22, pl. 9.
- . 1866. Käfer und Polypen aus der Braunkohle des Siebengebirges. Palaeontographica 15: 131–159, pl. 22–24.
- Heymons, Richard. 1915. Brehms Tierleben: Die Vielfüssler, Insekten und Spinnenkerfe. Bibliographisches Institut. Leipzig & Wien. 716 p., 367 text-fig., 46 pl., 1 map.
- Hille Ris Lambers, D. 1980. Aphids as botanists? Symbolae Botanicae Upsalienses 22:114–119.
- Hincks, W. D. 1959. A Systematic Monograph of the Dermaptera of the World Based on the Material in the British Museum (Natural History). Part Two: Pygidicranidae excluding Diplatyinae. British Museum (Natural History). London. x + 218 p., 214 text-fig.
- Hinton, H. E. 1946. On the homology and nomenclature of the setae of lepidopterous larvae, with notes on the phylogeny of the Lepidoptera. Transactions of the Royal Entomological Society of London 97:1–37, text-fig. 1–24.
- Hirst, S., & S. Maulik. 1926. On some arthropod remains from the Rhynie chert (Old Red Sandstone). Geological Magazine 63:69–71, text-fig. 1, pl. 6–7.
- Holdsworth, R. P., Jr. 1940. The histology of the wing pads of the early instars of *Pteronarcys proteus* Newport (Plecoptera). Psyche 47:112–120, pl. 1.
- . 1941. The life history and growth of *Pteronarcys proteus* Newman (Pteronarcidae: Plecoptera). Annals of the Entomological Society of America 34(2):495–502, text-fig. 1.
- . 1942. The wing development of *Pteronarcys proteus* Newman (Pteronarcidae: Plecoptera). Journal of Morphology 70:431–461, pl. 1–10.
- Holland, G. P. 1964. Evolution, classification, and host relationships of Siphonaptera. Annual Review of Entomology 9:123–146, text-fig. 1.
- Hong, You-chong. 1965. A new fossil dragonfly, *Sinaeschnida* (Odonata, Insecta). K'un Ch'ung Hsueh Pao 14:171–176, text-fig. 1, pl. 1–2.
- . 1974. Stratigraphy and paleontology of Fushun coal-field, Liaoning Province. II. Description of new fossil insects and phyllopods. Ti Chih Hsueh Pao 1974:124–148, text-fig. 3–19, pl. 1–7.
- . 1979. On Eocene *Philolimnias* gen. nov. (Ephemeroptera, Insecta) in amber from Fushun Coalfield, Liaoning Province. Scientia Sinica 22: 331–339, text-fig. 1–8, pl. 1–2.
- . 1982a. Mesozoic Fossil Insects of Jiuquan Basin in Ganzu Province. Geological Publishing House. Peking. 187 p.
- . 1982b. Fossil Haplidae (Orthoptera) in China. Scientia Sinica (B):1118–1129, text-fig. 1–7, pl. 1–3.
- . 1983a. Middle Jurassic Fossil Insects in North China. Geological Publishing House. Beijing. 223 p., 135 text-fig., 28 pl.
- . 1983b. Two new fossil genera of Paraplectoptera (Insecta) in China. Ku Sheng Wu Hsueh Pao 22:362–365, pl. 1.
- Hood, J. D. 1914. Notes on North American Thysanoptera, with descriptions of a new family and two new species. Insecutor Inscitiae Mensstruus 2:17–22, pl. 1.
- Hope, F. W. 1847. Descrizione di alcune specie d'insetti fossili. Annali del Accademia degli aspiranti naturalisti Napoli 1847:1–7, pl. 10.
- Hopkins, A. D. 1900. American fossil Coleoptera referred to the Scolytidae. Psyche 9:64–67, 1 unnumbered text-fig.
- Hopkins, G. H. E., & Miriam Rothschild. 1966. An Illustrated Catalogue of the Rothschild Col-

- lection of Fleas (Siphonoptera) in the British Museum (Natural History) with Keys and Short Descriptions for the Identification of Families, Genera, Species and Subspecies of the Order. Volume IV. Hystrichopsyllidae (Ctenophthalminae, Dinopsyllidae, Doratopsyllinae and Litsyssyllinae). British Museum (Natural History). London. viii + 550 p., 926 text-fig., 12 pl.
- Hubbard, M. D., & Jarmila Kukalová-Peck. 1980. Permian mayfly nymphs: new taxa and systematic characters, p. 19–31, text-fig. 1–3. In J. F. Flannagan & K. E. Marshall, eds., Advances in Ephemeroptera Biology. Plenum Press. New York.
- Hubbard, M. D., & E. F. Riek. 1978. New name for a Triassic mayfly from South Africa (Ephemeroptera). *Psyche* 84:260–261.
- Hubbard, M. D., & H. M. Savage. 1981. The fossil Leptophlebiidae (Ephemeroptera): a systematic and phylogenetic review. *Journal of Paleontology* 55:810–813.
- Hull, F. M. 1945. A revisional study of the fossil Syrphidae. *Bulletin of the Museum of Comparative Zoology, Harvard University* 95:251–355, text-fig. 1–2, pl. 1–13.
- . 1949. The morphology and inter-relationship of the genera of syrid flies, recent and fossil. *Transactions of the Zoological Society of London* 26:257–408, text-fig. 1–25.
- . 1957. Tertiary flies from Colorado and the Baltic amber. *Psyche* 64:37–45, pl. 2–4.
- . 1960. A new genus and four new species of fossil Diptera from Montana and Colorado. Contributions from the Museum of Paleontology, University of Michigan 15:269–279, pl. 1–4.
- . 1962. Robber flies of the world, the genera of the family Asilidae. United States National Museum, Bulletin 224(1,2):1–908, text-fig. 1–2536.
- Hungerford, H. B. 1932. Concerning a fossil water bug from the Florissant (Nepidae). *University of Kansas Science Bulletin* 20:327–331, pl. 27.
- Hustache, A. 1942. Un curculionide de l'ambre de la Baltique. *Bulletin mensuel de la Societe Linneenne de Lyon* 11:108–109, text-fig. 1.
- Hyatt, A., & J. M. Arms. 1890. Guides for Science-Teaching, no. 8: Insecta. Boston. 300 p., 200 text-fig.
- Iablokov-Khnzorian, S. M. 1960a. [Review.] Entomologicheskoe obozrenie 39:506–508.
- Review of two articles by Hermann Haupt: 1950, Die Käfer aus der eoänen Braunkohle des Geiseltales, *Geologica* 6:1–168, text-fig. 1–113; 1956, Beitrag zur Kenntnis der eoänen Arthropodenfauna des Geiseltales, *Nova Acta Leopoldina* (new series) 8(128):1–90, text-fig. 1–106.
- . 1960b. Novye zhestkokrylye iz baltiskogo yantarya [New Coleoptera from Baltic amber]. *Paleontologicheskiy zhurnal* 1960(3):90–101, text-fig. 1–7.
- . 1961a. Novye zhestkokrylye semejstva Elateridae iz baltiskogo yantarya [New Coleoptera of the family Elateridae from Baltic amber]. *Paleontologicheskiy zhurnal* 1961(3):84–97, text-fig. 1–11.
- . 1961b. Circaeidae—Novoe semejstvo zhestkokrylykh iz yantarya (Insecta, Coleoptera) [Circaeidae, a new coleopteran family from amber (Insecta, Coleoptera)]. *Doklady akademii nauk SSSR* 136:209–210, text-fig. 1.
- . 1961c. Predstaviteli semejstva Helodidae (Coleoptera) iz baltiskogo yantarya [Representatives of the family Helodidae (Coleoptera) from the Baltic amber]. *Paleontologicheskiy zhurnal* 1961(1):108–116, text-fig. 1–7.
- . 1962. Predstaviteli Sternoxia (Coleoptera) iz baltiskogo yantarya [Some Sternoxia (Coleoptera) from Baltic amber]. *Paleontologicheskiy zhurnal* 1962(3):81–89, text-fig. 1–4.
- Ide, F. P. 1964. A fly of the archaic family Nymphomyiidae found in New Brunswick in 1961. *Canadian Entomologist* 96:119–120.
- . 1965. A fly of the archaic family Nymphomyiidae (Diptera) from North America. *Canadian Entomologist* 97:496–507, text-fig. 1–21.
- Illies, H. 1941. Das Insekten führende Alttertiär von Havighout. *Zeitschrift fuer Geschiebeforschung* 17:16–24, text-fig. 1–8.
- Illies, Joachim. 1965. Phylogeny and zoogeography of the Plecoptera. *Annual Review of Entomology* 10:117–140, text-fig. 1–8.
- . 1967a. Megaloptera und Plecoptera (Ins.) aus den jungpliozänen Süßwassermergeln von Willershausen. *Bericht der naturhistorischen Gesellschaft zu Hannover* 111:47–55, text-fig. 1–5.
- . 1967b. Die Gattung *Megaleuctra* (Plecopt., Ins.). *Zeitschrift fuer Morphologie und Ökologie der Tiere* 60:124–134, text-fig. 1–5.
- Imms, A. D. 1936. The ancestry of insects. *Transactions of the Society for British Entomology* 3: 1–32, text-fig. 1–11.
- . 1945. The phylogeny of insects. *Tijdschrift voor entomologie* 88:63–66.
- Jacobi, Arnold. 1937. Eine neue Bernsteinzikade (Rhynchota: Homoptera). *Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin* 1937:188–189, text-fig. 1.
- James, M. T. 1937. A preliminary review of certain families of Diptera from the Florissant Miocene beds. *Journal of Paleontology* 11:241–247, text-fig. 1–6.
- . 1939. A preliminary review of certain families of Diptera from the Florissant Miocene beds, II. *Journal of Paleontology* 13:42–48, text-fig. 1–5.
- . 1971. A stratiomyid fly (Diptera) from

- the amber of Chiapas, Mexico. University of California, Berkeley, Publications in Entomology 63: 71–74, text-fig. 1–2.
- Jarzembski, E. A. 1980. Fossil insects from the Bembridge Marls, Palaeogene of the Isle of Wight, southern England. Bulletin of the British Museum (Natural History) 33(4):237–293, text-fig. 1–77.
- . 1981. An early Cretaceous termite from southern England (Isoptera: Hodotermitidae). Systematic Entomology 6:91–96, text-fig. 1–8.
- . 1984. Early Cretaceous insects from southern England. Modern Geology 9:71–93, text-fig. 1–55, pl. 1–4.
- Jeanne, R. 1949. Les Insectes, classification et phylogénie. P. Grassé, ed., Traité de Zoologie, v. 9. Masson. Paris. 1118 p., 752 text-fig.
- Chapter entitled "Les insectes fossiles" is pp. 18–85.
- Johannsen, O. A. 1909. Diptera: Fam. Mycetophilidae, p. 1–142, pl. 1–7. In Genera Insectorum, v. 93. Bruxelles.
- . 1912. A Tertiary fungus gnat. American Journal of Science (series 4) 34:140, text-fig. 1.
- Jong, C. de. 1953. A "new" nitidulid beetle from Sumatra. Zoologische mededelingen Rijksmuseum van natuurlijke historie te Leiden 32:43–47, text-fig. 1–2.
- Jordan, K. H. C. 1944a. *Oligocoris bidentata* n. gen. et n. sp., eine Miride aus dem ostpreussischen Bernstein (Hemiptera–Heteroptera: Miridae). Arbeiten ueber morphologische und taxonomische Entomologie aus Berlin-Dahlem 11: 8–10, text-fig. 1–3.
- . 1944b. Eine neue Miride in Bernstein, *Electrocoris fuscus* n. gen. et n. sp. (Hemiptera–Heteroptera: Miridae). Arbeiten ueber morphologische und taxonomische Entomologie aus Berlin-Dahlem 11:132–134, text-fig. 1–2.
- . 1952. *Nabis succini* n. sp., eine Nabide aus dem Bernstein Ostpreussens (Hemiptera–Heteroptera). Beitraege zur Entomologie 2:455–457, text-fig. 1–2, pl. 1–2.
- . 1967. Wanzen aus dem Pliozän von Wilfershausen. Bericht der naturhistorischen Gesellschaft zu Hannover 111:77–90, text-fig. 1–21.
- Kalugina, N. S. 1974. Izmenenie podsemejstvennogo sostava khironomid (Diptera, Chironomidae) kak pokazatel' vozmozhnogo ehvetrofirovaniya vodoemov v kontse mezozoja [Changes in the subfamily composition of chironomids (Diptera, Chironomidae) as an indicator of a possible eutrophication of bodies of water at the end of the Mesozoic]. Byulleten' moskovskogo obshchesva ispytatelej prirody, otdel biologicheskii 79(6):45–66.
- . 1976. Komary-zvontsy podsemejstva Diamesinae (Diptera, Chironomidae) iz verkhnego mela Tajmyra [Non-biting midges of the subfamily Diamesinae (Diptera, Chironomidae) from the Upper Cretaceous of the Taymyr]. Paleontologicheskij zhurnal 1976(1):87–93, text-fig. 1–4.
- . 1977. Paleontologicheskie dannye i nekotorye voprosy ehvolyutsii, Culicoidea i Chironomoidea (Diptera) [Paleontological data and some problems of the evolution of Culicoidea and Chironomoidea (Diptera)], p. 25–30. In Sistematiska i ehvolyutsiya dvukrylykh nasekomych [Systematics and evolution of Diptera]. Akademija Nauk SSSR, Zoologicheskij Institut. Leningrad.
- . 1980a. Komary Chaoboridae i Chironomidae iz nizhnemelovykh otlozhenij manlaya [Mosquitoes of the Chaoboridae and Chironomidae from the Lower Cretaceous deposits of Manlay], p. 61–64, text-fig. 1–2. In V. A. Topachevskij, ed., Dood tserdijn manlaj nuur, Zovlot-Mongolyn khamtarsan paleontologi ehkspeditsi [Early Cretaceous Lake Manlay, Joint Soviet-Mongolian Paleontological Expedition]. Trudy, sovmestnaya sovetskno-mongol'skaya paleontologicheskaya ehkspeditsiya, no. 13.
- . 1980b. Cretaceous Aphroteniinae from North Siberia (Diptera, Chironomidae), *Electrotenia brundini*, gen. nov., sp. nov. Acta Universitatis Carolinae, Biologica 1978:89–93, text-fig. 1–19.
- Kamp, J. W. 1978. Numerical classification of the orthopteroids, with special reference to the Grylloblattodea. Canadian Entomologist 105:1235–1249, text-fig. 1–6.
- Karny, H. H. 1930. Zur Systematik de Orthopteroiden Insekten. Truebia 12:(I) 207–210; (II) 431–461.
- . 1932. Über zwei angebliche. Gryllacris-Arten aus dem Miocän von Radoboj. Jahrbuch der geologischen Bundesanstalt 82:65–69, text-fig. 1–2, pl. 2.
- Keilbach, Rolf. 1939. Neue Funde des Strepsipterons *Mengea tertaria* Menge in baltischen Bernstein. Bernstein-Forschungen 4:1–7, text-fig. 10, 13, pl. 1–2.
- Keller, G. 1934. Stratigraphische und paläogeographische Untersuchungen an der Grenze Namur-Westfal Westdeutschlands und angrenzender Gebiete. Abhandlungen der (Koenigliche) preussischen geologischen Landesanstalt 164:1–84, text-fig. 1–3, pl. 1–5.
- . 1935. Ein neuer Palaeodictyopteron-Fund aus den Fettkohlenschichten (Westfal A) des Ruhrgebietes. Glueckauf 71:476–477, text-fig. 1–2.
- Kelner-Pillault, S. 1969. Les abeilles fossiles. Memorie della Societa entomologica italiana 48: 519–534, text-fig. 1–10.
- . 1970a. L'ambre balte et sa faune entomologique avec description de deux apoides

- nouveaux. Annales de la Societe entomologique de France (new series) 6:3–24, text-fig. 1–6, pl. 1–2.
- . 1970b. Une Meliponine (s.l.) de l'ambre balte (Hym., Apidae). Annales de la Societe entomologique de France (new series) 6:437–441, text-fig. 1–3.
- . 1974. Etat d'évolution des apides de l'ambre balte. Annales de la Societe entomologique de France (new series) 10:623–634, text-fig. 1–6.
- Kennedy, C. H. 1925. New genera of Megapodagrioninae, with notes on the subfamily. Bulletin of the Museum of Comparative Zoology, Harvard University 67:291–312, pl. 1.
- . 1931. Insects from the Miocene (Latah) of Washington. III. Odonata. Annals of the Entomological Society of America 24:313–316, text-fig. 1–2, pl. 1.
- Kernbach, Kurt. 1967. Über die bisher im Pliozän von Willershausen gefundenen Schmetterlings- und Raupenreste. Bericht der naturhistorischen Gesellschaft zu Hannover 111:103–108, text-fig. 1–12.
- Kerr, W. E., & R. A. da Cunha. 1976. Taxonomic position of two fossil social bees (Apidae). Revista de biologia tropical 24:35–43, text-fig. 1–4.
- Kerr, W. E., & Vilma Maule. 1964. Geographic distribution of stingless bees and its implications (Hymenoptera: Apidae). Journal of the New York Entomological Society 72:2–18, text-fig. 1–6.
- Kevan, D. K. McE. 1965. *Miopyrgomorpha fischeri* (Heer)—A fossil pyrgomorphid bush-hopper (Orthoptera: Acridoidea). Mitteilungen der schweizerischen entomologischen Gesellschaft 38: 66–70, text-fig. 1–2.
- Kevan, D. K. McE., & S. S. Akbar. 1964. The Pyrgomorphidae (Orthoptera: Acridoidea): their systematics, tribal divisions and distribution. Canadian Entomologist 96:1505–1536, text-fig. 1–7.
- Kevan, D. K. McE., & F. E. A. Cutten-Ali-Khan. 1975. Canadian Nymphomyiidae (Diptera). Canadian Journal of Zoology 53:853–866, text-fig. 1–4.
- Kevan, D. K. McE., & F. E. A. Cutten. 1981. Nymphomyiidae, p. 203–207, text-fig. 1–10. In Biosystematics Research Institute, Manual of Nearctic Diptera, v. 1. Canada, Department of Agriculture, Research Branch, Monograph 27.
- Kevan, D. K. McE., & D. C. Wighton. 1981. Paleocene orthopteroids from south-central Alberta, Canada. Canadian Journal of Earth Science 18:1824–1837, text-fig. 1–6.
- . 1983. Further observations on North American Tertiary orthopteroids (Insecta: Grylloptera). Canadian Journal of Earth Sciences 20: 217–224, text-fig. 1–2.
- Kiauta, Bostjan. 1969. *Croatocordulia platyptera* (Charpentier, 1843) gen. nov. iz spodnjega Miocene Radoboj na Hrvatzkem (Odonata, Anisoptera, Corduliidae, Corduliinae) [*Croatocordulia platyptera* (Charpentier, 1843) gen. nov. from the Lower Miocene of Radoboj in Croatia (Odonata, Anisoptera, Corduliidae, Corduliinae)]. Geologija 12:85–90, text-fig. 1–2.
- English translation on pages 88–90.
- Kieffer, J. J. 1904. Nouvelles *Cecidomyies xylophiles*. Annales de la Societe scientifique de Bruxelles 28:367–410, pl. 1.
- . 1913. Diptera: Fam. Cecidomyiidae, p. 1–346, pl. 1–15. In Genera Insectorum, v. 152. Bruxelles.
- Kim, Ke Chung, & H. W. Ludwig. 1978. Phylogenetic relationships of parasitic Psocodea and taxonomic position of the Anoplura. Annals of the Entomological Society of America 71:910–922, text-fig. 1–2.
- Kimmins, D. E. 1950. The type-species of certain genera in the Trichoptera. Entomologist 83:58–60.
- Kingslover, J. G., & M. A. R. Koehl. 1985. Aerodynamics, thermoregulation, and the evolution of insect wings: differential scaling and evolutionary change. Evolution 39:488–504, text-fig. 1–11.
- Kinsey, A. C. 1919. Fossil Cynipidae. Psyche 26: 44–49, text-fig. 1–2.
- . 1937. Order Hymenoptera, family Cynipidae, p. 21–27, text-fig. 3. In F. M. Carpenter & others, Insects and arachnids from Canadian amber, University of Toronto Studies, Geological Series 40.
- Kinzelbach, R. K. 1970. Wanzen aus dem eozänen Ölschiefer von Messel (Insecta: Heteroptera). Notizblatt des hessischen Landesamtes fuer Bodenforschung zu Wiesbaden 98:9–18, text-fig. 1–6, pl. 1–12.
- . 1971a. Morphologische Befunde an Fächerflüglern und ihre phylogenetische Bedeutung (Insecta: Strepsiptera). Zoologica Stuttgart 41 (heft 119):i–xiii, 1–128, text-fig. 1–55.
- . 1971b. Morphologische Befunde an Fächerflüglern ihre phylogenetische Bedeutung (Insecta: Strepsiptera). Zoologica Stuttgart 41 (heft 119):129–256, text-fig. 56–182.
- . 1978. Fächerflügler (Strepsiptera). Die Tierwelt Deutschlands 65:1–166, text-fig. 1–63.
- . 1979. Das erste neotropische Fossil der Fächerflügler (Stuttgarter Bernsteinsammlung: Insecta, Strepsiptera). Stuttgarter Beitraege zur Naturkunde (series B) 52:1–14, text-fig. 1–16.
- . 1983. Fächerflügler aus dem dominikanischen Bernstein (Insecta: Strepsiptera: Myrmecolacidae). Verhandlungen des naturwissenschaftlichen Vereins in Hamburg (new series) 26:29–36, text-fig. 1–5.
- Kirby, William. 1815a. Strepsiptera, a new order

- of Insects proposed and the characters of the order, with those of its genera, laid down. Transactions of the Linnean Society of London 11:86–123, pl. 8–9.
- . 1815b. An introduction to Entomology, v. 1. Longman, London. 512 p., 3 pl.
- Kirby, W. F. 1890. A Synonymic Catalogue of Neuroptera Odonata, or Dragonflies. With an appendix of Fossil Species. Gurney & Jackson. London. x + 202 p.
- . 1906. A Synoptic Catalogue of Orthoptera. Vol. II. Orthoptera Saltatoria. Part I. (Achetidae et Phasgonuridae). Taylor & Francis. London. viii + 562 p.
- Kirkaldy, G. W. 1910. Three new Hemiptera-Heteroptera from the Miocene of Colorado. Entomological News 21:129–131.
- Kiselev, S. V. 1973. Pozdneplejstotsenovye zhestkokrylye zaural'ya [Late Pleistocene Coleoptera of Transuralia]. Paleontologicheskij zhurnal 1973(4):70–73, text-fig. 1.
- Kjellgren, B. L. 1934. The antennae of adult Trichoptera, p. 22–25, text-fig. 5. In Cornelius Betten, Caddis flies or Trichoptera of New York State. New York State Museum Bulletin 292.
- Klapálek, F. 1905. Conspectus Plecopterorum Bohemiae. Casopis Ceske Spolecnosti Entomologicke 2:27–32.
- . 1909. Ephemeraida, p. 1–95. In Die Süßwasserfauna Deutschlands, v. 8. Fischer. Jena.
- . 1912. Collections zoologiques du Baron Edm. de Selys Longchamps. Catalogue systématique et descriptif. Hayez. Bruxelles. 66 p., 58 text-fig.
- Klausnitzer, B. 1976. Neue Arten der Gattung *Helodes* Latreille aus Bernstein (Coleoptera, Helodidae) 31. Beitrag zur Kenntnis der Helodidae. Reichenbachia 16:53–61, text-fig. 1–27.
- Kleine, Richard. 1940. Eine Lyicide aus dem baltischen Bernstein. Entomologische Blätter 36: 179–180.
- Kliver, Moritz. 1883. Ueber einige neue Blattinarien-, zwei *Dictyoneura*- und zwei *Arthropleura*-Arten aus der Saarbrücker Steinkohlenformation. Palaeontographica 29:249–269, pl. 34–36.
- . 1886. Ueber einige neue Arthropodenreste aus der Saarbrücker und der Wettin-Löbejüner Steinkohlenformation. Palaeontographica 32:99–115, pl. 4.
- Klug, J. C. F. 1840–1842. Versuch einer systematischen Bestimmung und Auseinandersetzung der Gattungen und Arten der Clerii. Abhandlungen der Königlichen Akademie der Wissenschaften, Berlin 1840–1842:259–397, 2 colored pl.
- Knab, Frederick. 1912. New species of Anisopidae (Rhyphidae) from tropical America (Diptera; Nemocera). Proceedings of the Biological Society of Washington 25:111–114.
- Koch, C. L. 1857. Die Pflanzenläuse, Aphiden, getreu nach dem Leben abgebildet und beschrieben, Heft 8, 9. Lotzbeck. Nürnberg. viii + 237–335, pl. 1–12.
- Koch, C. L., & G. C. Berendt. 1854. Die im Bernstein befindlichen Crestaceen, Myriapoden, Arachniden, und Apteran der Vorwelt, p. iv + 1–124, pl. 1–17. In Die im Bernstein befindlichen organischen Resten der Vorwelt, v. 1(2). Berlin.
- Kolbe, H. J. 1883. Neue Beiträge zur Kenntnis der Psociden der Bernstein-Fauna. Stettiner entomologische Zeitung 44:186–191.
- . 1884. Der Entwicklungsgang der Psociden. Berliner entomologische Zeitschrift 28:35–38.
- . 1888. Zur Kenntnis von Insektenbohrgängen in fossilen Holzern. Zeitschrift der deutschen geologischen Gesellschaft 40:131–137, pl. 11.
- . 1908. Mein System der Coleopteren. Zeitschrift fuer wissenschaftliche Insektenbiologie 4: 116–123, 153–162, 219–226, 246–251, 286–294, 389–400.
- . 1932. Ein fossiler *Dytiscus* aus dem Pliozän des Niederrheingebietes. Jahrbuch der preussischen geologischen Landesanstalt zu Berlin 52: 416–424, text-fig. 1–3.
- . 1933. Fossile Coleopteren aus praeglazialer und spätglazialer Zeit Sud-Schwedens. Entomologiske Meddelser 18:209–214.
- Kolosnitsyna, G., & O. M. Martynova. 1961. Novyj yurski rod *Ijapsyche* (Mecoptera, Paratrichoptera) iz vostochnoj sibiri [New Jurassic genus *Ijapsyche* (Mecoptera, Paratrichoptera) from east Siberia]. Paleontologicheskij zhurnal 1961(4): 162–164, text-fig. 1.
- Kononova, E. L. 1975. Nove semejstvo tlej iz verkhnego mela Tajmyra [A new aphid family from the Upper Cretaceous of the Taymyr]. Entomologicheskoe obozrenie 54:795–807, text-fig. 1–50.
- . 1976. Pozdnemelovye vymershie semejstva tlej (Homoptera, Aphidinea) [Extinct aphid families (Homoptera, Aphidinea) of the late Cretaceous]. Paleontologicheskij zhurnal 1976(3): 117–126, text-fig. 1–5.
- . 1977. Novye vidy tlej (Homoptera, Aphidinea) iz pozdnemelovykh otlozhenij Tajmyra [New aphid species (Homoptera, Aphidinea) from the late Cretaceous deposits of the Taymyr]. Entomologicheskoe obozrenie 56:588–600, text-fig. 1–62.
- Konow, F. W. 1890. Tenthredinidae Europae: Systematisch zusammengestellt. Deutsche entomologische Zeitschrift 1890:225–255, text-fig. 1.
- . 1897. Ueber fossile Blatt- und Halmwespen. Entomologische Nachrichten 23:36–38.
- . 1898. Systematische und kritische Bearbeitung der Siriciden-Tribus Siricini. Wiener entomologische Zeitung 17:73–91.

- Korge, Horst. 1967. Ein fossiler Staphylinide aus dem pliozänen Ton von Willershausen im westlichen Harzvorland. Bericht der naturhistorischen Gesellschaft zu Hannover 111:109–112, text-fig. 1.
- Korneyev, V. A. 1982. Novaya mukha-pestrorylka iz miotsena severnogo kavkaza [A new fruit fly from the Miocene of Northern Caucasus]. Paleontologicheskij zhurnal 1982(4):97–98, text-fig. 1.
- Korschefsky, R. 1939. Abbildungen und Bemerkungen zu vier Schaufuss'schen Coleopteren aus dem deutschen Bernstein. Arbeiten ueber morphologische und taxonomische Entomologie aus Berlin-Dahlem 6:11–12, pl. 1.
- Kovalev, V. G. 1974. Novyj rod dvukrylykh semejstva Empididae i ego filogeneticheskie svyazi [A new genus of the family Empididae and its phylogenetic relationships]. Paleontologicheskij zhurnal 1974(2):84–94, text-fig. 1–4.
- _____. 1978. Novyj rod mukh semejstva Empididae iz pozdnemelovykh smol Tajmyra [A new fly genus of the family Empididae from Late Cretaceous retinites of the Taimyr]. Paleontologicheskij zhurnal 1978(3):72–78, text-fig. 1–2.
- _____. 1981. Drevnejshie predstaviteli korotkoussykh dvukrylykh iz Yury Sibiri [The oldest representatives of Diptera with short antennae from the Jurassic of Siberia]. Paleontologicheskij zhurnal 1981(3):85–101, text-fig. 1–2, pl. 10.
- _____. 1982. Yurskie dvukrylye-rhagionidy (Muscida, Rhagionidae) [Some Jurassic Diptera-rhagionids (Muscida, Rhagionidae)]. Paleontologicheskij zhurnal 1982(3):88–100, text-fig. 1–2, pl. 9.
- _____. 1983. Novoe semejstvo dvukrylykh iz triasovykh otlozhenij avstralii i ego predpolagaemye potomki (Diptera, Crosaphididae, fam. n., Mycetobiidae) [A new family of fossil Diptera from Australian Triassic deposits and its presumed descendants (Diptera: Crosaphididae, fam. nov., Mycetobiidae)]. Entomologicheskoe obozrenie 62:800–805, text-fig. 1–3.
- Kozhanchikov, I. V. 1957. Novyj predstavitel' sem. Cossidae iz miotsenovych otlozhenij kavkaza (Lepidoptera, Insecta) [A new representative of the family Cossidae from Miocene deposits of the Caucasus (Lepidoptera, Insecta)]. Doklady akademii nauk SSSR 113:675–677, text-fig. 1–2.
- Kozlov, M. A. 1968. Yurskie Proctotrupidea (Hymenoptera) [Jurassic Proctotrupidea (Hymenoptera)], p. 237–240, text-fig. 1–2. In B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic insects of Karatau]. Akademiya Nauk SSSR Ordelenie Obshchej Biologii. Moscow.
- _____. 1970. Nadrodyye gruppirovki proctotrupoidnykh naezdnikov (Hymenoptera: Proctotrupoidea) [Supergeneric classification of the Proctotrupoidea (Hymenoptera)]. Entomologicheskoe obozrenie 49(1):203–226, 1 unnumbered text-fig.
- _____. 1974. Rannemelovo predstavitel' naezdnikov semejstva Pelecinidae (Hymenoptera, Pelecinoidea) [An early Cretaceous representative of ichneumon-flies of the family Pelecinidae (Hymenoptera, Pelecinoidea)]. Paleontologicheskij zhurnal 1974(1):144–146, text-fig. 1–3.
- _____. 1975. Semejstvo Stigmaphronidae i Semejstvo Trupochalcididae [Family Stigmaphronidae and Family Trupochalcididae], p. 75–83, text-fig. 88–91, pl. 4. In A. P. Rasnitsyn, Vysshie pereponchatokrylye mezozoja [Hymenoptera Apocrita of the Mesozoic]. Trudy paleontologicheskogo instituta akademii nauk SSSR 147.
- Krassilov, V. A., & A. P. Rasnitsyn. 1982. Unikal'naya nakhodka: Pyl'tsa v kishechnike ranemelovykh pilil'shchikov [A unique find: pollen in the intestine of Early Cretaceous sawflies]. Paleontologicheskij zhurnal 1982(4):83–96, text-fig. 1–6, pl. 11–12.
- Krauss, H. A. 1902. Die Namen der ältesten Dermapteren- (Orthopteren-) Gattungen und ihre Verwendung für Familien- und Unterfamilien-Benennungen auf Grund der jetzigen Nomenklaturregeln. Zoologischer Anzeiger 25:530–544.
- Krausse, Anton. 1922. Hexapodische Notizen (VI, 85–100). Archiv fuer Naturgeschichte 87(10): 132–137.
- Krishna, Kumar. 1961. A generic revision and phylogenetic study of the family Kalotermitidae (Isoptera). Bulletin of the American Museum of Natural History 122:309–408, text-fig. 1–81.
- Krishna, Kumar, & A. E. Emerson. 1983. A new fossil species of termite from Mexican amber, *Mastotermes electromexicus* (Isoptera: Mastotermitidae). American Museum Novitates 2767:1–8, text-fig. 1–4.
- Kristensen, N. P. 1975. The phylogeny of hexapod "orders". A critical review of recent accounts. Zeitschrift fuer zoologische Systematik und Evolutionsforschung 13:1–44, text-fig. 1–8.
- _____. 1981. Phylogeny of insect orders. Annual Review of Entomology 26:135–157, text-fig. 1.
- Krombein, K. V., P. D. Hurd, Jr., D. R. Smith, & B. D. Burks, eds. 1979. Catalog of Hymenoptera in America North of Mexico, 3 v. Smithsonian Institution Press. Washington, D.C. 1420 p.
- Krüger, Leopold. 1913. Osmylidae. Beiträge zu einer Monographie der Neuropter-Familie der Osmyliden, II. Stettiner entomologische Zeitung 74:3–123.
- _____. 1922. Hemerobiidae. Beiträge zu einer Monographie der Neuropter-Familie der Hemerobiiden. Stettiner entomologische Zeitung 83:138–172.
- _____. 1923. Neuroptera Succinica Baltica. Die im baltischen Bernstein eingeschlossenen Neu-

- ropteren des Westpreussischen Provinzial-Museums in Danzig. Stettiner entomologische Zeitung 84:68–92.
- Kuhn, Oskar. 1937. Insekten aus dem Buntsandstein von Thüringen. Beitraege zur Geologie der Thueringen, Jena 4:190–193, text-fig. 1–3.
- . 1951. Ein vermutlicher Schmetterling, *Geisfeldiella benkerti* n. g., n. sp. aus dem Lias E, Nordfrankens. Neues Jahrbuch fuer Geologie und Palaeontologie, Monatshefte 1951:58–61, text-fig. 1–2.
- Kuhne, W. G., L. Kubig, & T. Schlüter. 1973. Eine Micropterygidae (Lepidoptera, Homoneura) aus mittelcretazischem Harz Westfrankreiche. Mitteilungen der deutschen entomologischen Gesellschaft 32:61–65, text-fig. 1–2.
- Kukalová, Jarmila. 1955a. *Permoedischia* n.g. (Protorthoptera) a *Moraviptera* n. g. (Palaeodictyoptera) z moravského permu [*Permoedischia* n. g. (Protorthoptera) and *Moraviptera* n. g. (Palaeodictyoptera) from the Permian of Moravia]. Sbornik ustredniho ustavu geologickeho 21: 541–575, text-fig. 1–3, pl. 27.
- . 1955b. Archimylacridae Handlirsch (Blattodea) of the Carboniferous of Bohemia. Acta Universitatis Carolinae, Geologica 1955: 131–163, text-fig. 1–6, pl. 1–3.
- . 1958a. Paoliidae Handlirsch (Insecta-Protorthoptera) aus dem Oberschlesischen Steinkohlenbecken. Geologie 7:935–959, text-fig. 1–21, pl. 1–2.
- . 1958b. On the systematic position of *Ampeliptera limburgica* Pruvost, 1927 (Insecta, Protorthoptera). Vestnik ustredniho ustavu geologickeho 33:377–379, pl. 1.
- . 1958c. On Czechoslovakian Spilapteridae Handlirsch (Insecta-Palaeodictyoptera). Acta Universitatis Carolinae Geologica 3:231–240, text-fig. 1–4, pl. 1.
- . 1958d. Remarks to the family Blattinopsidae Bolton, 1925 (Insecta-Protorthoptera). Vestnik ustredniho ustavu geologickeho 33:129–131.
- . 1959a. *Breyeria barborae* n. sp. (Insecta, Palaeodictyoptera) of Upper Silesian coal basin (Westphalian). Vestnik ustredniho ustavu geologickeho 34:310–313, text-fig. 1, pl. 1.
- . 1959b. On the family Blattinopsidae Bolton, 1925 (Insecta, Protorthoptera). Rozpravy ceskoslovenske akademie ved, rada matematickych a prirodnicich ved 69(1):1–30, text-fig. 1–10, pl. 1–2.
- . 1960. New Palaeodictyoptera (Insecta) of the Carboniferous and Permian of Czechoslovakia. Sbornik ustredniho ustavu geologickeho, oddil geologicky 25:239–250, text-fig. 1–4, pl. 1–2.
- . 1963a. Permian insects of Moravia. Part I. Miomoptera. Sbornik geologickej ved, paleontologie 1:7–52, text-fig. 1–35, pl. 1–16.
- . 1963b. To the taxonomy of Palaeodictyoptera (Insecta). Vestnik ustredniho ustavu geologickeho 38:197–200.
- . 1964a. Review of the Calvertiellidae, with description of a new genus from Permian strata of Moravia (Palaeodictyoptera). Psyche 71:153–168, pl. 19–21, text-fig. 1–4.
- . 1964b. To the morphology of the oldest known dragonfly *Erasipteron larisci* Pruvost, 1933. Vestnik ustredniho ustavu geologickeho 39:463–464, text-fig. 1, pl. 1.
- . 1964c. Permian insects of Moravia. Part II. Liomopteridea. Sbornik geologickej ved, paleontologie 3:39–118, text-fig. 1–61, pl. 1–24.
- . 1965. Permian Protelytroptera, Coleoptera and Protorthoptera (Insecta) of Moravia. Sbornik geologickej ved, paleontologie 6:61–98, text-fig. 1–18, pl. 1–8.
- . 1966. Protelytroptera from the Upper Permian of Australia, with a discussion of the Protocolleoptera and Paracoleoptera. Psyche 73: 89–111, text-fig. 1–14, pl. 8.
- . 1969a. On the systematic position of the supposed Permian beetles, Tshecardocoleidae, with a description of a new collection from Moravia. Sbornik geologickej ved, paleontologie 11: 139–162, text-fig. 1–14, pl. 1–8.
- . 1969b. Revisional study of the order Palaeodictyoptera in the Upper Carboniferous shales of Commentry, France, part I. Psyche 76: 163–215, text-fig. 1–28.
- . 1969c. Revisional study of the order Palaeodictyoptera in the Upper Carboniferous shales of Commentry, France, part II. Psyche 76: 439–486, text-fig. 29–49.
- . 1970. Revisional study of the order Palaeodictyoptera in the Upper Carboniferous shales of Commentry, France, part III. Psyche 77:1–44, text-fig. 50–77.
- Kukalová, Jarmila, & P. Ríha. 1957. *Carpocoris hoherlandti* sp. n., eine neue Wanzenart des böhmischen Tertiärs (Heteroptera). Acta Entomologica Musei Nationalis Pragae 31:73–76, pl. 1–2.
- Kukalová-Peck, Jarmila. 1971. The structure of *Dunbaria* (Palaeodictyoptera). Psyche 78:306–318, text-fig. 1–15.
- . 1972. Unusual structures in the Paleozoic insect orders Megasecoptera and Paleodictyoptera, with a description of a new family. Psyche 79:243–268, text-fig. 1–10, pl. 1–3.
- . 1974a. Wing-folding in the Paleozoic insect order Diaphanopteroidea (Paleoptera), with a description of new representatives of the family Elmoidae. Psyche 81:315–333, text-fig. 1–22.
- . 1974b. Pteralia of the Paleozoic insect orders Palaeodictyoptera, Megasecoptera and Diaphanopteroidea (Paleoptera). Psyche 81:416–430, text-fig. 1–11.

- . 1975. Megasecoptera from the Lower Permian of Moravia. *Psyche* 82:1–19, text-fig. 1–12.
- . 1978. Origin and evolution of insect wings and their relation to metamorphosis, as documented by the fossil record. *Journal of Morphology* 156:53–125, pl. 1–14.
- . 1983. Origin of the insect wing and wing articulation from the arthropodan leg. *Canadian Journal of Zoology* 61:1618–1669, text-fig. 1–30.
- . 1988 (1987). A substitute name for the extinct genus *Stenelytron* Kukalová (Protelyptera). *Psyche* 94:339.
- . 1991. Designation of type species for *Hana* (Hanidae, Megasecoptera). *Psyche* 98:193.
- Kukalová-Peck, Jarmila, & S. B. Peck. 1976. Adult and immature Calvertiellidae (Insecta: Palaeodictyoptera) from the Upper Palaeozoic of New Mexico and Czechoslovakia. *Psyche* 83:79–93, text-fig. 1–8.
- Kukalová-Peck, Jarmila, & E. S. Richardson, Jr. 1983. New Homiopteridae (Insecta: Paleodictyoptera) with wing articulation from Upper Carboniferous strata of Mazon Creek, Illinois. *Canadian Journal of Zoology* 61:1670–1687, text-fig. 1–24.
- Kummel, Bernhard. 1970. History of the Earth: an introduction to historical geology, 2nd edition. Freeman. San Francisco. 707 p., 459 text-fig.
- Kuschel, Guillermo. 1959. Un curculionido del Cretaceo superior, primer insecto fosil de Chile. *Investigaciones zoologicas chilenas* 5:49–54, pl. 1.
- Kusnezov [Kuznetsov], N. J. 1928. *Oligamatites martynovi*, gen. et sp. n., iskopaemyj predstavitel' semejstva Amatidae, Lepidoptera, iz oligotsena Srednej Azii [*Oligamatites martynovi*, gen. et sp. n., a fossil amatid lepidopteran from the Oligocene beds of Middle Asia]. *Comptes rendus de l'Academie des sciences de l'URSS (series A)* 1928:431–436, 1 unnumbered text-fig.
- . 1941. Cheshuekryye yantarya [Lepidoptera from amber]. Paleontologicheskij Institut, Akademiya Nauk SSSR. Moscow. 136 p., 58 text-fig.
- In Russian and English.
- Lacordaire, J. T. 1857. Histoire naturelle des insectes. Genera des Coléoptères, part 4. Roret. Paris. 579 p.
- Lameere, August. 1917a. Étude sur l'évolution des éphémères. *Bulletin de la Societe zoologique de France* 42:41–82.
- . 1917b. Révision sommaire des insectes fossiles du Stéphanien de Commentry. *Bulletin du Museum national d'histoire naturelle*, Paris 23:141–200.
- . 1917c. Paléodictyoptères et Subulicornes [Ins. Fossil.]. *Bulletin de la Societe entomologique de France (new series)* 4:101–104.
- . 1917d. Note sur les insectes houillers de Commentry. *Bulletin de la Societe zoologique de France* 42:27–37.
- . 1922. Sur la nervation alaire des insectes. *Bulletin de la Classe des sciences, l'Academie royale de Belgique (series 5)* 8:138–149.
- English translation by A. M. Brues, in *Psyche*, 1923, v. 30, p. 123–132.
- . 1935. Précis de Zoologie 4. Les Myriapodes, caractères fondamentaux des insectes. Les insectes inférieurs. Institut Zoologique Torley-Rousseau. Bruxelles. 468 p., 479 text-fig.
- Lameere, August, & G. Severin. 1897. Les insectes de Bernissart. *Annales de la Societe entomologique de Belgique* 41:35–38, 4 unnumbered text-fig.
- Landa, Vladimir. 1979. A contribution to the evolution of the order Ephemeroptera based on comparative anatomy, p. 155–159. In William L. Peters & Janice C. Peters, eds., *Proceedings of the First International Congress on Ephemeroptera*. E. J. Brill. Leiden.
- Lange, Werner. 1922. Über neue Fossilfunde aus der Trias von Göttingen. *Zeitschrift der deutschen geologischen Gesellschaft* 74:162–168, pl. 1.
- Laporte [de Castelnau], F. L. 1833. Essai d'une classification systématique de l'ordre des Hémiptères (Hétéroptères). *Magasin zoologique* 2: 1–88, 4 pl.
- This author also published under the name Castelnau. *Webster's Biographical Dictionary* lists his name as: Francis de la Porte de Castelnau.
- Latreille, P. A. 1802a. Histoire naturelle, générale et particulière, des crustacés et des insectes, v. 3. Dufart. Paris. xii + 467 p.
- . 1802b. Histoire naturelle des fourmis et receuil de mémoires et d'observations sur les abeilles, les Araignées, les faucheurs et autres insectes. Barrois. Paris. 445 p., 12 pl.
- . 1804–1805. Histoire naturelle, générale et particulière, des crustacés et des insectes, v. 13 & 14. Paris. v. 13: 458 p., pl. 99–102; v. 14: 432 p., pl. 103–111.
- . 1806. Genera Crustaceorum et Insectorum, v. 1. A. Koenig. Paris. 302 p.
- . 1807. Genera Crustaceorum et Insectorum, v. 2. A. Koenig. Paris. 280 p.
- . 1809. Genera Crustaceorum et Insectorum, v. 4. A. Koenig. Paris. 400 p.
- . 1810. Considérations générales sur l'ordre naturel des animaux composant les classes des crustacés, des arachnides et des insectes; avec un tableau méthodique de leurs genres disposés en familles. Schoell. Paris. 444 p.
- . 1817. Les crustacés, les arachnides et les

- insectes. Georges Cuvier, ed., *Le Règne animal*, v. 3. Paris. 653 p.
- . 1824. Monographie du genre *Eucnemide*, par M. le Baron de Mannerheim: précédée d'observations. *Annales des sciences naturelles* 3:426–434, pl. 27.
- Plate 27 is bound in a separate atlas for volumes 1, 2, and 3.
- . 1825. Familles naturelles du règne animal, exposées succinctement et dans un ordre analytique, avec l'indication de leurs genres. Paris. 570 p.
- . 1829. Les insectes. Georges Cuvier, ed., *Le Règne animal*, v. 5. Déterville. Paris. xxiv + 556 p.
- . 1834. Distribution méthodique de la famille des Serricornes (ouvrage posthume). *Annales de la Societe entomologique de France* 3:113–170.
- Lauck, D. R. 1960. A new species of *Notonecta* from the Florissant (Hemiptera, Notonectidae). *Journal of the Kansas Entomological Society* 33: 69–71, text-fig. 1.
- Laurentiaux, Daniel. 1949a. Un insecte nouveaux (Breyeriidae) du terrain houiller du Pas-de-Calais. *Annales de la Societe geologique du nord* 69: 47–54, text-fig. 1, pl. 1
- . 1949b. Description de trois nouveaux Paléodictyoptères du terrain houiller du nord de la France. *Annales de la Societe geologique du nord* 69:206–223, text-fig. 1–4, pl. 6–7.
- . 1950. Les insectes houillers du Limbourg hollandais. *Mededelingen van de geologische stichting* (new series) 4:13–22, pl. 1–5.
- . 1951. Le problème des blattes paléozoïques à ovipositeur externe. *Annales de paleontologie* 37:187–194, text-fig. 1–4, pl. 7–8.
- . 1952a. Découverte d'un rostre chez *Stenodictya lobata* Brtg. (Paléodictyoptère sténodictyide) et le problème des Protohémiptères. *Bulletin de la Societe geologique de France* (series 6) 2:233–247, text-fig. 1–5, pl. 10–11a.
- . 1952b. Présence d'un rostre eugereonien chez le Paléodictyoptère *Stenodictya lobata* Brongniart. Affinités des Protohémiptères. *Comptes rendus hebdomadaires des séances de l'Academie des sciences* 234:1997–1999.
- . 1953. Classe des insectes (Insecta Linné 1758), p. 397–527, text-fig. 1–106, [1 pl.]. In J. Piveteau, ed., *Traité de Paleontologie*, v. 3. Masson. Paris.
- . 1958. *Patteiskya bouckaerti* nov. gen. et sp., Insekt aus dem Namur des Ruhrkarbons. *Neues Jahrbuch fuer Geologie und Palaeontologie, Monatshefte* 7:302–306, text-fig. 1.
- . 1959a. La reproduction chez les insectes blattaires du Carbonifère: facteurs du panchronisme et classification naturelle de l'ordre. *Bulletin de la Societe geologique de France* (series 7) 1:759–766, text-fig. 1–4.
- . 1959b. *Protoblattiniella minutissima* Meun., forme larvaire du type blattinopside (Insectes Protorhoptères). *Bulletin de la Societe geologique de France* (series 7) 1:767–770, text-fig. 1.
- . 1960. La reproduction chez les blattes carbonifères. Essai d'explication du panchronisme des Blattaires et classification sous-ordinale. *Comptes rendus hebdomadaires des séances de l'Academie des sciences* 250:1700–1702.
- . 1963. Un type remarquable d'asymétrie alaire chez des blattes westphaliennes. *Comptes rendus hebdomadaires des séances de l'Academie des sciences* 256:234–236, text-fig. 1–2.
- . 1964. Morphologie et nervation de l'aile métathoracique dans le genre *Hadroneuria* Handlirsch 1908 et diagramme alaire des *Lithomantides* westphaliens. *Annales de la Societe geologique du nord* 83:129–135, text-fig. 1, pl. 21.
- . 1966. Sur un insecte westphalien précurseur de la série blattinopsidé (Protorhoptères). *Bulletin de la Societe geologique de France* (series 7) 8:827–833, text-fig. 1–3.
- Laurentiaux, Daniel, & Francine Laurentiaux-Vieira. 1951. Observations sur les Paleodictyoptères Breyeriidae. *Bulletin de la Societe geologique de France* (series 6) 1:585–596, text-fig. 1–5, pl. 18–19.
- . 1980. Un type singulier d'insecte protorhoptéroïde du Westphalien supérieur du Pas-de-Calais. *Annales de la Societe geologique du nord* 99:407–414, text-fig. 1–3, pl. 2.
- . 1981. Nouveau Pachytylopside (Insecte Protorhoptère) de Westphalien inférieur belge. *Annales de la Societe geologique du nord* 100: 83–90, text-fig. 1–4.
- Laurentiaux, Daniel, & Carlos Teixeira. 1958a. Un novo genero de insecto Palaeodictioptero do Carbonico continental do Baixo-Douro (Portugal). *Boletim da Sociedade geologica de Portugal* 12(3):5–12, text-fig. 1–2, pl. 1.
- . 1958b. Ocorrencia do genero *Metoedischia* Mart. (Insectos Protorhopteros Saltadores) no Estefaniano do Baixo-Douro (Portugal). *Revista da facultade de Ciencias universidade de Lisboa* 6:211–218, text-fig. 1, pl. 1.
- Laurentiaux-Vieira, Francine, & Daniel Laurentiaux. 1963. Nouvelle récolte d'un Breyeriide (Insecte Paléodictyoptère) dans le Westphalien du nord de la France. *Annales de la Societe geologique du nord* 82:173–178, text-fig. 1–2.
- . 1964. Diagramme ptéronologique du genre westphalien *Breyeria* de Börre (Insectes Paléodictyoptères). *Comptes rendus hebdomadaires des séances de l'Academie des sciences* 258:1282–1284, pl. 1.
- . 1980. Nouvelle contribution à la connaissance de genre westphalien *Manoblatta* Pruvost (Blattaires Archimylacridiens). *Annales de*

- la Societe de geologie du nord 99:415–424, text-fig. 1–5.
- Lawrence, J. F., & A. F. Newton, Jr. 1982. Evolution and classification of beetles. Annual Review of Ecology and Systematics 13:261–290.
- Leach, W. E. 1815. Artikel Entomology, p. 57–172. In Brewster, ed., Edinburgh Encyclopaedia, v. 9. Edinburgh.
- Le Conte, J. L. 1861–1862. Classification of the Coleoptera of North America, part 1. Smithsonian Miscellaneous Collections. Washington, D.C. 286 p., 6 unnumbered text-fig.
- 1861–1862 printed on title page. Pages 1–208 published in May, 1861; pages 209–286 in March, 1862. So names erected on pages 1–208 are dated 1861 and those erected on pages 209–286 are dated 1862.
- Lefebure (Lefebvre), Alexandre. 1842. G. Ascalaphe, Ascalaphus. Fabricius vel Azesia. Magasin de zoologie 1842:10, pl. 92.
- Lepetitier, A. L. M., & G. A. Serville. 1825. Dictionnaire des Insectes. L'Encyclopédie Méthodique, fasc. 10, Histoire naturelle, p. 329–832. Paris.
- Leriche, Maurice. 1911. Un insecte nouveau du houiller belge (*Stenodictyoneura belgica*). Annales de la Societe geologique de Belgique 38:193–195, pl. 12.
- Lesne, M. P. 1920. Quelques insectes du Pliocène supérieur du comté de Durham. Bulletin du Museum national d'histoire naturelle, Paris 26: 388–394, 484–488, text-fig. 1–5.
- . 1926a. Nouvelles données sur la faunule coléoptérologique pliocène de Castle Eden (Angleterre Sept). Encyclopedie entomologique (series B) I, Coleoptera 2:1–15, text-fig. 1–2.
- . 1926b. Sur une faunule coléoptérologique pliocène du nord de l'Angleterre. Comptes rendus hebdomadaires des séances de l'Academie des sciences 1926:495–497.
- Lestage, J. A. 1930. Contribution à l'étude des larves des Éphéméroptères. VII. Le groupe Potamanthidien. Memoires de la Societe entomologique de Belgique 23:73–146.
- Leston, Dennis. 1962. Tracheal capture in ontogenetic and phylogenetic phases of insect wing development. Proceedings of the Royal Entomological Society of London (series A) 37:135–144, text-fig. 1–20.
- Lewis, S. E. 1971a. A new species of fossil Diptera (Diopsidae) from the Ruby River Basin (Oligocene) of Montana. Annals of the Entomological Society of America 64:959–960, text-fig. 1.
- . 1971b. Three new species of fossil Diptera (Bibionidae) from the Ruby River Basin (Oligocene) of southwestern Montana. Annals of the Entomological Society of America 64:1464–1466, text-fig. 1–2.
- . 1972. A new species of fossil bee fly (Diptera: Bombyliidae) from the Ruby River Basin (Oligocene) of southwestern Montana. Annals of the Entomological Society of America 65:1421, text-fig. 1.
- . 1973. Two new species of fossil crane flies (Diptera: Tipulidae) from the Ruby River Basin (Oligocene) of southwestern Montana. Annals of the Entomological Society of America 66:706–707, text-fig. 1.
- . 1974. Four specimens of fossil grasshoppers (Orthoptera: Caelifera) from the Ruby River Basin (Oligocene) of southwestern Montana. Annals of the Entomological Society of America 67:523–524, text-fig. 1.
- . 1976. A new specimen of fossil grasshopper (Orthoptera: Caelifera) from the Ruby River Basin (Oligocene) of southwestern Montana. Annals of the Entomological Society of America 69:120, text-fig. 1.
- . 1977a. A new species of fossil Isoptera (Kalotermitidae) from the Ruby River Basin (Oligocene) of Southwestern Montana. Proceedings of the Entomological Society of Washington 79:313–316, text-fig. 1.
- . 1977b. Two new species of fossil mayflies (Ephemeroptera: Neophemeridae and Siphlonuridae) from the Ruby River Basin (Oligocene) of southwestern Montana. Proceedings of the Entomological Society of Washington 79:583–587, text-fig. 1–2.
- . 1979. A new species of insect (Protorthoptera: Narkemidae) from the Verdigris Formation (Pennsylvanian) of West Central Missouri. Journal of Paleontology 53:754–756, text-fig. 1–2.
- Lin, Chee-Bin. 1965. Two insects from the lower part of the Jurassic, Inner Mongolia. Ku Sheng Wu Hsueh Pao 13:363–368, text-fig. 1–2, pl. 1.
- . 1976. The Jurassic fossil insects from western Liaoning. Ku Sheng Wu Hsueh Pao 15: 97–116, text-fig. 1–13.
- Linck, Otto. 1949. Fossile Bohrgange (*Anobichnium simile* n. g., n. sp.) an einem Keuperholz. Neues Jahrbuch fuer Mineralogie, Monatshefte 1949 B(4–6):180–185, text-fig. 1–2.
- Linné, Carl von. 1758. Systema Naturae per Regna Tria Naturae: secundum classes, ordines, genera, species, cum characteribus differentiis synonymis, locis. 10th ed., revised. Laurentius Salvius. Holmiae. 824 p.
- Facsimile, British Museum (Natural History). London. 1956.
- Linsley, E. G. 1942. A review of the fossil Cerambycidae of North America. Proceedings of the New England Zoological Club 21:17–42.
- Loew, H. F. 1850. Ueber den Bernstein und die Bernsteinfauna. Programm der Königlichen Realschule zu Meseritz. Mitler. Berlin. 44 p.
- . 1862. Monographs of the Diptera of North America. Smithsonian Miscellaneous Collections 1:xxiv + 1–222, pl. 1–2.

- . 1868. Die europäischen Ortalidae. Zeitschrift fuer die gesammten Naturwissenschaften 32:1-11.
- . 1873. Ueber die Arten der Gattung *Sphyraecephala* Say. Zeitschrift fuer die gesammten Naturwissenschaften 42:102-105.
- Lubbock, J. W. 1862. Notes on the Thysanura. Part I. Smynthuridae. Transactions of the Linnean Society of London 23:429-448, pl. 45-46.
- . 1871. Notes on the Thysanura. Part IV. Transactions of the Linnean Society of London 27:277-297, pl. 45-46.
- Lull, R. S. 1953. Triassic life of the Connecticut valley. Connecticut State Geological and Natural History Survey Bulletin 81:1-336, text-fig. 1-168, pl. 1-12.
- Lutz, Herbert. 1986. Eine neue Unterfamilie der Formicidae (Insecta: Hymenoptera) aus dem mittel-eozänen Ölschiefer der "Grube Messel" bei Darmstadt (Deutschland, S-Hessen). Senckenbergiana Lethaea 67:177-218, text-fig. 1-11.
- Maa, Tsing-chao. 1949. A synopsis of Asiatic Siricoidea with notes on certain exotic and fossil forms (Hymenoptera, Symphyta). Notes d'entomologie chinoise 13:11-189, text-fig. 1-236.
- MacKay, M. R. 1969. Microlepidopterous larvae in Baltic amber. Canadian Entomologist 101: 1173-1180, text-fig. 1-5.
- . 1970. Lepidoptera in Cretaceous amber. Science 167:379-380, text-fig. 1.
- Mackerras, I. M. 1970. Skeletal anatomy, p. 3-28, text-fig. 1.1-1.31. In CSIRO, The Insects of Australia. Melbourne University Press. Melbourne.
- Mackerras, M. J. 1970. Blattodea, p. 262-274, text-fig. 14.1-14.11. In CSIRO, The Insects of Australia. Melbourne University Press. Melbourne.
- MacLeod, E. G. 1964. A comparative morphological study of the head capsule and cervix of larval Neuroptera (Insecta). Ph.D. thesis. Harvard University. Cambridge. 528 p., 35 pl.
- . 1970. The Neuroptera of the Baltic amber. I. Ascalaphidae, Nymphidae, and Psychopsidae. Psyche 77:147-180, text-fig. 1-14.
- Macquart, P. J. 1834-1835. Histoire naturelle des insectes Diptères. Suites à Buffon, v. 1-2. Roret. Paris. 578 p., 12 pl. (v. 1); 710 p., 12 pl. (v. 2).
- . 1838. Diptères exotiques, nouveaux ou peu connus, v. 1, part 1. Roret. Paris. 222 p., 25 pl.
- Malaise, René. 1945. Tenthredinoidea of southeastern Asia with a general zoogeographical review. Opuscula Entomologica Lund (suppl.) 4:1-288, text-fig. 1-57, pl. 1-20.
- Malloch, J. R. 1929. Exotic Muscidae (Diptera), XXV. Annals and Magazine of Natural History (series 10) 3:545-564, text-fig. 1-3.
- Maneval, H. 1936. Insectes fossiles des calcaires oligocènes de Ronzon (Le Puy). Annales de la Societe Linneenne de Lyon 79:23-27, text-fig. 1-5.
- . 1938. Trois Serphoides de l'ambre de la Baltique. Revue française d'entomologie 5:107-116, text-fig. 1-10.
- Mani, M. S. 1945. Descriptions of some fossil arthropods from India. Indian Journal of Entomology 6:61-64, text-fig. 1-15.
- . 1947a. On a fossil weevil from Nagpur, India. Indian Journal of Entomology 8:53-57, text-fig. 1-2.
- . 1947b. Some fossil arthropods from the saline series in the Salt Range of the Punjab. Proceedings of the National Academy of Sciences, India (section B) 16(2-4):43-56, text-fig. 1-10.
- Manning, F. 1961. A new fossil bee from Baltic amber, p. 306-308, pl. 5. In Hans Strouhal & Max Beier, eds., 11th Internationaler Kongress fuer Entomologie (Wien, 1960), Verhandlungen, v. 1. Vienna.
- Mantell, G. A. 1839. The Wonders of Geology. A. H. Maltby. Newhaven, Connecticut. 2 v., 804 p., 10 pl.
- First American edition from third London edition.
- . 1844. The Medals of Creation or First Lessons in Geology and the Study of Organic Remains. London. 2 v., 1016 p., 6 pl.
- Manton, S. M. 1964. Mandibular mechanisms and the evolution of arthropods. Philosophical Transactions of the Royal Society of London (series B) 247:1-183, text-fig. 1-66, pl. 1.
- . 1969a. Introduction to classification of arthropoda, p. R3-R15, text-fig. A-E. In R. C. Moore, ed., Treatise on Invertebrate Paleontology, Part R, Arthropoda 4, v. 1. The Geological Society of America & The University of Kansas. Boulder & Lawrence.
- . 1969b. Evolution and affinities of Onychophora, Myriapoda, Hexapoda, and Crustacea, p. R15-R56, text-fig. 1-16. In R. C. Moore, ed., Treatise on Invertebrate Paleontology, Part R, Arthropoda 4, v. 1. The Geological Society of America & The University of Kansas. Boulder & Lawrence.
- . 1977. The Arthropoda. Habits, Functional Morphology, and Evolution. Clarendon Press. Oxford. 528 p., 185 text-fig., 8 pl.
- . 1979. Functional morphology and the evolution of the hexapod classes, p. 387-465, text-fig. 1-33. In A. P. Gupta, ed., Arthropod Phylogeny. Van Nostrand Reinhold. New York.
- Mari Mutt, J. A. 1983. Collembola in amber from the Dominican Republic. Proceedings of the Entomological Society of Washington 85:575-587, text-fig. 1-43.
- Marshall, G. A. K. 1955. New South African Cur-

- culionidae (Col.). Annals and Magazine of Natural History (series 12) 8:1–24, text-fig. 1–14.
- Martinez, Sergio. 1982. Catalogo sistemático de los insectos fosiles de América del Sur. Revista de la Facultad de humanidades y ciencias (serie Ciencias de la tierra) 1:29–83, text-fig. 1.
- Martini, Erlend. 1971. Neue Insektenfunde aus dem Unter-Oligozän von Sieblos/Rhön. Senckenbergiana Lethaea 52:359–369, text-fig. 1.
- Martynov, A. V. 1923. O dvukh osnovnykh tipakh kryl'ev nasekomykh i ikh znachenii dlya obshchego klassifikatsii nasekomykh [On two basic types of insect wings and their significance for the general classification of insects], p. 88–89. In K. M. Deryugina, Trudy Pervogo Vserossijskogo S'ezda Zoologov, Anatomov i Gistologov, v. 1.
- . 1924a. Sur l'interpretation de la nervuration et de la trachéation des ailes des Odonates et des Agathes. Russkoe entomologicheskoe obozrenie 18:145–174, text-fig. 1–12.
- English translation by F. M. Carpenter, Psyche 37:245–280, 1930.
- . 1924b. Prakticheskaya ehntomologiya, vyp. 5—Ruchejniki [Practical Entomology, chapter 5—Caddis flies]. Leningrad. 388 p., 248 text-fig., 1 map.
- . 1925a. To the knowledge of fossil insects from Jurassic beds in Turkestan. 1. Raphidioptera. Bulletin de l'Academie des sciences de l'URSS 19:233–246, text-fig. 1–9.
- . 1925b. To the knowledge of fossil insects from Jurassic beds in Turkestan. 2. Raphidioptera (continued), Orthoptera (s.l.), Odonata, Neuroptera. Bulletin de l'Academie des sciences de l'URSS 19:569–598, text-fig. 1–12.
- . 1925c. Ob odnom interesnom iskopae-mom zhuke iz yurskikh slantsev severnogo Turkestana [An interesting fossil beetle from Jurassic shales of north Turkestan]. Russkoe entomologicheskoe obozrenie 19:73–78, text-fig. 1, pl. 1.
- . 1925d. To the knowledge of fossil insects from Jurassic beds in Turkestan. 3. Hymenoptera, Mecoptera. Bulletin de l'Academie des sciences de l'URSS 19:753–762, text-fig. 13–20.
- . 1925e. Über zwei Grundtypen der Flügel bei den Insecten und ihre Evolution. Zeitschrift fuer Morphologie und Oekologie der Tiere 4: 465–501, text-fig. 1–24.
- . 1926a. K poznaniyu iskopaeemykh nasekomykh yurskikh slantsev Turkestana. 5. O nekotorykh formakh zhukov (Coleoptera) [Contribution to the fossil insects of the Jurassic shales of Turkestan. 5. On some forms of beetles (Coleoptera)]. Ezhegodnik russkogo paleontologicheskogo obshchestva 5:1–38, text-fig. 1–14.
- . 1926b. Jurassic fossil insects from Turkestan. 6. Homoptera and Psocoptera. Bulletin de l'Academie des sciences de l'URSS 20:1349–1366, text-fig. 1–9.
- . 1927a. Jurassic fossil Mecoptera and Paracanthoptera from Turkestan and Ust-Balei (Siberia). Bulletin de l'Academie des sciences de l'URSS 21:651–666, text-fig. 1–15.
- . 1927b. Jurassic fossil insects from Turkestan. 7. Some Odonata, Neuroptera, Thysanoptera. Bulletin de l'Academie des sciences de l'URSS 21:757–768, text-fig. 1–17.
- . 1927c. O dvukh iskopaeemykh tretichnykh strekozakh s Kavkaza [Two fossil Tertiary dragonflies from the Caucasus]. Entomologicheskoe obozrenie 21:1–5, text-fig. 1–2.
- . 1927d. Über eine neue Ordnung der fossilen Insekten, Miomoptera nov. Zoologischer Anzeiger 72:99–109, text-fig. 1–4.
- . 1928a. A new fossil form of Phasmatodea from Galkino (Turkestan) and on Mesozoic phasmids in general. Annals and Magazine of Natural History (series 10) 1:319–328, text-fig. 1–3.
- . 1928b. Permian fossil insects of North-East Europe. Trudy geologicheskogo muzeya, akademii nauk SSSR 4:1–118, text-fig. 1–3, pl. 1–19.
- . 1928c. O russkoj iskopaeemoj permkoj faune nasekomykh [On a Russian Permian fossil insect fauna]. Priroda (Moscow), 1928(5):498–500, text-fig. 1–2.
- . 1929. Ob iskopaeemykh nasekomykh tretichnykh otlozenij Ashutasa, Zaysanskogo uezda [Fossil insects from Tertiary deposits in Ashutas, Saisan District]. Trudy geologicheskogo muzeya, akademii nauk SSSR 5:173–216, text-fig. 1–16, pl. 1–2.
- . 1930a. New Permian insects from Tikhie Gory, Kazan Province. I. Palaeoptera. Trudy geologicheskogo muzeya, akademii nauk SSSR 6:69–86, text-fig. 1–5.
- . 1930b. On two new orthopteroid insects from the Permian deposits of the government of Perm. Annaire de la Societe paleontologique de Russie 8:35–47, text-fig. 1–7.
- . 1930c. Permian fossil insects from Tikhije Gory. Order Miomoptera. First part. Izvestiya akademii nauk URSS 1930:951–975, text-fig. 1–15.
- . 1930d. Permian fossil insects from Tikhije Gory. Order Miomoptera. Second Part. Izvestiya akademii nauk URSS 1930:1115–1134, text-fig. 1–12.
- . 1931a. O paleozojskikh nasekomykh Kuznetskogo bassejna [Paleozoic insects from the Kuznetsk basin]. Izvestiya glavnogo geologorazvedochnogo upravleniya, Moskva 49:1221–1248, text-fig. 1–10.
- . 1931b. On some new remarkable Odonata from the Permian of Archangelsk District. Izves-

- tiya akademii nauk URSS 1931(1):141–147, text-fig. 1–3.
- . 1931c. O novykh iskopaemykh nasekomykh Tikhikh Gor, Otdel Neoptera, II [New fossil insects from Tikhie Gory, Division Neoptera II]. Trudy geologicheskogo muzeya, akademii nauk SSSR 8:149–212, text-fig. 1–29.
- . 1931d. K poznaniyu yurskikh Palaeontinidae Handl.; morfologiya, sistematicheskoe polozenie i opisanie novogo roda iz Ust'-baley [Morphology and systematic position of the family Palaeontinidae Handl., with a description of a new genus from Ust-baley, Siberia]. Ezhegodnik russkogo paleontologicheskogo obshchestva 9(1930):93–122, text-fig. 1–4, pl. 8.
- . 1931e. Sur le subordre nouveau, *Permanisoptera* nom. nov. (Odonata) et sa position systématique. Comptes rendus de l'Academie des sciences de l'URSS, Leningrad (A) 10:246–247.
- . 1932. New Permian Palaeoptera with the discussion of some problems of their evolution. Trudy paleozoologicheskogo instituta akademii nauk SSSR 1:1–44, text-fig. 1–18, pl. 1–2.
- . 1933a. Permian fossil insects from the Arkhangelsk District. Part I. The order Mecoptera. Trudy paleozoologicheskogo instituta akademii nauk SSSR 2:23–62, text-fig. 1–34, pl. 4.
- . 1933b. Permskie iskopaemye nasekomye arkhangelskogo kraja. Chast' II. Setchatokrylye, vislokrylye i zhuki, s prilozheniem opisaniya dvukh novykh zhukov iz tikhikh gor [Permian fossil insects from the Arkhangelsk District. Part II. Neuroptera, Megaloptera, and Coleoptera, with the description of two new beetles from Tikhie Gory]. Trudy paleozoologicheskogo instituta akademii nauk SSSR 2:63–96, text-fig. 1–19.
- In Russian, with an English summary.
- . 1933c. On the Permian family Archescytinidae (Homoptera) and its relationships. Izvestiya akademii nauk SSSR 1933:883–894, text-fig. 1–6.
- . 1934. Klass Insecta (Hexapoda) [Class Insecta (Hexapoda)], p. 986–1026, text-fig. 1931–2001. In Nasekomye Osnovy Paleontologii, K. Tsitteli, Ch. 1, Bespozvonochnye [Fundamentals of Paleontology, K. Zittel, 1, Invertebrates]. Leningrad.
- . 1935a. A find of Thysanoptera in the Permian deposits. Comptes rendus (Doklady) de l'Academie des sciences de l'URSS (new series) 3:333–335, text-fig. 1–4.
- . 1935b. Zametka ob iskopaemykh nasekomykh iz mezozojskikh otlozhenij chelyabinskogo burougol'nogo bassejna [Note on the fossil insects from Mesozoic deposits of the Cheliabinsk brown coal basin]. Trudy paleozoologicheskogo instituta akademii nauk SSSR 8:149–212, text-fig. 1–29.
- . 1935c. Permian fossil insects from Arkhangelsk District. Part 5. Homoptera. Trudy paleozoologicheskogo instituta akademii nauk SSSR 4:1–35, text-fig. 1–33, pl. 1.
- . 1935d. O neskol'kikh nasekomykh iz kol'chuginskoj svity kuznetskogo bassejna [On some insects from the Kolchuginsky Formation of the Kuznetsk basin]. Izvestiya akademii nauk SSSR, seriya biologicheskaya 1935(3):441–448, text-fig. 1–3.
- . 1936. O nekotorykh novykh materialakh chlenistonogikh zhivotnykh iz Kuznetskogo Bassejna [On some new arthropod material from the Kuznets Basin]. Izvestiya akademii nauk SSSR, seriya biologicheskaya 1936(6):1251–1264, text-fig. 1–6.
- . 1937a. Liasovye nasekomye shuraba i kizilkii [Liassic insects from Shurab and Kisylkiya]. Trudy paleontologicheskogo instituta akademii nauk SSSR 7(1):1–232, text-fig. 1–102, pl. 1–7.
- . 1937b. Permskie iskopaemye nasekomye kargaly i ikh otnosheniya [Permian fossil insects from Kargala and their relationships]. Trudy paleontologicheskogo instituta akademii nauk SSSR 7(2):1–91, text-fig. 1–20.
- . 1938a. Permskie nasekomye Arkhangelskogo kraja (severnogo kraja). Chast' V.—sem. Euthygrammidae i ego otnosheniya (s opisaniem odnogo novogo roda i semejstva iz Chekardy) [Permian fossil insects from the Arkhangelsk District (northern border). Part V. The family Euthygrammidae and its relationships (with the description of a new genus and family from Chekarda)]. Trudy paleontologicheskogo instituta akademii nauk SSSR 7(3):69–80, text-fig. 1–5.
- . 1938b. Ocherki geologicheskoy istorii i filogenii otryadov nasekomykh (Pterygota). 1. Paleooptera i Neoptera–Polyneoptera [Essays on the geologic history and phylogeny of insect orders. 1. Paleooptera and Neoptera–Polyneoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 7(4):1–150, text-fig. 1–70.
- . 1938c. O novom permskom otryade prymokrylykh nasekomykh Glosselytrodea [On a new Permian order of orthopteroid insects, Glosselytrodea]. Izvestiya akademii nauk SSSR, otdelenie matematicheskikh i estestvennykh nauk 1938:187–206, text-fig. 1–8.
- . 1940. Permskie iskopaemye nasekomye Chekardy [Permian fossil insects from Chekarda]. Trudy paleontologicheskogo instituta akademii nauk SSSR 11(1):1–63, text-fig. 1–46, pl. 1–6.
- Martynova, O. M. 1939. *Miopsyche kaspievi* sp. n. novyj vid ruchejnika iz miotsenovych otlozhenij

- ordzhonikidzevskogo kraja [*Miopsycbe kaspievi*, a new species of Trichoptera from Miocene beds of the Ordzhonikidzevsky region]. Trudy Voroshilovskogo Gosudarstvennogo Pedagogicheskogo Instituta 1:91–93, text-fig. 1.
- . 1943. Glosselytrodea from the Jurassic shales of the coal bed Sogjuta. Comptes rendus (Doklady) de l'Academie des sciences de l'URSS 39:284–285, text-fig. 1–2.
- . 1947a. Dve novykh verblyudki (Raphidioptera) iz yurskikh slantsev Kara-Tau [Two new snakeflies (Raphidioptera) from the Jurassic shales of Kara-Tau]. Doklady akademii nauk SSSR 56:635–637, text-fig. 1–2.
- . 1947b. O prirode trubok *Pectinariopsis* Andr. (Trichoptera, non Polychaeta) [On the nature of the tubes of *Pectinariopsis* Andr. (Trichoptera, non Polychaeta)]. Entomologicheskoe obozrenie 29:152–153.
- . 1947c. Kalligrammatidae (Setchatokryye) iz yurskikh slantsev Kara-Tau (Kazakhskaya SSR) [Kalligrammatidae (Neuroptera) from Jurassic shales of Kara-Tau (Kazakh SSR)]. Doklady akademii nauk SSSR 58:2055–2068, text-fig. 1–2.
- . 1948a. Materialy po ehvoljutsii Mecoptera [Data on the evolution of the Mecoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 14:1–76, text-fig. 1–52, pl. 1–3.
- . 1948b. Dva novykh vida permeskikh nasekomykh iz kuznetskogo bassejna [Two new species of Permian insects from the Kuznetsk basin]. Doklady akademii nauk SSSR 60:113–114, text-fig. 1–2.
- . 1949a. Mezozojskie setchatokryye (Neuroptera) i ikh znachenie dlya ponimaniya filogenii i sistematiki otryada [Mesozoic Neuroptera and their bearing on concepts of phylogeny and systematics of the order]. Trudy paleontologicheskogo instituta akademii nauk SSSR 20:150–170, text-fig. 1–11.
- . 1949b. Pervaya nakhodka yurskogo nasekomoj v kuznetskom bassejne [First discovery of a Jurassic insect in the Kuznetsk basin]. Doklady akademii nauk SSSR 66:923–924, text-fig. 1.
- . 1949c. Novyj predstavitel' Neorthophlebiidae (Mecoptera—Skorpionnitsy) iz sin'-tszyanya [A new representative of Neorthophlebiidae (Mecoptera—scorpionflies) from Sin-Tsiang]. Doklady akademii nauk SSSR 66:1165–1166, text-fig. 1.
- . 1951. Mestonakhozdenie permeskikh nasekomykh u derevni sokolovoj v kuznetskom bassejne [Occurrence of Permian insects near the village of Sokolov in the Kuznetsk basin]. Doklady akademii nauk SSSR 79:149–151.
- . 1952a. Otryad Glosselytrodea v permeskikh otlozheniyakh kemerovskoj oblasti [The order Glosselytrodea in Permian beds of the Kemerovsky region]. Trudy paleontologicheskogo instituta akademii nauk SSSR 40:187–196, text-fig. 1–6.
- . 1952b. Permskie setchatokryye SSSR [Permian Neuroptera from the USSR]. Trudy paleontologicheskogo instituta akademii nauk SSSR 40:197–238, text-fig. 1–32.
- . 1954. Setchatokryloe nasekomoe iz melovykh otlozhenij sibiri [Neuroptera from Cretaceous beds of Siberia]. Doklady akademii nauk SSSR 94:1167–1169, text-fig. 1.
- . 1956. Skorpionnitsy iz mezozojskikh otlozhenij Turgajskoj vpadiny [Mecoptera from the Mesozoic beds of the Turgaisky depression]. Ezhegodnik vsesoyuznogo paleontologicheskogo obshchestva 15:265–273, text-fig. 1–6.
- . 1958. Novye nasekomye iz Permskikh i Mezozojskikh otlozhenij SSSR [New insects from Permian and Mesozoic deposits of the USSR]. Materialy k osnovam paleontologii 2:69–94, text-fig. 1–23.
- . 1960. O zhilkovanii kryl'ev u cheshuekrylykh (Lepidoptera) [On the wing venation in Lepidoptera]. Entomologicheskoe obozrenie 39:296–299, text-fig. 1–4.
- . 1961a. Sovremennye i vymershie verblyudki (Insecta, Raphidioptera) [Recent and extinct snakeflies (Insecta, Raphidioptera)]. Paleontologicheskij zhurnal 1961(3):73–83, text-fig. 1–9.
- . 1961b. Otryad Miomoptera [Order Miomoptera], p. 234–244, text-fig. 176–182, pl. 18. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85.
- . 1961c. Otryad Neuroptera [Order Neuroptera], p. 474–487, text-fig. 421–433, pl. 34–35. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85.
- . 1961d. Otryad Mecoptera. Skorpionnitsy [Order Mecoptera. Scorpion-flies], p. 487–588, text-fig. 434–535, pl. 36–40. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85.
- . 1962a. Otryad Embioptera; Otryad Miomoptera [Order Embioptera; Order Miomoptera], p. 139–142, text-fig. 361–371. In Yu. A. Orlov, ed., Osnovy Paleontologii [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.

- . 1962b. Otryad Caloneurodea [Order Caloneurodea], p. 142–144, text-fig. 372–381. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1962c. Otryad Thysanoptera [Order Thysanoptera], p. 236–238, text-fig. 709–715. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1962d. Otryad Neuroptera [Order Neuroptera], p. 272–282, text-fig. 852–882. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1962e. Otryad Mecoptera [Order Mecoptera], p. 283–294, text-fig. 883–927. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- Masner, Lubomir. 1969. A scelionid wasp surviving unchanged since Tertiary (Hymenoptera: Proctotruopoidea). Proceedings of the Entomological Society of Washington 71:397–400, text-fig. 1–3.
- Masner, Lubomir, & Paul Dessart. 1967. La reclassification des catégories taxonomiques supérieures des Ceraphronoidea (Hymenoptera). Bulletin de l'Institut royal des sciences naturelles de Belgique 43(22):1–34, text-fig. 1–56.
- Mason, W. R. M. 1976. A revision of *Dyscoletes* Haliday (Hymenoptera: Braconidae). Canadian Entomologist 108:855–858, text-fig. 1–7.
- Massalongo, A. B. P. 1855. Monografia delle neandre fossili del M. Bolca. Antonelli. Verona. 36 p., 6 pl.
- . 1856. Prodromo di un' entomologia fossile del M. Bolca, p. 11–21, pl. 1–2. In Studii Paleontologia. Antonelli. Verona.
- Massoud, Zaher. 1967. Contribution à l'étude de *Rhyniella precursor* Hirst et Maulik 1926, collembole fossile du Dévonien. Revue d'écologie et de biologie du sol 4:497–505, 1 unnumbered pl.
- Matile, Loic. 1979. Un nouveau genre de Keroplatidae de l'ambre oligocène de la Baltique (Diptera: Mycetophilidae). Revue française d'entomologie (new series) 1(1):36–41, text-fig. 1–17.
- . 1980. Identité du genre fossile de l'ambre balte *Archaeomacyocera* et du genre récent nord-américain *Hesperodes* (Dipt., Mycetophiloidea, Keroplatidae). Entomologiste 36(2):65–70, text-fig. 1–6.
- . 1981. Description d'un Keroplatidae du Crétacé moyen et données morphologiques et taxinomiques sur les Mycetophiloidea (Diptera). Annales de la Société entomologique de France 17:99–103, text-fig. 1–53.
- Matthew, G. F. 1889. On some remarkable organisms of the Silurian and Devonian rocks in southern New Brunswick. Proceedings and Transactions of the Royal Society of Canada (series 1) 6(section 4):49–62, pl. 4.
- . 1895a. On the organic remains of the Little River Group, no. II. Proceedings and Transactions of the Royal Society of Canada (series 1) 12(section 4):89–100, 1 unnumbered text-fig., pl. 1.
- . 1895b. Traces of the Ordovician System on the Atlantic coast. Proceedings and Transactions of the Royal Society of Canada (series 2) 1(section 4):253–271, pl. 1–2.
- . 1895c. Organic remains of the Little River Group, no. IV. Proceedings and Transactions of the Royal Society of Canada (series 2) 1(section 4):273–279, pl. 2.
- . 1897. Description of an extinct Palaeozoic insect, and a review of the fauna with which it occurs. Bulletin of the Natural History Society of New Brunswick 15:49–60, text-fig. 1–4.
- Matthews, J. V., Jr. 1970. Two new species of *Micropeplus* from the Pliocene of western Alaska with remarks on the evolution of Micropeplinae (Coleoptera: Staphylinidae). Canadian Journal of Zoology 48(4):779–788, text-fig. 1–5.
- Mayr, Gustav. 1868. Die Ameisen des baltischen Bernsteins. Beiträge zur Naturkunde Preussens physikalische-ökonomischen Gesellschaft, Koenigsberg 1:1–102, pl. 1–5.
- McAlpine, D. K. 1966. Description and biology of an Australian species of *Cypselosomatidae* (Diptera), with a discussion of family relationships. Australian Journal of Zoology 14:673–685, text-fig. 1–2.
- . 1978. Description and biology of a new genus of flies related to *Anthocloisia* and representing a new family (Diptera, Schizophora, Neurochaetidae). Annals of the Natal Museum 23:273–295, text-fig. 1–28.
- McAlpine, J. F. 1970. First record of calypterate flies in the Mesozoic era (Diptera: Calliphoridae). Canadian Entomologist 102:342–346, text-fig. 1–6.
- . 1973. A fossil ironomyiid fly from Canadian amber (Diptera: Ironomyiidae). Canadian Entomologist 105:105–111, text-fig. 1–16.
- McAlpine, J. F., & J. H. E. Martin. 1966. Systematics of Sciadoceridae and relatives with descriptions of two new genera and species from Canadian amber and erection of family Ironomyiidae (Diptera: Phoroidea). Canadian Entomologist 98: 527–544, text-fig. 1–24.
- McCafferty, W. P., & G. F. Edmunds, Jr. 1979. The higher classification of the Ephemeroptera and its evolutionary basis. Annals of the Entomological Society of America 72:5–12, text-fig. 1–10.
- McCafferty, W. P., & N. D. Sinitshenkova. 1983. Litobrancha from the Oligocene in Eastern Asia

- (Ephemeroptera: Ephemeridae). Annals of the Entomological Society of America 76:205–208, text-fig. 1–9.
- McKeown, K. C. 1937. New fossil insect wings (Protohemiptera, family Mesotanidae). Records of the Australian Museum 20:31–37, text-fig. 1–3, pl. 4–7.
- McKittrick, F. A. 1964. Evolutionary studies of cockroaches. Cornell University Agricultural Experiment Station Memoirs (Ithaca) 389:1–197, text-fig. 1–6, pl. 1–64.
- . 1965. A contribution to the understanding of cockroach-termite affinities. Annals of the Entomological Society of America 58:18–21, text-fig. 1–8.
- Medvedev, L. N. 1968. Zhuki-listoedy yury karatau (Coleoptera, Chrysomelidae) [Polyphagous beetles from the Jurassic of Karatau (Coleoptera, Chrysomelidae)], p. 155–165, text-fig. 1–6, pl. 16. In B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic Insects of Karatau]. Akademiya Nauk SSSR Otdelenie Obshchei Biologii. Moscow.
- . 1969. Novye mezozojskie zhestkokrylye (Cucujoidea) Azii [New Mesozoic Coleoptera (Cucujoidea) from Asia]. Paleontologicheskij zhurnal 1969(1):119–125, text-fig. 1–3.
- Meinander, Martin. 1972. A revision of the family Coniopterygidae (Planipennia). Acta Zoologica Fennica 136:1–357, text-fig. 1–223.
- . 1975. Fossil Coniopterygidae (Neoptera). Notulae Entomologicae 55:53–57, text-fig. 1–5.
- Meinert, F. 1865. Campodeae, en familie af Thysanurernes orden. Naturhistorisk tidsskrift 3: 400–440.
- Melander, A. L. 1903. Some additions to the Carboniferous terrestrial arthropod fauna of Illinois. Journal of Geology 11:178–198, pl. 5–7.
- . 1927. Diptera: Fam. Empididae, p. 1–434, pl. 1–8. In Genera Insectorum, v. 185. Bruxelles.
- . 1946. Some fossil Diptera from Florissant, Colorado. Psyche 53:43–49, pl. 2.
- . 1949. A report on some Miocene Diptera from Florissant, Colorado. American Museum Novitates 1407:1–64, text-fig. 1–71.
- Melichar, Leopold. 1898. Monographie der Ricaniden (Homoptera). Annalen des (K. K.) naturhistorischen Hofmuseums 13:197–360, pl. 9–14.
- Menge, F. A. 1854. Aptera, p. 111–118 (footnotes), pl. 14, 15, 17, in C. L. Koch & G. C. Berendt, Die im Bernstein befindlichen Crustaceen, Myriapoden, Arachniden und Aptera der Vorwelt, v. 1(2). In G. C. Berendt, ed., Die im Bernstein befindlichen organischen Resten der Vorwelt. Berlin.
- . 1856. Lebenszeichen vorweltlicher, im Bernstein eingeschlossener Thiere. Progr. Petrischule. Danzig. 32 p.
- . 1866. Ueber ein Rhipidopteron und einige andere im Bernstein eingeschlossene Tiere. Schriften der naturforschenden Gesellschaft in Danzig 1:1–8, text-fig. 1–22.
- Menier, J. 1983. *Orthrius succini*, n. sp., Cleridae, fossile de l'ambre (Coleoptera). Revue francaise d'entomologie (new series) 5:163–165, text-fig. 1–4.
- Meshkova, N. P. 1961. O lichinkakh *Ephemeropsis tristalis* Eichwald (Insecta) [On the nymphs of *Ephemeropsis tristalis* Eichwald (Insecta)]. Paleontologicheskij zhurnal 1961(4):164–168, text-fig. 1–3.
- Metcalf, Z. P. 1938. The Fulgorina of Barro Colorado and other parts of Panama. Bulletin of the Museum of Comparative Zoology 82:277–423, pl. 1–23.
- . 1951. Phylogeny of the Homoptera Auchenorrhyncha. Commentationes Biologicae 12(1):1–14.
- . 1952. New names in the Homoptera. Journal of the Washington Academy of Sciences 42:226–231.
- Metcalf, Z. P., & Virginia Wade. 1966. A catalogue of the fossil Homoptera (Homoptera: Auchenorrhyncha). General Catalogue of the Homoptera, supplement to fascicle I—Membracidae of the General Catalogue of the Hemiptera. North Carolina State University. Raleigh. v + 245 p.
- Meunier, M. F. 1893. Une note sur les Syrphidae fossiles de l'ambre tertiaire (Diptères). Annales de la Societe entomologique de France 62:ccxlix–ccc, text-fig. 1–2.
- . 1894. [Mycetophilidae fossiles de l'ambre tertiaire]. Bulletin de la Societe entomologique de France 1894:cx–cxi, text-fig. 1–2.
- . 1895a. Note sur les Carabidae des schistes de Schernfeld. Bulletin de la Societe zoologique de France 20:206–208.
- . 1895b. Observations sur quelques diptères tertiaires et catalogue bibliographique complet sur les insectes fossiles de cet ordre. Annales de la Societe scientifique de Bruxelles 19:1–16, text-fig. 1–9.
- . 1895c. Les Dolichopodidae de l'ambre tertiaire. Annales de la Societe scientifique de Bruxelles 19:172–174, text-fig. 1–6.
- . 1896. Les Belostoma fossiles des Musées de Munich et de Haarlem. Memoires de la Societe zoologique de France 9:91–101, pl. 5–8.
- . 1897a. Observations sur quelques insectes du Corallien Bavière. Rivista italiana di paleontologia 3:1–6.
- . 1897b. Sur un Mycetophilide de l'ambre tertiaire. Bulletin de la Societe entomologique de France 1897:218–221.

- . 1898a. Revue critique de quelques insectes fossiles du Musée Teyler. Archives du Musée Teyler 5:217–239.
- . 1898b. Les insectes de temps secondaires. Archives du Musée Teyler 6:87–149, pl. 1–30.
- . 1898c. Description de quelques Coléoptères de l'Oligocène d'Armissan (Aude). Annales de la Société scientifique de Bruxelles 22:113–115.
- . 1899a. Revision des diptères fossiles types de Loew conservés au Musée provincial de Königsberg. Miscellanea Entomologica 7:161–165, 169–182.
- . 1899b. Sur les Conopaires de l'ambre tertiaire (Dipt.). Bulletin de la Société entomologique de France 1899:145–146, text-fig. 1–2.
- . 1899c. Étude de quelques Diptères de l'ambre tertiaire. Bulletin de la Société entomologique de France 1899:334–335, 3 unnumbered text-fig.
- . 1900. Sur quelques prétendus *Naucoris* fossiles du Musée de Munich. Miscellanea Entomologica 8:12–13.
- . 1901a. Nouvelles recherches sur quelques Cecidomyiidae et Mycetophilidae de l'ambre et description d'un nouveau genre et d'une nouvelle espèce de Cecidomyiidae du copal de l'Afrique. Annales de la Société scientifique de Bruxelles 25:183–203, pl. 1–2.
- . 1901b. Contribution à la faune des Mymaridae "ou atomes ailés" de l'ambre. Annales de la Société scientifique de Bruxelles (seconde partie) 25:282–292, 1 unnumbered pl.
- . 1902a. Les Culicidae de l'ambre. Revue scientifique du Bourbonnais et du Centre de la France 15:199–200, text-fig. 1–3.
- . 1902b. Études de quelques Diptères de l'ambre. Annales des sciences naturelles, zoologie et paleontologie 16:395–404, pl. 2.
- . 1902c. Les Cecidomyiidae de l'ambre de la Baltique. Marcellia 1:100–103.
- . 1902d. Description de quelques Diptères de l'ambre. Annales de la Société scientifique de Bruxelles 26:96–104, pl. 1.
- . 1902e. Una nueva Cicada del Kimeridgense en el montsech Provincia de Lérida (Cataluña). Memorias de la Real academia de ciencias de Barcelona 4(18):9–14.
- . 1903a. Un nouveau genre de Sciaridae de l'ambre. Revue scientifique du Bourbonnais et du centre de la France 16:165–167, text-fig. 1–3.
- . 1903b. Les Pipunculidae de l'ambre. Revue scientifique du Bourbonnais et du centre de la France 16:148–151, text-fig. 1–6.
- . 1903c. Nuevas contribuciones a la fauna de los Himenópteros fosiles. Memorias de la Real academia de ciencias de Barcelona 4(34):1–7.
- . 1904a. Monographie des Cecidomyiidae, des Sciaridae, des Mycetophilidae et des Chironomidae de l'ambre de la Baltique. Annales de la Société scientifique de Bruxelles 28:12–264, pl. 1–16.
- . 1904b. Sur un *Corethra* de l'ambre de la Baltique (Dipt.). Bulletin de la Société entomologique de France 1904:89–91, text-fig. 1–3.
- . 1904c. Beitrag zur Syrphiden-Fauna des Bernsteins. Jahrbuch der königlich preussischen geologischen Landesanstalt und Bergakademie 24:201–210, pl. 13.
- . 1904d. Beitrag zur Fauna der Bibioniden, Simuliden und Rhypiden des Bernsteins. Jahrbuch der königlich preussischen geologischen Landesanstalt und Bergakademie 24:391–404, pl. 17.
- . 1904e. Sur un Cicadine du Kimeridgien de la Sierra del Montsech, Cataluña. Feuille des naturalistes 34:119–121, text-fig. 1–2.
- . 1904f. Contribution à la faune des Helomyzinae de l'ambre de la Baltique. Feuille des naturalistes 35:21–27, text-fig. 1–11.
- . 1905a. Sur deux Mymaridae de l'ambre de la Baltique. Miscellanea Entomologica 13:1–4, text-fig. 1–2.
- . 1905b. Sur un curieux Psychodidae de l'ambre de la Baltique. Miscellanea Entomologica 13:49–51, text-fig. 1–4.
- . 1905c. Monographie des Psychodidae de l'ambre de la Baltique. Annales Historico-Naturales musei nationalis Hungarici 3:235–255, pl. 6–7.
- . 1906a. Monographie des Tipulidae et des Dixidae de l'ambre de la Baltique. Annales des sciences naturelles, zoologie et paleontologie 9(4): 349–401, pl. 12–16.
- . 1906b. Un nouveau genre de Psychodidae et une nouvelle espèce de *Dactylolabis* (Tipulidae) de l'ambre de la Baltique. Le Naturaliste 28:103–104, text-fig. 1–3.
- . 1906c. Les Dolichopodidae de l'ambre de la Baltique. Comptes rendus hebdomadaires des séances de l'Academie des sciences 143:617–618.
- . 1907. Un Odonatoptère du Rhétien (Lias inférieur) de Fort-Mouchard, près des Arcures (Jura). Bulletin du Museum national d'histoire naturelle, Paris 13:521–523, text-fig. 1.
- . 1907–1908. Monographie des Dolichopodidae de l'ambre de la Baltique. Le Naturaliste 29:97–199, 209–211, 221–222, 233–235, 244–247, 260–262, 268–271, 281–282, text-fig. 1–75; v. 30:7–9, 21–23, 29–30, 45–46, 57–59, text-fig. 1–27.

A reprinted collection (Meunier, 1908i) of these individual papers shows that several pages of the articles, including a number of text-figures, were unintentionally omitted from *Le Naturaliste* (v. 30, 1908); they were first published in the reprinted collection.

- . 1908a. Sur un Odonatoptère du Rhétien de Fort Mouchard (France). Annales de la Societe scientifique de Bruxelles 32:91–92, pl. 2.
- . 1908b. Sur quelques Sténodictyoptères du terrain houiller du Commentry. Annales de la Societe scientifique de Bruxelles (premiere partie) 32:154–155.
- . 1908c. Nouveaux insectes des schistes houillers de Commentry. Annales de la Societe scientifique de Bruxelles 32:241–244.
- . 1908d. Sur quelques Diptères. Xylophagidae, Thervidae, Arthropidae, Stratiomyidae, Tanypezinae et Ortalinae. De l'ambre de la Baltique, de la collection du Prof. Dr. R. Klebs. Annales de la Societe scientifique de Bruxelles (premiere partie) 32:258–266, 1 unnumbered pl.
- Plate is bound, without explanation, before the article.
- . 1908e. Les Asilidae de l'ambre de la Baltique (Dipt.). Bulletin de la Societe entomologique de France 1908:18–20, text-fig. 1–3.
- . 1908f. Nouveaux Paléodictyoptères du Stéphanien de Commentry. Bulletin du Museum national d'histoire naturelle, Paris 14:34–36, text-fig. 1–2.
- . 1908g. Nouveaux Megasécopterides et nouveau Paléodictyoptère de Commentry. Bulletin du Museum national d'histoire naturelle, Paris 14:172–175, text-fig. 1–3.
- . 1908h. Monographie des Empidae de l'ambre de la Baltique et catalogue bibliographique complet sur les Diptères de cette résine. Annales des sciences naturelles, zoologie 9(7): 81–135, pl. 3–12.
- . 1908i. Monographie de Dolichopodidae de l'ambre de la Baltique. Extrait du journal Le Naturaliste. Paris. 100 p., 166 text-fig.
- Intended as a reprinted collection of the monographic papers listed under Meunier (1907–1908), this also contains 12 pages of text (including descriptions of 8 new species) and 13 figures (numbers 120–132) unintentionally omitted from the original printing in *Le Naturaliste*.
- . 1908j. Quatrième note sur de nouveaux insectes de Stéphanien de Commentry. Bulletin du Museum national d'histoire naturelle, Paris 14:244–249, text-fig. 1–5.
- . 1909a. Nouvelles recherches sur les insectes du terrain houiller de Commentry (Allier). Annales de paleontologie 4:125–152, text-fig. 1–23, pl. 15–19.
- . 1909b. Nouveaux Paléodictyoptères et Protorthoptères du Stéphanien de Commentry. Annales de la Societe scientifique de Bruxelles 33:139–140.
- . 1909c. Nouveaux insectes du Stéphanien de Commentry. Bulletin du Museum national d'histoire naturelle, Paris 15:37–40, text-fig. 1–2.
- . 1909d. Insectes du Stéphanien de Commentry (sixième note). Bulletin du Museum national d'histoire naturelle, Paris 15:40–49, text-fig. 1–7.
- . 1910a. Nouveaux Paléodictyoptères du houiller de Commentry. Bulletin du Museum national d'histoire naturelle, Paris 16:233–237, text-fig. 1–5.
- . 1910b. Les Stratiomyidae de l'ambre de la Baltique (Dipt.). Bulletin de la Societe entomologique de France 1910:199–201, text-fig. 1–2.
- . 1911a. Nouveaux insectes du houiller de Commentry. Bulletin du Museum national d'histoire naturelle, Paris 17:117–128, text-fig. 1–12.
- . 1911b. Über einige Dipteren und eine Grabwespe (Hym.) aus der untermiocänen Braunkohle von Türrnich (Rheinpreussen). Jahrbuch der königlich preussischen geologischen Landesanstalt 30(1):538–539.
- . 1912a. Coup d'œil rétrospectif sur les Diptères du succin de la Baltique. Annales de la Societe scientifique de Bruxelles 36:160–186.
- . 1912b. Un nouveau Mycetophilidae de l'ambre de la Baltique (Dipt.). Bulletin de la Societe entomologique de France 1912:88–90, text-fig. 1–2.
- . 1912c. Nouvelles recherches sur quelques insectes du terrain houiller de Commentry (Allier), deuxième partie. Annales de paleontologie 7:1–19, text-fig. 1–17, pl. 1–3.
- . 1912d. Les Protoblattinae et les Mylacrinae du terrain houiller de Commentry. Comptes rendus hebdomadaires des séances de l'Academie des sciences 154:1194–1196.
- . 1912e. Monographie der Leptiden und der Phoriden des Bernsteins. Jahrbuch der königlich preussischen geologischen Landesanstalt 30(2):64–90, pl. 3–7.
- . 1913. L'asymétrie fréquente des élytres de Blattidae du terrain houiller de Commentry (Allier) et la phylogénie des groupes. Comptes rendus hebdomadaires des séances de l'Academie des sciences 156:493–496.
- . 1914a. Nouvelles recherches sur quelques insectes du Sannoisien d'Aix-en-Provence. Bulletin de la Societe géologique de France (series 4) 14:187–198, text-fig. 1–11.
- . 1914b. Quelques nouveaux Diptères des lignites de Rott, Siebengebirge (Allemagne). Annales de la Societe scientifique de Bruxelles 38:183–184.
- . 1914c. Une blattide et une larve d'odonate du Kimmeridgien de la Sierra del Montsech, Espagne. Annales de la Societe scientifique de Bruxelles 38:179–181.
- . 1914d. Un nouveau Protorthoptère (Orth.)

- du houiller de Commentry (Allier). Bulletin de la Societe entomologique de France (new series) 19:363–364, pl. 4.
- . 1914e. Un Probolattide et un Blattide du houiller de Commentry (Allier) (Orth.). Bulletin de la Societe entomologique de France (new series) 19:388–391, text-fig. 1–2, pl. 5.
- . 1915a. Nouvelles recherches sur quelques insectes des platrières d'Aix-en-Provence. Verhandelingen der Koninklijke akademie van wetenschappen te Amsterdam (section 2) 18(5): 1–17, pl. 1–15.
- . 1915b. Über einige fossil Insekten aus den Braunkohlenschichten (Aquitanien) von Rott (Siebengebirge). Zeitschrift der deutschen geologischen Gesellschaft 67:205–217, 219–230, text-fig. 1–6, 1–8, pl. 21–25, 26, 27.
- . 1916a. Sur quelques Diptères (Bombyliidae, Leptidae, Dolichopodidae, Conopidae et Chironomidae) de l'ambre de la Baltique. Tijdschrift voor entomologie 59:274–286, text-fig. 1–16.
- . 1916b. Beitrag zur Monographie der Mycetophiliden und Tipuliden des Bernsteins. Zeitschrift der deutschen geologischen Gesellschaft 68:477–493, text-fig. 1–36.
- . 1917a. Über einige Mycetophiliden und Tipuliden des Bernsteins nebst Beschreibung der Gattung *Palaeotanypeza* (Tanypezinae) der Selben Formation. Neues Jahrbuch fuer Mineralogie, Geologie und Palaeontologie 1:73–106, pl. 7–16.
- . 1917b. Un Pompilidae de l'ambre de la Baltique. Tijdschrift voor entomologie 60:181–184, text-fig. 1–3.
- . 1917c. Sur quelques insectes des lignites de l'Aquitanien de Rott, Sept Montagnes (Prusse rhénane). Verhandelingen der Koninklijke akademie van wetenschappen te Amsterdam (section 2) 20(1):1–17, text-fig. 1–22, pl. 1–4.
- . 1918. Neue Beiträge über die fossilen Insekten aus der Braunkohle von Rott (Aquitanien) im Siebengebirge (Rheinpreussen). Jahrbuch der koeniglich preussischen geologischen Landesanstalt 39(1):141–153.
- . 1920a. Quelques insectes de l'Aquitanien de Rott, Sept-Monts (Prusse rhénane). Verhandelingen der Koninklijke akademie van wetenschappen te Amsterdam 22:727–737, text-fig. 1–8, pl. 1–2.
- . 1920b. Quelques insectes de l'Aquitanien de Rott, Sept-Monts (Prusse rhénane). Verslagen en mededeelingen der Koninklijke akademie van wetenschappen, Amsterdam 28:654–655, text-fig. 1–8, pl. 1–2.
- . 1920c. Quelques insectes de l'Aquitanien de Rott, Sept-Monts (Prusse rhénane). Verhandelingen der Koninklijke akademie van wetenschappen te Amsterdam 22:891–898, text-fig. 1–5, pl. 1.
- . 1920d. Quelques insectes de l'Aquitanien de Rott, Sept-Monts (Prusse rhénane). Verslagen en mededeelingen der Koninklijke akademie van wetenschappen, Amsterdam 28:1215–1222, text-fig. 1–5, pl. 1.
- . 1921. Nouvelles recherches sur les insectes du terrain houiller de Commentry (Allier), troisième partie. Annales de paleontologie 10:59–168, text-fig. 1–142, pl. 8–19.
- . 1922. Nouvelle contribution à la monographie de Mycetophilidae de l'ambre de la Baltique. Revue scientifique de Bourbonnais et du Centre de la France 1922:114–120.
- Continued in 1923a.
- . 1923a. Nouvelle contribution à la monographie de Mycetophilidae de l'ambre de la Baltique. Revue scientifique de Bourbonnais et du Centre de la France 1923:14–34.
- Continuation of 1922.
- . 1923b. Sur quelques insectes de l'Aquitanien de Rott (Sept-Monts, Rhénanie). Miscellanea Entomologica 26:82–88, text-fig. 1–7.
- . 1923c. Sur quelques nouveaux insectes des lignites oligocènes (Aquitanien) de Rott, Siebengebirge (Rhénanie). Verhandelingen der Koninklijke akademie van wetenschappen te Amsterdam 26:605–612, text-fig. 1–3.
- . 1925. Eine neue Blattide (Protobolattinae) aus der Westfälischen Gasflammkohlengruppe. Glueckauf 61:105–107, text-fig. 1–2.
- Meyrick, Edward. 1905. Descriptions of Indian Micro-Lepidoptera. I. Journal of the Bombay Natural History Society 16:580–619.
- . 1928. A Revised Handbook of British Lepidoptera. Watkins & Doncaster. London. 914 p., 104 text-fig.
- Michener, C. D. 1982. A new interpretation of fossil social bees from the Dominican Republic. Sociobiology 7:37–45, text-fig. 1–3.
- Milliron, H. E. 1971. Phylogeny of Bombinae, p. 4–9. In A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae: Bombinae). Memoirs of the Entomological Society of Canada 82.
- Milne, Loris. 1934. Studies in North American Trichoptera, I. Cambridge, Massachusetts. 19 p.
- Mordvilko, A. K. 1908. Tableaux pour servir à la détermination des groupes et des genres des Aphididae Passerini. Annuaire du Musée zoologique de l'Academie impériale des sciences, St.-Petersbourg 13:353–384.
- . 1934. On the evolution of aphids. Archiv fuer Naturgeschichte 3(1):1–60, text-fig. 1–38.
- Moseley, M. E. 1936. A Revision of the Triplectidinae, a subfamily of the Leptoceridae (Trichoptera). Transactions of the Royal Entomological Society of London 85:91–130, text-fig. 1–98.

- Mosely, M. E., & D. E. Kimmins. 1953. The Trichoptera (Caddis-Flies) of Australia and New Zealand. British Museum (Natural History). London. 550 p., 364 text-fig.
- Motas, C., & M. Bacesco. 1938. La découverte en Roumanie d'une nymphe d'éphémère appartenant au genre *Bebningia* J. A. Lestage, 1929. Annales scientifiques de l'Université de Jassy 24: 25–29, text-fig. 1–2.
- Motschulsky, Victor. 1856. Lettre à M. Menetries. Études entomologiques 5:3–38, pl. 1.
- Moucha, J. 1972. Pregled Fosilnih Druho Ovadovitych (Insecta: Tabanidae) [Review of the fossil genera of Tabanidae]. Casopis narodniho muzea oddil priovedny 141:28–29.
- Mound, L. A., & S. H. Halsey. 1978. Whitefly of the World: a systematic catalogue of the Aleyrodidae (Homoptera) with host plant and natural enemy data. British Museum (Natural History) and John Wiley & Sons. Chichester & New York. 340 p.
- Moure, J. S., & J. M. F. Camargo. 1978. A fossil stingless bee from copal (Hymenoptera: Apidae). Journal of the Kansas Entomological Society 51: 560–566, text-fig. 1–6.
- Muesebeck, C. F. W. 1960. A fossil braconid wasp of the genus *Ecyphylus* (Hymenoptera). Journal of Paleontology 34:495–496, text-fig. 1.
- . 1963. A new ceraphronid from Cretaceous amber (Hymenoptera: Proctotrupoidea). Journal of Paleontology 37:129–130, text-fig. 1, pl. 17.
- Müller, A. H. 1967. Ein Coleopternrest (Arthropoda, Insecta) aus dem Oberen Muschelkalk (Mittlere Ceratitenschichten) von Norddeutschland. Geologie 16:944–949, text-fig. 1, pl. 1.
- . 1975. Zur Entomofauna des Permokarbon, 1. Myiacidae (Blattodea) aus dem Unterrotliegenden (Unterperm, Autun) von Thüringen. Zeitschrift fuer geologische Wissenschaften 3:621–641, text-fig. 1–7, pl. 1–6.
- . 1977. Zur Entomofauna des Permokarbon, 2. Über einige Blattinopsidae (Protorthoptera) aus dem Unterrotliegenden (Unteres Autun) von Mitteleuropa. Zeitschrift fuer geologische Wissenschaften 5:1029–1051, text-fig. 1–10, pl. 3.
- . 1978a. Zur Entomofauna des Permokarbon, 3. Über die Morphologie, Taxonomie und Ökologie von *Eugeron boeckingi* (Palaeodictyoptera). Freiberger Forschungshefte (C) 334:7–20, text-fig. 1–14, pl. 1–4.
- . 1978b. Zur Entomofauna des Permokarbon, 4. Revision von *Germanoprissa zimmermanni* ("Protoperlaria", Protorthoptera) aus dem Unterrotliegenden des Thüringer Waldes. Freiberger Forschungshefte (C) 334:41–47, text-fig. 1, pl. 1–3.
- Müller, Fritz. 1864. Facts and Figures in Aid of Darwin. English edition. London. 144 p., 67 text-fig.
- Muller, S. W., & Alison Campbell. 1954. The relative number of living and fossil species of animals. Systematic Zoology 3:168–170, text-fig. 1.
- Mulsant, Étienne. 1856. Histoire naturelle des Coléoptères de France. Part 7c: Latipennes (Lagriidae, Pythidae, Pyrochroidae). Maison. Lyon & Paris. 45 p.
- . 1859. Note pour servir à l'histoire de quelques Coléoptères. Annales de la Societe Linneenne de Lyon 6:43–106.
- Murray, Andrew. 1860. Notes on some fossil insects from Nagpur. Quarterly Journal of the Geological Society of London 16:182–185, text-fig. 67–70, pl. 10.
- Muttkowski, R. A. 1910. Additional notes on *Trichocnemis aliena* Scudder. Bulletin of the Wisconsin Natural History Society 8:106–109.
- Naora, N. 1933a. Notes on some fossil insects from East-Asiatic continent, with descriptions of three new species. Entomological World (Konchu shumi no kai) Tokyo 1:208–219, text-fig. 1–11.
- In Japanese.
- . 1933b. Fossils of a pentatomid and a species of *Machilis*. Entomological World (Konchu shumi no kai) Tokyo 1:570–572, text-fig. 1–2.
- In Japanese.
- Navás, Longinos. 1913a. Sinopsis de los Ascalápidos. Arxiu de l'Institut de ciencias 1:45–143, text-fig. 1–11, pl. 1–2.
- . 1913b. *Dilarido* (Ins. New.) fosil y tribu nueva de Dilaridios. Revista de la Real academia de ciencias exactas, físicas y naturales de Madrid 11:642–644, text-fig. 1–2.
- . 1913c. Mis excursiones por el extranjero en el verano de 1912. Memorias de la Real academia de ciencias y artes de Barcelona 10(24): 1–38, text-fig. 1–18.
- . 1914. Insectos neuropteros fosiles nuevos. Asociacion Espanola para el Progreso Ciencias, 5th Congress, 1914:35–38, text-fig. 1–2.
- . 1916. Notas sobre el orden de los rafidiopterios (Ins.). Memorias de la Real academia de ciencias y artes de Barcelona 12:507–513, text-fig. 1–3.
- . 1927. Mis excusiones científicas en 1926. Revista de la Academia de ciencias de exactas, fisico-químicas y naturales, Zaragoza 10:81–124, text-fig. 1–5.
- Needham, J. G. 1903. A genealogic study of dragon-fly wing venation. Proceedings of the United States National Museum 26:703–764, pl. 31–54.
- . 1907. Supplemental descriptions of two new genera of Aeshinae. Bulletin of the American Museum of Natural History 23:141–144, text-fig. 1–3.
- Needham, J. G., & Cornelius Betten. 1901. Aquatic

- insects in the Adirondacks. Bulletin of the New York State Museum 47:383–612, text-fig. 1–42, pl. 1–36.
- Needham, J. G., J. R. Traver, & Yin-Chi Hsu. 1935. The Biology of Mayflies with a Systematic Account of North American Species. Comstock. Ithaca, New York. xvi + 760 p., 168 text-fig., 40 pl.
- Negrobov, O. P. 1976. Novyj rod semejstva Dolichopodidae (Diptera) iz paleogenovych smol okhotskogo morya [A new genus of the family Dolichopodidae (Diptera) from Paleogene retinates of the Okhotsk Sea]. Paleontologicheskij zhurnal 1976(4):122–124, text-fig. 1–2.
- . 1978. Mukhi nadsemejstva Empididoidea (Diptera) iz melovogo retinita severnoj Sibiri [Flies of the superfamily Empididoidea (Diptera) from Cretaceous retinite of northern Siberia]. Paleontologicheskij zhurnal 1978(2):81–90, text-fig. 1–3.
- Nekrutenko, Yu. P. 1965a. Tertiary nymphalid butterflies and some phylogenetic aspects of systematic lepidopterology. Journal of Research on the Lepidoptera 4:149–158, text-fig. 1–4.
- . 1965b. Novyj tretichnyj predstavitel' semejstva Nymphalidae (Lepidoptera, Rhopalocera) [A new Tertiary representative of the family Nymphalidae (Lepidoptera, Rhopalocera)]. Paleontologicheskij zhurnal 1965(4):97–99, text-fig. 1.
- Nel, Andre, & Michel Papazian. 1983. Description d'une nouvelle espèce d'odonate fossile du Stambien d'Aix-en-Provence. L'Entomologiste 39: 119–122, text-fig. 1–3.
- Nel, R. I. 1929. Studies on the development of the genitalia and the genital ducts in insects. I. Female of Orthoptera and Dermaptera. Quarterly Journal of the Microscopical Science 73: 25–85, text-fig. 1–5, pl. 2–4.
- Newman, Edward. 1835. Attempted division of British insects into natural orders. Entomological Magazine 2:379–431.
- Newton, A. F., Jr. 1982. New name for the extinct genus *Mesagyrtes* Ponomarenko (Coleoptera: Silphidae s.l.). Psyche (1981) 88:335.
- Nikitsky, N. B. 1977. Dva novykh roda zhukov-tetenlyubov (Coleoptera, Melandryidae) iz verkhnego mela [Two new genera of false darkling beetles (Coleoptera, Melandryidae) from the Upper Cretaceous]. Paleontologicheskij zhurnal 1977(2):140–143, text-fig. 1.
- Nikitin, L. M. 1977. Infraotryad Scarabaeiformia, semejstvo Scarabaeidae [Infraorder Scarabaeiformia, family Scarabaeidae], p. 119–130, text-fig. 65–71, pl. 10–11. In B. B. Rohdendorf, ed., Mesozojskie zhestkokrylye [Mesozoic Coleoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 161.
- Apparently, the journal used the number 161 to designate two different volumes.
- Nitzsch, C. L. 1818. Die Familien und Gattungen der Thierinsekten als ein Prodromus der Naturgeschichte derselben. Magasin d'entomologie 3: 261–316.
- Northrop, S. A. 1928. Beetles from the Fox Hills Cretaceous strata of South Dakota. American Journal of Science (series 5) 15:28–38, text-fig. 1.
- Novák, Ottomar. 1877. Fauna der Cyprisschiefer des Egerer Tertiärbeckens. Sitzungsberichte der Akademie der Wissenschaften in Wien, mathematische-naturwissenschaftliche Klasse 76:71–96, pl. 1–3.
- . 1880. Ueber *Gryllacris bohemica*, einen neuen Locustidenrest aus der Steinkohlenformation von Stradonitz in Böhmen. Jahrbuch der K. K. geologischen Reichsanstalt (Bundesanstalt) 30(I):69–74, pl. 2.
- Nybakk, O. E. 1959. Greek and Latin in Scientific Terminology. Iowa State University Press. Ames. 322 p.
- Obenberger, Jan. 1957. Eine neue Buprestidenart aus dem baltischen Bernstein nebst Bemerkungen über einige fossile Buprestiden (Coleoptera: Buprestidae). Beitraege zur Entomologie 7:308–316.
- O'Brien, C. W., & G. J. Wibmer. 1982. Annotated Checklist of the Weevils (Curculionidae *sensu lato*) of North America, Central America, and the West Indies (Coleoptera: Curculionoidea). American Entomological Institute Memoir 34. Ann Arbor. ix + 382 p.
- Fossil, p. 161.
- Oke, C. G. 1956. Fossil insecta from Cainozoic resin at Allendale, Victoria. Proceedings of the Royal Society of Victoria (new series) 69:29–31, text-fig. 1.
- Oldenberg, Lorenz. 1914. Beitrag zur Kenntnis der europäischen Drosophiliden (Dipt.). Archiv fuer Naturgeschichte (Abteilung A) 80(2):1–42, text-fig. 1–3.
- Oldroyd, Harold. 1977. The suborders of Diptera. Proceedings of the Entomological Society of Washington 79:3–10.
- Olfers, E. W. M. von. 1907. Die "Ur-Insekten" (Thysanura und Collembola im Bernstein). Schriften der physikalisch-oekonomischen Gesellschaft zu Koenigsberg in Preussen 48:1–40, pl. 1–25.
- . 1912. Ein neuer Thysanur im Bernstein. Berliner entomologische Zeitschrift 56:151–152, text-fig. 1.
- Olivier, G. A. 1789a. Encyclopédie méthodique. Dictionnaire des insectes, v. 4. Pankouke. Paris. 331 p.
- . 1789b. Encyclopédie méthodique. Dictionnaire des insectes, v. 5. Agasse. Paris. 793 p.
- . 1811. Encyclopédie méthodique. Histoire naturelle des insectes, v. 8. Paris. 722 p.

- Oman, P. W. 1937. Fossil Hemiptera from the Fox Hills sandstone (Cretaceous) of Colorado. *Journal of Paleontology* 11:38, pl. 6, fig. 5–8.
- Omboni, Giovanni. 1886. Di alcuni insetti fossili del Veneto. *Atti del R. Istituto Veneto di scienze, lettere ed arti* 6(4):1421–1436, pl. 2–3.
- Opler, P. A. 1973. Fossil lepidopterous leaf mines demonstrate the age of some insect-plant relationships. *Science* 179:1321–1323, text-fig. 1.
- . 1974. Biology, ecology, and host specificity of microlepidoptera associated with *Quercus agrifolia* (Fagaceae). University of California, Berkeley, Publications in Entomology 75:1–84, text-fig. 1–39, pl. 1–7.
- . 1982. Fossil leaf-mines of *Bucculatrix* (Lyonetiidae) on Zelkova (Ulmaceae) from Florissant, Colorado. *Journal of the Lepidopterists' Society* 36:145–147, text-fig. 1–2.
- Oppenheim, Paul. 1885. Die Ahnen unserer Schmetterlinge in der Sekundär- und Tertiäriperiode. *Berliner entomologische Zeitschrift* 29: 331–347, pl. 10–12.
- . 1888. Die Insektenwelt des lithographischen Schiefers in Bayern. *Palaeontographica* 34: 215–247, pl. 30–31.
- Orcutt, A. W. 1934. The larvae of Trichoptera, p. 57–81, text-fig. 30–49. In Cornelius Betten, *Caddis flies or Trichoptera of New York State*. New York State Museum Bulletin 292.
- Osten-Sacken, C. R. 1879. Die Tanyderina, eine merkwürdige Gruppe der Tipuliden. Verhandlungen der kaiserlich-koeniglichen zoologisch-botanischen Gesellschaft in Wien 29:517–522, text-fig. 1–2.
- Oustalet, Émile. 1870. Recherches sur les insectes fossiles des terrains tertiaires de la France, première partie. *Insectes fossiles de l'Auvergne*. *Annales des sciences géologiques*, Paris 2(3):1–178, pl. 1–6.
- . 1873. Sur quelques espèces fossiles de l'ordre des Thysanoptères. *Bulletin de la Société philomathique de Paris* 6(10):20–27.
- . 1874. Recherches sur les insectes fossiles des terrains tertiaires de la France, deuxième partie. *Insectes fossiles d'Aix-en-Provence*. *Annales des sciences géologiques*, Paris 5(2):1–347, pl. 1–6.
- Packard, A. S. 1873. Occurrence of rare and new myriopods in Massachusetts. *Proceedings of the Boston Society of Natural History* 16:111.
- . 1886. A new arrangement of the orders of insects. *American Naturalist* 20:808.
- Pacلت, Jiří. 1957. Diplura, p. 1–123, text-fig. 1–37. In *Genera Insectorum*, v. 212E. Bruxelles.
- . 1967. Thysanura: Fam. Lepidotrichidae, Maindroniidae, Lepismatidae, p. 1–86, text-fig. 1–21. In *Genera Insectorum*, v. 218E. Bruxelles.
- . 1972. Grundsätzliches zur Chorologie und Systematik der Felsen springer. *Zoologischer Anzeiger* 188:422–429, text-fig. 1.
- Palmer, A. R. 1957. Miocene arthropods from the Mojave Desert, California. United States Geological Survey Professional Paper 294-G:237–280, text-fig. 83–101, pl. 30–34.
- With sections by J. C. M. Carvalho, D. R. Cook, Kellie O'Neill, Alexander Petrunkevitch, and R. I. Sailer.
- Panfilov, D. V. 1968. Kalligrammatidy (Neuroptera, Kalligrammatidae) iz yurskikh otlozhennij Karatau [Kalligrammatids (Neuroptera, Kalligrammatidae) from Jurassic deposits of Karatau], p. 166–174, text-fig. 1–8, pl. 19–20. In B. B. Rohdendorf, ed., *Yurskie nasekomye Karatau [Jurassic insects of Karatau]*. Akademiya Nauk SSR Otdelenie Obshchej Biologii. Moscow.
- . 1980. Novye predstavitele setchatoekrylykh (Neuroptera) iz yury Karatau [New representatives of Neuroptera from the Jurassic of Karatau], p. 82–111, text-fig. 86–115, pl. 8–15. In V. G. Dolin, D. V. Panfilov, A. G. Ponomarenko, & L. N. Pritykina, *Iskopayemye nasekomye mezozoya [Fossil insects of the Mesozoic]*. Akademiya Nauk Ukrainskoj SSR, Institut Zoologii, Naukova Dumka. Kiev.
- V. A. Topachevskij, editor.
- Papp, A., & K. Mandl. 1951. Insekten aus den Congerienschichten des Wiener Beckens. *Sitzungsberichte der Oesterreichische Akademie der Wissenschaften, mathematisch-naturwissenschaftlichen Klasse (Abt. I)* 160:295–302, text-fig. 1–4, pl. 1.
- Paramonov, S. J. 1936. Dosvidi nad entomofauno yantariv [On the entomofauna of ambers]. *Trudy instituta zoologii akademii nauk SSSR*, Kiev 18:53–64, text-fig. 1–4.
- . 1939. Kritichnij oglyad suchasnikh i vikopnikh rodov Bombyliidae (Diptera) vs'ogo svyitu [Critical review of recent and fossil bombyliid genera of the entire world]. *Akademija nauk ukrainskoj SSR, Institut zoologii*, Kiev 23: 23–50.
- Parent, O. 1936. Un diptère dolichopodide fossile de l'ambre de Roumanie. *Revue française d'entomologie* 3:211–213, text-fig. 1–2.
- Parent, O., & E. Quïévreux. 1935. Deux nouveaux dolichopoides fossiles de l'Oligocène inférieur du Haut-Rhin. *Encyclopédie entomologique (series B)* 8:151–153, text-fig. 1–3.
- Parfin, S. I., & A. B. Gurney. 1956. The spongillflies, with special reference to those of the Western Hemisphere (Sisyridae, Neuroptera). *United States National Museum Proceedings* 105:421–530, text-fig. 1–24, pl. 1–3.
- Parker, H. L., & H. D. Smith. 1934. Further notes on *Eoxenos laboulbenei* Peyerimhoff with a description of the male. *Annals of the Entomological Society of America* 27:468–479, pl. 1–2.
- Parsons, C. T. 1939. A ptiliid beetle from Baltic

- amber in the Museum of Comparative Zoology. *Psyche* 46:62–64, text-fig. 1.
- Pearman, J. V. 1936. The taxonomy of the Psocoptera: preliminary sketch. *Proceedings of the Entomological Society of London (series B)* 5: 58–62.
- Penny, N. D. 1975. Evolution of the extant Mecoptera. *Journal of the Kansas Entomological Society* 48:331–350, text-fig. 1–7.
- Pérez, M. Q. 1940. Los Aphidiidae fosiles de Wittenheim (Haut-Rhin, Francia) (Hym., Brac.). *Eos* 14:23–61, pl. 1–5.
- Perkins, R. C. L. 1905. Leaf-hoppers and their natural enemies (pt. III, Stylopidae). Report of Work of the Experiment Station of the Hawaiian Sugar Planters' Association, *Bulletin* 1:90–111, pl. 1–4.
- Peterson, B. V. 1975. A new Cretaceous bibionid from Canadian amber (Diptera: Bibionidae). *Canadian Entomologist* 107:711–715, text-fig. 1–8.
- Petrunkewitch, Alexander. 1957. *Eohelea stridulans*, n. gen., n. sp., a striking example of paramorphism in an amber biting midge. *Journal of Paleontology* 31:208–214, text-fig. 1–3.
- Peus, Fritz. 1968. Über die beiden Bernstein-Flohe (Insecta, Siphonaptera). *Palaeontologische Zeitschrift* 42:62–72, text-fig. 1–5, pl. 4–7.
- Peyerimhoff, P. de. 1909. Le Cupes de l'ambre de la Baltique (Col.). *Bulletin de la Societe entomologique de France* 1909:57–60, text-fig. 1–2.
- Pictet, F. J. 1854. Classe Insectes, p. 301–401, pl. 40–41. *In Traité de paléontologie ou histoire naturelle des animaux fossiles considérés dans leurs rapports zoologiques et géologiques*, v. 2. 2nd edition. Ateas.
- Pictet, F. J., & H. A. Hagen. 1856. Die im Bernstein befindlichen Neuropteren der Vorwelt, p. 41–126, pl. 5–8. *In G. C. Berendt, ed., Die im Bernstein befindlichen Organischen Reste der Vorwelt*, v. 2(2). Berlin.
- Pierce, W. D. 1907. A preliminary review of the classification of the order Strepsiptera. *Proceedings of the Entomological Society of Washington* 9:75–85.
- . 1944. Fossil arthropods of California, parts 1–5. *Bulletin of the Southern California Academy of Sciences* 43:1–18, pl. 1–6.
- . 1945. Fossil arthropods of California, parts 5a–8. *Bulletin of the Southern California Academy of Sciences* 44:1–9, pl. 1–6.
- . 1950. Fossil arthropods from Onyx marble. *Bulletin of the Southern California Academy of Sciences* 49:101–104, pl. 34.
- . 1951. Fossil arthropods from Onyx-Marble. *Bulletin of the Southern California Academy of Sciences* 50:34–49, pl. 14–18.
- . 1958. Fossil arthropods of California. 21. Termites from Calico Mountains nodules. *Bulletin of the Southern California Academy of Sciences* 57:13–24, pl. 5–7.
- . 1960. Fossil arthropods of California. 23. Silicified insects in Miocene nodules from the Calico Mountains. *Bulletin of the Southern California Academy of Sciences* 59:40–49, pl. 14–17.
- . 1963. Fossil arthropods of California. 25. Silicified leafhoppers from California [sic] Mountains nodules. *Bulletin of the Southern California Academy of Sciences* 62:69–81, text-fig. 1–2.
- . 1965. Fossil arthropods of California. 26. Three new fossil sites in California. *Bulletin of the Southern California Academy of Sciences* 64: 157–162, 5 fig. on 1 pl.
- . 1966. Fossil arthropods of California. 29. Silicified Miocene pupae of ceratopogonid flies. *Bulletin of the Southern California Academy of Sciences* 65:81–98, text-fig. 1–22.
- Pierce, W. D., & John Gibbon, Sr. 1962. Fossil arthropods of California. 24. Some unusual fossil arthropods from the Calico Mountains nodules. *Bulletin of the Southern California Academy of Sciences* 61:143–151, text-fig. 1–11.
- Pierce, W. D., & R. A. Kirkby. 1959. Fossil insects from Montana. 1. A new fossil nemopterid (Neuroptera). *Bulletin of the Southern California Academy of Sciences* 58:47–50, pl. 16.
- Ping, C. 1928. Cretaceous fossil insects of China. *Palaeontologia Sinica (B)* 13:1–56, text-fig. 1–27, pl. 1–3.
- . 1935. On four fossil insects from Sing-kiang. *Chinese Journal of Zoology* 1:107–115, text-fig. 1–4.
- Pinto, I. D. 1956. Arthropodos da Formacao Santa Maria (Triassico Superior) do Rio Grande do Sul, com noticias sobre alguns restos vegetais. *Boletim da Sociedade brasileira de geologia, Sao Paulo* 5:75–95, text-fig. 1–2, pl. 1–4.
- . 1972a. Permian insects from the Paraná Basin, South Brasil. 1. Mecoptera. *Revista brasileira de geociencias* 2:105–116, pl. 1–3.
- . 1972b. Late Paleozoic insects and crustaceans from Paraná Basin and their bearing on chronology and continental drift, p. 247–254, pl. 1–4. *In Simposio internacional sobre os sistemas carbonifero e permiano na America do Sul, Suplemento dos anais da Academia brasileira de ciencias* 44.
- . 1972c. A new Insecta, *Archangelskyblatta vishniakovae* Pinto, gen. nov., sp. nov., a Permian blattoid from Patagonia, Argentina. *Ameghiniana* 9:79–89, text-fig. 1–4, pl. 1–2.
- Pinto, I. D., & L. P. de Orellas. 1974a. A new insect, *Triassoblatta cargini* Pinto et Orellas, sp. nov., a Triassic blattoid from the Santa Maria Formation, South Brasil. *Anais da Academia brasileira de ciencias* 46:515–521, text-fig. 1–3.
- . 1974b. New Cretaceous Hemiptera (Insecta) from Codo Formation—Northern Brasil. *Anais do 28th Congresso brasileiro de geologia* 2:289–304, text-fig. 1–3, pl. 1–3.

- . 1978a. Upper Carboniferous insects from Argentina. I. Familia Diaphanopteridae (Mega-secopteroidea). *Pesquisas zoologia* (Porto Alegre) 10:87–95, text-fig. 1–2, pl. 1.
- . 1978b. New fossil insects from the White Band Formation (Permian), South Africa. *Pesquisas zoologia* (Porto Alegre) 10:96–104, text-fig. 1–4, pl. 1.
- . 1978c. Carboniferous insects (Protorthoptera and Paraplectoptera) from the Gondwana (South America, Africa and Asia). *Pesquisas zoologia* (Porto Alegre) 11:305–322, text-fig. 1–2, pl. 1–2.
- . 1980a. Upper Carboniferous insects from Argentina. II. Familia Narkemocacurgidae (Paraplectoptera). *Boletin de la Academia nacional de ciencias, Cordoba* 53:287–291, pl. 1.
- . 1980b. Permian insects from the Paraná Basin, South Brasil. II. Neuroptera. *Pesquisas zoologia* (Porto Alegre) 13:155–160, pl. 1.
- . 1981a. A new Upper Carboniferous paraplectopteran insect from Argentina. *Anais 2nd Congresso latino-americano paleontologia* (Porto Alegre) 1981:107–111, pl. 1.
- . 1981b. Permian insects from Paraná Basin, South Brasil. III. Homoptera—Pereboridae. *Anais 2nd Congresso latino-americano paleontologia* (Porto Alegre) 1981:209–219, text-fig. 1, pl. 1–3.
- Pinto, I. D., L. P. de Ornellas, & Ivone Purper. 1980. Fossil insects and the problem of Permo-Carboniferous boundries. *Actas 2nd Congresso argentino de paleontologia y biostratigrafia y 1st Congresso latinoamericano de paleontologia*, Buenos Aires 4:207–212, pl. 1–2.
- Pinto, I. D., & Ivone Purper. 1978. A new genus and two new species of plecopteran insects, from the Triassic of Argentina. *Pesquisas zoologia* (Porto Alegre) 10:77–86, text-fig. 1, pl. 1–2.
- . 1979. Brazilian Paleozoic blattoids; revision and new species. *Pesquisas zoologia* (Porto Alegre) 12:9–24, pl. 1–2.
- Piton, L. E. 1935a. Pseudo-Névroptères et Névroptères des cinérites tertiaires d'Auvergne. *Annales de la Societe Linneenne de Lyon* 78: 171–176, text-fig. 1–8.
- . 1935b. Note sur un coléoptère fossile du lac Chambon. *Annales de la Societe Linneenne de Lyon* 78:177–178.
- . 1936a. Addition à la faune entomologique des cinérites du lac Chambon (Puy-de-Dôme). *Revue scientifique du Bourbonnais et du Centre de la France* 1936:16–24.
- . 1936b. Les Orthoptères tertiaires d'Auvergne. *Miscellanea Entomologica* 37:77–79, text-fig. 1–3.
- . 1936c. Les Hémiptères Homoptères de l'Éocene de Menat (P.-de-D.). *Miscellanea Entomologica* 37(10):93–94, text-fig. 1–4.
- . 1937a. Note complémentaire sur *Menat-acridium eocenicum*. *Miscellanea Entomologica* 38:1.
- . 1937b. Sur un Carabide fossile de la Bourboule (P. de D.). *Miscellanea Entomologica* 38: 5–6.
- . 1938. *Succinotettix chopardi* Piton, Orthoptère [Tetricinae] inédit de l'ambre de la Baltique. *Bulletin de la Societe entomologique de France* 43:226–227.
- . 1939. Note complémentaire sur les insectes fossiles des cinérites pliocènes du lac Chambon (Puy-de-Dôme). *Revue des sciences naturelles d'Auvergne* 5:102–108, text-fig. 1–12.
- . 1940a. Paléontologie du gisement éocène de Menat (Puy-de-Dôme) (flore et fauna) (première thèse). Vallier. Clermont-Ferrand. 303 p., 105 text-fig., 26 pl.
- . 1940b. Un longicorne nouveau de l'ambre de la Baltique. *Bulletin de la Societe entomologique de France* 45:63–64.
- . 1942. Un nouvel hémiptère fossile du Lac Chambon. *Revue des sciences naturelles d'Auvergne* (fasc. 1) 8:1.
- Piton, L. E., & A. Rudel. 1936. Sur de nouveaux gisements d'insectes fossiles dans l'Oligocène de la Limagne. *Bulletin mensuel de la Societe Linneenne de Lyon* 5:78–81, text-fig. 1–6.
- Piton, L. E., & Nicolas Théobald. 1935. La faune entomologique des gisements mio-pliocènes du massif Central. *Revue des sciences naturelles d'Auvergne* 2:65–104, pl. 1–5.
- . 1936. Les insectes fossiles du Puy-de-Mur (Limagne). *Bulletin des séances de la Societe des sciences de Nancy* 9:202–214, text-fig. 1–12.
- . 1937. Les insectes fossiles de Menat, p. 76–88, text-fig. 1–9. In P. Marty, L. E. Piton, & Nicolas Théobald, *Les lignites et schistes bitumeux de Menat*. *Revue des sciences naturelles d'Auvergne* 3.
- . 1939. Poissons, crustacés et insectes fossiles de l'Oligocène du Puy-de-Mur (Auvergne). *Mémoires de la Societe des sciences de Nancy* 1939:1–45, text-fig. 1–28, pl. 1–2.
- Pongrácz, Alexander. 1926. Über fossile Termiten Ungarns. *Mitteilungen aus dem Jahrbücher der königlich ungarischen geologischen Anstalt* 25: 25–30, pl. 3–5.
- . 1928. Die fossilen Insekten von Ungarn, mit besonderer Berücksichtigung der Entwicklung der europäischen Insekten-fauna. *Annales Historico-Naturales musei nationalis Hungarici* 25:91–194, text-fig. 1–55.
- . 1935. Die eoäne Insektenfauna des Geiseltales. *Nova Acta Leopoldina* 2:485–572, text-fig. 1–22, pl. 1–7.
- Ponomarenko, A. G. 1961. O sistematiceskom polozhenii *Coptoclava longipoda* Ping (Insecta, Coleoptera) [The systematic position of *Copto-*

- clava longipoda* Ping [Insecta, Coleoptera]. Paleontologicheskij zhurnal 1961(3):67–72, text-fig. 1–6.
- . 1963a. Paleozojskie zhuki Cupedidea evropejskoj chasti SSSR [Palaeozoic cupedid beetles from the European part of the USSR]. Paleontologicheskij zhurnal 1963(1):70–85, text-fig. 1–10, pl. 7.
- . 1963b. Ranneyurskie zhuki-plavuntsy s.r. angary [Early Jurassic water-beetles from the Angara River]. Paleontologicheskij zhurnal 1963(4):128–131, text-fig. 1–2.
- . 1964. Novye zhuki semejstva Cupedidae iz yurskikh otlozhenij karatau [New beetles of the family Cupedidae from the Jurassic deposits in Karatau]. Paleontologicheskij zhurnal 1964(2): 49–62, text-fig. 1–5, pl. 6.
- . 1966a. Zhuki semejstva Cupedidae iz nizhnego triasa srednej azii [Beetles of the family Cupedidae from the Lower Triassic of Middle Asia]. Paleontologicheskij zhurnal 1966(4):47–68, text-fig. 1–17, pl. 3–4.
- . 1966b. Novye zhuki semejstva Cupedidae (Coleoptera) iz mezozojskikh otlozhenij zabajkal'ya [New beetles of the family Cupedidae (Coleoptera) from Mesozoic deposits of Transbaikalia]. Entomologicheskoe obozrenie 45:138–143, pl. 1–2.
- . 1968a. Predvaritel'nyj obzor yurskikh zhukov karatau [Preliminary review of Jurassic beetles from Karatau], p. 114–117. In B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic insects of Karatau]. Akademija Nauk SSSR Otdelenie Obshchej Biologii. Moscow.
- . 1968b. Zhuki-arkhostematy yury karatau (Coleoptera, Archostemata) [Archostematan beetles from the Jurassic of Karatau (Coleoptera, Archostemata)], p. 118–138, text-fig. 1–18. In B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic insects of Karatau (Coleoptera, Archostemata)]. Akademija Nauk SSSR Otdelenie Obshchej Biologii. Moscow.
- . 1969a. Cretaceous insects from Labrador. 4. A new family of beetles (Coleoptera: Archostemata). Psyche 76:306–310, text-fig. 1–2.
- . 1969b. Istoricheskoe razvitiye zhestkokrylykh-arkhostemat [Historical development of the Coleoptera-Archostemata]. Trudy paleontologicheskogo instituta akademii nauk SSSR 125:1–240, text-fig. 1–122, pl. 1–14.
- . 1971a. The geological history and evolution of beetles, p. 281. In G. Ya. Bey-Bienko and others, eds., Proceedings of the 13th International Congress of Entomology (Moscow, 1968), v. 1. Leningrad.
- . 1971b. O sistematiceskoj prinadlezhnosti nekotorykh zhukov iz zol'ngofenskikh slantsev bavarii [On the systematic position of some beetles from the Solnhofen shales of Bavaria]. Paleontologicheskij zhurnal 1971(1): 67–81, text-fig. 1–7, pl. 7–8.
- . 1972. O nomenklature zhilkovaniya kryl'ev zhukov (Coleoptera) [On nomenclature of the wing venation in beetles (Coleoptera)]. Entomologicheskoe obozrenie 51:768–775, text-fig. 1–6.
- . 1973a. O delenii otryada zhestkokrylykh na podotryady [Division of the order Coleoptera into suborders], p. 78–89. In Chteniya pamyati Nikolaya Aleksandrovicha Kholodkovskogo [Readings in memory of Nikolaj Aleksandrovich Kholodkovskij]. Izdatel'stvo Nauka. Leningrad.
- . 1973b. Mezozojskie zhuki-vertyachki (Gyrinidae, Coleoptera) [Mesozoic whirligig beetles (Gyrinidae, Coleoptera)]. Paleontologicheskij zhurnal 1973(4):62–69, text-fig. 1–4, pl. 10.
- . 1973c. Erster fund eines cupediden im Neogen Europas (Coleoptera: Cupedidae). Vestnik ceskoslovenske spolecnosti zoologicke 37: 101–103, 1 unnumbered pl.
- . 1975a. Novyj rod pereponchatokrylykh iz baltijskogo yantarya [A new genus of Hymenoptera from Baltic amber]. Paleontologicheskij zhurnal 1975(1):126–128, text-fig. 1–2.
- . 1975b. Coptoclava (Coleoptera)—svoeobraznyj rannemelovoj vodnyj zhuk iz vostochnoj azii [Coptoclava (Coleoptera)—a peculiar water beetle from the early Cretaceous of East Asia], p. 122–139, text-fig. 1–10. In N. N. Kramarenko, ed., Iskopаемая fauna i flora mongolii, Zovlot-Mongolyn khamtarsan paleontologijn ehkspeditsi [Fossil fauna and flora of Mongolia, Joint Soviet-Mongolian Paleontological Expedition, transactions]. Trudy, sovmestnaya sovetsko-mongol'skaya paleontologicheskaya ehkspeditsiya, no. 2.
- . 1975c. Semejstvo Dryinidae [Family Dryinidae], p. 104–105, text-fig. 120. In A. P. Rasnitsyn, Vysshie pereponchatokrylye mezozoya [Hymenoptera Apocrita of the Mesozoic]. Trudy paleontologicheskogo instituta akademii nauk SSSR 147.
- . 1976. Novoe nasekomoe iz mela zabajkal'ya—vozmozhnyj parazit letayushchikh yashcherov [A new insect from the Cretaceous of Transbaikalia—a possible parasite of pterosaurs]. Paleontologicheskij zhurnal 1976(3):102–106, text-fig. 1, pl. 8.
- . 1977a. Sostav i ehkologicheskaya kharakteristika Mezozojskikh zhestkokrylykh [Composition and ecological characterization of Mesozoic Coleoptera], p. 8–16. In B. B. Rohdendorf, ed., Mezozojskie zhestkokrylye [Mesozoic Coleoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 161.

Apparently, the journal used the number 161 to designate two different volumes.

- . 1977b. Podotryad Adephaga [Suborder Adephaga], p. 17–104, text-fig. 1–54, pl. 1–8. In B. B. Rohdendorf, ed., Mezozojskie zhestokrylye [Mesozoic Coleoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 161.
- Apparently, the journal used the number 161 to designate two different volumes.
- . 1977c. Podotryad Polyphaga, Infraotryad Staphyliniformia [Suborder Polyphaga, Infraorder Staphyliniformia], p. 104–119, text-fig. 55–64, pl. 11–12. In B. B. Rohdendorf, ed., Mezozojskie zhestokrylye [Mesozoic Coleoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 161.
- Apparently, the journal used the number 161 to designate two different volumes.
- . 1980a. Novye vidy zhukov mestonakhozdeniya Manlaj [New species of Coleoptera from the Manlaj locality], p. 52–56, text-fig. 1–6. In V. A. Topachevskij, ed., Dood tserdijn manlaj nuur, Zovlot-Mongolyn khamtarsan paleontologi ehkspeditsii [Early Cretaceous Lake Manlaj, Joint Soviet-Mongolian Paleontological Expedition]. Trudy, sovmestnaya sovetsko-mongol'skaya paleontologicheskaya ehkspeditsiya, no. 13.
- . 1980b. O sistematiceskoj prinadlezhnosti opisanonykh L. Dejkhmyullerom zhukov iz yurskogo mestonakhozdeniya Zol'n'gofen [On the systematic position of the beetles from the Jurassic locality of Solnhofen, described by L. Deichmuller], p. 111–119, text-fig. 116–120, pl. 16–18. In V. G. Dolin, D. V. Panfilov, A. G. Ponomarenko, & L. N. Pritykina, Iskopameye nasekomye mezozoja [Fossil insects of the Mesozoic]. Akademija Nauk Ukrainskoj SSR, Institut Zoologii, Naukova Dumka. Kiev.
- V. A. Topachevskij, editor.
- . 1981. Novye pereponchatokrylye nasekomye semejstva Dryinidae iz pozdnego mela Tajmyra i Kanady [New Dryinidae (Hymenoptera) from the Late Cretaceous of the Taymyr and Canada]. Paleontologicheskij zhurnal 1981(1):139–143, text-fig. 1–3.
- Ponomarenko, A. G., & A. P. Rasnitsyn. 1974. Novye mezozojskie i kajnozojskie Protomecoptera [New Mesozoic and Cenozoic Protomecoptera]. Paleontologicheskij zhurnal 1974(4):59–73, text-fig. 1–8, pl. 1–2.
- Ponzi, Giuseppe. 1876. Il fossili del Monte Vaticano. Atti della Reale accademia dei Lincei 2(3): 925–959, pl. 1–3.
- Popov, V. V. 1933. Two new fossil ants from Caucasus (Hymenoptera, Formicidae). Trudy paleo-zoologicheskogo instituta akademii nauk SSSR 2:17–21, text-fig. 1–3.
- Popov, Yu. A. 1961. Novoe podsemejstvo nazemnykh poluzhestkokrylykh iz verkhneyurskikh otlozhenij khrebita karatau (Hemiptera–Gymnocerata, Lygaeidae) [A new subfamily of terrestrial Hemiptera from Upper Jurassic beds of Karatau Mountains (Hemiptera–Gymnocerata, Lygaeidae)]. Doklady akademii nauk SSSR 141: 1211–1213, text-fig. 1–2.
- . 1962. K sistematiceskomu polozheniju i poznaniyu yurskikh predstavitelej vodnykh poluzhestkokrylykh roda *Karataviella* [On the taxonomic position and understanding of Jurassic representatives of the aquatic hemipteran genus *Karataviella*]. Paleontologicheskij zhurnal 1962(1):105–110, text-fig. 1–5.
- . 1964. Novoe podsemejstvo vodnykh klopov (Heteroptera) iz mezozoja zabajkal'ya [A new subfamily of Mesozoic water bugs (Heteroptera) from Transbaikal]. Paleontologicheskij zhurnal 1964(2):63–71, text-fig. 1–3, pl. 7.
- . 1966. Novye mezozojskie greblyaki (Heteroptera, Corixidae) iz zabajkal'ya [New Mesozoic Corixidae from the Transbaikal]. Paleontologoscheskij zhurnal 1966(4):97–101, text-fig. 1–2.
- . 1968. Nastoyashchie poluzhestkokrylye yurskoj fauny [True Heteroptera of Jurassic fauna], p. 99–113, text-fig. 1–9, pl. 11–12. In B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic insects of Karatau]. Akademija Nauk SSSR Otdelenie Obshchej Biologii. Moscow.
- . 1971. Istoricheskoe razvitiye poluzhestkokrylykh infraotryada Nepomorpha (Heteroptera) [Historical development of the infraorder Nepomorpha (Heteroptera)]. Trudy paleontologicheskogo instituta akademii nauk SSSR 129:1–228, text-fig. 1–121, pl. 1–9.
- . 1973. Pervaya nakhodka poluzhestkokrylogo semejstva Saldidae (Heteroptera) v mezozoje Sibiri [The first discovery of the true bug family Saldidae (Heteroptera) from Mesozoic deposits in Siberia]. Doklady akademii nauk SSSR 209:703–705, text-fig. 1.
- . 1978. New species of Aradidae (Hemiptera) from the Baltic amber. Prace Muzeum 29: 137–140, text-fig. 1–2.
- . 1980a. Nastoyashchie poluzhestkokrylye (Heteroptera) iz nizhnemelovykh otlozhenij manlaya [True bugs (Heteroptera) from the Lower Cretaceous of Manlaj], p. 48–51, text-fig. 1–7. In V. A. Topachevskij, ed., Dood tserdijn manlaj nuur, Zovlot-Mongolyn khamtarsan paleontologi ehkspeditsii [Early Cretaceous Lake Manlaj, Joint Soviet-Mongolian Paleontological Expedition]. Trudy, sovmestnaya sovetsko-mongol'skaya paleontologicheskaya ehkspeditsiya, no. 13.
- . 1980b. Otryad Cimicidea [Order Cimicidea], p. 58–69, text-fig. 26–30. In B. B. Rohdendorf & A. P. Rasnitsyn, Istoricheskoe razvitiye Klassa nasekomykh [Historical Development of

- the Insects]. Trudy paleontologicheskogo instituta akademii nauk SSSR 175.
- . 1981. Historical development and some questions of the general classification of Hemiptera. *Rostria* (suppl.) 33:85–99.
- . 1982. Ranneyurskie poluzhestkokrylye roda *Olgamartynovia* (Hemiptera, Progonocimidae) iz srednej Azii [Upper Jurassic hemipterons, genus *Olgamartynovia* from Middle Asia]. *Paleontologicheskij zhurnal* 1982(2):80–95, text-fig. 1–4, pl. 7–8.
- Popov, Yu. A., & Robin Wootton. 1977. The upper Liassic Heteroptera of Mecklenburg and Saxony. *Systematic Entomology* 2:333–351, text-fig. 1–31.
- Priesner, Hermann. 1924. Bernstein-Thysanopteren. *Entomologische Mitteilungen* 13:130–151, pl. 1.
- . 1930. Bernstein-Thysanopteren, II. *Bernstein-Forschungen* 1:11–138, pl. 8.
- . 1949. Genera Thysanopterorum. Keys for the identification of the genera of the order Thysanoptera. *Bulletin de la Societe Fouad premier d'entomologie* 33:31–157.
- Priesner, Hermann, & F. Quiévreux. 1935. Thysanoptères des couches de potasse du Haut-Rhin. *Bulletin de la Societe géologique de France* (series 5) 5:471–477, pl. 22–23.
- Pritykina, L. N. 1968. Strekozy karatau (Odonata) [Odonata from Karatau], p. 26–54, text-fig. 1–24, pl. 1–4. In B. B. Rohdendorf, ed., *Yurskie nasekomye karatau* [Jurassic Insects of Karatau]. Akademiya Nauk SSSR Otdelenie Obshchey Biologii. Moscow.
- . 1970. Strekozy semejstva Liassophlebiidae iz triaca i yury srednei Azii [Triassic and Jurassic dragonflies, family Liassophlebiidae, Middle Asia]. *Paleontologicheskij zhurnal* 1970(1):104–117, text-fig. 1–10.
- . 1977. Novye strekozy iz nishnemelovykh otlozhenij zabajkal'ya i mongolii [New Odonata from the Lower Cretaceous deposits of the Transbaikal and Mongolia], p. 81–96, text-fig. 1–9. In V. G. Dolin, D. V. Panfilov, A. G. Ponomarenko, and L. N. Pritykina, eds., *Fauna, Flora i biostratigrafiya mezozoja i kajnozoja mongolii* [Fauna, Flora, and Biostratigraphy of the Mesozoic and Cenozoic of Mongolia]. Trudy, sovmestnaya soversko-mongol'skaya paleontologicheskaya ekspeditsiya, no. 4.
- . 1980a. Novye strekozy iz nizhnayurskikh otlozhenij srednej Azii [New Lower Jurassic Odonata from Middle Asia], p. 119–131, text-fig. 121–133, pl. 19–21. In V. G. Dolin, D. V. Panfilov, A. G. Ponomarenko, & L. N. Pritykina, *Iskopaemye nasekomye mezozoja* [Fossil insects of the Mesozoic]. Akademiya Nauk Ukrainskoj SSR, Institut Zoologii, Naukova Dumka. Kiev.
- V. A. Topachevskij, editor.
- . 1980b. Otryad Libellulida Laicharting, 1781 [Order Libellulida Laicharting, 1781], p. 128–134, text-fig. 67–69. In B. B. Rohdendorf & A. P. Rasnitsyn, eds., *Istoricheskoe razvitiye klassa nasekomykh* [Historical development of the class Insecta]. Trudy paleontologicheskogo instituta akademii nauk SSSR 175.
- . 1981. Novye triasovye strekozy srednej Azii [New Triassic Odonata of Middle Asia], p. 5–42, text-fig. 1–29, pl. 1–13. In V. N. Vishniakova, G. M. Dlussky, & L. N. Pritykina, *Novye iskopaemye nasekomye s Territorii SSSR* [New insects from the territory of the USSR]. Trudy paleontologicheskogo instituta akademii nauk SSSR 183.
- Protescu, O. 1938. Restes d'insectes fossiles dans le tertiaire roumain. *Comptes rendus des séances de l'Academie des sciences Roumanie* 2:545–556, text-fig. 1–11.
- Pruvost, Pierre. 1912. Les insectes houillers du nord de la France. *Annales de la Societe géologique du Nord* 41:323–380, pl. 9–12.
- . 1919. Introduction à l'étude du terrain houiller du nord et du Pas-de-Calais: la faune continentale du terrain houiller du nord de la France. Imprimerie Nationale. Paris. xxxii + 584 p., 51 text-fig., 29 pl., pl. A–H.
- . 1927. Sur une aile d'insecte fossile trouvée au sondage de Gulpen. *Jaarverdag van voor het nederlandse mijngebied te Heerlen* 1926:76–77, text-fig. 1.
- . 1930. Description de la faune continentale du terrain houiller de la Belgique. *Memoirs du Musée d'histoire naturelle de Belgique* 44:105–282, text-fig. 1–9, pl. 1–14.
- . 1933a. Un ancêtre de libellules dans la terrain houiller de Tchécoslovaquie. *Annales de la Societe géologique du nord* 57:149–155, text-fig. 1, pl. 5.
- . 1933b. Description d'un insecte fossile du terrain houiller de la Belgique. *Annales de la Societe scientifique de Bruxelles* (series B) 53: 138–141, text-fig. 1–2.
- . 1934. Description d'un insecte fossile des couches de la Lukuga (Kivu). *Memoires de l'Institut géologique de l'Université de Louvain* 9: 1–8, text-fig. 1.
- Pulawski, W. J., & A. P. Rasnitsyn. 1980. On the taxonomic position of *Hoplitus sepultus* Cockrell, 1906, from the Lower Oligocene of Colorado (Hymenoptera, Sphecidae). *Polskie pismo entomologiczne* 50:393–396, text-fig. 1–2.
- Quate, L. W. 1961. Fossil Psychodidae (Diptera: Insecta) in Mexican amber, part I. *Journal of Paleontology* 35:949–951, text-fig. 1–3, pl. 108.
- . 1963. Fossil Psychodidae in Mexican amber, part 2. Diptera: Insecta. *Journal of Paleontology* 37:110–118, text-fig. 1–4, pl. 15.
- Quiel, G. 1910. Zwei neue Coleopteren aus dem baltischen Bernstein (Eocän bzw. unteres Oligocän). *Berliner entomologische Zeitschrift* 54: 49–52.

- . 1911. Bemerkungen über Coleopteren aus dem baltischen Bernstein. Berliner entomologische Zeitschrift 55:181–192.
- Quiévreux, F. 1938. Diptères fossiles de la couche inférieure de potasse du Haut-Rhin. Encyclopédie entomologique (series B) 2(9):79–86, text-fig. 1–9.
- Rafinesque, C. S. 1815. Analyse de la nature ou tableau de l'univers et des corps organisés. Palermo. 224 p.
- Ragge, D. R. 1955a. The wing venation of the Orthoptera Saltatoria, with notes on dictyopteran wing-venation. British Museum (Natural History). London. vi + 160 p., 105 text-fig.
- . 1955b. The wing-venation of the order Phasmida. Transactions of the Royal Entomological Society of London 106:375–392, text-fig. 1–12.
- Rambur, J. P. 1838. Fauna entomologique de l'Andalousie, v. 2. Bertrand. Paris. 336 p., 18 pl.
- . 1842. Histoire naturelle des insectes: Néuroptères. Roret. Paris. xviii + 534 p., 12 pl.
- Rasnitsyn, A. P. 1963. Pozdneyurskie pereponchatokrylye karatau [Late Jurassic Hymenoptera from Karatau]. Paleontologicheskij zhurnal 1963(1):86–99, text-fig. 1–10, pl. 8.
- . 1964. Novye triasovye pereponchatokrylye srednej Azii [New Triassic Hymenoptera from Middle Asia]. Paleontologicheskij zhurnal 1964(1):88–96, text-fig. 1–11, pl. 14.
- . 1965. K posnaniyu biologii, sistemy i filogeneza pilil'shchikov podsemejstva Xyelinae (Hymenoptera, Xyelidae) [Notes on the biology, systematics, and phylogeny of sawflies of the subfamily Xyelinae]. Polskie pismo entomologiczne 35:483–519, text-fig. 1–88.
- . 1966. Novye Xyelidae (Hymenoptera) iz mezozoya Azii [New Xyelidae (Hymenoptera) from the Mesozoic of Asia]. Paleontologicheskij zhurnal 1966(4):69–85, text-fig. 1–15, pl. 4.
- . 1968. Novye mezozojskie pilil'shchiki (Hymenoptera, Symphyta) [New Mesozoic sawflies (Hymenoptera, Symphyta)], p. 190–236, text-fig. 1–57. In B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic insects of Karatau]. Akademiya Nauk SSSR Otdelenie Obshchei Biologii. Moscow.
- . 1969. Proiskhozhdenie i ehvolyutsiya nizshikh pereponchatokrylykh [The origin and evolution of lower Hymenoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 123:1–196, text-fig. 1–273, pl. 1–8.
- . 1971. Ehvolyutsiya pereponchatokrylykh nasekomykh semejstva Xyelidae [The evolution of the Xyelidae (Insecta, Hymenoptera)], p. 187–196, text-fig. 1–2. In Sovremennye problemy paleontologii [Current problems of paleontology]. Trudy paleontologicheskogo instituta akademii nauk SSSR 130.
- . 1972. Pereponchatokrylye nasekomye Praeaulacidae iz pozdnej yury karatau [Late Jurassic hymenopterous insects (Praeaulacidae) of Karatau]. Paleontologicheskij zhurnal 1972(1): 70–87, text-fig. 1–24, pl. 12.
- . 1973. *Praeaulacinus parvus* A. Rasnitsyn, nom. nov. (Insecta, Hymenoptera). Paleontologicheskij zhurnal 1973(1):122.
- . 1975. Vysshie pereponchatokrylye mezozoja [Hymenoptera—Apocrita of the Mesozoic]. Trudy paleontologicheskogo instituta akademii nauk SSSR 147:1–132, text-fig. 1–140, pl. 1–8.
- . 1976a. Grilloblattidy—sovremennye predstavitelei otryada protoblattid (Insecta, Protoblattoidea) [Grilloblattids—present-day representatives of the order Protoblattoidea (Insecta, Protoblattoidea)]. Doklady akademii nauk SSSR 228:502–504, text-fig. 1.
- . 1976b. O rannej ehvolyutsii nasekomykh i proiskhozhdenii Pterygota [The early evolution of insects and the origin of Pterygota]. Zhurnal obshchei biologii 37:543–555, text-fig. 1–4.
- . 1977a. Novye pereponchatokrylye iz yury i mela azii [New Hymenoptera from the Jurassic and Cretaceous of Asia]. Paleontologicheskij zhurnal 1977(3):98–108, text-fig. 1–8.
- . 1977b. Novoe semejstvo pilil'shchikov (Hymenoptera, Tenthredinoidea, Electrotomidae) iz baltijskogo yantarya [A new family of sawflies (Hymenoptera, Tenthredinoidea, Electrotomidae) from the Baltic amber]. Zooloogicheskij zhurnal 59:1304–1308, text-fig. 1–2.
- . 1977c. Novye Paleozojskie i Mezozojskie nasekomye [New Paleozoic and Mesozoic insects]. Paleontologicheskij zhurnal 1977(1):64–77, text-fig. 1–13, pl. 7–8.
- . 1980a. K sisteme semejstva Aulacidae (Hymenoptera) v svyazi s novoj nakhodkoj v nizhnem melu manlaya [Contribution to the systematics of the family Aulacidae in connection with a new record from the Lower Cretaceous of Manlay], p. 65–67, text-fig. 1. In V. A. Topachevskij, ed., Dood tserdijn manlj nuur, Zovlot-Mongolyn khamtarsan paleontologi ekspeditsi [Early Cretaceous Lake Manlay, Joint Soviet-Mongolian Paleontological Expedition]. Trudy, sovmestnaya sovetsk-mongol'skaya paleontologicheskaya ekspeditsiya, no. 13.
- . 1980b. Proiskhozhdenie i ehvolyutsiya pereponchatokrylykh nasekomykh [Origin and evolution of hymenopterous insects]. Trudy paleontologicheskogo instituta akademii nauk SSSR 174:1–190, text-fig. 1–210, pl. 1–3.
- . 1980c. Otryad Grylloblattida; Otryad Gryllida [Order Grylloblattida; order Gryllidae], p. 150–153, 166–171, text-fig. 76–78, 83. In B. B. Rohdendorf & A. P. Rasnitsyn, Istoricheskoe razvitiye klassa nasekomykh [Historical development of the class Insecta]. Trudy paleontologicheskogo instituta akademii nauk SSSR 175.
- . 1980d. Otryad Perlida [Order Perlida],

- p. 154–160, text-fig. 79–80. In B. B. Rohdendorf & A. P. Rasnitsyn, Istoricheskoe razvitiye klassa nasekomykh [Historical development of the class Insecta]. Trudy paleontologicheskogo instituta akademii nauk SSSR 175.
- . 1980e. Nadotryad Papilionidea [Superorder Papilionidea], p. 99–101, text-fig. 17, pl. 5. In B. B. Rohdendorf & A. P. Rasnitsyn, Istoricheskoe razvitiye klassa nasekomykh [Historical development of the class Insecta]. Trudy paleontologicheskogo instituta akademii nauk SSSR 175.
- . 1980f. Nadotryad Caloneuridea, Nadotryad Hypoperlidea [Superorder Caloneuridea, Superorder Hypoperlidea], p. 38–43, text-fig. 10–13. In B. B. Rohdendorf & A. P. Rasnitsyn, Istoricheskoe razvitiye klassa nasekomykh [Historical development of the Class Insecta]. Trudy paleontologicheskogo instituta akademii nauk SSSR 175.
- . 1981. A modified paranotal theory of insect wing origin. *Journal of Morphology* 168:331–338, text-fig. 1–11.
- . 1982. Triasovye i yurskie nasekomye roda *Shurabia* (Grylloblattida, Geinitziidae) [Triassic and Jurassic insects of the genus *Shurabia* (Grylloblattida, Geinitziidae)]. *Paleontologicheskij zhurnal* 1982(3):78–87, text-fig. 1–4.
- . 1983a. Pereponchatokrylye nasekomye v yure vostochnoj sibiri [Hymenoptera from the Jurassic of East Siberia]. *Biologicheskogo Moskovskogo Obrshchestva Ispytatelej Prirody, Otdel Geologiya* [Moscow Biological Society, Scientific Investigations, Geological Section] 58(5):85–94, text-fig. 1–5.
- . 1983b. Iskopaemye pereponchatokrylye nadsemejstva Pamphilioidea [Fossil Hymenoptera of the superfamily Pamphilioidea]. *Paleontologicheskij zhurnal* 1983(2):54–68, text-fig. 1–4, pl. 9.
- . 1983c. Novye nazvaniya iskopaemykh nasekomykh [New names for fossil insects]. *Paleontologicheskij zhurnal* 1983(3):103.
- . 1983d. Ichneumonoidea (Hymenoptera) from the Lower Cretaceous of Mongolia. Contributions of the American Entomological Institute (Ann Arbor) 20:259–265, text-fig. 1–5.
- . 1985. *Eobraconus*, a substitute name for *Eobracon* Rasnitsyn (Hymenoptera, Braconidae). *Psyche* 92:163.
- Raw, Frank. 1956. Origin of winged insects. *Annals and Magazine of Natural History* (series 12) 9: 673–685.
- Rebel, Hans. 1898. Fossile Lepidopteren aus der Miocänformation von Gabbro. *Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften, mathematisch-naturwissenschaftlichen Klasse* 107:731–745, pl. 1.
- . 1934. Bernstein Lepidopteren. *Paleobiologia* 6:1–16, text-fig. 1–6, pl. 1.
- . 1935. Bernstein-Lepidopteren. *Deutsche entomologische Zeitschrift, Isis* 49:162–186, text-fig. 1–17.
- . 1936. Mikrolepidopteren aus dem baltischen Bernstein. *Die Naturwissenschaften* 24(33):519–520, text-fig. 1.
- Reddell, J. R. 1983. A checklist and bibliography of the Japygoidea (Insecta: Diplura) of North America, Central America, and the West Indies. *Texas Memorial Museum, Pearce-Sellard Series* 37:1–38.
- Redtenbacher, Josef. 1886. Vergleichende Studien über das Flügelgälder der Insecten. *Annalen des (K. K.) naturhistorischen Hofmuseums* 1:153–232, pl. 9–20.
- Redtenbacher, Ludwig. 1845. Die Gattungen der deutschen Käfer-Fauna nach der analytischen Methode bearbeiter, nebst einem kurz gefassten Leitfaden, zum Studium dieses Zweiges der Entomologie. Ueberreuter. Wien. 177 p., 2 pl.
- Rehn, J. W. H. 1951. Classification of the Blattaria as indicated by their wings (Orthoptera). *Memoirs of the American Entomological Society* 14: ii + 1–134, text-fig. 1–5, pl. 1–13.
- Reis, O. M. 1909. *Handlirschia gelasii* nov. gen. et spec. aus dem Schaumkalk Frankes. *Abhandlungen der Koeniglich bayerischen Akademie der Wissenschaften, Muenchen* 23:661–694, pl. 1.
- Reiss, H. 1936. Ein Zygaenenfund aus der Tertiärzeit. *Entomologische Rundschau* 53:554–556, pl. 7.
- Remington, C. L. 1954. The suprageneric classification of the order Thysanura (Insecta). *Annals of the Entomological Society of America* 47:277–286.
- . 1955. The "Apterygota," p. 495–505. In *A Century of Progress in the Natural Sciences, 1853–1953*. California Academy of Sciences. San Francisco.
- Remm, Kh. Ya. 1976. Pozdnemelovye mokretsy (Diptera, Ceratopogonidae) iskopaemykh smol khatangskoj vpadiny [Late Cretaceous biting midges (Diptera, Ceratopogonidae) from fossil resin of the Khatanga depression]. *Paleontologicheskij zhurnal* 1976(3):107–116, text-fig. 1–5.
- Reyes-Castillo, Pedro. 1977. Systematic interpretation of the Oligocene fossil, *Passalus indormitus* (Coleoptera, Passalidae). *Annals of the Entomological Society of America* 70:652–654, text-fig. 1–3.
- Rice, H. M. A. 1959. Fossil Bibionidae (Diptera) from British Columbia. *Geological Survey of Canada, Bulletin* 55:x + 1–48, text-fig. 1–8, pl. 1–4.
- . 1968. Two Tertiary sawflies (Hymenoptera-Tenthredinidae) from British Columbia. *Geological Society of Canada, Paper* 67–59:vi + 1–22, text-fig. 1–4, pl. 1.
- . 1969. An antlion (Neuroptera) and a stonefly (Plecoptera) of Cretaceous age from Labrador, Newfoundland. *Geological Survey of*

- Canada, Paper 68-65:iv + 1-12, text-fig. 1-6, pl. 1-2.
- Richards, O. W., & R. G. Davies. 1977. Imms' General Textbook of Entomology, 10th ed. Chapman and Hall. London. 1354 p., 591 text-fig.
- Richards, W. R. 1966. Systematics of fossil aphids from Canadian amber (Homoptera: Aphididae). Canadian Entomologist 98:746-760, text-fig. 1-32.
- Richardson, E. S., Jr. 1956. Pennsylvanian invertebrates of the Mazon Creek area, Illinois. Fieldiana Geology 12(1):3-76, text-fig. 1-41.
- Article divided into 4 parts: Introduction, p. 3-12, text-fig. 1-3; Insects, p. 13-56, text-fig. 4-31; Marine Fauna, p. 57-67, text-fig. 32-37; Trilobitomorpha Arthropleurida, p. 69-76, text-fig. 38-41.
- Richardson, J. W., William Swainson, & William Kirby. 1837. Fauna Boreali-Americana, Part Four: Insects. J. Fletcher. Norwich. 325 p., 8 pl.
- Ricker, W. E. 1935. New Canadian perlids (part II). Canadian Entomologist 67:256-264, pl. 14.
- _____. 1950. Some evolutionary trends in Plecoptera. Proceedings of the Indiana Academy of Science 59:197-209, text-fig. 1.
- Riek, E. F. 1950. A fossil mecopteran from the Triassic beds at Brookvale, N.S.W. Records of the Australian Museum 22:254-256, text-fig. 1-4, pl. 18.
- _____. 1952a. The fossil insects of the Tertiary Redbank Plains series. Part 1. An outline of the fossil assemblage, with descriptions of the fossil insects of the orders Mecoptera and Neuroptera. University of Queensland Papers, Department of Geology (new series) 4(1-2):1-14, text-fig. 1-4, pl. 1-2.
- _____. 1952b. Fossil insects from the Tertiary sediments at Dinmore, Queensland. University of Queensland Papers, Department of Geology (new series) 4(1-2):15-22, text-fig. 1-4, pl. 1.
- _____. 1953. Fossil mecopteroid insects from the Upper Permian of New South Wales. Records of the Australian Museum 23:55-87, text-fig. 1-67, pl. 5-6.
- _____. 1954a. The fossil Diptera of the Tertiary Redbank Plains series, Queensland. Proceedings of the Linnean Society of New South Wales 79: 58-60, text-fig. 1-5.
- _____. 1954b. A re-examination of the Upper Tertiary mayflies described by Etheridge and Olliff from the Vegetable Creek tin-field. Records of the Australian Museum 23:159-160, pl. 10.
- _____. 1954c. Further Triassic insects from Brookvale, N.S.W. (Orders Orthoptera, Saltatoria, Protorrhoptera, Perlaria). Records of the Australian Museum 23:161-168, text-fig. 1-5, pl. 11.
- _____. 1954d. A second specimen of the dragonfly *Aeschnidiopsis flindersiensis* (Woodward) from the Queensland Cretaceous. Proceedings of the Linnean Society of New South Wales 79:61-62, text-fig. 1.
- _____. 1955. Fossil insects from the Triassic beds at Mt. Crosby, Queensland. Australian Journal of Zoology 3:654-691, text-fig. 1-40, pl. 1-4.
- _____. 1956. A re-examination of the mecopteroid and orthopteroid fossils (Insecta) from the Triassic beds at Denmark Hill, Queensland, with descriptions of further specimens. Australian Journal of Zoology 4:98-110, text-fig. 1-5, pl. 1-2.
- _____. 1962. Fossil insects from the Triassic at Hobart, Tasmania. Papers and Proceedings of the Royal Society of Tasmania 96:39-40, pl. 1-2.
- _____. 1967. Further evidence of Panorpidae in the Australian Tertiary (Insecta: Mecoptera). Journal of the Australian Entomological Society 6:71-72, text-fig. 1.
- _____. 1968a. *Robinjonia tillyardi* Martynova, a mecopteran from the Upper Permian of Belmont, New South Wales. Records of the Australian Museum 27:299-302, text-fig. 1, pl. 44.
- _____. 1968b. Undescribed fossil insects from the upper Permian of Belmont, New South Wales (with an appendix listing the described species). Records of the Australian Museum 27:303-310, text-fig. 1-5, pl. 45.
- _____. 1968c. On the occurrence of fossil insects in the Mesozoic rocks of western Australia. Records of the Australian Museum 27:311-312, pl. 46.
- _____. 1970a. Neuroptera, p. 472-494, text-fig. 29.1-29.13. In CSIRO, The Insects of Australia. Melbourne University Press. Melbourne.
- _____. 1970b. Lower Cretaceous fleas. Nature 227:746-747, text-fig. 1.
- _____. 1973. Fossil insects from the Upper Permian of Natal, South Africa. Annals of the Natal Museum 21:513-532, text-fig. 1-15.
- _____. 1974a. A fossil insect from the Dwyka Series of Rhodesia. Paleontologia Africana 17: 15-17, text-fig. 1.
- _____. 1974b. An unusual immature insect from the Upper Permian of Natal. Annals of the Natal Museum 22:271-274, text-fig. 1.
- _____. 1974c. Upper Triassic insects from the Molteno "Formation," South Africa. Palaeontologia Africana 17:19-31, text-fig. 1-10, pl. 1-2.
- _____. 1976a. New Upper Permian insects from Natal, South Africa. Annals of the Natal Museum 22:755-790, text-fig. 1-24, pl. 1-6.
- _____. 1976b. A new collection of insects from the Upper Triassic of South Africa. Annals of the Natal Museum 22:791-820, text-fig. 1-17, pl. 1-4.

- . 1976c. Neosecoptera, a new insect sub-order based on specimen discovered in the Late Carboniferous of Tasmania. *Alcheringa* 1:227–234, text-fig. 1–2.
- . 1976d. Fossil insects from the Middle Ecca (Lower Permian) of southern Africa. *Paleontologia Africana* 19:145–148, text-fig. 1–3.
- . 1976e. An unusual mayfly (Insecta: Ephemeroptera) from the Triassic of South Africa. *Paleontologia Africana* 19:149–151, text-fig. 1–3.
- . 1977. An entomobryid collembolan (Hexapoda: Collembola) from the Lower Permian of southern Africa. *Palaeontologia Africana* 19:141–143, text-fig. 1–4.
- . 1979. The classification of the Ephemeroptera, p. 160–178. In William L. Peters and Janice G. Peters, eds., *Proceedings of the First International Congress on Ephemeroptera*. E. J. Brill. Leiden.
- Říha, Pavel. 1960. Eine neue Schwimmkäferart aus den tertiärgebildeten Böhmen. *Acta Entomologica Musei Nationalis Pragae* 34:51–53, text-fig. 1, pl. 1.
- . 1974. Neue fossile Schwimmkäfer aus dem Tertiär Europas und Westsiberiens (Coleoptera, Dytiscidae). *Acta Entomologica Bohemoslovaca* 71:398–413, pl. 1–7.
- Říha, Pavel, & Jarmila Kukalová. 1967. Eine neue Tertiäre Wasserwanze aus dem Bechlejovicer Diatomit (Heteroptera, Belostomatidae). *Acta Entomologica Bohemoslovaca* 64:259–260, text-fig. 1–2.
- Ris, Friedrich. 1910. The identity of two Odonata fossils. *Milwaukee Bulletin of the Wisconsin Natural History Society* 8(2):102–105.
- Robert, Eugene. 1838. Lettre sur les observations faites en Danemark, en Norvège, et en Suède et dans laquelle il parle du succin, etc. *Bulletin de la Société géologique de France* 9:114–118, text-fig. 1.
- Roberts, H. R. 1941. Nomenclature in the Orthoptera concerning genotype designations. *Transactions of the American Entomological Society* (Philadelphia) 67:1–34.
- Robineau-Desvoidy, J. B. 1830. Essai sur les Myodaires. Mémoires présentés par divers savants à l'Academie royale des sciences de l'Institut de France 2:1–84.
- Röder, Gerd. 1980. Eine neue *Cheilosia*-Art aus baltischem Bernstein mit REM-Untersuchungen rezenter Arten. *Stuttgarter Beiträge zur Naturkunde* (series B) 64:1–18, text-fig. 1–21.
- Roemer, C. F. 1876. Notiz über ein Vorkommen von fossilen Käfern (Coleopteren) im Rhät bei Hildesheim. *Zeitschrift der deutschen geologischen Gesellschaft* 28:350–353, text-fig. 1–3.
- Roesler, Rudolf. 1940a. Neue und wenig bekannte Copeognathengattungen, I. *Zoologischer Anzeiger* 129:225–243, text-fig. 1–39.
- . 1940b. Neue Copeognathen. Arbeiten ueber morphologische und taxonomische Entomologie aus Berlin-Dahlem 7:236–244, text-fig. 1–2.
- . 1944. Die Gattungen der Copeognathen. *Stettiner entomologische Zeitung* 105:117–166.
- Rohdendorf, B. B. 1938. Dvukrylye nasekomye mezozoja karatau. I. Brachycera i chast' Nematocera [Mesozoic Diptera from Karatau. I. Brachycera and some Nematocera]. *Trudy paleontologicheskogo instituta akademii nauk SSSR* 7(3):29–67, text-fig. 1–21.
- . 1939. A new protelytropteran from the Permian of the Urals. *Comptes rendus (Doklady) de l'Academie des sciences de l'URSS* (new series) 23:506–508, text-fig. 1–3.
- . 1940a. Another genus of the family Scythohymenidae found in the Permian of Urals. *Comptes rendus (Doklady) de l'Academie des sciences de l'URSS* (new series) 26:106–107, text-fig. 1–2.
- . 1940b. Body structure of Archodonata and position of this order in the system of Palaeoptera. *Comptes rendus (Doklady) de l'Academie des sciences de l'URSS* (new series) 26:108–110, text-fig. 1–4.
- . 1944. A new family of Coleoptera from the Permian of the Urals. *Comptes rendus (Doklady) de l'Academie des sciences de l'URSS* (new series) 44:252–253, text-fig. 1–2.
- . 1946. Ehvolutsiya kryla i filogenet dlinnousykh dvukrylykh Oligoneura (Diptera, Nematocera) [The evolution of the wing and the phylogeny of Oligoneura (Diptera, Nematocera)]. *Trudy paleontologicheskogo instituta akademii nauk SSSR* 13(2):1–108, text-fig. 1–97, pl. 1–16.
- . 1947. O mestonakh zhdenii lejyasovykh nasekomykh sogyuty [A locality of Liassic insects from Sogyt]. *Doklady akademii nauk SSSR* 57:391–393, text-fig. 1.
- . 1951. Organy dvizheniya dvukrylykh nasekomykh i ikh proiskhozhdenie [Organs of locomotion in Diptera and their origin]. *Trudy paleontologicheskogo instituta akademii nauk SSSR* 35:1–180, text-fig. 1–52.
- . 1956. Paleozojskie nasekomye Yuzhnoj Sibiri [Paleozoic insects from southern Siberia]. *Entomologicheskoe obozrenie* 35:111–119, pl. 1.
- . 1957. Paleohentomologicheskie issledovaniya v SSSR [Paleoentomological investigations in the USSR]. *Trudy paleontologicheskogo instituta akademii nauk SSSR* 66:1–100, text-fig. 1–20.
- . 1961a. Podklass Pterygota [Subclass Pterygota], p. 69–88, text-fig. 27–37, pl. 2. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. Sharov, *Paleozojskie nasekomye kuznetskogo bassejna* [Paleozoic insects of

- the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85.
- Apparently, the journal used the number 85 to designate two different volumes.
- . 1961b. Nadotryad Coleopteroidea. Zhestkokryloobraznye [Superorder Coleopteroidea], p. 393–469, text-fig. 318–416, pl. 24–32. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85.
- Apparently, the journal used the number 85 to designate two different volumes.
- . 1961c. Neue Angaben über das System der Dipteren, p. 153–158, text-fig. 1. In Hans Strouhal & Max Beier, eds., 11th Internationaler Kongress fuer Entomologie (Wien, 1960), Verhandlungen, v. 1. Vienna.
- . 1961d. Drevneyshiye infraotryady dvukrylykh iz triasa srednej azii [The oldest infraorders of Diptera from the Triassic of Middle Asia]. Paleontologicheskij zhurnal 1961(2):90–100, text-fig. 1–6.
- , ed. 1962a. Podtip Mandibulata zhvalenosnye chlenistonogie [Subphylum Mandibulata], p. 17–374, text-fig. 1–1151, pl. 1–16. In Yu. A. Orlov, ed., Osnovy Paleontologii [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1962b. Tip Malacopoda Myagkonogie, ili pervichnotrakhejnye [Phylum Malacopoda or Prototracheata], p. 531–536, text-fig. 1534–1635. In Yu. A. Orlov, ed., Osnovy Paleontologii [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1964. Istoricheskoe razvitiye dvukrylykh nasekomykh [Historical development of the Diptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 100:1–311, text-fig. 1–15.
- . 1968. Novye mezozojskie nemestrinidy (Diptera, Nemestrinidae) [New Mesozoic nemestrinids (Diptera, Nemestrinidae)], p. 180–189, text-fig. 1–6. In B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic insects of Karatau]. Akademiya Nauk SSSR Otdelenie Obshchey Biologii. Moscow.
- . 1973. The history of paleoentomology, p. 155–170. In R. F. Smith, T. E. Mittler, & C. N. Smith, eds., History of Entomology. Annual Reviews, Inc. Palo Alto, California.
- , ed. 1977. Mezozojskie zhestkokrylye [Mesozoic Coleoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 161:1–204, text-fig. 1–109, pl. 1–14.
- Apparently, the journal used the number 161 to designate two different volumes.
- Rohdendorf, B. B., E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov. 1961. Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85:1–705, text-fig. 1–537, pl. 1–40.
- Apparently, the journal used the number 161 to designate two different volumes.
- Rohdendorf, B. B., & N. S. Kalugina. 1974. Nakhodka svoeobraznykh dvukrylykh nimfomiyid (Diptera, Nymphomyiidae) Primorye [The discovery of a distinctive nymphomyiid (Diptera, Nymphomyiidae) in Primorie]. Entomologicheskoe obozrenie 53:686–694, text-fig. 1–29.
- Rohdendorf, B. B., & A. P. Rasnitsyn. 1980. Istoricheskoe razvitiye klassa nasekomykh [Historical development of the class Insecta]. Trudy paleontologicheskogo instituta akademii nauk SSSR 175:1–269, text-fig. 1–99, pl. 1–8.
- Rohwer, R. A. 1908a. A fossil larrid wasp. Bulletin of the American Museum of Natural History 24: 519–520.
- . 1908b. On the Tenthredinoidea of the Florissant shales. Bulletin of the American Museum of Natural History 24:521–530, text-fig. 1.
- . 1908c. The Tertiary Tenthredinoidea of the expedition of 1908 to Florissant, Colo. Bulletin of the American Museum of Natural History 24:591–595, text-fig. 1.
- . 1908d. A fossil mellinid wasp. Bulletin of the American Museum of Natural History 24: 597.
- . 1909a. The fossil Ceropalidae of Florissant, Colorado. Psyche 16:23–28.
- . 1909b. New Hymenoptera from western United States. Transactions of the American Entomological Society (Philadelphia) 35:99–136.
- . 1909c. Three new fossil insects from Florissant, Colorado. American Journal of Science (series 4) 18:533–536.
- . 1911. A classification of the suborder Chalastogastra of the Hymenoptera. Proceedings of the Entomological Society of Washington 13: 215–226.
- Rolfe, W. D. I. 1967. *Rochdaleia*, a Carboniferous insect nymph. Palaeontology 10:307–313, text-fig. 1–2, pl. 50.
- Rondani, A. C. 1856. Dipterologia Italicae Prodromus, v. 1. Stocchi. Parmae. 226 p.
- Rosen, Kurt von. 1913. Die fossilen Termiten: eine kurze Zusammenfassung der bis jetzt bekannten Funde, p. 303–335, pl. 26–31. In Transactions of the 2nd International Congress on Entomology, v. 2.
- Ross, E. S. 1956. A new genus of Embioptera from Baltic amber. Mitteilungen aus dem Geologischen Staatsinstitut in Hamburg 25:76–81, text-fig. 1–2.

- . 1970. Biosystematics of the Embioptera. *Annual Review of Entomology* 15:157–172.
- . 1984. A synopsis of the Embiidina of the United States. *Proceedings of the Entomological Society of Washington* 86:82–93, text-fig. 1–4.
- Ross, H. H. 1936. The ancestry and wing venation of the Hymenoptera. *Annals of the Entomological Society of America* 29:99–109, pl. 1–2.
- . 1944. The caddis flies, or Trichoptera, of Illinois. *Illinois Natural History Survey, Bulletin* 23(1):1–326, text-fig. 1–961.
- Roth, L. M. 1967. The evolutionary significance of rotation of the ootheca in the Blattaria. *Psyche* 74:85–103, text-fig. 1–25.
- . 1970. Evolution and taxonomic significance of reproduction in Blattaria. *Annual Review of Entomology* 15:75–96, text-fig. 1–22.
- . 1982. A taxonomic revision of the Panesthiinae of the world. IV. The genus *Ancaudellia* Shaw, with additions to parts I–III, and a general discussion of distribution and relationships of the components of the subfamily (Dictyoptera: Blattaria; Blaberidae). *Australian Journal of Zoology* (suppl. series) 82:1–142, text-fig. 1–64.
- Roussy, L. 1960. Insectes et abeilles fossiles de l'ambre de Sicile. *Gazette apicole*. Montfavet 635: 5–8, text-fig. 1–2.
- Rozen, J. G., Jr. 1971. *Micromalthus debilis* LeConte from amber of Chiapas, Mexico (Coleoptera: Micromalthidae). *University of California, Berkeley, Publications in Entomology* 63:75–76.
- Rubtsov, I. A. 1936. Eine neue Simuliidenart (*Simulium oligocenicum*, sp. n.) aus dem Bernstein. *Comptes rendus (Doklady) de l'Academie des sciences de l'URSS (new series)* 11:353–355, text-fig. 1.
- Sabrosky, C. W. 1963. A new acalypterate fly from the Tertiary amber of Mexico (Diptera: Miliichiidae). *Journal of Paleontology* 37:119–120, text-fig. 1–2, pl. 16.
- Salt, George. 1931. Three bees from Baltic amber. *Bernstein-Forschungen* 2:136–147, text-fig. 1–3.
- Samouelle, George. 1819. *The Entomologist's Useful Compendium*. Thomas Boys. London. 496 p., 12 pl.
- Sattler, K. 1973. A catalogue of the family-group and genus-group names of the Gelechiidae, Holcogonidae, Lecithoceridae and Symmocidae (Lepidoptera). *Bulletin of the British Museum (Natural History), Entomology* 28:155–282.
- Saunders, S. S. 1872. Stylopidarum, ordinem Strepsipterorum Kirbii constituentium, mihi tamen potius Coleopterorum Familiae, Rhiphiphoridis Meloidisque propinquae, Monographia. *Transactions of the Royal Entomological Society of London* 1872:1–48.
- Saussure, H. F. 1859. *Orthoptera nova Americana*. *Revue et magasin de zoologie* (series 2) 11:59–63.
- Schaeffer, C. 1896. Die Collembola der Umgebung von Hamburg und benachbarter Gebiete. *Mitteilungen der Naturhistorische Museum in Hamburg* 13:149–216, pl. 1–4.
- Schaufuss, C. F. C. 1892. Preussens Bernstein-Käfer. Neue Formen aus der Helm'schen Sammlung in Danziger Provinzialmuseum. *Berliner entomologische Zeitschrift* 36:53–64.
- . 1896. Preussens Bernsteinkäfer. II. Neue Formen aus der Helm'schen Sammlung in Danziger Provinzialmuseum. *Berliner entomologische Zeitschrift* 41:51–54.
- Schaufuss, L. W. 1888. Einige Käfer aus dem baltischen Bernstein. *Berliner entomologische Zeitschrift* 32:266–270.
- . 1890a. System-schema der Pselaphiden, ein Blick in die Vorzeit, in die Gegenwart und in die Zukunft. *Tijdschrift voor entomologie* 33: 101–162, pl. 2–6.
- . 1890b. Eine Staphylinengattung aus dem baltischen Bernstein. *Entomologische Nachrichten* 16:69–70.
- . 1890c. Die Scydmaeniden des baltischen Bernsteins. *Gesellschaft fuer Botanik und Zooloogie zu Dresden* 3:561–586.
- Schedl, K. E. 1947. Die Borkenkäfer des baltischen Bernsteins. 58. Beitrag zur Morphologie und Systematik der Scolytidae und Platypodidae. *Zentralblatt fuer das Gesamigebiet der Entomologie* 2:12–45, text-fig. 1–17.
- . 1962. New Platypodidae from Mexican amber. *Journal of Paleontology* 36:1035–1038, text-fig. 1, pl. 146.
- Schenk, Adolph. 1860. Verzeichniss der nasauischen Hymenoptera aculeata mit Hinzufügung der übrigen dem Verfasser bekannt gewordenen deutschen Arten. *Stettiner entomologische Zeitung* 21:132–157.
- Schepdael, Jean van. 1974. Macrolépidoptères fossiles du domaine paléarctique: la paléontologie au service de l'écologie. *Les Naturalistes belges* 55(1):3–37, text-fig. 1–6.
- Schilling, P. S. 1829. Hemiptera Heteroptera Silesiae systematicae disposita. Beiträge zur Entomologie besonders im Bezug auf die schlesische Fauna 1:34–93, pl. 1–9.
- Schinier, J. R. 1864. *Fauna Austriaca. Die Fliegen (Diptera)*, v. 2. Druck. Wien. xxxii + 658 p.
- Schlechtendal, D. H. R. von. 1887. Physopoden aus dem Braunkohlengebirge von Rott am Siebengebirge. *Zeitschrift fuer die gesammten Naturwissenschaften* 60:551–592, pl. 3–5.
- . 1888. Mitteilungen über die in der Sammlung aufbewahrten Originale zu Germar's "Insekten in Bernstein eingeschlossen" mit Rückicht auf Giebel's "Fauna der Vorwelt." *Zeitschrift fuer die gesammten Naturwissenschaften* 61:473–491, text-fig. 1–3.
- . 1894. Beiträge zur Kenntnis fossiler Insekten aus dem Braunkohlengeburge von Rott

- am Siebengebirge. Abhandlungen der naturforschenden Gesellschaft zu Halle 20:197–228, pl. 12–14.
- . 1913. Untersuchung über die karbonischen Insekten und Spinnen von Wettin unter Berücksichtigung verwandter Faunen. Erster Teil: Revision der Originale von Germar, Giebel und Goldenberg. Nova Acta Leopoldina 98:1–186, pl. 1–10.
- Schlee, Dieter. 1969. Der Flügel von *Sphaeraspis* (Coccina), prinzipiell identisch mit Aphidina-Flügeln. Stuttgarter Beitraege zur Naturkunde 211:1–11, text-fig. 1–3.
- . 1970. Verwandschaftsforschung an fossilen und rezenten Aleyrodina (Insecta, Hemiptera). Stuttgarter Beitraege zur Naturkunde 213: 1–72, text-fig. 1–30.
- Schlee, Heide-Berna, & Dieter Schlee. 1976. Bibliographie der rezenten und fossilen Mecoptera (Insecta). Stuttgarter Beitraege zur Naturkunde (series A, biologie) 282:1–76.
- Schlitterer, August. 1890. Die Hymenopteren-Gattungen *Stenophasmus* Smith, *Monomachus* Westw., *Pelecinus* Latr. und *Megalyra* Westw. Berliner entomologische Zeitschrift 33:197–250, pl. 3.
- Schlüter, Thomas. 1976a. Die Fossilfalle Harz—der gegenwärtige Eriorschungsstand. Naturwissenschaftliche Rundschau 29:350–354, text-fig. 1.
- . 1976b. Die Wollschweber-Gattung *Gla-bellula* (Diptera: Bombyliidae) aus dem Oligozänen Harz der Dominikanischen Republik. Entomologica Germanica 2:355–363, text-fig. 1–8.
- . 1978a. Zur Systematik und Palökologie harzkonservierter Arthropoda einer Taphozönose aus dem Cenomanium von NW-Frankreich. Berliner gewissenschaffliche Abhandlungen (series A) 9:1–150, text-fig. 1–99, pl. 1–13.
- . 1978b. Die Schmetterlingsmücken-Gattung *Nemopalpus* (Diptera: Psychodidae) aus dem oligozänen Harz der Dominikanischen Republik. Entomologica Germanica 4:242–249, text-fig. 1–8.
- . 1982. *Cimbrobrysa moleriensis* n. g. n. sp. und *Hypochrysa hercyniensis* n. sp., zwei fossile Chrysopidae-Arten (Insecta: Planipennia) aus dem europäischen Tertiär. Neues Jahrbuch fuer Geologie und Paleontologie 1982, Monatshefte 5:257–264, text-fig. 1–3.
- Schmalfuss, Helmut. 1979. *Proceroplatus bennigi* n. sp., die erste Pilzmücke aus dem Dominikanischen Bernstein. Stuttgarter Beitraege zur Naturkunde (series B) 49:1–9, text-fig. 1–12.
- Schmidt, Erich. 1958. Bemerkungen über Lestiden III (Odonata). Über *Oligolestes grandis* (Statz 1935) und eine neue *Lestes*-Art aus dem Mittel-Oligozän von Ritt im Siebengebirge. Decheniana 111:1–7, text-fig. 1–5.
- Text-figs. 1 and 3 are on pl. 1.
- Schmidt, G. W. 1963. Die evolution der ältesten Insekten. Natur und Museum 93:449–461, text-fig. 1–8.
- Schmidt, Wolfgang. 1953. *Herbstiala herbsti* n. g., n. sp. (Herbstialidae n. fam., Protocadida), der erste Insekt aus dem Erkelenzer Karbon (Westfal A). Palaeontologische Zeitschrift 27:149–168, text-fig. 1, pl. 10.
- . 1962. Neue Insekten aus dem rheinisch-westfälischen Oberkarbon. Fortschritte in der Geologie von Rheinland und Westfalen 3:819–860, text-fig. 1–6, pl. 2.
- Schmitz, H. 1929. Diptera of Patagonia and South Chile, based mainly on material in the British Museum (Natural History). Part VI, Fascicle 1. Sciadoceridae and Phoridae. British Museum. London. 42 p., 10 text-fig.
- Schneider, Jörg. 1977. Zur Variabilität der Flügel paläozoischer Blattodea (Insecta), Teil I. Freiberger Forschungshefte (C) 326:87–105, text-fig. 1–8, pl. 1–11.
- . 1978a. Zur Variabilität der Flügel paläozoischer Blattodea (Insecta), Teil II. Freiberger Forschungshefte (C) 334:21–39, text-fig. 1–7, pl. 1–7.
- . 1978b. Zur Taxonomie und Biostratigraphie der Blattodea (Insecta) des Karbon und Perm der DDR. Freiberger Forschungshefte (C) 340: 1–152, text-fig. 1–2, pl. 1–85.
- . 1980. Zur Taxonomie der jungpaläozoischen Neorthroblattinidae (Insecta, Blattoidea). Freiberger Forschungshefte (C) 348:31–39, text-fig. 1, pl. 1–4.
- . 1982. Entwurf einer biostratigraphischen Zonengliederung mittels der Spiloblattnidae (Blattodea, Insecta) für das kontinentale euramerische Permocarbon. Freiberger Forschungshefte (C) 375:27–47, pl. 1–5.
- . 1983. Die Blattodea (Insecta) des Paläozoikums. Teil I: Systematik, Ökologie, und Biostratigraphie. Freiberger Forschungshefte (C) 382:106–145, pl. 2–3.
- . 1984. Die Blattodea (Insecta) des Paläozoikums. Teil II: Morphogenese der Flügelstrukturen und Phylogenie. Freiberger Forschungshefte (C) 391:1–34, text-fig. 1–9, pl. 1–7 (and pl. 2 of Teil I).
- Schneider, W. G. 1845. Verzeichniss der von Herrn Oberlehrer Zeller im Jahre 1844 in Sicilien und Italien gesammelten Neuroptera, mit Beschreibung einiger neuen Arten. Stettiner entomologische Zeitung 6:338–346.
- Schöberlin, Edmund. 1888. Der Oeninger Stink-schiefer und seine Insekten reste. Societas Entomologica 3:42–69.

- Schoenherr, C. J. 1833. *Synonymia Insectorum oder Versuch einer Synonymie aller von mir bisher bekannten Insecten. Genera et species curculionidum, cum synonymia hujus familiae*, v. 1, part 1. Roret. Paris. xv + 381 p.
- Schumann, H. 1967. Fossile Libellen (Odonata) aus dem Oberpliozän am westlichen Harzrand. Berichte der naturhistorischen Gesellschaft zu Hannover 111:31–45, text-fig. 1–8.
- Schwarzbach, Martin. 1939. Die älteste Insektenflügel. Bemerkungen zu einem oberschlesischen Funde (Karbon-Studien). IX. Jahresberichte und Mitteilungen des oberrheinischen geologischen Vereines. Neue Folge. (1939):28–30, text-fig. 8.
- Scourfield, D. J. 1940a. The oldest known fossil insect. *Nature* 145:799–801, text-fig. 1–4.
- . 1940b. The oldest known fossil insect (*Rhyniella praecursor* Hirst & Maulik)—further details from additional specimens. *Proceedings of the Linnean Society of London* 152(2):113–131, text-fig. 1–11.
- Proceedings for 1939 were published in 1940.*
- Scudder, G. G. E. 1973. Recent advances in the higher systematics and phylogenetic concepts in entomology. *Canadian Entomologist* 105:1251–1263, text-fig. 1–2.
- Scudder, S. H. 1862. Materials for a monograph of the North American Orthoptera. *Boston Journal of Natural History* 7:409–480, text-fig. 1–5.
- . 1867. Notice of fossil insects from the Devonian rocks of New Brunswick, and of *Hapllophlebius barnesii*. *Proceedings of the Boston Society of Natural History* 11:150–151.
- . 1868a. Remarks on two fossil insects from the Carboniferous formation in America. *Proceedings of the Boston Society of Natural History* 11:401–403.
- . 1868b. Descriptions of fossil insects, found on Mazon Creek, and near Morris, Grundy Co., Ill. *Geological Survey of Illinois* 3:566–572, text-fig. 1–10.
- . 1868c. [Palaeozoic insects from Nova Scotia and New Brunswick], p. 202–206, text-fig. 1–3. In J. W. Dawson, *On some remains of Palaeozoic insects recently discovered in Nova Scotia and New Brunswick*. *Canadian Naturalist and Geologist* (new series) 3.
- . 1872. Description d'un nouveau papillon fossile (*Satyrites reynesi*) trouvé à Aix-en-Provence. *Revue et magasin de zoologie* (series 2) 23:66–72, pl. 7.
- . 1875a. Fossil butterflies. *American Association for the Advancement of Science, Memoirs* 1:1–99, text-fig. 1–8, pl. 1–3.
- . 1875b. The Tertiary Physopoda of Colorado. *Bulletin of the United States Geological and Geographical Surveys of the Territories* (series 2) 1:221–223.
- . 1875c. Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. *Proceedings of the American Academy of Arts and Sciences* 10:91–293.
- . 1876a. Fossil Coleoptera from the Rocky Mountain tertiaries. *Bulletin of the United States Geological and Geographical Surveys of the Territories* 2:78–87.
- . 1876b. Critical and historical notes on forficulae; including descriptions of new generic forms and an alphabetical synonymic list of the described species. *Proceedings of the Boston Society of Natural History* 18:287–332.
- . 1876c. Fossil Orthoptera from the Rocky Mountain tertiaries. *Bulletin of the United States Geological and Geographical Surveys of the Territories* 2:447–449.
- . 1876d. Brief synopsis of North American earwigs with an appendix on the fossil species. *Bulletin of the United States Geological and Geographical Surveys of the Territories* 2:249–260.
- . 1877a. On the first discovered traces of fossil insects in the American tertiaries. *Geological Survey of Canada, Report of Progress* 3:741–762.
- . 1877b. The insects of the Tertiary beds at Quesnel (British Columbia). *Report of Progress of the Geological Survey of Canada* 1875–1876:266–280.
- . 1878a. An account of some insects of unusual interest from the Tertiary rocks of Colorado and Wyoming. *Bulletin of the United States Geological and Geographical Surveys of the Territories* 4:519–543.
- . 1878b. The fossil insects of the Green River shales. *Bulletin of the United States Geological and Geographical Survey of the Territories* 4:747–776.
- . 1878c. A Carboniferous termites from Illinois. *Proceedings of the Boston Society of Natural History* 19:300–301.
- . 1878d. Additions to the insect fauna of the Tertiary beds at Quesnel (British Columbia). *Report of Progress of the Geological Survey of Canada* 1876–1877:457–464.
- . 1879a. Appendix A. The fossil insects collected in 1877 by Mr. G. M. Dawson, in the interior of British Columbia. *Report of Progress of the Geological Survey of Canada* 1877–1878: 176B–185B.
- . 1879b. Palaeozoic cockroaches: a complete revision of the species of both worlds, with an essay towards their classification. *Memoirs of the Boston Society of Natural History* 3:23–134, pl. 2–6.
- . 1880. The Devonian insects of New Brunswick, p. 3–41, pl. 1. In *Anniversary Mem-*

- oirs of the Boston Society of Natural History 1830–1880. Boston.
- . 1881a. On *Lithosialis bohemica*. Proceedings of the Boston Society of Natural History 21:167.
- . 1881b. Two new British Carboniferous insects, with remarks on those already known. *Geological Magazine* (decade 2) 8:293–300.
- . 1883a. The fossil white ants of Colorado. *Proceedings of the American Academy of Arts and Sciences* 19:133–145.
- . 1883b. The Carboniferous hexapod insects of Great Britain. *Memoirs of the American Academy of Arts and Sciences* 19:131–145.
- . 1885a. *Dictyonera* and the allied insects of the Carboniferous epoch. *Proceedings of the American Academy of Arts and Sciences* 20:167–173.
- . 1885b. [Systematische Übersicht der fossilen Myriopoden, Arachnoideen, und Insekten], p. 721–831, text-fig. 894–1109. In K. A. Zittel, ed., *Handbuch der Palaeontologie, Abteilung I, v. 2, Palaeozoologie*. Oldenbourg. Munich & Leipzig.
- . 1885c. Description of an articulate of doubtful relationship from the Tertiary beds of Florissant, Colorado. *Memoirs of the National Academy of Sciences, Washington* 3:85–90, text-fig. 1–3.
- . 1885d. Palaeodictyoptera: on the affinities and classification of Paleozoic Hexapoda. *Memoirs of the Boston Society of Natural History* 3: 319–351, pl. 29–32.
- . 1885e. New genera and species of fossil cockroaches, from the older American rocks. *Proceedings of the Academy of Natural Sciences, Philadelphia* 1885:34–39.
- . 1885f. Notes on Mesozoic cockroaches. I. *Pterinoblattina*, a remarkable type of Palaeoblattariae. II. Triassic Blattariae from Colorado. III. On the genera hitherto proposed for Mesozoic Blattariae. *Proceedings of the Academy of Natural Sciences, Philadelphia* 1885:105–115.
- . 1885g. Two more English Carboniferous insects. *Geological Magazine* (decade 3) 2:265–266.
- . 1886a. Systematic review of our present knowledge of fossil insects including myriapods and arachnids. *United States Geological Survey, Bulletin* 5(31):1–128.
- . 1886b. A review of Mesozoic cockroaches. *Memoirs of the Boston Society of Natural History* 3:439–485, pl. 46–48.
- . 1889. The fossil butterflies of Florissant. *United States Geological Survey, Annual Report* 8:433–474, text-fig. 1–22, pl. 52–53.
- . 1890. The Tertiary insects of North America. *Report of the United States Geological Survey of the Territories* 13:1–734, text-fig. 1–3, pl. 1–28.
- . 1891. Index to the known fossil insects of the world including myriapods and arachnids. *United States Geological Survey, Bulletin* 71:1–744.
- . 1892. Some insects of special interest from Florissant and other points in the tertiaries of Colorado and Utah. *United States Geological Survey, Bulletin* 93:1–25, pl. 1–3.
- . 1893a. Tertiary rhynchophorous Coleoptera of the United States. *United States Geological Survey, Monograph* 21:1–206, pl. 1–12.
- . 1893b. Insect fauna of the Rhode Island coal field. *United States Geological Survey, Bulletin* 101:1–21, pl. 1–2.
- . 1894. Tertiary Tipulidae, with special reference to those of Florissant, Colorado. *Proceedings of the American Philosophical Society* 32: 163–245, pl. 1–9.
- . 1895a. The Miocene insect-fauna of Oeningen, Baden. *Geological Magazine* (decade 4) 2:116–122, pl. 6.
- . 1895b. Canadian fossil insects. 1. The Tertiary Hemiptera of British Columbia. 2. The Coleoptera hitherto found fossil in Canada. 3. Notes upon myriapods and arachnids found in sigillarian stumps in the Nova Scotia coal field. *Contributions to Canadian Palaeontology* 2:5–66, pl. 1–5.
- . 1895c. Revision of the American fossil cockroaches, with descriptions of new forms. *United States Geological Survey, Bulletin* 124: 5–176, text-fig. 1–3, pl. 1–12.
- . 1900. Adephagous and clavicorn Coleoptera from the Tertiary deposits at Florissant, Colorado with descriptions of a few other forms and a systematic list of the non-rhynchophorous Tertiary Coleoptera of North America. *United States Geological Survey, Monograph* 40:1–145, pl. 1–11.
- Seemann, Reinhold. 1935. Massenhaftes Auftreten von Insektenpuppen im obermiozänen Süsswasserkalk vom Goldberg im Ries. *Jahreshefte des Vereins fuer vaterlaendische Naturkunde in Wuertemberg* 91:19–21, text-fig. 1–2, pl. 4.
- Seavers, C. H. 1971. Fossil Staphylinidae in Tertiary Mexican amber (Coleoptera). *University of California, Berkeley, Publications in Entomology* 63:77–86, text-fig. 1–3.
- Séguy, E. 1934. Un nouveau Cylindrotomine fossile (Tipulidae). *Encyclopedie entomologique (series B)* 2(7):47–48, text-fig. 1.
- Seidlitz, G. C. M. 1888. Fauna Baltica. Die Käfer (Coleoptera) der Ostseeprovinzen Russlands. Königsberg. p. xli–xlviii + 97–336.
- . 1891. Fauna Baltica: die Käfer (Coleoptera) der deutschen Ostseeprovinzen Russlands. 2nd ed. Königsberg. lvi + 818 p.
- . 1896. Coleoptera, p. 1–304. In Erichsons *Naturgeschichte der Insekten Deutschlands*, v. 5(2). Berlin.

- . 1898. Coleoptera, p. 305–680. In Erichson's *Naturgeschichte der Insekten Deutschlands*, v. 5(2). Berlin.
- Sellards, E. H. 1904. A study of the structure of Paleozoic cockroaches, with descriptions of new forms from the Coal Measures. *American Journal of Science* (series 4) 18:113–134, 213–227, text-fig. 1–37, pl. 1.
- . 1906. Types of Permian insects. *American Journal of Science* (series 4) 22:249–258, text-fig. 1–8.
- . 1907. Types of Permian insects. Part II. Plectoptera. *American Journal of Science* (series 4) 23:345–355, text-fig. 1–13.
- . 1909. Types of Permian insects. Part III. Megasecoptera, Oryctoblattnidae and Protorhoptera. *American Journal of Science* (series 4) 27:151–173, text-fig. 1–28.
- Selys-Longchamps, M. E. de. 1840. *Monographie des Libellulidées d'Europe*. Paris. Roret. 220 p., 4 pl.
- . 1853. *Synopsis des Caloptérygines*. *Bulletin de l'Academie de Bruxelles* 20:1–73.
- . 1888. Catalogue raisonné des Orthoptères et des Néuroptères de Belgique. *Annales de la Societe entomologique de Belgique* 32:103–203.
- Selys-Longchamps, M. E. de, & H. A. Hagen. 1850. *Revue des Odonates ou libellules d'Europe*. *Memoires de la Societe royale scientifique de Liege* 6:1–408, pl. 1–11.
- . 1854. *Monographie des Caloptérygines*. *Memoires de la Societe royale scientifique de Liege* 9:1–291, pl. 1–18.
- Shaposhnikov, G. Kh. 1979a. Oligomerizatsiya, polimerizatsiya i uporyadochenie morfologicheskikh struktur v ehvoljutsii tlej (Homoptera, Aphidinea) [The oligomerization, polymerization and organization of morphological structures in the evolution of aphids (Homoptera, Aphidinea)]. *Entomologicheskoe obozrenie* 58: 716–741, text-fig. 1–89.
- . 1979b. Pozdneyurskie i rannemelovye tli [Late Jurassic and early Cretaceous aphids]. *Paleontologicheskij zhurnal* 1979(4):66–78, text-fig. 1–6, pl. 7–8.
- . 1980. Ehvoljutsiya morfologicheskikh struktur tlej (Homoptera, Aphidinea) i obraz zhizni ikh sovremennykh i mezozojskikh predstavitelej [Evolution of morphological structures in aphids (Homoptera, Aphidinea) and habits of the recent and Mesozoic representatives of the group]. *Entomologicheskoe obozrenie* 59:39–59, text-fig. 1–37.
- Sharov, A. G. 1948. Triasovye Thysanura iz priural'ya [Triassic Thysanura from the Ural forelands]. *Doklady akademii nauk SSSR* 61(3):517–519, text-fig. 1–2.
- . 1953. Pervaya nakhodka permskoj lichenki vislokrylogo nasekomogo (Megaloptera) iz kargaly [First discovery of Permian larvae of Megaloptera from Kargala]. *Doklady akademii nauk SSSR* 89:731–732, text-fig. 1.
- . 1957a. Pervaya nakhodka melovogo zhalonosnogo pereponchatokrylogo (Hymenoptera, Aculeata) [First discovery of a Cretaceous aculeate hymenopteran]. *Doklady akademii nauk SSSR* 112:943–944, text-fig. 1.
- . 1957b. Nimfy miomoptera (Miomoptera) iz Permskikh otlozenij Kuznetskogo Bassejna [Nymphs of Miomoptera from Permian deposits of the Kuznetsk basin]. *Doklady akademii nauk SSSR* 112:1106–1108, text-fig. 1–3.
- . 1957c. Svoeobraznye paleozojskie beskrylye nasekomye novogo otryada Monura (Insecta, Apterygota) [Distinctive Paleozoic wingless insects of a new order Monura (Insecta, Apterygota)]. *Doklady akademii nauk SSSR* 115:795–798, text-fig. 1–3.
- . 1961a. On the system of the orthopterous insects, p. 295–296, text-fig. 1–2. In Hans Strouhal & Max Beier, eds., 11th Internationaler Kongress fuer Entomologie (Wien, 1960), Verhandlungen, v. 1. Vienna.
- . 1961b. The origin of the order Plecoptera, p. 296–298, text-fig. 1–2. In Hans Strouhal & Max Beier, eds., 11th Internationaler Kongress fuer Entomologie (Wien, 1960), Verhandlungen, v. 1. Vienna.
- . 1961c. Otryad Protoblaattodea [Order Protoblaattodea], p. 157–164, text-fig. 89–92, pl. 19. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. *Trudy paleontologicheskogo instituta akademii nauk SSSR* 85.
- Apparently, the journal used the number 85 to designate two different volumes.
- . 1961d. Otryad Paraplecoptera [Order Paraplecoptera], p. 164–224, text-fig. 93–164, pl. 19. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. *Trudy paleontologicheskogo instituta akademii nauk SSSR* 85.
- Apparently, the journal used the number 85 to designate two different volumes.
- . 1961e. Otryad Plecoptera [Order Plecoptera], p. 225–234, text-fig. 166–175, pl. 19. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. *Trudy paleontologicheskogo instituta akademii nauk SSSR* 85.
- Apparently, the journal used the number 85 to designate two different volumes.

- . 1961f. Otryad Protorthoptera [Order Protorthoptera], p. 245–247, text-fig. 183–184, pl. 19. In B. B. Rohdendorf, E. Eh. Becker-Migdisova, O. M. Martynova, & A. G. Sharov, Paleozojskie nasekomye kuznetskogo bassejna [Paleozoic insects of the Kuznetsk basin]. Trudy paleontologicheskogo instituta akademii nauk SSSR 85.
- Apparently, the journal used the number 85 to designate two different volumes.
- . 1962a. Redescription of *Lithophotina floscosa* Cock. (Manteodea) with some notes on the manteid wing venation. *Psyche* 69:102–106, text-fig. 1–2.
- . 1962b. Novoe permskoe semejstvo prymokrylykh (Orthoptera) [A new Permian family of Orthoptera]. *Paleontologicheskij zhurnal* 1962(2):112–116, text-fig. 1–6.
- . 1962c. Otryad Protoplattodea [Order Protoplattodea], p. 116–118, text-fig. 274–282, pl. 5. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1962d. Otryad Paraplectoptera [Order Paraplectoptera], p. 119–134, text-fig. 283–344, pl. 5–7. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1962e. Otryad Plecoptera [Order Plecoptera], p. 134–138, text-fig. 345–360, pl. 8–9. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1962f. Otryad Protorthoptera [Order Protorthoptera], p. 145–146, text-fig. 382–384. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1962g. Otryad Orthoptera [Order Orthoptera], p. 146–157, text-fig. 385–413, pl. 9–11. In Yu. A. Orlov, ed., *Osnovy Paleontologii* [Fundamentals of Paleontology]. Izdatel'stvo Akademii Nauk SSSR. Moscow.
- . 1965. Evolution and Taxonomy. Zeitschrift fuer zoologische Systematik und Evolutionsforschung 3:349–358, text-fig. 1–2.
- . 1966a. O polozhenii otryadov Glosselytrodea i Caloneurodea v sisteme nasekomykh [The position of the orders Glosselytrodea and Caloneurodea in the systematics of insects]. *Paleontologicheskij zhurnal* 1966(3):84–93, text-fig. 1–6.
- . 1966b. Basic Arthropodan Stock. Pergamon Press. London. xii + 271 p., 88 text-fig.
- . 1968. Filogeniya ortopteroidnykh nasekomykh [Phylogeny of the Orthopteroidea]. Trudy paleontologicheskogo instituta akademii nauk SSSR 118:1–216, text-fig. 1–53, pl. 1–12.
- . 1973. Morfologicheskie osobennosti i obraz zhizni paleodiktopter [Morphological features and mode of life of the Palaeodictyoptera], p. 45–63, text-fig. 1–11. In *Chteniya pamyati Nikolaya Aleksandrovicha Kholodkovskogo* [Readings in memory of Nikolaj Aleksandrovich Kholodkovskij]. Izdatel'stvo Nauka. Leningrad. Sharov, A. G., & N. D. Sinitshenkova. 1977. Novye Palaeodictyoptera s territorii SSSR [New Palaeodictyoptera from the USSR]. *Paleontologicheskij zhurnal* 1977(1):48–63, text-fig. 1–6, pl. 5–6.
- Sharp, David. 1889. Homoptera, p. 568–599, text-fig. 280–291. In *Insects, Part II. The Cambridge Natural History*, v. 6. Macmillan. London.
- . 1899. Some points in the classification of the Insecta Hexapoda, p. 246–249. In *Proceedings of the Fourth International Congress of Zoology*, Cambridge, England.
- Shchegoleva-Barovskaya, T. I. 1929. Pervyj predstavitel' sem. Mordellidae (Coleoptera) iz yur-skikh otlozhenij Turkestana [First representative of the family Mordellidae (Coleoptera) from the Jurassic of Turkestan]. *Comptes rendus de l'Academie des sciences de l'URSS* 1929:27–29, text-fig. 1–2.
- Shenefelt, R. D. 1969. Braconidae 1, Hybrizoninae, Euphorinae, Cosmophorinae, Neoneurinae, Macrocentrinae, p. v + 1–176. In Ch. Ferriere & J. van der Vecht, eds., *Hymenopterorum Catalogus* (nov. ed.), Part 4. W. Junk. The Hague.
- . 1970a. Braconidae 2, Heliconinae, Calyptrinae, Mimagathidinae, Triaspinae, p. 177–306. In Ch. Ferriere & J. van der Vecht, eds., *Hymenopterorum Catalogus* (nov. ed.), Part 5. W. Junk. The Hague.
- . 1970b. Braconidae 3, Agathidinae, p. 307–428. In Ch. Ferriere & J. van der Vecht, eds., *Hymenopterorum Catalogus* (nov. ed.), Part 6. W. Junk. The Hague.
- Shepard, F. D. 1967. The head capsule and cervix of adult Neuroptera (Insecta): a comparative morphological study. Ph.D. thesis, Harvard University. Cambridge. 226 p., 32 pl.
- Shipley, A. E. 1904. The orders of insects. *Zoologischer Anzeiger* 27:259–262.
- Shuckard, W. E. 1841. On the Aulacidae, a family of Hymenoptera pupivora, and that *Trigonalyss* is one of its components, with the description of a British species of this genus, and incidental remarks upon their collateral affinities. *Entomologist* 8:115–125, pl. B.
- Silvestri, Filippo. 1907. Descrizione di un novo genere di Insetti Apterigoti rappresentante di un novo ordine. *Bulletini del Laboratorio di zoologia generale e agraria della R. scuola superiore di agricultura in Portici* 1:296–311.
- . 1909. Isoptera, p. 279–314, pl. 16–21. In W. Michaelson & R. Hartmeyer, *Die Fauna Südwest-Australiens*, v. 2. Fischer. Jena.

- . 1913a. Die Thysanuren des baltischen Bernsteins. Schriften der physikalisch-oekonomischen Gesellschaft zu Koenigsberg in Preussen 53:42–66, text-fig. 1–14.
- . 1913b. Descrizione di un nuovo ordine di Insetti. Bollettino del Laboratorio di zoologia generale e agraria della R. scuola superiore di agricultura in Portici 7:193–209.
- Sinitshenkova, N. D. 1975. Lichinki podenok semejstva Hexagenitidae (Insecta, Ephemeroptera) [Mayfly larvae of the family Hexagenitidae (Insecta, Ephemeroptera)]. Paleontologicheskiy zhurnal 1:82–87, text-fig. 1, pl. 10.
- . 1976. Novye rannemelovye podenki (Insecta, Ephemeroptera) iz vostochnogo zabajkal'ya [New early Cretaceous mayflies (Insecta, Ephemeroptera) from eastern Transbaikalya]. Paleontologicheskiy zhurnal 1976(2):85–93, text-fig. 1–3, pl. 6.
- . 1979. Novoe semejstvo paleodiktopter iz karbona Sibiri [A new family of Palaeodictyoptera from the Carboniferous of Siberia]. Paleontologicheskiy zhurnal 1979(2):74–89, text-fig. 1–10, pl. 7–8.
- . 1980a. Otryad Permothemistida [Order Permothemistida], p. 49, text-fig. 19. In B. B. Rohdendorf & A. P. Rasnitsyn, eds., Istoricheskoe razvitiye klasse nasekomykh [Historical development of the class Insecta]. Trudy paleontologicheskogo instituta akademii nauk SSSR 175.
- . 1980b. Reviziya otryada Permothemistida (Insecta) [A revision of the order Permothemistida (Insecta)]. Paleontologicheskiy zhurnal 1980(4):91–106, text-fig. 1–6, pl. 11.
- . 1981a. Novyj vid chirkoveid (Insecta, Dictyoneurida) iz verkhnego karbona tungusskogo bassejna [A new tchirkovaeid species (Insecta, Dictyoneurida) from the Upper Carboniferous of the Tunguska basin]. Paleontologicheskiy zhurnal 1981(1):144–145, text-fig. 1–2.
- . 1981b. Svoobraznye "dvukrylye" nasekomye iz permi arkhangelskoj oblasti i urala [Remains of "two-winged" insects from the Permian of the Arkangelsk Region and the Urals]. Byulleten moskovskogo obshchestva ispytatelej prirody, otdel geologicheskij 56(3):116–126, text-fig. 1–4, 1 unnumbered pl.
- . 1982. Sistematischeskoe polozhenie yurskikh vesnyanok *Mesoleuctra gracilis* Br., Redt., Gangl. i *Platyperla platypoda* Br., Redt., Gangl. i ikh stratigraficheskoe rasprostranenie [Systematic position of Jurassic Plecoptera *Mesoleuctra gracilis* Br., Redt., Gangl. and *Platyperla platypoda* Br., Redt., Gangl. and their stratigraphic range]. Byulleten moskovskogo obshchestva ispytateley prirody, otdel geologicheskij 57(4):112–124, text-fig. 1–2, pl. 1.
- . 1983. Novye yurskie vesnyanki (Perlida) iz Zabajkal'ya [New Jurassic Stoneflies (Perlida) from Transbaikalya]. Paleontologicheskiy zhurnal 1983(1):94–101, text-fig. 1–3.
- Skalski, A. W. 1973a. Studies on Lepidoptera from fossil resins. Part II. *Epiborkausenites obscurotrimaculatus* gen. et sp. nov. (Oecophoridae) and a tineid-moth discovered in the Baltic amber. Acta Paleontologica Polonica 18:153–160, text-fig. 1–3, pl. 36.
- . 1973b. Uwagi o motylach z zywie kopalnych [Notes on the Lepidoptera from fossil resins]. Polskie pismo entomologiczne 43:647–654.
- . 1973c. Studies on the Lepidoptera from fossil resins. Part VI. *Tortricidrosis indusa* gen. et spec. nov. from the Baltic amber (Lep., Tortricidae). Deutsche entomologische Zeitschrift 20:339–344, text-fig. 1–5.
- . 1974. Zwei neue Gattungen und Arten der Familie Tineidae aus dem baltischen Bernstein studien an Lepidopteren aus fossilen Harzen, V. Beitraege zur Entomologie 24:97–104, text-fig. 1–11.
- . 1976. Les lépidoptères fossiles de l'ambre. État actuel de nos connaissances. Linneana Belgica 1976 (pars 6):154–169, text-fig. 1–11 (part 1); 195–208, text-fig. 12–15 (part 2); 221–233, text-fig. 16–22 (part 3).
- . 1977. Studies on the Lepidoptera from fossil resins. Part I. General remarks and descriptions of new genera and species of the families Tineidae and Oecophoridae from the Baltic amber. Prace Muzeum, Paleoziologicne 26:3–24, text-fig. 1–18, pl. 1–10.
- . 1979a. Novyj predstavitel' semejstva Micropterigidae (Lepidoptera) iz nizhnego mela zabajkal'ya [A new member of the family Micropterigidae (Lepidoptera) from the Lower Cretaceous of Transbaikalya]. Paleontologicheskiy zhurnal 1979(2):90–97, text-fig. 1–6, pl. 10.
- . 1979b. Study on the Lepidoptera from fossil resins. Part VII. *Palaeodepressaria hannemanni* gen. et sp. nov. (Oecophoridae) from Baltic amber. Prace Muzeum, Paleoziologicne 32: 101–107, text-fig. 1–2, pl. 1.
- . 1979c. Records of the oldest Lepidoptera. Nota Lepidopterologica 2:61–66, text-fig. 1–3.
- Skuse, F. A. A. 1890. Diptera of Australia. Part IV. The Chironomidae. Proceedings of the Linnean Society of New South Wales 2(4):215–311, pl. 11–14.
- Slater, J. A. 1964. A Catalogue of the Lygaeidae of the World, 2 v. University of Connecticut. Storrs. 1668 p.
- Fossils, v. 2, p. 1502–1526.
- Sleeper, E. L. 1968. A new fossil weevil from Nevada (Coleoptera: Curculionidae). Bulletin of the Southern California Academy of Sciences 67:196–198, text-fig. 1–2.
- . 1969. Two new Cleoninae from the Rita

- Blanca Lake Deposits (Coleoptera: Curculionidae), p. 131–133, pl. 20. In R. Y. Anderson & D. L. Kirkland, eds., *Paleoecology of an early Pleistocene Lake on the High Plains of Texas*. Geological Society of America, Memoir 113.
- Smart, John. 1971. Palaeoecological factors affecting the origin of winged insects, p. 304–306. In G. Ya. Bey-Bienko & others, *Proceedings of the 13th International Congress of Entomology* (Moscow, 1968), v. 1. Leningrad.
- Smith, D. R. 1978. Suborder Symphyta. J. van der Vecht & R. C. Shenefelt, eds., *Hymenopterorum Catalogus*, Part 14. W. Junk. The Hague. vi + 193 p.
- Smith, S. I. 1871. Notice of a fossil insect from the Carboniferous formation of Indiana. *American Journal of Science* (series 3) 1:44–46, text-fig. 1.
- Smithers, C. N. 1965. A bibliography of the Psocoptera (Insecta). *Australian Zoologist* 13:137–209.
- _____. 1972. The classification and phylogeny of the Psocoptera. Australian Museum, Sydney, Memoir 14:1–349, text-fig. 1–906.
- Snodgrass, R. E. 1935. *Principles of Insect Morphology*. McGraw-Hill. New York. ix + 667 p., 319 text-fig.
- _____. 1938. Evolution of the Annelida, Onychophora, and Arthropoda. *Smithsonian Miscellaneous Collections* 97(6):1–159, text-fig. 1–54.
- _____. 1952. *A Textbook of Arthropod Anatomy*. Comstock. Ithaca, New York. 363 p., 88 text-fig.
- _____. 1958. Evolution of arthropod mechanisms. *Smithsonian Miscellaneous Collections* 138(2):1–77, text-fig. 1–24.
- Snyder, T. E. 1925. Notes on fossil termites with particular reference to Florissant, Colorado. *Proceedings of the Biological Society of Washington* 38:149–165.
- _____. 1931. Insects from the Miocene (Latah) of Washington. IV. Isoptera. *Annals of the Entomological Society of America* 24:317, pl. 1.
- _____. 1949. Catalog of the termites (Isoptera) of the world. *Smithsonian Miscellaneous Collection* 112:1–490.
- _____. 1950. The fossil termites of the United States and their living relatives (Isoptera). *Proceedings of the Entomological Society of Washington* 52:190–193.
- _____. 1955. A new fossil termite, *Parastylotermes frazieri*, from California (Isoptera, Rhinotermitidae). *Proceedings of the Entomological Society of Washington* 57:79–80, text-fig. 1.
- _____. 1960. Fossil termites from Tertiary amber of Chiapas, Mexico (Isoptera). *Journal of Paleontology* 34:493–494, pl. 70.
- Spieh, H. T. 1932. A new method of studying the wing veins of the mayflies and some results therefrom (Ephemeroidea). *Entomological News* 43:103–105.
- Spilman, T. J. 1971. Fossil *Stictoptychus* and *Cryptorama* in Mexican amber (Coleoptera: Anobiidae). University of California, Berkeley, Publications in Entomology 63:87–90, text-fig. 1–2.
- _____. 1976. A new species of fossil *Ptinus* from fossil wood rat nests in California and Arizona (Coleoptera, Ptinidae), with a postscript on the definition of a fossil. *Coleopterists' Bulletin* 30: 239–244, text-fig. 1–4.
- Spinola, M. M. 1838. *Essai sur les Fulgorelles, soustribu des Cicadaires, ordre des Rhyngotes*. Annales de la Societe entomologique de France 9:135–458, pl. 1–8.
- _____. 1850. *Tavola sinottica dei generi spettanti alla classes degli Insetti arthrodignati Hemiptera L. Latr., Rhyngnota Fab., Rhynchota Burm. Memorie di matematica e di fisca della Societa Italiana delle scienze residente in Modena* 25:1–60.
- Spuler, Arnold. 1910. *Die Schmetterlinge Europas*, v. 2. Stuttgart. 523 p., 239 text-fig.
- Stach, Jan. 1923. Eine neue *Sminthurus*-Art aus der Bernstein Fauna. *Bulletin international de l'Academie des polonais sciences et des lettres* 1922:53–61, pl. 1.
- Stackelberg, A. V. 1925. Novyj iskopaemyj predstavitel' roda *Tubifera* Mgn. (Diptera, Syrphidae) [A new fossil representative of the genus *Tubifera* Mgn. (Diptera, Syrphidae)]. *Entomologicheskoe obozrenie* 19:89–90, pl. 2.
- Stainton, H. T. 1854. *Insecta Britannica, Tineina*. Lovell Reeve. London. 313 p., 10 pl.
- Stål, Carl. 1858. Bidrag till Rio Janeiro Traktens Hemipterafauna. *Oefversigt af Kongl. vetenskaps-akademiens foerhandlingar*, Stockholm 2: 1–84.
- _____. 1866. *Hemiptera Africana*, v. 4. Norstedtiana. Holmiae. 276 p., pl. 4.
- _____. 1872. Genera Coreidarum Europae dispositum. *Oefversigt af Kongl. vetenskaps-akademiens foerhandlingar*, Stockholm 29(6):49–77.
- _____. 1874. Recensio Orthopterorum. *Revue critique des Orthoptères décrits par Linné, de Geer et Thunberg*, v. 2. Norstedt & Söner. Stockholm. 8 + 122 p.
- Stannard, L. J. 1956. Two new fossil thrips from Baltic amber (Thysanoptera; Terebrantia). *Fieliana Zoology* 34:453–460, text-fig. 99–101.
- Statz, George. 1930. Drei neue Insektenarten aus dem Tertiär von Rott am Siebengebirge. *Wissenschaftliche Mitteilungen des Vereins fuer Naturkunde und Heimatkunde in Koeln* 1:10–14, text-fig. 1–6.
- _____. 1931. Eine neue Bienenart aus Rott am Siebengebirge. Ein Beitrag zur Kenntnis der fossilen Honigbienen. *Wissenschaftliche Mitteilungen des Vereins fuer Naturkunde und Heimatkunde in Koeln* 2:39–60, text-fig. 1–11.

- . 1934a. Neue Tipulidenfunde aus den Braunkohlschiefern von Rott am Siebengebirge. Wissenschaftliche Mitteilungen des Vereins fuer Naturkunde und Heimatkunde in Koeln 3:90–106, text-fig. 1–13.
- . 1934b. Neue Beobachtungen ueber fossile Bienen aus dem Tertiär von Rott am Siebengebirge. Archiv fuer Bienenkunde 15:1–10, text-fig. 1–7.
- . 1936a. Ueber neue Funde von Neuropteren, Panorpaten und Trichopteren aus den tertären Schiefern von Rott am Siebengebirge. Decheniana 93:208–255, text-fig. 1–28.
- . 1936b. Ueber alte und neue fossile Hymenopterfunde aus den tertären Ablagerungen von Rott am Siebengebirge. Decheniana 93:256–312, text-fig. 1–38 on pl. 1–13.
- . 1937. Ueber fossile niedere Wassertiere aus dem Tertiär von Rott am Siebengebirge. Die Natur am Niederrhein 13:1–16, text-fig. 1–23.
- . 1938a. Funf neue fossile Cerambyciden-Arten aus den mittel oligocänen Ablagerungen von Rott am Siebengebirge. Entomologische Blaetter 34:173–179, pl. 1.
- . 1938b. Neue Funde parasitischer Hymenopteren aus dem Tertiär von Rott am Siebengebirge. Decheniana 98A:71–144, text-fig. 1–47 on pl. 6–14.
- . 1939–1940. Gerasflügler und Wasserkäfer der Oligocänen Ablagerungen von Rott. Decheniana 99A:1–104, text-fig. 1–94 on pl. 1–20.
- . 1940. Neue Dipteren (Brachycera et Cyclorrhapha) aus dem Oberoligozän von Rott. Palaeontographica (abt. A) 91:120–174, text-fig. 1, pl. 19–27.
- . 1943. Neue Dipteren (Nematocera) aus dem Oberoligozän von Rott. I. Familie: Bibionidae (Haarmücken). Palaeontographica (abt. A) 95:1–65, pl. 1–12.
- . 1944a. Neue Dipteren (Nematocera) aus dem Oberoligozän von Rott. II. Familie: Fungivoridae (Pilzmücken). Palaeontographica (abt. A) 95:67–92, pl. 13–19.
- . 1944b. Neue Dipteren (Nematocera) aus dem Oberoligozän von Rott. III. Familie Limoniidae (Stelzmücken). IV. Familie Tipulidae (Schnaken). V. Familie Culicidae (Stechmücken). Palaeontographica (abt. A) 95:93–121, pl. 20–24.
- . 1944c. Neue Dipteren (Nematocera) aus dem Oberoligozän von Rott. VI. Familie: Tendipedidae (Zuck- oder Schwarmmücken). VII. Familie: Heleidae (Gniten). VIII. Familie: Lycoriidae (Trauermücken). Palaeontographica (abt. A) 95:122–187, pl. 25–41.
- . 1950a. Cicadariae (Zikaden) aus den Oberoligozänen Ablagerungen von Rott. Palaeontographica (abt. A) 98:1–46, pl. 1–8.
- . 1950b. Alte und neue Hydrocorisae (Was- serwanzen) aus dem Oberoligozän von Rott. Palaeontographica (abt. A) 98:47–96, pl. 9–20.
- . 1952. Fossile Mordellidae und Lamellicornia (Coleoptera) aus dem Oberoligozän von Rott. Palaeontographica (abt. A) 102:1–17, pl. 1–2.
- Statz, George, & A. Horion. 1937. Ein fossiler Ptilidenfund aus den mitteloligocänen Ablagerungen von Rott am Siebengebirge. Entomologische Blaetter fuer Biologie und Systematik der Kaefer 33:8–10, text-fig. 1–4.
- Statz, George, & Eduard Wagner. 1950. Geocorisae (Landwanzen) aus den Oberoligozänen Ablagerungen von Rott. Palaeontographica (abt. A) 98:97–136, pl. 21–28.
- Steffan, A. W. 1968. Elektraphididae Aphidinorum nova familia e succino baltico (Insecta: Homoptera: Phylloxeroidea). Zoologische Jahrbuecher, Abteilung fuer Systematik Oekologie und Geographie der Tiere 95:1–15, text-fig. 1–12.
- Steffan, A. W., & Thomas Schlüter. 1981. Further evidence for egg-laying plant lice in early Tertiary (Homoptera: Aphidina: Elektraphididae). Entomologia Generalis 7:5–15, text-fig. 1–16.
- Stein, J. P. E. F. 1877. Drei merkwürdige Bernstein-insekten. Mitteilungen der muenchner entomologischen Vereins Gesellschaft 1:28–30.
- . 1881. Miscellanea. A. Zwei Bernstein-Käfer. Berliner entomologische Zeitschrift 25: 221.
- Steinback, Gerhard. 1967. Zur Hymenopterfauna des Pliozäns von Willershausen/Westharz. Berichte naturhistorischen Gesellschaft zu Hannover 111:95–102, text-fig. 1–13.
- Stephens, J. F. 1829a. A Systematic Catalogue of British Insects, Part 1. Baldwin & Craddock. London. 416 p.
- . 1829b. A Systematic Catalogue of British Insects, Part 2. Baldwin & Craddock. London. xx + 388 p.
- . 1835. Illustrations of British Entomology, v. 6, Mandibulata. Baldwin & Craddock. London. 240 p.
- Sterzel, J. T. 1881. Ueber zwei neue Insektenarten aus dem Karbon von Lugau. Bericht der naturwissenschaftlichen Gesellschaft zu Chemnitz 7: 271–276, pl. 11.
- Steykal, G. C. 1974. Recent advances in the primary classification of the Diptera. Annals of the Entomological Society of America 67:513–517, text-fig. 1.
- Stizenberger, Ernst. 1851. Uebersicht der Versteinerrungen des grossherzogthums Badeni. Freiburg. 144 p.
- Stone, Alan, K. L. Knight, & Helle Starcke. 1959. A synoptic catalog of the mosquitoes of the world (Diptera, Culicidae), v. 6. Thomas Say Foundation. Entomological Society of America. Washington, D.C. 358 p.

- Strand, Embrik. 1926. Miscellanea nomenclatorica zoologica et palaeontologica. Archiv fuer Naturgeschichte (abt. A) 92(8):30–75.
- . 1929. Zoological and palaeontological nomenclatorial notes. Acta Universitatis Latviensis 20(29):1–29.
- . 1936. Miscellanea nomenclatorica zoologica et palaeontologica, IV. Folia Zoologica et Hydrobiologia 9:167–170.
- Strickland, H. E. 1840. On the occurrence of a fossil dragon-fly in the lias of Warwickshire. Magazine of Natural History (new series) 4:301–303, text-fig. 11–13.
- Stuckenberg, B. R. 1973. The Athericidae, a new family in the lower Brachycera (Diptera). Annals of the Natal Museum 21:649–674, text-fig. 1–47.
- . 1974. A new genus and two new species of Athericidae (Diptera) in Baltic amber. Annals of the Natal Museum 22:275–288, text-fig. 2–7.
- . 1975. New fossil species of *Phlebotomus* and *Haematopota* in Baltic amber (Diptera: Psychodidae, Tabanidae). Annals of the Natal Museum 22:455–464, text-fig. 1–10.
- Sturtevant, A. H. 1963. A fossil periscelid (Diptera) from the amber of Chiapas, Mexico. Journal of Paleontology 37:121–122, pl. 16.
- Štys, Pavel. 1969. Revision of fossil and pseudo-fossil Enicocephalidae (Heteroptera). Acta Entomologica Bohemoslovaca 66:352–365, text-fig. 1–11, photos 1–8.
- . 1973. Cephalic anatomy of Clypostemmatinae (Heteroptera, Notonectidae). Acta Entomologica Bohemoslovaca 70:142–143, text-fig. 1–2.
- Štys, Pavel, & Pavel Říha. 1975a. Studies on Tertiary Notonectidae from Central Europe (Heteroptera). Acta Universitatis Carolinae, Biologica 1973:163–184, pl. 1–4.
- . 1975b. Two new genera and species of fossil Alydidae from the Tertiary of Central Europe (Heteroptera). Acta Universitatis Carolinae, Biologica 1973:185–197, pl. 1–2.
- . 1977. An annotated catalogue of the fossil Alydidae (Heteroptera). Acta Universitatis Carolinae, Biologica 1974:173–188.
- Suess, Herbert. 1979. Pith flecks in a specimen of *Juniperozylon* from the Tertiary of South Limburg, the Netherlands, caused by *Phytobia cypressorum*, new genus, new species (Agromyzidae, Diptera), and detection of pith flecks in a recent species of *Callitris*. Feddes Repertorium Zeitschrift fuer botanische Taxonomie und Geobotanik 90:165–172.
- Sukatsheva, I. D. 1968. Novye yurskie ruchejniki iz karatau (Trichoptera) [Jurassic caddis flies from Karatau (Trichoptera)], p. 175–179, text-fig. 1–3. In B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic insects of Karatau]. Akademiya Nauk SSSR Otdelenie Obshchei Biologii. Moscow.
- . 1973. Novye ruchejniki (Trichoptera) iz mezozoja srednej Azii [New caddis-flies (Trichoptera) from the Mesozoic of Middle Asia]. Paleontologicheskij zhurnal 1973(3):100–106, text-fig. 1–4, pl. 11.
- . 1976. Ruchejniki podotryad Permotrichoptera [Caddisflies of the suborder Permotrichoptera]. Paleontologicheskij zhurnal 1976(2): 94–105, text-fig. 1–5, pl. 7–8.
- . 1980. Domiki ruchejnikov iz mestonakhozdeniya manlaj [Caddis cases from the Manlay locality], p. 59–60. In V. A. Topachevskij, ed., Dood tserdijn manlaj nuur, Zovlot-Mongolyn khamtarsan paleontologi ehkspeditsi [Early Cretaceous Lake Manlay, Joint Soviet-Mongolian Paleontological Expedition]. Trudy, sovmestnaya sovetskno-mongolskaya paleontologicheskaya ehkspeditsiya, no. 13.
- . 1982. Istoricheskoe razvitiye otryada ruchejnikov [Historical development of the Trichoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 197:1–110, text-fig. 1–72.
- Swinhoe, C., & E. C. Cotes. 1889. A Catalogue of the Moths of India. Part 4. Crambites, Tortices, and Addenda. Indian Museum. Calcutta. p. 671–812.
- Szelegiewicz, Henryk. 1971. Cechy autapomorficzne w budowie skrzydeł Sternorrhyncha (Hemiptera) i ich znaczenie dla oceny paleozoicznych przedstawicieli tej grupy pluskwiaków [Autapomorphic wing characters in the recent groups of Sternorrhyncha (Hemiptera) and their significance in the interpretation of the Paleozoic members of the group]. Annales zoologici (Polska akademia nauk) 29(2):1–81, text-fig. 1–103.
- English edition published in 1976 by U.S. Department of Agriculture.
- Szelegiewicz, Henryk, & J. A. Popov. 1978. Revision der fossilen "Permaphidopsidae" aus dem Perm der UdSSR (Hemiptera-Sternorrhyncha). Entomologica Germanica 4:234–241, text-fig. 1–8.
- T'an Juan-jie. 1980. On the Permian Diaphanopterodea and Homoptera of Inner Mongolia, China. Acta Zootaxonomica Sinica 5:159–165, text-fig. 1–4.
- In Chinese, with an English translation.
- Taylor, R. W. 1964. Taxonomy and parataxonomy of some fossil ants (Hymenoptera-Formicidae). Psyche 71:134–141.
- . 1978. *Nothomyrmecia macrops*: a living-fossil ant rediscovered. Science 201:979–985, text-fig. 1–4.
- Teixeira, Carlos. 1941. Nouveaux insectes du Stéphanien portugais. Boletim da Sociedade geologica de Portugal 1:13–32, text-fig. 1–19, pl. 1–4.
- . 1975. A fossil insect larvae (Coleoptera)

- from the Karroo of Angola. Boletim da Sociedade geologica de Portugal 19:131–134.
- Teskey, H. J. 1971. A new soldier fly from Canadian amber (Diptera: Stratiomyidae). Canadian Entomologist 103:1659–1661, text-fig. 1–4.
- Thenius, Erich. 1979. Lebensspuren von Ephemeropteren-Larven aus dem Jung-Tertiär des Wiener Beckens. Annalen des Naturhistorischen Museum in Wien (1978) 82:177–188, text-fig. 1–2, pl. 1–2.
- Théobald, Nicolas. 1937a. Les insectes fossiles des terrains oligocènes de France. George Thomas. Nancy. 473 p., 17 text-fig., 29 pl.
- . 1937b. Note complémentaire sur les insectes fossiles oligocènes des gypses d'Aix-en-Provence. Bulletin mensuel de la Societe des sciences de Nancy (new series) 1937:157–178, text-fig. 1–7, pl. 1–2.
- Thomson, C. G. 1858. Sveriges Proctotruper. Oefversigt af Kongl. vetenskaps-akademiens foerhandlingar 15:417–431.
- . 1871. Hymenoptera Scandinivae, v. 1. 342 p. Lund.
- Tiegs, O. W., & S. M. Manton. 1958. The evolution of the Arthropoda. Biological Reviews of the Cambridge Philosophical Society 33:255–337, text-fig. 1–18.
- Tikhomirova, A. L. 1968. Zhuki-stafilinidy yurykaratau [Coleoptera, Staphylinidae] [Staphylinid beetles from the Jurassic of Karatau (Coleoptera, Staphylinidae)], p. 139–154, text-fig. 1–16, pl. 17–18. In B. B. Rohdendorf, ed., Yur'skie nasekomye karatau [Jurassic Insects of Karatau]. Akademiya Nauk SSSR. Otdelenie Obshchey Biologii. Moscow.
- . 1980. Rannemelovye zhuki-stafilinidy iz mestonakhozdeniya manlaj [Lower Cretaceous staphylinid beetles from the Manlay locality], p. 57–58, text-fig. 1–2. In V. A. Topachevskij, ed., Dood tserdijn manlaj nuur, Zovlot-Mongolyn khamtarsan paleontologi ehkspeditsii [Early Cretaceous Lake Manlay, Joint Soviet-Mongolian Paleontological Expedition]. Trudy, sovmestnaya sovetsko-mongol'skaya paleontologicheskaya ehkspeditsiya, no. 13.
- Tillyard, R. J. 1917a. Mesozoic insects of Queensland. No. 1. Planipennia, Trichoptera, and the new order Protomecoptera. Proceedings of the Linnean Society of New South Wales 42:175–200, text-fig. 1–7, pl. 7–9.
- . 1917b. Studies in Australian Mecoptera. No. 1. The new family Nannocharistidae, with descriptions of a new genus and four new species; and an appendix descriptive of a new genus and species from New Zealand. Proceedings of the Linnean Society of New South Wales 42:284–301, text-fig. 1–3, pl. 16–17.
- . 1917c. The Biology of Dragonflies (Odonata or Paraneuroptera). Cambridge University Press. London. xii + 396 p., 188 text-fig., 4 pl.
- . 1918a. Mesozoic insects of Queensland, No. 2. The fossil dragonfly, *Aeschnidiopsis (Aeschna) flindersensis* Woodward, from the Rolling Downs (Cretaceous) series. Proceedings of the Linnean Society of New South Wales 42(1917):676–692, text-fig. 8–10, pl. 42–43.
- Pages 633 through end of volume 42 were published in April, 1918.
- . 1918b. Permian and Triassic insects from New South Wales, in the collection of Mr. John Mitchell. Proceedings of the Linnean Society of New South Wales 42(1917):720–756, text-fig. 1–17.
- . 1918c. Mesozoic insects of Queensland. No. 3. Odonata and Protodonata. Proceedings of the Linnean Society of New South Wales 43: 417–436, text-fig. 11–16, pl. 44–45.
- . 1918d. Mesozoic insects of Queensland. No. 4. Hemiptera Heteroptera: the family Dunstaniidae with a note on the origin of the Heteroptera. Proceedings of the Linnean Society of New South Wales 43:568–592, text-fig. 17–22, pl. 59.
- . 1918e. On the affinities of two interesting fossil insects from the Upper Carboniferous of Commentry, France. Proceedings of the Linnean Society of New South Wales 43:123–134, text-fig. 1–3.
- . 1918f. The Panorpoid Complex. A study of the phylogeny of the holometabolous insects, with special reference to the subclasses Panorpidea and Neuropteroidea [Introduction]. Proceedings of the Linnean Society of New South Wales 43:265–284.
- . 1919a. Mesozoic insects of Queensland. No. 5. Mecoptera, the new order Paratrichoptera, and additions to Planipennia. Proceedings of the Linnean Society of New South Wales 44: 194–212, text-fig. 23–28, pl. 67.
- . 1919b. A fossil insect wing belonging to the new order Paramecoptera, ancestral to the Trichoptera and Lepidoptera, from the upper Coal-Measures of Newcastle, N.S.W. Proceedings of the Linnean Society of New South Wales 44:231–256, text-fig. 1–8, pl. 12–13.
- . 1919c. Mesozoic insects of Queensland. No. 7. Hemiptera Homoptera with a note on the phylogeny of the suborder. Proceedings of the Linnean Society of New South Wales 44: 857–896, text-fig. 1–24.
- . 1921a. Revision of the family Eustheniidae (order Perlaria) with descriptions of new genera and species. Proceedings of the Linnean Society of New South Wales 46:221–236, text-fig. 1–4, pl. 11–15.
- . 1921b. Mesozoic insects of Queensland. No. 8. Hemiptera Homoptera (Cont'd.). The genus *Mesogereon*; with a discussion of its relationship with the Jurassic Palaeontinidae. Proceedings of the Linnean Society of New South Wales 46:270–284, text-fig. 65–71, pl. 16–21.

- . 1921c. Two fossil insect wings in the collection of Mr. John Mitchell, from the Upper Permian of Newcastle, N.S.W., belonging to the order Hemiptera. Proceedings of the Linnean Society of New South Wales 46:413–422, text-fig. 1–5, pl. 35.
- . 1921d. A new classification of the order Perlaria. Canadian Entomologist 53:35–43, text-fig. 1–4.
- . 1922a. Some new Permian insects from Belmont, N.S.W. in the collection of Mr. John Mitchell. Proceedings of the Linnean Society of New South Wales 47:279–292, text-fig. 1–6, pl. 33–34.
- . 1922b. Mesozoic insects of Queensland. No. 9. Orthoptera, and additions to the Protoorthoptera, Odonata, Hemiptera and Planipennia. Proceedings of the Linnean Society of New South Wales 47:447–470, text-fig. 72–89, pl. 51–53.
- . 1923a. On a Tertiary fossil insect wing from Queensland (Homoptera Fulgoroidea), with description of a new genus and species. Proceedings of the Royal Society of Queensland 35(2): 16–20, text-fig. 1–2, pl. 1.
- . 1923b. Mesozoic insects of Queensland. No. 10. Summary of the Upper Triassic insect fauna of Ipswich, Queensland (with an appendix describing new Hemiptera and Planipennia). Proceedings of the Linnean Society of New South Wales 48:481–498, text-fig. 90–93, pl. 43.
- . 1923c. The wing venation of the order Plectoptera or mayflies. Journal of the Linnean Society of London (Zoology) 35:143–162, text-fig. 1–10.
- . 1923d. *Tarsophlebiopsis mayi* n. g. et n. sp., a dragon-fly, found in the body-chamber of a Corallian Ammonite. Geological Magazine 60: 146–152, text-fig. 1–3, pl. 4.
- . 1924a. Kansas Permian insects. Part 3. The new order Protohymenoptera. American Journal of Science (series 5) 8:111–122, text-fig. 1–5, pl. 4.
- . 1924b. Upper Permian Coleoptera and a new order from the Belmont beds, New South Wales. Proceedings of the Linnean Society of New South Wales 49:429–435, text-fig. 1–3, pl. 45–46.
- . 1925a. The British Liassic dragonflies (Odonata). British Museum (Natural History), Fossil Insects 1:1–40, text-fig. 1–14, pl. 1–5.
- . 1925b. Kansas Permian insects. Part V. The orders Protodonata and Odonata. American Journal of Science (series 5) 10:41–73, text-fig. 1–14.
- . 1925c. A new fossil insect wing from Triassic beds near Deewhy, N.S.W. Proceedings of the Linnean Society of New South Wales 50: 374–377, text-fig. 1, pl. 36.
- . 1926a. Upper Permian insects of New South Wales. I. Introduction and the Order Hemiptera. Proceedings of the Linnean Society of New South Wales 51:1–30, text-fig. 1–27, pl. 1.
- . 1926b. Kansas Permian Insects. Part 6. Additions to the orders Protohymenoptera and Odonata. American Journal of Science (series 5) 11:58–73, text-fig. 1–9.
- . 1926c. Kansas Permian insects. Part 7. The order Mecoptera. American Journal of Science (series 5) 11:133–164, text-fig. 1–19.
- . 1926d. The Insects of Australia and New Zealand. August & Robertson Ltd. Sydney. xi + 560 p., 600 text-fig., 44 pl.
- . 1926e. Upper Permian insects of New South Wales. II. The orders Mecoptera, Paramecoptera and Neuroptera. Proceedings of the Linnean Society of New South Wales 51:265–282, text-fig. 1–18, pl. 15–16.
- . 1926f. Kansas Permian insects. Part 8. The order Copeognatha. American Journal of Science (series 5) 11:315–349, text-fig. 1–19.
- . 1926g. Kansas Permian Insects. Part 9. The order Hemiptera. American Journal of Science (series 5) 11:381–395, text-fig. 1–7.
- . 1928a. A Permian fossil damselfly wing from the Falkland Islands. Transactions of the Royal Entomological Society of London 76:55–63, text-fig. 1–3, pl. 4.
- . 1928b. Kansas Permian insects. Part 10. The new order Protopleraria: a study of the typical genus *Lemmatophora* Sellards. American Journal of Science (series 5) 16:185–220, text-fig. 1–19.
- . 1928c. Some remarks on the Devonian fossil insects from the Rhynie chert beds, Old Red Sandstone. Transactions of the Royal Entomological Society of London 76:65–71, text-fig. 1–3.
- . 1928d. The evolution of the order Odonata. Part I. Introduction and early history of the order. Records of the Indian Museum 30: 151–172, text-fig. 1–10.
- . 1928e. Kansas Permian insects. Part 11. Order Protopleraria: Family Lemmatophoridae (continued). American Journal of Science (series 5) 16:313–348, text-fig. 1–22.
- . 1928f. Kansas Permian Insects. Part 12. The family Delopteridae, with a discussion of its ordinal position. American Journal of Science (series 5) 16:469–484, text-fig. 1–11.
- . 1929. Permian Diptera from Warner's Bay, N.S.W. Nature 123:778–779, text-fig. 1.
- . 1930. The evolution of the class Insecta. Papers of the Royal Society of Tasmania 1930: 1–89, text-fig. 1–19.
- . 1931. Kansas Permian insects. Part 13. The new order Protelytroptera, with a discussion

- of its relationships. American Journal of Science (series 5) 21:232-266, text-fig. 1-18.
- . 1932a. Kansas Permian insects. Part 14. The order Neuroptera. American Journal of Science (series 5) 23:1-30, text-fig. 1-12.
- . 1932b. Kansas Permian insects. Part 15. The Order Plectoptera. American Journal of Science (series 5) 23:97-134, 237-272, text-fig. 1-22.
- . 1933. The panorpoid complex in the British Rhaetic and Lias. British Museum (Natural History), Fossil Insects 3:1-80, text-fig. 1-31, pl. 1.
- . 1935a. Upper Permian insects of New South Wales. III. The order Copeognatha. Proceedings of the Linnean Society of New South Wales 60:265-279, text-fig. 1-13.
- . 1935b. Upper Permian insects of New South Wales. IV. The Order Odonata. Proceedings of the Linnean Society of New South Wales 60:374-384, text-fig. 1-4, pl. 12.
- . 1935c. Upper Permian insects of New South Wales. V. The order Perlaria or stoneflies. Proceedings of the Linnean Society of New South Wales 60:385-391, text-fig. 1-6, pl. 12.
- . 1935d. The evolution of the scorpion-flies and their derivatives (order Mecoptera). Annals of the Entomological Society of America 28:1-45, text-fig. 1-24.
- . 1936. Kansas Permian insects. Part 16. The order Plectoptera (cont'd.): the family Doteridae, with a note on the affinities of the order Protohymenoptera. American Journal of Science (series 5) 32:435-453, text-fig. 1-4.
- . 1937a. Kansas Permian insects. Part 17. The order Megasecoptera and additions to the Palaeodictyoptera, Odonata, Protopteraria, Copeognatha and Neuroptera. American Journal of Science (series 5) 33:81-110, text-fig. 1-10.
- . 1937b. Kansas Permian insects. Part 18. The order Embria. American Journal of Science (series 5) 33:241-251, text-fig. 1-3.
- . 1937c. Kansas Permian insects. Part 19. The order Protoperaria (continued). The family Probnisidae. American Journal of Science (series 5) 33:401-425, text-fig. 1-10.
- . 1937d. Kansas Permian insects. Part 20. The cockroaches, or order Blattaria. Part I. American Journal of Science (series 5) 34:169-202, text-fig. 1-17.
- . 1937e. Kansas Permian insects. Part 20. The cockroaches, or Blattaria. Part II. American Journal of Science (series 5) 34:249-276, text-fig. 18-28.
- Tillyard, R. J., & B. Dunstan. 1916. Mesozoic and Tertiary insects of Queensland and New South Wales. Queensland Geological Survey 253:1-60, text-fig. 1-6, pl. 1-9.
- Tillyard, R. J., & F. C. Fraser. 1938-1940. A reclassification of the order Odonata, based on some new interpretations of the venation of the dragonfly wing (by R. J. Tillyard). With notes, preface, and completion thereof (by F. C. Fraser), parts I-III. Australian Zoologist 1938:125-169, text-fig. 1-27; 1939:195-221, text-fig. 1-11; 1940:359-396, text-fig. 1-15.
- Timon-David, Jean. 1944a. Insectes fossiles de l'Oligocène inférieur des Camoins (Bassin de Marseille). I. Diptères brachycères. Bulletin de la Société entomologique de France 48:128-134, text-fig. 1-7, pl. 2.
- . 1944b. Insectes fossiles de l'Oligocène inférieur des Camoins (Bassin de Marseille). II. Hyménoptères. Bulletin de la Société entomologique de France 49:40-45, text-fig. 1-5.
- . 1946. Insectes fossiles de l'Oligocène inférieur des Camoins (Bassin de Marseille). III. Description d'une nouvelle espèce d'Odontate. Bulletin de la Société entomologique de France 51:94-96, text-fig. 1, pl. 3.
- Tindale, N. B. 1945. Triassic insects of Queensland. I. *Eoses*, a probable lepidopterous insect from the Triassic Beds of Mt. Crosby, Queensland. Proceedings of the Royal Society of Queensland 56:37-46, text-fig. 1-3, pl. 5.
- . 1980. Origin of the Lepidoptera, with description of a new mid-Triassic species and notes on the origin of the butterfly stem. Journal of the Lepidopterists' Society 34:263-285, text-fig. 1-19.
- Tiraboschi, Carlo. 1904. Les rats, les souris et leurs parasites cutanés dans leurs rapports avec la propagation de la peste bubonique. Archives de parasitologie 8:161-349, text-fig. 1-72.
- Tosi, Alessandro. 1896. Di un nuovo genere di Apiaaria fossile nell'ambra di Sicilia. Rivista italiana di paleontologia 2:352-356, text-fig. 1-9, pl. 6.
- Townes, H. K. 1945. A list of the generic and subgeneric names of Dermaptera, with their genotypes. Annals of the Entomological Society of America 38:343-356.
- . 1950. The nearctic species of Gasteruptiidae (Hymenoptera). United States National Museum, Proceedings 100(3259):85-145.
- . 1966. Notes on three fossil genera of Ichneumonidae (Hymenoptera). Proceedings of the Entomological Society of Washington 68:132-135, text-fig. 1-2.
- . 1973a. Two ichneumonids (Hymenoptera) from the early Cretaceous. Proceedings of the Entomological Society of Washington 75:216-219, text-fig. 1-2.
- . 1973b. Three tryphonine ichneumonids from Cretaceous amber (Hymenoptera). Proceedings of the Entomological Society of Washington 75:282-287, text-fig. 1-2.
- Townsend, C. H. T. 1916. *Lithobypoderma*, a new

- fossil genus of oestrids. *Insecutor Inscitiae Mensstruus* 4:128–130.
- . 1921. Some new muscoid genera, ancient and recent. *Insecutor Inscitiae Mensstruus* 9:132–134.
- . 1933. *Agiebelia*, new name (Diptera). *Revista de entomologia* 3:420.
- . 1938. Five new genera of fossil Oestromuscaria (Diptera). *Entomological News* 49: 166–167.
- . 1942. Fossil forms and list of fossil localities, p. 7–22. *In Manual of Myiology*, part 12. Townsend & Filhos. São Paulo, Brazil.
- Trjapitzin, V. A. 1963. Novyj rod pereponchatokrylykh iz baltijskogo yantarya [A new hymenopterous genus from Baltic amber]. *Paleontologicheskij zhurnal* 1963(3):89–95, text-fig. 1–2.
- Tshernova, O. A. 1961. O sistematicheskom polozhenii i geologicheskem vozraste podenok roda *Ephemeropsis* Eichwald (Ephemeroptera, Hexagenitidae) [On the systematic position and geologic age of the mayfly genus *Ephemeropsis* Eichwald (Ephemeroptera, Hexagenitidae)]. *Entomologicheskoe obozrenie* 40:858–869, text-fig. 1–8, pl. 1–2.
- . 1962. Lichinka podenki iz neogena zapadnoj sibiri (Ephemeroptera, Heptageniidae) [Mayfly larvae from the Neogene of West Siberia (Ephemeroptera, Heptageniidae)]. *Zoologicheskij zhurnal* 41:943–945, text-fig. 1–2.
- . 1965. O nekotorykh iskopaemykh podenkakh (Ephemeroptera, Misthodotidae) iz perm-skikh otlozhennij urala [Some fossil mayflies (Ephemeroptera, Misthodotidae) from Permian beds of the Urals]. *Entomologicheskoe obozrenie* 44:353–361, text-fig. 1–9, pl. 1–2.
- . 1967. Podenka sovremenennogo semejstva v yure zabajkal'ya (Ephemeroptera, Siphlonuridae) [Mayflies of a recent family in the Jurassic of Transbaikalya (Ephemeroptera, Siphlonuridae)]. *Entomologicheskoe obozrenie* 46:322–326, text-fig. 1, pl. 1.
- . 1968. Novaya podenka iz karatau (Ephemeroptera) [A new mayfly from Karatau (Ephemeroptera)], p. 23–25, 1 text-fig. *In* B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic insects of Karatau]. Akademija Nauk SSSR Otdelenie Obshchej Biologii. Moscow.
- . 1969. Novye ranneyurskie podenki (Ephemeroptera, Epeorusimidae, Mesonetidae) [New Early Jurassic mayflies (Ephemeroptera, Epeorusimidae, Mesonetidae)]. *Entomologicheskoe obozrenie* 48:153–161, text-fig. 1–5.
- . 1970. O sisteme otryada podenok (Ephemeroptera), iskopaemykh i sovremenennykh [On the classification of fossil and recent Ephemeroptera]. *Entomologicheskoe obozrenie* 49:124–145.
- . 1971. Podenka iz iskopaemoj smoly melovykh otlozhennij polyarnoj sibiri (Ephemeroptera, Leptophlebiidae) [A mayfly from fossil resin of the polar regions of Siberia (Ephemeroptera, Leptophlebiidae)]. *Entomologicheskoe obozrenie* 50:612–618, text-fig. 1–5.
- . 1977. Svoeobraznye novye lichinki podenok (Ephemeroptera, Palingeniidae, Behningiidae) iz yury zabajkal'ya [New remarkable mayfly nymphs (Ephemeroptera, Palingeniidae, Behningiidae) from the Jurassic of Transbaikalya]. *Paleontologicheskij zhurnal* 1977(2):91–96, text-fig. 1–2, pl. 10.
- Tshernova, O. A., & N. D. Sinitshenkova. 1974. Novyj rod i vid iskopaemykh podenok semejstva Hexagenitidae (Ephemeroptera) s yuga evropejskoj chasti SSSR i ikh svyaz's sovremenennymi podenkami [A new fossil genus and species of the family Hexagenitidae from the southern European part of the USSR and its relation with recent Ephemeroptera]. *Entomologicheskoe obozrenie* 53:130–136, text-fig. 1–7.
- Tullgren, Albert. 1909. *Aphidologische Studien*, I. *Arkiv foer zoologi* 5(14):1–190, text-fig. 1–92.
- Turner, R. E. 1912. Studies in the fossorial wasps of the family Scoliidae, subfamilies Elidinae and Anthoboscinae. *Proceedings of the Zoological Society of London* 46:696–754, pl. 81–83.
- Tuxen, S. L. 1964. *The Protura*. Hermann. Paris. 360 p., 567 text-fig.
- . 1970. The systematic position of entognathous apterygotes. *Anales de la Escuela nacional de ciencias biologicas* 17:65–79.
- Ueno, Masuzô. 1935. A fossil insect nymph from Jehol. *Report of the First Scientific Expedition to Manchoukuo*, Section 2, no. 4. Tokyo. 8 p., 2 text-fig., 3 pl.
- Uhmann, Erich. 1939. Hispinnen aus baltischen Bernstein. *Bernstein-Forschungen* 4:18–22, text-fig. 1–7, pl. 1.
- Ulke, Titus. 1947. A new genus and species of Curculionidae (Coleoptera) in Baltic amber. *Notulae Naturae of the Academy of Natural Sciences of Philadelphia* 193:1–7, text-fig. 1–10.
- Ulmer, Georg. 1903. Über die Metamorphose der Trichopteren. L. Friedrichsen & Co. Hamburg. 154 p., 13 text-fig., 6 pl.
- . 1905a. Neue und wenig bekannte ausser-europäische Trichopteren, hauptsächlich aus dem Wiener Museum. *Annalen des Naturhistorischen Museums in Wien* 20:59–98, text-fig. 1–75.
- . 1905b. Ueber die geographische Verbreitung der Trichopteren. *Zeitschrift fuer wissenschaftliche Insektenbiologie* 1:16–32, 68–80, 119–126.
- . 1906. Neuer Beitrag zur Kenntnis ausser-europäischer Trichopteren. Notes from the Leyden Museum 28:1–116, text-fig. 1–114.
- . 1912. Die Trichopteren des baltischen Bernsteins. *Beitraege zur Naturkunde Preussens, Koenigsberg* 10:1–380, text-fig. 1–480.
- Ulrich, Werner. 1937. Über das bisher einzige

- Strepsipteron aus dem baltischen Bernstein und über eine Theorie der Mengenbiologie. Zeitschrift fuer Morphologie und Oekologie der Tiere (abt. A) 8(1/2):45–62, text-fig. 1–18.
- Unger, Franz. 1841. Fossile insecten von Radoboj. Nova Acta Leopoldina 19:415–428, pl. 71–72.
- Usinger, R. L. 1939. *Proteiptera*, a new genus of Achilidae from Baltic amber (Hemiptera, Fulgoroidea). Psyche 46:65–67.
- . 1940. Fossil Lygaeidae (Hemiptera) from Florissant. Journal of Paleontology 14:79–80, pl. 12.
- . 1941. Two new species of Aradidae from Baltic amber (Hemiptera). Psyche 48:95–100, text-fig. 1.
- . 1942. An annectent genus of Cimicoidea from Baltic amber (Hemiptera). Psyche 49:41–46, text-fig. 1.
- Ussatchov, D. A. 1968. Novye yurskie Asilomorpha (Diptera) fauny karatau [New Jurassic Asilomorpha (Diptera) fauna from Karatau]. Entomologicheskoe obozrenie 47:617–628, text-fig. 1–8.
- Uzel, Heinrich. 1895. Monographie der Ordnung, Thysanoptera. Königgrätz. 472 p., 10 pl.
- van der Wulp, F. M. 1877. Diptera nederlandica. De tweevleugelige insecten van Nederland, v. 1. Martinus Nijhoff. The Hague. xviii + 498 p., 14 pl.
- Verhoeff, K. W. 1902. Über Dermapteren, I. Zoologischer Anzeiger 1902:181–208, text-fig. 1.
- . 1917. Über Bau und Faltung der Flügel von *Forficula auricularia*. Archiv fuer Naturgeschichte (abt. A) 83(7):1–23, pl. 1.
- Verma, K. K. 1967. A new fossil insect from the Lower Gondwanas of Kashmir. Current Science 36:338–340, text-fig. 1–3.
- Verrals, G. H. 1909. British Flies, v. 5. Gurney & Jackson. London. 780 p.
- Viana, M. J., & J. A. Haedo Rossi. 1957. Primer Hallazgo en el hemisferio sur de Formicidae extinguidos y catalogo mundial de los Formicidae fosiles. Part I. Ameghiniana 1(1–2):108–113, text-fig. 1–3, pl. 1–3.
- Vishniakova, V. H. 1965. Novye vidy roda *Kunguroblattina* iz nizhnej permii priural'ya [New species of the genus *Kunguroblattina* from the Lower Permian of the Ural forelands]. Paleontologicheskij zhurnal 1965(4):50–59, text-fig. 1–7, pl. 8.
- . 1968. Mezozojskie tarakanы s naruzhnym yajtsekladom i osobennosti ikh razmnozheniya (Blattodea) [Mesozoic blattids with external ovipositor, and peculiarities of their reproduction (Blattodea)], p. 55–86, text-fig. 1–2, pl. 6–8. In B. B. Rohdendorf, ed., Yurskie nasekomye karatau [Jurassic insects of Karatau]. Akademiya Nauk SSSR Otdelenie Obshchey Biologii. Moscow.
- . 1971. Stroenie pridatkov bryushka mezojskikh tarakanov (Insecta: Blattodea) [The structure of the abdominal appendages of Mesozoic cockroaches (Insecta: Blattodea)], p. 174–186, text-fig. 1–3, pl. 9. In Sovremenyye problemy paleontologii [Current problems of paleontology]. Trudy paleontologicheskogo instituta akademii nauk SSSR 130.
- . 1973. Novye tarakanы (Insecta: Blattodea) iz verkhneyurskikh otlozhenij khrebt Karatau [New Blattodea from the Upper Jurassic deposits of the Karatau Range], p. 64–77, text-fig. 1–11. In Chereniya pamjati Nikolaya Aleksandrovicha Kholodkovskogo [Readings in memory of Nikolaj Aleksandrovich Kholodkovskij]. Nauka Press. Leningrad.
- . 1976. O reliktovykh senoedakh (Insecta, Psocoptera) Mezozojskoj fauny [Relict Archipsyllidae (Insecta, Psocoptera) in the Mesozoic fauna]. Paleontologicheskij zhurnal 1976(2):76–84, text-fig. 1–5, pl. 5–6.
- . 1980a. Ukhovertki iz verkhneyurskikh otlozhenij khrebt karatau (Insecta, Forficulida) [Earwigs from the Upper Jurassic of the Karatau Range (Insecta, Forficulida)]. Paleontologicheskij zhurnal 1980(1):78–94, text-fig. 1–4, pl. 7–8.
- . 1980b. Otryad Phasmatida [Order Phasmatida], p. 171–173. In B. B. Rohdendorf & A. P. Rasnitsyn, Istoricheskoe razvitiye klassa nasekomykh [Historical development of the class Insecta]. Trudy paleontologicheskogo instituta akademii nauk SSSR 175.
- . 1981. Novy paleozojskie i mezozojskie lophonevridy (Tripida, Lophioneuridae) [New Paleozoic and Mesozoic thrips (Tripida, Lophioneuridae)], p. 43–63, text-fig. 3–47, pl. 14–16. In V. N. Vishniakova, G. M. Dlussky, & L. N. Pritykina, Novye iskopayemye nasekomye s territorii SSSR [New fossil insects from the territory of the USSR]. Trudy paleontologicheskogo instituta akademii nauk SSSR 183.
- . 1982. Yurskie tarakanovye novogo semejstva Blattulidae Sibiri [Jurassic cockroaches of the new family Blattulidae from Siberia]. Paleontologicheskij zhurnal 1982(2):69–79, text-fig. 1–2, pl. 6.
- Voss, Eduard. 1953. Einige Rhynchophoren der Bernsteinfauna (Col.). Mitteilungen aus dem Geologischen Staatsinstitut in Hamburg 22:119–140, text-fig. 1–12.
- . 1957. *Archimetrioxena electrica* Voss und ihre Beziehungen zu rezenten Formenkreisen (Col. Curc.). Deutsche entomologische Zeitschrift 4: 95–102, text-fig. 1–8.
- . 1972. Einige Rüsselkäfer der Tertiärzeit aus baltischem Bernstein (Coleoptera, Curculionoidea). Steenstrupia 2:167–181, text-fig. 1–14.
- Vulcano, M. A., & F. S. Pereira. 1975. Cupesidae (Coleoptera). Arquivos do Instituto biológico, São Paulo 42:31–68, text-fig. 1–12, pl. 1–4.
- Waga, M. 1883. Note sur un Lucanide incrusté dans le succin (*Paleognathus* Leuthner *succini*

- Waga). Annales de la Societe entomologique de France 6(3):191–194, fig. 2 on pl. 7.
- Wagner, Hans. 1924. Ein neues Apion aus dem baltischen Bernstein (Col. Curcul.). Deutsche entomologische Zeitschrift 1924:134–136.
- Wagner, Wilhelm. 1967. Die Singzikaden (Homoptera, Cidaeae [sic!]) aus dem Pliozän von Willershausen. Berichte naturhistorischen Gesellschaft zu Hannover 111:91–94, text-fig. 1–2.
- Walker, Francis. 1833a. Monographia Chalcidum. Entomological Magazine 1:12–29, 115–142.
- . 1833b. Observations on the British species Sepsidae. Entomological Magazine 1:244–256.
- . 1853. Insecta Britannica, Diptera, v. 2. London. p. 1–297, pl. 11–20.
- . 1871. Notes on Chalcidiae, part 4. Chalcididae, Leucospidae, Agaonidae, Eucharidae, Perilampidae, Ormyridae, Encytiidae. Janson. London. 16 p., 6 text-fig.
- Walker, M. V. 1938. Evidence of Triassic insects in the petrified forest national monument, Arizona. United States National Museum, Proceedings 85:137–141, pl. 1–4.
- Wallengren, H. D. J. 1891. Skandinaviens Neuroptera. Kongliga svenska vetenskap-akademiens handlingar 24(10):1–173.
- Walther, Johannes. 1904. Die Fauna Solnhofener Plattenbalke bionomisch betrachtet. Denkschriften der medizinisch-naturwissenschaftlichen Gesellschaft zu Jena 11:135–214, text-fig. 1–21, pl. 8.
- Walton, L. B. 1927. The polychaete ancestry of the insects. I. The external structure. American Naturalist 61:226–250, text-fig. 1–11.
- Wasmann, Erich. 1926a. Die Paussidengattungen des baltischen Bernsteins. (265. Beitrag zur Kenntnis der Myrmecophilen). Zoologischer Anzeiger 68:25–30, text-fig. 1–3.
- . 1926b. Die Arthropterus-Formen des baltischen Bernsteins. (267. Beitrag zur Kenntnis der Myrmecophilen). Zoologischer Anzeiger 68: 225–232.
- . 1929a. Die Paussiden des baltischen Bernsteins und die Stammesgeschichte der Paussiden. (270. Beitrag zur Kenntnis der Myrmecophilen.) Bernstein-Forschungen 1:1–110, pl. 1–7.
- . 1929b. Die Bernstein-Paussiden und die Stammesgeschichte der Paussiden, p. 1497–1515, text-fig. 1–7. In 10th International Congress of Zoology, Budapest.
- . 1933. Eine ameisenmordende Gastwanze (*Proptilocerus dolosus* n. g., n. sp.) im baltischen Bernstein (284. Beitrag zur Kenntnis der Myrmecophilen). Bernstein-Forschungen 3:1–3, pl. 1.
- Waterlot, Gerard. 1934. Étude de la faune continentale du terrain houiller sarro-lorrain. Gîtes minéraux de la France, bassin houiller de la Sarre et de la Lorraine. II. Lille. 317 p., 66 text-fig., 24 pl.
- Weidner, Herbert. 1955. Die Bernstein-Termite der Sammlung des geologischen Staatsinstituts Hamburg. Mitteilungen aus dem geologischen Staatsinstitut in Hamburg 24:55–74, text-fig. 1–8, pl. 1–3.
- . 1956. Die Bernstein-Heuschrecken (Saltatoptera) der Sammlung des geologischen Staatsinstituts Hamburg (Orthopteroidea). Mitteilungen aus dem geologischen Staatsinstitut in Hamburg 25:82–103, text-fig. 1–5, pl. 13–14.
- . 1967. Termiten aus dem deutschen Pliozän von Willershausen. Berichte naturhistorischen Gesellschaft zu Hannover 111:65–76, text-fig. 1–16.
- . 1968a. Eine Maulwurfsgrille aus dem Pliozän von Willershausen. Beihefte zu den berichten naturhistorischen Gesellschaft zu Hannover 6:5–12, text-fig. 1–2.
- . 1968b. Über die deutschen Tertiär gefundenen Termiten-Arten. Beihefte zu den berichten naturhistorischen Gesellschaft zu Hannover 6:13–20, text-fig. 1–4.
- . 1971. Zwei neue Termitenarten aus dem Pliozän von Willershausen. Bericht der naturhistorischen Gesellschaft zu Hannover 115:41–46, text-fig. 1–5.
- Wendt, Albert. 1940. *Liasocoris hainmülleri* n. sp., eine fossile Wanze aus Mecklenburg. Archiv des Vereins der Freunde der Naturgeschichte in Mecklenburg (new series) 15:18–20, text-fig. 1–3.
- Westwood, J. O. 1838. The Entomologist's Text Book: an introduction to the natural history, structure, physiology, and classification on insects, including the Crustacea and Arachnida. Orr & Co. London. 432 p., 5 pl.
- . 1840. An Introduction to the Modern Classification of Insects: founded on the natural habits and corresponding organization of different families, v. 2. Longman, Orme, Brown, Green, and Longmans. London. xii + 588 p., 76 fig.
- . 1842. Description of a new British genus of Apterous insect. Annals and Magazine of Natural History 10:71.
- . 1854. Contributions to fossil entomology. Quarterly Journal of the Geological Society of London 10:378–396, pl. 14–18.
- Weyenbergh, Hendrik. 1869. Sur les insectes fossiles du calcaire lithographique de la Bavière, qui se trouvent au Musée Teyler. Archives du Musée Teyler 2:247–294, pl. 34–38.
- . 1873. Notes sur quelques insectes du calcaire jurassique de la Bavière. Archives du Musée Teyler 3:234–240.
- . 1874. Varia zoologica et paleontologica. Periodico zoologico, Sociedad entomologica Argentina 1:77–111, pl. 2–3.
- Whalley, P. E. S. 1977. Lower Cretaceous Lepidoptera. Nature 266:526, text-fig. 1.
- . 1978. New taxa of fossil and recent

- Micropterigidae with a discussion of their evolution and a comment on the evolution of Lepidoptera (Insecta). Annals of the Transvaal Museum 31:71–86, pl. 11–14.
- . 1979. New species of Protorthoptera and Prodonata (Insecta) from the Upper Carboniferous of Britain, with a comment on the origin of wings. Bulletin of the British Museum (Natural History), Geology 32:85–90, text-fig. 1–5.
- . 1980a. Neuroptera (Insecta) in amber from the Lower Cretaceous of Lebanon. Bulletin of the British Museum (Natural History), Geology 33: 157–164, text-fig. 1–12.
- . 1980b. *Tupus diluculum* sp. nov. (Prodonata), a giant dragonfly from the Upper Carboniferous of Britain. Bulletin of the British Museum (Natural History), Geology 34:285–287, text-fig. 1.
- . 1982. *Bintoniella brodiei* Handlirsch (Orthoptera) from the Lower Lias of the English Channel, with a review of British bintoniellid fossils. Bulletin of the British Museum (Natural History), Geology 36:143–149, text-fig. 1–7.
- . 1983. A survey of recent and fossil cicadas (Insecta, Hemiptera-Homoptera) in Britain. Bulletin of the British Museum (Natural History), Geology 37:139–147, text-fig. 1–11.
- Whalley, P. E. S., & E. A. Jarzemowski. 1981. A new assessment of *Rhygniella*, the earliest known insect, from the Devonian of Rhynie, Scotland. Nature 291:317, text-fig. 1–2.
- Wheeler, G. C., & Jeanette Wheeler. 1952. The ant larvae of the Myrmicinae tribe Myrmicini. Psyche 59:105–125, text-fig. 1, pl. 11.
- Wheeler, W. M. 1910a. Three new genera of myrmicine ants from tropical America. Bulletin of the American Museum of Natural History 28: 259–265, text-fig. 1–3.
- . 1910b. Ants: their structure, development and behavior. Columbia University Press. New York. xxvi + 663 p., 286 text-fig.
- . 1914. The ants of the Baltic amber. Schriften der physikalisch-oekonomischen Gesellschaft zu Koenigsberg in Preussen 55:1–142, text-fig. 1–66.
- . 1926. Les sociétés d'insectes. G. Doin et Cie. Paris. xii + 468 p., 61 text-fig.
- . 1928. The Social Insects: their origin and evolution. Kegan Paul, Trench, Trubner & Co., Ltd. London. 378 p., 79 text-fig.
- . 1929. The identity of the ant genera *Gesomyrmex* Mayr and *Dimorphomyrmex* Ernest Andre. Psyche 36:1–12, text-fig. 1.
- . 1930. A new *Emeryella* from Panama. Proceedings of the New England Zoological Club 12:9–13, text-fig. 1.
- Wheeler, W. M., & W. S. Creighton. 1934. A study of the ant genera *Novomessor* and *Veromessor*. Proceedings of the American Academy of Arts and Sciences 69:341–387, pl. 1–2.
- White, R. E. 1969. On *Crichtonia*, described as a new fossil genus of Anobiidae (Coleoptera). Proceedings of the Entomological Society of Washington 71:597.
- Wickham, H. F. 1908. New fossil Elateridae from Florissant. American Journal of Science (series 4) 26:76–78, text-fig. 1–3.
- . 1909. New fossil Coleoptera from Florissant. American Journal of Science (series 4) 28: 126–130.
- . 1910. New fossil Coleoptera from Florissant, with notes on some already described. American Journal of Science (series 4) 29:47–51.
- . 1911. Fossil Coleoptera from Florissant, with descriptions of several new species. Bulletin of the American Museum of Natural History 30: 53–69.
- . 1912a. A report on some recent collections of fossil Coleoptera from the Miocene shales of Florissant. Bulletin from the Laboratories of Natural History of the State University of Iowa 6(3):3–38, pl. 1–8.
- . 1912b. On some fossil rhynchophorous Coleoptera from Florissant, Colorado. Bulletin of the American Museum of Natural History 31: 41–55, pl. 1–4.
- . 1913a. The Princeton collection of fossil beetles from Florissant. Annals of the Entomological Society of America 6:359–366, pl. 38–41.
- . 1913b. Fossil Coleoptera from Florissant in the United States National Museum. United States National Museum, Proceedings 45:282–303, pl. 22–26.
- . 1913c. Fossil Coleoptera from the Wilson ranch near Florissant, Colorado. Bulletin of the Laboratories of Natural History of the State University of Iowa 6(4):3–29, pl. 1–7.
- . 1914a. New Miocene Coleoptera from Florissant. Bulletin of the Museum of Comparative Zoology, Harvard University 58:423–494, pl. 1–16.
- . 1914b. Twenty new Coleoptera from the Florissant shales. Transactions of the American Entomological Society (Philadelphia) 40:257–270, pl. 5–8.
- . 1916a. The fossil Elateridae of Florissant. Bulletin of the Museum of Comparative Zoology, Harvard University 60:493–527, pl. 1–7.
- . 1916b. New fossil Coleoptera from the Florissant beds. Bulletin from the Laboratories of Natural History of the State University of Iowa 7(3):3–20, pl. 1–4.
- . 1917. New species of fossil beetles from Florissant, Colorado. United States National Museum Proceedings 52:463–472, pl. 37–39.
- . 1920. A catalogue of the North American Coleoptera described as fossils, p. 349–470. In C. W. Leng, Catalogue of the Coleoptera of America north of Mexico. Mt. Vernon, New York.
- . 1929. Coleoptera from the lower Eocene

- (Wilcox) clays. *Journal of the Washington Academy of Science* 19:148–150, text-fig. 1–4.
- . 1931. Insects from the Miocene (Latah) of Washington. V. Coleoptera. *Annals of the Entomological Society of America* 24:317–318, pl. 1.
- Wieland, G. R. 1925. Rhaetic crane flies from South America. *American Journal of Science* (series 5) 9:21–28, text-fig. 1–2, pl. 1.
- . 1926. South American fossil insect discovery. *American Journal of Science* 5(12):130–135, text-fig. 1–2.
- Wigglesworth, V. B. 1963. Origin of wings in insects. *Nature* 197:97–98.
- . 1973. Evolution of insect wings and flight. *Nature* 246:127–129.
- . 1976. The evolution of insect flight, p. 255–269, text-fig. 12.1–12.5. In R. C. Rainey, ed., *Insect Flight*. Symposia of the Royal Entomological Society of London 7. Blackwell Scientific Publications. London.
- Wigglesworth, V. B., H. E. Hinton, C. G. Johnson, & D. Leston. 1963. The origin of flight in insects. *Proceedings of the Royal Entomological Society of London* (C) 28:23–32, text-fig. 1.
- Wighton, D. C. 1980. New species of Tipulidae from the Paleocene of Central Alberta, Canada. *Canadian Entomologist* 112:621–628, text-fig. 1–11.
- Wille, Alvaro. 1959. A new fossil stingless bee (Meliponini) from the amber of Chiapas, Mexico. *Journal of Paleontology* 33(5):849–852, text-fig. 1–4, pl. 119.
- . 1960. The phylogeny and relationships between the insect orders. *Revista de biología tropical* 8(1):93–122, text-fig. 1.
- . 1977. A general review of the fossil stingless bees. *Revista de biología tropical* 25:43–46.
- Wille, Alvaro, & L. C. Chandler. 1964. A new stingless bee from the tertiary amber of the Dominican Republic (Hymenoptera: Meliponini). *Revista de biología tropical* 12:187–195, text-fig. 1–5.
- Williams, R. M. C. 1968. Redescriptions of two termites from Burmese amber. *Journal of Natural History* 2:547–551, text-fig. 1–4.
- Willmann, Rainer. 1976. *Panorpa rhenana* nom. nov., eine Skorpionfliege aus dem Oligozän (Insecta, Mecoptera). *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 1976: 574–576, text-fig. 1.
- . 1977a. Zur systematischen Stellung von *Austropanorpa* (Insecta, Mecoptera) aus dem Alttertiär Australiens. *Palaeontologische Zeitschrift* 51:12–18, text-fig. 1–5.
- . 1977b. Mecopteren aus dem untereozänen Moler des Limfjordes (Dänemark). *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 1977:735–744, text-fig. 1–10.
- . 1978. Mecoptera (Insecta, Holometabola). *Fossilium Catalogus, Animalia*, no. 124. W. Junk. The Hague. 140 p.
- . 1981. Phylogenie und Verbreitungsgeschichte der Eomeropidae (Insecta: Mecoptera): ein Beispiel für die Anwendung der phylogenetischen Systematik in der Paläontologie. *Palaeontologische Zeitschrift* 55:31–49, text-fig. 1–12.
- Wilson, E. O. 1955. A monographic revision of the ant genus *Lasius*. *Bulletin of the Museum of Comparative Zoology, Harvard University* 113: 1–202, text-fig. 1–17, pl. 1–2.
- Wilson, E. O., F. M. Carpenter, & W. L. Brown, Jr. 1967a. The first Mesozoic ants, with the description of a new subfamily. *Psyche* 74:1–19, text-fig. 1–4, pl. 1–4.
- . 1967b. The first Mesozoic ants. *Science* 157:1038–1040, text-fig. 1–2.
- Wilson, E. O., & R. W. Taylor. 1964. A fossil ant colony: new evidence of social antiquity. *Psyche* 71:93–103, text-fig. 1–2, pl. 11–12.
- Wilson, H. F., & M. H. Doner. 1937. *The Historical Development of Insect Classification*. Swift, Inc. St. Louis. ii + 133 p., 28 text-fig.
- Wirth, W. W. 1974. Synopsis of the genera of Ceratopogonidae (Diptera). *Annales parasitologique, Paris* 49:595–613.
- Wittmer, W. 1963. A new cantharid from the Chiapas amber of Mexico. *University of California, Berkeley, Publications in Entomology* 31: 53, text-fig. 136.
- Woodward, Henry. 1876. On a remarkable fossil orthopterous insect from the Coal-measures of Scotland. *Quarterly Journal of the Geological Society of London* 32:60–65, pl. 9.
- . 1879. On the occurrence of *Branchipus* (or *Chirocephalus*) in a fossil state, associated with *Eosphaeroma* and with numerous insect-remains, in the Eocene Freshwater (Bembridge) limestone of Gurnet Bay, Isle of Wight. *Quarterly Journal of the Geological Society of London* 35:342–350, pl. 14.
- . 1884. On the wing of a neuropterous insect from the Cretaceous limestone of Flinders River, North Queensland, Australia. *Geological Magazine* 3(1):337–339, text-fig. 1, pl. 1.
- . 1913. *Rochdalea parkeri*, a new branchiopod crustacean from the Middle Coal-measures of Sparth, Rochdale. *Geological Magazine* 50: 352–356, text-fig. 1–2.
- Woodworth, C. W. 1907. The classification of insects. *Entomological News* 18:243–246, text-fig. 1.
- Wootton, R. J. 1963. Actinoscytinidae (Hemiptera-Heteroptera) from the upper Triassic of Queensland. *Annals and Magazine of Natural History* (series 13) 6:249–255, text-fig. 1–10.
- . 1972. Nymphs of Palaeodictyoptera (Insecta) from the Westphalian of England. *Palaeontology* 15:662–675, text-fig. 1–4, pl. 132.

- . 1976. The fossil record and insect flight, p. 235–254, text-fig. 11.1–11.7. In R. C. Rainey, ed., *Insect Flight. Symposia of the Royal Entomological Society of London 7*. Blackwell Scientific Publications. London.
- . 1979. Function, homology and terminology in insect wings. *Systematic Entomology* 4: 81–93, text-fig. 1–12.
- . 1981. Palaeozoic insects. *Annual Review of Entomology* 26:319–344, text-fig. 1.
- Wygodzinsky, Pedro. 1959. A new hemipteran (Dipsocoridae) from the Miocene amber of Chiapas, Mexico. *Journal of Paleontology* 33:853–854, text-fig. 1–6.
- . 1961a. On a surviving representative of the Lepidotrichidae (Thysanura). *Annals of the Entomological Society of America* 54:621–627, text-fig. 1–54.
- . 1961b. Synonymical notes on the Lepismatidae (Thysanura). *Pan-Pacific Entomologist* 37:213–216.
- . 1971. A note on a fossil machilid (Microcoryphia) from the amber of Chiapas, Mexico. University of California, Berkeley, Publications in Entomology 63:101–102.
- Yoshimoto, C. M. 1975. Cretaceous chalcidoid fossils from Canadian amber. *Canadian Entomologist* 107:499–528, text-fig. 1–50.
- Zalesky, G. M. 1931. O novom strekzopodobnom nasekomom iz Permskikh otlozenij bassejna R. Kama [Observations on a new odonate-like insect from the Permian of the Kama basin]. *Izvestiya akademii nauk SSSR* 7(6):855–861, text-fig. 1–2.
- . 1933. Sur deux nouveaux insectes permiens. *Annales de la Societe geologique du nord* 57:135–144, text-fig. 1–5.
- . 1934. Sur deux représentants permiens nouveaux de l'ordre des Protorthoptères. *Annales de la Societe entomologique de France* 103:149–158, text-fig. 1–4.
- . 1935. Sur deux restes d'insectes fossiles provenant du bassin de Kousnetzk et sur l'âge géologique des dépôts qui les renferment. *Bulletin de la Societe geologique de France* (series 5) 5:687–695, text-fig. 1–6.
- . 1937a. Études des insectes permiens du bassin de la Sylva et problèmes de l'évolution dans la classe des insectes. I. Sur un nouveau représentant des Protohydénoptères et sur les voies du procès d'évolution dans la morphologie de la nervation des ailes de ce groupe. *Problemy paleontologii* 2–3:601–607, text-fig. 1–2.
- Published by Paleontologicheskaya laboratoriya Moskovskogo gosudarstvennogo universiteta.
- . 1937b. Études des insectes permiens du bassin de la Sylva et problèmes de l'évolution dans la classe des insectes. II. Sur un nouveau représentant des Protohydénoptères et sur ses rapports phylogénétiques. *Problemy paleontologii* 2–3:609–613, text-fig. 1–2.
- . 1937c. Nouveaux représentants des Protohydénoptères et des Archodonates provenant du terrain permien du bassin de la rivière Kama et leurs liens de parent. *Annales de la Societe entomologique de France* 106:101–114, text-fig. 1–13.
- . 1937d. Ancestors of some groups of the present day insects. *Nature* 140:847–848, text-fig. 1–3.
- . 1937e. Sur un représentant d'un nouvel ordre d'insectes permiens. *Annales de la Societe geologique du nord* 60:50–71, text-fig. 1–6.
- . 1938. Nouveaux insectes permiens de l'ordre des Embioidea. *Annales de la Societe geologique du nord* 63:62–81, text-fig. 1–9.
- . 1939. Permskie nasekomye bassejny reki sylvy i voprosy ehvolvutsii v klasse Nasekomykh. III. Novye predstaviteli Protohydénoptera, Homoptera, Hemipsocoptera, Psocoptera, Protopleraria, Isoptera i Protoblattoidea [Studies on Permian insects from the Sylva Basin and problems of evolution in the class Insecta. III. Some new representatives of Protohydénoptera, Homoptera, Hemipsocoptera, Psocoptera, Protopleraria, Isoptera and Protoblattoidea.] *Problemy paleontologii* 5:33–66, text-fig. 1–45, pl. 1–3.
- French translation, p. 66–91.
- . 1940. Yajtseklad u drevnikh tarakanov [An ovipositor in the ancient Blattaria]. *Priroda*, Moscow, 1940(7):81.
- . 1943. Predstavitel' novogo otryada nasekomykh, nesushchikh ehlityr [A representative of a new order of insects, possessing elytra]. *Priroda*, Moscow 32(3):70–71, text-fig. 1–2.
- . 1944a. A representative of a new group of insects from the Permian deposits of the Urals. *Comptes rendus de l'Academie des sciences de l'URSS* 44:342–344, text-fig. 1–2.
- . 1944b. A brief statement of reasons for some changes in the terminology of insect wing-venation. *Proceedings of the Royal Entomological Society of London* (series A) 19:37–47, text-fig. 1–14.
- . 1946a. Sur un représentant d'un nouveau ordre des Hémidonates de Permien de l'Oural. *Byulleten moskovskogo obshchestva ispytatelej prirody, otdel biologicheskii* 51(4–5):63–70, text-fig. 1–2.
- . 1946b. A new representative of the Permian Neuroptera. *Comptes rendus de l'Academie des sciences de l'URSS* 51:543–544, text-fig. 1–2.
- . 1946c. Sur le nouveau représentant de l'ordre des Palaeodictyoptères du Paléozoïque supérieur du bassin de Kousnetzk. *Bulletin de*

- la Societe des Naturalistes de Moscou, Section Biologique 51:58–62, text-fig. 1.
- . 1947. O dvukh novykh permskikh zhukakh [On two new Permian beetles]. Doklady akademii nauk SSSR 56:857–860, text-fig. 1–4.
- . 1948a. Nasekomye iz Permskikh otlozhenij Solikamskogo i Cherdynskogo rajonov [Insects from the Permian beds of the Solikamsk and Cherdyn regions]. Voprosy teoreticheskoy i prikladnoy geologii 5:44–52, text-fig. 1–7.
- . 1948b. O novoj vesnyake iz permskikh otlozhenij urala [On a new stonefly from the Permian deposits of the Ural Mountains]. Doklady akademii nauk SSSR 60:1041–1043, text-fig. 1–2.
- . 1948c. O predstavitele novogo otryada nasekomykh, obladavshchikh ehlitrami [A representative of a new order of insects, possessing elytra]. Doklady akademii nauk SSSR 59(2):317–320, text-fig. 1–4.
- . 1949. Novyj tretichnyj muravej [A new Tertiary ant]. Sovetskaya Geologiya 40:50–54, text-fig. 1–5.
- . 1950. Novye predstaviteli iskopaemykh nasekomykh otryada Protodonata [New representatives of fossil insects of the order Protodonata]. Byulleten' moskovskogo obshchestva ispytatelej prirody, otdel geologicheskii 25(4): 98–108, text-fig. 1–4, pl. 1–3.
- . 1951a. Novye permskie nasekomye otryada Predpryamokrylykh—Protorthoptera [New Permian insects of the order Protorthoptera]. Doklady akademii nauk SSSR 78:1005–1008, text-fig. 1–4.
- . 1951b. Novyj predstavitel' permskikh nasekomykh otryada Predvesnyanok—Protopteraria [A new representative of Permian insects of the order Protopteraria]. Doklady akademii nauk SSSR 81(1):81–84, text-fig. 1–3.
- . 1951c. Novyi predstavitel' arkhodonat [A new representative of Archodonata]. Doklady akademii nauk SSSR 81:269–271, text-fig. 1–2.
- . 1952. O predvesnyankakh iz permskikh otlozhenij Urala [Protopteraria from the Permian of the Urals]. Doklady akademii nauk SSSR 82: 985–988, text-fig. 1–4.
- . 1953a. Novye mestonakhozhdeniya medovskykh nasekomykh v Povodzh'e, Kazakhstane i Zabajkal'e [New localities of Cretaceous insects in the Volga, Kazakhstan, and Transbaikal regions]. Doklady akademii nauk SSSR 89:163–166, text-fig. 1–3.
- . 1953b. Novye permskie tarakany s yajt-sekladom iz sem. Spiloblattinidae [New Permian Blattodea of the family Spiloblattinidae with ovipositors]. Entomologicheskoe obozrenie 33: 266–272, text-fig. 1–7.
- . 1953c. Novye predstaviteli permskikh nasekomykh otryada Protopteraria [New representatives of Permian insects of the order Protopteraria]. Byulleten' moskovskogo obshchestva ispytatelej prirody, otdel biologicheskii 3–4:399–406, text-fig. 1–5.
- ispytatelej prirody, otdel biologicheskii 58(2): 42–47, text-fig. 1–7.
- . 1955a. O dvukh novykh permskikh strekozpodobnykh nasekomykh otryada Permodonata [On two new Permian odonate-like insects of the order Permodonata]. Doklady akademii nauk SSSR 104:630–633, text-fig. 1–2.
- . 1955b. Novye predstaviteli otryadov Protoplattoidea i Protorthoptera iz permskikh otlozhenij Urala [New representatives of the orders Protoplattoidea and Protorthoptera from the Permian beds of the Urals]. Doklady akademii nauk SSSR 101:347–350, text-fig. 1–3, pl. 1.
- . 1956a. Novye predstaviteli paleoehnatomofauna Urala i Priural'ya i ikh geologicheskij vozrast [New representatives of the paleoentomofauna of the Urals and Ural forelands and their geological age]. Ezhegodnik vsesoyuznoe paleontologicheskogo obshchestva 15:274–304, text-fig. 1–14, 1 unnumbered pl.
- . 1956b. Novye predstaviteli otryada Protohymenoptera iz permskikh otlozhenij urala [New Protohymenoptera from the Permian beds of the Urals]. Doklady akademii nauk SSSR 110: 1089–1092, text-fig. 1–4.
- Zalessky, M. D. 1926. Observations sur un nouvel insecte fossile du Permien de Kargala. Bulletin de la Societe geologique de France (series 4) 26: 75–83, text-fig. 1–2, pl. 3–4
- . 1928a. O novom iskopaemom nasekommom iz permskikh otlozhenij Kargaly [A new fossil insect from the Permian of Kargala]. Izvestiya geologicheskogo komiteta, St.-Petersburg 46:693–699, text-fig. 1–2, pl. 37–38.
- . 1928b. Sur un nouvel insecte Névroptériöde du Permien du bassin de Kama. Bulletin de la Societe geologique de France (series 4) 28: 381–386, text-fig. 1, pl. 25.
- . 1929. O novykh nasekomykh iz permskikh otlozhenij bassejnovek Kamy, Vyatki i Beloi [On new Permian insects from the basins of the Kama, Vyatka, and Belaia rivers]. Trudy obshchestva estestvoispytatelej pri kazanskom universitet 52(1):1–30, text-fig. 1–15.
- . 1930. Sur deux représentants nouveaux des Paléohémiptères du Permien de la Kama et du Péribore dans le bassin de la Petchora. Bulletin de l'Academie des sciences de l'URSS, Leningrad:1017–1027, text-fig. 1–2, pl. 1.
- . 1931. O nasekomykh, najdennykh v ugdenosnykh otlozheniya Kuznetskogo bassejna, i o vozraste ehtikh otlozhenij na osnovani entomofauny [Observations on the insects found in the coal deposits of the Kuznetsk basin and on the age of the deposits based on the insect fauna]. Byulleten' moskovskogo obshchestva ispytatelej prirody, otdel biologicheskii 3–4:399–406, text-fig. 1–5.
- . 1932a. Observations sur les insectes trouvés dans les dépôts à charbon du bassin de Kousnetzk

- et sur l'âge de ces derniers d'après la faune entomologique. *Bulletin de la Societe geologique de France* (series 5) 1:209–218, text-fig. 1–5.
- . 1932b. Observations sur les nouveaux insectes permiens de l'Europe orientale. *Bulletin de la Societe geologique de France* (series 5) 2: 183–210, text-fig. 1–12, pl. 11–13.
- Zang, Richard. 1905a. Über Coleoptera Lamellicornia aus dem baltischen Bernstein. *Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin* 1905:197–205, pl. 1.
- . 1905b. Coleoptera Longicornia aus der Berendtschen Bernsteinsammlung. *Sitzungsberichte der Gesellschaft naturforschender Freunde zu Berlin* 1905:232–245, pl. 1.
- Zessin, Wolfgang. 1982. Durchsicht einiger liassischer Odonatopteroida unter Berücksichtigung neuer Funde von Dobbertin in Mecklenburg. *Deutsche entomologische Zeitschrift* (new series) 29:101–106, pl. 7–10.
- . 1983a. Revision der mesozoischen Familie Locustopsidae unter Berücksichtigung neuer Funde (Orthopteroida, Caelifera). *Deutsche entomologische Zeitschrift* (new series) 30:168–233, text-fig. 1–60, pl. 1–26.
- . 1983b. *Locustopsis kruegeri* n. sp. (Orthopteroida, Caelifera) aus dem oberen Lias von Schandelaß bei Braunschweig (BRD). *Zeitschrift fuer geologische Wissenschaften* 11:905–910, text-fig. 1–2, pl. 1.
- Zetterstedt, J. W. 1842. Diptera Scandinaviae, Deposita et Descripta, v. 1. Lundbergiana. Lundae. xvi + 894 p.
- Zeuner, F. E. 1927. Eine Sphingidenraupe aus dem Obermioän von Bottingen. *Palaeontologische Zeitschrift* 8:321–326, text-fig. 1–8.
- . 1929. *Platycleis pongraczi* n. sp. (Orthopt.) aus dem Untermioän von Radoboj in Kroatien. *Palaeontologische Zeitschrift* 11:140–150, text-fig. 1–3.
- . 1930. Über einige Käfer aus dem deutschen Keuper. *Jahrbuch der preussischen geologischen Landesanstalt zu Berlin* 51:462–467, 1 unnumbered text-fig., pl. 61.
- . 1931. Die Insektenfauna des Bottinger Marmors. *Fortschritte der Geologie und Palaeontologie* 9:247–406, text-fig. 1–31, pl. 1–19.
- . 1935. The recent and fossil Prophalangopsidae (Saltatoria). *Stylops* 4:102–108, text-fig. 1–7.
- . 1936a. Das erste Protoperlar aus europäischem Perm und die Abstammung der Embien. *Jahrbuch der preussischen geologischen Landesanstalt* 56:266–273, text-fig. 1–2.
- . 1936b. The recent and fossil Tympanophorinae (Tettigoniidae, Saltatoria). *Transactions of the Royal Entomological Society of London* 85:287–302, pl. 1–2.
- . 1937. Descriptions of new genera and species of fossil Saltatoria (Orthoptera). *Proceedings of the Entomological Society of London* (series B) 6:154–159.
- . 1938. Die Insektenfauna des Mainzer Hydrobienkalks. *Palaeontologische Zeitschrift* 20:104–159, text-fig. 1–36, pl. 13–17.
- . 1939. Fossil Orthoptera Ensifera, 2 v. British Museum (Natural History). London. xiv + 321 p., 80 pl.
- 80 plates are bound separately in vol. 2.
- . 1940. Saltatoria Ensifera Fossilia. *Fossilium Catalogus, Animalia*, no. 90. W. Junk. The Hague. 108 p.
- . 1941a. The Eocene insects of the Ardtun beds, Isle of Mull, Scotland. *Annals and Magazine of Natural History* (series 11) 7:82–100, text-fig. 1–15, pl. 1.
- . 1941b. The fossil Acrididae (Orth. Salt.). Part I. Catantopinae. *Annals and Magazine of Natural History* (series 11) 8:510–522.
- . 1942a. The fossil Acrididae (Orth. Salt.). Part II. Oedipodinae. *Annals and Magazine of Natural History* (series 11) 9:128–134.
- . 1942b. The fossil Acrididae (Orth. Salt.). Part III. Acridinae. *Annals and Magazine of Natural History* (series 11) 9:304–314, text-fig. 1.
- . 1942c. Two new fossil butterflies of the family Pieridae. *Annals and Magazine of Natural History* (series 11) 9:409–416, text-fig. 1.
- . 1942d. The Locustopsidae and the phylogeny of the Acridoidea (Orthoptera). *Proceedings of the Royal Entomological Society of London* (series B) 11:1–18, text-fig. 1–12, pl. 1.
- . 1944a. Notes on Eocene Homoptera from the Isle of Mull, Scotland. *Annals and Magazine of Natural History* (series 11) 11:110–117, text-fig. 1–6.
- . 1944b. The fossil Acrididae (Orth. Salt.). Part IV. Acrididae incertae sedis and addendum to Catantopinae. *Annals and Magazine of Natural History* (series 11) 11:359–383, text-fig. 1.
- . 1959a. A new Liassic dragonfly from Gloucestershire. *Palaeontology* 1:406–407, pl. 72.
- . 1959b. Jurassic beetles from Grahamland, Antarctica. *Palaeontology* 1:407–409, pl. 72.
- . 1961. A Triassic insect fauna from the Molteno Beds of South Africa, p. 304–306, text-fig. 1–4 (on pl. 5). In Hans Strouhal & Max Beier, eds., 11th Internationaler Kongress fuer Entomologie (Wien, 1960), Verhandlungen, v. 1. Vienna.
- . 1962a. Fossil insects from the lower Liassic of Charmouth, Dorset. *Bulletin of the British Museum (Natural History)*, Geology 7:155–171, pl. 24–27.
- . 1962b. A subfossil giant dermopteron from St. Helena. *Proceedings of the Zoological Society of London* 138:651–653, pl. 1.
- Zeuner, F. E., & F. J. Manning. 1976. A monograph on fossil bees (Hymenoptera: Apoidea).

- Bulletin of the British Museum (Natural History), Geology 27(3):149–268, pl. 1–4.
- Zhelochovtzev, A. N., & A. P. Rasnitsyn. 1972. On some Tertiary sawflies (Hymenoptera, Symphyta) from Colorado. *Psyche* 79:315–327, text-fig. 1–13.
- Zherikhin, V. V. 1971. O dolgonosikakh (Insecta, Coleoptera) baltijskogo yantarya [On weevils (Insecta, Coleoptera) from the Baltic amber], p. 197–209, text-fig. 1–4, pl. 10. In Sovremennye problemy paleontologii [Current problems of paleontology]. Trudy paleontologicheskogo instituta akademii nauk SSSR 130.
- . 1977a. Infraotryad Elateriformia, semejstvo Cerophytidae; Infraotryad Cucujiformia, semejstvo Acanthocnemidae, Cryptophagidae, Lathridiidae [Infraorder Elateriformia, family Cerophytidae; infraorder Cucujiformia, family Acanthocnemidae, Cryptophagidae, Lathridiidae], p. 130–142, text-fig. 72–75, pl. 12. In B. B. Rohdendorf, ed., Mezozojskie zhestkokrilye [Mesozoic Coleoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 161.
- . 1977b. Semejstvo Attelabidae, Curculionidae [Family Attelabidae, Curculionidae], p. 176–182, text-fig. 107–109, pl. 14. In B. B. Rohdendorf, ed., Mezozojskie zhestkokrilye [Mesozoic Coleoptera]. Trudy paleontologicheskogo instituta akademii nauk SSSR 161.
- Apparently, the journal used the number 161 to designate two different volumes.
- Zhou Wenbao, & Chen Qishi. 1983. On the discovery of a fossil insect from Zhejiang (Dermaptera). *Entomotaxonomia* 5(1):61–62, text-fig. 1–2.
- Zhou Wenbao, & Jinlai Wei. 1980. A new species of *Sinaeschnidia* Hong. *Entomotaxonomia* 2:77–79, text-fig. 1–2.
- Zimmerman, E. C. 1971. Mexican Miocene amber weevils (Insecta: Coleoptera: Curculionidae). University of California, Berkeley, Publications in Entomology 63:103–106, text-fig. 1–5.
- Zwick, Peter. 1973. Insecta: Plecoptera. Phylogenetisches System und Katalog. Das Tierreich 94: 1–465, text-fig. 1–75.

INDEX

Italicized names in the following index are considered to be invalid; those printed in roman type are accepted as valid. The names of all taxa above the rank of superfamily are distinguished by the use of full capitals. Page references having chief importance are in boldface type.

- Abaptilon*, 38
Abashevia, 109
Abax, 327
Abderina, 311
Aboilidae, 165
Aboilus, 166
Abolescus, 298
Abrotus, 304
Abscondus, 298
Absoluta, 225
Absyrtus, 474
Acalles, 335
Acallomyia, 429
Acalyptus, 335
Acanthocinus, 334
Acanthocnemidae, 300
Acanthocnemoides, 300
Acanthocnemus, 300
Acanthoderes, 334
Acanthodictyon, 28
Acanthomyites, 444
Acanthosoma, 273
Acartophthalmidae, 440
Acartophthalmites, 440
Acartophthalmus, 440
Acassidites, 313
Achaetites, 175
Achalcus, 430
Achilidae, 238
Achilus, 238
Achrestocoris, 269
Acilus, 328
Aclista, 470
Acmaeodera, 331
Acnemia, 415
Accephalites, 225
Acoenites, 474
Acosmelytridae, 147
Acosmelytron, 147
Acourtia, 474
Acreagris, 254
Acreotrichites, 426
Acrida, 180
Acrididae, 180
Acridites, 130
Acrocera, 424
Acroceridae, 398, 424
Acrophlebia, 78
Actea, 318
Actinocytinidae, 259
Actinohymen, 51
Actinophlebia, 353
Actinoscytina, 259
Acylophorus, 329
Adalia, 332
Adelidium, 318
Adelites, 373
Adelocera, 331
Adelomyia, 368
Adeloneura, 124
Adeloneuridae, 124
Adelophlebia, 76
Adelopsyche, 373
Adelphomyia, 403
Ademosyne, 287
Ademosynidae, 287
Ademosynoides, 287
ADEPHAGA, 279, 280, 281,
 282, 291
Adiagnostus, 304
Adikia, 318
Adiphlebia, 130
Adipocephalus, 315
Adipterites, 444
Adocetus, 304
Adolarryia, 36
Adumbratus, 162
Adynasia, 318
Aedes, 406
Aedocephasma, 89
Aegialia, 330
Aenictosoma, 312
Aenigmatella, 130
Aenigmatodes, 124
Aenigmatodidae, 100, 124
Aenigmephemera, 25
Aenigmephemeridae, 25
Aenigmidelia, 118
Aeolothripidae, 208, 209
Aeolothrips, 209
Aerophasma, 186
Aerophasmatidae, 186
Aerophasmidae, 186
Aeroplana, 186
Aeroplanidae, 186
AEROPLANOPTERA, 184
Aeschnidiella, 82
Aeschnidiidae, 82
Aeschnidiopsis, 82
Aeschnidium, 82
Aeschnogomphus, 81
Aeschnopsis, 81
Aeshna, 81
Aeshnidae, 81
Aetalion, 228
Aetalionidae, 228
Aetophlebia, 131
Aetophlebiopsis, 131
Afristella, 387
Agabus, 293, 328
Agallia, 225
Agaon, 482
Agaontidae, 482
Agathis, 477
Agatoides, 291
Ageratus, 304
Agetochorista, 385
Agetochoristella, 385
Agetopanopra, 387
Agetopanorpidae, 382, 386
Aglais, 377
Agogoblattina, 131
Agonoscena, 253
Agonum, 327
Agraylea, 364
Agrilium, 318
Agrilus, 331
Agriotes, 304, 331
Agroecomyrmex, 490
Agromyza, 440
Agromyzidae, 440
Agyrtes, 329
Aidium, 264
Airaphilus, 313
Aixaphis, 250
Aktassia, 82
Aktassiidae, 82
Alaodima, 304
Alaptus, 484
Alastor, 495
Alaus, 331
Albertoilius, 166
alderflies, *see* Neuroptera
Alectoneura, 52
Alectoneuridae, 52
Aleocharopsis, 298
Alepidophora, 426

- Aleurodicus, 251
 Aleuronympha, 499
 Alexahymen, 51
 Aleyrodes, 251
 Aleyrodidae, 251
 Alicula, 109
 Allacma, 3
 Allactoneura, 415
 Allactoneurites, 410
 Allecula, 310
 Alleculidae, 310, 333
 Alloambria, 246
 Allocotidus, 468
 Allocrotelsa, 18
 Allodia, 415
 Allognosis, 318
 Alloma, 166
 Allopliosilpha, 318
 Allopterites, 173
 Alloraphidia, 343
 Alloraphidiidae, 342
 Allotrichia, 364
 Alomatia, 426
 Alotrifidus, 231
 Altajopanorpa, 382
 Althansia, 43
 Alydidae, 270
 Alydus, 270
 Alyisia, 477
 Amagua, 240
Amalanco, 251
 Amara, 327
 Amarodes, 318
 Amartus, 332
 Ambaraphis, 247
 Amblycephalonius, 318
 Amblylexis, 420
 Amblyopteron, 76
 Amblyteles, 474
 Amboneura, 203
 Amboneuridae, 203
 Ameghinoia, 490
 Ametretus, 43
 Ametropodidae, 23
 Ametropus, 23
 Amianta, 420
 Amictites, 426
 Amorphothrips, 210
 Amousus, 43
 Ampedus, 331
 Ampeliptera, 131
 Ampharthropelma, 315
 Amphicerus, 332
 Amphicoma, 330
 Amphicosmus, 426
 Amphicyrta, 330
 Amphientomidae, 198
 Amphientomum, 198
 Amphipromeca, 420
 Amphipterygidae, 86
 Amphipteryx, 86
 Amphotis, 332
 Amphoxyne, 318
 Ampliceps, 314
 Ampulicomorpha, 488
 Anabrus, 165
 Anacanthobracon, 477
 Anaclileia, 415
Anadyomene, 103
 Anaesthetis, 334
 Anagesthes, 43
 Anaglyphites, 286
 Anagyrtinus, 294
 Anancaeon, 318
 Anaphes, 484
 Anaphothrips, 210
 Anapiptus, 318
 Anaprosbole, 222
 Anasa, 269
 Anaspis, 311
 Anasyntexis, 459
 Anatis, 333
Anaxion, 30
 Anaxyela, 459
 Anaxyelidae, 448, 459
 Anchastus, 331
 Anchineura, 46
 Anchineuridae, 46
 Anchorthorhinus, 315
 Anchromenus, 327
 Ancistrocerus, 495
 Anconatus, 254
 Anconeura, 53
 Ancoptera, 52
 Ancoptoridae, 52
 Ancylocheira, 331
Ancylotocus, 193
 Andrena, 496
 Andrenidae, 496
 Andricus, 482
 Anegertus, 132
 Anelaphus, 312
 Anelcana, 159
 Anelcanidae, 159
 Anepismus, 318
 Anepitedius, 122
 Anepsiomyia, 430
 Aneura, 415
 Aneurhynchus, 470
 Aneurobaeus, 471
 Anevrina, 432
 Angaragabus, 293
 Angaridyela, 449
 Angarogyrus, 294
 Angaronecta, 264
 Angaropsychops, 351
Angarosphecidae, 495
 Angarosphex, 496
 Angelinella, 318
Anhomalophlebia, 157
Anhomalophlebiidae, 156
Anhydrophilus, 318
Aniferella, 250
ANISAXIA, 26
Anisophlebia, 78
Anisopidae, 418
Anisops, 263
ANISOPTERA, 65, 79
Anisopus, 418
Anisorthynchus, 335
ANISOZYGOPTERA, 64, 65, 72
Annulaphis, 254
Anobichnium, 318
Anobiidae, 307, 332
Anobium, 307, 332
Anoecia, 249
Anoeciidae, 248
Anomala, 330
Anomalites, 300, 330
Anomalogramma, 202
Anomalogrammatidae, 202
Anomalogrammidae, 202
Anomalon, 474
Anomaloscytina, 222
Anomerus, 318
Anomopterella, 473
Anomopterellidae, 473
Anomoscyta, 222
Anomothemis, 78
Anomoxyla, 449
Anopheles, 406
Anoplus, 495
Anoplognathus, 330
ANOPLURA, 13, 92, 200
Anormochorista, 392
Anorthoneura, 359
Anorthoneuridae, 358
Anosmus, 261
Antefungivora, 412
Anthaxia, 331
Antherophagus, 332
Anthicidae, 311
Anthicus, 312, 334
Anthidium, 497
Anthobosca, 490
Anthoclasia, 440
Anthocoridae, 274
Anthocoris, 274
Anthomyza, 442
Anthomyzidae, 442
Anthonomus, 335
Anthophora, 497
Anthophoridae, 497

- Anthophorites, 497
 Anthoxyela, 449
Anthracentomon, 36
 Anthracida, 444
Anthracohelops, 309
Anthracomastax, 132
 Anthraconeura, 103
Anthraconeuriidae, 103
Anthracoptilidae, 128
Anthracoptilus, 128
 Anthracosta, 43
Anthracothremma, 127
Anthracothremmidae, 127
 Anthrakoris, 121
Anthribidae, 314, 335
 Anthribites, 315
Anthribus, 314, 335
Antiquamedia, 412
Antiquaphis, 248
 Antitaxineura, 88
Antliarhinites, 315
 antlions, *see* Neuroptera
Antocha, 403
Antonaphis, 248
 ants, *see* Hymenoptera
Anybia, 375
Anypostatus, 318
Apachelytridae, 144, 145
Apachelytron, 145
Apanteles, 477
Apanthesis, 377
 Apenesia, 487
Aphaena, 239
Aphaenogaster, 491
Aphantaphis, 251
Apghanus, 270
Apheloneura, 499
Apheloodes, 318
APHELOPHLEBIA, 19
Aphelophlebodes, 26
Apheloscyta, 232
Aphididae, 251
Aphidioides, 254
Aphidius, 477
Aphidocallis, 251
Aphidulum, 254
Aphiochaeta, 432
Aphis, 251
Aphlebocoridae, 263
Aphlebocoris, 264
Aphodiites, 318
Aphodius, 330
Aphrodes, 225
Aphrophora, 231
Aphyganoneura, 499
Aphytocerus, 306
Apicasia, 318
Apidae, 497
Apioderes, 318
Apion, 315, 335
Apionidae, 315
Apiopyrenides, 318
Apis, 497
Aristogrypotes, 420
Apistostolidae, 318
Apithanidae, 123
Apithanus, 123
APOCRITA, 445, 448, 463
 Apolysis, 426
Apopappidae, 32
Apopappus, 33
Apopnidae, 263
Apopnus, 264
Aporema, 275
Aporia, 377
Aposphinctus, 318
Apsicoria, 272
Apsidoneura, 202
Apsidoneuridae, 202
Apsychus, 318
Apteropanorpidae, 381
APTERYGOTA, 6, 8, 9, 13, 15
Aptilotitus, 318
Aptilocus, 318
Aquisextana, 379
Aradidae, 267
Aradus, 267
Araeopidae, 240
Araeopus, 240
Archaboilus, 166
Archaeacrididae, 122
Archaeabelyta, 470
Archaeboletina, 415
Archaeocompseurida, 37
Archaeocorixa, 267
Archaeodiptera, 399
Archaeogryllodes, 175
ARCHAEHYMENOPTERA, 26
Archaeamacrocera, 415
Archaeamegaptilidae, 27, 30
Archaeamegaptillus, 31
Archaeamioptera, 206
Archaeamiopteridae, 205, 206
Archaeobehningia, 25
Archaeochrysa, 347
Archaeocrunoezia, 367
ARCHEAOGNATHA, 1, 8, 15
Archaeohagla, 166
Archaeologus, 132
Archaeomastax, 177
Archaeoneureclipsis, 364
Archaeopone, 491
Archaeoptilidae, 89
Archaeoptilus, 89
Archaeorrhynchus, 314
Archaeoscelio, 471
Archaeotetrix, 179
Archaeothrips, 210
Archaeotinodes, 364
Archaeoxylita, 311
Archaeopolycentra, 364
Archaeopyris, 487
Archaeomma, 484
Archalia, 433
Archankothrips, 209
Archebittacus, 390
Archedilaropsis, 355
Archeglyphis, 254
Archegocimex, 261
Archegocimicidae, 261
Archegocoris, 261
Archelater, 303
Archelcana, 161
Archelytridae, 144
Archelytron, 144
Archeonus, 304
Archeosmylidiae, 348
Archeosmylus, 348
Archespsychops, 355
Archescaptia, 311
Archescytina, 241
Archescytinidae, 192, 241
Archescytinopsis, 243
Archexyla, 449
Archibio, 412
Archiceropis, 259
Archichauloides, 340
Archichrysotus, 429
Archiconiocompsa, 350
Archiconiopteryx, 350
Archiconis, 350
Archicupes, 284
Archidelia, 118
ARCHIDERMAPTERA, 151
Archidermapteron, 152
ARCHIDIPTERA, 398, 399
Archihagla, 155, 166
Archihesperinus, 410
Archinocellia, 343
Archijassidae, 233
Archijassus, 233
Archilachus, 251
Archilycoria, 412
Archimastax, 132
Archimetrioxena, 316
Archimyrmex, 491
Archinemestrius, 426
Archiorhynchus, 319
Archipanorpa, 382, 499
Archiphora ROHDENDORF, 432
Archiphora SCHMITZ, 431
Archiphoridae, 432
Archiplatypalpus, 429
Archipleciofungivora, 410

- Archipleciomima*, 410
Archiponera, 491
Archiprobnidae, 115
Archiprobnis, 115
Archiprobnidae, 115
Archipsocus, 198
Archipsyche, 254
Archipsylla, 194
Archipsyllidae, 194
Archipsyllodes, 194
Archipsyllopsis, 194
Archiptilia, 368
Archirhagio, 423
Archirhyphus, 418
Archisargidae, 421
Archisargus, 421
ArchispheX, 489
Archisyrphus, 433
Architendipedidae, 407
Architendipes, 407
Architermes, 142
Architheminae, 76
Archithemis, 76
Archithemistidae, 76
Architinea, 373
Architipula, 402
Architipulidae, 401
Archizelmira, 412
Archizelmiridae, 412
ARCHIZYGOPTERA, 64, 65, 67
Archocyrtus, 424
ARCHODONATA, 26
Archodromus, 298
Archoglossopteridae, 357
Archoglossopterum, 358
ARHOSTEMATA, 279, 280, 281, 282
Archotermopsis, 140
Arcioneura, 53
Arcioneuridae, 52
Arctiites, 380
Arctolepta, 434
Arctolocusta, 165
Arctotypus, 61
ARESCATA, 398
Arescon, 484
Arge, 456
Argia, 85
Argidae, 456
Argotochus, 335
Argutor, 327
Argyra, 430
Argyresthites, 380
Arhopalus, 312
Aristopsyche, 392
Aristopsychidae, 392
ARIKENIINA, 151
Arltia, 28
Arma, 273
Armania, 491
Armaniella, 491
Armaniidae, 490
Artematopidae, 302
Artematopus, 302
Arthrogaster, 485
Arthriopella, 444
Arthropterillus, 291
Arthropterites, 291
Arthropterus, 291
Artiepyris, 487
Artinska, 106
Artipus, 335
Artocoleus, 150
Asarcina, 433
Asarcomyia, 418
Ascalaphidae, 354
Ascalaphides, 354
Ascalaphus, 354
Ascogaster, 477
Asiachorista, 385
Asienthomidae, 197
Asienthomum, 197
Asiephialtites, 464
Asilidae, 428
ASILOMORPHA, 398
Asilopsis, 428
Asilus, 428
Asimma, 286
Asindulum, 415
Asiocixius, 236
Asiocoleidae, 289
Asiocoleus, 289
Asiocossus, 214
Asiodictya, 43
Asiodiplatys, 152
Asionecta, 263
Asiopompus, 132
Asiopsyllidium, 244
Asiopteridae, 77
Asiopteron, 77
Asioxyla, 449
Asopus, 273
Aspicolpus, 477
Aspidohymen, 47
Aspidohymenidae, 46
Aspidothoracidae, 45, 46
Aspidothorax, 46
Aspilota, 477
Asteia, 442
Asteiidae, 442
Asthenohymen, 57
Asthenohymenidae, 54, 57
Asthenopodichnium, 26
Astiphromma, 474
Astynomus, 334
Asymphylomyrmex, 491
Atactophlebia, 118
Atactophlebiidae, 118
Ataenius, 330
Ataktosites, 319
Atalophlebia, 25
Atarba, 403
Atava, 132
Ateuchites, 300
Athalia, 455
Athericidae, 422
Atherix, 422
Atheta, 329
Athous, 331
Atitizon, 233
Atocus, 457
Atomaria, 332
Atrichopogon, 408
Atrichops, 423
Atriculicoides, 408
Attagenus, 332
Attelabidae, 315
Attelabus, 315, 335
Auchenophorites, 319
Auchenophorus, 319
Aulacidae, 474
Aulacidea, 482
Aulacigaster, 442
Aulacigastridae, 442
Aulacites, 474
Aulacogaster, 473
Aulacogastrinus, 473
Aulacomyia, 368
Aulacostethus, 474
Aulacus, 474
Auletes, 335
Aulidontes, 461
Auliella, 87
Aulisca, 463
Aulobari, 335
Austrelytron, 146
Austrocypha, 194
Austrohelcon, 477
Astroidealia, 499
Austrolestidion, 88
Austrolimnophila, 403
Austrolycymmerus, 415
Austropanorpa, 392
Austroprosbole, 217
Austroprosboloides, 217
Austropsocidium, 192
Austroscytina, 254
Auxobittacus, 390
Avitorr, 294
Avocatinus, 290
Avocoleus, 283
Avodryinus, 488
Axiologus, 132

- Badister, 327
Baeohelea, 408
Baeomorpha, 484
Baeoneura, 38
Baetidae, 23
Baetis, 23
Bagous, 335
Baisorhynchus, 315
Baissa, 474
Baissaeschna, 81
Baisselcana, 161
Baissidae, 474
Baissobius, 498
Baissocorixa, 267
Baissodes, 489
Baissodidae, 488
Baissogryllus, 173
Baissoptera, 342
Baissopteridae, 341
Baissoxyela, 450
Balaninus, 335
Balduriella, 132
Baltameletus, 23
Balticaphis, 250
Baltichaitophorus, 251
Balticomaraphis, 250
Balticophlebia, 23
Banoberotha, 350
Bantiska, 21
Barbarothea, 379
Bardapteron, 89
Bardohymen, 51
Bardohymenidae, 45, 51
Bareus, 319
Baris, 335
Barocephalus, 319
Barybryaxis, 299
Barycephalus, 319
Baryconus, 471
Barylypa, 474
Barypeithes, 335
Basiaeschna, 82
Bassogyrus, 294
Bathmophlebia, 73
Bathygerus, 319
Bathyaptus, 43
Batkenia, 70
Batkeniidae, 70
Batrachomorphus, 226
Batracomorphus, 226
Batisus, 299
Beaconiella, 254
Beaufortiscus, 217
Bebiosis, 197
Becquerelia, 38
 bees, *see* Hymenoptera
 beetles, *see* Coleoptera
Behningia, 25
Behningiidae, 19, 25
Bekkerscytina, 241
Bellingeria, 319
Bellingeropsis, 319
Belmontia, 382, 392
Belmontocarta, 228
Belonotaris, 314
Beloptesis, 254
Belostoma, 266
Belostomates, 266
Belostomatidae, 265
Belpsylla, 244
Bembicidiodes, 298
Bembidion, 327
Beraea, 368
Beraeidae, 368
Berendtaphis, 249
Bereodes, 368
Beris, 422
Bernaea, 254
Berosus, 328
Berotha, 350
Berothidae, 349
Berothinae, 349
Berytidae, 272
Berytopsis, 269
Berytus, 272
Bethylidae, 487
Bethylitella, 487
Bethylonymellus, 485
Bethylonymidae, 485
Bethylonymus, 485
Bethylopteron, 487
Bethylus, 487
Biadelater, 319
Bianchia, 344
Biarmohymen, 57
Biarmohymenidae, 56
Biarmopterites, 117
Biarmopteron, 117
Bibio, 414
Bibiodes, 414
Bibiodites, 414
BIBIOMORPHA, 398
Bibionidae, 414
Bibiopsis, 414
Bidessus, 328
Bintoniella, 162
Bintoniellidae, 162
 bird lice, *see* Mallophaga
 biting lice, *see* Mallophaga
Bittacidae, 381, 390
Bittacopanorpa, 390
Bittaeus, 390
Bittacusidae, 390
Biturritia, 225
Biturritiidae, 225
Blaberidae, 135
Blacus, 478
Blanchardia, 20
Blania, 106
Blapsium, 319
Blapstinus, 333
Blaptoides, 319
Blasticotoma, 457
Blasticotomidae, 457
Blasturophlebia, 25
BLATTARIA, 134, 142, 144, 151
Blattellidae, 135
Blattelytridae, 147
Blattelytron, 147
Blattidae, 135
Blattinopsidae, 103
Blattinopsiella, 103
Blattinopsis, 103
BLATTODEA, 98, 99, 134
Blattomerope, 393
Blattotermes, 139
Bledius, 329
Blepharocera, 409
Blepharoceridae, 409
Bojoptera, 43
Bolboceras, 330
Bolbomyia, 423
Boletina, 415
Bolitibius, 329
Bolitophagus, 333
Boltonia, 36
Boltonites, 60
Boltonocosta, 44
Boltoprvostia, 36
Bombus, 498
Bombyliidae, 426
Bombylius, 426
Boreidae, 381
Boreocixius, 236
Boreoscyta, 243
Boreoscytiidae, 243
Borgia, 354
Borisrohdendorfia, 254
Borkhausenites, 375
Borkhausenites, 375
Boscoleus, 283
Bostrychidae, 307, 332
Bostrychus, 307
Bothrideres, 333
Bothriomicromus, 355
Bothroptera, 319
Bothynophora, 319
Boucklytus, 485
Boutakovia, 132
Brachelodes, 302
Brachinites, 319
Brachinus, 327
Brachyceridae, 368

- Brachycentrinae, 368
 Brachycentrus, 368
BRACHYCERA, 396, 397,
 398, 399, 421
 Brachycerus, 335
 Brachycleistogaster, 466
 Brachyderes, 335
 Brachylaimon, 319
 Brachymycteris, 333
 Brachypelta, 273
 Brachtepeza, 415
 Brachyponera, 491
 Brachyptera, 95
 Brachyrhinus, 335
 Brachyscelio, 471
 Brachyspathus, 303, 331
 Brachysyntexis, 459
 Brachytarsus, 335
 Brachytrachelites, 319
 Bracon, 477
 Braconidae, 477
 Bradoponera, 491
 Bradysia, 415
 Brentorrhinus, 314
 Brevitibia, 23
 Breyeria, 35
BREYERIDA, 26
 Breyeriidae, 35
 Breyerioides, 90
 Brodia, 52
Brodiana, 177
 Brodiidae, 46, 51
 Brodiola, 319
 Brodioptera, 48
 Brodiopteridae, 48
 Brongniartiella, 353
 Brongniartiellidae, 352
 Bruchidae, 334
 Bruchus, 334
 Bruesisca, 483
 Brunettia, 405
 Brunia, 112
 Bryaxis, 299
 Bryocrypta, 419
 Bryodema, 181
 Bucklandula, 319
 bugs, *see* Hemiptera
 Buprestidae, 303, 331
 Buprestis, 303, 331
 Buprestites, 319
 Buprestium, 319
 Burmacrocera, 415
 Burmitembia, 190
 Burmitempis, 444
 butterflies, *see* Lepidoptera
 Byrrhus, 330
 Byrrhydium, 319
- Byrridae, 330
 Bythinus, 299
- Cacalydus, 275
 Cacogaster, 433
 Cacomorphocerus, 306
 Cacoschistus, 273
 Cacosis, 422
 Cacurgellus, 132
 Cacurgidae, 100, 120
 Cacurgus, 120
 caddisflies, *see* Trichoptera
 Caecilius, 199
CAELIFERA, 155, 176
Caenoptilon, 385
 Calamoceras, 366
 Calamoceratidae, 366
 Calamodontus, 368
 Calandrites, 316
 Calcaritermes, 139
 Caliroa, 455
 Calisia, 267
 Callidiopsis, 312
 Callidium, 334
 Callitheira, 385
 Callimokaltania, 66
Callimokaltaniidae, 66
 Callimoxys, 312, 334
 Calliphora, 444
 Calliphoridae, 444
 Callistaspis, 319
 Callomyia, 431
 Callosphingiidae, 239
 Calobata, 435
 Calocoris, 275
 Calohymen, 51
 Caloneura, 202
 Caloneurella, 204
 Caloneuridae, 201
CALONEURODEA, 200
 Caloneuroidea, 200
 Calopterygidae, 87
 Calopteryx, 87
 Calosoma, 327
Calostilites, 379
 Calothrips, 211
 Calvertiella, 32
 Calvertiellidae, 32
 Calyoza, 487
Calyptapis, 498
 Calyptoides, 478
 Camarocopterus, 319
 Camilla, 442
 Camillidae, 442
 Campodea, 4
 Campodeidae, 4
 Camponotites, 491
 Camponotus, 491
- Campoplex, 474
 Campsicnemus, 430
 Campsosternus, 331
 Campteroneura, 90
 Campterophlebia, 76
Campterophlebiidae, 76
 Camptomyia, 419
 Camproneura, 115
 Camptoneuridae, 115
 Camptoneurites, 115
 Camptoneuritidae, 115
Camptophlebia, 122
 Camptorrhinites, 316
 Camptotaxineura, 88
 Campylomyza, 419
 Campyloptera, 90
 Canadaphididae, 246
 Canadaphidinae, 246
 Canadaphis, 246
 Cantacader, 274
 Cantharidae, 306, 331
 Cantharis, 306, 331
 Cantharoctonus, 478
 Capnochroa, 333
 Capnodis, 331
 Capsus, 275
 Car, 315
 Carabidae, 291, 327
 Carabidium, 319
 Carabites, 291
 Carabocera, 319
 Carabopteron, 291
 Carabus, 291, 327
 Caraphlebia, 73
 Carcinophora, 153
 Cardioides, 319
 Cardiophorus, 331
Carinicupes, 289
 Carmelus, 275
 Carnidae, 440
 Carnus, 440
 Carpenteriana, 484
 Carpocoris, 273
 Carpophilus, 332
 Carrizopteryx, 32
 Caryoborus, 334
 Caryosoma, 319
 Catabrycus, 289
 Catachora, 475
 Catadyesthus, 44
Cataneura, 251
 Cathalus, 272
 Catinidae, 290
 Catinius, 290
 Catinoides, 290
 Catomerus, 319
 Catopamera, 270
 Catopsylla, 253

- Cauloptera, 54
 Caulopteridae, 53
 Cecidomyia, 419
 Cecidomyidae, 419
 Celantia, 275
 Celithemis, 83
 Celliforma, 497
 Celonophamia, 487
 Cenocephalus, 316
 Nemomanscelio, 498
 Centrinus, 335
Centroc nemis, 415
 Centron, 316
 Cephalocoris, 270
 Cephalomyrmex, 491
 Cephalosphaera, 433
 Cephalosyne, 287
 Cephenothrips, 211
 Cephidae, 458
 Cephus, 458
 Cerambycidae, 312, 334
 Cerambycinus, 319
Cerambycites, 320
 Cerambyomina, 313
 Cerambyx, 312
 Cerapachys, 491
 Cerapterites, 291
 Cerasopterum, 109
 Ceratina, 498
Cerato, 416
 Ceratobaeoides, 471
 Ceratocheilus, 403
 Ceratocombus, 262
 Ceratopogon, 408
 Ceratopogonidae, 408
 Ceraturgus, 428
 Cerceris, 496
 Cercopidae, 231
 Cercopidium, 254
Cercopinus, 259
 Cercopis, 231
 Cercopites, 231
Cercoprisca, 259
 Cercyon, 328
 Ceresopsis, 227
 Cerophytidae, 306
 Cerophytum, 306
 Ceroxyela, 451
 Ceruchites, 300
 Ceruchus, 330
 Cerurites, 380
 Cerylonopsis, 319
 Ceutorhynchus, 335
 Chaeteessa, 143
 Chaeteessidae, 143
 Chaetocnemistoptera, 432
 Chaetohelomyza, 438
Chaetopsocidium, 192
 Chaetoxyela, 451
 Chalcidae, 483
 Chalcis, 483
 Chalcobombus, 498
 Chalcodermus, 335
 Chalcophora, 331
 Chalepocarabus, 319
 Chalybion, 496
 Chamaelauxania, 438
 Chamaemyia, 438
 Chamaemyiidae, 438
 Chanithus, 241
 Chanoselytron, 149
 Chaoborus, 406
 Charonoscapha, 295
 Charonoscaphidia, 295
 Charphoborites, 316
 Chauliodes, 340
 Chauliognathus, 331
 Cheilosia, 433
 Cheilosialepta, 433
 Chelifera, 429
 Cheliphlebia, 132
 Chelipoda, 429
 Chelonariidae, 330
 Chelonarium, 330
 Chelonohelcon, 478
 Chelonus, 478
 Chelopteridae, 98, 100, 117
 Chelopterum, 117
 Chilacis, 270
 Chilocycla, 254
 Chilocorus, 333
 Chilostigma, 367
 Chionaemopsis, 380
 Chironomaptera, 407
 Chironomidae, 407
 Chironomopsis, 420
 Chironomus, 407
 Chlaeniopsis, 319
 Chlaenius, 327
 Chlorida, 334
 Chloriona, 240
 Chlorippe, 377
 Chlorodema, 303
 Chloropa, 443
 Chloropidae, 443
 Chlumia, 112
 Cholula, 270
 Choragus, 334, 335
 Chorista, 392
 Choristidae, 381, 391
 Choristinae, 391
Choristopanopha, 388
 Choristopsyche, 392
 Choristopsychidae, 392
 Choristosialis, 499
 Choristotanyderus, 393
 Chresmoda, 181, 188
 Chresmodella, 188
 Chrestotes, 132
 Chromoteleia, 471
 Chrysidae, 485
 Chrysis, 485
 Chrysobothris, 331
 Chrysogaster, 433
 Chrysoleonites, 354
 Chrysomela, 313
 Chrysomelidae, 313, 334
 Chrysomelidium, 319
 Chrysomelites, 313
 Chrysomelophana, 319
 Chrysomelopsis, 319
 Chrysopa, 347
 Chrysopidae, 346
 Chrysopilus, 424
 Chrysops, 424
 Chrysohemis, 422
 Chrysotus, 430
 Chyromya, 439
 Chyromyiidae, 438
 Cicada, 222
 Cicadella, 225
 Cicadellidae, 225
 Cicadellites, 254
 Cicadellium, 255
 Cicadelopsis, 244
 Cicadidae, 222
Cicadocoridae, 259
 Cicadocoris, 259
 Cicadomorpha, 214
Cicadomorphidae, 214
 Cicadoprosbole, 221
 Cicadoprosbolidae, 221
 Cicadopsis, 253
 Cicadopsylla, 253
 Cicadopsyllidae, 253
 Cicadopsyllidium, 244
Cicadopsyllinae, 253
 Cicadula, 226
 Cicindelopsis, 311
 Cimbex, 456
 Cimbicidae, 456
 Cimbrochrysa, 347
 Cimbrophlebia, 393
 Cinetus, 470
 Cinygma, 24
 Circaeidae, 309
 Circeus, 309
 Cis, 333
 Cisidae, 333
 Cistela, 333
 Cistelites, 319
 Cixiella, 236
 Cixiidae, 235
 Cixiites, 255

- Cixioides, 255
 Cixius, 236
 Cladius, 455
 Cladochorista, 361
 Cladochoristella, 362
 Cladochoristidae, 361
 Cladoneura, 403
 Cladophlebia, 70
 Cladura, 403
 Clastoptera, 231
 Clathropenna, 319
Clathrotermes, 160
Clathrotitanidae, 182
Clatrotitan, 182
 Clavopsyllidium, 244
 Cleffia, 28
 Cleistogaster, 466
 Clematina, 263
 Cleon, 23
 Cleonolithus, 316
 Cleonus, 335
 Cleridae, 307, 332
 Clerus, 308, 332
 Clidicus, 297
 Climaconeura, 499
 Climaconeurites, 109
Climacoptera, 30
 Clinocentrus, 478
 Clinomerus, 319
 Closterocoris, 275
 Clusia, 439
 Clusiidae, 439
 Clusiodes, 439
 Clydonophlebia, 74
 Clypostemma, 263
 Clythrina, 313
 Clytus, 334
Cnemidolestes, 129
 Cnemidolestidae, 128
CNEMIDOESTOIDEA, 97
 Cobboldia, 443
 Coccidae, 253
 Coccinella, 333
 Coccinellidae, 332
 Coccinellophana, 320
 Coccus, 253
 Cockerellia, 31
Cockerelliella, 31
Cockerellitha, 444
 cockroaches, *see* Blattaria
 Codemus, 304
 Coelambus, 328
 Coelidia, 226
 Coelidus, 335
 Coeloreuteus, 478
 Coelosia, 415
 Coenagrion, 85
 Coenagrionidae, 85
 Coilotrachelus, 320
 Colastes, 478
 Coleocentrus, 475
 COLEOPTERA, 5, 6, 8, 11,
 144, 150, 201, 279, 337,
 338, 395
Coleopteropsis, 267
 Coleoscyta, 252
 Coleoscytidae, 251
Coleoscytodes, 252
 Coliates, 377
 COLLEMBOLA, 1, 9
 Colllops, 332
 Colopterus, 332
 Colpodia, 419
 Colydiidae, 309, 333
 Colydium, 309
 Colymbetes, 293, 328
 Colymbetopsis, 320
 Commentrya, 132
 Compsoferus, 304
 Compsoneura, 44
Confusio, 202
 Coniatus, 335
 Conicaudus, 250
 Conicera, 432
 Coniopterygidae, 350
 Coniopteryx, 350
 Coniphasma, 188
 Conjunctia, 291
 Conocephalella, 177
 Conocephalites, 177
Conocephalopsis, 177
 Conopidae, 434
 Conops, 434
 Conostigmus, 469
 Conotrachelus, 336
 cooties, *see* Anoplura
 Copelatus, 293
 Cophocoris, 270
 Cophura, 428
 Copidita, 333
 Copidopus, 275
 Copostigma, 198
 Copris, 330
 Coprologus, 330
 Copromorpha, 375
 Copromorphidae, 375
 Coptochromus, 270
 Coptoclava, 295
 Coptoclavidae, 295
 Coptogyrinus, 320
 Coptosoma, 272
 Coptotermes, 142
 Cordonabus, 291
 Cordulia, 83
 Corduliidae, 83
 Cordyla, 416
 Coreidae, 268
 Coreites, 275
 Coreoecos, 320
 Coreus, 269
 Corimalis, 336
 Corixa, 267
 Corixidae, 267
 Corizus, 269
 Cormophora, 420
 Corticaria, 330
 Corydalida, 340
 Corydalidae, 340
Corydaloides, 48
 Corydaloides, 48
 Corydaloididae, 45, 46, 47
 Corydalus, 340
 Corymbites, 331
 Corynecoris, 261
 Coselia, 122
 Cossidae, 369, 373
 Cossonus, 336
 Cossus, 373
 Cotradechites, 238
 Cotticaria, 333
 Crasselytron, 150
 Cratacanthus, 327
 Creagroptera, 355
 Cremastorhynchus, 336
 Cremastus, 475
 Cremnops, 478
 Creniphilites, 295, 328
 Crepidodera, 313
 Cretabythus, 487
 Cretacallis, 250
 Cretaceogaster, 422
 Cretaphormia, 444
 Cretatermes, 138, 140
Cretavidae, 490
 Cretavus, 490
 Cretevania, 473
 Cretevaniidae, 473
 Cretocatocha, 419
 Cretocleistogaster, 466
 Cretocordylomyia, 419
 Cretodiamesa, 407
 Cretodinapsis, 467
 Cretodryinus, 488
 Cretodytes, 293
 Cretogonalys, 468
 Cretomiastor, 419
 Cretomicrophorus, 429
 Cretomyrma, 491
 Cretonanophyes, 316
 Cretoneta, 25
 Cretonomyia, 433
 Cretophasma, 186
 Cretophasmatidae, 186
 Cretoplatypalpus, 429

- Cretopone, 498
 Cretorabus, 291
 Cretosphe, 498
 Cretotaenia, 320
 Cretotortor, 294
 Cretowinnertzia, 419
Crichtonia, 307
 crickets, *see* Orthoptera
Cricotopiella, 407
Cricotopus, 407
Cricotrachelites, 320
Crioceridea, 313
Crioraphes, 304
Critoderma, 320
Critotrachelus, 320
Croatcordulia, 83
Crocistethus, 272
Cronicus, 23
Crosaphis, 499
Crosbella, 233
Crowsonium, 309
Cryphalites, 316
Cryptagriotes, 304
Cryptauchenia, 320
Cryptocardius, 304
Cryptocephalites, 320
Cryptocephalus, 334
Cryptoceridae, 135
Cryptochaetidae, 443
Cryptochaetum, 443
Cryptocheilus, 495
Cryptochromus, 270
Cryptocupes, 287
Cryptodiodon, 297
Cryptohypnus, 331
Cryptophagidae, 308, 332
Cryptophagus, 308, 332
Cryptopygus, 2
Cryptorhopalum, 307
Cryptorhynchus, 316, 336
Cryptorrhynchites, 316
Cryptoserphus, 470
Cryptotermes, 139
Cryptovenia, 90
Ctenicerium, 320
Ctenistodes, 299
Ctenobethylus, 487
Ctenoplectrella, 497
Ctenoptilus, 130
Ctenostomatopteryx, 499
Ctenucha, 380
Ctenuchidae, 380
Ctereacoris, 271
Cubocephalus, 475
Cucujidae, 308, 332
Cucujus, 308
Cuculliger, 3
Culex, 406
Culicidae, 406
Culiciscolex, 420
Culicites, 406
Culicoides, 408
Cuneocoridae, 262
Cuneocoris, 262
Cupedidae, 282, 285
Cupes, 286
Cupesia, 286
Cupidium, 286
Cupoidea, 286
Curculidium, 320
Curculio, 315
Curculionidae, 315, 335
Curculionites GIEBEL, 320
Curculionites HEER, 320
Curculiopsis, 289, 320
Curculium, 320
Curiosivespa, 498
Curtonotum, 442
Cybister, 293, 328
Cychramites, 308
Cycloclelis, 48
Cycloderma, 320
Cycloptera, 384
Cyclopteridae, 384
Cyclorista, 384
Cyclotistidae, 383
CYCLORRHAPHA, 397, 398
Cycloscytina, 236
Cyclothemis, 75
Cyclotrachelus, 320
Cydamus, 270
Cydidae, 272
Cydnopsis, 275
Cydnus, 272
Cylindrotoma, 403
Cymatopblebia, 83
Cymatopblebiella, 83
Cymatopblebiopsis, 83
Cymatopterus, 328
Cymbalizon, 299
Cymbisdyta, 328
Cymbopsidae, 105
Cymbopsis, 105
Cymenophlebia, 124
Cymenophlebiidae, 124
Cymindis, 327
Cynipidae, 482
Cynips, 482
Cyphoderus, 2
Cyphomyia, 422
Cyphon, 302
Cyphoneura, 195
Cyphoneuridae, 194
Cyphoneurodes, 196
Cyphonogenius, 302
Cyphosphenon, 320
Cyphus, 336
Cypselosoma, 435
Cypselosomatidae, 435
Cypselosomatites, 435
Cyrtapis, 497
Cyrtomenus, 272
Cyrtomides, 420
Cyrtophlebia, 72
Cyrtophyllites, 166
Cyrtoscydmus, 297
Cytillus, 330
Cytocupes, 284
Cytocupoides, 284
Cyttaromyella, 403
Cyttaromyia, 403
Daclera, 270
Dacnonypha, 369, 370, 372
Dacnusites, 478
Dactylolabis, 403
Daemhippus, 88
damselflies, *see* Odonata
Danielsiella, 132
Dantiscaurus, 299
Darniopsis, 227
Dascillidae, 302, 330
Dascillus, 302
Dasyhelea, 408
Dasyleptidae, 16
Dasyleptus, 16
Dasymolophilus, 403
Davispia, 222
Dawsonites, 231
Delester, 329
Delopsocus, 207
Delopteridae, 204, 206
Delopteriella, 207
Delopterum, 207
Deltcephalus, 226
Deltometopus, 331
Demophorus, 475
Demopteridae, 117
Demopterum, 117
Dendroleon, 354
Depressarites, 375
Depressopterum, 109
Deraiocoris, 275
DERMAPTERA, 5, 6, 144, 150
Dermapteron, 153
Dermelytridae, 149
Dermelytron, 149
Dermestes, 307, 332
Dermestidae, 307, 332
Derobrochus, 368
Deryeuma, 273
Desmatus, 304
Detyopsis, 239
Deuterotyrus, 299

- Diabrotica*, 334
Diachoristes, 320
Diacorixa, 267
Diaeretus, 478
Dialothemis, 78
Dialysis, 424
Diamesa, 407
Dianepsia, 416
Dianthidium, 497
Diapha, 58
Diaphanoptera, 55
Diaphanopteridae, 54, 55
Diaphanopterites, 55
Diaphanopteritidae, 55
DIAPHANOPTEROIDEA, 10,
 28, 45, 54
DIAPHANOPTEROIDEA, 54
Diapherinus, 267
Diaphorus, 431
Diaplegma, 236
Diapria, 470
Diapriidae, 470
Diapirites, 498
Diaraphes, 304
Diastata, 442
Diastatidae, 442
Diastatommites, 76
Diatarastus, 320
Diatermes, 141
Diathema, 43
Diathemidae, 27, 43
Diathemidia, 43
Diatillidae, 261
Diatillus, 261
Diatomyzus, 251
Diatrypamene, 320
Dicera, 331
Dichaspis, 275
Dichentomidae, 192
Dichentomum, 192
Dichirotrichus, 327
Dicondylus, 488
Dicranomyia, 403
Dicranoptila, 355
Dicranoptycha, 403
Dicroneurus, 419
Dictyla, 275
Dictyobiella, 357
Dictyodiptera, 400
Dictyodipteridae, 400
Dictyoneura, 28
Dictyoneurida, 27, 28, 100,
DICTYONEURIDA, 26
Dictyoneuridae, 27, 28, 100,
Dictyoneurula, 28
Dictyophara, 241
Dictyopharidae, 240
Dictyoprosbole, 218
Dictyoptilidae, 31
Dictyoptilus, 31
Dictyophidia, 343
Dictyotipula, 402
Dicyphelus, 320
Dicyphus, 320
Didymophleps, 132
Dieconeura, 123
Dieconeurites, 132
Diexodus, 44
Digastrotheca, 478
Dilarites, 355
Dilaropsis, 238
Dilophus, 414
Dimeraphis, 250
Dineura, 455
Dineutes, 328
Dinidorites, 273
Diniella, 271
Dinoderus, 332
Dinotharpalus, 320
Dinopanorpidae, 388
Dinopanorpidae, 388
Dinopsocidae, 194
Dinopsocus, 194
Dioctria, 428
Diodontogaster, 478
Diopsidae, 436
Diopsis, 436
Diospilites, 478
Diospiloides, 478
Diospilus, 478
Diphtheropsis, 255
Diphymation, 320
Diplarchitipula, 402
Diplectrona, 364
Diplocelides, 320
DIPLOGLOSSATA, 151
Diplolepis, 482
Diplonevra, 432
Diplonychus, 264
Diplopolyneura, 401
Diplopolyneuridae, 401
Diplotaxis, 330
Diplotheca, 320
DIPLURA, 4
Dipogon, 495
Diprion, 457
Diprionidae, 457
Dipsocoridae, 262
Dipsocoris, 262
DIPTERA, 5, 6, 7, 8, 11, 279,
 282, 395, 448
Dipterites, 444
Dipterodictya, 400
Dischistus, 426
Disphaerocephalus, 262
Dissolcus, 471
Distasis, 132
Distenorrhinus, 314
Distylops, 485
Ditaxineura, 64, 66
Ditaxinerella, 67
Ditaxineuridae, 66
Ditomoptera, 320
Ditomyia, 416
Ditrysia, 369, 370, 371, 373
Ditylus, 333
Dixa, 406
Dixamima, 406
Dixamimidae, 406
Dixidae, 406
Dobbertinia, 394
dobsonflies, *see* Neuroptera
Docimus, 277
Docirhynchus, 315
Docosia, 416
Doggeria, 320
Doggeriopsis, 320
Dolerus, 455
Dolichoderus, 491
Dolichomyia, 426
Dolichomyrma, 491
Dolichopodidae, 430
Dolichopus, 430
Dolichostigma, 459
Dolichosyne, 287
Doliomyia, 433
Dolophilus, 363
Donacia, 334
Donopterum, 109
Dorcadion, 334
Dorcadionoides, 312
Dorcaschema, 334
Dorcasoides, 300
Dorcas, 330
Dorites, 377
Doropteridae, 37
Doropteron, 38
Dorotheus, 316
Doryctes, 479
Doryctomorpha, 479
Doryderes, 273
Dorytomus, 336
Doubravia, 114
dragonflies, *see* Odonata
Drahania, 109
Drapetilla, 429
Drapetis, 429
Drepanosiphidae, 250
Drepanosiphum, 250
Dromeus, 22
Dromius, 327
Drosophila, 442
Drosophilidae, 442
Dryinidae, 488

- Dryinus, 488
 Drymomyrmex, 491
 Drymus, 271
 Dryobiidae, 334
 Dryomyza, 437
 Dryomyzidae, 437
 Dryopidae, 302, 330
 Dryops, 302
 Dryovoetes, 336
 Dunbaria, 38
Dunbariidae, 37
 Dunstania, 214
Dunstaniidae, 213
 Dunstaniodes, 214
 Dunstaniopsis, 214
 Durgades, 226
 Dyadentomum, 90
 Dysagriion, 86
Dysaletria, 430
 Dysarestus, 320
Dysdercus, 272
Dyseriocrania, 372
Dysmasiites, 373
Dysmorphoptila, 229
Dysmorphoptilidae, 229
Dysmorphoptiloides, 230
Dysmorphoscattella, 255
Dysmorphus, 320
Dysoneura, 362
Dysoneuridae, 362
Dyspetochrysa, 347
Dyspolyneura, 401
Dyspolyneuridae, 400
Dytiscidae, 293, 328
Dytiscus, 293, 328
Dziedzickia, 416
- earwigs, see* Dermaptera
Eatonisca, 405
Eccoptarthrus, 314
Eccoptothorax, 314
Eccoptus, 316
Echinaphis, 255
Ecommocydromia, 430
Ecphylus, 479
Ectemnius, 496
Echlimma, 320
Ectopria, 330
Ectrepesthoneura, 416
Elachista, 375
Elachistidae, 375
Elaeomyrmex, 491
Elaphidion, 334
Elaphrotites, 291
Elaphrus, 327
Elasmocelidium, 240
Elasmomorpha, 468
Elasmosomites, 479
- Elater, 304, 331
Elateridae, 303, 331
Elateridium, 304
Elateridopsis, 320
Elaterina, 320
Elaterites, 304, 320
Elaterium, 321
Elaterocoelus, 303
Elaterophanes, 304
Elateropsis, 325
Elatron, 304
Elattogomphus, 85
Elcana, 160
Elcanidae, 160
Electra, 422
Electracanthinus, 363
Electragapetus, 363
Electralbertha, 363
Electralbertidae, 363
Electrapate, 303
Electrapatidae, 303
Electrapis, 498
Electraulax, 367
Electrentomum, 198
Electresia, 373
Electribus, 302
Electrobaculum, 188
Electrobata, 435
Electrobittacus, 390
Electroblacus, 478
Electrocallis, 250
Electrocephus, 458
Electrocerum, 366
Electrochyliza, 436
Electroclusiodes, 439
Electrococcus, 254
Electrocoris JORDAN, 275
Electrocoris USINGER, 275
Electrocornia, 248
Electrocrania, 372
Electrocrunoecia, 367
Electrocyrtona, 430
Electrodiplectrona, 359, 365
Electrodryinus, 488
Electroembia, 190
Electrofoenus, 474
Electrogenia, 24
Electrohelcon, 479
Electrohelicopsyche, 368
Electrolabis, 403
Electrolema, 313
Electroleria, 438
Electromyrmex, 492
Electromyzus, 255
Electropanorpa, 390
Electrophora, 432
Electrophortica, 442
Electroponera, 492
- Electropsilotes, 366
Electropsocus, 198
Electrosydmaenus, 297
Electrostephanus, 466
Electrotachina, 444
Electroteleia, 471
Electrotenia, 407
Electrotermes, 139
Electrotrhips, 211
Electrotoma, 456
Electrotomidae, 456
Electrotribus, 316
Electrotrichia, 364
Elektraphididae, 248
Elektraphis, 248
Elenchidae, 337, 338
Elenchus, 338
Elephantomyia, 403
Elidiptera, 238
Elipsocus, 198
Ellinaphis, 255
Ellipes, 420
Elliptoscarta, 222
Elmoa, 55
Elmoboria, 41
Elmoboriidae, 41
Elmodiapha, 58
Elmoidae, 55
Elmothone, 499
Elytrathrix, 148
Elytridium, 321
Elytroneura, 144
Elytroneuridae, 144
Elytrulum, 321
Embaneura, 351
Embia, 190
Embiidae, 190
EMBIOPTERA, 189, 205
Embolemus, 488
Empeda, 403
Empheria, 197
Empididae, 429
Empidocampe, 420
Empis, 429
Emplastus, 492
Enallagma, 85
Enamma, 321
Encyrtidae, 483
Encyrtus, 483
Endiagogus, 333
Endoiasmus, 132
Endomychidae, 308
Endomychus, 308
ENDOPTERYGOTA, 11, 279, 381, 395
Eneopterotrypus, 173
Engerrophorus, 276
Engisoptera, 54

- E**
 Engisopteridae, 54
 Engynabis, 276
 Enicocephalidae, 262
 Enicocephalus, 262
 Enicocoridae, 262
 Enicocoris, 262
 Enithares, 263
 Enneagmus, 484
 Enneoxyela, 451
 Enoclerus, 332
 Ensifera, 155
 Enspheingocoris, 261
 Enspheingophlebia, 78
 Entomecoris, 261
 Entomobrya, 2
 Entomobryidae, 2
 Entomocantharus, 321
 Entomus, 336
 Eoallognathus, 321
 Eoanthonaxites, 303
 Eoasilidae, 444
Eobanksia, 177
 Eobelidae, 314
 Eobelus, 314
 Eobladiina, 238
 Eoblatta, 129
Eoblattidae, 129
 Eoblattina, 132
 Eoboletina, 412
 Eobracon COCKERELL, 479
 Eobracon RASNITSYN, 479
 Eobraconus, 479
 Eobruneria, 143
 Eocallidium, 312
 Eocalopteryx, 87
 Eocardiochiles, 479
 Eocassida, 321
 Eocenometra, 263
 Eocephalothrips, 211
 Eocercopidium, 231
 Eocercopis, 231, 259
 Eochalcophora, 303
 Eochiliocycila, 256
 Eochrysomela, 313
 Eocicada, 256
Eocimex, 259
Eocimicidae, 259
 Eoleonus, 316
 Eoleopteron, 321
 Eocoileus, 283
 Eocranothrips, 209
 Ecoupes, 284
 Eodecticus, 165
 Eodelopterum, 206
 Eodichroma, 87
 Eodonacia, 313
 Eodromeus, 291
 Eodromus, 321
 Eoeumolpinus, 313
 Eoformica, 492
 Eofulgorella, 236
 Eofulgoridium, 235
 Eogaleruca, 321
 Eogeridium, 276
Eglosselytridae, 358
 Eglosselytrum, 359
 Eohelaeus, 321
 Eohelea, 408
 Eoheimichroa, 456
 Eohesperinus, 410
 Eohirmoneura, 426
 Eohymen, 90
 Eojassus, 233
 Eolampetis, 303
 Eolestes, 88
 Eoliarius, 236
 Eolimbobia, 403
Eolimnobiiidae, 403
 Eomelasoma, 321
 Eomerope, 384
Eomeropidae, 384
Eomeropinæ, 384
 Eomortoniellus, 165
 Eomyia, 421
Eomyiidae, 421
 Eomyrmex, 492
 Eomyza, 444
Eonabidae, 261
Eonabis, 261
 Eopachylosticta, 456
 Eopachyneura, 410
EOPALAEODICTYOPTERA,
 26
 Eopanorpella, 499
 Eopaussus, 292
 Eophlebomyia, 444
Eophlebomyiidae, 444
 Eopimpla, 475
 Eoplecia, 413
Eopleciidae, 413
 Eopodagrion, 86
 Eopolyneura, 401
 Eopolyneuridae, 401
 Eponopera, 462
 Eopseudopomyza, 435
 Eopsychops, 345
 Eopsylla, 194
 Eopsyllidium, 256
 Eopteryx, 367
 Eoptychoptera, 406
Eoptychopteridae, 406
 Eopyrophorus, 304
 Eoricania HAUPT, 238
 Eoricania HENRIKSEN, 238
 Eosagra, 313
 Eosagtron, 88
 Eosarterella, 228
Eosarterellidae, 228
 Eoscartoides, 228
 Eoscytina, 241
 Eosilphites, 298
 Eosirex, 463
Eospilopteron, 166
Eospilopteronidae, 165
Eostratiomyia, 422
Eostratiomyiidae, 422
 Eotermes, 140
Eotettigarcta, 221
Eothaumatoneura, 88
 Eothes, 274
 Eotingis, 275
 Eotipula, 402
 Eoxenos, 338
 Eoxeris, 463
 Eoxyela, 451
 Eoxylopta, 434
 Epacantha, 82
Epactinophlebia, 353
Epallagites, 88
Epanurea, 308
Epeoromimidae, 24
Epeoromimus, 24
 Ephalus, 333
 Ephedrus, 480
 Ephemera, 26
Ephemerella, 25
Ephemerellidae, 19, 25
Ephemeridae, 26
Ephemeropsisidae, 22
Ephemeropsis, 23
EPEHEMEROPTERA, 7, 8, 9,
 10, 19, 42, 60, 62
 Ephialtites, 464
Ephialtitidae, 463
 Ephoron, 26
 Epiaeschna, 82
Epiborkhausenites, 375
 Epicaerus, 336
 Epicauta, 333
 Epideigma, 124
Epideigmatidae, 124
 Epidia, 444
Epididontus, 362
 Epidosis, 419
Epigambria, 355
 Epilestes, 68
Epimastacidae, 115
Epimastax, 115
Epinomeuta, 380
Epiophlebia, 73
Epiophlebiidae, 73
EPIOPHLEBIOIDEA, 73
 Epiphanis, 331
Epiphragma, 403

- Epipsocidae, 198
Epipsocus, 198
Episceps, 321
Epistrophe, 434
Epithe, 38
Epomenus, 321
Epyris, 488
Erasipterella, 90
Erasipteron, 90
Eremochaetidae, 428
Eremochaetus, 428
Ergates, 327, 334
Erichschmidia, 75
Erinnys, 298
Eriocampa, 456
Eriocera, 403
Eriocrania, 372
Eriocraniidae, 372
Eriocranites, 380
Erioptera, 403
Eriopterites, 406
Eriosoma, 249
Erithinoides, 318, 336
Erirhinus, 336
Erirrhinites, 316
Eristalis, 434
Ernobia, 332
Erotesis, 367
Erotylidae, 332
Erotylites, 321
Erunakicupes, 289
Eica, 21
Escheria, 296
Espira, 115
Estadia, 106
Estemoa, 82
Eterochalcis, 483
Etheridgea, 321
Ethmia, 373
Etirocoris, 276
Etopychoptera, 420
Eubaeus, 476
Eubazus, 480
Eubleptidae, 37
EUBLEPTIDODEA, 26
Eubleptus, 37
Eubodia, 52
Eucaenidae, 100, 105
Eucaenus, 105
Eucallimyia, 431
Euchoroptera, 55
Eucicones, 333
Eucnemidae, 305, 331
Eucnemis, 306, 331
Euconnus, 297
Eucophora, 239
Eucorites, 271
Eucrada, 307
Eucryptus, 317
Eudasystites, 307
EUDIPTERA, 398
Eudomus, 316
Eudoter, 22
Eudotideridae, 22
Euenarthrus, 321
Eugereon, 31
Eugereonidae, 27, 31
Eugnamptidea, 316
Eugnamptus, 336
Eugonia, 377
Eukuloja, 500
Eulithomyrmex, 492
Eulophidae, 483
Euolphus, 483
Eumacrocentrus, 480
Eumalpites, 323
Eumartynovia, 56
Eumastacidae, 177
Eumastax, 177
Eumecoleus, 311
EUMECOPTERA, 382
Eumecoptera, 44
EUMEGASEOPTERA, 45
Eumenes, 495
Eumenidae, 495
Eumolpites, 321
Eunortonia, 495
Euparius, 335
Euphaea, 88
Euphaeidae, 87
Euphaeopsis, 88
Euphlebotomus, 405
Euphorus, 480
Eupincombea, 243
EUPLECTOPTERA, 19
Euplectus, 299
Euporismites, 348
Eupsenella, 488
Eupsinoides, 299
Euraspidium, 276
Euremisca, 117
Euremiscidae, 117
Europepines, 329
Eurycnemus, 407
Eurydema, 273
Eurydictya, 44
Eurydictyella, 44
Eurydictyon, 286
Eurygaster, 273
Eurymela, 227
Eurymelidae, 227
Eurymelidium, 226
Eurynotellus, 321
Eurynotis, 261
Eurynotus, 321
Eurynucha, 321
Euryptilon, 119
Euryptilonidae, 119
Eurusphinctus, 321
Eurytaenia, 90
Eurythmopteryx, 44
Eurythyreites, 321
Eurytoma, 483
Eurytomidae, 483
Euryxyela, 451
Eusarcantarus, 321
Euscelis, 226
Eusthenia, 94
Eustheniidae, 93, 94
Euthemis, 78
Euthemistidae, 78
Euthereva, 418
Euthygramma, 202
Euthygrammatidae, 202
Euthygrammidiae, 202
Euthyneuriella, 430
Euxenoperla, 97
Euxenoperlella, 97
Euychirus, 336
Evagoras, 274
Evania, 474
Evaniaster, 473
Evaniidae, 473
Evaniops, 473
Evanscicada, 218
Evansia, 218
Evarthrus, 327
Evopes, 316
Exacrodus, 476
Exechia, 416
Exedia, 295
Exenterus, 476
Exetastes, 476
Exitelus, 271
Exochus, 476
Exoprosopa, 426
EXOPTERYGOTA, 10, 92
Eysarcoris, 273

Fabellovenia, 462
Fabrecia, 105
Fabreciella, 105
Falsia, 218
Falsiformica, 490
Falsiformicidae, 490
Fannia, 399, 443
Faronus, 299
Fayoliella, 105
Fayoliellidae, 105
Fenusia, 456
Fergania, 162
Ferganolyda, 457
Ferganophlebia, 73
Ferganopsis, 177

- Ferganopterodes, 162
 Ferganopterus, 162
 Ferganoxyela, 451
 Ferghanopsyche, 394
 Feronia, 327
 Feronites, 321
 Ferrierulus, 483
 Fibla, 343
 Ficarasites, 240
 Figites, 482
 Figitidae, 482
 fishflies, *see* Neuroptera
 Flata, 239
 Flatidae, 239
 fleas, *see* Siphonaptera
 Fletcheriana, 214
 Flichea, 321
 flies, *see* Diptera
 Florissantia, 241
 Florissantinus, 456
 Folindusia, 368
 Forficula, 153
 Forficulidae, 153
 FORFICULINA, 151, 153
 Foritia, 48
 Foritiidae, 48
 Formica, 490
 Formicidae, 448, 490
 Formicum, 462
 Fornax, 331
 Fouquea, 37
 Fouqueidae, 37
 Frankenholzia, 90
 Frankliniella, 210
 Frenia, 419
 Fuesslinia, 303
 Fulgora, 239
 Fulgoridae, 239
 Fulgoridiella, 256
 Fulgoridiidae, 235
 Fulgoridiinae, 235
 Fulgoridium, 235
Fulgoridulum, 235
 Fulgoropsis, 256
 Fulvius, 275
 Fumopterum, 109
 Fungivorites, 412
 Fungivoritidae, 411
 Fungivoritinae, 411
 Fuscus, 275

 Galerita, 327
 Galeruca, 334
 Galerucella, 334
 Galesimorpha, 470
 Gallerites, 380
 Galloromma, 484
 Gallosphex, 496

 Gampsophlebia, 76
 Ganestrius, 304
 Ganonema, 366
 Gasterophilidae, 443
 Gasterophilus, 443
Gasteruptionidae, 474
 Gastrallanobium, 307
 Gastrodelus, 321
 Gastroratus, 321
 Gaurotes, 334
 Gazimuria, 267
 Gegenemene, 44
 Gelasopteron, 500
 Genaphididae, 246
 Genaphis, 246
 Genentomum, 122
Genopterygidae, 122
Genopteryx, 122, 201
 Geocoris, 271
 Geodomicus, 329
 Geometra, 380
 Geometridae, 379
 Geometridites, 380
 Georgium, 366
 Georyssidae, 328
 Georyssus, 328
Geotiphia, 490
 Geotrupes, 330
 Geotrupoides, 300
 Gephyromyiella, 439
 Geralophus, 316
 Geranchon, 256
 Gerapompus, 132
 Gerarianus, 132
GERARIDA, 99
 Geraridae, 97, 99, 100, 122
Gerarina, 122
 Gerarites, 132
 Geraroides, 132
 Gerarulus, 122
 Gerarus, 99, 122, 201
 Gerephemera, 90
 Germanoprisca, 132
 Germaraphis, 250
 Geron, 426
 Geroneura, 500
 Geronites, 426
 Gerontothrips, 210
 Gerridae, 262
 Gerris, 262
 Gesomyrmex, 492
 Gheynius, 431
 Gigantoxyla, 451
 Gigasirex, 458
 Gigasiricidae, 458
 Gigatitan, 184
 Gigatitanidae, 183
Gilsonia, 61

 Giselia, 240
 Glabellula, 427
 Glabelytron, 150
 Glaesamictus, 427
 Glaesoconis, 350
 Glaesolonchaea, 439
 Glaesoncodes, 425
 Glaesorthactia, 427
 Glaphoptera, 321
 Glaphyrokoris, 104
 Glaphyromyrmex, 492
 Glaphyrophlebia, 105
 Glaphyoptera, 303
 Glaphyopterites, 321
 Glaphyopterodes, 321
 Glaphyopterula, 321
 Glaphyrus, 330
 Glendotricha, 376
 Glenopterus, 327
 Glessaria, 500
 Glesseumeyrickia, 375
 Glessocardia, 373
 Globoides, 298
 Glosselytridae, 358
 GLOSSELYTRODEA, 279, 356
 Glosselytron, 358
 Glossina, 444
 Glossinidae, 443
 Glossosoma, 363
 Glossosomatidae, 363
 Glottidia, 355
 Glyphonyx, 304
 Glypta, 476
 Glyptapis, 497
 Gnamptogenys, 492
 Gnathamitermes, 142
 Gnathium, 333
 Gnathosyne, 287
 Gnophomyia, 404
 Gnoriste, 416
 Gobiaeschna, 82
 Goera, 367
 Goeridae, 367
 Goerinae, 367
 Goldenbergia, 28
 Gomphaeschna, 82
 Gomphidae, 81
 Gomphites, 81
Gomphitidae, 80
 Gomphoides, 81
 Gomphus, 81
 Gonatocerus, 484
 Gondwanoperlidium, 97
 Gonioctena, 334
 Gonocelis, 313
 Gonocephalum, 333
 Gonomyia, 404
 Gorytes, 496

- Gracillariidae, 372
 Graciolacon, 304
 Grahamelytron, 321
 Grammapsychops, 351
 Grammoptera, 312
 Grammositus, 287
 Graphiptilidae, 35
Graphiptiloides, 35
 Graphiptilus, 35
 Graphoderus, 293
 Grasselites, 321
 grasshoppers, *see* Orthoptera
 Greys, 299
 Gryllacrididae, 172
 Gryllacrimina, 175
 Gryllacris, 172
 Gryllavus, 173
 Gryllidae, 172
 Gryllites, 256
GRYLLOBLATTODEA, 7, 13,
 92, 99, 181
GRYLLOBLATTOIDEA, 181
 Gryllotalpa, 175
 Gryllotalpidae, 175
 Gryllus, 173
 Grypidius, 336
 Gurnetia, 380
 Gymnastes, 404
 Gymnetron, 336
 Gymnochila, 328
 Gymnopleurus, 330
 Gymnopternus, 431
 Gypona, 226
 Gyponites, 226
 Gyrinidae, 294, 328
 Gyrinidae, 321
 Gyrinoides, 294
 Gyrinopsis, 321
 Gyrinulopsis, 321
 Gyrinus, 294
 Gyrophaena, 329
 Gyrophlebia, 132

 Hadentomidae, 105
HADENTOMOIDEA, 97
 Hadentomoides, 132
 Hadentomum, 105
 Hadeocoleodes, 289
 Hadeocoleus, 289
 Hadrocephalus, 321
 Hadrocoris, 276
 Hadronema, 275
Hadroneuria, 30
 Hadronotoides, 471
 Hadronotus, 471
Hagenia, 462
 Hagla, 154, 166
 Haglidae, 165

Hagloides, 166
 Hagnometopias, 299
 Halictidae, 496
 Halictus, 497
 Halocoleus, 321
Halometra, 188
 Haltica, 335
Halticophana, 322
 Halys, 273
Hammapteryx, 238
 Hana, 52
 Handlirschia, 91
 Hanidae, 52
 Haploptera, 103
 Haplopteridae, 102
HAPALOPTEROIDEA, 97
 Haplobittacus, 390
 Haplocnemia, 334
 Haplophlebium, 44
 Haplopterum, 132
 Haplotipula, 402
 Harmostites, 269
 Harpactor, 274
Harpactostigma, 496
 Harpalidium, 322
 Harpalomimes, 322
 Harpalus, 327
 Haruspex, 334
 Hastites, 256
 Havlatia, 113
 Havlatiidae, 113
 Hebeihagla, 166
 Hecabolus, 480
 Heeracris, 181
 Heeralyodus, 270
 Heeria, 28, 269
 Heeriaopsis, 322
Heeriella HANDLIRSCH, 322
Heeriella MEUNIER, 415
 Heidea, 256
 Helcon, 480
Heleomyza, 438
Heleomyzidae, 438
Heleonaucoris, 264
 Heliaeschna, 82
 Helichus, 330
Helicopsyche, 368
Helicopsychidae, 368
Helicopsychinae, 368
 Heliocoris, 300
 Heliothrips, 210
 Helius, 404
Helluomorpha, 327
 Hellwigia, 476
 Helodes, 302
Helodidae, 301
Helodopsis, 302
Helophoropsis, 322

 Helophorus, 328
 Helopides, 322
 Helopidium, 322
 Helopium, 322
 Helops, 333
 Heloridae, 448, 470
 Helorus, 470
 Hemeristia, 132
Hemeristica, 132
Hemerobida, 346
Hemerobiidae, 346, 357
Hemerobiooides, 78
Hemerobius, 346
Hemeroscopidae, 84
Hemeroscopus, 85
 Hemichroa, 456
 Hemidonacia, 322
 Hemilauxania, 438
 Heminipheria, 350
HEMIODONATA, 26
HEMIPSCOPTERA, 212
HEMIPTERA, 5, 8, 192, 212, 341
 Hemisemidales, 350
Hemisphaericosites, 322
 Hemiteles, 476
Hemisibriidae, 211
 Hemithrips, 211
Hemizygopteridae, 66
Hemizygopteron, 67
 Heolus, 44
 Heptagenia, 24
Heptageniidae, 24
 Herbstiala, 120
Herbstialidae, 119
Hercinothrips, 210
Hercostomus, 431
 Herdina, 126
Herdinidae, 126
Heriades, 497
Hermetiella, 422
Hesperagrion, 85
Hesperia, 376
Hesperiidae, 376
Hesperinus, 414
Hesthesis, 334
Heteruplectus, 299
Heterothelia, 297
Heterogaster, 271
Heterojassus, 259
Heterologellus, 132
Heterologopsis, 133
Heterologus, 120
Heteromyiella, 438
Heteromyza, 438
Heteronella, 276
Heteropeza, 419
Heterophlebia, 64, 74
Heterophlebiidae, 74

- HETEROPTERA**, 212, 213,
 259
Heteroptilidae, 126
Heteroptilon, 126
Heteroscytina, 259
Heterotermes, 142
Heterothemis, 78
Heterothripidae, 211
Heterothrips, 211
Heterotrops, 329
Heterotricha, 416
Heterotrypus, 174
Heuretus, 297
Hexagenites, 22
Hexagenitidae, 22
Hexagenitinae, 22
Hexameristus, 322
Hexameropsis, 23
HEXAPODA, 1, 9
Hexascytina, 259
Hexatoma, 404
Hexerites, 376
Heydeniopsis, 483
Hiatensor, 476
Hilara, 430
Hippelates, 443
Hippobosca, 444
Hippoboscidae, 444
Hippocoon, 468
Hipporhinops, 316
Hipporhinus, 336
Hirmoneura, 426
Hirmoneurites, 426
Hister, 329
Histeridae, 329
Hodotermes, 140
Hodotermitidae, 138, 139, 140
Holasicia, 101
Holcoelytrum, 322
Holcoptera, 322
Holcoribeus, 300
Holcorpa, 381, 390
Holepyris, 488
Holocentropus, 364
Holocnomanus, 480
Holomeristus, 476
Holopeurus, 304
Holopogon, 428
Holorusia, 404
Homalium, 329
Homaloneura, 39
Homaloneurina, 39
Homaloneurites, 39
Homalophlebia, 129
Homalophlebiidae, 129
Homaloptila, 202
Homaloscytina, 222
Homalota, 329
Homocladus, 125
Homodictyon, 101
HOMOEODACTyla, 398
Homoeodictyidae, 100, 101
Homoeophlebia, 36
Homoeoptychopteris, 444
Homogenitus, 488
Homoioptera, 36
Homoipteridae, 35
HOMOPTERA, 8, 212, 213,
 341
Homopterites, 256
Homopterulum, 226
Homothrips, 210
Hondelagia, 355
Hooleyia, 256
Hoplilia, 330
Hoplocampa, 456
Hoploteleia, 471
Hoplothrips, 211
Horates, 109
Horizonotus, 331
Hormaphididae, 248
Hormaphis, 248
Hormiellus, 480
Hormipterus, 480
Hormorus, 336
Horogenes, 476
Huabeius, 175
Hyalesthes, 236
Hybos, 430
Hybosurus, 330
Hydaticus, 328
Hydnocera, 332
Hydraena, 328
Hydiomena, 380
Hydrobiites, 322
Hydrobiosidae, 363
Hydrobosis, 363
Hydrobius, 328
Hydrochus, 328
Hydroicetes, 322
Hydrometra, 263
Hydrometridae, 262
Hydrophilidae, 295, 328
Hydrophilites, 322
Hydrophilopsis, 296
Hydrophilus, 295, 328
Hydroporopsis, 322
Hydroporus, 293, 328
Hydropsyche, 364
Hydropsychidae, 364
Hydroptila, 364
Hydroptilidae, 363
Hydrous, 328
Hygrocoleuthus, 431
Hygronomia, 329
Hylaeoneura, 256
Hylastes, 316, 336
Hylecaetus, 332
Hylescierites, 316
Hylesinites, 316
Hylesinus, 336
Hylicella, 233
Hylicellidae, 233
Hylicellites, 233
Hylobiites, 322
Hylobius, 336
Hylotrupes, 334
Hylurgops, 312, 336
HYMENOPTERA, 7, 8, 11,
 205, 279, 282, 338, 445
Hymenorus, 310
Hypermegathes, 90
Hyperomima, 322
Hyperpolyneura, 400
Hyperpolyneuridae, 400
Hypnomorphoides, 304
Hypnomorphus, 304
Hypoceridites, 432
Hypocimex, 272
Hypocimicidae, 272
Hypocixius, 256
Hypocleptes, 485
Hypogastrura, 2
Hypogastruridae, 2
Hypoperla, 500
Hypoperlopsis, 500
Hypselonotus, 269
Hypsicera, 476
Hypsomelana, 76
Hypsophlebia, 74
Hypsothemis, 76
Hyptiogastrites, 474
Hystrichopsyllidae, 395

Ibalia, 482
Ibaliidae, 482
Ichneumon, 474
Ichneumonidae, 474
Ichneumonomima, 477
Ichneumonomimidae, 477
Ichneutes, 480
Ichthyocupes, 284
Idelia, 118
Ideliella, 43
Ideliidae, 118
Ideliopsis, 109
Idelopanorpa, 385
Idelopanorpidae, 384
Idelopscus, 194
Idiocerus, 226
Idiomerus, 304
Idiomorphus, 304
Idioplasta, 403
Idoptilus, 44

- Ignatala, 500
 Ija, 424
 Ijacossus, 215
 Ijanecta, 267
 Ijapsyche, 387
Ilisia, 403
 Incisitermes, 140
 Incurvaria, 373
 Incurvariidae, 373
 Incurvarites, 373
 Indophaea, 88
 Indusia, 368
 Ineptiae, 355
 Ingruo, 223
 Inocellia, 343
 Inocelliidae, 343
 Inocellini, 343
 INSECTA, 4
 Involvulus, 315
 Iphialux, 480
 Ipsvicia, 232
 Ipsviciella, 232
 Ipsviciidae, 232
 Ipsviciopsis, 232
 Iridomyrmex, 492
 Ironicus, 322
 Ironomyia, 433
 Ironomyiidae, 433
 Isalcidores, 316
 Ischnocoris, 276
 Ischnodemus, 271
 Ischnodes, 331
 Ischnoneura, 130
 Ischnoneuridae, 130
Ischnoneurilla, 130
Ischnoneurona, 130
 Ischnoptilidae, 48
 Ischnoptilus, 48
 Iscopinus, 498
 Isfaroptera, 166
Isfaropteridae, 165
 Isobrachium, 488
 Isomira, 310, 333
 Isonychia, 23
 Isoperla, 96
 Isophlebia, 73
 Isophlebiidae, 73
 Isophlebiodes, 78
 ISOPTERA, 137, 189, 205
 Isothea, 315
 Isotoma, 2
 Isotomidae, 2
 Isotomorus, 2
 Isotomus, 2
 Issidae, 240
 Issites, 240
 Issus, 240
 Itoplectis, 476
 Ivahymen, 50
 Ivaia, 223
Ivascytina, 243
 Jablonia, 114
 Jabloniidae, 114
 Jadera, 269
Jantardakhia, 248
 Janus, 458
 Jarmila, 22
 Jarmiliidae, 22
 Jascopus, 226
Jassopidae, 225
 Jassites, 226
 Jassopsis, 226
 Jassus, 226
 Jasvia, 157
Johannsenomyia, 408
 Jongmansia, 44
Jordanofulvius, 275
 Jubilaeus, 158
Jupitellia, 377
Jupiteria, 377
Jurabachyeron, 424
Juraconiopteryx, 350
Jurallecula, 310
Juralyda, 458
Juraphis, 246
Jurapria, 471
Jurapriidae, 470
Jurassobatea, 166
Jurina, 359
Jurinidae, 358
Jurocallis, 256
 Kakoselia, 322
Kallenbergia, 28
Kalligramma, 351
Kalligrammatidae, 351
Kalligrammidae, 351
Kalligrammula, 351
Kalotermes, 139
Kalotermitidae, 139
Kaltana, 382
Kaltanaphididae, 241
Kaltanaphis, 241
Kaltanella, 109
Kaltanetta, 219
Kaltanicupes, 284
Kaltanidae, 382
Kaltanochorista, 384
Kaltanocicada, 256
Kaltanocoleidae, 284
Kaltanocoleus, 284
Kaltanoneura, 88
Kaltanopibrocha, 233
Kaltanopsis, 219
Kaltanopterodes, 133
 Kaltanoscyta, 256
Kaltanoscytina, 241
 Kaltanospes, 223
Kaltanympha, 98, 109
Kamaites, 158
 Kamaroma, 322
 Kamia, 162
 Kamiidae, 162
Kamopanopra, 500
 Kansasia, 44
 Karabasia, 256
Karadromeus, 292
Karajassus, 256
Karakanocoleodes, 289
Karakanocoleus, 289
Karanabis, 274
Karataidae, 485
Karataogyrillus, 174
Karatauliodes, 362
Karataulius, 362
Karatatus, 485
Karataviella, 267
Karataviola, 464
Karatavites, 458
Karatavitidae, 458
Karatavocoris, 269
Karatawia, 76
Karatawiidae, 76
Karatoma, 292
Kargalaria, 162
Kargalella, 128
Kargalodes, 133
Kargalotypus, 89
Karoohymen, 57
Katapiptus, 322
Katapontis, 322
 katydids, *see* Orthoptera
Kazachophlebia, 78
Kazanella, 109
Keleusticus, 322
Kelidus, 322
Kelleropteron, 133
Kelnermelia, 498
Kempendaja, 459
Kennedyia, 64, 67
Kennedyidae, 67
Khatangaphis, 248
Khosara, 109
Khosaridae, 108
Khosarophlebia, 133
Kibdelia, 322
Kirghizocupes, 286
Kirghizoxyla, 451
Kirgisella, 346
Kirgisellodes, 346
Kisylia, 256
Klebia, 17
Klebsiella, 133

- Kliveria, 500
 Kohlwaldia, 60
Kohlwaldiidae, 60
 Kolbea, 199
 Kolvidelia, 124
Kondomoprosbole, 219
 Kortschakolia, 118
 Korystina, 316
 Kotshkorkia, 492
 Kotujella, 474
Kotujellidae, 474
Kukalovidae, 21
 Kulbastavia, 460
 Kuloja, 90

Laasbium, 298
Labidelytridae, 148
Labidelytron, 148
Labidostomis, 335
Labidura, 153
Labiduridae, 153
Labiduromma, 153
Labradorocoleidae, 283
Labradorocoleus, 283
Labrorychus, 476
Laccophilus, 328
Laccopygus, 316
 lacewings, *see* Neuroptera
Lachnidae, 251
Lachnopus, 336
Lachnus, 251
Lacobius, 328
Lacon, 331
Laelius, 488
Laemophloeus, 332
Lagynodes, 469
Laimocenos, 322
Lameereites, 54
Lamia, 334
Lamiites, 322
Lamiophanes, 322
Lampra, 331
Lampronota, 476
Lampropholis, 18
Lamproptilia, 39
Lampropitiidae, 37
Lampyridae, 331
Lampyris, 331
Lapidiconides, 304
Lapidostenus, 304
Lapton, 476
Larinus, 336
Larrophanes, 496
Larryia, 36
Larssonaphis, 256
Lasiohelea, 408
Lasiopa, 422
Lasioptera, 419

Lasius, 492
Laspeyresia, 130
Laspeyresiella, 130
Laspeyresiellidae, 130
Latahcoris, 273
Lathridiidae, 309, 333
Lathridius, 309
Lathrobium, 298, 329
Latridiites, 322
Latridius, 309
Laurentiptera, 387
Laurentipteridae, 387
Lauxania, 438
Lauxaniidae, 438
Lavrushinia, 226
Lebia, 327
Lechaea, 240
Lecopterum, 133
Lecoriidae, 106
Lecorium, 106
Lectrum, 106
Ledomyiella, 419
Leia, 416
Leioxyla, 451
Leipsanotus, 90
Lema, 335
Lemmatophora, 97, 98, 106
Lemmatophoridae, 100, 106,
 205
Lemmatophoropsis, 500
Leperisinus, 336
Lepidion, 17
Lepidocyrtinus, 3
Lepidocyrtus, 2, 3
Lepidodaspus, 17
Lepidopsocidae, 197
Lepidopsocus, 197
LEPIDOPTERA, 5, 279, 360,
 361, 369
Lepidostoma, 367
Lepidostomatidae, 367
Lepidostomatinae, 367
Lepidothricinae, 17
Lepidothrix, 17
Lepidotrichidae, 17
Lepidotrix, 17
Lepisma, 18
Lepismatidae, 17
Lepismodion, 17
Lepismophlebia, 25
Lepitrix, 330
Lepium, 112
Leptacinus, 329
Leptaeschnidium, 82
Leptephialtites, 465
Leptoceridae, 367
Leptocerides, 367
Leptocerus, 367

Leptocleistogaster, 467
Leptogaster, 428
Leptogastrella, 485
Leptomites, 322
Leptomorphus, 416
Leptomyrmex, 492
Leptomyrmula, 492
Leptoneura, 130
Leptoneurula, 207
Leptopeza, 430
Leptophlebia, 25
Leptophlebiidae, 19, 25
Leptoprosbole, 220
Leptoscelis, 269
Leptoserinetha, 276
Leptosolenophorus, 322
Leptostylus, 334
Leptothorax, 492
Leptotipula, 402
Leptotipuloides, 402
Leptura, 334
Leptynicus, 322
Lepyrus, 336
Leistes, 85
Lestidae, 85
Lestremia, 419
Lethites, 377
Lethocerus, 266
Lethocoleus, 290
Leucempria, 456
Leucotaphus, 492
Leuctra, 96
Leuctridae, 96
Liadonaukoris, 264
Liadonecta, 263
Liadopsylla, 253
Liadophilus, 362
Liadotaulius, 362
Liadothemis, 78
Liadoxyela, 451
Liadytes, 295
Liadytidae, 295
Liasirex, 458
Liasocoris, 276
Liassocarabites, 322
Liassochorista, 385
Liassocicada, 256
Liassogomphidae, 80
Liassogomphus, 81
Liassogrylioidea, 174
Liassonympha, 444
Liassopanorpida, 394
Liassophila, 362
Liassophilidae, 362
Liassophlebia, 73
Liassophlebiidae, 73
Liassophyllum, 166
Liassopsychops, 355

- Liassothripidae, 212
 Liassothrips, 209, 212
 Liassotipula, 402
 Libanochlitae, 407
 Libellula, 83
 Libellulapis, 496
 Libellulidae, 83
 Libellulum, 83
 Liberocoelus, 284
 Liburnia, 240
 Libythea, 379
 Libytheidae, 379
 Ligyrocoris, 271
 Ligyrus, 330
 Limacodites, 256
 Limburgina, 133
 Limfjordia, 394
 Limnacis, 274
 Limnobia, 404
 Limnocema, 404
 Limnophila, 404
 Limnophilidae, 367
Limnophilides, 367
 Limnophilus, 367
 Limonia, 404
 Limonius, 331
 Lina, 335
 Linnaea, 271
 Liojassus, 233
 Lioma, 109
 Liometopum, 492
 Liomopterella, 109
 Liomopteridae, 97, 100, 108
 Liomopterina, 109
 Liomopterites, 98, 110
 Liomopterum, 109
 Liomoptoides, 110
 Liotrichothrips, 211
 Liposcelidae, 198
 Liposcelis, 198
 Lipotactes, 165
 Lipsanothrips, 210
 Liska, 100, 106
 Lisconeura, 456
 Lisponema, 496
 Listrochelus, 330
 Listronotus, 336
 Lithadothrips, 209
 Lithaeschna, 82
 Lithagrion, 86
 Lithandrena, 496
 Lithanthidium, 497
 Lithapechtis, 481
 Lithax, 367
 Lithecphora, 256
 Lithembia, 190
 Lithemis, 83
 Lithentomidae, 197
 Lithentomum, 90, 197
 Lith euphaea, 88
 Lithexorista, 444
 Lithobelyta, 470
 Lithocharis, 329
 Lithochromus, 271
Lithochrysa, 347
 Lithocicada, 222
 Lithocoelus, 305
 Lithocoris, 271
 Lithocoryne, 308
 Lithocosmus, 427
 Lithocupes, 286
 Lithodryas, 377
Lithoglossina, 444
 Lithogomphus, 85
 Lithogramma, 351
 Lithogryllites, 174
 Lithohypoderma, 444
 Litholacon, 305
 Lithomacratria, 312
 Lithomanteidae, 30
 Lithomantidae, 30
 Lithomantis, 30
 Lithomerus, 305
 Lithomyrmex, 492
 Lithomyza, 419
 Lithoneura, 42
 Lithopanorpaa, 387
 Lithopanorpidae, 387
 Lithophotina, 143
 Lithophthorus, 316
 Lithopisoides, 316
 Lithoplanes, 298
 Lithopsis, 257
 Lithopsocidium, 193
Lithopsocus, 197
 Lithopsyche, 377, 379
Lithoptilidae, 30
 Lithoptilus, 30
 Lithoptychus, 305
 Lithorabus, 292
Lithoryssus, 456
Lithoscytina, 241
Lithoscytinidae, 241
Lithostialis, 30
 Lithosmylidia, 355
 Lithosmylus, 348
 Lithosomus, 305
 Lithosomyia, 414
 Lithostoma, 307
 Lithotachina, 445
 Lithotorus, 476
 Lithoxyla, 451
 Lithurge, 497
 Lithymnetes, 165
 Lithymnetoides, 175
 Litoneura, 90
 Litophlebia, 90
 Litus, 484
 Livilla, 253
 Lixus, 336
 Lobites, 323
 Locrites, 257
Locusta, 181
 Locustavidae, 177
 Locustavus, 177
 Locustopeidae, 177
Locustopsidae, 177
 Locustopsis, 177
 Locustopsites, 181
 Loewiella, 416
 Lomatus, 331
 Lonchaea, 439
 Lonchaeidae, 439
 Longistigma, 251
Longivenapteris, 30
 Lophiocypha, 196
 Lophioneura, 194
 Lophioneuridae, 194
 Lophioneurodes, 197
 Lophopidae, 235
 Lophops, 235
 Lophyrophorus, 422
 Loxocamarotus, 322
 Loxoncus, 323
Loxopblebia, 21
 Loxophleps, 355
 Loxostelidotus, 322
 Lucanidae, 300, 330
 Lucanus, 300, 330
 Lucidota, 331
 Ludibrium, 238
 Ludiophanes, 305
 Ludiulus, 331
 Luehdorfia, 377
Luehdorfitis, 377
 Luperodes, 335
 Luperus, 335
 Lusiella, 30
Lusiellidae, 30
 Lutago, 316
 Lutrochites, 302
 Lutzomyia, 405
 Lycaena, 379
 Lycaenidae, 379
 Lycaenites, 380
 Lycidae, 306
 Lycocercidae, 32
 Lycocerus, 33
 Lycodemis, 33
 Lycoriella, 415
Lycoriomima, 412
Lycoriomimella, 412
Lycoriomimodes, 412
Lycorioplectia, 412

- Lycus, 306
 Lydoxyela, 451
 Lygaeidae, 270
 Lygaenocoris, 271
 Lygaeosoma, 271
 Lygaeus, 270
 Lygocerus, 469
 Lygus, 275
 Lymexylidae, 332
 Lynchia, 444
 Lyonetidae, 372
 Lype, 364
 Lyroneurus, 431
 Lystra, 239
 Lytta, 333
 Macalpinia, 484
 Machilidae, 17
 Machilis, 17
Machilodes, 17
 MACHILOIDEA, 17
 Machimus, 428
 Macratria, 312
 Macrelcana, 172
 Macrocatinius, 290
 Macrocerata, 416
 Macrochile, 403
 Macroductylus, 330
 Macrodictya, 28
 Macroedischia, 156, 157
 Macromastix, 404
 Macrophlebium, 133
 Macropsis, 226
 Macroptera, 30
Macropteridae, 30
 Macropterocoris, 262
 Macrorhopterus, 336
 Macrosiagon, 333
 Macroteleia, 471
 Macrotermes, 142
 Macrotrachelites, 322
 Maculopterum, 107
 Madasumma, 174
 Madera, 33
 Madygella, 451
 Madygenia, 163
 Madygenius, 451
 Magdalitis, 336
Magnasupplephlebia, 89
 Maguviopsis, 227
 Maimetsha, 468
 Maimetshidae, 468
 Malachius, 332
 Maleojassus, 226
 Malfattia, 484
 MALLOPHAGA, 13, 92, 200
 Malmelater, 290
 Malthodes, 331
 Mammia, 44
 Manapsis, 404
 Manevalia, 273
 Maniconeurodes, 367
 Manlaysamyia, 407
 Manota, 416
 Mansonia, 407
 Manteidae, 143
 MANTEODEA, 98, 142
Mantidae, 143
 mantids, *see* Manteodea
 Mantis, 143
 Mantispidae, 350
 MANTODEA, 142
 Margarodes, 254
 Margarodidae, 254
 Margaroptilon, 257
 Marilia, 366
 Marimerobius, 500
Maripsocidae, 241
 Maripsocus, 241
 Marquetteia, 351
 Martyneia, 373
Martynopsocidae, 194
Martynopsocus, 194
Martynovia, 56
Martynoviella, 56
Martynoviidae, 54, 55
Martynowiella, 385
Masselytron, 322
Masteutes, 315
Mastotermes, 138, 139
Mastotermites, 142
Mastotermitidae, 138, 139
Mataeoschistus, 274
Maueria, 241
Maueriidae, 241
 mayflies, *see* Ephemeroptera
Mazonopterum, 36
Mazothairos, 36
Mcluckiepteron, 39
MEAPTERA, 380
 MECOPTERA, 279, 338, 360,
 372, 380, 395, 399
Mecus, 21
Mecynoptera, 44
Mecynostoma, 37
Mecynostomata, 37
Mecynostomatidae, 37
Mecynostomites, 44
MEDESCATA, 398
Medetera, 431
Megacentrus, 322
Megaceropis, 231
Megachile, 497
Megachilidae, 497
Megachorista, 383
Megachorites, 322
Megacosmus, 427
Megacyllene, 312
Megakhosara, 118
Megakhosarella, 118
Megakhosaridae, 118
Megaleuctra, 96
Megalocoris, 276
Megalomerium, 272
Megalometer, 133
Megalomus, 346
 MEGALOPTERA, 340
Megalycriomima, 412
Megalyra, 466
Megalyridae, 448, 466
Megamerina, 436
Megamerinidae, 435
Meganeura, 60
Meganeurella, 60
Meganeuridae, 59, 60
Meganeurina, 61
Meganeurites, 61
Meganeuropsis, 60
Meganeurula, 61
 MEGANISOPTERA, 59
Megantennaphis, 250
Megapenthes, 331
Megapodagrion, 86
Megapodagrionidae, 85
Megapodaphis, 250
Megapolystoechus, 355
Megapsocidium, 192
Megapterites, 462
Megapteritidae, 461
Megaptilidae, 27, 30
Megaptiloides, 35
Megaptilus, 30
Megaraphidia, 343
 MEGASECOPTERA, 10, 27,
 28, 45, 54
 MEGASECOPTERIDA, 45
Megaselia, 433
Megasemum, 88
Megaspilidae, 468
Megaspilus, 469
Megathentomum, 91
Megatryphon, 476
Megatypus, 60
Megalisca, 463
Megaxyela, 451
Megaxyloita, 434
Megelytridae, 146
Megelytrites, 322
Megelytron, 147
Meghyperiella, 430
Megistocera, 404
Megoniella, 500
Megophthalmus, 226

- Megopsis, 334
 Megura, 463
 Meioneurites, 351
 Melanmous, 355
 Melanactes, 331
 Melanagrion, 86
 Melanagromyza, 440
 Melanderella, 427
 Melandrya, 311
 Melandryidae, 310, 333
 Melaneimon, 355
 Melanichneumon, 476
 Melanoblattula, 91
 Melanocantharis, 323
 Melanohypsa, 76
 Melanophila, 331
 Melanophilites, 323
 Melanophilopsis, 323
 Melanotrips, 209
 Melasoma, 335
 Melieria, 434
 Meligethes, 332
 Meligethiella, 308
 Melinophlebia, 127
Meliponorytes, 498
 Melitta, 497
 Melittidae, 497
 Melittoma, 332
 Mellinus, 496
 Meloe, 333
 Meloidae, 333
 Melolontha, 330
 Melolonthites, 323
 Melyridae, 306, 332
 Melyris, 307
 Membracidae, 227
 Membracis, 227
 Memptus, 323
 Menephiloidea, 323
 Mengea, 337
 Mengeaphis, 250
 Mengeidae, 337
 Mentacridium, 181
 Meoneurites, 440
 Meracantha, 333
 Meristos, 336
 Merlebachia, 502
 Merodon, 434
 Meropeidae, 381, 382
 Merothripidae, 211
 Merothrips, 211
 Mesacridites, 500
 Mesagyrtes, 298
 Mesaleuropsis, 257
 Mesalocistus, 323
 Mesaularinus, 467
 Mesecanus, 298
 Meselcana, 158
 Mesephemera, 22
 Mesephemeridae, 22
 Mesephialtites, 465
 Meseumalpites, 323
 Meshemipteron, 257
 Mesoagrites, 323
 Mesoatracis, 230
 Mesobaetis, 26
Mesobelostomum, 266
 Mesoherotha, 349
 Mesoherothidae, 349
Mesobittacus, 390
 Mesocephus, 458
 Mesochelophorus, 296
 Mesochorista, 385
Mesochoristidae, 384
 Mesochorus, 476
 Mesochrysopa, 346
Mesochrysopidae, 346
 Mesocicada, 220
 Mesocicadella, 257
 Mesocixiella, 236
 Mesocixiodes, 257
 Mesocixius, 236
 Mesococcus, 257
 Mesocupes, 286
Mesocupoides, 286
 Mesodascilla, 302
 Mesodineutes, 294
 Mesodiphthera, 257
Mesoedischia, 154, 157, 175
 Mesoforcula, 154
 Mesogenesia, 26
 Mesogereon, 217
Mesogereonidae, 217
 Mesogomphus, 85
 Mesogryllacris, 175
 Mesogryllus, 166
 Mesogyrus, 294
 Mesohalys, 273
 Mesoherulus, 469
 Mesojassoides, 226
 Mesojassula, 257
Mesojassus, 227, 257
 Mesojurina, 359
 Mesoledra, 257
 Mesoleon, 356
 Mesoleptus, 476
 Mesoleuctra, 96
 Mesolobites, 323
 Mesolyda, 457
 Mesolygaeus, 271
 Mesomyia, 414
 Mesomylina, 346
 Mesoncus, 323
 Mesonemura, 95
 Mesonepa, 266
 Mesonera, 25
 Mesonetopsis, 89
 Mesoneura, 456
 Mesonirvana, 223
 Mesonotopera, 97
 Mesonymphes, 354
 Mesopanorpa, 387, 388
 Mesopanorpodes, 387
 Mesopanorpodidae, 387
 Mesopentacoridae, 270
 Mesopentacoris, 270
 Mesophantasma, 409
 Mesophantasmidae, 408
 Mesophlebia, 89
 Mesoplimpla, 476
 Mesoplecia, 414
 Mesopleciella, 414
 Mesoplectopteron, 26
 Mesopolystoechotidae, 345
 Mesopolystoechus, 345
 Mesopsocidae, 198
 Mesopsocus, 198
 Mesopsyche, 392
 Mesopsychidae, 392
 Mesopsychopsis, 353
 Mesoptilus, 130
 Mesorabus, 292
 Mesoraphidia, 341
 Mesoraphidiidae, 341
 Mesorhynchophora, 323
 Mesorhynphus, 418
 Mesorthopteron, 101, 133
 Mesosa, 334
 Mesosciophila, 412
 Mesosciophilodes, 412
 Mesoscytina, 258
 Meserphidae, 469
 Meserphinae, 469
 Meserphus, 469
 Mesosigara, 267
 Mesosites, 312
 Mesosperchus, 296
 Mesostenus, 476
 Mesostigmadera, 303
 Mesotachinus, 298
 Mesotaeniopteryx, 95
 Mesotanyderus, 394
 Mesothoris, 286
Mesothripidae, 212
Mesothrips, 212
 Mesothymbris, 223
Mesotipula, 402
 Mesotitan, 182
 Mesotitanidae, 182
 Mesotitanodes, 182
 Mesotraphes, 265
 Mesotraphidae, 265
 Mesotrichopteridium, 368
 Mesotubilistrium, 240

- Mesotylites, 323
Mesozytelus, 298
Mesuropetala, 83
Mesydra, 296
Mesypochrysa, 346
Metacheliphlebia, 133
Metachroma, 335
Metacupes, 323
Metafulgoridium, 235
Metagrilium, 323
Metalecorium, 106
Metanephrocerus, 433
Metapsocidium, 192
Metarchitaulius, 362
Metasyrphus, 434
Metatermites, 142
Metatrichopteridium, 368
Metaxybittacus, 390
Meteorites, 481
Meteorus, 481
Methles, 293
Metidelia, 118
Metoedischia, 157
Metreroporus, 23
Metriocnemus, 407
Metrioxena, 316
Metrobates, 262
Metropator, 206
Metropatoridae, 205
Metropatorites, 500
Metryia, 122
Meuniera, 258
Meunieria, 419
Mezira, 267
Miamia, 133
Mianeuretus, 492
Micragrypnites, 305
Micranthaxia, 323
Micrapis, 403
Micrasema, 368
Micrelaterium, 323
Micrempis, 430
Micrephialtites, 465
Microblattina, 91
Microcleistogaster, 468
Microcoleopteron, 323
Microctonus, 481
Microdictya, 28
Microdiplatys, 153
Microgaster, 481
Microjulodis, 303
Microthalidae, 290
Microthalthus, 291
Micropa, 17
Micralentomum, 500
Micropeplus, 298, 329
Micropeza, 435
Micropezidae, 435
Microphorites, 430
Microphorus, 430
Microplitis, 481
Micropterix, 372
Micropterygidae, 370, 372
Microptilium, 298
Microptysma, 360
Microptysmatidae, 360
Microptysmodes, 360
Microrhagus, 331
Micropyssus, 463
Microscytinella, 259
Microstylum, 428
Microsymmocites, 375
Microtelenomus, 471
Microtypus, 481
Microxeleycia, 451
Mikiola, 419
Mikrocarpides, 323
Mikrotipula, 402
Milichia, 443
Milichiidae, 443
Mimallactoneura, 412
Mimalycoria, 412
Mimelater, 323
Mimema, 323
Mimemala, 323
Mimohelops, 323
Mindaridae, 248
Mindarus, 248
Minuta, 228
Miocenaenacris, 181
Miocenaenia, 306
Miochlorotettix, 227
Miocoenogenia, 25
Miocordulia, 83
Miocoris, 274
Miocryptorhopalum, 307
Miocupes, 286
Miocyphon, 302
Miodineutes, 294
Miodytiscus, 293
Miogeraeus, 316
Miononates, 271
Miolachnosterna, 301
Miolithocharis, 298
Mioloptera, 110
Miolopterina, 111
Mioloptoides, 111
Miomantisca, 207
Miomatoneura, 207
Miomatoneurella, 207
Miomatoneurites, 207
Momesamia, 227
Miomonalonion, 275
MIOMOPTERA, 204, 449
Miomyrmex, 492
Mionelater, 305
Miopalpomyia, 408
Miophenolia, 308
Miopieris, 380
Miopodagrion, 86
Miopsyche, 367
Miopyrgomorpha, 181
Miosilpha, 298
Miostenosis, 309
Miota, 470
Miotermes, 139
Miracoides, 481
Miridae, 275
Miridoides, 275
Miris, 275
Mischoptera, 46, 48
Mischopteridae, 45, 46, 48
Misopyris, 488
Misthodotes, 22
Misthodontidae, 22
Mitchelloneura, 220
Mitinovia, 133
Mitophlebia, 72
Mitophlebiidae, 71
Mixophlebia, 72
Mixotermes, 500
Mochlonyx, 407
Molanna, 366
Molannidae, 366
Molannodes, 366
Moltenocupes, 286
Molytes, 336
Monardia, 419
Mongoma, 404
Monocrepidius, 331
Monodactyloides, 179
Monodactylus, 179
Monodicrana, 419
Monodontomerus, 483
Monomorium, 492
Mononeura, 500
Mononychites, 316
Monopibaltia, 373
Monotrysia, 370, 372
Monsteropterum, 44
Monstrocoreus, 270
MONURA, 16
Monyx, 299
Moravia, 32
Moraviptera, 32
Moravocoleus, 283
Moravohymen, 51
Moravohymenidae, 51
Morbaeschna, 82
Mordella, 311, 333
Mordellidae, 311, 333
Mordellina, 311
Mordellistena, 333
Morgea, 439

- moths, *see* Lepidoptera
Moyamya, 422
Mundidae, 233
Mundopoides, 236
Mundus, 233
Musca, 443
Muscidae, 443
Muscidites, 445
Musidoromima, 401
Musidoromimidae, 401
Mutilla, 490
Mutillidae, 490
Myas, 327
Mycetaulus, 439
Mycetocharoides, 310
Mycetophagus, 416
Mycetophagidae, 309, 333
Mycetophagus, 309, 333
Mycetophila, 415
Mycetophilidae, 415
Mycetoporus, 329
Mycomya, 416
Mycterus, 333
Mydas, 428
Mydidae, 427
Myelophilites, 312
Myiolepta, 434
Mylabris, 333
Mylothrites, 377
Mymar, 484
Mymaridae, 448, 484
Mymaromella, 484
Mymaromma, 484
Myndus, 236
Myopophlebia, 81
Myopophlebiidae, 80
Myrmecolacidae, 337, 338
Myrmecolax, 338
Myrmeleon, 354
Myrmeleonides, 354
Myrmeleontidae, 354
Myrmica, 492
Myrmicidae, 461
Myrmicium, 462
Myrmosa, 490
MYXOPHAGA, 281
Myzinum, 490

Nabidae, 274
Nabis, 274
Nacekomia, 122
Nacholonda, 76
Nannochorista, 388
Nannochoristella, 389
Nannochoristidae, 382, 388
Nannocurculionites, 323
Nannogomphus, 81
Nannoodles, 323

Nannotrichopteron, 369
Nanophyes, 314
Nanophyes, 336
Nanotitan, 184
Nanthacia, 181
Narkema, 119
Narkemidae, 119
Narkemina, 133
Narkeminopsis, 133
Naucoridae, 263
Naucoris, 264
Naupactus, 336
Neadelphus, 355
Nebria, 328
Nebrioides, 323
Nebritus, 427
Necracantha, 82
Necrobia, 332
Necrocelus, 305
Necrochromus, 271
Necrocydnus, 272
Necrodes, 329
Necrodryophthorus, 317
Necrogomphus, 81, 85
Necromera, 311
Necromyza, 416
Necronectes, 295
Necronectulus, 323
Necrophorus, 329
Necropsylla, 253
Necrotauliidae, 360, 362
Necrotaulius, 362
Necrothrips, 211
Necticus, 328
Nectodes, 264
Nectonaucoris, 264
Necygomphus, 81
Negastrioides, 305
NEMATOCERA, 396, 397,
 398, 399, 401
Nematophlebia, 340
Nematopteroctus, 431
Nemeritis, 476
Nemestrina, 426
Nemestrinidae, 398, 426
NEMOCERA, 401
Nemognatha, 333
Nemopalpus, 405
Nemoptera, 351
Nemopteridae, 350
Nemopterides, 350
Nemotelus, 422
Neoageta, 385
Neoblaucus, 481
Neoborkhausenites, 375
Neochoristella, 389
Neoculicoides, 408
Neocurtilla, 175

Neoempheria, 416
Neoephemera, 26
Neoephemeridae, 26
Neofouquea, 37
Neohaematopinus, 200
Neohagla, 167
Neoliomopterum, 111
Neopalachia, 483
Neopalpomyia, 408
Neoparachorista, 394
Neopermopanorpia, 394
Neopetromantis, 385
Neopolypria, 310
NEOPTERA, 9, 10, 11, 13, 54,
 92, 100
Neorhynchocephalus, 426
Neoricania, 238
Neorinopis, 377
Neorthophlebia, 390
Neorthophlebiidae, 390
Neostenoptera, 419
Neotermes, 140
Neothanes, 292
Nepa, 267
Nephrocerus, 433
Nepidae, 267
Nepidium, 263
Nepticulidae, 372
Neritophlebia, 70
Netelia, 476
Netutela, 241
Neuburgia, 39
Neuburgiidae, 37
Neuratelia, 416
Neureclipsis, 364
Neurigona, 431
Neurobole, 220
Neurochaeta, 440
Neurochaetidae, 440
Neurocoris, 273
Neuropibrocha, 233
Neuropsyche, 392
NEUROPTERA, 205, 282,
 338, 357, 381, 399, 449
Nevermannia, 408
Nezara, 273
Nganasania, 308
Nicodes, 428
Nigrimonticola, 451
Nipponohagla, 167
Nitidula, 308, 332
Nitidulidae, 308, 332
Nitidulina, 308
Nitidulites, 323
Noctuites, 380
Nogodina, 239
Nogodinidae, 238
Nomaretus, 328

- Nomochirus, 407
 Nonymophlebia, 70
 Nordaphis, 248
 Norellisoma, 443
 Nortonella, 456
 Nosodendron, 330
 Nosotetocus, 330
 Notaris, 336
 Nothochrysa, 347
 Nothomyrmica, 492
 Nothopus, 328
 Notiothaumidae, 381, 382
 Notocupes, 286
 Notocupoides, 286
 Notokistus, 323
 Notoligotoma, 190
 Notoligotomidae, 190
 Notonecta, 263
 Notonectidae, 263
 Notonectites, 263
 Notonemoura, 96
 Notonemouridae, 96
 Notopamphagopsis, 168
 Notorachis, 33
 Notorrhina, 334
 Nugaculus, 299
 Nugator, 299
 Nugonioneura, 500
 Numitor, 317
 Nyctiophylacodes, 364
 Nyctiophylax, 364
 Nyctophylax, 239
 Nyktalos, 239
 Nymphalidae, 369, 370, 371, 377
 Nymphalis, 377
 Nymphalites, 377
 Nymphes, 354
 Nymphidiae, 354
Nymphides, 354
 Nymphites, 354
 Nymphitidae, 354
 Nymphomorpha, 165
 Nymphomyia, 399
 Nymphomyiidae, 399, 400
 Oberea, 334
 Oborella, 107
 Oboria, 41
 Oboriphlebia, 22
 Oboriphlebiidae, 22
 Oborocoleidae, 284
 Oborocoleus, 284
 Ocellia, 501
 Ochetopteron, 133
 Ochtebiites, 323
 Ochthebius, 328
 Ochyrocoris, 253
 Ocnerites, 369
 Ocypus, 329
 Odinia, 440
 Odiniidae, 440
 ODONATA, 5, 7, 8, 10, 59, 60, 62, 154
 Odontoceridae, 366
 Odontocerus, 366
 Odontomachus, 492
 Odynerus, 495
 Oeclixius, 236
 Oecophora, 375
 Oecophoridae, 375
 Oecophylla, 492
 Oedalea, 430
 Oedemera, 311
 Oedemeridae, 311, 333
 Oedipoda, 181
 Oedischia, 154, 157
 Oedischiidae, 154, 155, 156
 Oegoconiites, 376
 Ogmomyia, 369
 Olbiogaster, 418
 Olesicampe, 476
 Olgamartynovia, 261
 Oiliarites, 236
 Oiliarus, 236
 Olibrus, 332
 Oligaeschna, 82
 Oligamatites, 330
 Oligisca, 23
 Oligoaeschna, 82
 Oligoaphidius, 481
 Oligoargiolestes, 86
 Oligocaemia, 83
 Oligocallis, 250
 Oligocassida, 313
 Oligocoris, 275
 Oligocryptus, 317
 Oligodontia, 377
 Oligogypuna, 227
 Oligoidiocerus, 227
 Oligolestes, 85
 Oligomerus, 332
 Oligomyrmex, 492
 Oligoneurodes, 481
 Oligonila, 236
 Oligopenthimia, 227
Oligopblebia, 25
 Oligophryne, 417
 Oligophryneidae, 417
 Oligosaldina, 268
 Oligosmylus, 348
 Oligotricha, 366
 Oligotypus, 62
 Oligovarus, 323
 Olinka, 101
Olivierina, 351
 Omalia, 121
 Omalidae, 121
 Omalium, 329
 Omalus, 485
 Omileus, 336
 Omma, 282, 286
Ommamima, 286
 Omogongylus, 323
Omophora, 2
 Omositoidea, 308
 Oncopygus, 431
 Onitis, 330
 Onkedodimus, 323
 Ontholestes, 329
 Onthophagus, 330
 Onthophilus, 329
 Onychocampodea, 4
 Onychojapyx, 4
 Onycholepisma, 503
 Onychoura, 481
 Oochorista, 387
 Ooconus, 484
 Ooidellus, 323
 Ooides, 323
 Ooperiglyptus, 324
 Ooperioristus, 324
 Ootitan, 184
Opadothripidae, 211
 Opadothrips, 211
 Ophion, 476
 Ophonus, 328
 Ophryastes, 336
 Ophryastites, 317
 Ophthalmocoris, 276
 Opiselleipon, 324
 Opisthocladius, 126
 Opius, 481
 Oplonaeschna, 82
 Opomyza, 439
 Opomyzidae, 439
 Oposispa, 313
 Opsis, 324
 Ophthalmoxyla, 451
 Orchelimum, 165
 Orchesella, 3
 Orchestes, 336
 Oreina, 335
 Oreodites, 328
 Oreophlebia, 74
 Oreopterella, 76
 Oreopteridae, 76
 Oreopteron, 76
 Orgilus, 481
 Ormenis, 240
 Ormiscus, 335
 Ormosia, 404
 Ormyrodes, 483
 Ortnaticosta, 111

- Orphania, 165
 Philus, 332
Oria, 106
 Ortidae, 106
 Oretlytron, 144
 Orthaeschnites, 89
 Orthezia, 253
 Orthdziidae, 253
 Orthocentrus, 477
 Orthocosta, 44
 Orthogonophora, 91
 Orthoneurites, 133
 Orthopelma, 476
 Orthophlebia, 388
 Orthophlebiidae, 388
 Orthophlebiidae, 388
Orthophlebiites, 388
Orthophlebioides, 388
 Orthoprosoble, 220
 Orthopsocus, 194
ORTHOPTERA, 5, 99, 100,
 142, 143, 151, 154, 184,
 188
ORTHOPTERES, 154
ORTHOPTEROIDEA, 54
 Orthoraphes, 305
ORTHORRHAPHA, 397, 398
 Orthoscytina, 220
 Orthoxyela, 451
 Orthriocorisa, 270
 Orthrius, 308
 Oryctaphis, 250
 Oryctes, 330
 Oryctobaiassodes, 489
Oryctoblattina, 103
Oryctoblattinidae, 103
 Oryctogma, 404
Oryctomylabris, 103
 Oryctorhinus, 317
 Oryctothemis, 78
 Oryctoxyla, 451
 Oscinella, 443
 Osmia, 497
Osmylida, 348
 Osmylidiae, 348
 Osmylidia, 348
 Osmylites, 346
 Osmylitidae, 345
 Osmylopsis, 356
 Osmylopsychopidae
 MARTYNOVA, 352
Osmylopsychopidae RIEK, 352
 Osmylopsychops, 352
Osmylopsychopidae, 352
 Osmylus, 348
 Ostoma, 332
Ostrava, 36
 Otiorhynchites, 317
 Otiorhynchites, 324
 Otiorhynchus, 336
 Orites, 434
 Otitidae, 434
 Oustaletia, 37
 Oviparasiphidae, 247
 Oviparasiphum, 247
 Ovrabites, 292
 owlflies, *see* Neuroptera
 Oxycephalites, 324
 Oxyicerca, 422
 Oxycorynoides, 314
 Oxygonus, 331
 Oxyna, 435
 Oxyomus, 330
 Oxypoda, 298
 Oxyporus, 329
 Oxytelus, 329
 Oxythrips, 210
 Oxytoroptera, 324
 Ozotipula, 402
 Pachybaris, 336
 Pachycoleon, 324
 Pachycondyla, 493
 Pachycoris, 273
 Pachylobius, 336
 Pachymeridiidae, 272
 Pachymeridium, 272
 Pachypleurites, 324
 Pachyopsyche, 258
 Pachysomites, 435
 Pachysystropus, 427
 Pachytroctes, 198
 Pachytroctidae, 197
 Pachytroctinae, 197
 Pachytylopidae, 103
 Pachytylopis, 103
 Pachyuronympha, 445
 Pactopus, 331
 Pactostoma, 333
Paedephemera, 22
Paedephemeridae, 22
 Paederus, 329
 Paenictechys, 262
 Paimbia, 35
 Palaeagapetus, 364
 Palaeomerobiidae, 344
 Palaeomerobius, 344
 Palaeoamictus, 427
 Palaeoanaclinia, 416
 Palaeoaphididae, 246
 Palaeoaphidinae, 246
 Palaeoaphis, 247
 Palaeoascia, 434
 Palaeoasenum, 312
 Palaeobelostoma, 324
 Palaeobethyloides, 488
 Palaeobethylus, 488
 Palaeobittacus, 390
 Palaeoblacus, 481
 Palaeobolbomyia, 424
 Palaeoboletina, 416
 Palaeobrachyceron, 424
 Palaeocaria, 133
 Palaeochrysotus, 431
 Palaeocicadopsis, 215
Palaeocixiidae, 105
 Palaeocixius, 105
 Palaeocolpodia, 419
 Palaeocoris, 270
 Palaeocossus, 215
 Palaeocrunoecia, 367
Palaeocupes, 284
PALAEODICTYOPTERA, 9,
 10, 26, 45, 46, 97, 98, 100
 Palaeodictyopteron, 91
 Palaeodocosia, 416
 Palaeodischia, 133
 Palaeoempalia, 416
Palaeoepipyta, 417
 Palaeoeristalis, 434
 Palaeoforda, 258
 Palaeogeran, 427
 Palaeognoriste, 416
 Palaeogomphus, 81
 Palaeogron, 471
 Palaeogyrinus, 293
 Palaeohelicopsyche, 368
PALAEOHEMIPTERA, 212
 Palaeohesperinus, 410
 Palaeoheteromyza, 437
Palaeobeterotricha, 416
Palaeobilarimorpha, 423
 Palaeohydrobiosis, 363
PALAEOHYMENOPTERA, 54
 Palaeoleon, 356
 Palaeolepidostoma, 367
 Palaeoleptopeza, 430
 Palaeomantidae, 204, 205, 206
Palaeomantidae, 206
 Palaeomantis, 501
 Palaeomantis, 204, 207
 Palaeomantisca, 501
 Palaeomantiscidae, 205
 Palaeomantopsis, 133
Palaeomastax, 121
 Palaeomastigus, 297
Palaeomedeterus, 431
 Palaeomolobra, 428
 Palaeomymar, 484
 Palaeomyopa, 434
 Palaeomyrmex, 493
 Palaeoncoderes, 312
 Palaeonemoura, 96
 Palaeonepidoideus, 276

- Palaeontina*, 214
Palaeontinidae, 213, 214
Palaeontinodes, 216
Palaeontinopsis, 216
Palaeopalara, 91
Palaeoparamesia, 430
Palaeoperla, 93
Palaeoperlidae, 93
Palaeophlebia, 73, 89
Palaeophora, 432
Palaeophoridae, 432
Palaeophthinitia, 415
Palaeophyllaphis, 250
Palaeopipiza, 434
Palaeoplecia, 409
Palaeopleciidae, 409
Palaeopoecilostola, 404
Palaeopsenius, 299
Palaeopsocus, 199
Palaeopsylla, 395
PALAEOPTERA, 9, 10, 13, 18,
 28, 54, 62, 92
Palaeopteron, 172
Palaeoptilus, 39
Palaeoptiolina, 424
Palaeoptysma, 231
Palaeopyrochroa, 310
Palaeorehnia, 168
Palaeorhyssalus, 481
Palaeorincanites, 103
Palaeoriohelmis, 302
Palaeoscardiites, 373
Palaeoscraptia, 311
Palaeosicus, 434
Palaeosilpha, 298
Palaeosiphon, 250
Palaeosmodicum, 312
Palaeosphegina, 434
Palaeostriatiomyia, 421
Palaeostriatiomyiidae, 421
Palaeostriatiomyiinae, 421
Palaeosycorax, 405
Palaeotaeniopteryx, 93, 96
Palaeotanymecides, 317
Palaeotanypeza, 436
Palaeotaulius, 362
Palaeotaxonus, 456
Palaeoteleia, 471
Palaeotendipes, 407
Palaeothelaxes, 248
Palaeothemis, 43
Palaeotherates, 62
Palaeothothia, 297
Palaeothrips, 209
Palaeothroscus, 306
Palaeotimia, 437
Palaeotrymusp, 483
Palaeotrachys, 324
Palaeotrichonta, 416
Palaeotroctes, 198
Palaeovelvia, 263
Palaeovespa, 495
Palaeovicia, 232
Palaiotaptus, 44
Palaphrodes, 231
Palapteris, 44
Palecphora, 231
Palembolus, 426
Paleoaeschna, 85
Paleobuprestis, 324
Paleochrysa, 347
Paleognathus, 300
Paleoipidus, 324
Paleopissoches, 317
Paleoscolytus, 324
Paleoscytina, 241
Paleosyntema, 416
Paleuthygramma, 201, 202
Paleuthygrammatidae, 202
Paleuthygrammidae, 202
Palingenia, 26
Palingeniidae, 19, 26
Palingeniopsidae, 22
Palingeniopsis, 22
Pallax, 324
Palloptera, 439
Pallopteridae, 439
Pallopterites, 439
Paloedemera, 311
Paloestrus, 444
Palomena, 273
Palorthopteron, 103
Palparites, 356
Palpomyia, 407
Paltorhynchus, 315
Paltostomopsis, 409
Pammiges, 300
Pampagopsidae, 165
Pampagopsis, 166
Pamphiliidae, 448, 457
Pamphilites, 376
Pamphilus, 457
Panagaeus, 328
Pandeleteius, 336
Panorpa, 390
Panorpatae, 390
Panorpidae, 381, 382, 390
Panorpodium, 160
Panorpodes, 390
Panorpodidae, 381, 390
Panopodinae, 390
Pantobatrisus, 300
Pantodapus, 324
Pantolyta, 470
Paolekia, 133
Paolia, 101
Paoliidae, 100, 101
Paoliola, 101
Paonaupactus, 317
Papilio, 377
Papilionidae, 377
Parabaetis, 26
Parabaeus, 471
Parabelmontia, 392
Paraberotha, 350
Parabittacus, 394
Parablattelytron, 147
Paraborkhausenites, 375
Parabrodia, 58
Parabrodiidae, 58
Parabuprestites, 324
Parabuprestium, 324
Paracassida, 313
Parachelipblebia, 122
Parachorista, 385
Paracladus, 125
Paraclisia, 427
Paracorsomyza, 427
Paractinophlebia, 356
Paraculicoides, 408
Paracurculionites, 324
Paracurculium, 324
Paracymus, 328
Paracyptus, 299
Paracyrtophyllites, 168
Paradiapha, 58
Paradictyodiptera, 400
Paradixa, 406
Paradoggeria, 324
Paradunbaria, 39
Paradunstania, 214
Parafulgoridium, 258
Paragomphus, 81
Paragrilibrium, 324
Paragrypnites, 305
Paragyrinus, 324
Parahagla, 169
Parahomalophlebia, 130
Parahygrobia, 295
Parahygrobiidae, 294
Parahypnomorphus, 305
Parajassus, 258
Parakeleusticus, 324
Paraknightia, 277
Paraknightiidae, 277
Parakuloja, 499
Paralecorium, 106
Paraleia, 416
Paraleptophlebia, 25
Paraliomopterum, 111
Paralogidae, 62
Paralogopsis, 62
Paralogus, 62
Paralycriomima, 413

- PARAMECOPTERA**, 380, 382
Paramecynostoma, 44
Paramegaptilus, 44
PARAMEGASECOPTERA, 45
Parameranoplus, 493
Paramesius, 470
Paranarkemina, 133
Parandrexis, 324
Paraneuretus, 493
Parapalpomyia, 408
Parapamphiliidae, 457
Parapamphilius, 457
Parapaolia, 91
Parapermula, 111
Paraphaenogaster, 493
Parapimpla, 476
Paraplana, 186
PAPALECOPTERA, 97, 99
Parapleurites, 177
Parapriska, 107
Parapristocera, 488
Parapsocidium, 192
Parapsocus, 199
Parachitaulius, 362
Parasabatinca, 372
Parasilphites, 324
Parasisyra, 356
Paraspercheus, 296
Paraspiniphora, 433
Parastylotermes, 142
Parasylioides, 117
Parasyrrhizus, 481
Parataulius, 362
ParathalassIELLA, 430
Parathesoneura, 36
Parathnesidius, 290
Paratipula, 402
Paratitan, 183
Paratitanidae, 183
Paratriaxomasia, 373
PARATRICHOPTERA, 380, 382
Paratrichopteridium, 369
Paratshorkuphlebia, 170
Paraulacus, 501
Paraxymyia, 413
Paraxymyiidae, 413
Parelcana CARPENTER, 159
Parelcana HANDLIRSCH, 160
Parelcanidae, 159
Parelectrentomum, 198
Parelmoa, 55
Parelmoidae, 55
Parelthothemis, 79
Paremphytus, 457
Pareopolyneura, 401
Parephialtites, 466
Pareremochaetus, 428
Pareuthychaeta, 442
Parhemerobius, 356
Paridelia, 118
Paritonida, 413
Parmenops, 312
Parnidium, 323
Parnosoma, 324
Parodarmistus, 276
Paroecanthus, 174
Paroedischia, 157
Paronella, 2
Paropiophorus, 324
Parorthophlebia, 394
Paroryssidae, 463
Paroryssus, 463
Parotermes, 140
Paroxycycoyoides, 314
Passalidae, 300
Passalocetus, 496
Passalus, 300
Patteiskya, 33
Patteiskyidae, 32
Pauciramus, 43
Paurophlebia, 70
Pauropteron, 77
Paussoides, 292
Paussopsis, 324
Pediacus, 332
Pedinosoma, 324
Pelandrena, 496
Pelecinopteridae, 471
Pelecinoptreron, 471
Pelidotites, 301
Pelobius, 328
Pelonecta, 263
Peltis, 328, 329
Peltosyne, 324
Pemphigidae, 249
Pemphigus, 249
Pentapleura, 481
Pentapsocidium, 192
Pentatoma, 273
Pentatomidae, 273
Pentatomites, 273
Penthetria, 414
Pentodon, 330
Peocillus, 328
Pepsis, 495
Pereboria, 233
Pereboridae, 233
Pereboriidae, 233
Periboloptera, 324
Pericalyphe, 127
Pericoma, 406
Peridosoma, 324
Perileytron, 501
Periselididae, 440
Periscelis, 440
Perisierola, 488
Perissomyia, 369
Perisophlebia, 91
Perisovena, 258
Perla, 97
PERLARIA, 8, 54, 93, 99
Perlariae, 93
Perlariopsis, 96
Perlidae, 96
Perlodes, 96
Perlodidae, 96
Perlopseidae, 94
Perlopsidiidae, 94
Perlopsis, 94
Permacridites, 162
Permaeschna, 66
Permaeschnidiae, 66
Permagra, 232
Permagrion, 68
Permagrionidae, 68
Permaleurodes, 501
PERMANISOPTERA, 66
Permaphidiopseidae, 244
Permaphidopsis, 244
Permarrhaphus, 501
Permegalomidae, 344
Permegalomus, 345
Permelcana, 158
Permelanidae, 158
Permelytridae, 144, 147
Permelytron, 147
Permelytropsis, 146
Permembria, 205, 501
Permembidiidae, 205
Permentomium, 192
Permepallage, 68
Permepallagidae, 68
Permiakovia, 39
Permithone, 344
Permithonidae, 344
Permithonopsis, 345
Permoberotha, 357
Permoberotheslla, 359
Permoberothidae, 357
Permobiella, 202
Permobiellidae, 202
Permobiellinae, 202
Permobrachus, 233
Permobrya, 3
Permocapitus, 258
Permocapnia, 123
Permocapniidae, 123
Permocentropidae, 388
Permocentropus, 388
Permocentrus, 232
Permocephalus, 258
Permochorista, 385
Permochoristidae, 382, 384

- Permocicada*, 220
Permocicadopsis, 220
Permocixiella, 236
Permocixius, 222
Permocipedidae, 284
Permocupes, 284
Permocupidae, 284
Permocupoides, 284
Permodelopterum, 205, 207
Permodiapha, 58
Permodiphthora, 220
Permododa, 224
PERMODONATA, 62
Permodunstania, 258
Permoedischia, 157
Permoglyphidae, 233
Permoglyphis, 234
Permohymen, 50
Permojassula, 224
Permojassus, 224
Permolanoptera, 224
Permolestes, 64, 68
Permolestidae, 68
Permoleuctropsis, 97
Permomerope, 501
Permoneura, 91
Permonia, 501
Permonikia, 501
Permonka, 501
Permonkidae, 205
Permonympha, 205, 501
Permopanorpa, 384
Permopanorpidae, 384
Permophilidae, 147
Permophilus, 148
Permopicrocha, 234
PERMOPLECTOPTERA, 19
Permopsocidae, 193
Permopsocus, 193
Permopsychops, 345
Permopsychopsidae, 344
Permopsylla, 241
Permopsyllidae, 241
Permopsyllidium, 244
Permopsyllidops, 244
Permopsylloides, 244
Permopsyllopsis, 242
Permoprophidia, 159
Permoprophidiidae, 159
Permoprisma, 345
Permoscarta, 232
Permoscytina, 242
Permoscytinopsisidae, 241
Permoscytinopsis, 241
Permosialidae, 205
Permosialis, 501
Permosisyra, 344
Permosmylus, 344
Permotanyderus, 394
Permotermopsidae, 124
Permotermopsis, 124
Permothea, 244
Permotheella, 244
Permothemidae, 43
Permothemidia, 43
Permothemis, 43
PERMOTHEMISTIDA, 26
Permothemistidae, 27, 43
Permothripidae, 209
Permothrips, 209
Permotipula, 392
Permotipulidae, 392
Permovicia, 232
Permula, 109
Peromaptera, 31
Peromapteridae, 31
Peromyia, 419
Perosoma, 324
Perotis, 331
Perunopterum, 207
Pervestigia, 220
Pesus, 290
Petalura, 83
Petaluridae, 83
Petiolaria, 484
Petraeomyrmex, 493
Petrelcana, 159
Petrobius, 328
Petrochorista, 385
Petrolestes, 86
Petrolystra, 231
Petromantis, 385
Petromartus, 122
Petroplebia, 74
Petropone, 493
Petropsychoptera, 352
Petropteron, 258
Petrorophus, 324
Petrosyne, 287
Petrothemis, 79
Petrotypus, 62
Petrushevskia, 356
Phacelobranchus, 23
Phaenolobus, 476
Phalacridae, 332
Phalacritophora, 433
Phanerochaetum, 443
Phanerogramma, 324
Phaneroneura, 56
Phaneropterites, 181
Phanerotoma, 481
Phanomeris, 481
Phasma, 187
Phasmatidae, 184, 186, 187
PHASMATOIDEA, 98, 184
Phasmidae, 187
PHASMOIDEA, 184
Phasmomima, 171
Phasmomimella, 172
Phasmomimidae, 170
Phasmomimoidea, 172
Phasmomimula, 172
Phatnoma, 275
Phaulogyrinus, 324
Pheidole, 493
Phenacolestes, 86
Phenacoperga, 463
Phenacopsyche, 366
Phenolia, 332
Phenopteridae, 111
Phenopterum, 112
Philagra, 231
Philanthus, 496
Philiasptilon, 55
Philolimnias, 25
Philonicus, 428
Philonthus, 329
Philoponites, 496
Philopotamidae, 363
Philopotamus, 363
Philorites, 409
Philosepedon, 406
Philotarsus, 198
Philydrus, 329
Phipoides, 385
Phlaeothripidae, 211
Phlaeothrips, 211
Phlebotomiella, 406
Phlebotomites, 406
Phlebotomus, 406
Phlepsius, 227
Phloeocoris, 273
Phloeonemites, 313
Phloeosinutes, 317
Pholidoptilidae, 66
Pholidoptilon, 66
Pholipheron, 324
Phora, 432
Phoridae, 432
Phragmatoecicossus, 258
Phragmatoecites, 216
Phragmologoneura, 418
Phragmologoneuridae, 418
Phronia, 417
Phrudopamera, 271
Phryganea, 366
Phryganeidae, 366
Phryganeidium, 362
Phryganides, 366
Phthartus, 26
Phthinia, 417
Phthinocoris, 270
Phthiraptera, 200
Phthiria, 427

- Phthitogomphus, 81
 Phthorophloeus, 336
 Phygaedeon, 476
 Phylledestes, 380
 Phyllelytron, 146
 Phyllidae, 184, 186, 187
 Phyllium, 188
 Phyllobius, 315, 336
 Phyllobabis, 404
 Phylomyza, 443
 Phyllophaga, 330
 Phylocentropus, 364
 Phymaphoroides, 308
 Phymatodes, 312, 334
 Phytocoris, 275
 Phytodecta, 335
 Phytonyza, 440
 Phytonomous, 336
 Phytoplesion, 324
 Phyxelis, 336
 Pidonia, 312
 Pieridae, 371, 377
 Pieris, 377
Pierites, 377
 Piezocoris, 270
 Pilaria, 404
 Pimeliodes, 324
 Pimpla, 477
 Pincombea, 243
 Pincombeidae, 243
Pinctodia, 21
 Pinegia, 158
 Pinicolites, 452
 Pinnachorista, 383
 Pionosomus, 271
 Piophila, 439
 Piophilidae, 439
 Pipiza, 434
 Pipunculidae, 433
 Pipunculus, 433
 Pirates, 274
 Piroutetia, 91
 Pison, 496
 Pissodes, 317, 336
 Pissodites, 317
 Pittoecus, 496
 Pityomyrmex, 493
 Pityophthoridea, 317
 Plachutella, 216
 Plagiocyphon, 302
 Plagiodera, 335
 Plagiolepis, 494
 Plagiophlebia, 79
 Plagiopraphes, 305
 Planelytridae, 144, 147
 Planelytron, 147
Planipennes, 343
 PLANIPENNIA, 340, 341,
 343, 357
 Plastelater, 325
 Plastobuprestites, 325
 Platostebria, 325
 Platephemera, 44
 Plateumaris, 335
 Platycerus, 330
 Platychirus, 434
 Platychorista, 501
 Platycleis, 165
 Platycoxa, 293
 Platycrossos, 287
 Platycupes, 286
 Platydema, 333
 Platyleata, 305
 Platygasterites, 498
 Platynus, 328
 Platypalpus, 430
 Platypedia, 222
 Platyperla, 96
 Platyperlidiae, 96
 Platypeza, 431
 Platypezidae, 431
 Platypus, 336
 Platyscytinella, 261
 Platystethus, 329
 Platthyrea, 494
 Platyura, 417
 Plebeia, 498
 Plecia, 415
 Pleciodictya, 409
 Pleciodictyidae, 409
 Pleciofungivora, 410
 Pleciofungivorella, 410
 Pleciofungivoridae, 410
 Pleciomima, 412
 Pleciomimella, 413
 Pleciomimidae, 412
 Plecophlebus, 258
PLECOPTERA, 93
 Plectiscidea, 477
PLECTOPTERA, 93
 Plectrocnemia, 364
 Plectrotetrophanes, 313
 Pleisiogramma, 204
 Pleisiogrammatidae, 203
Pleisiogrammidae, 203
 Pleobittacus, 390
 Plesiodischia, 157
 Plesiorraphes, 305
 Pleuralocista, 325
 Plinthus, 337
 Plioceneus, 317
 Plioprojapyx, 4
 Pliosilpha, 325
Pliotermes, 139
 Plochionus, 328
 Pneumoridae, 100
 Podabrus, 331
 Poecilobothrus, 431
 Poecilocapsus, 275
 Poecilocoris, 272
 Poekilloptera, 240
 Pogonocherus, 334
 Pogonomyrmex, 494
 Poicera, 239
 Polemius, 331
 Poliocoris, 273
 Polioptenus, 28
 Polioschistus, 273
 Poliosphageus, 274
 Polistes, 495
 Polybia, 495
Polycentropidae, 364
 Polycentropodidae, 364
 Polycentropus, 364
 Polycreaggra, 33
Polycreagridae, 32
 Polycyrella, 359
Polydicrobittacus, 390
 Polydrosus, 317
 Polyernus, 134
 Polyetes, 134
 Polygraphus, 337
 Polymera, 404
 Polymitarcidae, 26
 Polynemoidea, 484
 Polyneurisca, 410
 Polypamon, 325
POLYPHAGA, 279, 280, 281,
 282, 295
 Polyphagidae, 135
 Polypsocidae, 199
 Polypsocus, 199
 Polysitus, 287
 Polysphincta, 477
 Polystenus, 481
 Polystichus, 328
 Polytaxineura, 67
Polytaxineuridae, 66
 Pompilidae, 495
 Pompilopterus, 495
 Pompilus, 495
 Ponera, 494
Ponerites, 494
 Poneropsis, 494
 Poneropterus, 494
 Pontia, 377
 Porizon, 477
 Porrhodromus, 299
 Porridonyla, 419
 Potamanthellus, 26
 Potamophilites, 302
 Potamyia, 365
 Potergites, 306

- Poteschistus*, 273
Praeathripsodes, 367
Praeaulacidae, 473
Praeaulacinus, 473
Praeaulacites, 473
Praeaulacon, 473
Praeaulacus, 473
Praeaulicops, 473
Praeacythera, 427
Praedendrothrips, 210
Praeichneumon, 474
Praeichneumonidae, 474
Praelateriidiae, 303
Praelaterium, 303
Praelocustopsis, 177
Praemachilis, 17
Praemerothrips, 211
Praemordella, 311
Praenotochilus, 271
Praetoryssus, 463
Praepapilio, 377
Praesagus, 290
Praesirex, 461
Praesiricidae, 461
Praesiricinae, 461
Praon, 481
Prenolepis, 494
Priacmopsis, 286
Pricecoris, 276
Priocnemis, 495
Prionomerus, 337
Prionomyrmex, 494
Prionophana, 325
Prionus, 334
Prioriphora, 431
Prisca, 103, 107
Pristapenesia, 488
Pristorhynchus, 317
Proalldodia, 417
Proameletus, 23
Proanaclinia, 416
Proapemon, 417
Proapocritus, 499
Proapolephthisa, 417
Probascanion, 276
Probelopsis, 314
Probelus, 314
Proberotha, 349, 350
Proberothella, 349
Proberothidae, 349
Probintoniella, 162
Probittacus, 391
Probniidae, 100, 114
Probnis, 115
Probnidae, 114
Probolbomyia, 424
Proboletina, 417
Probombus, 498
Procalosoma, 325
Procarabites, 325
Procarabus, 286
Procarpophilus, 308
Procas, 337
Procerapachys, 491
Proceropidae, 228
Proceropina, 228
Proceropis, 228
Proceroplatus, 417
Procerothrips, 211
Prochoristella, 387
Prochoroptera, 55
Prochoropteridae, 54, 55
Prochremylus, 481
Prochresmoda, 186
Prochresmodidae, 186
Prochrysomela, 325
Prochrysotus, 431
Procleptes, 485
Procoelambus, 294
Procoris, 271
Procremifania, 438
Procrophius, 271
Proctacanthus, 428
Proctobuprestis, 325
Proctotrupes, 470
Proctotrupidae, 470
Proctotrypites, 499
Procupes, 286
Procurculio, 314
Procydnus, 272
Procydophyes, 271
Procymus, 271
Procyrtophyllites, 170
Prodelopsis, 417
Prodimorphomyrmex, 494
Prodinapsis, 468
Prodoscia, 417
Prodromus, 21
Prodryas, 378
Prodryomyza, 437
Prodytiscus, 295
Proecanthus, 174
Proedischia, 176
Proelcana, 158
Proelectrotermes, 138, 140
Proepicypta, 417
Profidia, 313
Progenentomum, 122
Proglabellula, 427
Progloma, 430
Progoneura, 64, 68
Progonocimex, 259
Progonocimidae, 259
Progonocoris, 262
Progonophlebia, 75
Progonophlebiidae, 75
Progonopsocus, 194
Progonopteryx, 91
Prohadroneura, 417
Prohagla, 170
Prohalictus, 497
Prohemerobiidae, 350
Prohemerobius, 350
Prohepialus, 380
Prohesperinus, 410
Proheuristes, 325
Prohirmoneura, 426
Proinogomphus, 81
Proisfaroptera, 170
Projagoria, 82
Prokalotermes, 140
Prolachlanius, 346
Prolagynodes, 469
Prolamiooides, 312
Proleeuwenia, 212
Proleia, 417
Prolibythea, 379
Prolyda, 457
Prolygaeus, 271
Prolyonetia, 375
Prolyonetiidae, 375
Prolystra, 258
Promacrocera, 417
Promantispa, 350
Promartynovia, 158
Promastacidae, 178
Promastacoides, 178
Promastax, 178
Promelantrips, 209
Promethes, 477
Prometopia, 332
Promonolexis, 481
Promycetomyia, 417
Pronabis, 276
Pronemobius, 174
Proneoglyptoptera, 417
Proneottiophilidae, 439
Proneottiophilum, 439
Pronophlebia, 404
Pronotiothauma, 394
Pronovakia, 417
Pronymphes, 354
Propalingenia, 44
Proparagryllacrididae, 175
Proparagryllacridinae, 175
Proparagryllacris, 175
Propatrix, 244
Propelma, 483
Propexis, 420
Prophaeomyia, 437
Prophalangopseides, 170
Prophalangopsidae, 165
Prophalonia, 373
Prophasis, 325

- Prophilanthus, 496
 Prophilopota, 425
 Prophiloptamus, 363
 Prophlebonema, 346
 Prophronia, 417
 Prophthinia, 417
 Proplatypygus, 427
 Proplatyscelio, 471
 Propraon, 481
 Propsyphopsis, 351
 Propteticus, 122
 Proptilocerus, 274
Proptychoptera, 406
 Propygolampis, 188
 Proraphidia, 341
 Prorhaphidophora, 172
 Prorhyacophila, 362
 Prorhyacophilidae, 362
 Prosalticella, 437
 Prosbole, 217
 Prosbolidae, 217
Prosbolina, 217
 Prosbolomorpha, 221
 Prosboloneura, 221
 Prosbolopsis, 258
Prosbolopsites, 228
 Proscardiites, 373
 Proschistocerca, 181
 Prosepdidontidae, 363
 Prosepdidontus, 363
 Prosierola, 488
 Prosigara, 277
 Prosoeca, 426
 Prospadobius, 346
 Prosperocoelus, 283
 Prosphyracephala, 436
 Prostemma, 274
Prostenoneura, 128
 Prosthenostictus, 325
 Prosynactus, 325
 Prostyrenus, 431
 Protachaeta, 176
 Protacnaeus, 302, 330
 Protactus, 299
 Protagriion, 91
 Protagrypnus, 305
 Protallactoneura, 410
 Protamblyopone, 494
 Protamisega, 485
 Protamphiptyyx, 87
 Protaneureetus, 494
 Protanisodera, 313
PROTANISOPTERA, 64, 65, 66
 Protanomyza, 442
 Protapate, 307
 Protarchus, 477
 Protartematopus, 302
 Protasmanina, 417
 Protaulacigaster, 442
 Protazteca, 494
Protechma, 21
 Proteleates, 309
 Protelecholax, 338
 Proteleytridae, 144, 146
 Protelytron, 146
 Proteytropsis, 150
PROTELYTROPTERA, 143
 Protembia, 117, 189
 Protambiidae, 98, 115
 Protempididae, 428
 Protensis, 429
 Protendipedidae, 407
 Pretendipes, 407
 Protenor, 270
 Protenthredo, 499
 Protentomobrya, 2
 Protentomobryidae, 2
 Protepacmus, 427
 Protephedrus, 481
PROTEPHEMEROIDEA, 19
 Protepiptera, 238
 Protereisma, 21
 Prottereismatidae, 21
Prottereismidae, 21
 Proteroscarabeus, 301
 Proteroscelio, 471
 Protimaspis, 482
 Protipochus, 312
Protipula, 402
 Protoberis, 422
 Protobibio, 414
 Protobibionidae, 414
 Protobittacus, 390
 Protoblattina, 106
 Protoblattinella, 105
 Protoblattinopsis, 501
PROTOBLATTODEA, 97, 99
PROTOBLATTOIDEA, 97, 98
Protobrachyceridae, 421
 Protobrachyceron, 421
 Protobrachycerontidae, 421
 Protocamilla, 442
Protocapnia, 46
 Protocardiophorus, 305
 Protocatanops, 181
 Protocerapterus, 293
 Protochlorotettix, 227
 Protochorista, 386
 Protochrysidis, 485
 Protocrhysis, 485
 Protocrysotoxum, 434
PROTOCICADIDA, 26, 97
Protococcus, 103
 Protocoleidae, 146
PROTOCOLEOPTERA, 143
 Protocoleus, 146
 Protocoris, 276
 Protoculicoides, 408
 Protocuneus, 325
 Protocupes, 284
 Protocupoides, 284
 Protocyrthus, 445
 Protodiamphipnoa, 100, 129
 Protodiapha, 59
 Protodicyon, 120
 Protodinia, 440
Protodiplatidae, 151
 Protodiplatyidae, 151
 Protodiplatys, 152
PROTODONATA, 10, 59, 64, 66
 Protoedalea, 430
 Protofoenus, 474
PROTOFULGORIDA, 97, 134
 Protogenia, 303
 Protogryllus, 175
 Protogyrinus, 294
 Protohagla, 170
Protobellwigia, 476
 Protohelorus, 470
PROTOHEMIPTERA, 26
 Protohymen, 46, 49
 Protohymenidae, 45, 46, 49, 54
PROTOHYMENOPTERA, 45
 Protoibalia, 482
 Protojurina, 359
 Protokollaria, 130
 Protokollaridae, 100, 130
 Protolbiogaster, 418
 Protolbiogastridae, 417
 Protoliarus, 236
 Protoligoneura, 409
 Protoligoneuria, 26
 Protoligoneuridae, 409
 Protolindenia, 64, 81
 Protolomatia, 427
 Protomacraetria, 312
PROTOMECEPTERA, 382
 Protomelecta, 497
Protomerope, 501
 Protomphrale, 428
 Protomphralidae, 428
 Protomutilla, 490
 Protomyia, 414
 Protomyrmecleon, 68
 Protomyrmeclonidae, 68
 Protomyrmecontidae, 68
 Protoncideres, 312
 Protonemestrius, 426
 Protonephrocerus, 433
 Protooconus, 484
 Protopachyttylopsis, 103
 Protopaltothemis, 85

- Protopanorpa, 386
 Protopanorpoides, 394
 Protoperla, 134
PROTOPERLARIA, 97, 204
 Protophasma, 130
Protophasmatidae, 130
Protophasmida, 130
 Protophorites, 433
 Protophthiria, 427
 Protopincombea, 243
 Protoplacycera, 309, 333
 Protoplattyphora, 433
 Protoplecia, 414
 Protopleciidae, 414
 Protopristocera, 488
 Protopsyche, 258
 Protopsychopsis, 356
 Protopsyllidiidae, 243
 Protopsyllidium, 244
Protopsyllops, 244
 Protoquasimus, 305
 Protorabus, 293
 Protorhagio, 424
 Protorhingia, 434
 Protorhynphidae, 418
 Protorhynphus, 418
 Protorthophlebia, 388
PROTORTHOPTERA, 9, 93,
 97, 143, 154, 189, 201, 204,
 205
 Prototrygma, 437
 Protoscalidion, 293
 Protoscatopse, 414
 Protoscatopsidae, 414
 Protoscelis, 313
 Protosceloides, 313
 Protosciara, 415
 Protoscinella, 443
 Protoscinis, 443
 Protosirex, 438
 Protospondylis, 312
 Protostaphylinus, 299
 Protostephanus, 466
 Protosuillia, 438
 Prototetrix, 179
 Prototettix, 134
 Protothore, 88
Prototriops, 211
 Prototitan, 183
 Prototoma, 325
 Protovermleo, 424
PROTOZYGOPTERA, 67
 Protrichonta, 417
 Prothorakuphlebia, 155, 170
PROTURA, 3, 9
 Provitimia, 162
 Pruvostia, 134
 Pruvostiella, 204
 Pruvostites, 158
Pruvostitiidae, 156
PRUVOSTITOPTERA, 154
 Psacodromeus, 293
 Psammaecius, 496
 Psaphochrus, 312
 Pselaphidae, 299, 329
 Pselaphus, 299
 Psephenidae, 330
 Psephenus, 330
 Pseudacidia, 435
Pseudadonia, 418
 Pseudambria, 246
 Pseudamphorophora, 251
Pseudanthracothremma, 55
 Pseudelmoa, 55
 Pseudeloblettina, 134
Pseudiprvicia, 259
 Pseudisobrachium, 488
 Pseudoarmania, 494
 Pseudobaeus, 471
Pseudobecquerelia, 38
 Pseudoberaeodes, 369
 Pseudobiella, 202
 Pseudobuprestites, 325
 Pseudocaeclidae, 198
 Pseudocaecilius, 198
 Pseudocamponotus, 494
 Pseudocarabites, 325
 Pseudocardiophorites, 305
 Pseudochrysomelites, 325
 Pseudocimbex, 463
 Pseudocistela, 333
Pseudocleffia, 28
 Pseudococcidae, 254
 Pseudococcus, 254
 Pseudocossus, 216
 Pseudocurculionites, 325
 Pseudocymindis, 325
 Pseudocyphon, 325
Pseudodelopterum, 207
Pseudodelphax, 255
 Pseudodesmometopa, 443
 Pseudodiptera, 387
 Pseudodipteridae, 387
 Pseudoelateropsis, 325
 Pseudoeuphaea, 88
 Pseudofouquea, 101
Pseudofulgora, 103
 Pseudogerarus, 134
 Pseudogramma, 202
 Pseudohagla, 170
 Pseudohallomenus, 311
 Pseudohomotheretus, 91
 Pseudohumbertiella, 176
 Pseudohydrophilites, 325
 Pseudohydrophilus, 295
Pseudohymen, 49
Pseudohymenopsis, 49
 Pseudolasius, 494
 Pseudolestes, 86
 Pseudolesteva, 299
 Pseudolestidae, 86
 Pseudolimnophila, 404
Pseudomantis, 207
 Pseudomecorhis, 314
 Pseudomecynostoma, 44
 Pseudomegamerus, 313
 Pseudomyrmecoleon, 356
 Pseudomyrmex, 494
Pseudonortonia, 495
Pseudoedischia, 130
 Pseudopalingenia, 91
 Pseudopaolia, 91
 Pseudoperla, 187
 Pseudophrisson, 428
 Pseudoplatopterus, 306
 Pseudopolycentropidae, 392
 Pseudopolycentropus, 392
 Pseudopolyernus, 134
 Pseudopomyza, 435
 Pseudopomyzidae, 435
 Pseudopriionites, 325
 Pseudorhynchophora, 325
 Pseudorthophlebia, 369
 Pseudosciara, 415
 Pseudosilphites, 325
 Pseudosinella, 2
 Pseudosioba, 456
Pseudosirex, 462
 Pseudosiricidae, 461
 Pseudosphegina, 434
 Pseudotelephorus, 325
 Pseudotenebrio, 325
 Pseudotettigonia, 165
 Pseudothyrea, 325
 Pseudoxyela, 454
 Pseudus, 325
 Psila, 436
 Psilidae, 436
 Psilocephala, 427
 Psilothorax, 48
 Psocidae, 198
 Psocides, 198
 Psocidiidae, 192
Psocidium, 192
 psocids, *see* Psocoptera
 Psococicadellopsis, 199
 Psocopsyllidium, 244
PSOCOPTERA, 191, 200, 205,
 208, 212
 Psocoscytina, 244
 Psocus, 198
 Psoroptera, 126
 Psoropteridae, 126
 Psyche, 375

- Psychelytron*, 149
Psychidae, 375
Psychoda, 404
Psychodidae, 404
Psychomyia, 364
Psychomyiidae, 364
Psychopsidae, 351
Psychopsinae, 351
Psychopsis, 351
Psychrocoridae, 272
Psychrocoris, 273
Psychroptilidae, 43
Psychroptilus, 43
Sylla, 253
Syphliidae, 253
Syphlidella, 244
Syphlidiana, 244
Syphliodes, 335
Syphliosocidae, 197
Syphliosocini, 197
Syphliosucus, 197
Syllites, 253
Psylloneura, 198
Ptenodera, 134
Ptenolasia, 199
Pterinobattina, 356
Pteropteron, 74
Pterocupes, 286
Pteromalidae, 483
Pteromalus, 483
Pteronepionites, 502
Pteronidia, 44
Pterosticus, 328
Pterostigma, 248
PTERYGOTA, 6, 8, 9, 10, 18
Ptiliidae, 297, 329
Ptilium, 298, 329
Ptilocephala, 434
Ptilodactyla, 302
Ptilodactylidae, 302
Ptilodactyloides, 302
Ptinella, 298
Ptinus, 332
Ptomaphagus, 298
Ptomascopus, 298
Ptosima, 331
Ptychopteropsis, 394
Ptyelus, 231
Ptysmaphora, 231
Puria, 105
Puto, 254
Pycanum, 273
Pycnophlebia, 170
Pycnothemis, 79
Pygidicrana, 153
Pygidicranidae, 151, 153
Pygostolus, 481
Pyralidae, 376
- Pyralites*, 376
Pyrochalcaspis, 309
Pyrochroa, 310
Pyrochroidae, 310
Pyrochrophana, 325
Pyrhocoridae, 272
Pyrrhocoris, 272
Pythidae, 310
Pytho, 310
Pythoceropsis, 310

Quecopterum, 108
Quedius, 329

Rachimentomidae, 118
Rachimentomon, 118
Ragas, 430
Raglius, 271
Rammea, 165
Ranis, 287
Rapha, 160
Raphidia, 343
Raphidiidae, 343
Raphidiinae, 343
RAPHIDIODEA, 340, 341
Recter, 21
Rectineura, 91
Recula, 502
RECULOIDEA, 97
Redactineura, 502
Reduviidae, 274
Reduvius, 274
Reeveana, 325
Reisia, 91
Rekter, 21
Remalia, 445
Rembus, 328
Reprehensa, 502
Retelytron, 283
Reticulitermes, 142
Reticulocidada, 258
Retinaphis, 248
Retinitus, 431
Retroacizzia, 253
Rhabdepyris, 488
Rhabdocupes, 286
Rhabdoglyptus, 303
Rhabdomastix, 404
Rhabdoptilidae, 35
Rhabdoptilus, 35
Rhabdothemis, 79
Rhabdotus, 325
Rhaconotus, 481
Rhadinobrochus, 404
Rhaetofungivora, 410
Rhaetofungivorella, 411
Rhaetofungivorodes, 411

Rhaetomyia, 408
Rhaetomyiidae, 408
Rhagio, 423
Rhagionemestrius, 426
Rhagionempididae, 423
Rhagionempidinae, 423
Rhagionempis, 424
Rhagionidae, 398, 423
Rhagiophryne, 424
Rhagoderidea, 309
Rhamphomyia, 430
Rhaphidiopsidae, 57
Rhaphidiopsis, 58
Rhepocoris, 276
Rhingia, 434
Rhingiopsis, 422
Rhinocoris, 274
Rhinocyllus, 337
Rhinohelaeites, 325
Rhinotermites, 142
Rhinotermitidae, 139, 141
Rhipidioptera, 134
Rhipidioides, 333
Rhipidorhabdus, 462
Rhipidotripoidea, 209
Rhipiphoridae, 333
Rhipiphorus, 333
Rhithrogena, 25
Rhizotrogus, 330
Rhogogaster, 456
Rhomaleus, 325
Rhombocoelidae, 289
Rhombocoelites, 289
Rhombocoleus, 289
Rhopalomyrmex, 494
Rhopaloscolex, 420
Rhyacophilidae, 363
Rhynchites, 337
Rhyncolus, 317
Rhyniella, 1, 3
Rhyparochromus, 271
Rhysiopolis, 481
Rhysipolis, 482
Rhysopalis, 326
Rhysosternum, 317
Rhyssa, 477
Rhyssalus, 482
Ricania, 238
Ricanidae, 238
Ricartus, 356
Richardia, 435
Richardiidae, 435
Rimnosentomon, 158
Riodinella, 379
Ripidia, 404
Robinjohnia, 389

- Robinjohniidae*, 388
Rochdalia, 45
 rock crawlers, *see* *Grylloblattodea*
Rocklingiidae, 35
Rogas, 482
Roomeria, 134
Rophalis, 346
Rossites, 122
Rossocoleus, 289
Rotundopteris, 28
Ruebsaameniella, 415
Ruepellia, 427
Rugelytron, 150
Rygchium, 495
Rymosia, 417
Ryssematus, 337

Saarlandia, 45
Saaromioptera, 206
Sabatinca, 372
Sabittapus, 45
Sagenoptera, 28
Sagulia, 74
Sagulyda, 457
Salda, 268
Saldidae, 268
Saldonia, 268
Salebrocoleus, 290
Salebroferus, 290
Salina, 2, 3
Salpingidae, 310
Salpingus, 310
Samarura, 89
Sandiella, 31
Saperda, 312, 334
Saperdirhynchus, 314
Sapromyza, 438
Sarbaloptera, 224
Sarbalopterum, 111
Sarbaloscytina, 242
Sargus, 422
Saropogon, 428
Sarytashia, 74
Satyrites, 377
Saurophtirus, 395, 502
Sbenaphis, 258
Scalaeoptera, 502
Scalopoides, 326
Scambus, 477
Scaphidiidae, 329
Scaphidiopsis, 326
Scaphidium, 329
Scaphisoma, 329
Scaphocoridae, 263
Scaphocoris, 263
Scaptolenopsis, 312
Scarabaeidae, 300, 330

Scarabaeides, 266
Scarabaeus, 300, 330
Scardiites, 374
Scarites, 328
Scatophaga, 443
Scatopagidae, 443
Scatopae, 414
Scatopsidae, 414
Scelio, 471
Scelionidae, 471
Scelionites, 499
Sceliphron, 496
Scelocampus, 315
Scepasma, 45
Schedoneura, 45
Schiffermuelleria, 375
Schistomerus, 294
Schizocopes, 289
Schizoneurites, 248
Schizoneuroides, 248
Schizophoridae, 289
Schizophorinus, 290
Schizophoroidea, 290
Schizophorus, 289
Schizotaldycupes, 289
Schlechtendalia, 212
Schmidtopteron, 29
Scholastes, 435
Schuchertiella, 134
Schwinzia, 177
Sciabregma, 317
Sciadocera, 431
Sciadoceridae, 431
Sciadophora, 432
Sciaphilus, 337
Sciapus, 431
Sciara, 415
Sciarella, 417
Sciaridae, 415
Sciobia, 416
Sciomorpha, 416
Sciomyza, 437
Sciomyzidae, 437
Sciophila, 417
Scleroderma, 488
Scolebythidae, 487
Scolebythus, 487
Scolopostethus, 271
Scolypopites, 238
Scoparidea, 235
*scorpionflies, *see* Mecoptera*
Scraptia, 311, 333
Scraptiidae, 311, 333
Scraptiomima, 311
Scudderia, 30
Scutellera, 272
Scutelleridae, 272
Scutellifer, 275

Scydmaenidae, 297
Scydmaenoides, 297
Scydmaenus, 297
Scymnus, 333
Scyphophorus, 337
Scythropites, 380
Scythropus, 337
Scytinoptera, 222
Scytinopteridae, 222
Scytinopterula, 222
Scytocixius, 236
Scytohymen, 51
Scytohymenidae, 51
Scytolestes, 68
Scytoneura, 253
Scytoneurella, 253
Scytophara, 234
Sehirus, 272
Seira, 2
Selandria, 456
Selenothemis, 64, 76
Selenothemistidae, 76
Selenothrips, 211
Sellardsia, 106
Sellardsiopsis, 134
Semanotus, 313
Sembilanocera, 471
Semenoviola, 153
Semenovioloides, 153
Semiglobus, 326
Semirhytus, 482
Semnodioceras, 297
Semopterum, 111
Sendelia, 407
Seniaulus, 299
Senoprosopis, 428
Sepedonites, 438
Sepsidae, 437
Sepsis, 437
Sepulca, 458
Sepulcidae, 458
Sepulciniae, 458
Sepulenia, 459
Serica, 330
Sericolepta, 434
Serphites, 470
Serphitidae, 470
Serritermitidae, 139
Sessiliventer, 466
Setodes, 367
Severinopsis, 45
Severinula, 91
Shaposhnikovia, 247
Shaposhnikoviidae, 247
Sharovia PINTO & ORNELLAS, 134
Sharovia SINITSHENKOVA, 32
Sharovipterum, 108

- Sheimia, 189, 502
 Shepherdia, 287
 Sherborniella, 91
 Shurabellidae, 267
 Shurabiola, 75
 Shurabisca, 462
 Shurabocossus, 216
 Shuraboprosbole, 258
 Sialidopsidae, 344
 Sialidopsis, 344
SIALINA, 340
 Sialium, 354
SIALODEA, 338, 340
 Siberiodictya, 30
 Siberioperla, 94
 Siberioperlidae, 94
 Sibirella, 111
 Sibiriohymen, 52
 Sibynes, 337
 Sicilomyrmex, 494
 Siderosemion, 326
 Sieblosia, 89
 Sigalpus, 482
 Sigaretta, 267
 Siksteliana, 214
 Silicernius, 326
 Silo, 367
 Silpha, 298, 329
 Silphidae, 298, 329
Silphidium, 326
 Silphion, 128
 Silphites, 326
 silverfish, *see* Zygentoma
 Silvius, 424
 Simmondsia, 287
 Simuliidae, 408
 Simulium, 408
 Simulotenia, 374
 Sinaeschnidia, 85
 Sindomiomoptera, 502
Sindon, 105
 Sindonopsis, 134
 Sinemedia, 413
 Sinemediidae, 413
 Sinis, 293
 Sinobracon, 482
 Sinocupes, 286
 Sinoelaterium, 305
 Sinohagla, 170
 Sinolabia, 154
 Sinonemoura, 96
 Sinoperla, 97
 Sinophora, 231
 Siphlonuridae, 19, 23
 Siphlonurus, 23
 Siphloplecton, 23
 Siphlurites, 23
 SIPHONAPTERA, 7, 279, 395
 Siphonophoroides, 251
 Sirecomima, 452
 Sirex, 463
 Siricidae, 448, 462
 Sisyra, 346
 Sisyridae, 343, 346
 Sisyriinae, 346
Sisyrchoridae, 272
 Sisyrocoris, 273
 Sitodrepa, 332
 Sitona, 337
 Sitonitellus, 317
 Sitonites HAUPT, 317
 Sitonites HEER, 326
 Skalicia, 114
 Skalicidae, 114
 Slonik, 317
 Smicromyx, 337
Smicrorhynchus, 317
 Sminthuridae, 3
 Sminthurus, 3
 Smittia, 407
 Smodicoptera, 326
 snakeflies, *see* Neuroptera
 Snellenius, 482
Sobobapteron, 85
 Soevenia, 263
 Sogdelytron, 288
 Sogdodromeus, 293
 Sogdophlebia, 74
 Sogdopsyche, 394
 Sogdopteron, 77
 Sogdothemis, 79
 Sogjuta, 354
 Sogjutella, 77
 Sogutia, 463
Sojaneuridae, 217
 Sojanoneura, 221
 Sojanopsylla, 252
 Sojanoraphidia, 341
 Sojanoraphidiidae, 341
 Sojanoscytina, 243
 Solenopsis, 494
 Solenoptilidae, 354
 Solenoptilon, 354
 Solikamptilon, 68
Solikamptilonidae, 68
 Solva, 422
 Somatocoris, 262
 Sophrobombus, 498
 Spalacoides, 326
Spanioderidae, 122
 Spanioderidae, 122
 Spaniotoma, 408
 Sparasion, 472
 Spargopteron, 125
 Spargotermes, 139
 Spartocera, 270
 Spathius, 482
 Spathoxyela, 452
 Spermophagus, 334
 Sphaericites, 326
 Sphaeroantharis, 326
 Sphaerodempomis, 264
 Sphaeropsocus, 198
 Sphaerosyne, 287
 Sphaleropalpus, 369
 Sphallonymphites, 420
 Sphalmatoblattina, 502
 Sphecidae, 495
 Sphecomyrrma, 494
 Sphecoptera, 48
 Sphecopteridae, 46, 48
 Sphegina, 434
 Spheginascia, 434
 Sphenophlebia, 73
 Sphenophorus, 337
 Sphenoptera, 331
 Sphenosyntaxis, 460
 Sphegidae, 496
 Sphingidites, 380
 Spongophoriella, 228
 Sphyrotheca, 2
 Spiladomyia, 404
 Spilaptera, 38
 Spilapteridae, 27, 37
 Spilomastax, 121
 Spiloptilus, 39
 Spodotribus, 317
 Spondylis, 334
Spongoneura, 162
 Spudaeus, 477
 Stackelbergisca, 23
 Stanleyana, 232
 Staphylinidae, 298, 329
 Staphylinites, 329
 Staphylinus, 298, 329
Stefanomiopelta, 207
 Steganus, 315
Stegocupes, 287
 Stegopteridae, 115
 Stegopterum, 115
 Steleopteridae, 87
 Steleopteron, 87
Stemma, 106
 Stenamma, 494
 Stenaropodites, 118
 Stenecphora, 231
Stenelytridae, 148
Stenelytron HANDLIRSCH, 326
Stenelytron KUKALOVÁ, 148
 Stenocinclis, 428
 Stenodiapha, 59
Stenodiceranidae, 22
 Stenodictya, 30

- Stenodictyoneura, 30
 Stenoglyphis, 258
 Stenogomphus, 83
 Stenogrylloides, 175
 Stenoletes, 86
 Stenolocris, 231
 Stenomacrus, 477
 Stenomyites, 435
 Stenoneura, 129
Stenoneurella, 130
Stenoneurellidae, 130
 Stenoneuridae, 129
 Stenoneurites, 129
 Stenoneuritidae, 129
 Stenopamera, 271
 Stenopanorpa, 394
 Stenopelta, 272
 Stenoperlidium, 93, 94
 Stenophenus, 334
 Stenophlebia, 88
Stenophlebiidae, 88
 Stenoplus, 328
 Stenopoda, 274
Stenopsocidium, 192
Stenopsycidae, 364
Stenopsychidae, 364
 Stenoptera, 419
Stenoptilomyia, 369
Stenoscytina, 224
 Stenovelia, 263
Stenovicia, 232
Stenoviciidae, 232
Stenurothripidae, 211
Stenurothrips, 209
 Stenus, 329
Stephanidae, 466
Stephanogaster, 466
 Stephanus, 466
Stereochorista, 502
Stereopteridae, 115
Stereopterum, 115
Sterictiphora, 456
Sternaphis, 251
Sternarthron, 188
Sterrapteryx, 375
Sthenarocera, 130
Sthenaroceridae, 130
Sthenaropoda, 99, 122
Sthenaropodidae, 99, 122
Stibadocerites, 404
Stictoptrychus, 307
Sictulus, 326
Stigmaphron, 468
Stigmaphronidae, 468
Stigmellites, 380
Stigmenamma, 326
Stigmomyrmex, 494
Stigmorista, 386
Stilbocrocis, 30
Stilpnus, 477
Stinus, 115
Stiphromyrmex, 494
Stiphroschema, 276
Stiraderes, 314
Stizonotus, 303
Stobbsia, 35
Stoichus, 115
Stolopsyche, 377
Stomis, 328
 stone flies, *see* Perlaria
Strangalia, 334
Strategus, 330
Stratiomyidae, 422
Stratiomys, 422
Streblocardioidea, 326
Strephocladidae, 124
STREPHOCLADODEA, 97
Strephocladus, 125
Strephoneura, 126
Strephoneuridae, 126
STREPSIPTERA, 7, 337
Strobilocoris, 276
Strongylites, 326
Strongylogomphus, 85
Strophandria, 457
Strophingia, 253
Strophosomus, 337
Stygeonectes, 295
Stygeonepa, 266
Stygne, 102
Stygnidae, 101
Stylonotus, 2
Subcelytrinus, 299
Succaphis, 251
Succinaphis, 250
Succinasteia, 442
Succinatherix, 423
Succinimontia, 309
Succinogenia, 25
Succinotettix, 179
Sucinagonia, 313
 sucking lice, *see* Anoplura
Suillia, 438
Sulcaldus, 270
Suljuktaja, 216
Suljuktocossus, 216
Sunius, 329
Sunoprophalangopsis, 170
SUPERSTATA, 398
Surijoka, 359
Surijokocixius, 236
Surijokocypha, 199
Surijokopsocidae, 194
Surijokopsocus, 194
Surijokovia, 225
Sushkinia, 68
Sustaia, 101
Synchnobrochus, 248
Sycopteron, 502
Sycorax, 406
Sylvacoleodes, 283
Sylvacoleus, 283
Sylvaelidae, 117
Sylvaella, 117
Sylvaphlebia, 117
Sylvaphlebiidae, 117
Sylvicola, 418
Sylvidelia, 119
Sylviodes, 117
Sylviodidae, 117
Sylvoedischia, 156, 157, 158
Sylvohymen, 51
Sylvopanorpa, 386
Symballophlebia, 103
Symmerus, 417
Symmoca, 376
Symmocidae, 375
Symmocites, 380
Symphoromyia, 424
Symphyogaster, 466
Symphyothrips, 212
SYMPHYTA, 445, 448, 449
Symphyopterus, 466
Synapha, 417
Synarmoge, 30
SYNARMOGOIDEA, 26
Synchroa, 333
Syndesmophora, 118
Syndesmophyllum, 166
Synomaloptila, 201, 204
Synomaloptilidae, 204
Synommatus, 317
Synorthophlebia, 388
Syntaphus, 494
Syntemna, 417
Syntexidae, 459
Syntexyla, 461
Syntomopterus, 326
Syntomostylus, 337
Syntonoptera, 42
Syntonopteridae, 26, 41
SYNTONOPTEROIDEA, 26
Sypharoptera, 92
Syromastes, 270
Syrphidae, 433
Syrphopsis, 445
Syrphus, 433
Syrrhoe, 89
Systellothemis, 75
Systema, 335
Systemus, 431
Systropus, 427

- Tabanidae, 424
 Tabanus, 424
 Tachinus, 329
 Tachydromia, 430
 Tachypeza, 430
 Tachyporoides, 299
 Tachyporus, 329
 Tachys, 328
 Taenionotus, 303
 Taeniopodites, 181
 Taeniopterygidae, 93, 95
 Taeniopteryx, 95
 Taeniothrips, 211
 Taeniurites, 456
 Tagalodes, 274
 Taimyrisphex, 496
 Tajmyraphididae, 248
 Tajmyraphis, 248
 Tajmyrella, 248
 Taldycupes, 287
 Taldycupidae, 287
Taldycupidum, 287
 Tanycarpa, 482
 Tanychora, 477
 Tanychorella, 477
 Tanyderidae, 403
 Tanyderophryne, 406
 Tanyderophryneidae, 406
 Tanyderus, 403
 Tanymecus, 337
 Tanymera, 404
 Tanypus, 408
 Tanysphyra, 404
 Tanysphyrus, 337
 Tanytarsus, 408
 Taphacris, 177
 Taphaeus, 482
 Tapholyda, 458
 Taphramites, 317
 Taphrorychus, 317
 Tapopterum, 111
 Taracticus, 428
 Tarsophlebia, 64, 73
 Tarsophlebiidae, 73
 Tarsophlebiopsis, 64, 73
 Tauredon, 293
 Taxonus, 456
 Taylorius, 317
 Taymyrelectron, 366
 Taymyrelectronidae, 365
Tbecardaella, 243
 Tchirkovaea, 35
 Tchirkovaeidae, 35
Tcholmanvissia, 158
 Tcholmanvissiidae, 158
 Tecticupes, 287
 Tectocoris, 272
 Tectoptilus, 39
Telactinopterygidae, 155
Telactinopteryx, 117
 Telecoris, 274
 Telecydnus, 272
 Telecydnus, 272
 Teleoschistus, 274
 Telephorium, 326
 Telmatoscopus, 406
 Telmatotrechus, 262
 Telothrips, 211
 Temnosterthus, 274
 Temnostigma, 79
 Temnostoma, 434
 Tenebrio, 309, 333
Tenebrionidae, 309, 333
 Tenebrionites, 310
 Tenebroides, 332
Teneofteron, 105
 Tenillus, 317
Teniopteridae, 105
 Tennentsia, 230
 Tenor, 276
 Tenthredinidae, 454
 Tenthredinites, 456
 Tenthredo, 455
 Tentyridium, 326
 Tephritis, 435
 Tephritidae, 435
TEREBRANTIA, 208, 209
TEREBRANTIA, 448
 Teretrum, 315
 Termes, 142
 termites, *see* Isoptera
 Termitidae, 138, 139, 142
 Termitidium, 176
 Termopsinae, 139
 Termopsis, 140
 Terskeja, 70
 Terosoides, 290
 Tersus, 290
 Tertiaphis, 251
 Tetanocera, 438
 Tetigonia, 227
 Tetracampe, 484
 Tetracampidae, 448, 484
 Tetragoneura, 417
 Tetragonides, 326
 Tetragonidium, 240
 Tetragonotrachelus, 326
 Tetralonia, 498
 Tetraonyx, 334
Tetraphalerites, 286
 Tetraphalerus, 282, 286
 Tetraponera, 494
 Tetrapus, 482
 Tetrapraphes, 305
 Tetrigidae, 178
 Tetrix, 179
 Tetros, 334
 Tettavidae, 163
 Tettavus, 163
 Tettigarcta, 221
 Tettigarctidae, 221
 Tettigella, 227
 Tettigidea, 179
 Tettigoides, 165
 Tettigonia, 165
 Tettigoniidae, 164
 Tettoedischia, 158
 Tetyra, 274
 Thaites, 377
 Thamnotettix, 227
 Thanatites, 376
 Thaumastocladius, 240
 Thaumastoptera, 404
 Thaumatodryinus, 488
 Thaumatomerope, 394
 Thaumatophora, 134
 Thelaxes, 248
 Thelaxidae, 248
 Themira, 437
 Theornithion, 326
 Thereva, 427
 Therevidae, 427
 Theronia, 477
 Thesoneura, 36
Thesoneuridae, 35
 Thinophilus, 431
 Thiras, 418
 Thlibomenus, 272
 Thnesidius, 290
Thnetodes, 158
Thnetoschistus, 274
 Thoracotes, 326
 Thoronysidae, 100, 101
 Thoronysis, 101
 Thripidae, 210
 Thrips, 210
 thrips, *see* Thysanoptera
 Throscites, 306
 Throscogenius, 306
 Thryogenosoma, 318
 Thrypticus, 431
 Thuringopteryx, 176
 Thurmannia, 326
 Thylacella, 197
 Thylacites, 337
 Thylax, 197
 Thyrididae, 376
 Thyris, 376
THYSANOPTERA, 207
THYSANURA, 1
 Tibicen, 222
 Tilgidopsis, 477
 Tillyardagrion, 68
 Tillyardembia, 123, 189

- Tillyardembiidae*, 123
Tillyardia, 62
Tillyardiella, 158
Tillyardiellidae, 158
Tillyardina, 385
Tillyardinea, 374
Tillyardiopsis, 318
Tillyardites, 502
Timalphes, 430
Timarchopsis, 326
Tinea, 373
Tineidae, 373
Tineolamima, 374
Tineosemopsis, 374
Tingidae, 274
Tingiopsis, 258
Tingis, 274
Tinodes, 364
Tiphia, 490
Tiphiidae, 445, 490
Tipula, 403
Tipulidae, 403
Tipulidea, 403
Tipulidites, 369
Tipulodictya, 401
Tipulodictyidae, 401
Tipuloidea, 258
TIPULOMORPHA, 398
Tipuloplecia, 413
Tipulopleciidae, 413
Tiromerus, 271
Tiroschistus, 274
Titanodictya, 45
TITANOPTERA, 181
Titanoptera, 92
Tithomyia, 427
Tmesiphoroidea, 300
Tococladidae, 126
Tococladus, 126
Tolype, 326
Tomia, 101, 128
Tomiidae, 101, 128
Tomiochorista, 384
Tomiochoristidae, 384
Tomiocupes, 284
Tomiosyllidium, 245
Tomioscarta, 232
Tomoceridae, 2
Tomocerus, 2
Tomoxia, 333
Torrentopterum, 108
Tortricidae, 373
Tortricidrosis, 373
Tortrix, 373
Torymidae, 482
Torymus, 483
Toxorhynchus, 315
Tracheliodes, 496
Trachelopteron, 472
Trachopteryx, 502
Trachycoris, 276
Trachyderes, 334
Trachymyrmex, 494
Trachysphyrus, 477
Trameobasileus, 83
Transversiplecta, 411
Trapezonotus, 271
Trapezotrachelus, 326
Trecela, 422
Trechinites, 293
Trechoides, 293
Trechus, 328
Treherniella, 212
Trentepohlia, 404
Triadocoleopteron, 326
Triadocupes, 287
Triadogyrus, 326
Triadologus, 92
Triadomerus, 484
Triadophlebia, 70
Triadophlebiidae, 70
TRIADOPHLEBIOMORPHA, 65, 70
Triadotypidae, 70
Triadotypus, 71
Triaena, 337
Triaeschna, 82
Triaplidae, 293
Triaplus, 293
Triaspis, 482
Triassagriion, 69
Triassagrionidae, 68
Triassoaphis, 258
Triassocatinus, 290
Triassociclus, 237
Triassocoecus, 261
Triassocoleus, 290
Triassocoris, 276
Triassocotis, 258
Triassogereon, 217
Triassojassus, 259
Triassolestes, 78
Triassolestidae, 78
Triassolestinae, 78
Triassolestodes, 78
Triassolocusta, 177
Triassomachilidae, 17
Triassomachilis, 17
Triassomanteidae, 162
Triassomanteodes, 162, 163
Triassomantidae, 162
Triassomantis, 162
Triassoneura, 79
Triassopblebia, 79
Triassopsychche, 392
Triassopsychops, 351
Triassopsylla, 245
Triassoscarta, 231
Triassoscelis, 225
Triassoscytina, 225
Triassoscytinopsis, 225
Triassothaea, 245
Triassothemis, 78
Triassoxyela, 453
Tribochrysa, 347
Trichadenotecnum, 198
Trichelepturgetes, 326
Trichempheria, 197
Tricheopteryx, 367
Trichinites, 430
Trichiosomites, 456
Trichius, 330
Trichobaissodes, 489
Trichocera, 404
Trichochrus, 332
Trichogramma, 484
Trichogrammatidae, 448, 484
Trichogryllus, 175
Trichomyia, 406
Trichoneura, 404
Trichopeza, 430
Trichophlebia, 356
TRICHOPTERA, 8, 279, 359, 369, 372, 399
Trichopterella, 369
Trichopteridium, 369
Trichorthophlebia, 502
Trichosia, 415
Tricoleidae, 288
Tricoleodes, 289
Tricoleus, 288
Tricupes, 284
Tricyphona, 404
Tricyrtus, 326
Tridactylidae, 179
Tridactylus, 179
Tricephora, 231
Trifidella, 232
Triga, 299, 329
Trigites, 299
Trigona, 498
Trigonalidae, 468
Trigonalopterus, 466
Trigonalyis, 468
Trigonocephalites, 326
Trigonoscuta, 337
Trioxys, 482
Trioza, 253
Triphleba, 433
Triplax, 332
Triplectides, 367
Triplosoba, 19, 20
Triplosobiidae, 19
Tripsalis, 326

- Trirhabda, 335
 Triscytina, 261
 Tritoma, 332
 Tritophania, 239
 Trixagidae, 306, 331
 Trixagites, 326
 Trixagus, 306
 Trixoscelis, 438
 Trochiscites, 326
 Trochmalus, 326
 Trogidae, 197
 Trogium, 197
 Trogossita, 307, 332
 Trogosittidae, 307, 332
 Trogus, 477
 Tropidères, 335
 Tropisternus, 329
 Troz, 330
 true lice, *see* Anoplura
 Truemania, 62
 Tryoniopsis, 326
 Trypanorhynchus, 315
 Trypherus, 331
 Tryphon, 477
 Tshekardaella, 243
 Tshekardocoleidae, 283
 Tshekardocoleus, 283
 Tshekardohymen, 51
 Tshorkuphlebia, 170
Tshorkuphlebiidae, 165
 TUBULIFERA, 208, 211
 Tunicopterus, 299
 Tupus, 61
 Turanoderma, 153
 Turanophlebia, 73
 Turanopsyche, 394
 Turanopteron, 77
 Turanothemis, 78
 Turanothemistidae, 78
 Turanovia, 153
 Turbopterum, 111
 Turfanerella, 25
 Turgaiella, 217
 Turkestania, 170
 Turnbullia, 45
 Turneropterum, 36
 Turutanovia, 259
 twisted-wing parasites, *see*
 Strepsiptera
 Tychius, 337
 Tychon, 326
 Tychticola, 259
 Tychticupes, 287
 Tychticupoides, 287
 Tychtobius, 344
 Tychtodelopterum, 206
 Tychtopsyche, 387
 Tychtropsychidae, 387
 Tychtoscarta, 232
 Tychtoscytina, 225
 Tychus, 300
 Tymocicada, 222
 Typhlocyba, 227
Typidae, 61
 Typoides, 62
Typus, 61
 Tyrannopterum, 111
 Tyrbula, 181
 Tyrus, 300
 Udaserphus, 470
 Ula, 404
 Ulmeriella, 141
 Ulnus, 333
 Uloma, 333
 Ulomites, 310
 Ultratitan, 183
 Umenocoleidae, 144, 149
 Umenocoleus, 150
 Umkomaasia, 326
 Umoricoleus, 283
 Unda, 293
 Undatoma, 454
 Undoptyyx, 370, 372
 Uninervus, 502
 Uralelytron, 146
Uralocoleidae, 283
 Uralocoleus, 283
 Uralocupes, 285
 Uraloedischia, 158
 Uralonympha, 97
 Uraloscytina, 243
Uraloscytinidae, 241
 Uralothemis, 43
Urocerites, 463
 Urodon, 334
 Urogomphus, 85
 Uromesitus, 488
 Urortalis, 435
 Urosigalpus, 482
 Urosyntexis, 461
 Uroteleia, 472
 Urotryphon, 477
 Uroxyla, 453
 Usia, 427
Uskatelytridae, 359
Uskatelytron, 359
 Ussatchovia, 424
 Valdeania, 32
 Valditermes, 141
 Valgus, 330
 Vanessa, 378
 Varus, 323
 Vectevania, 474
 Velenovskyia, 326
 Velia, 263
 Veliidae, 263
 Venablesia, 307
 Venelytron, 150
 Ventopterum, 113
 Verrallia, 433
 Verrallites, 427
 Vespa, 495
 Vespidae, 495
 Villa, 427
 Villalites, 426
 Villopterum, 108
 Vilvia, 202
 Vilviopsis, 202
 Vinculomusca, 445
 Vitimia, 162
 Vitimiidae, 162
 Vitimosphex, 499
 Vitreacixius, 237
 Vitrialia, 200
 Vollenhovia, 495
 Vorkutia, 52
 Vorkutiidae, 52
 Vorkutoneura, 41
 Votocoleus, 283
 Vrilletta, 332
 walkingsticks, *see* Phasmatodea
 wasps, *see* Hymenoptera
 Wheelerenomyia, 431
 white ants, *see* Isoptera
 Willcoxia, 289
 Willistoniella, 416
 Winnertzia, 419
 Winnertziola, 419
 Wollastonia, 327
Wollastonites, 327
 Woodwardia, 48
 Wulasua, 92
 Xamenophlebia, 72
Xamenophlebiidae, 72
 Xanthochlorus, 431
 Xanthohypsa, 74
 Xantholinus, 329
 Xenanthomyza, 442
 Xenarcha, 482
 Xenelytron, 149
 Xenochorista, 386
 Xenochoristella, 394
Xenochoristidae, 384
 Xenogyrinus, 327
 Xenoneura, 92
 Xenopanorpia, 395
 Xenophlebia, 25, 90
Xenopteridae, 162
 Xenopterum, 163
 Xeroptera, 502

- Xestobium*, 332
Xestotermopsis, 140
Xiphandrium, 431
Xiphenax, 503
Xiphopteridae, 186
Xiphopterum, 186
Xiphoxyela, 454
Xorides, 477
Xyela, 449
XYELIDAE, 445, 448, 449
Xyelinus, 454
Xyelisca, 454
Xyelites, 454
Xyelocerus, 454
Xyelotoma, 454
Xyelotomidae, 454
Xyelula, 454
Xyelyda, 457
Xyelydidae, 457
Xyelydentes, 461
Xyleborites, 318
Xylechinites, 318
Xyletinites, 307
Xyleutites, 373
Xylobiops, 332
Xylocopa, 498
Xylodrepa, 329
Xyloconites, 327
Xylomya, 422
Xylomyidae, 422
Xylophagidae, 421
Xylophagus, 422
Xylotsyrphus, 434
Xylotupia, 327
Xyphosternum, 290
Zacallites, 88
ZACALLITIDAE, 87
Zalmona, 170
Zalmonites, 170
Zdenekia, 101
Zeilleria, 44
Zephyropterum, 114
Zetemenos, 327
ZEUGLOPTERA, 369, 370, 372
Zeunerella, 177
Zeunerophlebia, 170
ZEUNEROPTERA, 172
Zhemengia, 176
Zonabris, 334
Zonitis, 334
ZOOTERMOPSIS, 141
Zophodetus, 483
ZORAPTERA, 13, 92, 200
ZOROPSOCIDAE, 194
Zoropsocus, 197
Zorotypus, 200
Zygadenia, 327
Zygaena, 376
ZYGAENIDAE, 376
Zygaenites, 376
ZYGENTOMA, 1, 17
Zygophlebia, 72
Zygophlebiella, 72
Zygophlebiidae, 72
Zygopsocidae, 197
Zygopsocus, 197
ZYGOPTERA, 65, 66, 85
Zygota, 470
Zymus, 251