

## REFERENCES

- Agassiz, Alexander. 1874. Zoological results of the Hassler expedition—I. Echini, crinoids, and corals. Harvard University, Museum of Comparative Zoology, Memoir 4, illustrated catalogue no. 8:1–23, fig. 1–14, pl. 14.
- Agassiz, Alexander. 1883. Echinodermata; selections from embryological monographs. Harvard University, Museum of Comparative Zoology, Memoir 9(2):1–44, pl. 1–15.
- Agassiz, Alexander. 1890. Notice of *Calamocrinus diomedae*, a new stalked crinoid from the Galapagos, dredged by the U.S. Fish Commission Steamer “Albatross.” Harvard University, Museum of Comparative Zoology, Bulletin 20(6):165–167.
- Agassiz, Alexander. 1892. *Calamocrinus diomedae*, a new stalked crinoid, with notes on the apical system and the homologies of echinoderms. Harvard University, Museum of Comparative Zoology, Memoir 17(2):95 p., 32 pl.
- Agassiz, J. L. R. 1836. Prodrome d’une Monographie des Radiaires ou Echinodermes. Mémoires de la Société d’histoire naturelle de Neuchâtel, 1 (1835):168–199, 5 pl.
- Agassiz, J. L. R. 1838–1842. Monographies d’échinodermes, vivants et fossiles. Published by the author. Neuchâtel. 490 p., 63 pl.
- Agassiz, J. L. R. 1841. Echinites, Famille des Clypeastroides. Monographie 2, Des Scutelles. Published by the author. Neuchâtel. 151 p., 27 pl.
- Agassiz, J. L. R. 1842–1846. Nomenclatoris zoologici index universalis. Jent & Gassmann. Soloduri. 393 p. Each part paged separately.
- Agricola, Georgii. 1546. De ortu et causis subterraneorum. De natura eorum quae effluunt ex terra. De natura fossilium. De veteribus et novis metallis. Bermannus, sive De re metallica Dialogus. Interpretatio Germanica vocum rei metallica, addito Indice foecundissimo. Hieronymus Froben. Basileae. 487 p.
- Améziane, Nadia. 1997. Echinodermata Crinoidea: Les Pentacrinus récoltés lors de la campagne KARUBAR en Indonésie. In A. Crosnier & P. Bouchet, eds., Résultats des Campagnes MUSORSTOM 16. Mémoires du Muséum National d’Histoire Naturelle 172:627–667, 15 fig.
- Améziane, Nadia, & Michel Roux. 1994. Ontogenèse de la structure en mosaïque du squelette des crinoïdes pédonculés actuels. Conséquences pour la biologie évolutive et la taxonomie. In B. Davis, A. Guille, J. P. Féral, & M. Roux, eds., Echinoderms through time. Balkema. Rotterdam. p. 185–190, 6 fig.
- Améziane, Nadia, & Michel Roux. 2005. Environmental control versus phylogenetic fingerprint in ontogeny: The example of the development of the stalk in the genus *Guillecrinus* (stalked crinoids, Echinodermata). Journal of Natural History 39(30):2815–2859, 21 fig.
- Améziane, Nadia, & Michel Roux. 2011. Stalked crinoids from Tasmanian Seamounts. Part 1: Hyocrinidae. Journal of Natural History 45(3):137–170, doi: 10.1080/00222933.2010.520825.
- Améziane-Cominardi, Nadia, Jean-Paul Bourseau, Renaud Avocat, & Michel Roux. 1990. Les Crinoïdes pédonculés de Nouvelle-Calédonie: Inventaire et réflexions sur les taxons archaïques. In C. de Ridder, P. Dubois, M.-C. Lahaye, & M. Jangoux, eds., Echinoderm Research, Proceedings Second European Conference Echinoderms Brussels/Belgium, 18–21 September 1989. Balkema. Rotterdam. p. 117–124, 1 pl.
- Améziane, Nadia, Jean-Paul Bourseau, Thomas Heinzeller, & Michel Roux. 1999. Les genres *Cyathidium* et *Holopus* au sein des Cyrtocrinida (Crinoidea; Echinodermata). Journal of Natural History 33:439–470, 9 fig.
- Anderson, F. M. 1958. Upper Cretaceous of the Pacific Coast. Geological Society of America Memoir 71:378 p., 75 pl.
- Anderson, Hans-Joachim. 1967. *Himerometra grippae* n. sp. (Crinoidea, Articulata), eine freischwimmende Seelilie aus dem niederrheinischen Oberoligocän. Geologica et Palaeontologica 1:179–182, 5 fig.
- Angelin, N. P. 1878. Iconographia crinoideorum in stratis Sueciae Siluris fossilium. Samson & Wallin. Holmia. 62 p., 29 pl.
- Archiac, A. D. d’. 1846. Description des fossiles recueillis par M. Thorent, dans les couches à nummulines des environs de Bayonne. Mémoires de la Société Géologique de France, série 2:189–217, pl. 5–9.
- Arendt, Yuri A. 1968. Novye dannye o rannemelovykh krinoideyakh Kryma [New information about Early Cretaceous crinoids of the Crimea]. Byulleten’ Moskovskogo obshchestva ispytatelei prirody, otdelenie geologii 43(5):156–157.
- Arendt, Yuri A. 1970. Ruki Phyllokrinusov (Crinoidea, Cyrtocrinida) [Arms of *Phyllocrinus* (Crinoidea, Cyrtocrinida)]. Paleontologicheskii Zhurnal 4:113–116, fig. 1–2. English translation in Paleontological Journal 1970(4):560–563, fig. 1–2.
- Arendt, Yuri A. 1974. Morskije lilii. Tsirtokrinidy [Sea lilies, cyrtocrinids]. Trudy Paleontologicheskogo Instituta, Akademia Nauk SSSR 144:251 p., 38 fig., 37 pl.
- Arendt, Yuri A., & B. T. Janin. 1964. O pozdneyurskikh i rannemelovykh krinoideyakh Kryma [On Late Jurassic and Early Cretaceous crinoids of the Crimea]. Paleontologicheskii Zhurnal 1964(3):140–142.
- Arnaud, Patrick. 1964. Echinodermes littoraux de Terre Adélie (Holorhures exceptées) et Pélécyropodes commensaux d’Echinides antarctiques. In Expéditions Polaires Françaises (Missions Paul-Emile Victor), Publication no. 258. Hermann. Paris. 72 p., 4 fig.
- Arnould-Saget, S. A. 1949. Contribution à l’étude d’*Austinocrinus Solignaci* Valette. Bulletin de la Société des sciences naturelles de Tunisie 2:41–43, pl. 4.
- Arthaber, Gustav von. 1914. Die Trias von Bithynien (Anatolien). In C. Diener, G. von Arthaber, & F. E. Suess, eds., Beiträge zur Paläontologie und Geologie Österreich-Ungarns und des Orients 27:85–206, 19 fig., 8 pl.

- Astre, G. 1925. Une comatule aptienne de la province de Castellon. *Buttleti de la Institucion catalana de Historia natural* 2(5):176–181, 4 fig.
- Aurivillius, C. 1910. Wissenschaftliche Ergebnisse der schwedischen zoologischen Expedition nach dem Kilimandjaro, dem Meru und den umgebenden Massaistuppen Deutsch-Ostafrikas 1905–1906, *In* Yngve Sjoestedt, ed., *Wissenschaftliche Ergebnisse der Schwedischen Zoologischen Expedition nach dem Kilimandjaro*, 2. Band, Abteilung 9, Lepidoptera. P. Palmquist Aktiebolag. Stockholm. 56 p., 10 fig., 2 pl.
- Ausich, William I., Carlton E. Brett, Hans Hess, & Michael J. Simms. 1999. Crinoid form and function. *In* H. Hess, W. I. Ausich, C. E. Brett, & M. J. Simms, eds., *Fossil Crinoids*. Cambridge University Press. Cambridge. p. 3–30, fig. 4–51.
- Ausich, William I., & N. Gary Lane. 2005. Isolated ideas: Crinoid literature of the sixteenth century. *Earth Sciences History* 24(1):81–92, 1 fig.
- Ausich, William I., & George D. Sevestopulo. 2001. The Lower Carboniferous (Tournaisian) crinoids from Hook Head, County Wexford, Ireland. *Monograph of the Palaeontographical Society*, London 155(617):136 p., 14 fig., 13 pl.
- Austin, Thomas, & Thomas Austin Jr. 1842. XVIII. Proposed arrangement of the Echinodermata, particularly as regards the Crinoidea, and a subdivision of the class Adelostella (Echinidae). *Annals and Magazine of Natural History* (series 1) 10(63):106–113.
- Austin, Thomas, & Thomas Austin Jr. 1843. XXXIII. Description of several new genera and species of Crinoidea. *Annals and Magazine of Natural History* (series 1) 11(69):195–207.
- Austin, Thomas, & Thomas Austin Jr. 1843–1849. A monograph on recent and fossil Crinoidea. George Bell & Sons. London & Bristol. 128 p., 16 pl.
- Avnimelech, M. A. 1964. On the occurrence of crinoids in the Middle Cenomanian of Israel. *Israel Journal of Earth-Sciences* 13:97–101, pl. 1.
- Bachmeyer, Friedrich. 1958. *Pseudosaccocoma* (Crinoidea) aus dem Korallenriffkalk (Obermalm) von Ernstbrunn (Niederösterreich). *Paläontologische Zeitschrift* 32:40–51, 1 fig., pl. 5–7.
- Bather, Francis Arthur. 1889a. *Trigonocrinus*, a new genus of Crinoidea, from the Weisser Jura of Bavaria, with description of a new species, *T. livatus*. *Geological Society of London, Quarterly Journal* 45:149–171, 2 fig., pl. 6.
- Bather, Francis Arthur. 1889b. Note on *Marsupites testudinarius*, v. Schlotheim, sp. *Geological Society of London, Quarterly Journal* 45:172–174.
- Bather, Francis Arthur. 1896a. The term *syzygy* in the description of crinoids. *Zoologischer Anzeiger* 19:57–61, 198.
- Bather, Francis Arthur. 1896b. On *Uintacrinus*, a morphological study. *Zoological Society of London, Proceedings* 1895:974–1004, fig. 1–13, pl. 54–56.
- Bather, Francis Arthur. 1897. *Apiocrinus recubariensis*, Crema, from the Muschelkalk. *Geological Magazine* (new series) 4(dec. 4):116–123, 5 fig.
- Bather, Francis Arthur. 1898. *Pentacrinus*, a name and its history. *Natural Science* 12(74):245–256, fig. 1–10.
- Bather, Francis Arthur. 1899. A phylogenetic classification of the Pelmatozoa. *British Association for the Advancement of Science Report 1898*:916–923, 1 fig.
- Bather, Francis Arthur. 1900. The Echinodermata. The Pelmatozoa. *In* E. R. Lankester, ed., *A treatise on zoology*, pt. 3, The Crinoidea. Adam & Charles Black. London. p. 94–204, fig. 1–27.
- Bather, Francis Arthur. 1908. *Prilocrinus antarcticus*, n. sp., a crinoid dredged up by the Belgian Antarctic Expedition. *Bulletin de l'Académie Royale de Belgique (Classe des sciences)* 3:296–299, fig. 1.
- Bather, Francis Arthur. 1909a. Triassic echinoderms of Bakony. *Resultate der wissenschaftlichen Erforschung des Balatonsees*, 1. Band, 1. Teil, Anhang Paläontologie der Umgebung des Balatonsees Band 1, no. 6. Budapest. 288 p., 63 fig., 18 pl.
- Bather, Francis Arthur. 1909b. A crinoid (*Tetracrinus*?) *felix*, n. sp.) from the Red Crag. *Geological Magazine* (new series) 6(dec. 5):205–210.
- Bather, Francis Arthur. 1909c. Some common crinoid names, and the fixation of nomenclature. *Annals and Magazine of Natural History* (series 8) 4:37–42.
- Bather, Francis Arthur. 1917. British fossil crinoids.—XI, *Balanocrinus* of the London clay. *Annals and Magazine of Natural History* (series 8) 20:385–407, fig. 1–7.
- Bather, Francis Arthur. 1918. The Triassic crinoids from New Zealand collected by Trechmann. *Geological Society of London, Quarterly Journal* 73(1917):247–256, fig. 1–15.
- Bather, Francis Arthur. 1924. *Saccocoma cretacea* n. sp.: A Senonian crinoid. *Geological Association London Proceedings* 35(3):111–121, fig. 8–9.
- Bather, Francis Arthur. 1934. A Triassic crinoid from Brazil. *Geological Magazine* 71:237–238.
- Bather, Francis Arthur. 1935. Jurassic Crinoidea. *In* The Mesozoic palaeontology of British Somaliland, Part II of “The geology and palaeontology of British Somaliland.” Government of British Somaliland. London. p. 57–74, fig. 1–25.
- Baumiller, Tomasz K., & Andrzej Gaździcki. 1996. New crinoids from the Eocene La Meseta Formation of Seymour Island, Antarctic Peninsula. *In* A. Gaździcki, ed., *Palaeontological Results of the Polish Antarctic Expedition, Part II. Palaeontologia Polonica* 55:101–116, 8 fig., pl. 27.
- Baumiller, Tomasz K., & Hans Hagdorn. 1995. Taxonomy as a guide to functional morphology of *Holocrinus*, the first post-Paleozoic crinoid. *Lethaia* 28:221–228, 6 fig.
- Baumiller, Tomasz K., & Charles G. Messing. 2007. Stalked crinoid locomotion, and its ecological and evolutionary implications. *Palaeontologia Electronica* 10(1)2A:10 p., 7 fig., [http://palaeo-electronica.org/2007\\_1/crinoid/index.html](http://palaeo-electronica.org/2007_1/crinoid/index.html).
- Baumiller, Tomasz K., Richard Mooi, & Charles G. Messing. 2008. Urchins in the meadow: Paleobiological and evolutionary implications of cidaroid predation on crinoids. *Paleobiology* 34:35–47, 9 fig.

- Bell, F. J. 1882a. An attempt to apply a method for formulation to the species of the Comatulidae; with a description of a new species. Zoological Society of London, Proceedings 6:530–536, pl. 35.
- Bell, F. Jeffrey. 1882b. Note on a crinoid from the Straits of Magellan. Zoological Society of London, Proceedings 6:650–652.
- Bell, F. Jeffrey. 1884. Report on the zoological collections made in the Indo-Pacific Ocean during the voyage of H.M.S. Alert 1881–1882. Taylor & Francis. London. Echinodermata, p. 117–177; Crinoidea, p. 153–170, 509–512; pl. 10–17.
- Bell, F. Jeffrey. 1894. On the echinoderms collected during the voyage of H.M.S. Penguin and by H.M.S. Egeria, when surveying Macclesfield Bank. Zoological Society of London, Proceedings 1894:392–413, pl. 23–27.
- Bell, F. Jeffrey. 1908. Echinoderma. In National Antarctic Expedition. Natural History 4:1–15, pl. 1–5.
- Benecke, E. W. 1887. Referat über R. Wagner: Die Encriniten des unteren Wellenkalkes von Jena. Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie 1887(I):376–378.
- Bertrand, E. 1763. Dictionnaire universel des fossiles propres, et des fossiles accidentels. P. Gosse Jr. & D. Pinet. La Haye. vol. 1, 284 p.; vol. 2, 256 p.
- Besairie, Henri. 1936. Recherches géologiques à Madagascar. La Géologie du Nord-Ouest. Mémoires de l'Académie Malgache 21:259 p., 24 pl.
- Beyrich, H. E. von. 1856. Über eine neue im vergangenen Sommer zu Rüdersdorf im unteren Muschelkalk (Schaumkalk) aufgefundenene Crinoidee. Zeitschrift der Deutschen Geologischen Gesellschaft 8:9–11.
- Beyrich, H. E. von. 1858. Über die Crinoiden des Muschelkalks. Abhandlungen der königlichen Akademie der Wissenschaften zu Berlin, Physikalische Abhandlungen 1857:11–49, 2 pl.
- Beyrich, H. E. von. 1862. Gebirgsarten und Versteinerungen von Koe pang auf Timor. Zeitschrift der Deutschen Geologischen Gesellschaft 14:537.
- Beyrich, H. E. von. 1871. Über die Basis der Crinoidea Brachiata. Monatsberichte der Königlich-Preussischen Akademie der Wissenschaften zu Berlin, p. 33–55. English translation in Annals and Magazine of Natural History (series 4) 7:393–411.
- Biese, Walter. 1927. Über die Encriniten des unteren Muschelkalkes von Mittelddeutschland. Abhandlungen der Preussischen Geologischen Landesanstalt (Neue Folge) 103:119 p., 6 fig., 4 pl.
- Biese, Walter. 1930 (1929). Über *Isocrinus* H. v. Meyer und *Cainocrinus* Forbes. Jahrbuch der Preussischen Geologischen Landesanstalt 50(2):702–719, pl. 51.
- Biese, Walter. 1934. Crinoidea triadica. In W. Quenstedt, ed., Fossilium Catalogus, I. Animalia, pt. 66. W. Junk. s'Gravenhage. 255 p.
- Biese, Walter. 1935–1937. Crinoidea jurassica. In W. Quenstedt, ed., Fossilium Catalogus, I. Animalia, pt. 70, 73, 76. W. Junk. s'Gravenhage. 739 p.
- Biese, Walter. 1939a. Crinoidea caenozoica. In W. Quenstedt, ed., Fossilium Catalogus, I. Animalia, pt. 80. W. Junk. s'Gravenhage. 151 p.
- Biese, Walter. 1939b. Supplementum ad Crinoidea triadica, jurassica, cretacea et caenozoica. In W. Quenstedt, ed., Fossilium Catalogus, I. Animalia, pt. 88. W. Junk. s'Gravenhage. 81 p.
- Biese, Walter, & Hertha Sieverts-Doreck. 1937. Crinoidea cretacea. In Fossilium Catalogus, I. Animalia, W. Quenstedt, ed., pt. 77. W. Junk. s'Gravenhage. 254 p.
- Bigot, A. P. D. 1938. Crinoïdes du Bathonien du Calvados. Annales de Paléontologie 27:1–38, fig. 1–24, pl. 1–4.
- Bizzarini, Fabrizio. 1993. Microfossili cassiani al limite Ladinico-Carnico nella successione dei Prati di Sturores (Dolomiti orientali). Annali Museo Civico di Rovereto, 8, Scienze naturali (1992):141–168, 2 pl.
- Bizzarini, F. 2001. Ophiuroidea nella Formazione di S. Cassiano di Staoilin (Valle d'Ampezzo, Dolomiti Orientali). Bolletino Museo Civico di Storia naturale Venezia 51:187–192, 1 fig., 1 pl.
- Blainville, H. M. D. de. 1830. In Dictionnaire des sciences naturelles, directed by F. G. Cuvier, vol. 60. F. G. Levrault, Strasbourg. Le Normant, Paris. 631 p.
- Blainville, H. M. D. de. 1834–1837. Manuel d'actinologie et de zoophytologie. F. G. Levrault. Paris. 695 p., 100 pl.
- Blumenbach, J. F. 1802–1804. Abbildungen naturhistorischer Gegenstände, pt. 7, no. 70. Göttingen. 4 p., 1 pl.
- Bodelle, Jacques, Robert Campredon, & Olivier de Villoutreys. 1968. Quelques échinodermes Éocènes des Alpes-Maritimes (Franco-Italiennes) et des Basses-Alpes. Colloque sur l'Éocène 58:267–285, pl. 1.
- Bohn, Jens M., & T. Heinzeller. 1999. Morphology of the bourgueticrinid and isocrinid aboral nervous system and its possible phylogenetic implications (Echinodermata, Crinoidea). Acta Zoologica 80:241–249, 2 fig.
- Boisduval, J. A. 1840. Genera et Index Methodicus Europaeorum Lepidopterorum. Roret. Paris. 238 p.
- Bölsche, Wilhelm. 1866. Ueber *Actinometra Bennettii* und eine neue *Comatula* Art (*Antedon Dübenii*). Archiv für Naturgeschichte 32(1):90–92.
- Bosshard, H. 1900. Zur Kenntnis der Verbindungsweise der Skelettstücke der Arme und Ranken von *Antedon rosacea* Linck (*Comatula mediterranea* Lamarck). Jenaische Zeitschrift für Naturwissenschaft 34(new series 27):65–112, pl. 3–8.
- Bourseau, Jean-Pierre, N. Améziane-Cominardi, R. Avocat, & M. Roux. 1991. Echinodermata: Les Crinoïdes pédonculés de Nouvelle-Calédonie. In A. Crosnier, ed., Résultats des Campagnes MUSORSTOM 8. Mémoires du National d'Histoire Naturelle (series A) 151:229–333, 11 fig., 16 pl.
- Bourseau, Jean-Pierre, Nadia Améziane-Cominardi, & Michel Roux. 1987. Un crinoïde pédonculé nouveau (Echinodermes), représentant actuel de la famille jurassique des Hemicrinidae: *Gymnocrinus richeri* nov. sp. des fonds bathyaux de Nouvelle-Calédonie (S.W. Pacifique). Comptes Rendus de l'Académie des Sciences Paris (série III) 305:595–599, 1 pl.
- Bourseau, Jean-Paul, Jérôme David, Michel Roux, Daniel Bertrand, & Vincent Clochard. 1998. *Balanocrinus maritimus* nov. sp., crinoïde pédonculé

- nouveau du Kimméridgien inférieur de La Rochelle (Charente-Maritime, France). *Geobios* 31:215–227, 8 fig.
- Bourseau, Jean-Pierre, & Michel Roux. 1989. Echinodermes: Crinoïdes Pentacrinidae (Musorstom 2 et Corindon 2). In J. Forest, ed., *Résultats des Campagnes MUSORSTOM. Mémoires du Muséum National d'Histoire Naturelle (series A)* 143:113–201, 11 pl.
- Brodacki, Michal. 2006. Functional anatomy and mode of life of the latest Jurassic crinoid *Saccocoma*. *Acta Palaeontologica Polonica* 51:261–270, 6 fig.
- Bronn, H. G. 1825. System der urweltlichen Pflanzthiere. J. C. B. Mohr. Heidelberg. 48 p., 7 pl.
- Bronn, H. G. 1835–1837. *Lethaea geognostica*, vol. 1. E. Schweizerbart. Stuttgart. vi + 768 p.
- Bronn, H. G. 1837. Crinoidenreste im Muschelkalk. *Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefactenkunde* 1837:30–33, pl. 2.
- Bronn, H. G. 1848–1849. *Index palaeontologicus, unter Mitwirkung der Herren Prof. H. R. Göppert und H. von Meyer, Handbuch einer Geschichte der Natur*, vol. 5, Abteilung 1, no. 1–2, pt. 3, A Nomenclator palaeontologicus. Stuttgart. A–M, p. 1–775; N–Z, p. 776–1381.
- Bronn, H. G. 1860. Die Klassen und Ordnungen der Strahlenthiere (Actinozoa) wissenschaftlich dargestellt in Wort und Bild, Klassen u. Ordnungen d. Thier-Reichs, vol. 2. C. F. Winter. Leipzig und Heidelberg. 434 p., 48 pl.
- Bronn, H. G., & F. (C. F.) Roemer. 1851–1856. *Lethaea Geognostica oder Abbildung und Beschreibung der für die Gebirgs-Formationen bezeichnendsten Versteinerungen, Dritte stark vermehrte Auflage bearbeitet von H. G. Bronn & F. Roemer, Erster Band: 1. Übersichten, I. Theil: Systematische Übersicht der Fossilien; Schlüssel-Tabellen; Register, von H. G. Bronn. 2. Palaeo-Lethaea: II. Theil: Kohlen-Periode (Silur-, Devon-, Kohlen- und Zechstein-Formation), von F. Roemer. E. Schweizerbart. Stuttgart. XII + 788 p.; Zweiter Band (1851–1852): 3. Meso-Lethaea: III. Theil, Trias-Periode; IV. Theil, Oolithen-Periode; V. Theil, Kreide-Periode, viii + 412 p., Atlas, 124 pl.*
- Bronniman, Paul. 1955. Microfossils *incertae sedis* from the Upper Jurassic and Lower Cretaceous of Cuba. *Micropaleontology* 1:28–51, 10 fig., 2 pl.
- Brown, Thomas. 1844. Illustrations of the recent conchology of Great Britain and Ireland, with the description and localities of all the species, marine, land, and fresh-water: Drawn and coloured from nature, 2nd. ed., greatly enlarged. Smith & others. London. 145 p.
- Bucchich, G. 1886. Alcune spugne dell'Adriatico sconosciute e nuove. *Bollettino della Società adriatica di scienze naturali in Trieste* 9:222–225.
- Buch, Leopold von. 1845. Über einige merkwürdige Muschel-Reste des oberen Italiens. In *Berichte über die zur Bekanntmachung geeigneten Verhandlungen der Königlich-Preussischen Akademie der Wissenschaften zu Berlin* 1845:25–28.
- Buvignier, Amand. 1852. *Statistique géologique, minéralogique etc. du département de la Meuse*. Baillière. Paris, London, New York. 694 p., 32 pl.
- Caillet, H. 1923. Note sur un *Antedon* nouveau de l'Oxfordien. *Bulletin de la Société Belfortaine d'Émulation* 38 (for 1922):125–127, 1 pl.
- Campredon, Robert, Jacques Bodelle, & Olivier de Villoutreys. 1968. Découverte d'*Isselocrinus didactylus* (d'Orb. in d'Archiac) et de *Conocrinus thorenti* dans les marnes éocènes du synclinal d'Annot (Basses-Alpes). *Comptes Rendus de l'Académie des Sciences Paris (series D)* 266:83–85, pl. 1.
- Carpenter, P. Herbert. 1879a. On the genus *Actinometra*. *Linnean Society of London (Zoology), Transactions (series 2)* 2:1–122, pl. 1–8.
- Carpenter, P. Herbert. 1879b. Preliminary report upon the Comatulæ of the Challenger Expedition. *Royal Society of London, Proceedings* 28:383–395.
- Carpenter, P. Herbert. 1880a. On some undescribed Comatulæ from the British secondary rocks. *Geological Society of London, Quarterly Journal* 36:36–55, pl. 5.
- Carpenter, P. Herbert. 1880b. On some new Cretaceous Comatulæ. *Geological Society of London, Quarterly Journal* 36:549–558, pl. 23.
- Carpenter, P. Herbert. 1881a. On the genus *Solanocrinus* Goldfuss, and its relations to recent Comatulæ. *Linnean Society of London (Zoology), Journal* 15:187–217, pl. 9–12.
- Carpenter, P. Herbert. 1881b. On two new crinoids from the Upper Chalk of southern Sweden. *Geological Society of London, Quarterly Journal* 37:128–136, pl. 6.
- Carpenter, P. Herbert. 1881c. Report on the results of dredging under the supervision of Alexander Agassiz, in the Gulf of Mexico (1877–1878), the Caribbean Sea (1878–1879), and the East Coast of the United States (1880), by the U.S.C.S. Str. "Blake," Lieut.-Commander C. D. Sigsbee, U.S.N., and Commander J. R. Bartlett, U.S.N. Commanding. XVI. Preliminary report on the Comatulæ. *Harvard University, Museum of Comparative Zoology, Bulletin* 9(4):151–170.
- Carpenter, P. Herbert. 1881d. Note 35. The Comatulæ of the Leyden Museum. *Leyden Museum, Notes* 3:173–217.
- Carpenter, P. Herbert. 1882a. On some new or little-known Jurassic crinoids. *Geological Society of London, Quarterly Journal* 38:29–43, pl. 1.
- Carpenter, P. Herbert. 1882b. Description of new or little known Comatulæ. I. On the species of *Atelecrinus* and *Eudiocrinus*. II. The Comatulæ of the Hamburg Museum. *Linnean Society of London (Zoology), Journal* 16:487–526.
- Carpenter, P. Herbert. 1882c. Report on the results of dredging under the supervision of Alexander Agassiz, in the Gulf of Mexico (1877–1878) and the Caribbean Sea (1878–1879) by the U.S. Coast Survey steamer "Blake," Lieut.-Commander C. D. Sigsbee, U.S.N., and Commander J. R. Bartlett, U.S.N., commanding. XVIII: The stalked crinoids of the Caribbean Sea. *Harvard University, Museum of Comparative Zoology, Bulletin* 10(4):165–181.
- Carpenter, P. Herbert. 1883. On a new crinoid from the Southern Sea. *Annals and Magazine of Natural History (5th series)* 12:143–144.

- Carpenter, P. Herbert. 1884a. Report on the Crinoidea, First Part—The stalked crinoids. In Report on the Scientific Results of the Voyage of H.M.S. Challenger during the years 1873–76, Zoology, vol. 11, part 32. Published by order of Her Majesty's government. 442 p., 21 fig., 62 pl.
- Carpenter, P. Herbert. 1884b. On a new crinoid from the Southern Sea. Royal Society of London Philosophical Transactions 174:919–933, pl. 71.
- Carpenter, P. Herbert. 1884c. On the Crinoidea of the North Atlantic between Gibraltar and the Faeroe Islands. Royal Society of Edinburgh, Proceedings 12:353–380.
- Carpenter, P. Herbert. 1886. The Comatulæ of the "Willem Barents" Expeditions, 1880–84. Bijdrag tot de Dierkunde 13:1–12, pl. 1.
- Carpenter, P. Herbert. 1888. Report on the Crinoidea, Second Part—The Comatulæ. In Report on the Scientific Results of the Voyage of H.M.S. Challenger during the years 1873–76, Zoology, vol. 26, part 60. Published by order of Her Majesty's government. 400 p., 6 fig., 70 pl.
- Carpenter, P. Herbert. 1889. Report on the Comatulæ of the Mergui Archipelago collected for the Trustees of the Indian Museum, Calcutta, by Dr. J. Anderson. Linnean Society of London (Zoology), Journal 21:304–316, pl. 26–27.
- Carpenter, P. Herbert, & Robert Etheridge Jr. 1881. Contributions to the study of the British Paleozoic crinoids, 1, On *Allagecrinus*, the representative of the Carboniferous limestone series. Annals and Magazine of Natural History (series 5)7:281–298, pl. 15–16.
- Carpenter, William B. 1866. Researches on the structure, physiology, and development of *Antedon* (*Comatula* Lamk.) *rosaceus*, Part I. Royal Society of London, Philosophical Transactions 156:671–756, pl. 31–43.
- Carpenter, William B. 1876. On the structure, physiology, and development of *Antedon* (*Comatula* Lamk.) *rosaceus*. Royal Society of London, Proceedings 24:211–231, pl. 8–9. Suppl. note, p. 451–455.
- Carpenter, William B. 1884. On the nervous system of the Crinoidea. Royal Society of London, Proceedings 232:67–76.
- Carpenter, William B., & J. G. Jeffreys. 1870. Report on deep-sea researches carried on during the months of July, August, and September, 1870, in H. M. surveying-ship "Porcupine." Royal Society of London 19:146–221.
- Castellana, Michele, Riccardo Manni, & Umberto Nicosia. 1989. Bajocian cyrtocrinid crinoids from Central Italy. Bolletino della Società Paleontologica Italiana 28:71–77, 3 fig., pl. 1.
- Castellana, Michele, Riccardo Manni, & Umberto Nicosia. 1990. A new cyrtocrinid crinoid from Middle Jurassic of central Italy. Atti della Società dei Naturalisti e Matematici di Modena 121:17–26, 1 fig., 1 pl.
- Castelnau, M. F. de. 1843. Au système silurien de l'Amérique septentrionale. Comptes Rendus des Séances de l'Académie Royale des Sciences. 56 p., 27 pl.
- Chapman, E. J. 1883. A classification of crinoids. Proceedings and Transactions of the Royal Society of Canada for the years 1882 and 1883, vol. 1, section 4(1882):113–116.
- Charbonnier, Sylvain, Jean Vannier, Christian Gaillard, Jean-Paul Bourseau, & Pierre Hantzpergue. 2007. The La Voulte Lagerstätte (Callovian): Evidence for a deep water setting from sponge and crinoid communities. Palaeogeography, Palaeoclimatology, Palaeoecology 250:216–236, 11 fig.
- Charlesworth, Edward. 1847. New species of *Pentacrinus* in the Lias of Yorkshire. London Geology Journal 2:98, pl. 9.
- Clark, Ailsa McGown. 1967. Crinoids of the Zoological Collection of the Bavarian State. Veröffentlichungen der Zoologischen Staatssammlung München 11:151–174, 2 fig.
- Clark, Ailsa McGown. 1970. Echinodermata. Crinoidea. Marine invertebrates of Scandinavia 3:1–55, 19 fig.
- Clark, Ailsa McGown. 1972. Some crinoids from the Indian Ocean. British Museum (Natural History), Bulletin, Zoology 24:75–156.
- Clark, Ailsa McGown. 1973a. Fossil and recent comatulid crinoids with coelomic extensions penetrating the centrodorsal. British Museum (Natural History), Bulletin, Zoology 24:441–446.
- Clark, Ailsa McGown. 1973b. Some new taxa of recent stalked Crinoidea. British Museum (Natural History), Bulletin 25(7):267–288, 6 fig., pl. 1–2.
- Clark, Ailsa McGown. 1977. Notes on deep-water Atlantic Crinoidea. British Museum (Natural History), Bulletin, Zoology 31(4):159–186, 5 fig.
- Clark, Ailsa McGown. 1980. Crinoidea collected by the Meteor and Discovery in the NE Atlantic. British Museum (Natural History), Bulletin, Zoology 38:187–210.
- Clark, Ailsa McGown, & F. W. E. Rowe. 1971. Shallow-water Indo-West Pacific Echinoderms. British Museum (Natural History). London. 238 p.
- Clark, Austin Hobart. 1907a. Two new crinoids from the North Pacific Ocean. U.S. National Museum, Proceedings 32:507–512.
- Clark, Austin Hobart. 1907b. A new species of crinoid (*Ptilocrinus pinnatus*) from the Pacific Coast, with a note on *Bathyrinus*. U.S. National Museum, Proceedings 32:551–554.
- Clark, Austin Hobart. 1907c. Description of new species of recent unstalked crinoids from the North Pacific Ocean. U.S. National Museum, Proceedings 33(1559):69–84.
- Clark, Austin Hobart. 1907d. Description of new species of recent unstalked crinoids from the coast of northeastern Asia. U.S. National Museum, Proceedings 33:127–156.
- Clark, Austin Hobart. 1907e. Five new recent crinoids from the North Pacific Ocean. Smithsonian Miscellaneous Collections, Quarterly Issue 50(3):337–342.
- Clark, Austin Hobart. 1907f. New genera of recent free crinoids. Smithsonian Miscellaneous Collections, Quarterly Issue 50(3):343–364.
- Clark, Austin Hobart. 1908a. Infrabasals in recent genera of Pentacrinidae. U.S. National Museum, Proceedings 33:671–676, fig. 1–8.

- Clark, Austin Hobart. 1908b. Description of new species of crinoids, chiefly from the collections made by U.S. Fisheries steamer "Albatross" at the Hawaiian Islands in 1902; with remarks on the classification of the Comatulida. U.S. National Museum, Proceedings 34:209–239.
- Clark, Austin Hobart. 1908c. On a collection of feather stars, or comatulids, from Japan. U.S. National Museum, Proceedings 34:305–319.
- Clark, Austin Hobart. 1908d. The nomenclature of the recent crinoids. U.S. National Museum, Proceedings 34:435–542. Index to all pre-1908 crinoid names (recent).
- Clark, Austin Hobart. 1908e. The axial canals of the recent Pentacrinitidae. U.S. National Museum, Proceedings 35:87–91.
- Clark, Austin Hobart. 1908f. The homologies of the arm joints and arm divisions in the recent crinoids of the families Comatulidae and the Pentacrinitidae. U.S. National Museum, Proceedings 35:113–131, fig. 1–28.
- Clark, Austin Hobart. 1908g. Notice of some crinoids in the collection of the Museum of Comparative Zoology. Harvard University, Museum of Comparative Zoology, Bulletin 51(8):233–248, pl. 1–2.
- Clark, Austin Hobart. 1908h. New genera of unstalked crinoids. Biological Society of Washington, Proceedings 21:125–136.
- Clark, Austin Hobart. 1908i. Two new crinoid genera. Biological Society of Washington, Proceedings 21:149–152.
- Clark, Austin Hobart. 1908j. Some points in the ecology of recent crinoids. American Naturalist 42:717–726.
- Clark, Austin Hobart. 1908k. New genera and species of crinoids. Biological Society of Washington, Proceedings 21:219–232.
- Clark, Austin Hobart. 1908l. Preliminary notice of a collection of recent crinoids from the Philippine Islands. Smithsonian Miscellaneous Collections, Quarterly Issue 52(2):199–234.
- Clark, Austin Hobart. 1909a. A revision of the crinoid families Thalassometridae and Himerometridae. Biological Society of Washington, Proceedings 22:1–22.
- Clark, Austin Hobart. 1909b. New recent crinoids from the Indian Ocean. Biological Society of Washington, Proceedings 22:75–86.
- Clark, Austin Hobart. 1909c. General notes. The type of the genus *Comaster*. Biological Society of Washington, Proceedings 22:87–90.
- Clark, Austin Hobart. 1909d. *Comatilia*, a remarkable new genus of unstalked crinoids. U.S. National Museum, Proceedings 36:361–367.
- Clark, Austin Hobart. 1909e. On a collection of recent crinoids from the Philippine Islands. U.S. National Museum, Proceedings 36:391–410.
- Clark, Austin Hobart. 1909f. Revision of the crinoid family Comasteridae, with description of new genera and species. U.S. National Museum, Proceedings 36:493–507.
- Clark, Austin Hobart. 1909g. New recent Indian crinoids. Biological Society of Washington, Proceedings 22:143–152.
- Clark, Austin Hobart. 1909h. New genera and higher groups of unstalked crinoids. Biological Society of Washington, Proceedings 22:173–178.
- Clark, Austin Hobart. 1909i. On a collection of crinoids from the Zoological Museum of Copenhagen. Videnskabelige Meddelelser frå Dansk Naturhistorisk Forening 61:115–195.
- Clark, Austin Hobart. 1909j. Descriptions of seventeen new species of recent crinoids. U.S. National Museum, Proceedings 36:633–651.
- Clark, Austin Hobart. 1909k. Four new species of the genus *Rhizocrinus*. U.S. National Museum, Proceedings 36:673–676.
- Clark, Austin Hobart. 1910a. The origin of the crinoidal muscular articulation. American Journal of Science (series 4) 29:40–44.
- Clark, Austin Hobart. 1910b. The phylogenetic interrelationships of the recent crinoids. U.S. National Museum, Proceedings 38:115–118.
- Clark, Austin Hobart. 1910c. On the origin of certain types of crinoid stems. U.S. National Museum, Proceedings 38:211–216.
- Clark, Austin Hobart. 1910d. *Proisocrinus*, a new genus of recent crinoids. U.S. National Museum, Proceedings 38:387–390.
- Clark, Austin Hobart. 1911a. *Thalassocrinus*, a new genus of stalked crinoids from the East Indies. U.S. National Museum, Proceedings 39:473–476.
- Clark, Austin Hobart. 1911b. On a collection of unstalked crinoids made by the United States Fisheries steamer "Albatross" in the vicinity of the Philippine Islands. U.S. National Museum, Proceedings 39:529–563.
- Clark, Austin Hobart. 1911c. The recent crinoids of the coasts of Africa. U.S. National Museum, Proceedings 40:1–51.
- Clark, Austin Hobart. 1911d. A new crinoid genus from the Indian Ocean. Biological Society of Washington, Proceedings 24:87–88.
- Clark, Austin Hobart. 1911e. The systematic position of the crinoid genus *Marsupites*. U.S. National Museum, Proceedings 40:649–654.
- Clark, Austin Hobart. 1911f. The comparative age of the recent crinoid faunas. American Journal of Science 32:127–132.
- Clark, Austin Hobart. 1911g. The recent crinoids of Australia. Australian Museum, Memoir 4(15):705–804.
- Clark, Austin Hobart. 1911h. A new unstalked crinoid from the Philippine Islands. U.S. National Museum, Proceedings 41:171–173.
- Clark, Austin Hobart. 1912a. The unstalked crinoids of the Siboga Expedition. Siboga-Expeditie, Vitkomsten op Zoologisch, Botanisch, Oceanographisch en Geologisch Gebied verzameld in Nederlandsch Oost-Indie 1899–1900, vol. 42b. Brill. Leiden. viii + 300 p., 17 fig., 28 pl.
- Clark, Austin Hobart. 1912b. The homologies of the so-called anal, and other plates in the pentacrinoid larvae of the free crinoids. Washington Academy of Science, Journal 2(13):309–314.
- Clark, Austin Hobart. 1912c. The crinoids of the Indian Ocean. Echinoderma of the Indian Museum,

- pt. 7, Crinoidea. Trustees of the Indian Museum. Calcutta. 325 p.
- Clark, Austin Hobart. 1912d. Seventeen new East Indian crinoids belonging to the families Comasteridae and Zygometridae. Biological Society of Washington, Proceedings 25:17–28.
- Clark, Austin Hobart. 1912e. Description of twenty new unstalked crinoids, belonging to the families Antedonidae and Atelecrinidae, from the Dutch East Indies. Leyden Museum, Notes 34:129–155.
- Clark, Austin Hobart. 1912f. *Naumachocrinus*, a new genus belonging to the crinoid family Phrynocrinidae. U.S. National Museum, Proceedings 42:195–197.
- Clark, Austin Hobart. 1912g. Six new East Indian crinoids belonging to the family Charitometridae. Biological Society of Washington, Proceedings 25:77–84.
- Clark, Austin Hobart. 1912h. The crinoids of the Natural History Museum at Hamburg. Smithsonian Miscellaneous Collections 60(10):1–33.
- Clark, Austin Hobart. 1913a. The systematic position of the crinoid family Plicathocrinidae. Washington Academy of Sciences, Journal 3:494–499.
- Clark, Austin Hobart. 1913b (1912). On a collection of recent crinoids from the waters about Ireland. Fisheries, Ireland, Scientific Investigations 4:1–5.
- Clark, Austin Hobart. 1913c. A revision of the crinoid family Mariametridae. Biological Society of Washington, Proceedings 26:141–144.
- Clark, Austin Hobart. 1913d. Notes on the recent crinoids in the British Museum. Smithsonian Miscellaneous Collections 61(15):1–89.
- Clark, Austin Hobart. 1914a. The circulation of the abyssal waters of the oceans, as indicated by the geographical and bathymetrical distribution of the recent crinoids. Bulletin de l'Institut océanographique, Monaco 285:1–27.
- Clark, Austin Hobart. 1914b. Une étude philosophique de la relation entre les crinoïdes actuels et la température de leur habitat. Bulletin de l'Institut océanographique, Monaco 294:1–11.
- Clark, Austin Hobart. 1915–1950. A monograph of the existing crinoids. U.S. National Museum, Bulletin 82, pt. 1, the comatulids (1915a):1–406, fig. 1–513, pl. 1–17; pt. 2 (1921):1–795, fig. 1–949, pl. 1–57; pt. 3 (1931):1–816, pl. 1–82; pt. 4a (1941):1–603, pl. 1–61; pt. 4b (1947):1–473, pl. 1–43; pt. 4c (1950):1–383, pl. 1–32; pt. 5 (1967), see also Clark, A. H. & Clark, A. M.
- Clark, Austin Hobart. 1915b. Die Crinoiden der Antarktis. Deutsche Südpolar-Expedition 1901–1903, 16. Zoologie 8:102–210, pl. 2–10.
- Clark, Austin Hobart. 1916a. Seven new genera of echinoderms. Washington Academy of Sciences, Journal 6(5):115–122.
- Clark, Austin Hobart. 1916b. Six new genera of unstalked crinoids belonging to the families Thalassometridae and Charitometridae. Washington Academy of Sciences, Journal 6(17):605–608.
- Clark, Austin Hobart. 1916c. General notes. The first New Zealand crinoid. Biological Society of Washington, Proceedings 29:48.
- Clark, Austin Hobart. 1917a. A revision of the crinoid family Antedonidae, with the diagnoses of nine new genera. Washington Academy of Science, Journal 7(5):127–131.
- Clark, Austin Hobart. 1917b. A revision of the recent genera of the crinoid family Bourgueticrinidae with the description of a new genus. Washington Academy of Science, Journal 7:388–392.
- Clark, Austin Hobart. 1918. The unstalked crinoids of the Siboga Expedition, vol. 42b. E. J. Brill. Leiden. 300 p., 28 pl.
- Clark, Austin Hobart. 1919a. Sea-lilies and feather stars. Smithsonian Miscellaneous Collections 72(7):1–43, pl. 1–16.
- Clark, Austin Hobart. 1919b. The systematic position of the crinoid genus *Holopus*. Washington Academy of Science, Journal 9(5):136–138.
- Clark, Austin Hobart. 1920. A new unstalked crinoid from the Philippine Islands. Biological Society of Washington, Proceedings 33:21–22.
- Clark, Austin Hobart. 1923a. A revision of the recent representatives of the crinoid family Pentacrinidae, with the diagnoses of two new genera. Washington Academy of Science, Journal 13(1):8–12.
- Clark, Austin Hobart. 1923b. Crinoidea. The Danish Ingolf-Expedition, vol. 4. no. 5. Copenhagen. p. 1–60.
- Clark, Austin Hobart. 1929. On some recent crinoids in the collection of the British Museum. Linnean Society of London, Journal (Zoology) 36(249):635–664, pl. 40–44.
- Clark, Austin Hobart. 1932a. On some recent crinoids collected by the cableship "The Cable" off Madras, and off Lombok and Timor, Lesser Sunda Islands. Annals and Magazine of Natural History (series 10) 10:378–392, pl. 13–15.
- Clark, Austin Hobart. 1932b. On a collection of crinoids from the Indian Ocean and the Bay of Bengal. Indian Museum, Records 34(4):551–566.
- Clark, Austin Hobart. 1934a. Two new crinoids. Smithsonian Miscellaneous Collections 91(4):1–5, pl. 1–2.
- Clark, Austin Hobart. 1934b. On a collection of crinoids from the Raffles Museum, Singapore. Biological Society of Washington, Proceedings 47:9–14.
- Clark, Austin Hobart. 1936a. Five new genera and two new species of unstalked crinoids. U.S. National Museum, Proceedings 83:245–250.
- Clark, Austin Hobart. 1936b. Biological results of the Snellius Expedition 1. The unstalked crinoids of the Snellius Expedition. Temminckia 1:295–320, pl. 7–9.
- Clark, Austin Hobart. 1937. Crinoidea. The John Murray Expedition, 1933–34. Scientific Reports 4(4):88–108, 1 pl.
- Clark, Austin Hobart. 1944. A new fossil comatulid from the Cretaceous of Cundinamarca, Colombia. Washington Academy of Sciences, Journal 34(9):303–308, 1 pl.
- Clark, Austin Hobart. 1949. Echinoderms from the mid-Atlantic dredged by the Atlantis in the summer of 1948. Washington Academy of Sciences, Journal 39:371–377.

- Clark, Austin Hobart, & Ailsa McGown Clark. 1967. A monograph of the existing crinoids. The comatulids, pt. 5. U.S. National Museum, Bulletin 1:860 p., 53 fig.
- Clark, Hubert Lyman. 1909. Scientific results of the trawling expedition of H.M.C.S. "Thetis," Echinodermata. Australian Museum, Memoir 4(11):519–564, pl. 47–58.
- Clark, Hubert Lyman. 1915. The comatulids of Torres Strait: With special reference to their habits and reactions. Papers from the Department of Marine Biology of the Carnegie Institution of Washington 8:67–125.
- Clark, Hubert Lyman. 1916. Report on the sea-lilies, starfishes, brittle-stars and sea urchins obtained by the F.I.S. "Endeavour" on the coasts of Queensland, New South Wales, Tasmania, Victoria, South Australia, and Western Australia. Biological Results Fishing Experiments, F.I.S. "Endeavour" 1909–14, vol. 4, no. 1. Commonwealth of Australia, Department of Trade and Customs. Sydney. p. 1–123, pl. 1–44.
- Clark, Hubert Lyman. 1938. Echinoderms from Australia. Harvard University, Museum of Comparative Zoology, Memoir 55:596 p., 28 pl.
- Clark, William Bullock, & Mayville W. Twitchell. 1915. The Mesozoic and Cenozoic Echinodermata of the United States. U.S. Geological Survey, Monograph 54:341 p., 108 pl.
- Cohen, Bernard L., Nadia Améziane, Marc Eléaume, & Bernard Richer de Forges. 2004. Crinoid phylogeny: A preliminary analysis. *Marine Biology* 144:605–617, 3 fig.
- Conan, Gérard, Michel Roux, & Myriam Sibuet. 1981. A photographic survey of a population of the stalked crinoid *Diplocrinus (Annacrinus) wyvillethomsoni* (Echinodermata) from the bathyal slope of the Bay of Biscay. *Deep-Sea Research* 28A:441–453, 9 fig.
- Crema, Camillo. 1896. Addizioni agli Echinodermi del Muschelkalk di Recoaro. *Atti del Reale Istituto Veneto di Scienze, Lettere ed Arti (series 7)* 7:854–861, pl. 2.
- Cuénot, Lucien. 1948. Anatomie, éthologie et systématique des échinodermes. In P.-P. Grassé, ed., *Traité de Zoologie*, vol. 11. Masson. Paris. p. 3–275, fig. 1–312. Classe des Crinoïdes: p. 30–74, fig. 38–98.
- Cuénot, Lucien, & Constantin Dawydoff. 1948. Embranchement des échinodermes: In P.-P. Grassé, ed., *Traité de Zoologie*, vol. 11. Masson. Paris. p. 3–363, fig. 1–399.
- Cumberland, George. 1826. Reliquiae conservatae, "From the primitive materials of our present globe with popular descriptions of the prominent characters of some remarkable *Encrinurus* and their connecting links." J. M. Gutch. Bristol. 45 p., 13 pl.
- Dames, W. 1885. Ueber Petrefacten aus dem Daghestán und der Turkmenensteppe. *Zeitschrift der Deutschen Geologischen Gesellschaft* 37:218–221, 2 fig.
- Daniélssen, D. C. 1892. Crinoida. *Norske Nordhavs-Expedition. Zoologi* 21:28 p., 5 pl.
- Daniélssen, D. C., & J. Koren. 1877. Fra den norske Nordhavsexpedition echinodermter, *Ilycrinus carpenterii*. *Nyt magasin for naturvidenskaberne* 23:45–83, pl. 1–5.
- David, Jérôme, Michel Roux, Charles G. Messing, & Nadia Améziane. 2006. Revision of the pentacrinid stalked crinoids of the genus *Endoxocrinus* (Echinodermata, Crinoidea) with a study of environmental control of characters and its consequences for taxonomy. *Zootaxa* 1156:1–50, 24 fig.
- Defrance, J. L. M. 1819. Dictionnaire des Sciences Naturelles, vol. 14. In M. F. Cuvier, dir. Le Normant, Paris. F. G. Levrault. Strasbourg. p. 467–468.
- Dejean, P. F. M. A. 1833–1836. Catalogue des Coléoptères de la collection de M. le comte Dejean, éd. 3. Méquignon-Marvis. Paris. 443 p. Reference according to Madge, 1988.
- Delogu, Daniela, & Umberto Nicosia. 1986. *Hoyacrinus sincerus* n.gen. n.sp. from the Malm of Central Italy, type of Hoyacrinidae n. fam. *Bolletino della Società Paleontologica Italiana* 25:3–7, 2 fig.
- Delogu, Daniela, & Umberto Nicosia. 1987. A new cyrtocrinid from the Lias of Turkey: *Capsicocrinus souti* n. gen., n. sp. *Geologica Romana* 23:157–162, 7 fig.
- Deslongchamps, Eugène Eudes. 1859. Note sur la limite du Lias supérieur et du Lias moyen dans le Département du Calvados. *Bulletin de la Société Géologique de France (series 2)* 16:673–677.
- Deslongchamps, J. A., & Eugène Eudes Deslongchamps. 1858. Mémoire sur la couche à *Leptaena* intercalée entre le lias moyen et le lias supérieur du Calvados. *Bulletin de la Société Linnéenne de Normandie* 3 (1857–1858):132–187, pl. 5–7. Crinoids, p. 170–185, pl. 5–7.
- Desor, Edouard. 1845. Résumé de ses études sur les crinoïdes fossiles de la Suisse. *Bulletin de la Société des sciences Naturelles de Neuchâtel* 1(1845):211–222.
- Destombes, Pierre. 1985. Roveacrinidae nouveaux de l'Albien du Bassin de Paris. *Bulletin trimestriel de la Société géologique de Normandie et des Amis Muséum du Havre* 71:9–16, 2 pl.
- Destombes, Pierre, & G. Breton. 2001. *Platelicrinus campaniensis* nov. gen. nov. sp. Roveacrinidae (Echinodermata, Crinoidea) du Campanien des Charentes, France. *Bulletin trimestriel de la Société géologique de Normandie et des Amis Muséum du Havre* 87:37–40, 1 fig., pl. 1.
- Dittmar, Alphons von. 1866. Zur Fauna der Hallstädter Kalke. *Benecke's Geognostisch-paläontologische Beiträge* 1(2):319–398, pl. 12–20.
- Dixon, Frederick. 1850. The geology and fossils of the Tertiary and Cretaceous formations of Sussex. Longman, Brown, Green, & Longmans. London. 422 p., 44 pl.
- Döderlein, Ludwig. 1907. Die gestielten Crinoiden der Siboga-Expedition. *Siboga Expedition: Uitkomsten op zoologisch, botanisch, oceanographisch en geologisch gebied, verzameld in Nederlandsch Oost-Indie 1899–1900*, vol. 42a. Brill. Leiden. p. 1–54, fig. 1–12, pl. 1–23.
- Döderlein, Ludwig. 1912. Die gestielten Crinoiden der deutschen Tiefsee-Expedition. *Wissenschaftliche Ergebnisse der Deutschen Tiefsee-Expedition "Valdivia" 1898–1899*, vol. 17, no. 1. Gustav Fischer. Jena. p. 1–34, fig. 1–9, pl. 1–12.
- Donofrio, D., & H. Mostler. 1975. Neue Schwebcrinoiden aus Hallstätter Kalken des Berchtesgadener



- Raums. Geologisch paläontologische Mitteilungen, Innsbruck 5(2):1–28, 6 fig.
- Donovan, Stephen K. 1984. Stem morphology of the Recent crinoid *Chladocrinus* (*Neocrinus*) *decorus*. *Palaeontology* 27:825–841, 3 fig., pl. 73–76.
- Donovan, Stephen K. 1993. Contractile tissues in the cirri of ancient crinoids: criteria for recognition. *Lethaia* 26:163–169, 3 fig.
- Donovan, Stephen K. 1994. Isocrinid crinoids from the late Cenozoic of Jamaica. *Atlantic Geology* 30:195–203, 5 fig.
- Donovan, Stephen K. 1996. Comparative morphology of the stems of the extant bathyrcrinid *Democrinus* Perrier and the Upper Palaeozoic platycrinids (Echinodermata, Crinoidea). *Bulletin of the Mizunami Fossil Museum* 23(1996):1–27, 5 fig., 11 pl.
- Donovan, Stephen K., & S. L. Jakobsen. 2004. An unusual crinoid-barnacle association in the type area of the Danian (Paleocene), Denmark. *Lethaia* 37:407–415, 3 fig.
- Donovan, Stephen K., Clare V. Milsom, & Cornelis J. Veltkamp. 1996. Jamaican Cretaceous Crinoidea. *Journal of Paleontology* 70:866–871, 2 fig.
- Donovan, Stephen K., & David L. Pawson. 1994. Skeletal morphology and palaeontological significance of the stem of extant *Phrynocrinus nudus* A. H. Clark (Echinodermata: Crinoidea). *Journal of Paleontology* 68:1336–1343, 6 fig.
- Douglas, J. A. 1908. A note on some new Chalk crinoids. *Geological Magazine* (series 5) 5:357–359, pl. 17.
- Dubatolova, Yu. A., & Jie Shao. 1959. Zhongguo nanbu Shitan, Erdie he Sandieji de haibaihejing huashi [Carboniferous, Permian, and Triassic fossil crinoid columnals from southern China]. *Gushengwu xuebao* [Acta palaeontologica Sinica] 7:41–80, 2 pl. In Chinese and Russian.
- Dujardin, Felix, & L.-H. Hupé. 1862. Histoire Naturelle des Zoophytes, échinodermes. Librairie Encyclopédique de Roret, vol. 8. Roret. Paris. 628 p., 10 pl.
- Dumortier, Eugène. 1869. Études paléontologiques sur les dépôts jurassiques du Bassin du Rhône, pt. 3, Lias-Moyen. F. Savy. Paris. 348 p., 45 pl.
- Dumortier, Eugène. 1871. Sur quelques gisements de l'Oxfordien inférieur de l'Ardèche. F. Savy. Paris. 85 p., 6 pl.
- Duncan, P. M., & W. P. Sladen. 1881. A memoir on the Echinodermata of the Arctic Sea to the west of Greenland. J. Van Voorst. London. p. 1–82, pl. 1–6.
- Eagle, Michael K. 1993. A new fossil isocrinid crinoid from the Late Oligocene of Waitete Bay, Northern Coromandel. *Records of the Auckland Institute and Museum* 30:1–12, 16 fig.
- Eagle, Michael K. 2001. New fossil crinoids (Articulata: Comatulida) from the Late Oligocene of Waitete Bay, northern Coromandel Peninsula, New Zealand. *Records of the Auckland Museum* 37:81–92, 22 fig.
- Eagle, Michael K. 2003a. Etalian and Kaihikuan (Middle Triassic) Crinoidea (Echinodermata: Articulata) from Caroline Cutting, Oreti valley, Southland, New Zealand. *Journal of the Royal Society of New Zealand* 33:269–299, 16 fig.
- Eagle, Michael K. 2003b. *Chariocrinus*—(Crinoidea: Articulata) from the Latady Formation, Behrendt and Hauberg Mountains, Ellsworth Land, Antarctica. *New Zealand Journal of Geology & Geophysics* 46:529–537, 4 fig.
- Eagle, Michael K. 2004a. *Saracrinus* (Crinoidea: Echinodermata) from the Early Miocene of Motuketeke Island, Hauraki Gulf, Auckland, New Zealand. *Records of the Auckland Museum* 41:4–12, 7 fig.
- Eagle, Michael K. 2004b. Tethyan crinoids in the Panthalassa Ocean. *Gondwana Research* 7:193–197, 3 fig.
- Eagle, Michael K. 2005. A new genus of fossil crinoid (Cyrtoocrinida: Sclerocrinidae) from Chatham Island, New Zealand. *Records of the Auckland Museum* 42:35–47, 14 fig.
- Eichwald, C. E. d' [Eduard von]. 1871. Geognostisch-palaeontologische Bemerkungen über die Halbinsel Mangischlak und die Aleutischen Inseln. Buchdruckerei der kaiserlichen Akademie der Wissenschaften. St. Petersburg. 200 p., 20 pl.
- Éleau, M. 2006. Approche morphométrique de la variabilité phénotypique: Conséquences systématiques et évolutives. Ph. D. Dissertation. Muséum National d'Histoire Naturelle. Paris. 383 p.
- Emmons, Ebenezer. 1858. Report of the North Carolina Geological Survey. Agriculture of the eastern counties; together with descriptions of the fossils of the marl beds. *North Carolina Geological Survey Bulletin* 249:314 p., fig.
- Encyclopedia Britannica online. [www.britannica.com](http://www.britannica.com).
- Étallon, C.-A. 1857. Esquisse d'une description géologique du Haut-Jura. *Annales des sciences physiques et naturelles, d'agriculture et d'industrie Lyon* (série 3) 1:247–354.
- Étallon, C.-A. 1859. Études paléontologiques sur le Haut-Jura. Rayonnées du Corallien. *Mémoires de la Société d'Émulation du Département du Doubs* (série 3) 3(1858):401–553.
- Étallon, C.-A. 1862. Études paléontologiques sur le Haut Jura. Monographie du Corallien. *Mémoires de la Société d'Émulation du Département du Doubs* (série 3) 6(1861):53–260.
- Etheridge Jr., Robert. 1882. On the analysis and distribution of the British Jurassic fossils. *Geological Society of London, Quarterly Journal* 38:59–236.
- Farinacci, Anna, & Riccardo Manni. 2003. Roveacrinids from the Northern Arabian Plate in SE Turkey. *Turkish Journal of Earth Sciences* 12:209–214, 2 pl.
- Fechter, H. 1973. *Cyathidium meteorensis* spec. nov., ein neuer Crinoide aus der Familie Holopodidae. *Helgoländer Wissenschaftliche Meeresuntersuchungen* 25:162–169.
- Ferré, Bruno, & Bruno Granier. 2001. Albian roveacrinids from the southern Congo Basin off Angola. *Journal of South American Earth Sciences* 14:219–235, 9 fig.
- Fet, V., and C. G. Messing. 2003. Case 3270: Isometrinae Clark, 1917 (Echinodermata, Crinoidea): Proposed emendation of spelling to Isometrainae to remove homonymy with Isometrinae Kraepelin, 1891 (Arachnida, Scorpiones). *Bulletin of Zoological Nomenclature* 60(4):293–296.

- Filhol, Henri. 1885. La vie au fond des mers, les explorations sous-marines et les voyages du "Travailleur" et du "Talisman." G. Masson. Paris. 303 p.
- Fischer von Waldheim, Gotthelf. 1811. Recherches sur les Encrinites, les Polycères et les Ombellulaires etc. Notice des fossiles du Gouv. de Moscou, servant de Progr. d'invitation à la séance publique de la Société Impériale de Moscou. Université de Moscou. Moscow. 32 p., 2 pl.
- Fleming, John. 1828. History of British animals exhibiting the descriptive characters and systematical arrangement of the genera and species of quadrupeds, birds, reptiles, fishes, Mollusca and Radiata of the United Kingdom. Bell & Bradford. Edinburgh. xxiii + 565 p.
- Flores, Søren, & Bent Eske Koch. 1984. Henning Wienberg Rasmussen (Obituary). Dansk Geologisk Forening Årsskrift for 1983:99–102.
- Fontannes, C. F. 1877. Les terrains tertiaires supérieurs du Haut Comat-Venaissin. Annales de la Société d'Agriculture de Lyon (série 4) 9:571–672.
- Fontannes, C. F. 1880. Description de quelques espèces nouvelles ou peu connues des terrains tertiaires supérieurs du Bassin de Rhone. Annales de la Société d'Agriculture, Histoire Naturelle et Arts utiles de Lyon (série 5) 1(1878):410–416.
- Forbes, Edward. 1841. A history of British starfishes and other animals of the Class Echinodermata. J. Van Voorst. London. 267 p.
- Forbes, Edward. 1852. Monograph of the Echinodermata of the British Tertiaries. Palaeontographical Society. London. 36 p., 4 pl.
- Fowler, Henry W. 1904. A collection of fishes from Sumatra. Journal of the Academy of Natural Sciences of Philadelphia 12:495–560.
- Fraas, O. 1858. Ueber basaltiforme Pentacriniten. Verein für Vaterländische Naturkunde Württemberg, Jahreshfte 14:311–327, pl. 2.
- Fraas, O. 1878. Geologisches aus dem Libanon. Verein für Vaterländische Naturkunde Württemberg, Jahreshfte 34:257–301, pl. 3–8.
- Fréminville, C. P. de la Poix de. 1811. Mémoire sur un nouveau genre de Zoophytes de l'ordre des Radiaires. Nouveau Bulletin des Sciences par la Société Philomathique Paris 2:349–350.
- Frickhinger, K. A. 1999. The fossils of Solnhofen, 2, new specimens, new details, new results. Goldschneck. Korb. 190 p., 288 fig.
- Frizzell, D. L., & Harriet Exline. 1956. Monograph of fossil holothurian sclerites. Missouri University School of Mines and Metallurgy Bulletin, Technical Series 89 (1955):1–204, 21 fig., 11 pl.
- Fujiwara, Shin-Ichi, Tatsuo Oji, Yasutaka Tanaka, & Yasuo Kondo. 2005. Relay strategy and adaptation to a muddy environment in *Isselicrinus* (Isselicrinidae: Crinoidea). PALAIOS 20:241–248, 6 fig.
- Gagnébin, Elie. 1930. Un fossile nouveau (*Pogocrinus raafensis* nov. gen., nov. sp.) dans la carnieule triasique de la nappe du Niesen (Préalpes suisses). Bulletin de la Société Vaudoise des Sciences Naturelles 57:219–222, 1 pl.
- Gale, Andrew S., Jake M. Hancock, W. James Kennedy, Maria Rose Petrizzo, Jacqueline A. Lees, Ireneusz Walaszczyk, & David S. Wray. 2008. An integrated study (geochemistry, stable oxygen and carbon isotopes, nannofossils, planktonic foraminifera, inoceramid bivalves, ammonites and crinoids) of the Waxahachie Dam Spillway section, north Texas: A possible boundary stratotype for the base of the Campanian Stage. Cretaceous Research 29:131–167, 24 fig.
- Geinitz, Hanns Bruno. 1846. Grundriss der Versteinerungskunde. Arnoldische Buchhandlung. Dresden & Leipzig. 815 p., 28 pl.
- Gervais, F. L. P. 1835. In F.-E. Guérin, ed., Dictionnaire pittoresque d'histoire naturelle et des phénomènes de la nature, vol. 3. Lenormand. Paris. p. 48–49, pl. 147.
- Gislén, Torsten. 1922. The crinoids from Dr. S. Bock's expedition to Japan 1914. Nova Acta Regiae Societatis Scientiarum Upsaliensis (series 4) 5(6):1–183, fig. 1–162, pl. 1–2.
- Gislén, Torsten. 1924. Echinoderm studies. Zoologisk Bidrag från Uppsala 9:330 p., 349 fig.
- Gislén, Torsten. 1925a. Some Mesozoic comatulids. Annals and Magazine of Natural History (series 9) 16:1–30.
- Gislén, Torsten. 1925b. Two new stalked crinoids from the Kei Islands. Videnskabelige Meddelelser frå Dansk Naturhistorisk Forening i København 79:85–95, fig. 1–22.
- Gislén, Torsten. 1927. Papers from Dr. Th. Mortensen's Pacific Expedition 1914–16. 37. Japanese crinoids. Videnskabelige Meddelelser frå Dansk Naturhistorisk Forening i København 83:1–69, fig. 1–80, pl. 1–2.
- Gislén, Torsten. 1928. Notes on some crinoids in the British Natural History Museum. Kungliga Svenska Vetenskapsakademiens, Arkiv för Zoologi 19A(32):1–15.
- Gislén, Torsten. 1930. Affinities between the Echinodermata, Enteropneusta, and Chordonia. Zoologisk Bidrag från Uppsala 12:199–304, fig. 1–42.
- Gislén, Torsten. 1934. A reconstruction problem: Analysis of fossil comatulids from North America, with a survey of all known types of comatulid arm ramifications. Lunds Universitets Årsskrift (new series) 30(2):59 p., 63 fig.
- Gislén, Torsten. 1936. Crinoids of French Indo China and the Macclesfield Bank. Kungliga Fysiografiska Sällskapet i Lund Forhandlingar 7(1):1–19.
- Gislén, Torsten. 1938a. A revision of the recent Bathycrinidae. Lunds Universitets Årsskrift (new series, part 2) 34(10):1–30, 18 fig.
- Gislén, Torsten. 1938b. Crinoids of S. Africa. Kungliga Svenska Vetenskapsakademiens Sällskapet Lund, Handlingar (series 3) 17(2):1–22, pl. 1–2.
- Gislén, Torsten. 1939. On the young of a stalked deep-sea crinoid and the affinities of the Hyocrinidae. Lunds Universitets Årsskrift (new series, part 2) 34(17):1–18, 12 fig.
- Gislén, Torsten. 1940. A collection of crinoids from the South Sea Islands. Kungliga Svenska Vetenskapsakademiens, Handlingar (series 3) 18(10):1–16, pl. 1–3.
- Gislén, Torsten. 1951. Crinoidea, with a survey of the bathymetric distribution of the deep-sea crinoids. Reports of the Swedish Deep-Sea Expedition

- (1947–1948), 2 (1949), Zoology, no. 4:51–59, fig. 1–2, pl. 1.
- Gislén, Torsten. 1956. Crinoids from depths exceeding 6000 meters. *Galathea Report* 2:61–62, 1 pl.
- Głuchowski, Edward. 1987. Jurassic and Early Cretaceous articulate Crinoidea from the Pieniny Klippen Belt and the Tatra Mts. Poland. *Studia Geologica Polonica* 94:102 p., 21 fig., 42 pl.
- Głuchowski, Edward, & Mariusz Salamon. 2005. The Lower Muschelkalk crinoids from Raciborowice, North-Sudetic Basin, SW Poland. *Geological Quarterly* 49:83–92, 6 fig.
- Goldfuss, Georg August. 1826–1844. *Petrefacta Germaniae, tam ea, Quae in Museo Universitatis Regiae Borussicae Fridericiae Wilhelmae Rhenanae, serventur, quam alia quaecunque in Museis Hoeninghusiano Muensteriano alisque, extant, iconibus et descriptionibus illustrata. Abbildungen und Beschreibungen der Petrefacten Deutschlands und der Angränzenden Länder, unter Mitwirkung des Herrn Grafen Georg zu Münster, herausgegeben von August Goldfuss.* Arnz & Co. Düsseldorf. vol. 1 (1826–1833), *Divisio prima. Zoophytorum reliquiae*: p. 1–114; *Divisio secunda. Radiariorum reliquiae*: p. 115–221 [Echinodermata]; *Divisio tertia. Annulatorium reliquiae*: p. 222–242; vol. 2 (1834–1840), *Divisio quarta. Molluscorum acephalorum reliquiae*. I. *Bivalvia*: p. 65–286; II. *Brachiopoda*: p. 287–303; vol. 3 (1841–1844), *Divisio quinta. Molluscorum gasteropodum reliquiae*: p. 1–121; atlas, pl. 1–199.
- Goldfuss, Georg August. 1839. Beiträge zur Petrefactenkunde. *Verhandlungen der Kaiserlichen Leopoldinisch-Carolinischen Akademie der Naturforscher*, vol. 19, no. 1. E. Weber. Breslau & Bonn. p. 329–364, pl. 30–33.
- Goldfuss, Georg August. 1862–1866. *Petrefacta Germaniae: and Repertorium zu Goldfuss' Petrefacten Deutschlands*, 2nd ed. List & Francke. Leipzig. pt. 1, 234 p.; pt. 2, 298 p.; pt. 3, 120 p., 201 pl.
- Goldring, Winifred. 1923. The Devonian crinoids of New York. *New York State Museum Memoir* 16:1–670, pl. 1–60.
- Graff, L. von. 1883. Verzeichniss der von den United States Coast survey steamers "Hassler" und "Blake" von 1867 zu 1879 gesammelten Myzostomiden. *Harvard University, Museum of Comparative Zoology, Bulletin* 11(7):125–133.
- Gray, John Edward. 1828. Description of a new kind of pear-Encrinite found in England. *Philosophical Magazine* 4:219–220.
- Gray, John Edward. 1834. Characters of a new genus of Radiata (*Ganymeda*). *Zoological Society of London, Proceedings* 1833(2):15–16.
- Gray, J. E. 1842. Synopsis of the contents of the British Museum, 44th ed. *British Museum*. London. iv + 308 p.
- Grieg, J. A. 1909. Brachiopods and molluscs with a supplement to the echinoderms: Report of the Second Norwegian Arctic Expedition in the "FRAM", 1898–1902, vol. 3, no. 20. *Videnskab-Selskabet I Kristiania*. Brogger. Kristiania. p. 1–45.
- Grinnell, G. B. 1876. On a new crinoid from the Cretaceous formation of the West. *American Journal of Science and Arts (series 12)* 3:81–83.
- Guettard, J. E. 1761. Mémoire sur les encrinites et les pierres étoilées, dans lequel on traitera aussi des entroques, & c. *Mémoires de l'Académie des Sciences Paris* 1755:224–263, 318–354, pl. 8–9, 14–16.
- Hadding, Assar. 1933. The pre-Quaternary sedimentary rocks of Sweden. V. On the organic remains in limestones. *Lunds Universitets Årsskrift (new series, pt. 2)* 29(4):93 p., 53 fig.
- Hadding, Assar. 1941. The pre-Quaternary sedimentary rocks of Sweden. VI. Reef limestones. *Lunds Universitets Årsskrift (new series, pt. 2)* 37(10):137 p., 88 fig.
- Haeckel, Ernst. 1896. Systematische Phylogenie. Entwurf eines natürlichen Systems der Organismen auf Grund ihrer Stammesgeschichte. Theil 2. Wirbellose Thiere. G. Reimer. Berlin. 720 p.
- Hagdorn, Hans. 1982. *Chelocrinus schotheimi* (Quenstedt) 1835 aus dem Oberen Muschelkalk (mo1, Anisium) von Nordwestdeutschland. *Veröffentlichungen des Naturkunde-Museums Bielefeld* 4:5–33, 23 fig.
- Hagdorn, Hans. 1983. *Holocrinus doreckae* n. sp. from the Upper Muschelkalk and the evolution of preformed rupture points in the stem of Isocrinida. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 1983:345–368, 6 fig.
- Hagdorn, Hans. 1986a. Neue Funde von *Encrinus greppini* de Loriol, 1877 aus dem Oberen Muschelkalk von Südbaden und der Nordschweiz. *Paläontologische Zeitschrift* 60:285–297, 5 fig.
- Hagdorn, Hans. 1986b. *Isocrinus? dubius* (Goldfuss, 1831) aus dem Unteren Muschelkalk (Trias, Anis). *Zeitschrift für geologische Wissenschaften Berlin* 14:705–727, 4 fig.
- Hagdorn, Hans. 1988. *Ainigmacrinus calyconodalis* n. g. n. sp., eine ungewöhnliche Seelilie aus der Obertrias der Dolomiten. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 1988, Heft 2:71–96, 8 fig.
- Hagdorn, Hans. 1991. Friedrich August Quenstedt (1809–1889), Geologe und Mineraloge in Tübingen. Begleitheft zur Foyer-Ausstellung im Hällisch-Fränkischen Museum. Hällisch-Fränkisches Museum. Schwäbisch Hall, Germany. 40 p.
- Hagdorn, Hans. 1993. *Holocrinus dubius* (Goldfuss, 1831) aus dem Unteren Muschelkalk von Rüdersdorf (Brandenburg). *In* H. Hagdorn & R. Seilacher, eds., *Muschelkalk, Schöntaler Symposium 1993*. Sonderbände der Gesellschaft für Naturkunde in Württemberg 2:213 p., 25 fig.
- Hagdorn, Hans. 1995. Triassic crinoids. *Zentralblatt für Geologie und Paläontologie II(1/2):1–22*.
- Hagdorn, Hans. 1996a. Trias-Seelilien. *Geologisch-Paläontologische Mitteilungen, Innsbruck* 21:1–17, 1 fig.
- Hagdorn, Hans. 1996b. Paläökologie der Trias-Seelilie *Dadocrinus*. *Geologisch-Paläontologische Mitteilungen, Innsbruck* 21:19–45, 5 fig., 6 pl.
- Hagdorn, Hans. 1998. *Traumatocrinus*, eine lang verkannte Seelilie aus der Trias. *Fossilien* 15:269–275, 8 fig.
- Hagdorn, Hans. 1999a. Triassic Muschelkalk of central Europe. *In* H. Hess, W. I. Ausich, C. E. Brett, & M.

- J. Simms, eds., Fossil Crinoids. Cambridge University Press. Cambridge. p. 164–176, fig. 178–188.
- Hagdorn, Hans. 1999b. Seelilien und Crinoidenkalle des Muschelkalks. In N. Hauschke & V. Wilde, eds., Trias, Eine ganz andere Welt. Dr. Friedrich Pfeil. München. p. 321–331, 11 fig.
- Hagdorn, Hans. 2004a. *Cassianocrinus varians* (Münster, 1841) aus der Cassian-Formation (Oberladin/Unterkarn) der Dolomiten—ein Bindeglied zwischen Encrinidae und Traumatocrinidae (Crinoidea, Articulata). Annalen des Naturhistorischen Museums Wien 105A:231–255, 5 fig., 2 pl.
- Hagdorn, Hans. 2004b. Muschelkalkmuseum Ingelfingen. Edition Lattner. Heilbronn. 88 p., 260 fig.
- Hagdorn, Hans. 2011. Triassic: The crucial period of post-Palaeozoic crinoid diversification. Swiss Journal of Palaeontology 130:91–112, 12 fig., doi: 10.1007/s13358-010-0009-9.
- Hagdorn, Hans, & Tomasz K. Baumiller. 1998. Distribution, morphology and taphonomy of *Holocrinus*, the earliest post-Palaeozoic crinoid. In R. Mooi & M. Telford, eds., Echinoderms: San Francisco. A. A. Balkema. Rotterdam. p. 169–174, 3 fig.
- Hagdorn, Hans, & Hamish J. Campbell. 1993. *Paracomatula triadica* sp. nov.: An early comatulid crinoid from the Otapirian (Late Triassic) of New Caledonia. Alcheringa 17:1–17, 8 fig.
- Hagdorn, Hans, & E. Gluchowski. 1993. Palaeobiogeography and Stratigraphy of Muschelkalk Echinoderms (Crinoidea, Echinoidea) in Upper Silesia. In H. Hagdorn & A. Seilacher, eds., Muschelkalk, Schöntaler Symposium. Goldschneck. Korb. p. 165–176, 12 fig.
- Hagdorn, Hans, E. Gluchowski, & A. B. Boczarowski. 1996. The crinoid fauna of the *Diplopora* Dolomite (Middle Muschelkalk, Upper Anisian) at Piekary Slaskie in Upper Silesia. Geologisch-Paläontologische Mitteilungen, Innsbruck 21:47–87, 8 fig., 6 pl.
- Hagdorn, Hans, G. Konrád, & A. Török. 1997. Crinoids from the Muschelkalk of the Mecsek Mountains and their stratigraphical significance. Acta Geologica Hungarica 40/4:391–410, 2 fig., 3 pl.
- Hagdorn, Hans, & Manfred Schulz. 1996. Echinodermen-Konservatlagerstätten im Unteren Muschelkalk Ost Hessens. 1. Die Bimbacher Seelilienbank von Großentluder-Bimbach. Geologisches Jahrbuch Hessen 124:97–122, 16 fig.
- Hagdorn, Hans, Xiaofeng Wang, & Chuanshang Wang. 2005. Taphonomie und Erhaltung pseudoplanktonischer Seelilien aus der Trias Süd-Chinas. Hallesches Jahrbuch für Geowissenschaften (series B) Beiheft 19:171–186, 10 fig.
- Hagdorn, Hans, Xiaofeng Wang, & Chuanshang Wang. 2007. Palaeoecology of the pseudoplanktonic Triassic crinoid *Traumatocrinus* from Southwest China. Palaeogeography, Palaeoclimatology, Palaeoecology 247:181–196, 10 fig.
- Hagenow, Friedrich von. 1840. Monographie der Rügenschens Kreide-Versteinerungen, Abteilung 2, Radiarien und Annulaten. Neues Jahrbuch für Mineralogie, Jahrgang 1840:631–672, pl. 9.
- Hall, James. 1847. Palaeontology of New York, vol. 1, containing descriptions of the organic remains of the lower division of the New-York system (equivalent of the Lower Silurian rocks of Europe). Natural History of New York, Part 6. State of New York. Albany. 388 p., 100 pl.
- Hansson, Hans G. 2001. Echinodermata. In M. J. Costello, C. Emblow, & R. White, eds., European register of marine species: A check-list of the marine species in Europe and a bibliography of guides to their identification. Collection Patrimoine Naturels 50:336–351.
- Hartlaub, Clemens. 1890. Beitrag zur Kenntniss der Comatuliden-Fauna des indischen Archipels. Nachrichten von der Königlichen Gesellschaft der Wissenschaften und der Georg-August-Universität zu Göttingen, aus dem Jahr 1890(5):168–187.
- Hartlaub, Clemens. 1891. Beitrag zur Kenntniss der Comatuliden-Fauna des Indischen Archipels. Nova Acta Leopoldina (Abhandlungen der Kaiserlich Leopoldinisch-Carolinischen Deutschen Akademie der Naturforscher) vol. 58, no. 1:1–120, pl. 1–5.
- Hartlaub, Clemens. 1912. Reports on the results of dredging under the supervision of Alexander Agassiz in the Gulf of Mexico (1877–1878), in the Caribbean Sea (1878–1879), and along the Atlantic Coast of the United States (1880) by the U.S. Coast Survey Steamer “Blake”. XLV. Die Comatuliden. Harvard University, Museum of Comparative Zoology, Memoir 27(4):277–491, pl. 1–18.
- Hartmann, F. 1830. Systematische Übersicht der Versteinerungen Württembergs. Laupp. Tübingen. 56 p.
- Haude, Reimund. 1979. Constructional morphology of the stems of Pentacrinidae, and mode of life of *Seirocrinus*. In M. Jangoux, ed., Echinoderms: Present and Past. Balkema. Rotterdam. p. 17–23, 4 fig.
- Hauff, Bernhard. 1936. Die Pentacriniden des Posidonienschiefers. Naturwissenschaftliche Monatsschrift, “Aus der Heimat,” Jahrgang 49(7):189–194, fig. 1–10, pl. 17–24.
- Heinzeller, Thomas. 1998. The nervous system of crinoids: Survey and taxonomic implications. In R. Mooi & M. Telford, eds., Echinoderms: San Francisco. A. A. Balkema. Rotterdam. p. 169–174, 5 fig.
- Heinzeller, Thomas, Nadia Améziane-Cominard, & Ulrich Welsch. 1994. Light and electronic microscopic studies on arms and pinnules of the Cyrtocrinid *Gymnocrinus richeri*. In B. David, A. Guille, J.-P. Féral, & M. Roux, eds., Echinoderms through Time. Balkema. Rotterdam. p. 211–216, 3 fig.
- Heinzeller, Thomas, & H. Fechter. 1995. Microscopical anatomy of the cyrtocrinid *Cyathidium meteorensis* (sive foresti) (Echinodermata, Crinoidea). Acta Zoologica 76:25–34, 6 fig.
- Helgen, Lauren E., & Greg W. Rouse. 2006. Species delimitation and distribution in *Aporometra* (Crinoidea: Echinodermata): Endemic Australian featherstar. Invertebrate Systematics 20(3):395–414.
- Hellmund, Meinolf, Thomas Degen, Norbert Hauschke, & Max Schwab. 2006. Geiseltalmuseum, Neue Residenz, Institut für Geologische Wissenschaften (Exkursion B am 18. April 2006). Jahresberichte und Mitteilungen des Oberrheinischen geologischen Vereins (Neue Folge) 88:145–174, 10 fig.

- Hess, Hans. 1951. Ein neuer Crinoide aus dem mittleren Dogger der Nordschweiz (*Paracomatula helvetica* n. gen. n. sp.). *Eclogae geologicae Helvetiae* 43:208–216, 12 fig., pl. 11.
- Hess, Hans. 1972a. *Chariocrinus* n. gen. für *Isocrinus andreae* Desor aus dem unteren Hauptrogenstein (Bajocien) des Basler Juras. *Eclogae geologicae Helvetiae* 65:197–210, 22 fig.
- Hess, Hans. 1972b. Planktonic crinoids of Late Jurassic age from Leg 11, Deep Sea Drilling Project. Initial Report of the Deep Sea Drilling Project 11:631–643, 4 pl.
- Hess, Hans. 1972c. Eine Echinodermen-Fauna aus dem mittleren Dogger des Aargauer Juras. *Schweizerische paläontologische Abhandlungen* 92:87 p., 90 fig., 23 pl.
- Hess, Hans. 1975. Die fossilen Echinodermen des Schweizer Juras. Veröffentlichungen aus dem Naturhistorischen Museum Basel 8:130 p., 57 fig., 48 pl.
- Hess, Hans. 1999a. Lower Jurassic Posidonia Shale of southern Germany. In H. Hess, W. I. Ausich, C. E. Brett, & M. J. Simms, eds., *Fossil Crinoids*. Cambridge University Press. Cambridge. p. 183–196, fig. 192–203.
- Hess, Hans. 1999b. Middle Jurassic of northern Switzerland. In H. Hess, W. I. Ausich, C. E. Brett, & M. J. Simms, eds., *Fossil Crinoids*. Cambridge University Press. Cambridge. p. 203–215, fig. 207–216.
- Hess, Hans. 1999c. Upper Jurassic Solnhofen Plattenkalk of Bavaria, Germany. In H. Hess, W. I. Ausich, C. E. Brett, & M. J. Simms, eds., *Fossil Crinoids*. Cambridge University Press. Cambridge. p. 216–224, fig. 217–223.
- Hess, Hans. 1999d. *Uintacrinus* Beds of the Upper Cretaceous Niobrara Formation, Kansas, USA. In H. Hess, W. I. Ausich, C. E. Brett, & M. J. Simms, eds., *Fossil Crinoids*. Cambridge University Press. Cambridge. p. 225–232, fig. 224–229.
- Hess, Hans. 1999e. Tertiary. In H. Hess, W. I. Ausich, C. E. Brett, & M. J. Simms, eds., *Fossil Crinoids*. Cambridge University Press. Cambridge. p. 233–236, fig. 230–232.
- Hess, Hans. 2002. Remains of saccocomids (Crinoidea: Echinodermata) from the Upper Jurassic of southern Germany. *Stuttgarter Beiträge zur Naturkunde (Serie B)* 329:57 p., 15 fig., 11 pl.
- Hess, Hans. 2004. *Sclerocrinus* Jaekel, 1891 (Crinoidea, Cyrtocrinida): Proposed precedence over *Gammatorocrinites* Quenstedt, 1857. *Bulletin of Zoological Nomenclature* 61(4, December 2004):251–253.
- Hess, Hans. 2006. Crinoids from the Lower Jurassic (Pliensbachian) of Arzo, southern Switzerland. *Schweizerische paläontologische Abhandlungen* 126:143 p., 29 fig., 29 pl.
- Hess, Hans. 2008. *Cyclocrinus*, an enigmatic Jurassic-Cretaceous crinoid. *Swiss Journal of Geosciences* 101:465–481, 19 fig., 2 pl.
- Hess, Hans. 2010. Part T. Revised, Volume 1, Chapter 19: Paleoecology of pelagic crinoids. *Treatise Online* 16:1–33, 23 fig.
- Hess, Hans, William I. Ausich, Carlton E. Brett, & Michael J. Simms, eds. 1999. *Fossil Crinoids*. Cambridge University Press. Cambridge. 275 p.
- Hess, Hans, & Walter Etter. 2011. Life and death of *Saccocoma tenella* (Goldfuss). *Swiss Journal of Geosciences, Special Issue: Proceedings of the 5th International Symposium on Lithographic Limestone and Plattenkalk*. 8 p., doi: 10.1007/s00015-011-0059-z.
- Hess, Hans, & Andrew S. Gale. 2010. Crinoids from the Shenley Limestone (Albian) of Leighton Buzzard (Bedfordshire, UK). *Journal of Systematic Palaeontology* 8(3):427–447, 8 fig.
- Hess, Hans, Mariusz A. Salamon, & Przemyslaw Gorzelak. 2011. Late Jurassic–Early Cretaceous (Tithonian–Berriasian) cyrtocrinids from southeastern Poland. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 260(1):119–128, 2 fig., doi: 10.1127/0077-7749/2011/0143.
- Hess, Hans, & Pia Ursula Spichiger. 2001. *Argoviacrinus rarissimus* n. g. n. sp., a new crinoid (Echinodermata) from the Middle Oxfordian of northern Switzerland. *Eclogae geologicae Helvetiae* 94:489–494, 8 fig.
- Hildebrand, Erich. 1926. *Moenocrinus deecke*, eine neue Crinoidengattung aus dem fränkischen Wellenkalk und ihre systematische Stellung. *Neues Jahrbuch für Mineralogie, Geologie, Paläontologie (Abt. B)* 54:259–288, pl. 20.
- Hildebrand, Erich, & Julius Pia. 1929. Zwei Crinoidenkelche aus der Anisichen Stufe der Südalpen. *Paläontologische Zeitschrift* 11:129–140, fig. 1–2.
- Hoggett, Ann K., & Frank W. E. Rowe. 1986. A reappraisal of the family Comasteridae A. H. Clark, 1908 (Echinodermata: Crinoidea), with the description of a new subfamily and a new genus. *Journal of the Linnean Society (Zoology)* 88:103–142, 3 fig.
- Holland, Nicholas D., John C. Grimmer, & K. Wiegmann. 1991. The structure of the sea lily *Calamocrinus diomedea*, with special reference to the articulations, skeletal microstructure, symbiotic bacteria, axial organs, and stalk tissues (Crinoidea, Millericrinida). *Zoomorphology* 110:115–132.
- Holzer, Hans-Ludwig, & Walter Poltnig. 1980. Erster Nachweis einer Radialplatten-Lagerstätte der Schwebcrinoide *Saccocoma* im oberostalpinen Malm (Ostkarawanken, Kärnten). *Carinthia II* 170/90:201–216, 3 fig., 3 pl.
- Howe, Henry van Wagenen. 1942. Neglected Gulf Coast Tertiary microfossils. *American Association of Petroleum Geologists Bulletin* 26(7):1188–1199.
- Huxley, Thomas Henry 1869. An introduction to the classification of animals. John Churchill & Sons. London. 147 p., 47 fig.
- ICZN (International Commission on Zoological Nomenclature). 1962. Opinion 636. *Encrinus* Lamarck, 1801 (Crinoidea): Validation under the plenary powers in its accustomed sense. *Bulletin of Zoological Nomenclature* 19:262–265.
- ICZN (International Commission on Zoological Nomenclature). 1999. *International Code of Zoological Nomenclature*, 4th ed. International Trust for Zoological Nomenclature. London. 306 p.
- ICZN (International Commission on Zoological Nomenclature). 2005. Opinion 2132 (Case 3270) *Isometrinae* Clark, 1917 (Echinodermata, Crinoidea): Spelling emended to *Isometrininae* to remove homonymy with *Isometrinae* Kraepelin, 1891 (Arachnida,

- Scorpioles). Bulletin of Zoological Nomenclature 62(3):181–182.
- ICZN (International Commission on Zoological Nomenclature). 2006. Opinion 2155 (Case 3235). *Sclerocrinus* Jaekel, 1891 (Crinoidea, Cyrtocrinida): Not conserved; priority maintained for *Gammatorcinites* Quenstedt, 1857. Bulletin of Zoological Nomenclature 62(2):150–151.
- ICZN. 2010. Official Lists and Indexes; updated 31 March 2010. The Natural History Museum. London. 930 p.
- Jäger, Manfred. 1980. Ungewöhnliche Crinoiden aus dem Unter-Campan (Oberkreide) von Höver bei Hannover. Berichte der naturhistorischen Gesellschaft Hannover 123:63–77, 2 pl.
- Jäger, Manfred. 1982. Seltene Crinoiden aus der Oberkreide der Umgebung von Hannover. Berichte der naturhistorischen Gesellschaft Hannover 125:61–87, 3 pl.
- Jäger, Manfred. 1985. Die Crinoiden aus dem Pliensbachium (mittlerer Lias) von Rottorf am Klei und Empelde (Süd-Niedersachsen). Berichte der naturhistorischen Gesellschaft Hannover 128:71–151, 2 fig., 11 pl.
- Jäger, Manfred. 1991. Die Crinoiden aus dem Pliensbachium vom Rhein-Main-Donau-Kanal bei Sulzkirchen. Teil 1: Cyrtocriniden mit reduziertem Stiel: *Eudesicrinus* und *Cotylederma*. Archaeopteryx 9:35–46, 12 fig.
- Jäger, Manfred. 1993. Die Crinoiden aus dem Pliensbachium vom Rhein-Main-Donau-Kanal bei Sulzkirchen. Teil 2: Gestielte Cyrtocrinina und Millericrinina: *Amaltheocrinus*, *Shrosbaecrinus*?, *Plicatocrinus* und Nachtrag zu Teil 1 (*Eudesicrinus*). Archaeopteryx 11:73–104, 120 fig.
- Jäger, Manfred. 1995. Echinodermata aus dem Ober-Toarcium und Aalenium Deutschlands. I. Crinoidea: Cyrtocrinina und Millericrinina. Stuttgarter Beiträge zur Naturkunde (serie B) 226:51 p., 2 fig., 7 pl.
- Jäger, Manfred. 2010. Crinoids from the Barremian (Lower Cretaceous) of the Serre de Bleyton (Drôme, SE France). Annalen des Naturhistorischen Museums Wien (series A) 112:733–774, 2 fig., 7 pl.
- Jaekel, Otto. 1891. Ueber Holopocriniden mit besonderer Berücksichtigung der Stramberger Formen. Zeitschrift der Deutschen geologischen Gesellschaft 43:557–670, 26 fig., pl. 34–43.
- Jaekel, Otto. 1892. Ueber Plicatocriniden, *Hyoocrinus* und *Saccocoma*. Zeitschrift der Deutschen geologischen Gesellschaft 44:619–696, 13 fig., pl. 25–30.
- Jaekel, Otto. 1893. Über *Holocrinus* W. u. Sp. aus dem unteren Muschelkalk. Sitzungs-Berichte der Gesellschaft Naturforschender Freunde zu Berlin, Jahrgang 1893(8):201–206.
- Jaekel, Otto. 1894. Entwurf einer Morphogenie und Phylogenie der Crinoiden. Sitzungs-Berichte der Gesellschaft Naturforschender Freunde zu Berlin, Jahrgang 1894:101–121.
- Jaekel, Otto. 1902. Über verschiedene Wege phylogenetischer Entwicklung. 5th International Zoological Congress Berlin, Verhandlungen. Berlin. p. 1058–1117, fig. 1–28.
- Jaekel, Otto. 1904. Über einen Pentacriniden der deutschen Kreide. Sitzungs-Berichte der Gesellschaft Naturforschender Freunde zu Berlin 9:191–196, 11 fig.
- Jaekel, Otto. 1907. Ueber die Körperform der Holopocriniden. Neues Jahrbuch fuer Mineralogie, Geologie, Paläontologie, Festband 1907:272–309, 29 fig.
- Jaekel, Otto. 1918. Phylogenie und System der Pelmatozoen. Paläontologische Zeitschrift 3(1):1–128, fig. 1–114.
- Jagt, John W. M. 1999a. Late Cretaceous–Early Palaeogene echinoderms and the K/T boundary in southeastern Netherlands and northeastern Belgium. Pt. 1, Introduction and Stratigraphy; Pt. 2, Crinoids. Scripta Geologica 116:255 p., 50 fig., 46 pl.
- Jagt, John W. M. 1999b. Notes on two Late Cretaceous comatulid crinoid genera. In Maria D. Candia Carnevali & Francesco Bonasero, eds., Echinoderm Research 1998. Balkema. Rotterdam. p. 307–308, 3 fig.
- Jagt, John W. M. 2005. The youngest pelagic crinoids (latest Maastrichtian, the Netherlands). Bulletin of the Geological Society of Denmark 52:133–139, 3 fig.
- Jagt, John W. M., & Mart J. M. Deckers. 2002. Additional note on the comatulid crinoid *Jaekelometra defectiva* Jagt, 1999 (Late Maastrichtian, the Netherlands). Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 2002(4):193–200, 2 fig.
- Jagt, John W. M., Stephen K. Donovan, Mart J. M. Deckers, Rudi W. Dortangs, Marcel M. M. Kuypers, & Cornelis J. Veltkamp. 1998. The Late Maastrichtian bourgueticrinid *Dunnicrinus aequalis* (d’Orbigny, 1841) from the Netherlands and Belgium. Bulletin de l’Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre 68:129–154, 7 fig., 9 pl.
- Jain, S. P., & U. B. Mallikarjuna. 1996. *Applinocrinus ramaraoi*, a new species of microcrinoid from the Arivalur group (Late Cretaceous) of south India. Memoirs of the Geological Society of India 37:189–192.
- Janevski, G. Alex., & Tomasz K. Baumiller. 2010. Could stalked crinoids swim? A biomechanical model and characteristics of swimming crinoids. PALAIOS 25:588–596, 10 fig.
- John, David D. 1938. Crinoidea. Discovery Reports 18:121–222, pl. 3–6.
- John, David D. 1939. Crinoidea. B.A.N.Z.A.R.E. Antarctic Research Expedition 1929–1931, Report (series B, Zoology and Botany) 4(6):189–212.
- Kammer, Thomas W., & William I. Ausich. 2006. The “Age of Crinoids:” A Mississippian biodiversity spike coincident with widespread carbonate ramps. PALAIOS 21:238–248, 4 fig.
- Kashiyama, Yuichiro, & Tatsuo Oji. 2004. Low-diversity shallow marine benthic fauna from the Smithian of northeast Japan: Paleoeologic and paleobiogeographic implications. Paleontological Research 8:199–218, 9 fig.
- Kästle, Bernhard. 1982. Zur Morphologie und Systematik von *Pseudosaccocoma* (Crinoidea). Neues Jahrbuch für Geologie und Paläontologie, Monatshefte (1):12–24, 6 fig.
- Kjaer, Carsten R., & E. Thomsen. 1999. Heterochrony in bourgueticrinid sea lilies at the Cretaceous/Tertiary boundary. Paleobiology 25:29–40, 8 fig.

- Klikushin, V. G. 1973. Upper Cretaceous isocrinids (Crinoidea) from Minor Balkhan Ridge. *Novye issledovaniya v geologii*, Leningrad 5:41–50, 4 fig. In Russian.
- Klikushin, V. G. 1977. Sea-lilies of the genus *Isselocrinus*. *Paleontologicheskii Zhurnal* 1:87–95. In Russian.
- Klikushin, V. G. 1979a. The microstructure of the isocrinid columnals. *Paleontologicheskii Zhurnal* 1:88–96, fig. 1–2, pl. 11–12. In Russian.
- Klikushin, V. G. 1979b. Sea-lilies of the genera *Balanocrinus* and *Laevigatocrinus*. *Paleontologicheskii Zhurnal* 3:87–96, 3 fig. In Russian.
- Klikushin, V. G. 1979c. On the taxonomic composition and the mode of life of the Mesozoic crinoids of North Siberia. *Trudy instituta geologii i geofiziki Sibirskogo otdelenie Akademii Nauk SSSR*, Novosibirsk 411:37–55, 5 pl. In Russian.
- Klikushin, V. G. 1981. Sea-lilies of genus *Percevalicrinus*. *Paleontologicheskii Zhurnal* 4:81–90, 1 fig., pl. 9–10. In Russian.
- Klikushin, V. G. 1982a. Taxonomic survey of fossil isocrinids with a list of the species found in the USSR. *Geobios* 15(3):299–325, 1 fig., 7 pl.
- Klikushin, V. G. 1982b. Cretaceous and Paleogene Bourgueticrinina (Echinodermata, Crinoidea) of the USSR. *Geobios* 15(6):11–843, 16 fig., 5 pl.
- Klikushin, V. G. 1983. About Triassic crinoids from northern Afghanistan. *Paleontologicheskii Zhurnal* 2:81–89, 4 fig. In Russian.
- Klikushin, V. G. 1984. Fossil crinoids of the suborder Hyocrinina. *Paleontologicheskii Zhurnal* 3:74–85, 2 fig., pl. 6–7. In Russian.
- Klikushin, V. G. 1985a. New late Cretaceous and Paleogene sea-lilies from the Over-Caspian region. *Paleontologicheskii Sbornik* 22:44–50, 2 pl. In Russian.
- Klikushin, V. G. 1985b. Crinoids of the genus *Austino-crinus* Loriol in the USSR. *Palaontographica* (Abt. A) 190:159–192, 11 fig., 13 pl.
- Klikushin, V. G. 1987a. Crinoids from the Middle Liassic Rosso ammonitico beds. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 175:235–260, 6 fig.
- Klikushin, V. G. 1987b. Thiolliericrinid crinoids from the Lower Cretaceous of Crimea. *Geobios* 20(5):625–665, 18 fig., 1 pl.
- Klikushin, V. G. 1987c. Distribution of crinoidal remains in the Triassic of the U.S.S.R. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 173(3):321–338, 3 fig.
- Klikushin, V. G. 1991. The meaning of sea-lilies for the Jurassic stratigraphy of the northeastern USSR. *Paleontologicheskii Zhurnal* 3:77–84, 4 fig. In Russian.
- Klikushin, V. G. 1992. Fossil pentacrinid crinoids and their distribution in the USSR. *Leningrad Paleontological Laboratory*. Leningrad. 358 p., 152 fig., 22 pl. In Russian.
- Klikushin, V. G. 1996. Late Jurassic crinoids from Sudak environs (Crimea). *Palaontographica* (Abt. A) 238:97–151, 14 fig., 13 pl.
- Klipstein, A. 1843–1845. Beiträge zur geologischen Kenntnis der östlichen Alpen. Heyer. Giessen. 311 p.
- Knorr, Georg Wolfgang. 1755. Sammlung von Merkwürdigkeiten der Natur und Alterthümern des Erdbodens welche petrifizierte Körper enthalten, pt. 1. Andreas Bieling. Nürnberg. 36 p., 58 pl. [For parts 2–4, see Walch, 1768–1773].
- Kobayashi, T. 1935. 10. Contributions to the Jurassic Torinosu Series of Japan. *Japanese Journal of Geology and Geography* 12:69–91, 2 pl.
- Koehler, René, & Francis Arthur Bather. 1902. *Gephyrocrinus grimaldii*, crinoïde nouveau provenant des campagnes de la “Princesse Alice.” *Mémoires de la Société Zoologique de France* 15:68–79.
- Koenen, Adolf von. 1887. Beitrag zur Kenntnis der Crinoiden des Muschelkalks. *Abhandlungen der Königlichen Gesellschaft der Wissenschaften in Göttingen, Mathematisch-Physikalische Klasse* 34:1–44, pl. 1.
- Koenen, Adolf von. 1895. Über die Entwicklung von *Dadocrinus gracilis* v. Buch und *Holocrinus wagneri* Ben. und ihre Verwandtschaft mit anderen Crinoiden. *Nachrichten der Königlichen Gesellschaft der Wissenschaften in Göttingen, Mathematisch-Physikalische Klasse* 1895:283–293.
- Koenig, Karl Dietrich Eberhard. 1825. *Icones Fossilium Sectiles*. London. p. 1–4, pl. 1–8 (pl. 9–19 unpubl.).
- Koken, Ernst. 1900. Über triassische Versteinerungen aus China. *Neues Jahrbuch für Mineralogie, Geologie, Paläontologie* 1900:186–215, pl. 9–10.
- Koninck, L. G. de, & H. S. Le Hon. 1854. Recherches sur les crinoïdes du terrain carbonifère de la Belgique. *Académie Royale de Belgique, Mémoires* 28:215 p., 8 pl.
- Kraepelin, K. 1891. Revision der Skorpione. I. Die Familie der Androctonidae. *Jahrbuch der Hamburgischen wissenschaftlichen Anstalten* 8:1–144.
- Kristan-Tollmann, Edith. 1970. Die Osteocrinuzfazies, ein Leithorizont von Schwebcrinoiden im Oberladin-Unterkarn der Tethys. *Erdöl und Kohle, Erdgas, Petrochemie* 23:781–789, fig. 1–14.
- Kristan-Tollmann, Edith. 1975. 6. Stielcrinoiden, 7. Schwebcrinoiden. In E. Kristan-Tollmann & L. Krystyn, *Die Mikrofauna der ladinisch-karnischen Hallstätter Kalke von Saklibeli (Taurus-Gebirge, Türkei)* I. Sitzungsberichte der Oesterreichischen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Klasse (Abt. I) 184(8–10):275–340, fig. 6–30, pl. 4–8.
- Kristan-Tollmann, Edith. 1976. Illustration, p. 280, Abb. 16, fig. 5. In A. Tollmann, *Analyse des klassischen nordalpinen Mesozoikums. Stratigraphie, Fauna und Fazies der Nördlichen Kalkalpen*. Monographie der Nördlichen Kalkalpen, Teil 2. Franz Deuticke. Wien. 580 p., 256 fig., 3 pl.
- Kristan-Tollmann, Edith. 1977. Zur Gattungsunterscheidung und Rekonstruktion der triadischen Schwebcrinoiden. *Paläontologische Zeitschrift* 51:185–198, 8 fig.
- Kristan-Tollmann, Edith. 1987. *Austino-crinus erckerti* (Dames) aus dem Maastricht des Gosaubeckens von Gams (Steiermark, Österreich). *Mitteilungen des Naturwissenschaftlichen Vereins Steiermark* 117:67–72, 3 fig.
- Kristan-Tollmann, Edith. 1980. *Tulipacrinus tulipa* n. g. n. sp., eine Mikrocrinoide aus der alpinen Ober-

- trias. *Annalen des Naturhistorischen Museums Wien* 83:215–229, 6 fig., 2 pl.
- Kristan-Tollmann, Edith. 1988a. *Palaeocomaster styriacus* n. sp., eine Schwebcrinoide (Comatulida) aus dem alpinen Lias des Salzkammergutes, Österreich. *Geologica et Palaeontologica* 22:81–87, 3 fig., 2 pl.
- Kristan-Tollmann, Edith. 1988b. Unexpected communities among the crinoids within the Triassic Tethys and Panthalassa. In R. D. Burke, ed., *Echinoderm Biology*. Balkema. Rotterdam. p. 133–142, 7 fig.
- Kristan-Tollmann, Edith. 1990. Mikrocrinoiden aus der Obertrias der Tethys. *Geologisch paläontologische Mitteilungen Innsbruck* 17:51–100, fig. 1–30, pl. 1–6.
- Kristan-Tollmann, Edith. 1991. Echinoderms from the Middle Triassic Sina Formation (Aghdarband Group) in NE Iran. In A. W. Ruttner, ed., *The Triassic of Aghdarband (AqDarband), NE-Iran, and its Pre-Triassic Frame*. *Abhandlungen der Geologischen Bundesanstalt* 38:175–194, 3 fig., 5 pl.
- Kristan-Tollmann, Edith, & Alexander Tollmann. 1967. Crinoiden aus dem zentralalpinen Anis (Leithagebirge, Thörler Zug und Radstädter Tauern). *Wissenschaftliche Arbeiten aus dem Burgenland* 36(Naturwissenschaften, no. 24):55 p., 11 pl.
- Kristan-Tollmann, Edith, & Alexander Tollmann. 1983. Überregionale Züge der Tethys in Schichtenfolge und Fauna am Beispiel der Trias zwischen Europa und Fernost, speziell China. In H. Zapfe, ed., *Neue Beiträge zur Biostratigraphie der Tethys-Trias*. Springer. Wien. p. 177–230.
- Kunisch, H. 1883. Über den ausgewachsenen Zustand von *Encrinurus gracilis* Buch. *Zeitschrift der Deutschen Geologischen Gesellschaft* 35:195–198, pl. 8.
- Kuss, S. E. 1963. *Cyrtocrinus nutans* (Goldf.) als Ammoniten-Epöke im Malm alpha von Blumberg (Baden). *Berichte der Naturforschenden Gesellschaft Freiburg im Breisgau* 53:205–212.
- Lamarck, J. B. P. A. de M. de. 1801. *Système des animaux sans vertèbres*. Published by the author. Paris. viii + 432 p.
- Lamarck, J. B. P. A. de M. de. 1816. *Histoire naturelle des animaux sans vertèbres*, vol. 2. Published by the author. Paris. 568 p.
- Lambert, J. M., & Aurélien Vallette. 1934. Études sur quelques Echinodermes crétacés de Bugarach (Aude). *Bulletin de la Société Géologique de France* (5)4:43–60, pl. 6.
- Lamouroux, J. V. F. 1821. *Exposition méthodique des genres de l'ordre des polypiers*. Veuve Agasse. Paris. 115 p., 84 pl.
- Langenhan, A. 1903. *Versteinerungen der deutschen Trias (des Buntsandsteins, Muschelkalks und Keupers) aufgrund vierzigjähriger Sammeltätigkeit zusammengestellt und nach den Naturobjekten autographiert*. Scholz'sche Kunsthandlung. Liegnitz. 22 p., 3 fig., 17 pl.
- Laube, G. C. 1865. *Die Fauna der Schichten von St. Cassian*. *Denkschriften der Kaiserlichen Akademie der Wissenschaften, Mathematisch-naturwissenschaftliche Classe* 24:223–296, pl. 1–10.
- Leach, W. E. 1815. *The zoological miscellany; being descriptions of new or interesting animals*, vol. 2. E. Nodder & Son. London. 162 p.
- Leuthardt, Franz. 1904. *Die Crinoidenbänke im Dogger der Umgebung von Liestal*. *Tätigkeitsbericht der Naturforschenden Gesellschaft Baselland* 1902/03:89–115, 1 fig., 3 pl.
- Leuthardt, Franz. 1911. *Ueber das Vorkommen von Antedon costatus Goldfuss in den Hornsteinknollen der Hupperablagungen von Lausen*. *Tätigkeitsbericht der Naturforschenden Gesellschaft Baselland* 1910/11:109–118, 1 fig., pl. 6–8.
- Leymerie, A. 1842. *Suite du mémoire sur le terrain crétacé de l'Aube*. *Mémoires de la Société Géologique de France (series 1)* 5:34 p., 18 pl.
- Lhwyd, Edward [Luidius, Eduardus]. 1699. *Lithophylacii britannici Ichnographia*. Ex officina M. C. London. 139 p., 23 pl.
- Linck, J. H. 1733. *De Stellis Marinis liber singularis*. Jacobum Schusterum. Lipsiae. xxii + 107 p., 42 pl.
- Linck, Otto. 1954. *Die Muschelkalk-Seelilie Encrinurus liliformis*. *Ergebnisse einer Grabung*. *Aus der Heimat* 62(11/12):225–235, pl. 49–56.
- Linck, Otto. 1965a. *Eine weitere Crinoide (Entrochus multifurcatus n. sp.) aus dem Hauptmuschelkalk*. *Beiträge zur naturkundlichen Forschung in SW-Deutschland* 24(1):31–35.
- Linck, Otto. 1965b. *Stratigraphische, stratinomische und ökologische Betrachtungen zu Encrinurus liliformis Lamarck*. *Jahrbuch Geologisches Landesamt Baden-Württemberg* 7:123–148, pl. 14–17.
- Linné, Carl [Linnaeus, Carolus]. 1758. *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis*. Editio decima, reformata. Laurentius Salvius. Holmiae. 824 p. in 2 vol.
- Linné, Carl [Linnaeus, Carolus]. 1767. *Systema naturae*, 12th ed. vol. 1, no. 2. Laurentius Salvius. Holmiae. p. 533–1327.
- Lissajous, Marcel. 1900. *Crinoïdes des environs de Mâcon*. *Bulletin de la Société d'Histoire Naturelle de Mâcon* 16–17:27 p., 3 pl.
- Loeblich Jr., Alfred R., & Helen Tappan. 1964. *Protista 2 (Sarcodina, Chiefly "Thecamoebians" and Foraminiferida)*. In R. C. Moore & C. Teichert, eds., *Treatise on Invertebrate Paleontology*. Pt. C, vol. 1 and 2. Geological Society of America & University of Kansas Press. Boulder & Lawrence. xxxi + 900 p., 653 fig.
- Lombard, Augustin. 1945. *Attribution de microfossiles du Jurassique supérieur alpin à des Chlorophycées (Proto- et Pleurococcacées)*. *Eclogae geologicae Helvetiae* 38:163–173, 3 fig.
- Loriol, Perceval de. 1877–1879. *Monographie des crinoïdes fossiles de la Suisse*. *Mémoires de la Société Paléontologique Suisse*, vol. 4:1–52, pl. 1–8; vol. 5:53–124, pl. 9–14; vol. 6:125–300, pl. 15–21.
- Loriol, Perceval de. 1878. *Notice sur le Pentacrinus de Sennecey-le-Grand*. Jules Dejussieu. Chalon-sur-Saône. 14 p., 3 pl.
- Loriol, Perceval de. 1880. *Description de quatre échinodermes nouveaux*. *Mémoires de la Société Paléontologique Suisse* 7:5–15, 1 pl.
- Loriol, Perceval de. 1882. *Description of a new species of Bourgueticrinus*. *Journal of the Cincinnati Society of Natural History* 5:118, pl. 5.



- Loriol, Perceval de. 1882–1889. Paléontologie française, Série 1, Animaux invertébrés. G. Masson. Paris. Terrain jurassique, vol. 11, Crinoïdes, pt. 1 (1882–1884) 627 p., 121 pl.; pt. 2 (1884–1889) 580 p., pl. 122–229.
- Loriol, Perceval de. 1887. Note sur quelques échinodermes fossiles des environs de la Rochelle. Mareschal and Martin. La Rochelle. 20 p., 3 pl.
- Loriol, Perceval de. 1888. Description des échinodermes. In Commission des travaux géologiques du Portugal, vol. 2, fasc. 2. Recueil d'études paléontologiques sur la faune crétacique du Portugal. Lisbonne. 122 p., 22 pl.
- Loriol, Perceval de. 1889a. Note sur deux échinodermes nouveaux. Bulletin de la Société Géologique de France (series 3) 17:150–155, fig. 2–5, pl. 6.
- Loriol, Perceval de. 1889b. Observations relatives à *Austinocrinus Komaroffi* (*Pentacrinus erckerti* Dames). Bulletin de la Société Géologique de France (series 3) 17:556.
- Loriol, Perceval de. 1891. Description de la faune jurassique du Portugal. Commission des travaux géologiques du Portugal 2:1–179, pl. 19–29.
- Loriol, Perceval de. 1894. Notes pour servir à l'étude des échinodermes. Revue Suisse Zoologie 2(4):467–497, pl. 22–24.
- Loriol, Perceval de. 1895. Études sur quelques échinodermes de Cirin. Archives du Muséum d'Histoire naturelle de Lyon 6:1–6, 1 fig., 1 pl.
- Loriol, Perceval de. 1897. Description de quelques échinodermes. Bulletin de la Société Géologique de France (series 3) 25:115–129, pl. 4.
- Loriol, Perceval de. 1900. Notes pour servir à l'étude des échinodermes, VIII. Revue Suisse de Zoologie 8:55–96, pl. 6–9.
- Loriol, Perceval de. 1902–1904. Notes pour servir à l'étude des échinodermes (series 2). Georg & Cie, Bâle, Genève; Friedländer, Berlin. no. 1, 52 p., 3 pl. (1902); no. 2, 68 p., 4 pl. (1904).
- Loriol, Perceval de, & Victor Gilliéron. 1869. Monographie paléontologique et stratigraphique de l'étage Urgonien Inférieur du Landeron (Neuchâtel). Neue Denkschriften der Schweizerischen Naturforschenden Gesellschaft 23:122 p., 8 pl.
- Loriol, Perceval de, & E.-R.-E. Pellat. 1875. Monographie paléontologique et géologique des étages supérieurs de la formation jurassiques des environs de Boulogne-sur-Mer. Mémoires de la Société de Physique et d'Histoire Naturelle de Genève 24(1):326 p., 26 pl.
- Lovén, Sven. 1866. *Phanogenia*, ett hittills okänt slägte af fria Crinoideer. Kongliga Svenska Vetenskapsakademiens handlingar, Öfversigt 1866:223–233.
- Lovén, Sven. 1869. Note on *Hypnome Sarsi*, a recent cystidean. Forhandlingar ved de Skandinaviske Naturforskere, trende möde Christiania 1868, 10:54. Published in English 1869 in Annals and Magazine of Natural History (series 4) 4:159–160.
- Lowenstam, H. A. 1942. Mid-Triassic crinoid *Dadocrinus* [abstr.]. Geological Society of America (series B) 53(no. 12, pt. 2):1832.
- Lundgren, B. 1875. Om en *Comaster* och en *Aptychus* från Köpinge. Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar (1874) 3:61–74, pl. 3.
- Lütken, C. 1864. Om Vestindiens Pentacriner med nogle Bemaerkninger om Pentacriner og S öllier i Almindelighed. Videnskab. Meddelelser frå den naturhistoriske Forening i Kjøbenhavn 13–16:195–245, pl. 4–5.
- Macurda Jr. Donald B., & David L. Meyer. 1975. The microstructure of the crinoid endoskeleton. University of Kansas Paleontological Contributions, Paper 74:22 p., 30 pl.
- Macurda Jr., Donald B., & David L. Meyer. 1976. The morphology and life habits of the abyssal crinoid *Bathycrinus aldrichianus* Wyville Thomson and its paleontological implications. Journal of Paleontology 50:647–667, 5 fig., 5 pl.
- Macurda Jr., Donald B., & Michel Roux. 1981. The skeletal morphology of the isocrinid crinoids *Annacrinus wyvillethomsoni* and *Diplocrinus maclareanus*. Contributions to the Museum of Paleontology, University of Michigan 25:169–219, 5 fig., 17 pl.
- Madge, R. B. 1988. The publication dates of Dejean's catalogues. Archives of Natural History 15:317–321.
- Malaroda, Roberto. 1950. Segnalazione di un nuovo Crinoide Comatulide nel Paleogene Veneto. Rivista Italiana Paleontologia 56:6–11, pl. 1.
- M'Andrew, R., & L. Barrett. 1857. List of the Echinodermata dredged between Drontheim and the North Cape. Annals and Magazine of Natural History (series 2) 20:43–46.
- Manni, Riccardo. 1993. Character analysis of some Jurassic crinoids. Palaeopelagos 3:285–291, 1 fig.
- Manni, Riccardo. 1994. Late Jurassic crinoids from the Voskop region (Mirdita zone, SE Albania). Palaeopelagos 4:169–174, 3 fig.
- Manni, Riccardo. 2005. The non-isocrinid crinoids of the Michelotti Collection. Bolletino della Società Paleontologica Italiana 44:211–218, 5 fig.
- Manni, Riccardo, & Umberto Nicosia. 1984. *Saccocoma vernioryi* n.sp., a new saccocomid from the Upper Jurassic of the Central Italy. Geologica Romana 23:91–97, 16 fig.
- Manni, Riccardo, & Umberto Nicosia. 1985a. *Craetogocrinus toniellii* n. gen. n. sp. from the Dogger of the Central Apennines. Bolletino della Società Paleontologica Italiana 23:137–139, 1 fig.
- Manni, Riccardo, & Umberto Nicosia. 1985b. *Psalidocrinus zitti* n. sp., cyrtocrinid crinoid from the Lower Tithonian of the Central Apennines. Geologica Romana 24:79–86, 4 fig.
- Manni, Riccardo, & Umberto Nicosia. 1986. *Saccocoma schwertschlagerei* Walther 1904, junior synonym of *Saccocoma tenellum* (Goldfuss), 1829: Evidence of autotomy in fossil crinoids. Bolletino della Società Paleontologica Italiana 24:181–183, 2 fig.
- Manni, Riccardo, & Umberto Nicosia. 1987. Two new species of cyrtocrinid crinoids from northern Italy. Memorie di Scienze Geologiche 39:265–271, 5 fig.
- Manni, Riccardo, & Umberto Nicosia. 1990a. Jurassic and Lower Cretaceous crinoids of northern Turkey. METU (Middle East Technical University) Journal of Pure and Applied Sciences 21(April–December 1988):361–375, 3 fig., 1 pl.
- Manni, Riccardo, & Umberto Nicosia. 1990b. New Crinoids from Liassic sediments nearby Tivoli

- (Central Italy); rearrangement in the systematics of eudesicrinids and cotylederematids. *Geologica Romana* 26:81–92, 16 fig.
- Manni, Riccardo, & Umberto Nicosia. 1994. Crinoidi giurassici dell'Italia centrale. Studi Geologici Camerti, volume speciale, Biostratigrafia dell'Italia centrale. Dipartimento di Scienze della Terra, Università "La Sapienza." Rome. p. 299–323, 43 fig.
- Manni, Riccardo, & Umberto Nicosia. 1996. A history of cyrtocrinid evolution. *Palaeopelagos* 6:3–17.
- Manni, Riccardo, & Umberto Nicosia. 1999. The oldest cyrtocrinid, *Nerocrinus petri* n. gen. n. sp., and the Nerocrinidae, n. fam. In Maria D. Candia Carnevali & Francesco Bonasero, eds., *Echinoderm Research 1998*. Balkema. Rotterdam. p. 327–331, 3 fig.
- Manni, Riccardo, Umberto Nicosia, & Bernard Riou. 1985. *Rhodanometra lorioli* n. gen. n. sp. and other Callovian crinoids from La Voulte-sur-Rhône (Ardèche, France). *Geologica Romana* 24:87–100, 1 fig., 4 pl.
- Manni, Riccardo, Umberto Nicosia, & J. Szabó. 1992. Late Jurassic crinoids from the Eperkés-hegy (Bakony Mts., Hungary). *Fragmenta Mineralogica et Palaeontologica* 15:115–137, 11 fig., 3 pl.
- Manni, Riccardo, Umberto Nicosia, & Livia Tagliacozzo. 1997. *Saccocoma*, a normal benthonic stemless crinoid: An opportunistic reply within mud-dominated facies. *Palaeopelagos* 7:121–132, 5 fig.
- Manni, Riccardo, & Valeria Tinozzi. 2002. Description of an Early Kimmeridgian crinoid association from central Italy. *Geologica Romana* 36:259–273, 12 fig.
- Mantell, G. A. 1822. The fossils of the South Downs, or illustrations of the geology of Sussex. L. Relfe. London. 327 p., 42 pl.
- Marr, J. W. S. 1963. Unstalked crinoids of the Antarctic continental shelf; notes on their history and distribution. *Philosophical Transactions of the Royal Society of London* 256:327–379.
- Matsumoto, Hikoshichirō. 1929. Outline of a classification of Echinodermata. *Tohoku University Science Reports (series 2)* 13(2):27–33.
- M'Coy, F. 1848. On some new Mesozoic Radiata. *Annals and Magazine of Natural History (series 2)* 2:397–420.
- McKnight, D. G. 1977. Additions to the New Zealand crinoid fauna. *New Zealand Oceanographic Institute (NZOI) Records* 2:93–112.
- Messing, Charles G. 1981. Reclassification and re-description of the comatulid *Comatonia cristata* (Hartlaub) (Echinodermata: Crinoidea). *Proceedings of the Biological Society of Washington* 94:240–253.
- Messing, Charles G. 1984. Brooding and paedomorphosis in the feather star *Comatilia iridometriiformis* A. H. Clark (Echinodermata: Crinoidea). *Marine Biology* 80:83–92.
- Messing, Charles G. 1985. Submersible observations of deep-water crinoid assemblages in the tropical western Atlantic Ocean. In B. F. Keegan & B. D. S. O'Connor, eds., *Proceedings of the 5th International Echinoderm Conference*, Galway. Balkema. Rotterdam. p. 185–193, 2 fig.
- Messing, Charles G. 1994. Comatulid crinoids (Echinodermata) of Madang, Papua New Guinea, and environs: Diversity and ecology. In B. David, A. Guille, J.-P. Feral, & M. Roux, eds., *Echinoderms through time*. Balkema. Rotterdam. p. 237–243.
- Messing, Charles G. 1995a. *Alloeoecomatella*, a new genus of reef-dwelling feather star from the tropical Indo-western Pacific (Echinodermata: Crinoidea: Comasteridae). *Proceedings of the Biological Society of Washington* 108:436–450, 6 fig.
- Messing, Charles G. 1995b. Redescription of a unique feather star (Echinodermata: Crinoidea: Comasteridae) with the diagnosis of a new genus. *Proceedings of the Biological Society of Washington* 108:656–661.
- Messing, Charles G. 1997. Living Comatulids. In J. A. Waters & C. G. Maples, eds., *Geobiology of Echinoderms*. Paleontological Society Papers 3:3–30, 5 fig.
- Messing, Charles G. 1998. Revision of the Recent Indo-western Pacific comatulid genus *Comaster* Agassiz. Part 1. The type species of *Comaster* and *Phanogenia* Lovén (Echinodermata: Crinoidea: Comasteridae). *Invertebrate Taxonomy* 12:191–209, 4 fig.
- Messing, Charles G. 2001. A key to the genera of Comasteridae (Echinodermata: Crinoidea) with the description of a new genus. *Bulletin of the Biological Society of Washington* 10:277–300, 7 fig.
- Messing, Charles G. 2003a. Unique morphology in the living bathyal feather star, *Atelecrinus* (Echinodermata: Crinoidea). *Invertebrate Biology* 122:280–292, 8 fig.
- Messing, Charles G. 2003b. Three new species of Comasteridae (Echinodermata, Crinoidea) from the tropical western Pacific. *Zoosystema* 25:149–162, 3 fig.
- Messing, Charles G. 2007. The crinoid fauna (Echinodermata: Crinoidea) of Palau. *Pacific Science* 61:91–111, 7 fig.
- Messing, Charles G., Nadia Améziane, & Marc Eléaume. 2000. Echinodermata Crinoidea: Comatulid crinoids of the KARUBAR Expedition to Indonesia. The families Comasteridae, Asterometridae, Calometridae and Thalassometridae. In A. Crosnier, ed., *Résultats des Campagnes MUSORSTOM 21*. Mémoires du Muséum National d'Histoire Naturelle 184:627–702, 41 fig.
- Messing, Charles G., & John H. Dearborn. 1990. Marine Flora and Fauna of the Northeastern United States. Echinodermata: Crinoidea. National Oceanic and Atmospheric Administration Technical Report NMFS 91:29 p., 18 fig.
- Messing, Charles G., David L. Meyer, U. E. Siebeck, D. I. Vanev, Lars S. Jermin, & Greg W. Rouse. 2004. A modern, soft-bottom, shallow-water, tropical crinoid fauna, with a comparison between living *Comatula rotalaria* and fossil *Uintacrinus socialis* (Echinodermata: Crinoidea). In Thomas Heinzeller & James H. Nebelsieck, eds., *Echinoderms: München*. *Proceedings of the 11th International Echinoderm Conference*, Munich, Germany, 6–10 October 2003. Balkema. Rotterdam. p. 596.
- Messing Charles G., M. Christine RoseSmyth, Stuart R. Mailer, & John E. Miller. 1988. Relocation movement in a stalked crinoid (Echinodermata). *Bulletin of Marine Science* 42:480–487.

- Messing, Charles G., & Christopher M. White. 2001. A revision of the Zenometridae (new rank) (Echinodermata, Crinoidea, Comatulidina). *Zoologica Scripta* 30:159–180, 14 fig.
- Meyer, David L. 1972. *Ctenantedon*, a new antedonid crinoid convergent with comasterids. *Bulletin of Marine Science* 22:53–66, 5 fig.
- Meyer, David L. 1973. Feeding behavior and ecology of shallow-water unstalked crinoids (Echinodermata) in the Caribbean Sea. *Marine Biology* 22:105–129.
- Meyer, David L. 1997. Implications of research on living stalked crinoids for paleobiology. In Johnny A. Waters & Christopher G. Maples, eds., *Geobiology of Echinoderms*. Paleontological Society Papers 3:31–43, 1 fig.
- Meyer, David L., & Donald B. Macurda Jr. 1977. Adaptive radiation of the comatulid crinoids. *Paleobiology* 3:74–82, 4 fig.
- Meyer, David L., & Donald B. Macurda Jr. 1980. Ecology and distribution of the shallow-water crinoids of Palau and Guam. *Micronesica* 16:59–99, 8 fig.
- Meyer, David L., Charles G. Messing, & Donald B. Macurda Jr. 1978. Zoogeography of tropical western Atlantic Crinoidea (Echinodermata). *Bulletin of Marine Science* 28:412–441, 12 fig.
- Meyer, David L., & Clare V. Milsom. 2001. Microbial sealing in the biostratigraphy of *Uintacrinus* Lagerstätten in the Upper Cretaceous of Kansas and Colorado, USA. *PALAIOS* 16:535–546, 6 fig.
- Meyer, David L., & Tatsuo Oji. 1993. Eocene crinoids from Seymour Island, Antarctic Peninsula: Paleobiographic and paleoecologic implications. *Journal of Paleontology* 67:250–257, 7 fig.
- Meyer, Hermann von. 1836. Mittheilungen an Professor Bronn gerichtet. Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefaktenkunde 1836:55–61.
- Meyer, Hermann von. 1837. *Isocrinus* und *Chelocrinus*, zwei neue Typen aus der Abteilung der Crinoideen. Museum Senckenbergianum, Abhandlungen aus dem Gebiete der beschreibenden Naturgeschichte 2(3):251–263, pl. 16.
- Meyer, Hermann von. 1847. Mittheilungen an Professor Bronn gerichtet. Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefaktenkunde 1847:572–580.
- Meyer, Hermann von. 1851. Fische, Crustaceen, Echinodermen und Versteinerungen aus dem Muschelkalk Oberschlesiens. *Palaeontographica* 1:216–282, pl. 32.
- Meyer, Hermann von. 1858. Crinoideen aus dem Posidonomyen-Schiefer Deutschlands. Neues Jahrbuch für Mineralogie, Geologie, Paläontologie, 1858: 59–62. Also published in *Palaeontographica* 7(2):110–122, pl. 14–15, 1860.
- Michelin, J.-L. H. 1851. Description d'un nouveau genre de la famille des Crinoïdes. *Revue Magasin Zoologie (série 2)* 3:93–94.
- Michelotti, Giovanni. 1847. Précis de la faune miocène de la Haute Italie. *Natuurkundige Verhandelingen van de Hollandsche Maatschappij der Wetenschappen te Haarlem* 3:1–408, 17 pl.
- Michelotti, Giovanni. 1861. Description de quelques nouveaux fossiles du terrain miocène de la col-  
line de Turin. *Revue Magasin Zoologie (série 2)* 13:353–354.
- Miller, H. W., G. F. Sternberg, & M. V. Walker. 1957. *Uintacrinus* localities in the Niobrara Formation of Kansas. *Kansas Academy of Science, Transactions* 60:163–166, fig. 1–2.
- Miller, John Samuel. 1821. A natural history of the Crinoidea or lily-shaped animals, with observations on the genera *Asteria*, *Euryale*, *Comatula*, and *Marsupites*. C. Frost. Bristol. 150 p., 50 pl.
- Milsom, Clare V. 1994. *Saccocoma*: A benthic crinoid from the Jurassic Solnhofen Limestone, Germany. *Palaeontology* 37:121–129, 4 fig.
- Milsom, Clare V., Michael J. Simms, & Andrew S. Gale. 1994. Phylogeny and palaeobiology of *Marsupites* and *Uintacrinus*. *Palaeontology* 37:595–607, 3 fig.
- Minckert, Wilhelm. 1905. Das Genus *Promachocrinus*, zugleich ein Beitrag zur Faunistik der Antarktis. *Zoologischer Anzeiger* 28:490–501.
- Mironov, Alexander N. 2000. New taxa of stalked crinoids from the suborder Bourgueticrinina (Echinodermata, Crinoidea). *Zoologicheskyy Zhurnal* 79:712–728. In Russian.
- Mironov, Alexander N. 2008. Stalked crinoids of the family Bathycrinidae (Echinodermata) from the eastern Pacific. *Invertebrate Zoology* 5:133–153, 8 fig.
- Mironov, Alexander N., & David L. Pawson. 2010. A new genus and species of Western Atlantic sea lily in the family Septocrinidae (Echinodermata: Crinoidea: Bourgueticrinida). *Zootaxa* 2449:49–68, 10 fig.
- Mironov, Alexander N., & O. A. Sorokina. 1998a. Tri novyykh roda stebelichatykh morskikh liliï semeïstva Hyocrinidae (Echinodermata, Crinoidea) [Three genera of stalked crinoids of the family Hyocrinidae (Echinodermata, Crinoidea)]. *Zoologicheskyy Zhurnal* 77(4):404–416. In Russian.
- Mironov, Alexander N., & O. A. Sorokina. 1998b. Sea lilies of the order Hyocrinida (Echinodermata, Crinoidea). *Zoologicheskyye Issledovaniya* 2:118 p., 35 fig., 13 pl. In Russian with English diagnoses.
- Montfort, Pierre Dénys de. 1808. *Conchyliologie systématique, et classification méthodique des coquilles: Offrant leurs figures, leur arrangement générique, leurs descriptions caractéristiques, leurs noms; ainsi que leur synonymie en plusieurs langues; ouvrage destiné à faciliter l'étude des coquilles, ainsi que leur disposition dans les cabinets d'histoire naturelle. Coquilles univalves, cloisonnées*, pt. 1. Schoell. Paris. Haussmann. lxxvii + 409 p.
- Moore, Charles. 1875. On the presence of the genera *Plicatocrinus*, *Cotylederma* and *Solanocrinus* in British strata. *Geological Magazine* 2:626–627.
- Moore, Raymond C. 1950. Evolution of the Crinoidea in relation to major paleogeographic changes in earth history. International Geological Congress. Report of the Eighteenth Session, Great Britain, 1948. Part XII. Geological Society. London. p. 27–53, fig. 1–18.
- Moore, Raymond C. 1967. Unique stalked crinoids from the Upper Cretaceous of Mississippi. *University of Kansas Paleontological Contributions*, Paper 17:1–35, fig. 1–8, pl. 1–8.
- Moore, Raymond C. 1978. Glossary of crinoid morphological terms. In R. C. Moore & C. Teichert,

- eds., Treatise on Invertebrate Paleontology. Pt. T, Echinodermata 2, vol. 1. The Geological Society of America, Inc. & The University of Kansas Press. Boulder, Colorado & Lawrence, Kansas. p. 229–242.
- Moore, Raymond C., C. G. Lalicker, & A. G. Fischer. 1952. Invertebrate fossils. McGraw-Hill. New York, Toronto, London. 766 p., 455 fig.
- Moore, Raymond C., & L. R. Laudon. 1943. Evolution and classification of Paleozoic crinoids. Geological Society of America Special Paper 46:1–153, fig. 1–18, pl. 1–14.
- Moore, Raymond C., & Curt Teichert, eds. 1978. Treatise on Invertebrate Paleontology. Pt. T, Echinodermata 2, 3 vol. The Geological Society of America, Inc. & The University of Kansas Press. Boulder, Colorado & Lawrence, Kansas. 998 p., 616 fig.
- Moore, Raymond C., & H. E. Vokes. 1953. Lower Tertiary Crinoids from Northwestern Oregon. U.S. Geological Survey Professional Paper 233-E:111–147, fig. 27–39, pl. 14–21.
- Mortensen, Theodore. 1917. *Notocrinus virilis* n. g., n. sp. a new viviparous crinoid from the Antarctic Sea. Videnskabelige Meddelelser Naturhistorisk Forening i København 68:205–208.
- Mortensen, Theodore. 1918. The Crinoidea of the Swedish Antarctic Expedition. Wissenschaftliche Ergebnisse der Schwedischen Südpolar-Expedition 1901–1903, 4(8):1–23, pl. 1–5.
- Mostler, Helfried. 1972. Die stratigraphische Deutung von Crinoiden-, Echiniden- und Ophiuren-Skelettelementen in triassischen Karbonatgesteinen. Mitteilungen der Gesellschaft Geologischer Bergbaustudenten Österreichs 21:711–728.
- Mu, A. T. 1949. On discovery of the crown of *Traumatocrinus*. Bulletin of the Geological Society of China 29:85–92.
- Müller, Arno Hermann. 1963. Klasse Crinoidea Miller (Seelilien). In Lehrbuch der Paläozoologie, vol. 2, Invertebraten, pt. 3, Arthropoda 2—Stomochorda. Gustav Fischer. Jena. p. 313–398, fig. 430–533.
- Müller, Johannes. 1840. Über den Bau des *Pentacrinus Caput Medusae*. Archiv für Naturgeschichte 1:307–318.
- Müller, Johannes. 1841. Über die Gattungen und Arten der Comatulen. Königlich Preussische Akademie der Wissenschaften zu Berlin, Monatsberichte (1841):179–189 (also published in Archiv für Naturgeschichte, Jahrgang 7, vol. 1, p. 139–148, Berlin, 1841).
- Müller, Johannes. 1843. Über den Bau des *Pentacrinus Caput Medusae*. Königlich Preussische Akademie der Wissenschaften zu Berlin, Abhandlungen 1841:177–248, pl. 1–6.
- Müller, Johannes. 1846. Nachtrag zu der Abhandlung über die Comatulen. Königlich Preussische Akademie der Wissenschaften zu Berlin, Monatsberichte 1846:177–179.
- Müller, Johannes. 1849. Über die Gattung *Comatula* Lam. und ihre Arten. Königlich Preussische Akademie der Wissenschaften zu Berlin, Abhandlungen 1847:237–265, fig. 1–3.
- Müller, Johannes. 1850. Anatomische Studien über die Echinodermen. Archiv für Anatomie, Physiologie, und wissenschaftliche Medizin, Jahrgang 1850:117–155, 225–233.
- Müller, Johannes. 1854. Über den Bau der Echinodermen. Königlich Preussische Akademie der Wissenschaften zu Berlin, Abhandlungen 1853:123–219, 1 pl.
- Munier-Chalmas, C. P. E. 1891. Etude du Tithonique, du Crétacé et du Tertiaire du Vicentin. Salvy. Paris. 185 p.
- Münster, Georg Graf zu. 1833. Verzeichnis der Versteinerungen welche in der Kreis-Naturaliensammlung zu Bayreuth vorhanden sind. Published anonymously. Bayreuth. 115 p.
- Münster, Georg Graf zu. 1834. Über das Kalkmergel-Lager von St. Cassian in Tyrol und die darin vorkommenden Ceratiten. Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefactenkunde 1834:1–15, 2 pl.
- Münster, Georg Graf zu. 1839. Beschreibung einiger neuer Crinoideen aus der Übergangsformation. Beiträge zur Petrefactenkunde 1:1–124, pl. 1–18.
- Münster, Georg Graf zu. 1841. Beschreibung und Abbildung der in den Kalkmergelschichten von St. Cassian gefundenen Versteinerungen. Beiträge zur Petrefacten-Kunde 4:25–147, 16 pl.
- Murchison, R. I. 1839. The Silurian System, pt. II, Organic remains. John Murray. London. p. 579–768, pl. 1–37. Crinoids, Chapter 48, p. 670–675, pl. 17–18, by John Phillips.
- Neumayr, Melchior. 1889. Die Stämme des Tierreiches, Band I, Wirbellose Thiere, vol. 6. F. Tempsky & Tempsky. Wien, Prague. 603 p., 192 fig.
- Nicolas, H. 1898. Études des terrains des environs d'Avignon. Note complémentaire: Association française pour l'avancement des sciences, Comptes rendus, Congrès St. Étienne (1897) 2:393–413.
- Nicosia, Umberto. 1991. Mesozoic crinoids from the north-western Turkey. Geologica Romana 27:389–436, 48 fig.
- Nielsen, K. Brünnich. 1913. Crinoiderne i Danmarks Kridtaflejringer. Danmarks geologisk undersøgelse (series 2) 26:1–120, fig. 1–34, pl. 1–12.
- Nielsen, K. Brünnich. 1915. *Rhizocrinus maximus* n. sp. og nogle Bemærkninger om *Bourgueticrinus danicus* Br. N. Meddelelser frå Dansk Geologisk Forening 4:391.
- Nielsen, K. Brünnich. 1943. The asteroids of the Senonian and Danian deposits of Denmark. Danske Videnskabelige Selskab, Biologiske Skrifter 2(5):1–68.
- Noelli, Alberto. 1900. Contribuzione allo studio dei crinoidi Terziari del Piemonte. Atti della Società italiana di Scienze naturali e del Museo Civico di storia naturale in Milano 39:19–49, 1 pl.
- Norman, A. M. 1865. On the genera and species of British Echinodermata. 1, Crinoidea, Ophiuroidea, Asteroidea. Annals and Magazine of Natural History (series 3) 15:98–129.
- Norman, A. M. 1891. On Professor Jeffrey Bell's "Notes on Nomenclature of British Starfishes" with remarks on some recent Crinoidea. Annals and Magazine of Natural History (series 6) 7:382–387.

- Oji, Tatsuo. 1985. Early Cretaceous *Isocrinus* from northeast Japan. *Palaeontology* 28:629–642, pl. 77–79.
- Oji, Tatsuo. 1989. Distribution of the stalked crinoids from Japanese and nearby Waters. The University Museum, The University of Tokyo, Nature and Culture 1:27–43.
- Oji, Tatsuo. 1990. Miocene Isocrinidae (stalked crinoids) from Japan and their biogeographic implications. *Transactions and Proceedings of the Palaeontological Society of Japan* (new series) 157:412–429.
- Oji, Tatsuo, & K. Kitazawa. 2008. Discovery of two rare species of stalked crinoids from Okinawa Trough, southwestern Japan, and their systematic and biogeographic implications. *Zoological Science* 25(1):115–121, 4 fig.
- Oji, Tatsuo, K. Manabu, T. Seijichi, & T. Masayuki. 1996. *Nielsenicrinus japonicus* new species (Echinodermata: Crinoidea) from the late Cretaceous of Japan and its paleobiogeographic implications. *Journal of Paleontology* 70:964–968, 2 fig.
- Oji, Tatsuo, Y. Ogawa, A. W. Hunter, & K. Kitazawa. 2008. Discovery of dense aggregations of stalked crinoids in Izu-Ogasawara Trench, Japan. *Zoological Science* 26:406–408, 2 fig.
- d'Orbigny, Alcide. 1837. Mémoire sur une seconde espèce vivante de la famille des Crinoïdes ou Encrines, servant de type au nouveau genre *Holope* (*Holopus*). *Magasin de Zoologie* (7ème année) 10:1–8, pl. 3.
- d'Orbigny, Alcide. 1840–1841. Histoire naturelle, générale et particulière, des Crinoïdes, vivants et fossiles, comprenant la description géologique et zoologique de ces animaux. Published by the author. Paris. Livraison 1:1–32, pl. 1–6 (1840); livraison 2–3:33–98, pl. 7–18 (1841) (republished 1858).
- d'Orbigny, Alcide. 1849–1851. Cours élémentaire de paléontologie et géologie stratigraphiques. Masson. Paris. vol. 1 (1849):299 p., 165 fig.; vol. 2 (1851):847 p., 628 fig.
- d'Orbigny, Alcide. 1850–1852. Prodrome de paléontologie stratigraphique universelle des animaux mollusques et rayonnés faisant suite au cours élémentaire de paléontologie et de géologie stratigraphique. Masson. Paris. vol. 1 (1849 [1850]):394 p.; vol. 2 (1850 [1852]):427 p.; vol. 3 (1852):196 p. + table alphabétique et synonymique des genres et des espèces, p. 1–189.
- d'Orbigny, Alcide. 1858. Histoire naturelle, générale et particulière, des Crinoïdes, vivants et fossiles comprenant la description zoologique et géologique de ces animaux. Baillière et Fils. Paris, London, New York. p. 1–98, pl. 1–18.
- Örsted, A. S. 1857. Descriptions of *Pentacrinus caput-Medusea* and of *Pentacrinus mülleri*. *Forhandlinger ved de Naturforskeres 7de møde Christiania* 1856:202–203.
- Overweg, A. 1850. Trias in Rüdersdorf. *Zeitschrift der Deutschen Geologischen Gesellschaft* 2:5–6.
- Owen, Sir Richard. 1833. Descriptive and Illustrated Catalogue of the Physiological Series of Comparative Anatomy Contained in the Museum of the Royal College of Surgeons in London, vol. 1. R. Taylor. London. 271 p., 13 pl.
- Pasotti, Pierina. 1929. Di alcuni crinoidi Paleogenici con particolare riguardo a quelli di Gassino. *Bollettino della Società geologica italiana* 48:71–89, 2 pl.
- Patrulius, Dan. 1956. Pozitia sistematica formei *Pseudosaccoma Strambergensis* Remes, Crinoid aberant al Malmului Superior. *Buletin Stiintific. Academia Republicii Populare Române. Sectia Geologie, Geografie* 1(3–4):187–195, fig. 1–5. In Romanian with French summary, p. 194.
- Patrulius, Dan. 1959. Die systematische Stellung von *Pseudosaccoma strambergensis* Remes, ein aberanter Krinoid des oberen Malms. *Académie de la République Populaire Române, Revue de Géologie et Géographie* 3:87–95. In German, translation of Patrulius, 1956.
- Patrulius, Dan, & Tr. Orghidan. 1964. Contributii la studiul faunei neojurasece din valea Casimcea [Contributions to the study of the Oxfordian fauna from the Casimcea Valley (central Dobrogea)]. *Lucrarile Institutului de Speologie "Emil Racovita"* 3:229, 292, fig. 1–3, pl. 1–9. In Romanian with French summary.
- Paul, Chris R. C. 1992. *Amphorometra* (Crinoidea, Echinodermata) from the London Clay of Aveley, Essex. *Tertiary Research* 13:117–124, 2 fig., 2 pl.
- Peck, Raymond E. 1943. Lower Cretaceous crinoids from Texas. *Journal of Paleontology* 17:451–475, 23 fig., pl. 71–76.
- Peck, Raymond E. 1948. A Triassic crinoid from Mexico. *Journal of Paleontology* 22:81–84, pl. 20.
- Peck, Raymond E. 1955. Cretaceous microcrinoids from England. *Journal of Paleontology* 29:1019–1029, pl. 105–106.
- Peck, Raymond E. 1973. *Applinocrinus*: A new genus of Cretaceous microcrinoids and its distribution in North America. *Journal of Paleontology* 47:94–100, 1 fig., pl. 71–76.
- Peck, Raymond E. 1978. Order Roveacrinida Sieverts-Doreck. In R. C. Moore & C. Teichert, eds., *Treatise on Invertebrate Paleontology*. Pt. T, Echinodermata 2, vol. 3. The Geological Society of America, Inc. & The University of Kansas Press. Boulder, Colorado & Lawrence, Kansas. p. 920–926.
- Peck, Raymond E., & W. T. Watkins. 1972. Comatulid crinoids from the Lower Cretaceous of Texas. *Journal of Paleontology* 46:410–414, 1 fig., pl. 1.
- Peck, Raymond E., & W. T. Watkins. 1975. New name for the comatulid *Semiometra minuta* Peck & Watson. *Journal of Paleontology* 49:426.
- Pennant, Thomas. 1777. *The British zoology*, 4th ed., vol. 4. Benjamin White. London. 156 p., 93 pl.
- Perrier, J. O. E. 1883. Sur un nouveau Crinoïde fixé, le *Democrinus parfaiiti*, provenant des dragages du "Travailleur." *Académie des Sciences Paris, Comptes Rendus* 96:450–452.
- Perrier, J. O. 1886–1890. Mémoire sur l'organisation et le développement de la Comatule de la Méditerranée. *Muséum National d'Histoire Naturelle Paris, Nouveaux Archives (série 2)* 9:53–348 (1886); (série 3) 1:169–286 (1889), 2:1–86 (1890).
- Philippi, R. A., 1844. *Alecto alriceps*, eine tertiäre Comatula von Palermo. *Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefaktenkunde* 1844:540–542, pl. 6.

- Phillips, John. 1841. Figures and descriptions of the Palaeozoic fossils of Cornwall, Devon, and West Somerset. Longman, Brown, Green & Longmans. London. xii + 354 p., 60 pl.
- Picard, Karl. 1883. Über eine neue Crinoiden-Art aus dem Muschelkalk der Hainleite bei Sondershausen. Zeitschrift der Deutschen Geologischen Gesellschaft 35:199–202, pl. 9.
- Pictet, F.-J. 1868. Étude provisoire des fossiles de la Porte-de-France, d'Aizy et de Lémenc. Mélanges paléontologiques, Genève, 4e livraison:207–309, pl. 36–43.
- Pisera, Andrzej. 1983. Comatulid and roveacrinid crinoids from the Cretaceous of central Poland. Acta Palaeontologica Polonica 28:385–391, pl. 9–12.
- Pisera, Andrzej, & Jerzy Dzik. 1979. Tithonian crinoids from Rogoznik (Pieniny Klippen Belt, Poland) and their evolutionary relationships. Eclogae geologicae Helvetiae 72:805–849, 15 fig., 5 pl.
- Pomel, Nicolas Auguste. 1885–1887. Paléontologie ou description des animaux fossiles de l'Algérie. P. Fontana. Alger. Zoophytes 2, pt. 1, 79 pl. (1885); pt. 2, 344 p. (1887).
- Pompeckj, J. 1913. Stachelhäuter (Paläontologie). In E. Korschelt, ed., Handwörterbuch der Naturwissenschaften 9:457–492.
- Pourtalès, L. F. de. 1868. Contributions to the fauna of the Gulf Stream at great depths. Harvard University, Museum of Comparative Zoology, Bulletin 1(6):103–142.
- Pourtalès, L. F. de. 1869. List of the crinoids obtained on the coasts of Florida and Cuba by the United States Coast Survey Gulf Stream Expeditions in 1867, 1868, 1869. Harvard University, Museum of Comparative Zoology, Bulletin 1(11):355–358.
- Pourtalès, Louis François de. 1874. On a new species of *Rhizocrinus* from Barbados. Harvard University, Museum of Comparative Zoology, Memoir 4(8):27–31, pl. 5.
- Pourtalès, Louis François de. 1878. Report on the results of dredging, under the supervision of Alexander Agassiz in the Gulf of Mexico by the United States Coast Survey steamer "Blake," Lieut.-Commander C. B. Sigsbee, U.S.N. Commanding. Crinoids. Harvard University, Museum of Comparative Zoology, Bulletin 5(9):214–216.
- Quenstedt, Friedrich August. 1835. Über die Enkriniten des Muschelkalkes. Archiv für Naturgeschichte 1(2):223–228, pl. 4.
- Quenstedt, Friedrich August. 1852. Handbuch der Petrefactenkunde, 1st ed. Laupp. Tübingen. 792 p., 62 pl.
- Quenstedt, Friedrich August. 1858. Der Jura. Laupp. Tübingen. p. 1–842, pl. 1–99.
- Quenstedt, Friedrich August. 1867. Handbuch der Petrefactenkunde, 2nd ed. Laupp. Tübingen. viii + 1239 p.; Atlas, 100 pl. Essentially same as 1st ed., crinoids, p. 714–758.
- Quenstedt, Friedrich August. 1868. Schwabens Medusenhaupt. Eine Monographie der subangularen Pentacriniten. Published by the author. Tübingen. 73 p., 1 pl.
- Quenstedt, Friedrich August. 1876. Petrefactenkunde Deutschlands. 1. Abteilung, 4. Fues's Verlag. Leipzig. Band, Echinodermen (Asteriden und Encriniden), viii + 742 p.; Atlas zu den Asteriden und Encriniden, pl. 90–114.
- Quenstedt, Friedrich August. 1885. Handbuch der Petrefactenkunde, 3rd ed., pt. 4. Laupp. Tübingen. p. 912–965, pl. 63–80.
- Radwańska, Urszula. 1987. Free-living crinoids from the Korytnica Clays (Middle Miocene; Holy Cross Mountains, Central Poland). Acta Geologica Polonica 37:113–129, 8 fig., 6 pl.
- Radwańska, Urszula. 2003. *Sievertsella*, a replacement name for *Sievertsia* Radwańska, 1987 (Echinodermata, Crinoidea), preoccupied by *Sievertsia* Smith & Paul, 1982 (Echinodermata, Cyclocystoidea). Acta Geologica Polonica 53:321.
- Radwańska, Urszula. 2005. Lower Kimmeridgian comatulids of the Holy Cross Mountains, Central Poland. Acta Geologica Polonica 55:269–282, 8 fig., 4 pl.
- Radwańska, Urszula. 2007. A rare comatulid crinoid, *Semiometra petitielerci* (Caillet, 1923), from the Upper Oxfordian of Poland. Acta Geologica Polonica 57:161–167, 3 fig., 2 pl.
- Radwańska, Urszula, & A. Radwański. 2003. The Jurassic crinoid genus *Cyclocrinus* d'Orbigny, 1850: Still an enigma. Acta Geologica Polonica 53:301–320, 14 fig.
- Rankin, Dana L., & Charles G. Messing. 2008. A revision of the comatulid genus *Stephanometra* AH Clark with a rediagnosis of the genus *Lamprometra* AH Clark (Echinodermata: Crinoidea). Zootaxa 1888:1–35.
- Rasmussen, H. Wienberg. 1953. Cretaceous Crinoidea. Preliminary report on the species found in Denmark. Dansk Geologisk Forening, Meddelelser 12:415–419.
- Rasmussen, H. Wienberg. 1954. Cretaceous Crinoidea: Second preliminary report. Dansk Geologisk Forening, Meddelelser 12:553–555.
- Rasmussen, H. Wienberg. 1961. A Monograph on the Cretaceous Crinoidea. Det Kongelige Danske Videnskabernes Selskab, Biologiske Skrifter 12(1):428 p., 60 pl.
- Rasmussen, H. Wienberg. 1969. Palaeontologii fossile invertebrater. Scandinavian University Books. Munksgaard. København. 420 p., illus.
- Rasmussen, H. Wienberg. 1971. Cretaceous Crinoidea (Comatulida and Roveacrinida) from England and France. Bulletin of the Geological Society of Denmark 20:285–294, 4 pl.
- Rasmussen, H. Wienberg. 1972a. Lower Tertiary Crinoidea, Asteroidea and Ophiuroidea from Northern Europe and Greenland. Det Kongelige Danske Videnskabernes Selskab, Biologiske Skrifter 19:1–83, 3 fig., 14 pl.
- Rasmussen, H. Wienberg. 1972b. En lyskyst hulefauna fra Fakse som vidnesbyrd om koralkalkens dannelse i lyszonen. Dansk Geologisk Forening, Årsskrift for 1972:87–91, 2 pl.
- Rasmussen, H. Wienberg. 1975. Neue Crinoiden aus der Oberkreide bei Hannover. Berichte der Naturhistorischen Gesellschaft Hannover 119:279–283, 2 fig.

- Rasmussen, H. Wienberg. 1977. Function and attachment of the stem in Isocrinidae and Pentacrinidae: Review and interpretation. *Lethaia* 10:51–57, 2 fig.
- Rasmussen, H. Wienberg. 1978. Articulata. In R. C. Moore & C. Teichert, eds., *Treatise on Invertebrate Paleontology*. Pt. T, Echinodermata 2, vol. 3. The Geological Society of America, Inc. & The University of Kansas Press. Boulder, Colorado & Lawrence, Kansas. p. 813–928.
- Rasmussen, H. Wienberg. 1979. Crinoideos del Cretacico Superior y del Terciario Inferior de la Isla Viçecomodoro Marambio (Seymour Island), Antártida. *Contribuciones Científicas del Instituto Antártico Argentino* 4:79–97.
- Rasmussen, H. Wienberg, & Hertha Sieverts-Doreck. 1978. Classification. In R. C. Moore & C. Teichert, eds., *Treatise on Invertebrate Paleontology*. Pt. T, Echinodermata 2, vol. 3. The Geological Society of America, Inc. & The University of Kansas Press. Boulder, Colorado & Lawrence, Kansas. p. 813–816.
- Reichensperger, August. 1905. Zur Anatomie von *Pentacrinus decorus*. *Zeitschrift für Wissenschaftliche Zoologie* 80:3–35, pl. 3–5.
- Remes, Mořic. 1902. Nachträge zur Fauna von Stramberg, I. Beiträge Paläontologie Geologie Österreich-Ungarns 14:195–217, pl. 18–20.
- Remes, Mořic. 1905. Nachträge zur Fauna von Stramberg, VI, Crinoiden-, Asteriden- und Echinodermenreste aus dem weissen Kalkstein vom Stramberg. Beiträge Paläontologie, Geologie Österreich-Ungarns 18:59–63, pl. 7.
- Remes, Mořic. 1912. Nové zprávy O lilijicích z moravského tithonu [New communications on crinoids from the Moravian Tithonian]. *Casopis Moravského Zemského Musea* 12:157–172, pl. 1–3.
- Remes, Mořic, & F. A. Bather. 1913. *Psalidocrinus*, a new genus of Crinoidea from the Tithonian of Stramberg. *Geological Magazine* (new series, decade 5) 10:346–352, 8 fig.
- Retzius, A. J. 1783. Anmärkningar vid Asteriae Genus. *Kongliga Vetenskaps Academiens Nya Handlingar* 4:234–243.
- Roemer, F. A. 1836. Die Versteinerungen des norddeutschen Oolithengebirges. Hahn. Hannover. 218 p., 16 pl.
- Roemer, F. A. 1839. Die Versteinerungen des norddeutschen Oolithen-Gebirges. Ein Nachtrag. Hahn. Hannover. 59 p., 5 pl.
- Roemer, F. A. 1840–1841. Die Versteinerungen des norddeutschen Kreidegebirges. Hahn. Hannover. pt. 1:1–48, pl. 1–7 (1840); pt. 2:49–145, pl. 8–16 (1841).
- Rollier, Louis. 1911. Fossiles nouveaux ou peu connus. *Mémoires de la Société Paléontologie Suisse* 37:1–7, pl. 2.
- Roman, Jean. 1991. Les crinoïdes jurassiques *Saccocoma* de Canjuers (Var). Anatomie, systématique et écologie. Conséquences stratigraphiques et biogéographiques. *Comptes Rendus de l'Académie des Sciences Paris (série 11)* 312:421–424, 4 fig.
- Rosenkranz, Dieter. 1971. Zur Sedimentologie und Oekologie von Echinodermen-Lagerstätten. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 138:221–258, 10 fig.
- Rosinus, M. R. 1718. Tentaminis de lithozois ac lithophytis olim marinis jam vero subterraneis, Prodomus sive, de Stellis Marinis quondam nunc fossilibus. N. Sauer. Hamburgi. 92 p., 10 pl.
- Rothpletz, August. 1892. Die Perm-, Trias- und Jura-Formation auf Timor und Rotti im Indischen Archipel. *Palaeontographica* 39:7–106, 14 fig., 13 pl.
- Rouse, Greg W., Lars S. Jermin, & Charles G. Messing. 2006. Phylogeny of extant Crinoidea based on mitochondrial and nuclear gene sequences. Abstract, 12th International Echinoderm Conference, August 7–11, 2006, Durham, New Hampshire, Abstracts. Balkema. Rotterdam. p. 54–55.
- Roux, Michel. 1970. Introduction à l'étude des microstructures des tiges de Crinoïdes. *Géobios* 3:79–98, 7 fig., pl. 14–16.
- Roux, Michel. 1974. Observations au microscope électronique à balayage de quelques articulations entre les ossicules du squelette des Crinoïdes pédonculés actuels (Bathycrinidae et Isocrinina). *Travaux du Laboratoire de Paléontologie, Université de Paris, Faculté des Sciences d'Orsay* 1974:1–10, 3 fig., 4 pl.
- Roux, Michel. 1975. Microstructural analysis of the crinoid stem. University of Kansas Paleontological Contributions Paper 75:7 p., 5 fig., 2 pl.
- Roux, Michel. 1976. Découverte dans le Golfe de Gascogne de deux espèces actuelles du genre cénozoïque *Conocrinus* (Échinodermes, Crinoïdes pédonculés). *Comptes Rendus de l'Académie des Sciences Paris (série D)* 283:757–760, 2 fig.
- Roux, Michel. 1977a. The stalk-joints of recent Isocrinidae (Crinoidea). *Bulletin of the British Museum (Natural History)*, *Zoology* 32:45–64, 20 fig.
- Roux, Michel. 1977b. Les Bourgueticrinina (Crinoidea) recueillis par la «Thalassa» dans le golfe de Gascogne: Anatomie comparée des pédoncules et systématique. *Bulletin du Muséum National d'Histoire Naturelle*, (3e série, no. 426, *Zoologie*) 296:26–82, 17 fig., 10 pl.
- Roux, Michel. 1978a. Ontogénèse et évolution des Crinoïdes pédonculés depuis le Trias, Implications océanographiques. Thèse Université Paris Sud, no. 2082. Paris. 167 p. + 24 p. (Annex A, Systématique des Crinoïdes Pédonculés Post-Paléozoïques)+ 14 p. (Annex B, Bibliographie), 51 fig. (inédit).
- Roux, Michel. 1978b. Ontogénèse, variabilité et évolution morphofonctionnelle du pédoncule et du calice chez les Millericrinida (Échinodermes, Crinoïdes). *Geobios* 11:213–241, 15 fig., 2 pl.
- Roux, Michel. 1978c. Les Crinoïdes pédonculés (Échinodermes) du genre *Conocrinus* provenant de l'Éocène des environs de Biarritz. *Comptes Rendus de l'Académie des Sciences de Paris (série D)* 286:265–268, 1 fig.
- Roux, Michel. 1978d. Importance de la variabilité de la forme du calice chez les Bathycrinidae (Échinodermes, Crinoïdes): L'exemple de l'espèce éocène *Conocrinus doncieuxi* nov. sp. *Comptes Rendus de l'Académie des Sciences de Paris (série D)* 287:797–800, 2 fig.

- Roux, Michel. 1980a. Les articulations du pédoncule des Hyocrinidae (Échinodermes, Crinoïdes pédonculés): Intérêt systématique et conséquences. *Bulletin du Muséum National d'Histoire Naturelle de Paris* (4e série) 2(section A, no. 1):31–57, 3 fig., 5 pl.
- Roux, Michel. 1980b. Découverte de sites à Crinoïdes pédonculés (genres *Diplocrinus* et *Proisocrinus*) au large de Tahiti. *Comptes Rendus de l'Académie des Sciences de Paris* (série D) 290:119–122, 1 pl.
- Roux, Michel. 1981. Echinodermes: Crinoïdes Isocrinidae. In *Résultats des campagnes Musorstom I, Philippines* (18–28 mars 1976). *Mémoires ORSTOM* 91:477–543, 10 fig., 15 pl.
- Roux, Michel. 1985a. Découverte d'un représentant actuel des crinoïdes pédonculés paléozoïques Inadunata (Echinodermes) dans l'étage bathyal de l'île de la Réunion (Océan Indien). *Comptes Rendus de l'Académie des Sciences de Paris* (série 3) 301:503–506, 2 fig.
- Roux, M. 1985b. Les crinoïdes pédonculés (Echinodermes) de l'Atlantique N.E.: Inventaire, écologie et biogéographie. In L. Laubier & C. Monniot, eds., *Peuplements profonds du golfe de Gascogne*. Campagnes BIOGAS. IFREMER. p. 479–489.
- Roux, Michel. 1987. Evolutionary ecology and biogeography of recent stalked crinoids as a model for the fossil record. In Michel Jangoux & John M. Lawrence, eds., *Echinoderm Studies* 2. Balkema. Rotterdam. p. 1–53, 34 fig.
- Roux, Michel. 1990. Découverte d'une nouvelle espèce du genre *Ptilocrinus* (Échinodermes, Crinoïdes pédonculés) au large de la Terre-Neuve. *Canadian Journal of Zoology* 68:1132–1136, 2 fig.
- Roux, Michel. 2002. Two new species of the genus *Thalassocrinus* (Echinodermata: Crinoidea: Hyocrinidae) from the Pacific Ocean. *Species Diversity* 7:173–186, 7 fig.
- Roux, Michel. 2004. New hyocrinid crinoids (Echinodermata) from submersible investigations in the Pacific Ocean. *Pacific Science* 58:597–613, 8 fig.
- Roux, Michel, Nadia Améziane, & Marc Eléaume. 2009. The genus *Teliocrinus* (Crinoidea, Echinodermata): A key taxon among pentacrinid stalked crinoids. *Zoological Journal of the Linnean Society* 155:22–39, 10 fig.
- Roux, Michel, & Jens M. Bohn. 2010. Revision of *Gephyrocrinus* Koehler & Bather, 1902 (Echinodermata, stalked Crinoidea, Hyocrinidae). *Zoosystema* 32(3):425–437.
- Roux Michel, & Philip Lambert. 2011. Two new species of stalked crinoids from the northeastern Pacific in the genera *Gephyrocrinus* and *Ptilocrinus* (Echinodermata, Crinoidea, Hyocrinidae). Effects of ontogeny and variability on hyocrinid taxonomy. *Zootaxa* 2825:1–54, 34 fig.
- Roux, Michel, Charles G. Messing, & Nadia Améziane. 2002. Artificial keys to the genera of living stalked crinoids (Echinodermata). *Bulletin of Marine Science* 70:799–830, 10 fig.
- Roux, Michel, & Christian Montenat. 1977. Sites à Crinoïdes pédonculés et bathymétrie des bassins messiniens dans les Cordillères bétiques orientales (Espagne méridionale). *Bulletin de la Société Géologique de France* (series 7) 19:405–416, 6 fig., pl. 16.
- Roux, Michel, & David L. Pawson. 1999. Two new Pacific Ocean species of hyocrinid crinoids (Echinodermata), with comments on presumed giant-dwarf gradients related to seamounts and abyssal plains. *Pacific Science* 53:289–298, 4 pl.
- Rovereto, Gaetano. 1914. *Nuovi studi sulla stratigrafia e sulla fauna dell'Oligocene Ligure*. Oliveri. Genova. 179 p., 8 pl.
- Rovereto, Gaetano. 1939. *Liguria geologica*. *Memorie della Società Geologica Italiana* 2:744 p., 192 fig., 13 pl.
- Rowe, Frank W. E., Anne K. Hoggett, R. A. Birtles, & Lyle L. Vail. 1986. Revision of some comasterid genera from Australia (Echinodermata: Crinoidea), with descriptions of two new genera and nine new species. *Journal of the Linnean Society (Zoology)* 86:197–277, 10 fig.
- Salamon, Mariusz A. 2005. Holocrinid columnals from the Upper Muschelkalk of the Holy Cross Mts. (eastern part of the Germanic Basin). *Geological Quarterly* 49:105–107, 3 fig.
- Salamon, Mariusz A., & Przemyslaw Gorzelak. 2010. Cyrtocrinids (Echinodermata, Crinoidea) from Jurassic Štramberg-type limestones in southern Poland. *Palaeontology* 53(4):869–885, 6 fig.
- Salamon, Mariusz A., Przemyslaw Gorzelak, Brune Ferré, & Rafael Lach. 2010. Roveacrinids (Crinoidea, Echinodermata) survived the Cretaceous–Paleogene (K–Pg) extinction event. *Geology* 38:883–885, 2 fig.
- Salamon, Mariusz A., Michal Zatoń, & Jolanta Kazmierczak. 2008. Cyrtocrinids (Crinoidea) and associated stalked crinoids from the Lower/Middle Oxfordian (Upper Jurassic) shelfal deposits of southern Poland. *Geobios* 41:559–569, 4 fig.
- Salter, J. W. 1856. Description of Palaeozoic Crustacea and Radiata from South Africa. *Geological Society of London, Transactions* (series 2) 7:215–224, pl. 24–25.
- Sars, Michael. 1864. [Report on *Rhizocrinus lofotensis*]. *Videnskabelige Selskabs Forhandling* 1864:127.
- Sars, Michael. 1868. *Mémoires pour servir à la connaissance des Crinoïdes vivants*; I: Du *Rhizocrinus lofotensis* M. Sars, nouveau genre vivant des crinoïdes pédicellés, dits lis de mer; II: Du pentacrinioïde de l'*Antedon Sarsii* (Alecto) Duben et Koren. Brøgger & Christie. Christiania. 65 p., 6 pl.
- Say, Thomas. 1825. On the species of the Linnaean genus *Asterias* inhabiting the coasts of the United States. *Academy of Natural Sciences of Philadelphia, Journal* 5(1):141–154.
- Schafhäütl, K. F. E. 1863. *Süd-Bayerns Lethaea Geognostica*. L. Voss. Leipzig. 487 p., 100 pl.
- Schauthroth, K. F. von. 1859. *Verzeichnis der Versteinerungen im Herzogl. Naturaliencabinet zu Coburg*. Coburg. 327 p., 30 pl.
- Scheuchzer, J. J. 1752. *Natur-Historie des Schwizerlandes*, 2nd ed., vol. 3. Published by the author. Zürich. 336 p., 22 pl.
- Schlotheim, E. F. von. 1813. *Beiträge zur Naturgeschichte der Versteinerungen*. Leonard Taschenbuch für die gesammte Mineralogie. Jahrgang 7(1):3–134.



- Schlotheim, E. F. von. 1820. Die Petrefactenkunde auf ihrem jetzigen Standpunkte durch die Beschreibung seiner Sammlung versteinerter und fossiler Überreste des Thier- und Pflanzenreichs der Vorwelt erläutert. Beckersche Buchhandlung. Gotha. p. 1–437, pl. 15–29.
- Schlotheim, E. F. von. 1822–1823. Nachträge zur Petrefactenkunde. Beckersche Buchhandlung. Gotha. pt. 1, 100 p. (1822); pt. 2, 114 p., 37 pl. (1823).
- Schlüter, Clemens. 1878. Über einige astyliche Crinoiden. Zeitschrift der Deutschen Geologischen Gesellschaft 3:28–66, pl. 1–4.
- Schmidt, Martin. 1928. Die Lebewelt unserer Trias. Hohenlohische Buchhandlung Ferdinand Rau. Öhringen. 461 p., 1215 fig.
- Schmidt, Oscar. 1870. Grundzüge einer Spongien-Fauna des atlantischen Gebietes. Engelmann. Leipzig. 88 p., 6 pl.
- Schneider, H. L. 1987. Zur Kelchmorphologie und Systematik der Roveacrinidae Peck, 1943 (Crinoidea, Oberkreide). Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen 175(2):181–206, 6 fig.
- Schneider, H. L. 1988. *Roveacrinus alatus* Douglas 1908, ein Crinoid aus der Oberkreide von Nordrhein-Westfalen. Aufschluss 39:277–281, 2 fig.
- Schneider, H. L. 1989. Zur Morphologie und Ontogenese von *Roveacrinus geinitzi* n. sp. (Crinoidea, Oberkreide). Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen 178(2):167–181, 5 fig.
- Schneider, H. Lothar. 1995. Crinoidea (Roveacrinidae) aus dem Unter-Turon von Wüllen (Münsterländer Kreidebecken/Nordrhein-Westfalen). Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen 198:35–46, 3 fig.
- Schubert, Jennifer K., David J. Bottjer, & Michael J. Simms. 1992. Paleobiology of the oldest known articulate crinoids. Lethaia 25:97–110, 8 fig.
- Schulze, Christian Friedrich. 1760. Betrachtung der versteinerten Seesterne und ihrer Theile. Michael Gröll. Warschau & Dresden. 65 p., 3 pl.
- Scott, R. W., S. A. Root, J. H. Tenery, & M. Nestell. 1977. Morphology of the Cretaceous microcrinoid *Poecilocrinus* (Roveacrinidae). Journal of Paleontology 51:343–349, 2 fig., 2 pl.
- Seeley, H. G. 1864. On the fossils of the Hunstanton Red Rock. Annals and Magazine of Natural History (series 3) 14:276–280.
- Seeley, H. G. 1866. Notice of *Torynocrinus* and other new and little-known fossils from the Upper Greensand of Hunstanton, commonly called the Hunstanton Red Rock. Annals and Magazine of Natural History (series 3) 17:173–183.
- Seilacher, Adolf, Günther Drozdowski, & Reimund Haude. 1968. Form and function of the stem in a pseudoplanktonic crinoid (*Seirocrinus*). Palaeontology 11(2):275–282, 3 fig., pl. 48.
- Seilacher, Adolf, & Rolf B. Hauff. 2004. Constructional morphology of pelagic crinoids. PALAIOS 19:3–16, 12 fig.
- Seilacher, Adolf, & Copeland MacClintock. 2005. Crinoid anchoring strategies for soft-bottom dwelling. PALAIOS 20:224–240, 20 fig.
- Selli, Raimondo. 1956. Fossili Mesozoici dell'alto Bacio dell'Isonzo. Giornali di Geologia Bologna 25(1953):1–43, pl. 1–2.
- Semper, C. 1868. *Ophiocrinus*, eine neue Comatuliden-Gattung. Archiv für Naturgeschichte 34(1):68–69.
- Shibata, Tomoko F., & Tatsuo Oji. 2007. *Kiimetra miocenica*, a new genus and species of the family Calometridae (Echinodermata: Crinoidea) from the Middle Miocene of southwestern Japan. Journal of Paleontology 81:397–404, 10 fig.
- Sieverts, Hertha. 1927. Über die Crinoidengattung *Marsupites*. Abhandlungen der Preussischen Geologischen Landesanstalt (new series) 108:1–73, pl. 1–5.
- Sieverts, Hertha. 1932a. Über die Crinoidengattung *Drepanocrinus* Jaekel. Jahrbuch der Preussischen Geologischen Landesanstalt 53:599–610, 6 fig.
- Sieverts, Hertha. 1932b. Kolonien von *Cotylederma lineata* Quenstedt (Crinoidea) aus dem süddeutschen Lias. Paläontologische Zeitschrift 14:96–107.
- Sieverts, Hertha. 1933a. Jungtertiäre Crinoiden von Seran und Borneo. Neues Jahrbuch für Mineralogie, Geologie, Paläontologie (Abt. B) 69:145–168.
- Sieverts, Hertha. 1933b. *Drepanocrinus* Jaekel, ein Synonym von *Roveacrinus* Douglas und ein neuer Vertreter dieser Gattung aus der deutschen Kreide. Zentralblatt für Mineralogie, Geologie, Paläontologie 1933B:54–59.
- Sieverts-Doreck, Hertha. 1938. *Pseudocypressocrinus* Valette, 1934, ein Synonym von *Cyathidium* Steenstrup, 1847. Zentralblatt für Mineralogie, Geologie, Paläontologie (Abt. B) 1:29–32, 1 fig.
- Sieverts-Doreck, Hertha. 1939a. Eine Comatulide aus dem schwäbischen Dogger. Zentralblatt Mineralogie, Geologie, Paläontologie (Abt. B) 2:71–74, 1 fig.
- Sieverts-Doreck, Hertha. 1939b. Jura- und Kreide-Crinoiden aus Deutsch-Ostafrika, mit einer Übersicht über jurassische Crinoideen aus Afrika und Madagaskar. Palaeontographica (Suppl. VII, II. Reihe, Teil II) 3:217–231, pl. 16.
- Sieverts-Doreck, Hertha. 1943. Armglieder von *Roveacrinus* aus einem norddeutschen Senongeschiebe. Zeitschrift für Geschiebeforschung und Flachlandsgeologie 18:228–231, fig. 1–24.
- Sieverts-Doreck, Hertha. 1944. Zur Morphologie und systematischen Stellung von *Balanocrinus*. Neues Jahrbuch für Mineralogie, Geologie, Paläontologie (Abt. B) 88:136–155, 4 fig., pl. 15.
- Sieverts-Doreck, Hertha. 1951a. Ein *Isocrinus* aus der obersten Kreide Bulgariens. Paläontologische Zeitschrift 24:72–75, 3 fig.
- Sieverts-Doreck, Hertha. 1951b. *Cyathidium* im Tithon von Mähren? Neues Jahrbuch für Geologie, Paläontologie 94:1–4, 1 pl.
- Sieverts-Doreck, Hertha. 1951c. Über Isocrinidae (*Metacrinus*-Verwandte) aus der dänischen Kreide. Meddelelser frå Dansk Geologisk Forening 12:104–109, 4 fig.
- Sieverts-Doreck, Hertha. 1953. Über *Austinocrinus* in norddeutschen Senon mit einem Beitrag zur Gliederung, Stammesgeschichte und Verbreitung der Gattung. Mitteilungen aus dem Geologischen Staatinstitut in Hamburg 22:102–118, 6 fig., pl. 17–18.

- Sieverts-Doreck, Hertha. 1955. Die Verbreitung der Crinoidengattung *Saccocoma* im Schwäbischen Jura. Jahreshefte des Vereins für vaterländische Naturkunde Württemberg 110:118–120.
- Sieverts-Doreck, Hertha. 1957. Über *Isocrinus angulatus* (Oppel, *emend.* Fraas). Neues Jahrbuch für Geologie, Paläontologie, Monatshefte 5:222–225, 3 fig.
- Sieverts-Doreck, Hertha. 1958a. Über einige Comatulida aus Jura und Kreide. Neues Jahrbuch für Geologie, Paläontologie, Abhandlungen 106:245–260, 2 fig., pl. 7.
- Sieverts-Doreck, Hertha. 1958b. Revision von "*Apiocrinus*" *amaltbei* Quenstedt aus dem fränkischen Lias. Neues Jahrbuch für Geologie, Paläontologie, Monatshefte 10:441–448, 3 fig.
- Sieverts-Doreck, Hertha. 1960. Spezielle Arbeitsgebiete der Mikropaläontologie 3. Echinodermen. In Hugo Freund, ed., Handbuch der Mikroskopie in der Technik, Band II, Teil 3, Mikroskopie in der Geologie sedimentärer Lagerstätten (Mikropaläontologie). Umschau Verlag, Frankfurt. p. 239–264, 6 pl.
- Sieverts-Doreck, Hertha. 1961. Zur Kenntnis der Crinoidengattung *Discometra* (Comatulida, Mariametrima) im Miozän des Wiener Beckens. Annalen des Naturhistorischen Museums Wien 64(1960):105–126, pl. 3.
- Sieverts-Doreck, Hertha. 1964a. Zur Kenntnis von *Balanocrinus württembergicus* aus dem schwäbischen Opalinuston (Dogger  $\alpha$ ). Jahreshefte des Vereins für vaterländische Naturkunde Württemberg 118–119:147–166, 10 fig.
- Sieverts-Doreck, Hertha. 1964b. Über Neufunde von Plicatocriniden im Schwäbischen Jura. Jahresberichte und Mitteilungen des Oberrheinischen Geologischen Vereins (Neue Folge) 46:133–147, fig. 11.
- Sieverts-Doreck, Hertha. 1967. Über einen Isocriniden-Kelch aus dem "Bayreuthischen Jurakalk" und eine verwandte Form aus dem schwäbischen Malm. Jahreshefte des Vereins für vaterländische Naturkunde Württemberg 122:92–97, 3 fig.
- Sieverts-Doreck, Hertha. 1971. Über *Chladocrinus* Agassiz (Isocrinidae) und die nomenklatorische Verankerung dieser Gattung. Neues Jahrbuch für Geologie, Paläontologie, Monatshefte 1971(5):314–320, 2 fig.
- Sieverts-Doreck, Hertha. 1978. Nachweis der *Pentacrinites fossilis*-Gruppe im schwäbischen Arienkalk (Lias, 3, unteres Sinemurium). Stuttgarter Beiträge zur Naturkunde (Serie B) 35:15 p., 2 fig., 2 pl.
- Sieverts-Doreck, Hertha. 1979. Kronen- und Stiefelfunde von *Chladocrinus basaltiformis*, Familie Isocrinidae, aus der Herforder Liasmulde. Bericht des Naturwissenschaftlichen Vereins Bielefeld 1979:345–381, 13 fig.
- Sieverts-Doreck, Hertha. 1983. Neue Kronenfunde von *Chariocrinus württembergicus*, Familie Isocrinidae, aus dem schwäbischen Opalinuston (unteres Aalenium). Jahresberichte und Mitteilungen des Oberrheinischen geologischen Vereins (Neue Folge) 65:359–371, 3 fig.
- Sieverts-Doreck, Hertha, & Walter Biese. 1939. Supplementum ad Crinoidea triadica, jurassica, cretacea et caenozoica. In W. Quenstedt, ed., Fossilium Catalogus; I, Animalia, pt. 88. W. Junk. s'Gravenhage. 81 p.
- Simms, Michael J. 1986. Contrasting lifestyles in Lower Jurassic crinoids: A comparison of benthic and pseudopelagic Isocrinida. Palaeontology 29:475–493, 5 fig.
- Simms, Michael J. 1988a. The phylogeny of post-Paleozoic crinoids. In C. R. C. Paul & A. B. Smith, eds., Echinoderm Phylogeny and Evolutionary Biology. Clarendon Press. Oxford. p. 269–284, 3 fig.
- Simms, M. J. 1988b. An intact comatulid crinoid from the Toarcian of Southern Germany. Stuttgarter Beiträge zur Naturkunde (series B) 140:7 p., 4 fig.
- Simms, Michael J. 1988c. The role of heterochrony in the evolution of post-Paleozoic crinoids. In R. D. Burke, P. M. Mladenov, P. Lambert, & R. L. Parsley, eds., Echinoderm Biology. Balkema. Rotterdam. p. 97–102, 4 fig.
- Simms, Michael J. 1988d. Patterns of evolution among Lower Jurassic crinoids. Historical Biology 1988/1:17–44, 25 fig.
- Simms, Michael J. 1989a. British Lower Jurassic crinoids. Monograph of the Palaeontographical Society, London. Publication 581(part of vol. 142 for 1998):103 p., 25 fig., 15 pl.
- Simms, Michael J. 1989b. Columnal ontogeny in articulate crinoids and its implications for their phylogeny. Lethaia 22:61–68, 3 fig.
- Simms, Michael J. 1990a. Crinoid diversity and the Triassic/Jurassic Boundary. Cahiers de l'Université Catholique de Lyon (série Sciences) 3:67–77, 1 fig.
- Simms, Michael J. 1990b. The radiation of post-Paleozoic echinoderms. In P. D. Taylor & G. P. Larwood, eds., Major Evolutionary Radiations. Clarendon Press. Oxford. p. 287–304.
- Simms, Michael J. 1999. *Pentacrinites* from the Lower Jurassic of the Dorset Coast of southern England. In H. Hess, W. I. Ausich, C. E. Brett, & M. J. Simms, eds., Fossil Crinoids. Cambridge University Press. Cambridge. p. 177–182, fig. 189–191.
- Simms, Michael J. 2011. Stereom microstructure of columnal latera: A character for assessing phylogenetic relationships in articulate crinoids. Swiss Journal of Palaeontology 130(1):143–154, 5 fig.
- Simms, Michael J., A. S. Gale, P. Gilliland, E. P. F. Rose, & G. D. Sevestopulo. 1993. Echinodermata, Chapter 25. In The Fossil Record 2. Chapman & Hall. London. p. 491–528.
- Simms, Michael J., & George D. Sevestopulo. 1993. The origin of articulate crinoids. Palaeontology 36:91–109, 3 fig., 1 pl.
- Smith, Andrew B., & C. R. C. Paul. 1982. Revision of the class Cyclocystoidea (Echinodermata). Royal Society of London, Philosophical Transactions, Biological Sciences 296:577–679.
- Smith, Andrew B., & C. W. Wright. 2002. Echinoderms. In A. B. Smith & D. J. Batten, eds., Fossils of the Chalk, 2nd ed. The Palaeontological Association. London. p. 250–295, pl. 49–60.
- Smith, E. A. 1876. Diagnosis of new species of Echinodermata from the island of Rodriguez. Annals and Magazine of Natural History (series 4) 17:406.

- Solier, A. J. J. 1836. Essai sur les Collaptèrides (Suite). *Annales de la Société entomologique de France* 5:5–200.
- Speden, I. G. 1959. *Phyllocrinus furcillatus* sp. nov., a cyrtocrinoid from the Upper Jurassic of Kawhia, New Zealand. *Palaeontology* 2:150–155, 1 pl.
- Spencer, W. K., & C. W. Wright. 1966. Asterozoans. In R. C. Moore, ed., *Treatise on Invertebrate Paleontology*. Pt. U, Echinodermata 3, vol. 1. Geological Society of America & University of Kansas Press. New York & Lawrence. p. 4–107.
- Springer, Frank. 1899. Notice of a new discovery concerning *Uintacrinus*. *American Geologist* 24:92.
- Springer, Frank. 1900. Further note on *Uintacrinus*. *American Geologist* 26:194.
- Springer, Frank. 1901. *Uintacrinus*: Its Structure and Relations. Harvard College, Museum of Comparative Zoology, Memoir 25:89 p., 8 pl.
- Springer, Frank. 1902. On the crinoid genera *Sagenocrinus*, *Forbesiocrinus*, and allied forms. *American Geologist* 30(2):80–97.
- Springer, Frank. 1903. *Actinometra iowensis*, a new unstalked crinoid from the Florida reefs. *Bulletin from the Laboratories of Natural History of the State University of Iowa* 5(3):217–221, 1 pl.
- Springer, Frank. 1909. A new American Jurassic crinoid. U.S. National Museum, Proceedings 36:179–190, pl. 4.
- Springer, Frank. 1911. Some new American fossil crinoids. Harvard College, Museum of Comparative Zoology, Memoir 25(3):117–161, pl. 1–6.
- Springer, Frank. 1913. Crinoidea. In K. A. von Zittel, transl. & edited by C. R. Eastman, *Text-book of paleontology*, 2nd ed., vol. 1. Macmillan. London. p. 173–243.
- Springer, Frank. 1918. A new species of fossil *Pentacrinus* from the East Indies. *Nederlands Timor-Expeditie 11: Jaarbuch van het Mijnwezen Nederlandands-Oost-Indie* 45: 1–8, pl. 1.
- Springer, Frank. 1922a. *Balanocrinus* in America. *Pan-American Geologist* 38(3):262–263.
- Springer, Frank. 1922b. Crinoids from the Upper Cretaceous of Tamaulipas, Mexico. U.S. National Museum, Proceedings 61(5):1–4, pl. 1.
- Springer, Frank. 1924a. A remarkable fossil echinoderm fauna in the East Indies. *American Journal of Science* (series 5) 8:325–335.
- Springer, Frank. 1924b. The genus *Holopus* with the description of a hitherto unrecorded specimen of *H. rangii*. *University of Iowa Studies in Natural History* 10(4):45–63, pl. 1–3.
- Springer, Frank. 1924c. A Tertiary crinoid from the West Indies. U.S. National Museum, Proceedings 65(3):1–8, 1 pl.
- Springer, Frank. 1925a. The genus *Pentacrinus* in Alaska. U.S. National Museum, Proceedings 67(5):1–7, 1 pl.
- Springer, Frank. 1925b. Occurrence of crinoid genus *Apiocrinus* in America. U.S. National Museum, Proceedings 67(18):1–5, 1 pl.
- Springer, Frank, & Austin H. Clark. 1913. Crinoidea: Articulata. In K. A. von Zittel, translated & edited by C. R. Eastman, *Text-book of paleontology*, 2nd ed., vol. 1. Macmillan. London. p. 226–242.
- Stainforth, R. M. 1939. *Uintacrinus westfalicus* (Schlüter) in the Yorkshire Senonian [Cretaceous]. *Geological Association London, Proceedings* 50(1):101–104, 4 pl.
- Stchepinsky, V. 1938. Le Lias de Durfort (Gard). *Bulletin de la Société Géologique de France* (series 5) 7:593–658, pl. 2.
- Stchepinsky, V. 1946. Türkiye Karakteristik Fosilleri: Maden Tetkik ve Arama Enstitüsü (M.T.A.), Jeolojik Harita Materyelleri. Enstitüsü Türkiye Zimpara. Ankara. p. 37–40, 114–151, 1 pl.
- Steenstrup, J. J. S. 1847a. Gebirgsarten und Versteinerungen vom Museum der Kopenhagener Universität. In G. A. Michaelis & H. F. Scherk, *Amtlicher Bericht über die 24. Versammlung Deutscher Naturforscher und Aerzte in Kiel 1846*. Akademische Buchhandlung. Kiel. p. 117–119 (table), p. 148–150 (description without title).
- Steenstrup, J. J. S. 1847b. Über Korallen in der Faksöer Kreide, Moltkia und Cyathidium. In G. A. Michaelis & H. F. Scherk, *Amtlicher Bericht über die 24. Versammlung Deutscher Naturforscher und Aerzte in Kiel 1846*. Akademische Buchhandlung. Kiel. p. 148–150.
- Steinmann, Gustav. 1903. Einführung in die Paläontologie. Wilhelm Engelmann. Leipzig. 466 p.
- Stiller, Frank. 1999. Phenotypic variability, deformation and post-traumatic reactions of the stem of *Encrinurus* cf. *liliiformis* Lamarck (Crinoidea) from the Middle Triassic of Qingyan, south-western China. *Paläontologische Zeitschrift* 73:303–318, 9 fig.
- Stiller, Frank. 2000. Two early millericrinids and an unusual crinoid of uncertain systematic position from the lower Upper Anisian (Middle Triassic) of Qingyan, south-western China. *Journal of Paleontology* 74:32–51, 11 fig.
- Stolley, E. 1892. Die Kreide Schleswig-Holsteins. Mittheilungen aus dem mineralogischen Institut der Universität Kiel (series 1) Heft 4:191–309, pl. 7–10.
- Struve, Wolfgang. 1957. Ein Massengrab kreidezeitlicher Seelilien. *Natur und Volk* 87:361–373.
- Szörényi, Erzsébet. 1959. Les *Torynocrinus* (Crinoïdes) du Crétacé inférieur de la Hongrie. *Acta Geologica a Magyar Tudományos Akadémia Földtani Közlönye* 6:231–271, 4 pl.
- Tang, Carol M., David J. Bottjer, & Michael J. Simms. 2000. Stalked crinoids from a Jurassic tidal deposit in western North America. *Lethaia* 33:46–54, 8 fig.
- Tate, R., & J. F. Blake. 1876. The Yorkshire Lias. J. van Voorst. London. 475 p.
- Taylor, Paul D. 1983. *Ailsacrinus* gen. nov., an aberrant millericrinid from the Middle Jurassic of Britain. *Bulletin of the British Museum (Natural History), Geology* 37:37–77, 48 fig.
- Terquem, Olry, & E. Jourdy. 1869. Monographie de l'étage bathonien dans le département de la Moselle. *Mémoires de la Société Géologique de France* (série 2) 9:175 p.
- Terquem, Olry, & Edouard Piette. 1865. Le Lias inférieur de l'est de la France. *Mémoires de la Société Géologique de France* (série 2) 8:175 p., 18 pl.
- Thompson, J. V. 1827. Memoir on the *Pentacrinus europaeus*, a recent species discovered in the Cove of Cork. King & Ridings. Cork. p. 1–12, pl. 1–2.

- Thomson, Charles Wyville. 1864. Sea lilies. *The Intellectual Observer* 6:1–11.
- Thomson, Charles Wyville. 1865. On the embryogeny of *Antedon rosaceus* Linck (*Comatula rosacea* of Lamarck). *Royal Society of London, Philosophical Transactions* 155(2):513–544, pl. 23–27.
- Thomson, Charles Wyville. 1872. On the crinoids of the “Porcupine” deep-sea dredging expedition. *Royal Society of Edinburgh, Proceedings* 7(1869–1872):764–773.
- Thomson, Charles Wyville. 1876. Notice of new living crinoids belonging to the Apiocrinidae. *Linnean Society of London, Journal, Zoology* 13:47–55.
- Thomson, Charles Wyville. 1877a. On the structure and relations of the genus *Holopus*. *Royal Society of Edinburgh, Proceedings* 9(98):405–410.
- Thomson, Charles Wyville. 1877b. *The voyage of the Challenger: The Atlantic 2*. Macmillan. London. p. 1–396, pl. 15–42.
- Thurmann, Jules, & C.-A. Étallon. 1861. *Le thea Bruntrutana ou études paléontologiques et stratigraphiques sur les terrains jurassiques du Jura Bernois et en particulier des environs de Porrentruy*. *Neue Denkschriften der Schweizerischen Naturforschenden Gesellschaft* 18:500 p., 65 pl.
- Tollmann, Alexander. 1976. Analyse des klassischen nordalpinen Mesozoikums. *Stratigraphie, Fauna und Fazies der Nördlichen Kalkalpen*. Monographie der Nördlichen Kalkalpen, pt. 2. Franz Deuticke. Wien. xv + 580 p., 256 fig., 3 pl.
- Tommasi, Annibale. 1910. Una nuova forma di *Phyllocrinus* nel Necomiano di Spiazzi sul M. Baldo. *Rivista Italiana Paleontologia* 15:108.
- Tortonese, Enrico. 1938. Gli Echinodermi del Museo di Torino, pt. 4, Oloturoidi e Crinoidi. *Bollettino dei Musei di Zoologia ed Anatomia Comparata della Reale Università di Torino* (series 3) 46(82):169–221.
- Tortonese, Enrico. 1965. Echinodermata. *Fauna d'Italia VI. Edizioni Calderini*. Bologna. 422 p., 186 fig. Crinoidea p. 17–25.
- Toula, F. 1877. *Geologische Untersuchungen im westlichen Theile des Balkans und in den angrenzenden Gebieten IV. Sitzungsberichte der Mathematisch-Naturwissenschaftlichen Klasse der Kaiserlichen Akademie der Wissenschaften* 75:465–549, 8 pl.
- Trautschold, Hermann. 1859. *Recherches géologiques aux environs de Moscou*. *Bulletin de la Société Impériale des Naturalistes de Moscou* 32(3):109–121, 2 pl.
- Turner, Judith. 1965. Upper Jurassic and Lower Cretaceous microfossils from the Hautes Alpes. *Palaeontology* 8:391–396, 1 fig., pl. 51–52.
- Ubaghs, Georges. 1953. Sous-classe 4. Articulata J. S. Miller. *In* J. Piveteau, ed., *Traité de Paléontologie* 3. Masson. Paris. p. 756–765, fig. 152–165.
- Ubaghs, Georges. 1978. Skeletal morphology of fossil crinoids. *In* R. C. Moore & C. Teichert, eds., *Treatise on Invertebrate Paleontology*. Pt. T, Echinodermata 2, vol. 1. Geological Society of America & University of Kansas Press. Boulder, Colorado & Lawrence, Kansas. p. 58–216.
- Ulrich, E. O. 1886. Remarks upon the names *Cheirocrinus* and *Calceocrinus*, with descriptions of three new generic terms and one new species. *Minnesota Geological and Natural History Survey, Annual Report* 14:104–113, fig. 1–3.
- Ure, David. 1793. *History of Rutherglen and East Kilbride*. David Niven. Glasgow. vi + 334 p., 21 pl.
- Vadász, M. E. 1915. Die mediterranen Echinodermen Ungarns. *Geologica Hungarica* 1(2):79–254, pl. 7–12.
- Valette, Aurélien. 1917. Note sur les crinoïdes de la craie blanche. *Bulletin de la Société des sciences historiques et naturelles de l'Yonne* 1916:79–178.
- Valette, Aurélien. 1921. Note sur quelques Echinodermes Crétacés de l'Yonne. *Bulletin de la Société des sciences historiques et naturelles de l'Yonne* 1920:17–34.
- Valette, Aurélien. 1928. Note sur quelques Antédons du Burdigalien supérieur des Angles (Gard). *Bulletin de la Société Géologique de France* (series 4) 28:23–35.
- Valette, Aurélien. 1932. Description d'une nouvelle espèce d'*Antedon* du Turonien de la Marne. *Bulletin de la Société d'histoire naturelle de Toulouse* 64:393–394.
- Valette, Aurélien. 1933. *Pseudoantedon icauensis*. *Bulletin de la Société des sciences historiques et naturelles de l'Yonne* 86(1932):217–219.
- Vaney, Clément. 1908. *Ptilocrinus brucei* [photo of *P. brucei* without description: p. 70, pl. 24,70]. *In* D. W. Wilton, *Zoological log, Report on the scientific results of the voyage of S.Y. "Scotia" during the years 1902, 1903 and 1904, under the leadership of William S. Bruce* (1907), vol. 4 (*Zoology*) 1:1–133.
- Vaney, C. 1910. Une nouvelle espèce de *Promachocrinus* (*Promachocrinus joubini*). *Bulletin du Muséum national d'Histoire naturelle* 16(3):158–161.
- Verniory, René. 1954. *Eothrix alpina* Lombard, algue ou crinoïde? *Archives des Sciences de la Société de Physique et d'Histoire naturelle de Genève* 7:327–330, 1 pl.
- Verniory, René. 1956. La création du genre *Lombardia* Bronnimann est-elle justifiée? *Archives des Sciences de la Société de Physique et d'Histoire naturelle de Genève* 9:86–92, 3 pl.
- Verniory, René. 1960. Présence (et variétés) de *Saccocoma tenella* Goldfuss à Talloires (Haute-Savoie). *Archives des Sciences de la Société de Physique et d'Histoire naturelle de Genève* 13:250–257, 1 pl.
- Verniory, René. 1961. Présence de *Saccocoma quenedti* Doreck (in coll.) dans les gorges de la Méouge (Sisteron-Provence). *Archives des Sciences de la Société de Physique et d'Histoire naturelle de Genève* 14:315–320, 1 pl.
- Verniory, René. 1962a. Quelques considérations sur les Saccocomidés (échantillonnage, statistique, stratigraphie). *Archives des Sciences de la Société de Physique et d'Histoire naturelle de Genève* 15:388–390.
- Verniory, René. 1962b. Une nouvelle forme de *Saccocoma* (Montbrand, Hautes-Alpes, France). *Archives des Sciences de la Société de Physique et d'Histoire naturelle de Genève* 15:391–397, 1 pl.
- Waagen, William, & Jahn, J. J. 1899. Système silurien du centre de la Bohême, *Recherches paléontologiques*. *In* J. Barrande, ed., vol. 7, *Classe des échinodermes*, pt. 2, *Famille des Crinoïdes*. Řivnáč,

- Prague. Gerhard, Leipzig. i+v + 215 p., fig. 1–33, pl. 40–79.
- Wachsmuth, Charles, & Frank Springer. 1880. Revision of the Palaeocrinoidea, pt. 1: The families Ichthyocrinidae and Cyathocrinidae. Academy of Natural Sciences of Philadelphia, Proceedings 1879:226–378, pl. 15–17.
- Wachsmuth, Charles, & Frank Springer. 1886. Revision of the Palaeocrinoidea, pt. 3. Discussion of the classification and relations of the brachiate crinoids, and conclusion of the generic descriptions. Proceedings of the Academy of Natural Sciences of Philadelphia 1885:225–364, pl. 4–9.
- Wachsmuth, Charles, & Frank Springer. 1887. Revision of the Palaeocrinoidea, 3, sec. 2. Suborder Articulata. Proceedings of the Academy of Natural Sciences of Philadelphia 1886:64–226.
- Wachsmuth, Charles, & Frank Springer. 1897. The North American Crinoidea *Camerata*. Harvard College Museum of Comparative Zoology, Memoir 20–21:897 p., 83 pl.
- Wagner, J. J. 1684. Lapilli albi Caryophyllos aromaticos referentes. Miscellanea curiosa sive ephemeridum medico-physicarum Germanicarum Academiae Caesareo-Leopoldinae Naturae Curiosorum dec. 2, anno 3. Nürnberg. p. 370–372.
- Wagner, Richard. 1886. Die Encriniten des unteren Wellenkalkes von Jena. Jenaische Zeitschrift für Naturwissenschaft 20 (new series) 13:1–32, pl. 1–2.
- Wagner, Richard. 1891. Über einige Versteinerungen des unteren Muschelkalks von Jena. Zeitschrift der Deutschen Geologischen Gesellschaft 43:879–901, pl. 49.
- Walch, Johann Ernst Immanuel. 1762. Das Steinreich. J. J. Gebauer. Halle. 172 p., 24 pl.
- Walch, Johann Ernst Immanuel. 1768–1773. Die Naturgeschichte der Versteinerungen zur Erläuterung der Knorr'schen Sammlung. P. J. Felssceker. Nürnberg. pt. 2, 303 p., 144 pl.; pt. 3, 235 p., 86 pl.; pt. 4, 130 p. [pt. 1, see Knorr, 1755].
- Walther, Johannes. 1886. Untersuchungen über den Bau der Crinoiden mit besonderer Berücksichtigung der Formen aus dem Solnhofener Schiefer und dem Kelheimer Diceraskalk. Palaeontographica 32:153–200, pl. 23–26.
- Walther, Johannes. 1897. Über die Lebensweise fossiler Meeresthiere. Zeitschrift der Deutschen Geologischen Gesellschaft 49:209–273.
- Wang, Xiaofeng, Gerhard H. Bachmann, Hans Haggdorn, P. Martin Sander, Gilles Cuny, Chen Xiaohong, Wang Chuanshang, Chen Lide, Cheng Long, Meng Fansong, & Xu Guanghong. 2008. The Late Triassic black shales of the Guanling area, Guizhou Province, South-west China: A unique marine reptile and pelagic crinoid fossil lagerstätte. Palaeontology 51:27–61, 19 fig.
- Wanner, Johannes. 1929. Die Krinoiden-Gattung *Holopus* im Lichte der Paläontologie. Paläontologische Zeitschrift 11:318–330, pl. 8.
- Webster, Gary D., & Peter A. Jell. 1999. New Permian crinoids from Australia. Memoirs of the Queensland Museum 43(1):279–339, 36 fig.
- Webster, Gary D., & N. Gary Lane. 2007. New Permian crinoids from the Battleship Wash patch reef in southern Nevada. Journal of Paleontology 81:951–965.
- Webster, Gary D., C. G. Maples, G. D. Sevastopulo, T. Frest, & J. A. Waters. 2004. Carboniferous (Viséan-Moscovian) echinoderms from the Béchar Basin of western Algeria. Bulletins of American Paleontology 368:98 p.
- Wegner, R. N. 1913. Tertiär und umgelagerte Kreide bei Oppeln (Ober-Schlesien). Palaeontographica 60:175–274, pl. 9–15.
- Wetherell, N. T. 1859. Plates of *Bourgueticrinus*. The Geologist 2:449.
- White, C. A. 1880. Description of new species of Carboniferous invertebrate fossils. U. S. National Museum, Proceedings 2:252–260, pl. 1.
- White, C. M. 2000. The initial inquiry into the phylogeny of the family Comasteridae (Echinodermata: Crinoidea) from mitochondrial DNA sequence data. Unpublished M.S. Thesis. Nova Southeastern University, Dania Beach, Florida. 86 p.
- White, Christopher M., Charles G. Messing, Mahmood Shivji, & M. R. J. Forstner. 2001. Initial phylogeny of the Comasteridae (Crinoidea) from mtDNA sequences. In M. Barker, ed., Echinoderms 2000, Proceedings of the Tenth International Echinoderm Conference, Dunedin, New Zealand, 2000. Balkema. Rotterdam. p. 135–138.
- Wiegmann, A. F. A. 1838. Bericht über die Leistungen in Bearbeitung der übrigen Thierklassen, während des Jahres 1837. Archiv für Naturgeschichte 4:309–394.
- Wignall, Paul B., & Michael J. Simms. 1990. Pseudoplankton. Palaeontology 33:359–378, 6 fig.
- Wisshak, Max, Christian Neumann, Joachim Jakobsen, & André Freiwald. 2009. The “living-fossil community” of the cyrtocrinid *Cyathidium foresti* and the deep-sea oyster *Neopycnodonte zibrowii* (Azores Archipelago). Palaeogeography, Palaeoclimatology, Palaeoecology 271:77–83, 4 fig.
- Wöhrmann, S. von. 1889. Die Fauna der sogenannten Cardita- und Raibler-Schichten in den Nordtiroler und den bayerischen Alpen. Jahrbuch der Geologischen Reichsanstalt 39:181–258, pl. 5–10.
- Wright, E. P. 1877. On a new genus and species of sponge. Royal Irish Academy, Proceedings (series 2) 2:754–757, pl. 40.
- Wright, Thomas. 1875. On the occurrence of the genus *Cotylederma* in the Middle Lias of Dorsetshire. Geological Magazine 2:505–506.
- Wright, Thomas. 1876. On the Cotyledermidae. Geological Magazine (new series, decade 2) 3:94–95.
- Yeltisheva, R. S., & Z. A. Polyarnaya. 1986. Finds of traumatocrinids in the Triassic deposits of the Novosibirsk Islands. In A. N. Oleinikov & A. I. Zhamoyda, eds., Paratratigraphic groups of flora and fauna of the Triassic, Marine organic remains. Trudy, Vsesojuznyi Nauchno-Issledovatel'skiy Geologicheskii Institut of A. P. Karpinskogo. Nedra. Leningrad. p. 112–116, pl. 36–38. In Russian.
- Yin, Tsan-hsun. 1931. Étude de la faune du Tithonique coralligène du Gard et de l'Hérault. Travaux du Labo-

- ratoire de Géologie de la Faculté des Sciences Lyon, fascicule 17, mémoire 14:161–162, fig. 8, pl. 13.
- Yokoyama, M. 1911. Some Tertiary fossils from the Miike Coal-field. *Journal of the College of Science, Imperial University, Tokyo* 27, Article 20:1–9.
- Yulin, L. 1984. On the family Asterometridae (Crinoidea) of China, with a description of *Sinometra acuticirra* gen. et sp. nov. *Chinese Journal of Oceanology and Limnology* 2:109–116, pl. 1.
- Žítt, Jiří. 1973. Entoneural system of the *Sclerocrinus*. *Věstník Ústředního ústavu geologického* 48:25–29.
- Žítt, Jiří. 1974a. *Sclerocrinus* Jaekel, 1891 and *Proholopus* Jaekel, 1907 (Crinoidea, Cyrtocrinida) from the Lower Cretaceous of Štramberg (Czechoslovakia). *Sborník Geologických Věd [Journal of Geological Sciences], paleontologie* 16:7–34, 12 fig., 8 pl.
- Žítt, Jiří. 1974b. *Eugeniocrinites* Miller, 1821 from the Lower Cretaceous of Štramberg (Czechoslovakia). *Věstník Ústředního ústavu geologického* 49:265–272, 4 fig., 4 pl.
- Žítt, Jiří. 1975. *Sclerocrinus kotoučensis* sp. n. (Crinoidea, Cyrtocrinida) from the Lower Cretaceous of Štramberg (Czechoslovakia). *Věstník Ústředního ústavu geologického* 50:115–117, 4 pl.
- Žítt, Jiří. 1978a. *Apsidocrinus* Jaekel, 1907 and *Psali-docrinus* Remeš (Crinoidea, Cyrtocrinida) from the Lower Cretaceous of Štramberg (Czechoslovakia). *Sborník Geologických Věd [Journal of Geological Sciences], Paleontologie* 21:107–124, 6 fig., 4 pl.
- Žítt, Jiří. 1978b. *Phyllocrinus* d'Orbigny, 1850 (Cyrtocrinida) from Štramberg (Czechoslovakia). *Časopis pro mineralogii a geologii* 23(3):39–51, 2 fig., 2 pl.
- Žítt, Jiří. 1979a. Hemibrachiocrinidae Arendt, 1968 (Crinoidea, Cyrtocrinida) from the Lower Cretaceous of Štramberg (Czechoslovakia). *Věstník Ústředního ústavu geologického* 54:341–348, 1 fig., 4 pl.
- Žítt, Jiří. 1979b. *Strambergocrinus* gen. n. (Cyrtocrinida) from the Lower Cretaceous of Štramberg (Czechoslovakia). *Časopis pro mineralogii a geologii* 24(3):237–247, 6 fig., 4 pl.
- Žítt, Jiří. 1980. Comatulid crinoids from the Lower Cretaceous of Štramberg (Czechoslovakia). *Časopis pro mineralogii a geologii* 25(2):25–135, 6 fig., 2 pl.
- Žítt, Jiří. 1983. Spoon-like crinoids from Štramberg (Lower Cretaceous, CSSR). *Sborník Národního Muzea V Praze (Acta Musei Nationalis Pragae)* 39B(2):69–114, 13 fig., 12 pl.
- Žítt, Jiří, & Jozef Michalík. 1988. Early Cretaceous phyllocrinids (Crinoidea, Cyrtocrinida) in the Manín Unit (Mt. Butkov, Middle Váh Valley, central west Carpathians). *Geologický Zborník, Geologica Carpathica* 39:353–367, 6 fig.
- Zittel, Karl Alfred von. 1870. Die Fauna der älteren cephalopodenführenden Tithonbildungen. Theodor Fischer. Cassel. 192 p., Atlas. Also published in *Palaeontographica, Supplement 2, Abt. 2, p. 119–310, pl. 25–39*.
- Zittel, Karl Alfred von. 1876–1880. *Handbuch der Palaeontologie, Band 1, Palaeozoologie, Abt. 1. R. Oldenbourg. München & Leipzig. vii + 765 p., 557 fig.*
- Zittel, Karl Alfred von. 1882. *Über Plicatocrinus*. *Sitzungsberichte der mathematisch-physikalischen Klasse der Akademie der Wissenschaften in München* 12:105–113, 2 pl.
- Zittel, Karl Alfred von. 1895. *Grundzüge der Palaeontologie (Palaeozoologie)*, 1st ed. R. Oldenbourg. München, Berlin. 971 p.
- Zittel, Karl Alfred von. 1900. *Textbook of palaeontology, vol. 1*, translated and edited by Charles R. Eastman, 1st ed. MacMillan & Co. London & New York. vi + 706 p., 1476 fig. (p. 1–372 were published in 1896; p. 373–706 were published in 1900).
- Zittel, Karl Alfred von. 1913. *Text-book of paleontology: Adapted from the German and transl. & edited by C. R. Eastman*, 2nd ed. Macmillan. London. 839 p., 1594 fig.
- Zittel, Karl Alfred von. 1921. *Grundzüge der Paläontologie (Paläozoologie)*, 5th ed. Ferdinand Broili, ed. R. Oldenbourg. München, Berlin. 1106 p., 1457 fig.
- Zittel, Karl Alfred von. 1924. *Grundzüge der Paläontologie (Paläozoologie)*, 6th ed. Ferdinand Broili, ed., vol. 1, Invertebrata. R. Oldenbourg. München, Berlin. 733 p., 1467 fig.

# INDEX

- Acariaecrinus 222  
Acrochordocrinus 217  
Actinomedra 91  
Actinometra 91  
Actinometra 91  
Actinometra 77, 86, 87, 88, 91,  
94, 105, 107, 128, 135  
Actinometridae 15, 86, 87  
Actrinometra 91  
Actynometra 91  
Adelometra 141  
Aetinometra 91  
Aglaiometra 121  
Ailsacrinus 13, 46, 160, 162, 174  
AINIGMACRINIDAE 18, 21,  
28, 33  
Ainigmacrinus 33  
Alecto 87, 88, 91, 95, 102, 107,  
110, 115, 120, 135, 143,  
107, 223  
Alectro 132  
Alisometra 102  
Allionia 135  
Alloecomatella 88, 91, 93, 94  
Amaltheocrinus 169, 172, 194,  
217  
Ampelocrinidae 19  
Ampelocrinus 19  
Amphimetra 100, 105, 107  
Amphorometra 115, 117  
Anachalypsicrinus 174  
Analcidometra 102  
Ancepsicrinus 192  
Andrometra 130  
Angulocrinus 3, 69, 160, 162  
Anisometra 141  
Annacrinus 61, 65, 67  
Annametra 130  
Antedon 9, 71, 77, 81, 88, 94,  
102, 104, 105, 107, 109,  
110, 112, 113, 114, 115,  
116, 117, 119, 121, 122,  
124, 125, 128, 129, 130,  
132, 134, 135, 137, 139,  
141, 143, 145, 224  
Antedonacea 17, 18, 128  
Antedonida 128  
ANTEDONIDAE 15, 17, 18,  
22, 72, 74, 87, 128, 129,  
135, 143  
ANTEDONINAE 128, 129  
ANTEDONOIDEA 22, 71, 72,  
74, 86, 128  
Anthometra 135, 224  
Anthometrina 135, 224  
Aphanocomaster 86, 91, 93, 94  
Apiocrinacea 160  
Apiocrinidae 14, 15, 16, 164, 217  
Apiocrinites 12, 13, 14, 33, 83,  
149, 162, 164, 166, 169, 223  
APIOCRINITIDAE 16, 18, 22,  
164  
Apiocrinus 35, 160, 164, 166,  
223  
Aporometra 128  
APOROMETRIDAE 17, 18,  
22, 128  
APPLINOCRININAE 214  
Applinocrinus 207, 214  
Apsidocrinus 185  
Arachnida 137  
Archaeoisocrinus 19, 222, 223  
Archaeometra 76, 77  
Argoviocrinus 83  
Argyrometra 130  
Arthropoda 224  
ARTICULATA 14, 15, 16, 17,  
18, 19, 20, 21, 22, 23, 222  
Articulata Impinnata 15  
Articulata Pinnata 15  
Arzocrinus 196  
Ascidicrinus 188  
Asteriacites 223  
Asterias 130, 132  
Asteriatites 117, 119, 223  
Asterometra 110  
ASTEROMETRIDAE 17, 18, 22,  
71, 110  
Astropoda 223  
Astropodium 223  
Astylida 14  
ATELECRINIDAE 7, 15, 17, 18,  
21, 71, 72, 73, 74, 128, 129  
ATELECRINOIDEA 21, 73  
Atelecrinus 7, 71, 73, 74, 146  
Athrypsometra 141  
ATOPOCRINIDAE 22, 72, 74,  
146  
Atopocrinus 7, 74, 146, 147  
Atuatucametra 119  
Austinocrinus 26, 58, 61, 63, 69  
Austrometra 104  
AXICRINIDAE 22, 207, 211  
Axicrinus 211  
BALANOCRININAE 17, 19, 48,  
49, 56, 58  
Balanocrinus 5, 12, 13, 48, 49,  
55, 56, 58, 63  
Balanometra 141  
BANGTOUPOCRINIDAE 22,  
160, 167  
BANGTOUPOCRININAE 167  
Bangtoupocrinus 167, 219  
Basilometra 104  
BATHYCRINIDAE 15, 16, 18,  
22, 148, 149, 153  
BATHYCRININAE 153  
Bathycrinus 153, 155  
Bathymetra 132  
BATHYMETRINAE 128, 129,  
132  
Belyaevicrinus 174  
Bennettia 88  
Beyrichocrinus 35  
Bihaticrinus 220  
Bileicrinus 12, 196, 202  
Birgenelocrinus 209  
Boleometra 132  
Bourgueticrinida 16, 19, 183, 217  
BOURGUETICRINIDAE 15,  
16, 18, 22, 70, 148, 155, 160  
BOURGUETICRININA 16, 17,  
20, 21, 22, 70, 72, 146, 148,  
153, 155, 158, 160, 183  
Bourgueticrinus 148, 149, 153,  
217  
Brachiomonocrinus 204, 205  
Brachiopoda 23  
Bruennichometra 9, 116  
Buchicrinus 61, 63  
Burdigalocrinus 83  
Bythocrinus 149  
CAINOCRINIDAE 17, 21, 48,  
50, 59  
Cainocrinus 9, 48, 58, 59  
Calamocrininae 173  
Calamocrinus 172, 173, 174, 221  
Calathocrinus 35  
CALEDONICRININAE 155  
Caledonicrinus 20, 155  
Calometra 112  
CALOMETRIDAE 17, 18, 22,  
110  
Calyptometra 115  
Camaecrinus 174, 176  
Camerata 15, 19  
Canaliculata 15, 23  
Capillaster 85, 87, 91, 94  
CAPILLASTERINAE 91  
Capsicocrinus 18, 192  
Carinacrinus 169  
Carnallicrinus 3, 33, 35  
Carpenterocrinus 222  
Caryometra 141  
Caryophyllis 181  
Caryophyllitarum 181  
Caryophyllitea 181  
Caryophyllos 181  
Cassianocrinus 28, 38

- Castaneacrinus 192  
 Catinocrinus 169  
 Catoptometra 107, 108, 109  
 Cenocrinus 49, 50, 61, 65, 67, 222  
 Cenolia 87, 88  
 Cenometra 104  
 Ceriocrinus 160  
 Chambersaerinus 176  
 Chariocrinus 3, 13, 49, 54, 55  
 Charitometra 113, 115  
 CHARITOMETRIDAE 17, 18, 22, 112  
 Charitometrinae 112  
 Chelocrinites 29  
 Chelocrinus 29, 33, 35, 46, 222  
 Chladocrinus 48, 51, 52, 55  
 Chlidonocrinus 19  
 Chlorometra 113  
 Chondrometra 112, 113  
 Cingocrinus 153  
 Cintedon 130  
 Cirrata 20  
 Cladida 19, 21  
 Cladocrinoidea 15  
 Clarkcomanthus 88, 91  
 Clarkometra 104  
 Coadunata 14, 15  
 Cocometra 139, 140, 141  
 Coelometra 81  
 Coenothyris 28  
 Collarocrinus 191  
 Colobometra 100, 102, 104  
 COLOBOMETRIDAE 17, 18, 22, 100, 101, 102  
 Comactinia 88, 95  
 Comantheria 88  
 Comanthina 87, 88, 91, 93  
 Comanthinae 87, 91  
 Comanthoides 87, 88  
 Comanthus 85, 86, 88, 91, 95  
 Comaster 85, 86, 87, 88, 91, 93, 94, 95, 125  
 Comasteracea 17, 18, 21, 85  
 Comasterida 16, 85  
 COMASTERIDAE 13, 17, 18, 21, 70, 72, 85, 86, 87, 88, 94, 135  
 COMASTERINAE 87, 91  
 COMASTEROIDEA 21, 76, 85, 96, 135  
 Comastrocrinus 61  
 Comatella 88, 91, 93, 94, 95  
 Comatilia 72, 85, 86, 94, 95  
 Comatonia 87, 135  
 Comatula 14, 72, 81, 85, 86, 87, 88, 94, 95, 97, 102, 104, 107, 110, 113, 117, 119, 120, 125, 141, 211, 212  
 Comatuladae 70, 86, 88  
 Comatulella 95  
 COMATULIDA 1, 13, 15, 17, 18, 19, 20, 21, 48, 70, 71, 73, 86, 148, 158, 172  
 Comatulidae 14, 15, 70, 86  
 Comatulides 95  
 Comatulidia 17, 18, 73, 74  
 COMATULIDINA 1, 17, 18, 21, 48, 70, 73, 224  
 Comatulina 71, 76, 77  
 COMATULINAE 88  
 Comatulithes 117  
 Comaturella 94, 117, 119  
 Cometella 94  
 Cominia 95  
 Comissia 86, 91, 93, 94, 95, 96  
 Compacta 15  
 Compsometra 130  
 Conferocrinus 176  
 Conocrinus 148, 149  
 Conoideocrinus 85  
 Conometra 115  
 CONOMETRIDAE 17, 18, 22, 115  
 Corythocrinidae 19  
 Corythocrinus 19  
 Cosmiometra 121  
 Costata 14, 15  
 Cotylecrinus 201  
 Cotylederma 201, 206  
 COTYLEDERMATIDAE 19, 22, 201  
 Cotyledermidae 201, 202  
 Cotylometra 104  
 Craspedometra 105, 107  
 Crassicoma 213  
 Crataegocrinus 192  
 Cratecrinus 173, 221, 225 (Cratecrinus) 221 (Excavocrinus) 221  
 Craterocrinus 221, 225  
 Cremacrinus 35  
 CRINOIDEA 14, 22, 224, 225  
 Crinometra 113  
 Crossometra 114  
 Crotalocrinidae 14  
 Crotalometra 121  
 Crenantedon 87, 130  
 Cupulocrinus 160, 162  
 Cyathidiocrinidae 14, 198  
 Cyathidium 180, 201  
 CYCLOCRINIDAE 16, 19, 22, 169, 217  
 Cyclocrinus 4, 9, 164, 172, 217  
 Cyclocyclicus 219  
 Cyclometra 141  
 Cyllometra 99, 100, 102, 104  
 Cypelometra 117  
 CYRTOCRINIDA 1, 16, 17, 18, 19, 20, 21, 22, 164, 169, 172, 180, 181, 204, 217, 223  
 Cyrtocrinida 17, 18, 16, 17, 18, 19, 22, 181, 185, 196  
 Cyrtocrinus 9, 188, 189  
 Dadocrinida 167, 185  
 DADOCRINIDAE 16, 17, 18, 19, 21, 28, 33, 35, 160, 166, 167  
 Dadocrinina 19  
 Dadocrinoidea 18  
 Dadocrinus 5, 14, 33, 35, 166, 167  
 Daidalometra 121  
 Davidaster 7, 91  
 Decacnemos 81, 130  
 DECAMERIDAE 17, 18, 21, 71, 72, 76, 81  
 Decameros 81  
 Decametra 104  
 Decametrocrinidae 143  
 Decametrocrinus 145  
 Democrinus 149  
 Dendrocrinoidea 15  
 Denticrinus 69  
 Dibrachiocrinus 204  
 Dichrometra 102  
 Dicyclia 15  
 Dicyclia Inadunata 15  
 Dinardocrinus 202, 204  
 Diodontometra 113  
 DIPOCRININAE 17, 19, 49, 50, 61, 65  
 Diplocrinus 61, 65, 66, 67  
 Discocrinus 209  
 Discolocrinus 154  
 Discometra 99, 105, 107  
 Disparida 19  
 Dolichocrinus 202, 204  
 Doreckocrinus 61, 63, 65  
 Dorometra 130  
 Drepanocrinus 153, 207, 209  
 Dumetocrininae 173  
 Dumetocrinus 172, 173, 174  
 Dunnocrinus 148, 151, 153  
 Eckocrinus 26, 63, 69  
 Embryometra 104  
 Enantiostreon 28  
 Encrina 28  
 Encrinacea 15, 28  
 ENCRINIDA 1, 19, 21, 23, 28, 167  
 ENCRINIDAE 14, 15, 16, 17, 18, 21, 28, 35, 38  
 Encrinens 28  
 Encrinina 28  
 Encrinites 14, 29, 33, 97, 160, 164, 166, 181  
 Encrinus 14  
 Encrinus 1, 5, 7, 24, 26, 28, 35, 65



- Endoxocrinus 49, 61, 65, 67, 222  
   (Diplocrinus) 67  
   (Endoxocrinus) 67  
 Entrochus 26, 167, 169, 219  
 Eocomatula 42, 46, 47  
 EOCOMATULIDAE 17, 18, 21,  
   42, 46  
 Eometacrinus 48, 66, 67  
 Eometra 141  
 Eothrix 212  
 Epimetra 104  
 Erythrometra 139  
 Euantedon 130  
 EUDESICRINIDAE 15, 16, 17,  
   18, 19, 22, 172, 196, 202  
 Eudesicrinina 19, 196  
 Eudesicrinus 202  
 EUDIOCRINIDAE 17, 18, 22,  
   72, 100, 105  
 Eudiocrinus 100, 105, 143  
 Eugenia 181  
 Eugeniocrinidae 14, 15, 16, 181  
 Eugeniacrinitacea 17, 181  
 Eugeniacrinites 6, 14, 172, 181,  
   183, 185, 188, 192, 194,  
   196, 223  
 EUGENIACRINITIDAE 16, 17,  
   18, 19, 22, 181, 183, 185,  
   192, 194, 223  
 EUGENIACRINITOIDEA 19,  
   22, 181, 185  
 Eugeniocrinus 85, 107, 181, 185,  
   189, 204, 223  
 Eugeniocrinites 181  
 Eumetra 130  
 Eumorphometra 141  
 Euryale 14  
 Excavocrinus 173, 221  
 Extracrinus 44, 46  
  
 Fariometra 132  
 Feracrinus 174, 176  
 Fischericrinus 192  
 Fistulata 15  
 Flabellocrinites 222  
 Flexibilia 15, 19, 23  
 Florometra 134, 135, 137  
 Formocrinus 149  
 Fusicrinus 192  
  
 Gammarocrinites 188  
 Ganymeda 130  
 Gasterometra 223  
 Geocoma 119  
 Gephyrocrinus 172, 173, 176  
 Gephyrometra 112  
 Gislenometra 104  
 Glenocrinus 125  
 Glenotremites 115, 124, 125, 127  
 Glyptometra 114  
 Goldfussia 88  
 Guettardicrinus 11, 166  
 Guettardocrinus 166  
  
 GUILLECRINIDAE 13, 22, 158  
 GUILLECRININA 21, 22, 70,  
   72, 158, 172  
 Guillecrinus 4, 20, 158  
 GUTTICRINIDAE 22, 183  
 Gutticrinus 181, 183  
 Gymnocrinus 189, 192  
  
 Hathrometra 132  
 Heberticrinus 85  
 Heliometra 135, 137  
 HELIOMETRINAE 86, 128,  
   129, 134, 135  
 HEMIBRACHIOCRINIDAE 16,  
   17, 18, 19, 22, 191, 204  
 Hemibrachiocrinus 204  
 Hemicrinidae 16, 17, 18, 19, 188  
 Hemicrinoidea 19  
 Hemicrinus 188, 189, 192, 204  
 Hertha 137  
 Heterocrinus 44  
 Heterometra 105, 107  
 Hibernula 130  
 Himerometra 100, 101, 102, 104,  
   105, 128  
 HIMEROMETRIDAE 17, 18,  
   22, 81, 105  
 Hispidocrinus 55  
 HOLOCRINIDA 1, 13, 21, 24  
 HOLOCRINIDAE 15, 16, 17,  
   18, 19, 21, 24, 27, 42, 48  
 Holocrinoidea 19  
 Holocrinus 24, 69  
 Holopidae 16, 198  
 Holopocrinidae 14, 198  
 Holopodacea 17  
 HOLOPODIDAE 15, 16, 17, 18,  
   19, 22, 172, 180, 198  
 HOLOPODINA 16, 17, 19, 22,  
   198, 206  
 Holopodinidia 17, 18  
 Holopus 14, 180, 199  
 Homalometra 105, 107  
 Horaeometra 121  
 HOYACRINIDAE 22, 183  
 Hoyacrinitidae 19  
 Hoyacrinus 183  
 Humberticrinus 83  
 Hyalocrinus 209  
 Hybometra 142  
 Hyocrinacea 164  
 HYOCRINIDA 1, 13, 20, 21, 22,  
   70, 158, 172, 221, 222, 225  
 HYOCRINIDAE 15, 16, 18, 22,  
   158, 172, 173, 194  
 Hyocrinidia 17, 18  
 Hyocrinina 16, 17, 160, 164, 172  
 Hyocrininae 173  
 Hyocrinites 15  
 Hyocrinus 173, 179, 194  
 Hypalocrinus 48, 49, 55, 61  
 Hypalometra 72, 139  
 Hyponome 109  
  
 Ichthyocrinidae 14, 15  
 Iconometra 104  
 Ichthyocrinidae 15  
 Ilycrinus 153  
 Inadunata 15, 23, 158  
 Inarticulata 14  
 Innatantes 16, 96  
 Iridometra 130  
 Isis 65, 222  
 ISOCRINIDA 1, 13, 16, 17, 18,  
   19, 20, 21, 42, 48, 69, 219,  
   222  
 ISOCRINIDAE 15, 16, 17, 19,  
   21, 42, 45, 48, 49, 61, 222  
 ISOCRININA 10, 17, 18, 20, 21,  
   42, 48, 49, 69  
 ISOCRININAE 17, 19, 48, 49,  
   54, 56  
 Isocrinites 50  
 Isocrinus 5, 13, 48, 49, 50, 51,  
   52, 54, 55, 56, 58, 63, 65,  
   67, 206, 222  
   (Chladocrinus) 51  
   (Isocrinus) 50  
 Isometra 137  
 ISOMETRAINAE 137  
 Isometrinae 128, 129, 137  
 ISSELICRINIDAE 17, 21, 49,  
   50, 58, 61  
 ISSELICRININAE 19, 49, 61  
 Isselicrinus 61, 63, 65  
  
 Jaekelometra 71, 74, 145, 146  
 JAEKELOMETRIDAE 7, 22,  
   74, 145  
 Jenaicrinus 28  
  
 Kallispongia 130  
 Kempometra 143  
 Kiimetra 110, 112  
 Koehlermetra 121  
 Koninckocrinus 191  
  
 Labiocrinus 191  
 Laevigatocrinus 26, 58, 63  
 Lamprometra 102  
 LANTERNOCRINIDAE 21,  
   22, 217  
 Lanternocrinus 217  
 Larviformia 15  
 Laubiericrinus 172, 176  
 Leilametra 120, 121  
 Leiocrinus 223  
 LEOCRINIDAE 21, 22, 219  
 Leocrinus 219  
 Lepidoptera 224  
 Leptometra 143  
 Leptonemaster 94, 95  
 Libera 15  
 Liliocrinus 3, 160, 162  
 Liparometra 102  
 Lipocrinus 61

- Lissometra 121  
 Logocrinus 19  
 Lombardia 212  
 Lonchocrinus 181, 183, 192  
 Loriolicrinus 85  
 Loriolometra 125  
 Lotocrinus 223  
  
 Macrophreata 16, 71, 74, 128  
 Margocrinus 56, 58  
 Mariametra 101  
 Mariametracea 17, 18, 99  
 Mariametrida 16, 99  
 MARIAMETRIDAE 17, 18, 21,  
 101  
 Mariametrinae 99, 101  
 MARIAMETROIDEA 21, 71,  
 72, 81, 99  
 Marsupiocrinites 97  
 Marsupites 13, 14, 96, 97  
 MARSUPITIDAE 14, 15, 17, 18,  
 21, 48, 97  
 Marsupitids 16  
 Marsupium 97  
 Mastigometra 130  
 Mesocrinus 149, 153  
 Mespilicrinus 164  
 Mespilus 164  
 METACRININAE 17, 19, 49,  
 61, 67, 69  
 Metacrinus 8, 61, 67, 69  
 Metapiocrinus 149  
 Meteorometra 132  
 Microcomatula 87, 143  
 Microcrinus 146, 222  
 Micropocrinus 201  
 Milleria 76  
 MILLERICRINIDA 1, 13, 16,  
 17, 18, 19, 21, 22, 33, 160,  
 167, 169, 172, 196, 204,  
 217, 223  
 MILLERICRINIDAE 13, 15, 16,  
 18, 22, 69, 160, 164  
 Millericrinidia 17, 18  
 Millericrinina 16, 17, 18, 21  
 Millericrinites 160  
 Millericrinus 35, 160, 162, 164  
 Moanametra 117  
 Moenocrinus 26  
 Monachocrinus 154, 155  
 Monachometra 112, 115  
 Monilimetra 132  
 Monocyclica 15  
 Myalina 28  
 Mytilus 28  
  
 Nanometra 128, 139  
 Nasutocrinus 217  
 Naticella 28  
 Naumachocrinus 153, 155  
 Nemaster 91, 94  
 Neocomatella 94, 95  
 Neocrinoidea 14, 23  
 Neocrinus 48, 49, 51, 55  
 NEODADOCRINIDAE 22, 166  
 Neodadocrinus 166, 167  
 Neogymnocrinus 180, 189, 192  
 Neomatella 94  
 Neometra 112  
 Neopycnodonte 201  
 Nepiometra 134  
 Nerocrinidae 19, 183, 185  
 Nerocrinus 181, 185  
 Newaagia 28  
 Nielsenicrinus 48, 49, 50, 61,  
 65, 67  
 Ninocrinus 192  
 Nodolanx 223  
 Nomina dubia 22, 222  
 Nomina nuda 223  
 Notocrinacea 17, 18, 124  
 Notocrinida 124  
 NOTOCRINIDAE 17, 18, 22,  
 110, 124, 125  
 NOTOCRINOIDEA 22, 71, 85,  
 110, 124, 125, 128  
 Notocrinus 125  
 Nowracrinus 19  
  
 Oceanometra 121  
 Oligometra 102, 104  
 Oligometrides 104  
 Oligophreata 16, 71  
 Ophiocrinus 81, 105  
 Ophiurites 117, 119  
 Orbignycrinus 160, 162, 164  
 Oreometra 112  
 Orthogonocrinus 209  
 Orthometra 134  
 Ossicrinus 215  
 Osteocrinus 215, 216  
 Osteratites 223  
 Oxycomanthus 87, 88  
 Oxymetra 101, 102  
  
 Pachyantodon 77  
 Pachylometra 114, 115  
 Palaeantedon 130  
 Palaeantedonidae 129, 137, 223  
 Palaeocomaster 71, 76, 77, 79,  
 86, 95  
 Palaeocomatella 86, 91, 93, 94, 95  
 Palaeoneilo 28  
 Palaeonucula 28  
 Paleobathycrinus 153  
 Paracomatula 13, 46, 47, 72, 73  
 Paracomatulacea 17, 18, 73  
 PARACOMATULIDAE 17, 18,  
 21, 46, 73, 74  
 PARACOMATULOIDEA 21, 46,  
 70, 73, 74  
 Paracotylederma 201  
 Paragammarocrinites 189  
 Paragammarocrinitidae 188, 189  
 Parametra 120, 122  
 Pectinometra 112  
 Pectiometra 112  
 Pelometra 102  
 Penroseocrinus 63  
 Pentacrinea 14, 15  
 Pentacrinita 19  
 Pentacrinitidae 14, 15, 16, 19, 42  
 Pentacrinitids 16  
 Pentacrinitinae 49  
 Pentacrinitis 43  
 pentacrinite 44  
 Pentacrinites 5, 12, 14, 20, 42,  
 43, 46, 49, 51, 55, 56, 58,  
 61, 70, 71, 73, 222  
 PENTACRINITIDAE 15, 16, 17,  
 18, 21, 42, 46, 61  
 PENTACRINITINA 21, 42  
 Pentacrinoidea 15  
 Pentacrinus 14, 44, 45, 46, 47,  
 49, 50, 51, 55, 56, 58, 61,  
 63, 65, 67, 130, 181, 222  
 PENTAMETROCRINIDAE 17,  
 18, 22, 71, 72, 74, 128, 129,  
 143  
 Pentametrocrinus 74, 143  
 Pentacrinus 44  
 Percevalicrinus 56, 58  
 Perisometra 115  
 Perometra 139, 141  
 PEROMETRINAE 128, 129, 139  
 Petasometra 104  
 Phanogenia 7, 85, 86, 88, 91, 93,  
 94, 97  
 PHANOGENIINAE 87, 91,  
 93, 94  
 Phrixometra 134  
 PHRYNOCRINIDAE 16, 18, 22,  
 148, 155  
 PHRYNOCRININAE 155  
 Phrynocrinus 156  
 PHYLLOCRINIDAE 15, 16, 17,  
 18, 19, 22, 183, 185  
 Phyllocrinus 181, 183, 185, 192  
 Phytocrinus 130  
 Picteticrinus 58, 59, 223  
 Pilocrinus 189, 192  
 Pinnata 15  
 Placometra 119  
 Placunopsis 28  
 Plagiostoma 28  
 Platelicrinus 209  
 Pleuronectites 28  
 Plicatocrinacea 17, 194  
 PLICATOCRINIDAE 14, 15, 16,  
 17, 18, 19, 22, 167, 194  
 PLICATOCRINOIDEA 22,  
 180, 194  
 Plicatocrinus 194, 198, 202  
 Plotocrinus 209  
 Poculicrinus 215  
 Poecilocrinus 209  
 Poecilometra 115  
 Pogocrinus 223  
 Poliometra 143

- Polycerus 222  
 Pomatocrinus 164, 166  
 Pontiometra 102, 105  
 Pontiometridae 102  
 Porocrinus 35, 37  
 Porphyrocrinidae 16, 18, 148, 156  
 PORPHYROCRININAE 155, 156  
 Porphyrocrinus 157  
 Praeisselicrinus 65  
 Praetetracrinus 194, 195, 196  
 Procomaster 146  
 Proeudesicrinus 180, 202, 204  
 Proholopidae 19  
 PROHOLOPODIDAE 22, 167, 185  
 Proholopus 185  
 PROISOCRINIDAE 16, 21, 48, 69  
 Proisocrinus 20, 68, 69, 160  
 Promachocrinae 134  
 Promachocrinus 71, 72, 128, 135, 137, 145  
 Prometra 102, 104  
 PSALIDOCRINIDAE 19, 22, 185  
 Psalidocrinus 185  
 Psathyrometra 141, 145  
 Pseudoantedon 81, 105  
 Pseudoconometra 117  
 PSEUDOCONOMETRIDAE 22, 117  
 Pseudocupressocrinus 201  
 Pseudosaccocoma 206  
 PSEUDOSACCOCOMIDAE 22, 205  
 Pseudosaccocominae 205  
 Pterocoma 117, 119, 223  
 PTEROCOMIDAE 18, 22, 117  
 Pterometra 110  
 Ptilocrininae 173  
 Ptilocrinus 173, 174, 176  
 Ptilometra 110, 120  
 PTILOMETRIDAE 17, 18, 22, 119  
 Ptilometrinae 119  
 Pustulocrinus 166, 167  
 Pyramidocrinus 185  
  
 QINGYANOCRINIDAE 22, 219  
 Qingyanocrinus 167, 169, 219  
 QUENSTEDTICRINIDAE 22, 196, 198  
 Quenstedticrinus 194, 196, 198  
  
 Raymondicrinus 48, 49, 56  
 Recoarocrinus 35  
  
 Remesimetra 7, 124, 127  
 Remisovicrinus 183  
 Reometra 112  
 Repometra 130  
 Retiometra 134  
 Rhabdocidaris 223  
 Rhabdocrinus 223  
 Rhabdotites 215  
 Rhadinometra 104  
 Rhizocrinidae 15, 16, 153  
 Rhizocrinus 149  
 Rhodanometra 119  
 Roiometra 137  
 Rotacrinus 169  
 Rouxicrinus 158  
 ROVEACRINIDA 1, 17, 18, 19, 21, 22, 206, 207, 211  
 ROVEACRINIDAE 17, 18, 22, 207  
 Roveacrininae 207  
 Roveacrinoides 209  
 Roveacrinus 9, 153, 207, 209  
 Rowemissia 86, 95  
  
 Sacariacrinus 194  
 Saccocoma 7, 14, 119, 206, 207, 209, 211, 212, 214, 223  
 SACCOCOMIDAE 14, 15, 16, 17, 18, 22, 205, 207, 211  
 SACCOCOMINAE 211  
 Saccoma 212  
 Saccosoma 212  
 Saracrinus 61, 67, 69  
 Sarametra 145  
 Schlueterometra 125, 127  
 SCLEROCRINIDAE 15, 16, 17, 18, 19, 22, 180, 188, 189  
 Sclerocrinus 188  
 Scorpiones 137  
 Seirocrinus 42, 46, 49, 51  
 Selenometra 102  
 Semiarticulata 14  
 Semiometra 124, 125, 128  
 SEPTOCRINIDAE 22, 148, 157  
 Septocrinus 158  
 Serpianotiaris 28  
 Serracrinus 169  
 Shroshaecrinidae 164  
 Shroshaecrinus 164, 165, 196  
 Sibogacrinus 7, 71, 73, 74, 76  
 Siderolites 223  
 Sievertsella 95  
 Sievertsia 95  
 SILESIACRININAE 169  
 Silesiacrinus 160, 169  
 Singularocrinus 58  
 Sinometra 110  
 Sitularia 97  
  
 Solacrinus 76  
 Solanocrininae 76  
 Solanocrinitacea 17, 18, 76  
 Solanocrinites 5, 71, 76, 77, 83, 85  
 SOLANOCRINITIDAE 17, 18, 21, 76  
 SOLANOCRINITOIDEA 21, 72, 76, 86  
 Solanocrinus 76, 77  
 Solanometra 135, 137  
 Solonaerium 85  
 SOMPHOCRINIDAE 18, 22, 207, 214  
 Somphocrininae 207, 214  
 Somphocrinus 214  
 Souticrinus 171  
 Sphaerometra 125  
 Spirobis 28  
 Stauranderaster 223  
 Stenometra 121, 122  
 Stephanometra 101, 102  
 Stephanometridae 101  
 Stephanometrinae 101  
 Stiremetra 124  
 Stomatocrinoidea 14, 23  
 Strambergocrinus 189  
 Strotometra 115  
 Styliida 14  
 Stylometra 124  
 Styracocrinus 209  
 Symphytoocrinus 164, 181, 223  
  
 Tauriniocrinus 222  
 Taurocrinus 222  
 Teliocrinus 49, 61, 65, 67  
 Terocrinus 56, 58  
 Tessellata 14  
 Tetanocrinus 204  
 TETRACRINIDAE 19, 22, 194, 195, 196, 202  
 Tetracrinus 194, 196  
 Thalassocrinus 173, 176, 179  
 Thalassometra 121  
 Thalassometrida 16, 109  
 THALASSOMETRIDAE 17, 18, 22, 120  
 Thalassometroidea 109  
 Thaumatoctrinida 143  
 Thaumatoctrinidae 15, 143  
 Thaumatoctrininae 143  
 Thaumatoocrinus 72, 128, 143, 145  
 Thaumatometra 134  
 THIOILLIERICRINIDAE 15, 17, 18, 21, 48, 70, 73, 76, 83  
 Thiolliericrinus 83, 85  
 Thysanometra 139, 140, 141

- THYSANOMETRINAE 128,  
 129, 139  
 Ticinocrinus 164, 180, 181, 183,  
 185  
 Tollmannicrinus 26  
 Tonrometra 134  
 Tormocrinus 149  
 Torynocrinus 189, 191, 192  
 Toxometra 130, 132  
 TRAUMATOCRINIDAE 13, 18,  
 21, 28, 35  
 Traumatocrinus 4, 35, 38  
 Trichometra 6, 132, 133, 134  
 Trigonocrinus 223  
 Tropiometra 110  
 Tropiometracea 17, 18, 109  
 Tropiometrida 109  
 TROPIOMETRIDAE 17, 18,  
 22, 109  
 TROPIOMETROIDEA 22, 109,  
 110, 115  
 Trypanites 3  
 Tulipacrinida 19, 220  
 TULIPACRINIDAE 22, 219  
 Tulipacrinus 219, 220  
 Typica 15  
 Tyrolecrinus 56  
 Uintacrinacea 15, 96  
 Uintacrinida 17, 21, 70, 96  
 UINTACRINIDAE 15, 17, 21,  
 97  
 Uintacrinids 16  
 UINTACRINOIDEA 21, 73, 96  
 Uintacrinus 1, 7, 17, 18, 21, 72,  
 96, 97  
 Umbocrinus 85  
 UNCERTAIN 22, 26, 69, 74,  
 95, 141, 143, 145, 146, 169,  
 173, 192, 204, 214, 217,  
 220, 222, 225  
 Vania 88  
 Vasulicrinus 214  
 Veugellersia 211  
 Vicetiametra 117  
 Vityazicrinidae 158  
 Vityazicrinus 158, 159  
 Volvola 149  
 Vostocovacrinus 41  
 Waikaripites 223  
 Zardinicrinus 33, 38  
 Zenometra 145  
 ZENOMETRIDAE 22, 71, 128,  
 129, 141, 145  
 Zenometrinae 129, 141, 145, 146  
 Zeuctocrinus 158  
 Zygometra 81, 107, 109  
 ZYGOMETRIDAE 17, 18, 22,  
 72, 100, 107, 108