



FIG. 72. Restoration of *Acanthastus*, in median section, ca. $\times 15$ (32).

UNRECOGNIZABLE GENERA

The following genera are not accepted as graptolites or are too imperfectly known for description and taxonomic placement.

Birastrites GEINITZ, 1866.
Buthograptus HALL, 1861.
Conograptus RUEDEMANN, 1947.
Ctenograptus NICHOLSON, 1876.
Dawsonia NICHOLSON, 1873.
Leveillites FOERSTE, 1923.
Megalograptus MILLER, 1874.
Nereograptus GEINITZ, 1852.

Phycograptus GURLEY, 1896.
Planktograptus YAKOVLEV, 1933.
Procyrtograptus POULSEN, 1943.
Protistograptus MCLEAR, 1915.
Protograptus MATTHEW, 1886.
Protovirgularia M'Coy, 1850.
Stelechograptus RUEDEMANN, 1947.
Strophograptus RUEDEMANN, 1904.
Thamnograptus HALL, 1859.
Triaenograptus T.S. HALL, 1914.
Triplograptus RICHTER, 1871.
Undagraptus HEMMANN, 1951.

REFERENCES

This is only an abbreviated list containing what are judged to be the more important and generally useful references. An almost complete bibliography (with abstracts) to 1925 may be found in (17) and (5), and a list up to 1940 in (53).

Barrande, Joachim

(1) 1850, *Graptolites de Bohême*: (Prague, vi + 74 p., 4 pl.

niho úst. Geologického, Sv. 19, p. 104-151 (in Eng.), pl. 1, fig. 1-14.

Benson, W. N., Keble, R. A., King, L. C., & McKee, J. T.

(2) 1936, *Ordovician graptolites of North-West Nelson, N.Z.*: Trans. Roy. Soc. N.Z., v. 65, p. 357-382, fig. 1-6.

Bulman, O. M. B.

(5) 1927-34, *Monograph of British dendroid graptolites*: pts. I-III. Palaeontograph. Soc., London, p. 1x + 92 p., 10 pl., 43 fig.

(6) 1931, *South American graptolites*: Arkiv. f. Zool., Band 22A, no. 3, p. 1-111, pl. 1-12, fig. 1-41.

(7) 1932-36, *On the graptolites prepared by Holm, I-VII*. Arkiv. f. Zool. 24A, no. 8, p. 1-46, pl. 1-9, fig. 1-18; no. 9, p. 1-29, pl. 1-9, fig. 1-12; Band 26A, no. 5, p. 1-52, pl. 1-9, fig. 1-19; Band 28A, no. 17, p. 1-107, pl. 1-4, fig. 1-30.

(8) 1938, *Graptolithina*: in SCHINDEWOLF, O. H., Handb. der Paläozool., Borntraeger (Berlin), Band 2D, Lief. 2, p. 1-92, fig. 1-42.

(9) 1944-47, *Monograph of Caradoc (Balclachie) graptolites from limestones in Laggan*

Bouček, Bedřich

(3) 1933, *Monographie der obersilurischen Graptolithen aus der Familie Cyrtograptidae*: Práce geol.-pal. úst. Karlovy univ., číslo 1, p. 1-84, pl. 1-7, fig. 1-19.

— & Münch, A.

(4) 1952, *Central European Retiolites of the Upper Wenlock and Ludlow*: Sborník Ústřed-

- Burn, Ayrshire.* Palaeontograph. Soc., London, p. 1-78, pl. 1-10, fig. 1-40.
- (10) 1954, *Graptolite fauna of the Dictyonema shales of the Oslo region:* Norsk geol. tidsskr., Bind 33, p. 1-40, pl. 1-8, fig. 1-13.
- Dawyoff, Constantin**
- (11) 1948, *Embranchement des Stomochordés,* in GRASSÉ, P.-P., *Traité de Zoologie*, Masson (Paris), tome 11, p. 367-489, fig. 1-113.
- Decker, C. E.**
- (12) 1945, *The Wilberns Upper Cambrian graptolites from Mason, Texas:* Univ. Texas Pub. 4401 (Austin), p. 13-61, pl. 1-10, fig. 1-4.
- Eisenack, Alfred**
- (13) 1951, *Retioliten aus dem Graptolithengestein:* Paleontographica (Stuttgart), Band C, Abt. A, Lief. 5, p. 129-163, pl. 21-25, fig. 1-11.
- Ekström, Gunnar**
- (14) 1937, *Upper Didymograptus shale in Scania:* Sver. Geol. Unders., ser. C, no. 403, p. 1-53, pl. 1-11, fig. 1-8.
- Elles, G. L.**
- (15) 1922, *The graptolite faunas of the British Isles:* Proc. Geol. Assoc., v. 33, p. 168-200, fig. 38-52.
- (16) 1925, *The characteristic assemblages of the graptolite zones of the British Isles:* Geol. Mag., v. 62, p. 337-347.
- & Wood, E. M. R.
- (17) 1901-18, *Monograph of British graptolites, Pts. I-XI:* Palaeontograph. Soc., London, clxxi + 539 p., 52 pl., 359 fig.
- Gortani, Michele**
- (18) 1923, *Faune paleozoiche della Sardegna, Pts. I, II:* Palaeont. Ital., tomo 28, p. 41-67, 85-112, pl. 8-13, 15-19, fig. 1.
- Hadding, Assar**
- (19) 1913, *Undre Dicellograptusskiftern i Skåne:* Lunds Univ. Årsskr., Neue Folge, Afd. 2, Band 9, no. 15, p. 1-91, pl. 1-8, fig. 1-23.
- (20) 1915, *Der mittlere Dicellograptus-schiefer auf Bornholm:* Same, Afd. 2, Band 11, no. 4, p. 1-39, pl. 1-4, fig. 1-3.
- Hall, James**
- (21) 1865, *Graptolites of the Quebec group:* Canada Geol. Survey, Canad. Organic Remains, dec. 2, p. 1-151, pl. A-B, 1-21, fig. 1-31.
- Hall, T. S.**
- (22) 1914, *Victorian graptolites, Pt. 4, Some new or little-known species:* Proc. Roy. Soc. Vict., v. 27, p. 104-118, pl. 17-18, fig. 1-7.
- Harris, W. J., & Thomas, D. E.**
- (23) 1933, *Isograptus caduceus and its allies in Victoria:* Same, v. 46, p. 79-114, pl. 6, fig. 1-68.
- (24) 1938, *Revised classification and correlation of the Ordovician graptolite beds of Victoria:* Mining and Geol. Jour., v. 1, p. 62-72, pl. 1-3.
- (25) 1940, *Victorian graptolites (new series), Pt. VII:* Same, v. 2, p. 128-136, pl. 1-2, fig. 1-3.
- Holm, Gerhard**
- (26) 1890, *Gotlands Graptoliter:* Bihang till Svenska Vet.-Akad. Handl., Band 16, Afd. 4, no. 7, p. 1-34, pl. 1-2.
- (27) 1895, *Om Didymograptus, Tetragraptus och Phyllograptus:* Geol. Fören. Förh., Band 17, p. 319-359, pl. 11-16, fig. 1-6. (Eng. transl. by G. L. ELLES & E. M. R. Wood in Geol. Mag., 32, p. 433-492), pl. 13-14, fig. 1-3.
- Horst, C. J. van**
- (28) 1939, *Hemichordata:* in BRONN, H. G. Klasse. u. Ordnungen des Tierreichs (Leipzig), Band 4, Abt. 4, Buch 2, Teil 2, 737 p., 733 fig.
- Hsü, S. C.**
- (29) 1934, *The graptolites of the Lower Yangtze Valley:* Mon. Nat. Research Inst. Geol., Ser. A, v. 4, p. 1-106, pl. 1-7, fig. 1-36.
- Hundt, Rudolf**
- (30) 1924, *Die Graptoliten des deutschen Silurs:* (Leipzig), 91 p., 18 pl.
- Kozłowski, Roman**
- (31) 1947, *Les affinités des graptolithes:* Biol. Rev., v. 22, p. 93-108, fig. 1-4.
- (32) 1948 (1949), *Les graptolithes et quelques nouveaux groupes d'animaux du Tremadoc de la Pologne:* Palaeont. Polonica, v. 3, p. 1-235, pl. 1-42, fig. 1-66.
- Kraft, Paul**
- (33) 1926, *Ontogenetische Entwicklung und Biologie von Diplograptus und Monograptus:* Paläont. Zeitschr., Band 7, p. 207-249, pl. 3-17, fig. 1-4.
- Lapworth, Charles**
- (34) 1873, *On an improved classification of the Rhabdophora:* Geol. Mag., v. 10, p. 500-504, 555-560.
- (35) 1879-89, *On the geological distribution of the Rhabdophora:* Ann. Mag. Nat. Hist., ser. 5, v. 3, p. 245-257, 449-455; v. 4, p. 333-341, 423-431; v. 5, 45-62, 273-285, 359-369; v. 6, 16-29, 185-207 (v. 3-4, 1879; v. 5-6, 1880).

- (36) 1897. *Die Lebensweise der Graptolithen:* in WALTHER, J., *Lebensweise fossiler Meerestiere.* Zeitschr. d. deutsch. geol. Gesellsch., Band 49, p. 238-258.
- , Elles, G. L., & Wood, E. M. R., see Elles, G. L. & Wood, E. M. R. (16)
- Laursen, Dan**
- (37) 1940-43, *Cyrtograptusskifrene paa Bornholm I, II:* Danmarks Geol. Unders., no. 64, p. 1-39, pl. 1-5, fig. 1-29; no. 70, p. 1-19, pl. 1-3, fig. 1-3.
- Marr, J. E.**
- (38) 1925, *Conditions of deposition of the Stockdale shales:* Quart. Jour. Geol. Soc., London, v. 81, p. 113-133, fig. 1-3.
- Moberg, J. C.**
- (39) 1910, *Guide to the principal Silurian districts of Scania:* Geol. Fören. Förh., Band 32, p. 45-194, pl. 1-5, fig. (many).
- Monsen, Astrid**
- (40) 1925, *Über eine neue ordovicische Graptolithenfauna:* Norsk geol. tidsskr., Bind 8, p. 147-187, pl. 1-4, fig. 1-6.
- (41) 1937, *Die Graptolithenfauna im unteren Dymograptus - Schiefer Norwegens:* Same, Bind 16, p. 57-266, pl. 1-20.
- Münch, Arthur**
- (42) 1952, *Die Graptolithen aus dem anstehenden Gotlandium deutschlands:* Geologica, (Berlin), Band 7, p. 1-157, pl. 1-61, fig. (many).
- Nicholson, H. A.**
- (43) 1872, *Monograph of the British Graptolitidae:* Blackwood & Sons (Edinburgh, London), x + 133 p., 74 fig.
- & Marr, J. E.
- (44) 1895, *Notes on the phylogeny of the graptolites:* Geol. Mag., v. 42, p. 529-539.
- Pedersen, T. B.**
- (45) 1922, *Rastritesskiferen paa Bornholm:* Dansk geol. Foren., Band 6, no. 11, p. 1-29, fig. 1-7.
- Perner, Jaroslav**
- (46) 1891-97, *Études sur les graptolites de Bohême:* Raimund Gerhard (Leipzig, Prague), pt. 1 (1894), p. 1-14, pl. 1-3, fig. 1-14; pt. 2 (1895), p. 1-31, pl. 4-8, fig. 1-9; pt. 3a (1897), p. 1-25, pl. 9-13, fig. 1-28; pt. 3b (1899), p. 1-24, pl. 14-17, fig. 1-35.
- Přibyl, Alois**
- (47) 1948, *Bibliographic index of Bohemian Silurian graptolites:* Knihovna Stát. geol. úst. Čsk. Republiky, Sv. 22, p. 1-96.
- (48) 1952, *Contribution to the knowledge of the Silurian graptolites of Bulgaria.* Bull. internat. de l'Acad. tschèque des Sciences, 53 Année, no. 8, p. 1-37, pl. 1-2.
- Ruedemann, Rudolf**
- (49) 1895, *Development and mode of growth of Diplograptus McCoy:* N.Y. State Geol. Ann. Rept. for 1894, p. 219-249, pl. 1-5.
- (50) 1904-08, *Graptolites of New York, pts. I, II:* N.Y. State Mus., Mem. 7, p. 457-803, pl. 1-17, fig. 105; Mem. 11, p. 4-583, pl. 1-31, fig. 1-482.
- (51) 1934, *Paleozoic plankton of North America:* Geol. Soc. America, Mem. 2, p. 1-141, pl. 1-26, fig. 1-6.
- (52) 1935, *Ecology of black mud shales of eastern New York:* Jour. Paleont., v. 9, p. 79-91.
- (53) 1947, *Graptolites of North America:* Geol. Soc. America, Mem. 19, p. 1-652, pl. 1-92.
- Stubblefield, C. J.**
- (54) 1929, *Notes on some early British graptolites:* Geol. Mag., v. 66, p. 268-285, fig. 1-11.
- Thomas, H. D. & Davis, A. G.**
- (55) 1949, *The pterobranch Rhabdopleura in the English Eocene:* Bull. Brit. Mus. Nat. Hist., Geol., v. 1, no. 1, p. 1-19, pl. 1-4, fig. 1-4.
- Thorsteinsson, Raymond**
- (56) 1955, *The mode of cladal generation in Cyrtograptus:* Geol. Mag., v. 92, p. 37-49, pl. 3-4, fig. 1-4.
- Törnquist, S. L.**
- (57) 1890-92, *Undersökningar öfver Siljansområdets graptoliter, pts. 1, 2:* Lunds Univ. Årsskr., Band 26, no. 4, p. 1-33, pl. 1-2; Band 28, no. 2, p. 1-47, pl. 1-3.
- (58) 1893, *Observations on the structure of some Diprionidae:* Same, Band 29, no. 3, p. 1-14, pl. 1.
- (59) 1897, *On the Diplograptidae and Heteropriionidae of the Scanian Rastrites beds:* Kgl. Fysiogr. sällsk. Lund Handl., Neue Folge, Band 8, p. 1-24, pl. 1-2.
- (60) 1899, *Monograptidae of the Scanian Rastrites beds:* Lunds Univ. Årsskr., Band 35, Afd. 2, no. 1, p. 1-25, pl. 1-4.
- (61) 1901-04, *Graptolites of the lower zones of the Scanian and Vestrogothian Phyllo-Tetragraptus beds, pts. 1, 2:* Same, Band 37, Afd. 2, no. 5, p. 1-26, pl. 1-3; Band 40, Afd. 1, no. 2, p. 1-29, pl. 1-4.
- Tullberg, S. A.**
- (62) 1882-83, *Skånes graptoliter, pts. 1, 2:* Sver. Geol. Unders., Ser. C, no. 50, p. 1-44; no. 55, p. 1-43, pl. 1-4.

Ubaghs, Georges

- (63) 1941, *Les graptolites dendroïdes du Marbre Noir de Denée (Viséen inférieur)*: Bull. Mus. roy. d'Hist. nat. de Belgique, tome 17, no. 2, p. 1-30, pl. 1-5.

Waterlot, Gérard

- (64) 1945, *Les graptolites du Maroc, pt. 1, Généralités*: Service géol. du Maroc, Notes et Mém. no. 63, p. 1-112, fig. 1-482.

Wiman, Carl

- (65) 1893, *Ueber Diplograptidae Lapw.*: Bull.

Geol. Inst. Uppsala, v. 1, no. 2, p. 97-103, pl. 6.

(66) 1893, *Ueber Monograptus Geinitz*: Same, v. 1, no. 2, p. 113-117, pl. 7.

(67) 1895, *Über die Graptolithen*: Same, v. 2, no. 4, p. 239-316, pl. 9-15, figs.

(68) 1897, *Über Dictyonema cavernosum, n. sp.*: Same, v. 3, no. 5, p. 1-13, pl. 1.

(69) 1897, *Über den Bau einiger gotlandischen Graptoliten*: Same, v. 3, no. 6, p. 352-368, pl. 11-14.

(70) 1901, *Über die Borkholmer Schicht im Mittelelbitischen Silurgebiet*: Same, v. 5, no. 10, p. 149-222, pl. 5-8, fig. 1-11.

SOURCES OF ILLUSTRATIONS

All figures consist of new drawings, and are "after" rather than "from" the following sources in addition to those quoted in References above. A few illustrations are original and these are indicated by the letter "n" joined with the index number.

- | | | |
|---------------------------------------|------------------------------|-------------------------|
| (71) Bassler, R. S. | (79) Hopkinson, John, & Lap- | (87) Ridewood, W. G. |
| (72) Bulman, O. M. B. | worth, Charles | (88) Ruedemann, Rudolf |
| (73) Bouček, Bedřich | (80) Hundt, Rudolf | (89) Schepotieff, A. |
| (74) Eisenack, Alfred | (81) Kozłowski, Roman | (90) Strachan, Isles |
| (75) Hadding, Assar | (82) Kühne, W. G. | (91) Strandmark, J. E. |
| (76) Hall, James | (83) McCoy, Frederick | (92) Tullberg, S. A. |
| (77) Harris, W. J. & Thomas,
D. E. | (84) Manck, Elfried | (93) Walker, Margaret |
| (78) Holm, Gerhard | (85) Möberg, J. C. | (94) Westergård, A. H. |
| | (86) Münch, Arthur | (95) Whittington, H. B. |

INDEX

Names included in the following index are classified typographically as follows: (1) Roman capital letters are used for suprafamilial taxonomic units which are recognized as valid in classification; (2) italic capital letters are employed for suprafamilial categories which are considered to be junior synonyms of valid names; (3) generic and family names accepted as valid and morphological terms are printed in roman type; and (4) generic and family names classed as invalid, including junior homonyms and synonyms, are printed in italics.

- Abiesgraptus*, V66, V93
- ACANTHASTIDA**, V5, V94
- Acanthastus*, V94
- Acanthograptidae*, V4, V25, V35
- Acanthograptus*, V25, V27, V28, V36
- Acoelothecia*, V12
- Adelograptus*, V32
- Airograptus*, V28, V32
- Akidograptus*, V91
- Amphigraptus*, V71, V83
- Amplexograptus*, V47, V68, V86
- anastomosis, V5
- ancora, V5
- ancora stage, V5
- Anisograptidae*, V4, V15, V18, V22, V32
- Anisograptus*, V32
- Anomalograptus*, V76
- Anthograptus*, V78
- apertural list, V54
- appendix, V5
- Archiretiolites*, V88
- Archiretiolitinae*, V5, V45, V62, V88
- Ascograptus*, V37
- Aspidograptus*, V32
- astogeny, V28
- Atopograptus*, V79
- Atubaria, V12
- autotheca, V5, V24, V38, V41
- AXONOLIPA*, V44
- AXONOPHORA*, V44
- Azygograptus*, V70, V80
- Balanoglossus*, V4, V8
- Balticograptus*, V90
- Barrande, V3, V12
- Barrandecograptus*, V93
- Barrass, V55
- basal disc, V5
- Bassler, V17
- Bather, V69
- Beck, V12
- bifidus stage, V57
- biform, V5
- bilateral, V5
- Birastrites*, V95
- biserial, V5
- biserial graptolites, V61, V72
- bitheca, V5, V25, V38, V41
- Bithecamara*, V41, V42
- Bithecocamaridae*, V5, V42
- blastozooid inachev  , V9
- Bou  ek, V12
- Brachiograptus*, V76
- branch, V5
- branching, V26, V52
- branching, dichotomous, V5
- branching, lateral, V5
- Bronn, V12
- Bryograptus*, V32, V68-V70
- budding individual, V5
- Bulman, V12, V14, V26, V49, V54, V69
- Bulmanograptus*, V90
- Buthograptus*, V95
- Cactograptus*, V37
- Calamograptus*, V77
- Calloedendrograptus*, V31
- Callograptus*, V17, V26, V32
- calotte, V94
- Calycotubus*, V40
- Calyptograptus*, V41
- camara, V5, V41
- CAMAROIDEA**, V5, V41
- Cardiograptus*, V62, V70, V72, V80
- central disc, V5
- CEPHALOCHORDA**, V7
- CEPHALODISCIDA**, V4, V11
- Cephalodiscidae*, V4, V11
- Cephalodiscus*, V4, V8, V11, V20, V67
- Cephalograpsus*, V87
- Cephalograptus*, V53, V61, V87
- Ceramograptus*, V37
- Chaunograptidae*, V5, V36
- Chaunograptus*, V36
- CHORDATA**, V7
- cladia, V64
- cladium, V5
- Cladograpsus*, V83
- Cladograptus*, V79
- Classification, V4, V29, V69
- clathria, V5, V44, V53
- Clematograptus*, V83
- climacograptid type, V47
- Climacograptidi*, V85
- Climacograptinae*, V5, V85
- Climacograptoides*, V17
- Climacograptus*, V45, V50-V55, V68, V72, V85
- Clonograptus*, V32, V44, V69, V70
- Coelograptus*, V37
- coenoecium, V5, V9
- collum, V5, V41
- Colonograptus*, V93
- colony, V5
- common canal, V5, V51
- complete septum, V7
- Conitibus*, V40
- Conograptus*, V95
- contractile stalk, V8
- corona, V6
- correlation graptolite zones, V18
- cortical tissue, V6
- Corynograptidae*, V81
- Corynograptus*, V81
- Corynoidea*, V45, V71, V81
- Corynoididae*, V5, V71, V81
- Cox, V12
- crossing canal, V6, V57
- Cryptograptidae*, V5, V81
- Cryptograptus*, V54, V61, V72, V81
- cryptopyle, V94
- cryptostyle, V94
- Ctenograptus*, V95
- Cucullograptus*, V93
- Cyclograptidae*, V22
- Cyclograptus*, V39, V40
- Cyrtograptidae*, V93
- Cyrtograptinae*, V5, V93
- Cyrtograptus*, V45, V51, V64, V93
- Cysticamara*, V41, V42
- Cysticamaridae*, V5, V42
- Cystograptus*, V87
- Damesograptus*, V32
- Dawsonia*, V95
- declined, V6
- deflexed, V6
- Demirastrites, V93
- Dendrograptidae*, V4, V30
- Dendrograptus*, V17, V23, V25-V31, V49
- dendroid, V6
- DENDROIDEA**, V4, V21
- Dendrotubus*, V39-V41
- denticulate, V6
- Denticulograptus*, V36
- Desmograptus*, V17, V26, V32
- development (graptolites), V28, V54
- Dicellograpsus*, V83
- Dicellograptus*, V47, V59, V61, V68, V71, V83
- Dichograpti*, V5, V45, V78
- dichograptid fauna, V68
- dichograptid type, V46, V57
- Dichograptidae*, V5, V53, V69, V74

- Dichograptus, V69, V70, V78
dichotomous, V6
Dicranograptidae, V5, V71, V83
Dicranograptus, V16, V47, V51,
V60, V68-V71, V83
Dictyodendron, V32
Dictyograptus, V32
Dictyonema, V15, V17, V25-
V29, V32, V44, V70
Didymograptus, V80
Didymograpti, V5, V79
Didymograptus, V18, V46, V56,
V68-V71, V79
Dimorphograptidae, V5, V63,
V73, V90
Dimorphograptus, V56, V63,
V68, V73, V90
Dimycterograptus, V90
Dinemagrapti, V53, V80
Diplograptis, V85
diplograptid fauna, V68
diplograptid type, V59
Diplograptidae, V5, V44, V84
Diplograptinac, V5, V85
Diplograptus, V49, V69, V72,
V74, V85
Diplospirograptus, V36
Diprion, V87
Discograptus, V39, V41
dissepiment, V5, V27
distal, V5
distribution (graptolites), V17
Diversograptus, V51, V66, V94
dorsal, V5
Eisenack, V12, V49, V52, V54,
V63, V69
Elles, V45, V48, V57, V67, V70
Elles & Wood, V70, V73
ENTEROPNEUSTA, V4, V7, V8
Eocephalodiscidae, V4, V11
Eocephalodiscus, V11
Eotetrograptus, V79
Epigraptus, V41
Etagraptus, V79
evolutionary trends (graptolites),
V67
Expansograptus, V79
extensiform, V6
extensus stage, V58
extroverted, V6
filium, V94
flabellate, V6
flaccidus stage, V59
Flexicolliscamara, V42
Frebold, V16
Frech, V3, V44
fusellar tissue, V6
Galeograptus, V39, V41
Gangliograptus, V93
geniculatus stage, V59
gibberulus stage, V58
Gladiograptus, V89
Gladiolites, V89
Globosograptus, V93
Glossograptus, V82
Glossograptus, V62, V72, V82,
V87
Glyptograptus, V17, V47, V59,
V68, V71-V73, V86
gonangia, V6
Goniograpti, V5, V75
Goniograptus, V17, V52, V75
Gothograptus, V51, V90
Grabau, V16
GRAPTOBLASTI, V5, V94
Graptoblastoides, V94
Graptoblastus, V94
Graptocamara, V42
graptogonophores, V63
GRAPтолITHINA, V4, V12
graptolitic facies, V16
GRAPтолОІDEA, V5, V43
Graptopora, V32
GRAPTOVERMIDA, V5, V94
Graptovermis, V94
gymnocalus, V6, V9, V43
Gymnograptus, V87
Haberfelner, V54
Hadding, V12, V72
Hall, James, V3, V14, V15, V63
Hall, T. S., V12
Halligraptus, V88
Haplograptus, V37
Harris, V70
Herrmannograptus, V33
hirundo stage, V58
Holm, V12, V14, V21, V25
Holmograptus, V80
Holograptus, V78
Holoretiolites, V90
horizontal (stipes), V6
Hundt, V12, V16
hydrosome, V6
hydrotheca, V6
Idiograptus, V87
Idiothecia, V11
Idiotubidae, V5, V17, V39
Idiotubus, V39, V40
incomplete septum, V7
initial bud, V6
Inocaulidae, V4, V36
Inocaulis, V36
interthecal V6, V46
introverted (theca), V6, V74
isograptid type, V58
Isograptus, V70, V80
isolation, V6
Janograptus, V81
Klähn, V16
Koremagrapthus, V22, V26, V27,
V36
Kozłowski, V13, V20, V25, V28,
V39, V54, V55, V66
Kraft, V12, V16, V44, V54
lacinia, V6, V44, V53
languette, V6
Lankester, V9
lappet, V6
Lapworth, V12, V14, V44, V51
Lapworthograptus, V93
Lasiograptidae, V5, V73, V87
lasiograptids, V50
Lasiograptus, V54, V66, V87
lateral branching, V5
leptograptid fauna, V68
leptograptid type, V46, V58
Leptograptidae, V5, V71, V82
Leptograptus, V71, V83
Leveillites, V95
Licnograptus, V32
ligne hélécoidale, V28
Linnarsson, V12
Linné, V12
Linograptus, V66, V94
list, V6
localized thickening, V53
Loganograptus, V70, V76
Lomatoceras, V92
Lonchograptus, V82
lophophore, V6, V8
McCoy, V12
Maeandrograptus, V81
Mack, V12
Marr, V52, V70
Marsipograptus, V32
Mastigograptus, V36
median septum, V52
Mediograptus, V93
Medusaegraptus, V36
Megalograptus, V95
Melanostrophus, V94
mesial, V6
mesial list, V5
mesial spine, V54
Mesograptus, V85
Metadimorphograptus, V91
metasicula, V6, V45, V54
metatheca, V6, V46
metatubus, V46
Mimograptus, V70, V78
minutus stage, V57
mode of life (graptolites), V15
Monoclimacis, V92
monograptid fauna, V68
monograptid trends, V49
monograptid type, V63
Monograptidae, V5, V44, V63,
V74, V92
Monograptinae, V5, V92
Monograptus, V17, V44, V49,
V50, V54, V68, V70, V73, V92
Monopriion, V92
multiramous, V6
Münch, V12, V46, V49
muscle scar, V54
Nanograptus, V82
nema, V6, V43, V51
Nemagrapsus, V83
Nemagraptus, V17, V52, V71, V83
Nephelograptus, V32
Nereograptus, V95
Neurograptus, V88
Nicholson, V3, V52, V70
Nicholsonograptus, V80
Nymphograptus, V54, V88

- obverse, V6
 occlusion, V6
Odontocaulis, V32
 umbilic, V94
Oncograptus, V62, V70, V72, V81
Ophiograptus, V31
Öpik, V16
Orthoecus, V11
Orthograptus, V45, V50, V52, V54, V68, V87
Orthoretiolites, V88
Palaeodictyota, V36
Paraclimacograptus, V85
Paraplectograptus, V90
Parazygograptus, V70, V81
 partial septum, V7
 pauciramous, V6
Pectocaulis, V4, V6, V8, V20
 peduncle, V8
Peiragrapthus, V63, V74, V87
 pendent, V6
Pendeograptus, V79
 periderm, V6, V22
Pernerograptus, V93
Petalograptinae, V5, V74, V87
Petalograptus, V87
Phycograptus, V95
Phyllograptia, V32
Phyllograptus, V16, V51, V69, V70, V79
 phylogeny, V69
Planktiograptus, V95
Plectograptinae, V5, V62, V90
Plectograptus, V90
Plegmatograptus, V54, V88
 pleural list, V54
Pleurograpsus, V83
Pleurograptus, V52, V71, V83
 polymorphic, V6
Pomatograptus, V92
Přibyl, V12
Pristiograptus, V92
Procyrtograptus, V95
 prosicula, V6, V28, V54, V62
 protheca, V6, V43, V46, V57
Protistograptus, V95
Protograptus, V95
 protosoma, V8
Protovirgularia, V95
 proximal, V7
Pseudoclimacograptus, V85
Pseudoplegmatoograptus, V90
Pseudoretiolites, V90
PTEROBRANCHIA, V4, V7, V8
Pterograptus, V76
Ptilograptidae, V5, V36
Ptilograptus, V36
Ptiograptus, V27, V32
Ptychodera, V8
 quadriserial, V7
Radiograptus, V34
Rastrites, V45, V49, V69, V93
Rastrograptus, V93
 Raymond, V16
 reclined, V7
Rectograptus, V87
 reflexed, V7
 regeneration, V54
reticula, V7, V54
Reticulograptus, V32
reticulum, V94
Retiograptus, V88
Retiolites, V52, V54, V69, V89
Retiolitidae, V5, V54, V88
Retiolitinae, V5, V62, V89
 retroversion, V47
 reverse, V7
Rhabdinopora, V32
Rhabdopleura, V4, V8, V10, V20, V23
RHABDOPLEURIDA, V4, V9
Rhabdopleuridae, V4, V10
 rhabdosome, V4, V7, V28, V39
Rhaphidograptus, V91
Rhipidodendrum, V28-V32
Rhizograpsus, V32
Rhizograptus, V32
Rhodonograptus, V41
 root, V7
Rouvilligraptus, V78
Ruedemann, V3, V12, V15, V16, V44, V50, V54, V66, V70
Ruedemannograptus, V37
Saccoglossus, V8
Saetograptus, V93
Salter, V12
 scandent, V7
Schepotieff, V9
Schizograpti, V5, V77
Schizograptus, V17, V52, V70, V78
Schmidt, V16
Schraubenlinie, V28, V45, V54
 scopula, V7
Scupin, V16
selvage, V7
semitibus, V46
septal, V7
septum, V7
sicula, V4, V7, V43, V44
Sigmagraptus, V71, V76
Skiagrapthus, V62, V70, V72, V81
 solid axis, V7
Spencer, V17
 spinarium, V94
 spine, apertural, V54
Spinograptus, V90
Spirograptus, V92
Staurograpthus, V15, V34
Stelechograptus, V95
 stipe, V4, V7
 stolon, V7
 stolon system, V41
Stolonodendridae, V5, V43
Stolonodendrum, V43
 STOLONOIDEA, V5, V42
 stolotheca, V7, V23, V38
Stomatograptus, V90
STOMOCHORDA, V4, V7
Størmer, V15, V16
Strachan, V12, V66
Streptograptus, V93
Streptograptus, V37
Ström, V16
Strophograptus, V95
Syndyograptus, V71
 synrhabdosome, V7, V66
Syrrhipidograptus, V32
 techniques, V13
Temnograpti, V5, V76
Temnograptus, V77
Tetragrapthus, V79
Tetragrapti, V5, V45, V79
Tetragraptus, V52, V68, V70, V79
Thallograptus, V36
Thalligraptus, V36
Thamnograptus, V95
 theca, V7, V23, V45, V48
 thecal grouping, V7, V25, V39
 thecal spine, V50
 thecatus, V46
 thecorhiza, V7, V37, V39
 Thomas, V12, V70
Thorsteinsson, V12, V46, V49, V65
Törnquist, V12, V14, V46
Triaenograptus, V95
Trichograptus, V52, V76
Trigonograptus, V87
Triograptus, V34
Triplograptus, V95
Trochograptus, V70, V78
Tubicamara, V42
Tubidendridae, V5, V38
Tubidendrum, V38, V39
TUBOIDEA, V5, V17, V37
 twig, V7
Ulrich, V54
Undagrapthus, V95
 uniserial (graptolites), V7
Urbanek, V45, V49
UROCHORDA, V7
 ventral, V7
virgella, V7, V45
virgula, V7, V43, V51
Waern, V53
Wahlenberg, V12
Walker, V12, V14, V45
Westoll, V49
Wiman, V12, V14, V20, V28, V44, V70, V74
Wiman rule, V7, V43
 zooid, V7, V20
Zygograptus, V76