

# TREATISE ON INVERTEBRATE PALEONTOLOGY

*Prepared under Sponsorship of*

*The Geological Society of America, Inc.*

*The Paleontological Society    The Society of Economic Paleontologists and Mineralogists*

*The Palaeontographical Society    The Palaeontological Association*

Second Editions Directed and Edited by  
CURT TEICHERT

First Editions Directed and Edited by  
RAYMOND C. MOORE

Editorial Assistants, LAVON McCORMICK, ROGER B. WILLIAMS

## Part V

Second Edition (Revised and Enlarged)

### GRAPTOLITHINA

with sections on ENTEROPNEUSTA and PTEROBRANCHIA

By O. M. B. BULMAN

THE GEOLOGICAL SOCIETY OF AMERICA, INC.

and

THE UNIVERSITY OF KANSAS

BOULDER, COLORADO, and LAWRENCE, KANSAS

1970

© 1970 BY THE UNIVERSITY OF KANSAS  
AND  
THE GEOLOGICAL SOCIETY OF AMERICA, INC.

ALL RIGHTS RESERVED

First Edition 1955  
Second Edition 1970

Library of Congress Catalogue Card  
Number: 53-12913  
S.B.N. 8137-3123-2

Text Composed by  
THE UNIVERSITY OF KANSAS PRINTING SERVICE  
Lawrence, Kansas

Illustrations and Offset Lithography  
THE MERIDEN GRAVURE COMPANY  
Meriden, Connecticut

Binding  
RUSSELL RUTTER COMPANY  
New York City

Published 1970

Distributed by The Geological Society of America, Inc., P.O. Box 1719, Boulder, Colo., 80302, to which all communications should be addressed.

The *Treatise on Invertebrate Paleontology* has been made possible by (1) grants of funds from The Geological Society of America through the bequest of Richard Alexander Fullerton Penrose, Jr., for initial preparation of illustrations and partial defrayment of organizational expense in 1948, and the United States National Science Foundation, awarded in 1959, and annually since 1966, for continuation of the *Treatise* project; (2) contribution of the knowledge and labor of specialists throughout the world, working in cooperation under sponsorship of The Geological Society of America, The Paleontological Society, The Society of Economic Paleontologists and Mineralogists, The Palaeontographical Society, and The Palaeontological Association; and (3) acceptance by The University of Kansas of publication without any financial gain to the University.

# TREATISE ON INVERTEBRATE PALEONTOLOGY

Directed and Edited by **RAYMOND C. MOORE**  
and (for supplements and revisions) **CURT TEICHERT**

Assistants: **LAVON McCORMICK**, **ROGER B. WILLIAMS**

Advisers: **EDWIN B. ECKEL**, **D. L. CLARK** (The Geological Society of America), **BERNHARD KUMMEL**, **J. WYATT DURHAM** (The Paleontological Society), **N. D. NEWELL**, **D. M. RAUP** (The Society of Economic Paleontologists and Mineralogists), **R. V. MELVILLE**, **W. T. DEAN** (The Palaeontographical Society), **M. R. HOUSE**, **J. M. HANCOCK** (The Palaeontological Association).

---

## PARTS

Parts of the *Treatise* are distinguished by assigned letters with a view to indicating their systematic sequence while allowing publication of units in whatever order each may be made ready for the press. The volumes are cloth-bound with title in gold on the cover. Copies are available on orders sent to the Publication Sales Department, The Geological Society of America, P.O. Box 1719, Boulder, Colorado 80302. The prices quoted very incompletely cover costs of producing and distributing the several volumes, but on receipt of payment the Society will ship copies without additional charge to any address in the world. Special discounts are available to members of sponsoring societies under arrangements made by appropriate officers of these societies, to whom inquiries should be addressed.

## VOLUMES ALREADY PUBLISHED

(Previous to 1970)

- Part C. PROTISTA 2 (Sarcodina, chiefly "Thecamoebians" and Foraminiferida), xxxi+900 p., 5311 fig., 1964.
- Part D. PROTISTA 3 (chiefly Radiolaria, Tintinnina), xii+195 p., 1050 fig., 1954.
- Part E. ARCHAEOCYATHA, PORIFERA, xviii+122 p., 728 fig., 1955.
- Part F. COELENTERATA, xvii+498 p., 2700 fig., 1956.
- Part G. BRYOZOA, xii+253 p., 2000 fig., 1953.
- Part H. BRACHIPODA, xxxii+927 p., 5198 fig., 1965.
- Part I. MOLLUSCA 1 (Mollusca General Features, Scaphopoda, Amphineura, Monoplacophora, Gastropoda General Features, Archaeogastropoda, mainly Paleozoic Caenogastropoda and Opisthobranchia), xxiii+351 p., 1732 fig., 1960.
- Part K. MOLLUSCA 3 (Cephalopoda General Features, Endoceratoidea, Actinoceratoidea, Nautiloidea, Bactritoidea), xxviii+519 p., 2382 fig., 1964.
- Part L. MOLLUSCA 4 (Ammonoidea), xxii+490 p., 3800 fig., 1957.
- Part N. MOLLUSCA 6 (Bivalvia), Volumes 1 and 2 (of 3), xxxviii+952 p., 6198 fig., 1969.
- Part O. ARTHROPODA 1 (Arthropoda General Features, Protarthropoda, Euarthropoda General Features, Trilobitomorpha), xix+560 p., 2880 fig., 1959.
- Part P. ARTHROPODA 2 (Chelicerata, Pycnogonida, Palaeoisopus), xvii+181 p., 565 fig., 1955.
- Part Q. ARTHROPODA 3 (Crustacea, Ostracoda), xxiii+442 p., 3476 fig., 1961.
- Part R. ARTHROPODA 4 (Crustacea exclusive of Ostracoda, Myriapoda, Hexapoda), Volumes 1 and 2 (of 3), xxxvi+651 p., 1762 fig., 1969.
- Part S. ECHINODERMATA 1 (Echinodermata General Features, Homalozoa, Crinozoa, exclusive of Crinoidea), xxx+650 p., 2868 fig., 1967 [1968].
- Part U. ECHINODERMATA 3 (Asterozoans, Echinozoans), xxx+695 p., 3485 fig., 1966.
- Part V. GRAPTOLITHINA, xvii+101 p., 358 fig., 1955.
- Part W. MISCELLANEA (Conodonts, Conoidal Shells of Uncertain Affinities, Worms, Trace Fossils, Problematica), xxv+259 p., 1058 fig., 1962.

## THIS VOLUME

Part V, Second edition (revised and enlarged). GRAPTOLITHINA, xxxii+163 p., 507 fig., 1970.

## VOLUMES IN PREPARATION (1970)

Part A. INTRODUCTION.

Part B. PROTISTA 1 (Chrysomonadida, Coccolithophorida, Charophyta, Diatomacea, etc.).

Part J. MOLLUSCA 2 (Gastropoda, Streptoneura exclusive of Archaeogastropoda, Euthyneura).

Part M. MOLLUSCA 5 (Coleoidea).

Part T. ECHINODERMATA 2 (Crinoidea).

Part X. ADDENDA, INDEX.

Part E (revision). Archaeocyatha, Porifera.

Part F (supplement). Coelenterata (Anthozoa Rugosa and Tabulata).

Part G (revision). Bryozoa.

Part L (revision). Ammonoidea.

Part W (supplement). MISCELLANEA (Trace Fossils).

## CONTRIBUTING AUTHORS

[Arranged by countries and institutions; an alphabetical list follows. An asterisk preceding name indicates author working on revision of or supplement to a published *Treatise* volume.]

### AUSTRALIA

Macquarie University (North Ryde)

J. A. Talent

South Australia Geological Survey (Adelaide)

N. H. Ludbrook

University of Adelaide

M. F. Glaessner

University of Queensland (Brisbane)

Dorothy Hill

### AUSTRIA

Universität Wien (Paläontologisches Institut)

Adolph Papp

### BELGIUM

Université de Liège

Georges Ubaghs

Université de Louvain

Marius Lecompte

### CANADA

Geological Survey of Canada (Ottawa)

J. A. Jeletzky, A. W. Norris, G. W. Sinclair

Institute of Sedimentary & Petroleum Geology (Geological Survey of Canada, Calgary)

D. J. McLaren

National Museum (Ottawa)

A. H. Clarke, Jr.

University of British Columbia (Vancouver)

V. J. Okulitch

### DENMARK

Universitet København

Chr. Poulsen

### FRANCE

Unattached

André Chavan (Seyssel, Ain)

Université de Paris

Colette Dechaseaux

### GERMANY

Bergakademie Freiberg (Geologisches Institut)

A. H. Müller

Freie Universität Berlin

Gerhard Hahn

Hamburg Staatsinstitut

Walter Häntzschel

Natur-Museum und Forschungs-Institut

Senckenberg (Frankfurt)

Herta Schmidt, Wolfgang Struve

Unattached

Hertha Sieverts-Doreck (Stuttgart-Möhringen)

Universität Bonn

H. K. Erben, K. J. Müller

Universität Münster

Helmut Hölder

Universität Tübingen

\*Jürgen Kullmann, O. H. Schindewolf

Universität Würzburg

Klaus Sdzuy

## ITALY

### Unattached

Franco Rasetti (Rome)

### Università Modena

Eugenia Montanaro Gallitelli

## JAPAN

### Tohoku University (Sendai)

Kotora Hatai

### University of Tokyo

Tetsuro Hanai

## LIBYA

### Esso Standard Libya Inc. (Tripoli)

L. A. Smith

## NETHERLANDS

### Rijksmuseum van Natuurlijke Historie

(Leiden)

H. Boschma, L. B. Holthuis

### Vrije Universiteit Amsterdam

A. Breimer

## NEW ZEALAND

### Auckland Institute and Museum

A. W. B. Powell

### Dominion Museum (Wellington)

R. K. Dell

### New Zealand Geological Survey (Lower Hutt)

C. A. Fleming, J. Marwick

## NORWAY

### Universitet Oslo

Gunnar Henningsmoen, T. Soot-Ryen,  
Leif Størmer

## POLAND

### Pánstwowe Wydawnictwo Naukowe

(Warszawa)

Gertruda Biernat, Adolf Riedel

## SWEDEN

### Naturhistoriska Museet Göteborg

Bengt Hubendick

### Rijksmuseum Stockholm

Valdar Jaanusson

### Universitet Lund

Gerhard Regnéll

### Universitet Stockholm

Ivar Hessland

### Universitet Uppsala

R. A. Reyment

## SWITZERLAND

### Universität Basel

Manfred Reichel

## UNITED KINGDOM

### British Museum (Natural History)

(London)

Leslie Bairstow, \*P. L. Cook, Isabella

Gordon, \*M. K. Howarth, S. M.

Manton, N. J. Morris, C. P. Nuttall

### British Petroleum Company (Middlesex)

F. E. Eames

### Geological Survey of Great Britain

(London)

Raymond Casey, R. V. Melville

### Iraq Petroleum Company (London)

G. F. Elliott

### Queen's University of Belfast

Margaret Jope, \*R. E. H. Reid, \*Ronald

Tavener-Smith, Alwyn Williams, A.

D. Wright

### Royal Scottish Museum (Edinburgh)

J. C. Brower

### Unattached

Dennis Curry (Middlesex), R. P. Tripp

(Sevenoaks, Kent), C. J. Stubblefield

(London), C. W. Wright (London)

### University of Birmingham

L. J. Wills

### University of Cambridge

O. M. B. Bulman, M. J. S. Rudwick,

H. B. Whittington

### University College London

\*J. H. Callomon, \*D. T. Donovan

### University College of Swansea

D. V. Ager

### University of Durham

\*G. P. Larwood

### University of Glasgow

W. D. I. Rolfe, John Weir, C. M. Yonge

### University of Hull

\*M. R. House, E. R. Trueman

### University of Leicester

P. C. Sylvester-Bradley

## UNITED STATES OF AMERICA

### Academy of Natural Sciences of Philadelphia (Pennsylvania)

A. A. Olsson, Robert Robertson

### American Museum of Natural History (New York)

R. L. Batten, W. K. Emerson, N. D.  
Newell

### Brown University (Providence, R.I.)

R. D. Staton

- California Academy of Sciences**  
(San Francisco)  
Eugene Coan, G. D. Hanna, L. G. Hertlein, Barry Roth, A. G. Smith, V. A. Zullo
- California Institute of Technology**  
(Pasadena)  
H. A. Lowenstam
- Carnegie Museum**  
(Pittsburgh, Pennsylvania)  
Juan Parodiz
- Chevron Oil Field Research Company**  
(La Habra, California)  
A. R. Loeblich, Jr.
- Continental Oil Company**  
(Ponca City, Oklahoma)  
J. A. Eyer
- Cornell University** (Ithaca, New York)  
W. S. Cole, J. W. Wells
- Esso Production Research Company**  
(Houston, Texas)  
H. H. Beaver, R. M. Jeffords, S. A. Levinson, L. A. Smith, Joan Stough, J. F. Van Sant
- Field Museum of Natural History**  
(Chicago)  
Fritz Haas, G. A. Solem
- Florida Geological Survey** (Tallahassee)  
H. S. Puri
- Florida State University** (Tallahassee)  
W. H. Heard
- Harvard University**  
(Cambridge, Massachusetts)  
Kenneth Boss, F. M. Carpenter, W. J. Clench, H. B. Fell, Bernhard Kummel, R. D. Staton, Ruth Turner
- Illinois State Geological Survey** (Urbana)  
M. L. Thompson
- Indiana Geological Survey** (Bloomington)  
R. H. Shaver
- Johns Hopkins University**  
(Baltimore, Maryland)  
Franco Rasetti
- Kent State University** (Kent, Ohio)  
A. H. Coogan
- Louisiana State University** (Baton Rouge)  
W. A. van den Bold, H. V. Howe, B. F. Perkins, H. B. Stenzel
- New Mexico Institute Mining & Geology**  
(Socorro)  
Christina Lochman-Balk
- New York State Museum** (Albany)  
D. W. Fisher
- Ohio State University** (Columbus)  
Aurèle La Rocque, W. C. Sweet
- Oklahoma Geological Survey** (Norman)  
T. W. Amsden, R. O. Fay
- Oregon State University** (Corvallis)  
A. J. Boucot, Joel Hedgpeth, J. G. Johnson
- Paleontological Research Institute**  
(Ithaca, New York)  
K. V. W. Palmer
- Pennsylvania State University**  
(University Park, Pa.)  
\*R. J. Cuffey
- Princeton University**  
(Princeton, New Jersey)  
A. G. Fischer, B. F. Howell
- Queens College of the City of New York**  
(Flushing)  
\*R. M. Finks
- Radford College** (Radford, Virginia)  
R. L. Hoffman
- St. Mary's College of California** (St. Mary's)  
A. S. Campbell
- San Diego Natural History Museum**  
(San Diego, California)  
George Radwin
- San Francisco State College**  
(San Francisco, California)  
Y. T. Mandra
- Shell Development Company**  
(Houston, Texas)  
John Wainwright
- Sinclair Oil & Gas Company**  
(Tulsa, Oklahoma)  
A. L. Bowsher
- Smithsonian Institution** (Washington, D.C.)  
R. H. Benson, \*R. S. Boardman, \*A. H. Cheetham, G. A. Cooper, T. G. Gibson, E. G. Kauffman, P. M. Kier, R. B. Manning, David Pawson, John Pojeta, H. A. Rehder
- Southern Illinois University** (Carbondale)  
\*John Utgaard
- Stanford University** (Stanford, California)  
A. Myra Keen
- State Geological Survey of Kansas**  
(Lawrence)  
D. E. Nodine Zeller
- State University of New York**  
(Stony Brook)  
A. R. Palmer
- Tulane University**  
(New Orleans, Louisiana)  
Emily Vokes, H. E. Vokes
- Unattached**  
R. Wright Barker (Bellaire, Texas), H. J. Harrington (Houston, Texas)
- United States Geological Survey**  
(Washington, D.C.)

- J. M. Berdan, R. C. Douglass, Mackenzie Gordon, Jr., R. E. Grant, \*O. L. Karklins, K. E. Lohman, N. F. Sohl, I. G. Sohn, E. L. Yochelson; Dwight Taylor (Menlo Park, Calif.)
- University of Alaska** (College)  
C. D. Wagner
- University of California** (Berkeley)  
J. W. Durham, C. D. Wagner
- University of California** (Los Angeles)  
N. G. Lane, W. P. Popenoe, Helen Tappan
- University of California** (San Diego, La Jolla)  
M. N. Bramlette, R. R. Hessler, A. R. Loeblich III, W. A. Newman
- University of Chicago** (Illinois)  
J. M. Weller
- University of Cincinnati** (Ohio)  
K. E. Caster, \*O. B. Nye
- University of Florida** (Gainesville)  
H. K. Brooks, F. G. Thompson
- University of Illinois** (Urbana)  
\*D. B. Blake, H. W. Scott
- University of Iowa** (Iowa City)  
W. M. Furnish, B. F. Glenister, H. L. Strimple
- University of Kansas** (Lawrence)  
A. B. Leonard, Lavon McCormick, R. C. Moore, A. J. Rowell, Curt Teichert, R. H. Thompson
- University of Massachusetts** (Amherst)  
C. W. Pitrat
- University of Miami** (Florida)  
F. M. Bayer, Donald Moore
- University of Michigan** (Ann Arbor)  
J. B. Burch, R. V. Kesling, D. B. Macurda, C. P. Morgan, F. H. T. Rhodes
- University of Minnesota** (Minneapolis)  
F. M. Swain
- University of Missouri** (Columbia)  
R. E. Peck
- University of Missouri** (Rolla)  
Harriet Exline, D. L. Frizzell
- University of Oklahoma** (Norman)  
C. C. Branson
- University of Pennsylvania** (Philadelphia)  
A. J. Boucot, J. G. Johnson
- University of Wyoming** (Laramie)  
D. W. Boyd
- Western Reserve University** (Cleveland, Ohio)  
F. G. Stehli
- Wichita State University** (Kansas)  
Paul Tasch
- Yale University** (New Haven, Connecticut)  
A. L. McAlester

#### DECEASED

- W. J. Arkell, R. S. Bassler, L. R. Cox, L. M. Davies, Julia Gardner, W. H. Hass, H. L. Hawkins, L. H. Hyman, J. B. Knight, M. W. de Laubenfels, A. K. Miller, H. M. Muir-Wood, Alexander Petrunkevitch, Emma Richter, Rudolf Richter, W. K. Spencer, M. A. Stainbrook, L. W. Stephenson, E. C. Stumm, O. W. Tiegs, Johannes Wanner, T. H. Withers, Arthur Wrigley

#### *Alphabetical List*

- Ager, D. V., Swansea, Wales (Univ. College)
- Amsden, T. W., Norman, Okla. (Oklahoma Geol. Survey)
- Arkell, W. J., (deceased)
- Bairstow, Leslie, London (British Museum Nat. History)
- Barker, R. W., Bellaire, Tex. (unattached)
- Bassler, R. S. (deceased)
- Batten, R. L., New York (American Museum Nat. History)
- Bayer, F. M., Miami, Fla. (Inst. Marine Sci., Univ. Miami)
- Beaver, H. H., Houston, Tex. (Esso Prod. Research Co.)
- Benson, R. H., Washington, D.C. (Smithsonian Inst.)
- Berdan, J. M., Washington, D.C. (U.S. Geol. Survey)
- Biernat, Gertruda, Warszawa, Pologne (Pánstwowe Wydawnictwo Naukowe)
- \*Blake, D. B., Urbana, Ill. (Univ. Illinois)
- \*Boardman, R. S., Washington, D.C. (Smithsonian Inst.)
- Bold, W. A. van den, Baton Rouge, La. (Louisiana State Univ.)
- Boschma, H., Leiden, Netherlands (Rijksmuseum van Natuurlijke Historie)
- Boss, Kenneth, Cambridge, Mass. (Harvard Univ.)
- Boucot, A. J., Corvallis, Ore. (Oregon State Univ.)
- Bowsher, A. L., Tulsa, Okla. (Sinclair Oil & Gas Co.)
- Boyd, D. W., Laramie, Wyo. (Univ. Wyoming)
- Bramlette, M. N., La Jolla, Calif. (Scripps Inst. Oceanography)
- Branson, C. C., Norman, Okla. (Univ. Oklahoma)
- Breimer, A., Amsterdam, Netherlands (Inst. Aardwetensch. Vrije Univ.)
- Brooks, H. K., Gainesville, Fla. (Univ. Florida)
- Brower, J. C., Edinburgh, Scot. (Royal Scottish Museum)



- Bulman, O. M. B., Cambridge, Eng. (Univ. Cambridge)
- Burch, J. B., Ann Arbor, Mich. (Univ. Michigan)
- \*Callomon, J. H., London (Univ. College)
- Campbell, A. S., St. Mary's, Calif. (St. Mary's College)
- Carpenter, F. M., Cambridge, Mass. (Harvard Univ.)
- Casey, Raymond, London (Geol. Survey Great Britain)
- Caster, K. E., Cincinnati, Ohio (Univ. Cincinnati)
- Chavan, André, Seyssel (Ain), France (unattached)
- \*Cheetham, A. H., Washington, D.C. (Smithsonian Inst.)
- Clarke, A. H., Jr., Ottawa, Ontario, Canada (Nat. Museum)
- Clench, W. J., Cambridge, Mass. (Harvard Univ.)
- Coan, Eugene, San Francisco, Calif. (Calif. Acad. Sci.)
- Cole, W. S., Ithaca, N.Y. (Cornell Univ.)
- Coogan, H. A., Kent, Ohio (Kent State Univ.)
- \*Cook, P. L., London (British Museum Nat. History)
- Cooper, G. A., Washington, D.C. (Smithsonian Inst.)
- Cox, L. R. (deceased)
- \*Cuffey, R. J., University Park, Pa. (Pennsylvania State Univ.)
- Curry, Dennis, Middlesex, Eng. (unattached)
- Davies, L. M. (deceased)
- Dechaseaux, Colette, Paris (Laboratoire de Paléont. des Vertébrés et de Paléont. Humaine)
- Dell, R. K., Wellington, N. Z. (Dominion Museum)
- \*Donovan, D. T., London, Eng. (Univ. College)
- Douglass, R. C., Washington, D.C. (U.S. Geol. Survey)
- Durham, J. W., Berkeley, Calif. (Univ. California)
- Eames, F. E., Middlesex, Eng. (British Petroleum Co.)
- Elliott, G. F., London (Iraq Petroleum Co.)
- Emerson, W. K., New York (American Museum Nat. History)
- Erben, H. K., Bonn, W. Germany (Univ. Bonn)
- Exline, Harriet, Rolla, Mo. (Univ. Missouri)
- Eyer, J. A., Ponca City, Okla. (Continental Oil Co.)
- Fay, R. O., Norman, Okla. (Oklahoma Geol. Survey)
- Fell, H. B., Cambridge, Mass. (Harvard Univ.)
- \*Finks, R. M., Flushing, N. Y. (Queens College)
- Fischer, A. G., Princeton, N. J., (Princeton Univ.)
- Fisher, D. W., Albany, N. Y. (New York State Museum)
- Fleming, C. A., Lower Hutt, N. Z. (New Zealand Geol. Survey)
- Frizzell, D. L., Rolla, Mo. (Univ. Missouri)
- Furnish, W. M., Iowa City, Iowa (Univ. Iowa)
- Gardner, Julia (deceased)
- Gibson, T. G., Washington, D.C. (Smithsonian Inst.)
- Glaessner, M. F., Adelaide, S. Australia (Univ. Adelaide)
- Glenister, B. F., Iowa City, Iowa (Univ. Iowa)
- Gordon, Isabella, London (British Museum Nat. History)
- Gordon, Mackenzie, Jr., Washington, D.C. (U.S. Geol. Survey)
- Grant, R. E., Washington, D.C. (U.S. Geol. Survey)
- Haas, Fritz, Chicago, Ill. (Field Museum Nat. History)
- Hahn, Gerhard, Berlin (Freie Univ.)
- Hanai, Tetsuro, Tokyo (Univ. Tokyo)
- Hanna, G. D., San Francisco, Calif. (California Acad. Sci.)
- Häntzschel, Walter, Hamburg, Germany (Geol. Staatsinst.)
- Harrington, H. J., Houston, Tex. (unattached)
- Hass, W. H. (deceased)
- Hatai, Katora, Sendai, Japan (Tohoku Univ.)
- Hawkins, H. L. (deceased)
- Heard, W. H., Tallahassee, Fla. (Florida State Univ.)
- Hedgpeth, J. W., Newport, Ore. (Oregon State Univ.)
- Henningsmoen, Gunnar, Oslo, Norway (Univ. Oslo)
- Hertlein, L. G., San Francisco, Calif. (California Acad. Sci.)
- Hessland, Ivar, Stockholm, Sweden (Univ. Stockholm)
- Hessler, R. R., La Jolla, Calif. (Scripps Inst. Oceanography)
- Hill, Dorothy, Brisbane, Australia (Univ. Queensland)
- Hölder, Helmut, Münster, Germany (Univ. Münster)
- Hoffman, R. L., Radford, Va. (Radford College)
- Holthuis, L. B., Leiden, Netherlands (Rijksmuseum van Natuurlijke Historie)
- \*House, M. R., Hull, Eng. (Univ. Hull)
- \*Howarth, M. K., London (British Museum Nat. History)
- Howe, H. V., Baton Rouge, La. (Louisiana State Univ.)
- Howell, B. F., Princeton, N. J. (Princeton Univ.)
- Hubendick, Bengt, Göteborg, Sweden (Naturhistoriska Museet)
- Hyman, L. H. (deceased)
- Jaanusson, Valdar, Stockholm (Rijksmuseum)
- Jeffords, R. M., Houston, Tex. (Esso Prod. Research Co.)
- Jeletzky, J. A., Ottawa, Ontario, Canada (Geol. Survey Canada)
- Johnson, J. G., Corvallis, Ore. (Oregon State Univ.)
- Jope, Margaret, Belfast, N. Ireland (Queen's Univ. of Belfast)
- \*Karklins, O. L., Washington, D.C. (U.S. Geol. Survey)
- Kauffman, E. G., Washington, D.C. (Smithsonian Inst.)

- Keen, A. Myra, Stanford, Calif. (Stanford Univ.)  
 Kesling, R. V., Ann Arbor, Mich. (Univ. Michigan)  
 Kier, P. M., Washington, D.C. (Smithsonian Inst.)  
 Knight, J. B. (deceased)  
 \*Kullmann, Jürgen, Tübingen, W.Germany (Univ. Tübingen)  
 Kummel, Bernhard, Cambridge, Mass. (Harvard Univ.)  
 Lane, N. G., Los Angeles, Calif. (Univ. California)  
 La Rocque, Aurèle, Columbus, Ohio (Ohio State Univ.)  
 \*Larwood, G. P., Durham, Eng. (Univ. Durham)  
 Laubenfels, M. W. de (deceased)  
 Lecompte, Marius, Louvain, Belgium (Univ. Louvain)  
 Leonard, A. B., Lawrence, Kans. (Univ. Kansas)  
 Levinson, S. A., Houston, Tex. (Esso Prod. Research Co.)  
 Lochman-Balk, Christina, Socorro, N. Mex. (New Mexico Inst. Mining & Technology)  
 Loeblich, A. R., Jr., La Habra, Calif. (Chevron Oil Field Research Co.)  
 Loeblich, A. R., III, La Jolla, Calif. (Scripps Inst. Oceanography)  
 Lohman, K. E., Washington, D.C. (U.S. Geol. Survey)  
 Lowenstam, H. A., Pasadena, Calif. (California Inst. Technology)  
 Ludbrook, N. H., Adelaide, S. Australia (South Australia Geol. Survey)  
 McAlester, A. L., New Haven, Conn. (Yale Univ.)  
 McCormick, Lavon, Lawrence, Kans. (Univ. Kansas)  
 McLaren, D. J., Calgary, Alberta, Canada (Inst. Sed. & Petrol. Geology)  
 Macurda, D. B., Ann Arbor, Mich. (Univ. Michigan)  
 Mandra, Y. T., San Francisco, Calif. (San Francisco State College)  
 Manning, R. B., Washington, D.C. (Smithsonian Inst.)  
 Manton, S. M., London (British Museum Nat. History)  
 Marwick, J., Lower Hutt, N. Z. (New Zealand Geol. Survey)  
 Melville, R. V., London (Geol. Survey Great Britain)  
 Miller, A. K. (deceased)  
 Montanaro Gallitelli, Eugenia, Modena, Italy (Univ. Modena)  
 Moore, Donald, Miami, Fla. (Univ. Miami, Inst. Marine Sci.)  
 Moore, R. C., Lawrence, Kans. (Univ. Kansas)  
 Morgan, C. P., Ann Arbor, Mich. (Univ. Michigan)  
 Morris, N. J., London (British Museum Nat. History)  
 Müller, A. H., Freiberg, Germany (Geol. Inst. Bergakad.)  
 Müller, K. J., Bonn, Germany (Univ. Bonn)  
 Muir-Wood, H. M. (deceased)  
 Newell, N. D., New York (American Museum Nat. History)  
 Newman, W. A., La Jolla, Calif. (Scripps Inst. Oceanography)  
 Norris, A. W., Ottawa, Ontario, Canada (Geol. Survey of Canada)  
 Nuttall, C. P., London (British Museum Nat. History)  
 \*Nye, O. B., Cincinnati, Ohio (Univ. Cincinnati)  
 Okulitch, V. J., Vancouver, Canada (Univ. British Columbia)  
 Olsson, A. A., Coral Gables, Fla. (Acad. Nat. Sci. Philadelphia)  
 Palmer, A. R., Stony Brook, Long Island, N. Y. (State Univ. New York)  
 Palmer, K. V. W., Ithaca, N. Y. (Paleont. Research Inst.)  
 Papp, Adolph, Wien, Austria (Univ. Wien)  
 Parodiz, Juan, Pittsburgh, Pa. (Carnegie Museum)  
 Pawson, David, Washington, D.C. (Smithsonian Inst.)  
 Peck, R. E., Columbia, Mo. (Univ. Missouri)  
 Perkins, B. F., Baton Rouge, La. (Louisiana State Univ.)  
 Petrunkevitch, Alexander (deceased)  
 Pitrat, C. W., Amherst, Mass. (Univ. Massachusetts)  
 Pojeta, John, Washington, D.C. (Smithsonian Inst.)  
 Popenoe, W. P., Los Angeles, Calif. (Univ. Calif.)  
 Poulsen, Chr., København (Univ. København)  
 Powell, A. W. B., Auckland, N. Z. (Auckland Inst. & Museum)  
 Puri, H. S., Tallahassee, Fla. (Florida Geol. Survey)  
 Radwin, George, San Diego, Calif. (San Diego Nat. History Museum)  
 Rasetti, Franco, Rome, Italy (Unattached)  
 Regnéll, Gerhard, Lund, Sweden (Univ. Lund)  
 Rehder, H. A., Washington, D.C. (Smithsonian Inst.)  
 Reichel, Manfred, Basel, Switzerland (Univ. Basel)  
 \*Reid, R. E. H., Belfast, N. Ireland (Queen's Univ. of Belfast)  
 Reymont, R. A., Uppsala, Sweden (Univ. Uppsala)  
 Rhodes, F. H. T., Ann Arbor, Mich. (Univ. Michigan)  
 Richter, Emma (deceased)  
 Richter, Rudolf (deceased)  
 Riedel, Adolf, Warszawa, Pologne (Pánstwowe Wydawnictwo Naukowe)  
 Robertson, Robert, Philadelphia, Pa. (Acad. Nat. Sci.)  
 Rolfe, W. D. I., Glasgow, Scotland (Univ. Glasgow)  
 Roth, Barry, San Francisco, Calif. (Calif. Acad. Sci.)  
 Rowell, A. J., Lawrence, Kans. (Univ. Kansas)  
 Rudwick, M. J. S., Cambridge, Eng. (Univ. Cambridge)  
 Schindewolf, O. H., Tübingen, Germany (Univ. Tübingen)  
 Schmidt, Herta, Frankfurt, Germany (Natur Museum u. Forsch.-Inst. Senckenberg)

- Scott, H. W., Urbana, Ill. (Univ. Illinois)
- Sdzuy, Klaus, Würzburg, Germany (Univ. Würzburg)
- Shaver, R. H., Bloomington, Ind. (Indiana Geol. Survey & Univ. Indiana)
- Sieverts-Doreck, Hertha, Stuttgart-Möhringen, Germany (unattached)
- Sinclair, G. W., Ottawa, Ontario, Canada (Geol. Survey Canada)
- Smith, A. G., San Francisco, Calif. (California Acad. Sci.)
- Smith, L. A., Houston, Tex. (Esso Prod. Research Co.)
- Sohl, N. F., Washington, D.C. (U.S. Geol. Survey)
- Sohn, I. G., Washington, D.C. (U.S. Geol. Survey)
- Solem, G. A., Chicago, Ill. (Field Museum Nat. History)
- Soot-Ryen, T., Oslo (Univ. Oslo)
- Spencer, W. K. (deceased)
- Stainbrook, M. A. (deceased)
- Staton, R. D., Providence, R.I. (Brown Univ.)
- Stehli, F. G., Cleveland, Ohio (Western Reserve Univ.)
- Stenzel, H. B., Baton Rouge, La. (Louisiana State Univ.)
- Stephenson, L. W. (deceased)
- Størmer, Leif, Oslo (Univ. Oslo)
- Stough, Joan, Houston, Tex. (Esso Prod. Research Co.)
- Strimple, H. L., Iowa City, Iowa (Univ. Iowa)
- Struve, Wolfgang, Frankfurt, Germany (Natur-Museum u. Forsch.-Inst. Senckenberg)
- Stubblefield, C. J., London (unattached)
- Stumm, E. C. (deceased)
- Swain, F. M., Minneapolis, Minn. (Univ. Minnesota)
- Sweet, W. C., Columbus, Ohio (Ohio State Univ.)
- Sylvester-Bradley, P. C., Leicester, Eng. (Univ. Leicester)
- Talent, J. A., North Ryde, N.S.W. (Macquarie Univ.)
- Tappan, Helen, Los Angeles, Calif. (Univ. California)
- Tasch, Paul, Wichita, Kans. (Wichita State Univ.)
- \*Tavener-Smith, Ronald, Belfast, N. Ireland (Queen's Univ. of Belfast)
- Taylor, Dwight, Menlo Park, Calif. (U.S. Geol. Survey)
- Teichert, Curt, Lawrence, Kans. (Univ. Kansas)
- Thompson, F. G., Gainesville, Fla. (Univ. Florida)
- Thompson, M. L., Urbana, Ill. (Illinois State Geol. Survey)
- Thompson, R. H., Lawrence, Kans. (Univ. Kansas)
- Tiegs, O. W. (deceased)
- Tripp, R. P., Sevenoaks, Kent, Eng. (unattached)
- Trucman, E. R., Hull, Eng. (Univ. Hull)
- Turner, Ruth, Cambridge, Mass. (Harvard Univ.)
- Ubahgs, Georges, Liège (Univ. Liège)
- \*Utgaard, John, Carbondale, Ill. (Southern Illinois Univ.)
- Van Sant, J. F., Houston, Tex. (Esso Prod. Research Co.)
- Vokes, Emily, New Orleans, La. (Tulane Univ.)
- Vokes, H. E., New Orleans, La. (Tulane Univ.)
- Wagner, C. D., College, Alaska (Univ. Alaska)
- Wainwright, John, Houston, Tex. (Shell Development Co.)
- Wanner, Johannes (deceased)
- Weir, John, Tayport, Fife, Scotland (Univ. Glasgow)
- Weller, J. M., Chicago, Ill. (Univ. Chicago)
- Wells, J. W., Ithaca, N. Y. (Cornell Univ.)
- Whittington, H. B., Cambridge, Eng. (Univ. Cambridge)
- Williams, Alwyn, Belfast, N. Ireland (Queen's Univ. of Belfast)
- Wills, L. J., Birmingham, Eng. (Univ. Birmingham)
- Withers, T. H. (deceased)
- Wright, A. D., Belfast, N. Ireland (Queen's Univ. of Belfast)
- Wright, C. W., London (unattached)
- Wrigley, Arthur (deceased)
- Yochelson, E. L., Washington, D.C. (U.S. Geol. Survey)
- Yonge, C. M., Glasgow, Scotland (Univ. Glasgow)
- Zeller, D. E. Nodine, Lawrence, Kans. (State Geol. Survey Kansas)
- Zullo, V. A., San Francisco, Calif. (California Acad. Sci.)

## EDITORIAL PREFACE

The present volume is the first of a number of revised editions of parts of the *Treatise on Invertebrate Paleontology* planned for publication during the next several years, directed and edited by CURT TEICHERT. The first volume of the *Treatise*, Part G, was published in 1953. Seven more parts followed in the 1950's. Experience has shown that after a period of about 10 years, many volumes, or at least sections of volumes, begin to decline in usefulness, except in fields where progress in research is slow. The first edition of Part V was published in 1955 and research on graptolites has proceeded rapidly in succeeding years as demonstrated by the increased size of this second edition.

In general, style and format of the revised editions and supplements will conform with those of earlier *Treatise* volumes. Much of the contents will represent the results of new research by many paleontologists.

The general Editorial Preface prepared by R. C. MOORE which has been reprinted, with modifications, in all parts of the *Treatise* is included here because it also applies to revised editions.

The aim of the *Treatise on Invertebrate Paleontology*, as originally conceived and consistently pursued, is to present the most comprehensive and authoritative, yet compact statement of knowledge concerning invertebrate fossil groups that can be formulated by collaboration of competent specialists in seeking to organize what has been learned of this subject up to the mid-point of the present century. Such work has value in providing a most useful summary of the collective results of multitudinous investigations and thus should constitute an indispensable text and reference book for all persons who wish to know about remains of invertebrate organisms preserved in rocks of the earth's crust. This applies to neozoologists as well as paleozoologists and to beginners in study of fossils as well as to thoroughly trained, long-experienced professional workers, including teachers, stratigraphical geologists, and individuals engaged in research on fossil invertebrates. The making of a reasonably complete in-

ventory of present knowledge of invertebrate paleontology may be expected to yield needed foundation for future research and it is hoped that the *Treatise* will serve this end.

The *Treatise* is divided into parts which bear index letters, each except the initial and concluding ones being defined to include designated groups of invertebrates. The chief purpose of this arrangement is to provide for independence of the several parts as regards date of publication, because it is judged desirable to print and distribute each segment as soon as possible after it is ready for press. Pages in each part bear the assigned index letter joined with numbers beginning with 1 and running consecutively to the end of the part.

The outline of subjects to be treated in connection with each large group of invertebrates includes (1) description of morphological features, with special reference to hard parts, (2) ontogeny, (3) classification, (4) geological distribution, (5) evolutionary trends and phylogeny, (6) paleoecology, and (7) systematic description of genera, subgenera, and higher taxonomic units. A selected list of references is furnished in each part of the *Treatise*.

Features of style in the taxonomic portions of this work have been fixed by the Editor with aid furnished by advice from representatives of the societies which have undertaken to sponsor the *Treatise*. It is the Editor's responsibility to consult with authors and coordinate their work, seeing that manuscript properly incorporates features of adopted style. Especially he has been called on to formulate policies in respect to many questions of nomenclature and procedure. The subject of family and subfamily names is reviewed briefly in a following section of this preface, and features of *Treatise* style in generic descriptions are explained.

A generous grant of \$35,000 was made in 1948 by the Geological Society of America for initial work in preparing *Treatise* illustrations. Administration of expenditures has been in charge of the Editor and most of the work by photographers and artists has been done under his direction at the University of Kansas, but sizable parts of

this program have also been carried forward in Washington, London, and many other places.

In December, 1959, the National Science Foundation of the United States, through its Division of Biological and Medical Sciences and the Program Director for Systematic Biology, made a grant in the amount of \$210,000 for the purpose of aiding the completion of yet-unpublished volumes of the *Treatise*. Payment of this sum was provided to be made in installments distributed over a five-year period, with administration of disbursements handled by the University of Kansas. An additional grant (No. GB 4544) of \$102,800 was made by the National Science Foundation in January, 1966, for the two-year period 1966-67, and this was extended for the calendar year 1968 by payment of \$25,700 in October, 1967. This grant was extended further by payments of \$57,800 in 1968 and \$66,600 in 1969 for calendar years 1969-70. Expenditures planned are primarily for needed assistance to authors and may be arranged through approved institutions located anywhere. Important help for the Director-Editor of the *Treatise* has been made available from the grant. Grateful acknowledgment to the Foundation is expressed on behalf of the societies sponsoring the *Treatise*, the University of Kansas, and innumerable individuals benefited by the *Treatise* project.

## ZOOLOGICAL NAMES

Many questions arise in connection with zoological names, especially including those that relate to their acceptability and to alterations of some which may be allowed or demanded. Procedure in obtaining answers to these questions is guided and to a large extent governed by regulations published (1961) in the *International Code of Zoological Nomenclature* (hereinafter cited simply as the *Code*). The prime object of the *Code* is to promote stability and universality in the scientific names of animals, ensuring also that each name is distinct and unique while avoiding restrictions on freedom of taxonomic thought or action. Priority is a basic principle, but under specified conditions its application can be modified. This is all well and good, yet nomenclatural tasks confronting the zoological

taxonomist are formidable. They warrant the complaint of some that zoology, including paleozoology, is the study of animals rather than of names applied to them.

Several ensuing pages are devoted to aspects of zoological nomenclature that are judged to have chief importance in relation to procedures adopted in the *Treatise*. Terminology is explained, and examples of style employed in the nomenclatural parts of systematic descriptions are given.

## TAXA GROUPS

Each taxonomic unit (taxon, pl., taxa) of the animal and protistan kingdoms belongs to some one or another rank in the adopted hierarchy of classificatory divisions. In part, this hierarchy is defined by the *Code* to include a species-group of taxa, a genus-group, and a family-group. Units of lower rank than subspecies are excluded from zoological nomenclature and those higher than superfamily of the family-group are not regulated by the *Code*. It is natural and convenient to discuss nomenclatural matters in general terms first and then to consider each of the taxa groups separately. Especially important is provision that within each taxa group classificatory units are coordinate (equal in rank), whereas units of different taxa groups are not coordinate.

## FORMS OF NAMES

All zoological names are divisible into groups based on their form (spelling). The first-published form (or forms) of a name is defined as original spelling (*Code*, Art. 32) and any later-published form (or forms) of the same name is designated as subsequent spelling (Art. 33). Obviously, original and subsequent spellings of a given name may or may not be identical and this affects consideration of their correctness. Further, examination of original spellings of names shows that by no means all can be distinguished as correct. Some are incorrect, and the same is true of subsequent spellings.

### *Original Spellings*

If the first-published form of a name is consistent and unambiguous, being identical wherever it appears, the original spelling is defined as correct unless it contravenes some stipulation of the *Code* (Arts. 26-31),

unless the original publication contains clear evidence of an inadvertent error, in the sense of the *Code*, or among names belonging to the family-group, unless correction of the termination or the stem of the type-genus is required. An unambiguous original spelling that fails to meet these requirements is defined as incorrect.

If a name is spelled in more than one way in the original publication, the form adopted by the first reviser is accepted as the correct original spelling, provided that it complies with mandatory stipulations of the *Code* (Arts. 26-31), including its provision for automatic emendations of minor sort.

Incorrect original spellings are any that fail to satisfy requirements of the *Code*, or that represent an inadvertent error, or that are one of multiple original spellings not adopted by a first reviser. These have no separate status in zoological nomenclature and therefore cannot enter into homonymy or be used as replacement names. They call for correction wherever found. For example, a name originally published with a diacritic mark, apostrophe, diaeresis, or hyphen requires correction by deleting such features and uniting parts of the name originally separated by them, except that deletion of an umlaut from a vowel is accompanied by inserting "e" after the vowel.

#### *Subsequent Spellings*

If a name classed as a subsequent spelling is identical with an original spelling, it is distinguishable as correct or incorrect on the same criteria that apply to the original spelling. This means that a subsequent spelling identical with a correct original spelling is also correct, and one identical with an incorrect original spelling is also incorrect. In the latter case, both original and subsequent spellings require correction wherever found (authorship and date of the original incorrect spelling being retained).

If a subsequent spelling differs from an original spelling in any way, even by the omission, addition, or alteration of a single letter, the subsequent spelling must be defined as a different name (except that such changes as altered terminations of adjectival specific names to obtain agreement in gender with associated generic names, of

family-group names to denote assigned taxonomic rank, and corrections for originally used diacritic marks, hyphens, and the like are excluded from spelling changes conceived to produce a different name).

Altered subsequent spellings other than the exceptions noted may be either intentional or unintentional. If demonstrably intentional, the change is designated as an emendation. Emendations are divisible into those classed as justifiable and those comprising all others classed as unjustifiable. Justifiable emendations are corrections of incorrect original spellings, and these take the authorship and date of the original spellings. Unjustifiable emendations are names having their own status in nomenclature, with author and date of their publication; they are junior objective synonyms of the name in its original form.

Subsequent spellings that differ in any way from original spellings, other than previously noted exceptions, and that are not classifiable as emendations are defined as incorrect subsequent spellings. They have no status in nomenclature, do not enter into homonymy, and cannot be used as replacement names.

### AVAILABLE AND UNAVAILABLE NAMES

#### *Available Names*

An available zoological name is any that conforms to all mandatory provisions of the *Code*. Such names are classifiable in groups which are usefully recognized in the *Treatise*, though not explicitly differentiated in the *Code*. They are as follows:

1) So-called "*inviolable names*" include all available names that are not subject to any sort of alteration from their originally published form. They comprise correct original spellings and commonly include correct subsequent spellings, but include no names classed as emendations. Here belong most genus-group names (including those for collective groups), some of which differ in spelling from others by only a single letter.

2) Names may be termed "*perfect names*" if, as originally published (with or without duplication by subsequent authors), they meet all mandatory requirements, needing no correction of any kind, but nevertheless are legally alterable in such

ways as changing the termination (e.g., many species-group names, family-group names, suprafamilial names). This group does not include emended incorrect original spellings (e.g., *Oepikina*, replacement of *Öpikina*).

3) "Imperfect names" are available names that as originally published (with or without duplication by subsequent authors) contain mandatorily emendable defects. Incorrect original spellings are imperfect names. Examples of emended imperfect names are: among species-group names, *guerini* (not *Guérini*), *obriena* (not *O'Brienae*), *terranovae* (not *terra-novae*), *nunezi* (not *Nuñezi*), *Spironema rectum* (not *Spironema recta*, because generic name is neuter, not feminine); among genus-group names, *Broeggeria* (not *Bröggeria*), *Obriena* (not *O'Brienia*), *Maccookites* (not *McCookites*; among family-group names, *Oepikidae* (not *Öpikidae*), *Spironematiidae* (not *Spironemidae*, incorrect stem), *Athyrididae* (not *Athyridae*, incorrect stem). The use of "variety" for named divisions of fossil species, according to common practice of some paleontologists, gives rise to imperfect names, which generally are emendable (*Code*, Art. 45e) by omitting this term so as to indicate the status of this taxon as a subspecies.

4) "Vain names" are available names consisting of unjustified intentional emendations of previously published names. The emendations are unjustified because they are not demonstrable as corrections of incorrect original spellings as defined by the *Code* (Art. 32.c). Vain names have status in nomenclature under their own authorship and date. They constitute junior objective synonyms of names in their original form. Examples are: among species-group names, *geneae* (published as replacement of original unexplained masculine, *geni*, which now is not alterable), *ohioae* (invalid change from original *ohioensis*); among genus-group names, *Graphiodactylus* (invalid change from original *Graphiodactyllis*); among family-group names, *Graphiodactylidae* (based on junior objective synonym having invalid vain name).

5) An important group of available zoological names can be distinguished as "transferred names." These comprise authorized sorts of altered names in which

the change depends on transfer from one taxonomic rank to another, or possibly on transfers in taxonomic assignment of subgenera, species, or subspecies. Most commonly the transfer calls for a change in termination of the name so as to comply with stipulations of the *Code* on endings of family-group taxa and agreement in gender of specific names with associated generic names. Transferred names may be derived from any of the preceding groups except the first. Examples are: among species-group names, *Spirifer ambiguus* (masc.) to *Composita ambigua* (fem.), *Neochonetes transversalis* to *N. granulifer transversalis* or vice versa; among genus-group names, *Schizoculina* to *Oculina* (*Schizoculina*) or vice versa; among family-group names, Orthidae to Orthinae or vice versa, or superfamily Orthacea derived from Orthidae or Orthinae; among suprafamilial taxa (not governed by the *Code*), order Orthida to suborder Orthina or vice versa. The authorship and date of transferred names are not affected by the transfers, but the author responsible for the transfer and the date of his action may appropriately be recorded in such works as the *Treatise*.

6) Improved or "corrected names" include both mandatory and allowable emendations of imperfect names and of suprafamilial names, which are not subject to regulation as to name form. Examples of corrected imperfect names are given with the discussion of group 3. Change from the originally published ordinal name Endoceroidea (TEICHERT, 1933) to the presently recognized Endoceraida illustrates a "corrected" suprafamilial name. Group 6 names differ from those in group 5 in not being dependent on transfers in taxonomic rank or assignment, but some names are classifiable in both groups.

7) "Substitute names" are available names expressly proposed as replacements for invalid zoological names, such as junior homonyms. These may be classifiable also as belonging in groups 1, 2, or 3. The glossary appended to the *Code* refers to these as "new names" (*nomina nova*) but they are better designated as substitute names, since their newness is temporary and relative. The first-published substitute name that complies with the definition here given

takes precedence over any other. An example is *Marieita* LOEBLICH & TAPPAN, 1964, as substitute for *Reichelina* MARIE, 1955 (*non* ERK, 1942).

8) "*Conserved names*" include a relatively small number of species-group, genus-group, and family-group names which have come to be classed as available and valid by action of the International Commission on Zoological Nomenclature exercising its plenary powers to this end or ruling to conserve a junior synonym in place of a rejected "forgotten" name (*nomen oblitum*) (Art. 23,b). Currently, such names are entered on appropriate "Official Lists," which are published from time to time.

It is useful for convenience and brevity of distinction in recording these groups of available zoological names to employ Latin designations in the pattern of *nomen nudum* (abbr., *nom. nud.*) and others. Thus we may recognize the preceding numbered groups as follows: 1) *nomina inviolata* (sing., *nomen inviolatum*, abbr., *nom. inviol.*), 2) *nomina perfecta* (*nomen perfectum*, *nom. perf.*), 3) *nomina imperfecta* (*nomen imperfectum*, *nom. imperf.*), 4) *nomina vana* (*nomen vanum*, *nom. van.*), 5) *nomina translata* (*nomen translatum*, *nom. transl.*), 6) *nomina correctia* (*nomen correctum*, *nom. correct.*), 7) *nomina substituta* (*nomen substitutum*, *nom. subst.*), 8) *nomina conservata* (*nomen conservatum*, *nom. conserv.*).

Additional to the groups differentiated above, the *Code* (Art. 17) specifies that a zoological name is not prevented from availability a) by becoming a junior synonym, for under various conditions this may be re-employed, b) for a species-group name by finding that original description of the taxon relates to more than a single taxonomic entity or to parts of animals belonging to two or more such entities, c) for species-group names by determining that it first was combined with an invalid or unavailable genus-group name, d) by being based only on part of an animal, sex of a species, ontogenetic stage, or one form of a polymorphic species, e) by being originally proposed for an organism not considered to be an animal but now so regarded, f) by incorrect original spelling which is correctable under the *Code*, g) by anonymous publication before 1951, h) by conditional proposal

before 1961, i) by designation as a variety or form before 1961, j) by concluding that a name is inappropriate (Art. 18), or k) for a specific name by observing that it is tautonymous (Art. 18).

It is worthy of mention that names published for collective groups (see later discussion under "Genus-Group Names") are authorized by the *Code* (Art. 42c) for use in zoological nomenclature and therefore may be construed to be available names which are treated for convenience exactly as if they were generic names.

#### *Unavailable Names*

All zoological names which fail to comply with mandatory provisions of the *Code* are unavailable names and have no status in zoological nomenclature. None can be used under authorship and date of their original publication as a replacement name (*nom. subst.*) and none preoccupies for purposes of the Law of Homonymy. Names identical in spelling with some, but not all, unavailable names can be classed as available if and when they are published in conformance to stipulations of the *Code* and they are then assigned authorship and take date of the accepted publication. Different groups of unavailable names can be discriminated, as follows.

9) "*Naked names*" include all those that fail to satisfy provisions stipulated in Article 11 of the *Code*, which states general requirements of availability, and in addition, if published before 1931, that were unaccompanied by a description, definition, or indication (Arts. 12, 16), and if published after 1930, that lacked accompanying statement of characters purporting to serve for differentiation of the taxon, or definite bibliographic reference to such a statement, or that were not proposed expressly as replacement (*nom. subst.*) of a pre-existing available name (Art. 13,a). Examples of "naked names" are: among species-group taxa, *Valvulina mixta* PARKER & JONES, 1865 (= *Criobulimina mixta* CUSHMAN, 1927, available and valid); among genus-group taxa, *Orbitolinopsis* SILVESTRI, 1932 (= *Orbitolinopsis* HENSON, 1948, available but classed as invalid junior synonym of *Orbitolina* D'ORBIGNY, 1850); among family-group taxa, Aequilateralidae D'ORBIGNY, 1846 (lacking type-genus), Hélicostègues



D'ORBIGNY, 1826 (vernacular not latinized by later authors, Art. 11,e,iii), Poteriocrinidae AUSTIN & AUSTIN, 1843 (=fam. Poteriocrinoidea AUSTIN & AUSTIN, 1842) (neither 1843 or 1842 names complying with Art. 11,e, which states that "a family-group name must, when first published, be based on the name then valid for a contained genus," such valid name in the case of this family being *Poteriocrinites* MILLER, 1821).

10) "*Denied names*" include all those that are defined by the *Code* (Art. 32,c) as incorrect original spellings. Examples are: Specific names, *nova-zelandica*, *mülleri*, *10-brachiatus*; generic names, *M'Coyia*, *Størmerella*, *Römerina*, *Westgårdia*; family name, Růžičkinidae. Uncorrected "imperfect names" are "denied names" and unavailable, whereas corrected "imperfect names" are available.

11) "*Impermissible names*" include all those employed for alleged genus-group taxa other than genus and subgenus (Art. 42,a) (e.g., supraspecific divisions of subgenera), and all those published after 1930 that are unaccompanied by definite fixation of a type species (Art. 13,b). Examples of impermissible names are: *Martellispirifer* GATINAUD, 1949, and *Mirtellispirifer* GATINAUD, 1949, indicated respectively as a section and subsection of the subgenus *Cyrtospirifer*; *Fusarchaias* REICHEL, 1949, without definitely fixed type species (= *Fusarchaias* REICHEL, 1952, with *F. bermudezi* designated as type species).

12) "*Null names*" include all those that are defined by the *Code* (Art. 33,b) as incorrect subsequent spellings, which are any changes of original spelling not demonstrably intentional. Such names are found in all ranks of taxa.

13) "*Forgotten names*" are defined (Art. 23,b) as senior synonyms that have remained unused in primary zoological literature for more than 50 years. Such names are not to be used unless so directed by ICZN.

Latin designations for the discussed groups of unavailable zoological names are as follows: 9) *nomina nuda* (sing., *nomen nudum*, abbr., *nom. nud.*), 10) *nomina negata* (*nomen negatum*, *nom. neg.*), 11) *nomina vetita* (*nomen vetitum*, *nom. vet.*), 12) *nomina nulla* (*nomen nullum*, *nom.*

*null.*), 13) *nomina oblita* (*nomen oblitum*, *nom. oblit.*).

## VALID AND INVALID NAMES

Important distinctions relate to valid and available names, on one hand, and to invalid and unavailable names, on the other. Whereas determination of availability is based entirely on objective considerations guided by Articles of the *Code*, conclusions as to validity of zoological names partly may be subjective. A valid name is the correct one for a given taxon, which may have two or more available names but only a single correct name, generally the oldest. Obviously, no valid name can also be an unavailable name, but invalid names may include both available and unavailable names. Any name for a given taxon other than the valid name is an invalid name.

A sort of nomenclatorial no-man's-land is encountered in considering the status of some zoological names, such as "*doubtful names*," "*names under inquiry*," and "*forgotten names*." Latin designations of these are *nomina dubia*, *nomina inquirenda*, and *nomina oblita*, respectively. Each of these groups may include both available and unavailable names, but the latter can well be ignored. Names considered to possess availability conduce to uncertainty and instability, which ordinarily can be removed only by appealed action of ICZN. Because few zoologists care to bother in seeking such remedy, the "wastebasket" names persist.

## SUMMARY OF NAME GROUPS

Partly because only in such publications as the *Treatise* is special attention to groups of zoological names called for and partly because new designations are now introduced as means of recording distinctions explicitly as well as compactly, a summary may be useful. In the following tabulation valid groups of names are indicated in bold-face type, whereas invalid ones are printed in italics.

### DEFINITIONS OF NAME GROUPS

**nomen conservatum (nom. conserv.)**. Name unacceptable under regulations of the *Code* which is made valid, either with original or altered spelling, through procedures specified by the *Code* or by action of ICZN exercising its plenary powers.  
**nomen correctum (nom. correct.)**. Name with intentionally altered spelling of sort required or allowable by the *Code* but not dependent on trans-

fer from one taxonomic rank to another ("improved name"). (See *Code*, Arts. 26-b, 27, 29, 30-a-3, 31, 32-c-i, 33-a; in addition change of endings for suprafamilial taxa not regulated by the *Code*.)

**nomen imperfectum (nom. imperf.).** Name that as originally published (with or without subsequent identical spelling) meets all mandatory requirements of the *Code* but contains defect needing correction ("imperfect name"). (See *Code*, Arts. 26-b, 27, 29, 32-c, 33-a.)

**nomen involatum (nom. invol.).** Name that as originally published meets all mandatory requirements of the *Code* and also is not correctable or alterable in any way ("inviolable name").

**nomen negatum (nom. neg.).** Name that as originally published (with or without subsequent identical spelling) constitutes invalid original spelling, and although possibly meeting all other mandatory requirements of the *Code*, cannot be used and has no separate status in nomenclature ("denied name"). It is to be corrected wherever found.

**nomen nudum (nom. nud.).** Name that as originally published (with or without subsequent identical spelling) fails to meet mandatory requirements of the *Code* and having no status in nomenclature, is not correctable to establish original authorship and date ("naked name").

**nomen nullum (nom. null.).** Name consisting of an unintentional alteration in form (spelling) of a previously published name (either available name, as *nom. invol.*, *nom. perf.*, *nom. imperf.*, *nom. transl.*; or unavailable name, as *nom. neg.*, *nom. nud.*, *nom. van.*, or another *nom. null.*) ("null name").

**nomen oblitum (nom. oblit.).** Name of senior synonym unused in primary zoological literature in more than 50 years, not to be used unless so directed by ICZN ("forgotten name").

**nomen perfectum (nom. perf.).** Name that as originally published meets all mandatory requirements of the *Code* and needs no correction of any kind but which nevertheless is validly alterable by change of ending ("perfect name").

**nomen substitutum (nom. subst.).** Replacement name published as substitute for an invalid name, such as a junior homonym (equivalent to "new name").

**nomen translatum (nom. transl.).** Name that is derived by valid emendation of a previously published name as result of transfer from one taxonomic rank to another within the group to which it belongs ("transferred name").

**nomen vanum (nom. van.).** Name consisting of an invalid intentional change in form (spelling) from a previously published name, such invalid emendation having status in nomenclature as a junior objective synonym ("vain name").

**nomen vetitum (nom. vet.).** Name of genus-group taxon not authorized by the *Code* or, if first published after 1930, without definitely fixed type species ("impermissible name").

Except as specified otherwise, zoological names accepted in the *Treatise* may be understood to be classifiable either as *nomina involata* or *nomina perfecta* (omitting

from notice *nomina correcta* among specific names) and these are not discriminated. Names which are not accepted for one reason or another include junior homonyms, senior synonyms classifiable as *nomina negata* or *nomina nuda*, and numerous junior synonyms which include both objective (*nomina vana*) and subjective types; rejected names are classified as completely as possible.

## NAME CHANGES IN RELATION TO TAXA GROUPS

### SPECIES-GROUP NAMES

Detailed consideration of valid emendation of specific and subspecific names is unnecessary here because it is well understood and relatively inconsequential. When the form of adjectival specific names is changed to obtain agreement with the gender of a generic name in transferring a species from one genus to another, it is never needful to label the changed name as a *nom. transl.* Likewise, transliteration of a letter accompanied by a diacritical mark in manner now called for by the *Code* (as in changing originally published *bröggeri* to *broeggeri*) or elimination of a hyphen (as in changing originally published *cornuoryx* to *cornuoryx*) does not require "*nom. correct.*" with it.

### GENUS-GROUP NAMES

So rare are conditions warranting change of the originally published valid form of generic and subgeneric names that lengthy discussion may be omitted. Only elimination of diacritical marks of some names in this category seems to furnish basis for valid emendation. It is true that many changes of generic and subgeneric names have been published, but virtually all of these are either *nomina vana* or *nomina nulla*. Various names which formerly were classed as homonyms are not now, for two names that differ only by a single letter (or in original publication by presence or absence of a diacritical mark) are construed to be entirely distinct.

A category of genus-group taxa and names for them calls for special notice. This comprises assemblages of identifiable species which cannot with any certainty be placed in a known genus. Such assemblages are recognized by the *Code* as valid zoologi-

cal entities called **collective groups**, with names for them "treated as generic names in the meaning of the *Code*" (Art. 42c). They differ from genera in that collective groups require no type species. Particularly for dealing with fossil assemblages of dissociated skeletal remains of echinoderms (chiefly crinoids) procedures based on definition of collective groups must find place in the *Treatise*. Names for these will uniformly be labeled as applied to collective groups with accompanying abbreviation "*coll. coll.*" (for Latin *collectio collectiva*, collective group or assemblage), thus distinguishing them from names for genera. An example is *Pentagonopentagonalis* YELTYSHEVA, 1955 (*coll. coll.*), no type species. The species *P. bilobatus* YELTYSHEVA, 1960, is available as the type species of *Obuticrinus* YELTYSHEVA in YELTYSHEVA & STUKALINA, 1963, in accordance with its original designation as such by these authors.

Examples in use of classificatory designations for genus-group names as previously given are the following, which also illustrate designation of type species as explained later.

**Kurnatiophyllum** THOMPSON, 1875 [*\*K. concentricum*; SD GREGORY, 1917] [= *Kumatiophyllum* THOMPSON, 1876 (*nom. null.*); *Cymatophyllum* THOMPSON, 1901 (*nom. van.*); *Cymatiophyllum* LANG, SMITH & THOMAS, 1940 (*nom. van.*)].

**Stichophyma** POMEL, 1872 [*\*Manon turbinatum* RÖMER, 1841; SD RAUFF, 1893] [= *Styichophyma* VOSMAER, 1885 (*nom. null.*); *Sticophyma* MORET, 1924 (*nom. null.*)].

**Stratophyllum** SMYTH, 1933 [*\*S. tenue*] [= *Ethmoplax* SMYTH, 1939 (*nom. van. pro Stratophyllum*); *Stratiphyllum* LANG, SMITH & THOMAS, 1940 (*nom. van. pro Stratophyllum* SMYTH) (non *Stratiphyllum* SCHEFFEN, 1933)].

**Placotelia** OPPLIGER, 1907 [*\*Porostoma marconi* FROMENTEL, 1859; SD DELAUBENFELS, herein] [= *Plakotelia* OPPLIGER, 1907 (*nom. neg.*)].

**Walcottella** DELAUBENFELS, 1955 [*nom. subst., pro Rhopalicus* SCHRAMM, 1936 (non FÖRSTER, 1856)].

**Cyrtograptus** CARRUTHERS, 1867 [*nom. correct.* LAPWORTH, 1873 (*pro Cyrtograptus* CARRUTHERS, (1867), *nom. conserv.* proposed BULMAN, 1955 (ICZN 1963, p. 105, Opinion 650)].

**Pentagonopentagonalis** YELTYSHEVA, 1955 (*coll. coll.*), for species based on crinoid-stem parts [no type species] (ICZN pend.).

#### FAMILY-GROUP NAMES; USE OF "NOM. TRANSL."

The *Code* specifies the endings only for subfamily (-inae) and family (-idae) but all

family-group taxa are defined as coordinate, signifying that for purposes of priority a name published for a taxon in any category and based on a particular type genus shall date from its original publication for a taxon in any category, retaining this priority (and authorship) when the taxon is treated as belonging to a lower or higher category. By exclusion of -inae and -idae, respectively reserved for subfamily and family, the endings of names used for tribes and superfamilies must be unspecified different letter combinations. These, if introduced subsequent to designation of a subfamily or family based on the same nominate genus, are *nomina translata*, as is also a subfamily that is elevated to family rank or a family reduced to subfamily rank. In the *Treatise* it is desirable to distinguish the valid alteration comprised in the changed ending of each transferred family-group name by the abbreviation "*nom. transl.*" and record of the author and date belonging to this alteration. This is particularly important in the case of superfamilies, for it is the author who introduced this taxon that one wishes to know about rather than the author of the superfamily as defined by the *Code*, for the latter is merely the individual who first defined some lower-rank family-group taxon that contains the nominate genus of the superfamily. The publication of the author containing introduction of the superfamily *nomen translatum* is likely to furnish the information on taxonomic considerations that support definition of the unit.

Examples of the use of "*nom. transl.*" are the following.

#### Subfamily STYLININAE d'Orbigny, 1851

[*nom. transl.* EDWARDS & HAIME, 1857 (*ex Stylinidae* D'ORBIGNY, 1851)]

#### Superfamily ARCHAEOCTONOIDEA

##### Petrunkévitch, 1949

[*nom. transl.* PETRUNKEVITCH, 1955 (*ex Archaeoctionidae* PETRUNKEVITCH, 1949)]

#### Superfamily CRIOCERATITACEAE Hyatt, 1900

[*nom. transl.* WRIGHT, 1952 (*ex Crioceratitidae* HYATT, 1900)]

#### FAMILY-GROUP NAMES; USE OF "NOM. CORRECT."

Valid name changes classed as *nomina correctae* do not depend on transfer from one category of family-group units to another but most commonly involve correction of the stem of the nominate genus; in addition,

they include somewhat arbitrarily chosen modification of ending for names of tribe or superfamily. Examples of the use of "nom. correct." are the following.

**Family STREPTELASMATIDAE Nicholson, 1889**  
[nom. correct. WEDEKIND, 1927 (pro Streptelasmidae NICHOLSON, 1889, nom. imperf.)]

**Family PALAEOSCORPIIDAE Lehmann, 1944**  
[nom. correct. PETRUNKEVITCH, 1955 (pro Palaeoscorpionidae LEHMANN, 1944, nom. imperf.)]

**Family AGLASPIDIDAE Miller, 1877**  
[nom. correct. STØRMER, 1959 (pro Aglaspidae MILLER, 1877, nom. imperf.)]

**Superfamily AGARICICAE Gray, 1847**  
[nom. correct. WELLS, 1956 (pro Agaricioidae VAUGHAN & WELLS, 1943, nom. transl. ex Agariciidae GRAY, 1847)]

**FAMILY-GROUP NAMES; USE OF "NOM. CONSERV."**

It may happen that long-used family-group names are invalid under strict application of the *Code*. In order to retain the otherwise invalid name, appeal to ICZN is needful. Examples of use of *nom. conserv.* in this connection, as cited in the *Treatise*, are the following.

**Family ARIETITIDAE Hyatt, 1874**  
[nom. correct. HAUG, 1885 (pro Arietidae HYATT, 1875) nom. conserv. proposed ARKELL, 1955 (ICZN pend.)]

**Family STEPHANOCERATIDAE Neumayr, 1875**

[nom. correct. FISCHER, 1882 (pro Stephanoceratinen NEUMAYR, 1875, invalid vernacular name), nom. conserv. proposed ARKELL, 1955 (ICZN pend.)]

**FAMILY-GROUP NAMES; REPLACEMENTS**

Family-group names are formed by adding letter combinations (prescribed for family and subfamily but not now for others) to the stem of the name belonging to genus (nominate genus) first chosen as type of the assemblage. The type genus need not be the oldest in terms of receiving its name and definition, but it must be the first-published as name-giver to a family-group taxon among all those included. Once fixed, the family-group name remains tied to the nominate genus even if its name is changed by reason of status as a junior homonym or junior synonym, either objective or subjective. Seemingly, the *Code* (Art. 39) requires replacement of a family-group name only in the event that the nominate genus is found to be a junior homonym, and then a substitute family-group name is accepted if it is formed from the oldest available substitute name for the nominate genus. Authorship and date at-

tributed to the replacement family-group name are determined by first publication of the changed family-group-name, but for purposes of the Law of Priority, they take the date of the replaced name. Numerous long-used family-group names are incorrect in being *nomina nuda*, since they fail to satisfy criteria of availability (Art. 11,e). These also demand replacement by valid names.

The aim of family-group nomenclature is greatest possible stability and uniformity, just as in case of other zoological names. Experience indicates the wisdom of sustaining family-group names based on junior subjective synonyms if they have priority of publication, for opinions of different workers as to the synonymy of generic names founded on different type species may not agree and opinions of the same worker may alter from time to time. The retention similarly of first-published family-group names which are found to be based on junior objective synonyms is less clearly desirable, especially if a replacement name derived from the senior objective synonym has been recognized very long and widely. To displace a much-used family-group name based on the senior objective synonym by disinterring a forgotten and virtually unused family-group name based on a junior objective synonym because the latter happens to have priority of publication is unsettling.

Replacement of a family-group name may be needed if the former nominate genus is transferred to another family-group. Then the first-published name-giver of a family-group assemblage in the remnant taxon is to be recognized in forming a replacement name.

**FAMILY-GROUP NAMES; AUTHORSHIP AND DATE**

All family-group taxa having names based on the same type genus are attributed to the author who first published the name for any of these assemblages, whether tribe, subfamily, or family (superfamily being almost inevitably a later-conceived taxon). Accordingly, if a family is divided into subfamilies or a subfamily into tribes, the name of no such subfamily or tribe can antedate the family name. Also, every family containing differentiated subfamilies must have a nominate (*sensu stricto*) subfamily, which is based on the same type

genus as that for the family, and the author and date set down for the nominate subfamily invariably are identical with those of the family, without reference to whether the author of the family or some subsequent author introduced subdivisions.

Changes in the form of family-group names of the sort constituting *nomina correcta*, as previously discussed, do not affect authorship and date of the taxon concerned, but in publications such as the *Treatise* it is desirable to record the authorship and date of the correction.

#### SUPRAFAMILIAL TAXA

International rules of zoological nomenclature as given in the *Code* (1961) are limited to stipulations affecting lower-rank categories (infrasubspecies to superfamily). Suprafamilial categories (suborder to phylum) are either unmentioned or explicitly placed outside of the application of zoological rules. The *Copenhagen Decisions on Zoological Nomenclature* (1953, Arts. 59-69) proposed to adopt rules for naming suborders and higher taxonomic divisions up to and including phylum, with provision for designating a type genus for each, hopefully in such manner as not to interfere with the taxonomic freedom of workers. Procedures for applying the Law of Priority and Law of Homonymy to suprafamilial taxa were outlined and for dealing with the names for such units and their authorship, with assigned dates, when they should be transferred on taxonomic grounds from one rank to another. The adoption of terminations of names, different for each category but uniform within each, was recommended.

The Colloquium on zoological nomenclature which met in London during the week just before the XVth International Congress of Zoology convened in 1958 thoroughly discussed the proposals for regulating suprafamilial nomenclature, as well as many others advocated for inclusion in the new *Code* or recommended for exclusion from it. A decision which was supported by a wide majority of the participants in the Colloquium was against the establishment of rules for naming taxa above family-group rank, mainly because it was judged that such regulation would unwisely tie the hands of taxonomists. For example, if a class or order was defined by

some author at a given date, using chosen morphologic characters (e.g., gills of pelecypods), this should not be allowed to freeze nomenclature, taking precedence over another later-proposed class or order distinguished by different characters (e.g., hinge-teeth of pelecypods). Even the fixing of type genera for suprafamilial taxa might have small value, if any, hindering taxonomic work rather than aiding it. At all events, no legal basis for establishing such types and for naming these taxa has yet been provided.

The considerations just stated do not prevent the Editor of the *Treatise* from making "rules" for dealing with suprafamilial groups of animals described and illustrated in this publication. At least a degree of uniform policy is thought to be needed, especially for the guidance of *Treatise*-contributing authors. This policy should accord with recognized general practice among zoologists, but where general practice is indeterminate or nonexistent our own procedure in suprafamilial nomenclature needs to be specified as clearly as possible. This pertains especially to decisions about names themselves, about citation of authors and dates, and about treatment of suprafamilial taxa which on taxonomic grounds are changed from their originally assigned rank. Accordingly, a few "rules" expressing *Treatise* policy are given here, some with examples of their application.

1) The name of any suprafamilial taxon must be a Latin or latinized uninominal noun of plural form, or treated as such, a) with a capital initial letter, b) without diacritical mark, apostrophe, diaeresis, or hyphen, and c) if component consisting of a numeral, numerical adjective, or adverb is used, this must be written in full (e.g., Stethostomata, Trionychi, Septemchitonina, Scorpiones, Subselliflorae). No uniformity in choice of ending for taxa of a given rank is demanded (e.g., orders named *Gorgonacea*, *Milleporina*, *Rugosa*, *Scleractinia*, *Stromatoporoidea*, *Phalangida*).

2) Names of suprafamilial taxa may be constructed in almost any way, a) intended to indicate morphological attributes (e.g., Lamellibranchiata, Cyclostomata, Toxoglossa), b) based on the stem of an included genus (e.g., Bellerophonina, Nauutilida, Fungiina), or c) arbitrary combina-

tions of letters, (e.g., Yuania), but none of these can be allowed to end in -idae or -inae, reserved for family-group taxa. A class or subclass (e.g., Nautiloidea), order (e.g., Nautilida), or suborder (e.g., Nautilina) named from the stem of an included genus may be presumed to have that genus (e.g., *Nautilus*) as its objective type. No suprafamilial name identical in form to that of a genus or to another published suprafamilial name should be employed (e.g., order Decapoda Latreille, 1803, crustaceans, and order Decapoda Leach, 1818, cephalopods; suborder Chonetoidea Muir-Wood, 1955, and genus *Chonetoidea* Jones, 1928). Worthy of notice is the classificatory and nomenclatural distinction between suprafamilial and family-group taxa which respectively are named from the same type genus, since one is not considered to be transferable to the other (e.g., suborder Bellerophontina Ulrich & Scofield, 1897; superfamily Bellerophontacea M'Coy, 1851; family Bellerophontidae M'Coy, 1851). Family-group names and suprafamilial names are not coordinate.

3) The Laws of Priority and Homonymy lack any force of international agreement as applied to suprafamilial names, yet in the interest of nomenclatural stability and the avoidance of confusion these laws are widely applied by zoologists to taxa above the family-group level wherever they do not infringe on taxonomic freedom and long-established usage.

4) Authors who accept priority as a determinant in nomenclature of a suprafamilial taxon may change its assigned rank at will, with or without modifying the terminal letters of the name, but such change(s) cannot rationally be judged to alter the authorship and date of the taxon as published originally. a) A name revised from its previously published rank is a "transferred name" (*nom. transl.*), as illustrated in the following.

**Order CORYNEXOCHIDA Kobayashi, 1935**

[*nom. transl.* MOORE, 1955 (*ex* suborder *Corynexochida* KOBAYASHI, 1935)]

b) A name revised from its previously published form merely by adoption of a different termination, without changing taxonomic rank, is an "altered name" (*nom. correct.*). Examples follow.

**Order DISPARIDA Moore & Laudon, 1943**

[*nom. correct.* MOORE, 1952 (*pro* order *Disparata* MOORE & LAUDON, 1943)]

**Suborder AGNOSTINA Salter, 1864**

[*nom. correct.* HARRINGTON & LEANZA, 1957 (*pro* suborder *Agnostini* SALTER, 1864)]

c) A suprafamilial name revised from its previously published rank with accompanying change of termination (which may or may not be intended to signalize the change of rank) is construed to be primarily a *nom. transl.* (compare change of ending for family-group taxa -idae to -inae, or vice versa, and to superfamily) but if desired it could be recorded as *nom. transl. et correct.*

**Order ORTHIDA Schuchert & Cooper, 1931**

[*nom. transl.* MOORE, 1952 (*ex* suborder *Orthoidea* SCHUCHERT & COOPER, 1931)]

5) The authorship and date of nominate subordinate and superordinate taxa among suprafamilial taxa are considered in the *Treatise* to be identical since each actually or potentially has the same type. Examples are given below.

**Subclass ENDOCERATOIDEA Teichert, 1933**

[*nom. transl.* TEICHERT, 1964 (*ex* superorder *Endoceratoidea* SHIMANSKIY & ZHURAVLEVA, 1961, *nom. transl. ex* order *Endoceroidea* TEICHERT, 1933)]

**Order ENDOCERIDA Teichert, 1933**

[*nom. correct.* TEICHERT, 1964 (*pro* order *Endoceroidea* TEICHERT, 1933)]

**Suborder ENDOCERINA Teichert, 1933**

[*nom. correct.* TEICHERT, 1964 (*pro* suborder *Endoceracea* SCHINDEWOLF, 1935, *nom. transl. ex* order *Endoceroidea* TEICHERT, 1933)]

6) A suprafamilial taxon may or may not contain a family-group taxon or taxa having the same type genus, and if it does, the respective suprafamilial and family-group taxa may or may not be nominate (having names with the same stem). The zoological *Code* (Art. 61) affirms that "each taxon [of any rank] has, actually or potentially, its type." Taxa above the family-group level which may be designated as having the same type genus (such designations not being stipulated or recognized by any articles of the zoological *Code*) are considered to have identical authorship and date if the stem of names employed is the same (illustrated in preceding paragraph), but otherwise their authorship and date are accepted as various. Examples showing both suprafamilial and familial taxa in a group of spiders follow.

**Class ARACHNIDA Lamarck, 1801**

[*nom. correct.* NEWPORT, 1830 (*pro class—not family—Arachnidae* LAMARCK, 1801) (type, *Araneus* CLERCK, 1757, validated ICZN, 1948)]

**Subclass CAULOGASTRA Pocock, 1893**

[type, *Araneus* CLERCK, 1757]

**Superorder LABELLATA Petrunkevitch, 1949**

[type, *Araneus* CLERCK, 1757]

**Order ARANEIDA Clerck, 1757**

[*nom. correct.* DALLAS, 1864 (*pro Araneidea* BLACKWALL, 1861, *pro Araneides* LATREILLE, 1801, *pro Aranei* CLERCK, 1757, validated ICZN, 1948) (type, *Araneus* CLERCK, 1757)]

**Suborder DIPNEUMONINA Latreille, 1817**

[*nom. correct.* PETRUNKEVITCH, 1955 (*pro Dipneumoncs* LATREILLE, 1817) (type, *Araneus* CLERCK, 1757)]

**Division TRONYCHI Petrunkevitch, 1933**

[type, *Araneus* CLERCK, 1757]

**Superfamily ARANEOIDEA Leach, 1815**

[*nom. transl.* PETRUNKEVITCH, 1955 (*ex Araneides* LEACH, 1815) (type, *Araneus* CLERCK, 1757)]

**Family ARANEIDAE Leach, 1815**

[*nom. correct.* PETRUNKEVITCH, 1955 (*pro Araneidae* LEACH, 1819, *pro Araneides* LEACH, 1815) (type, *Araneus* CLERCK, 1757)]

**Subfamily ARANEINAE Leach, 1815**

[*nom. transl.* SIMON, 1892 (*ex Araneidae* LEACH, 1815) (type, *Araneus* CLERCK, 1757)]

**TAXONOMIC EMENDATION**

Emendation has two measurably distinct aspects as regards zoological nomenclature. These embrace 1) alteration of a name itself in various ways for various reasons, as has been reviewed, and 2) alteration or taxonomic scope or concept in application of a given zoological name, whatever its hierarchical rank. The latter type of emendation primarily concerns classification and inherently is not associated with change of name, whereas the other type introduces change of name without necessary expansion, restriction, or other modification in applying the name. Little attention generally has been paid to this distinction in spite of its significance.

Most zoologists, including paleozoologists, who have signified emendation of zoological names refer to what they consider a material change in application of the name such as may be expressed by an importantly altered diagnosis of the assemblage covered by the name. The abbreviation "*emend.*" then may accompany the name, with statement of the author and date of the emendation. On the other hand, a multitude of workers concerned with systematic zoology think that publication of "*emend.*" with a zoological name is valueless, because more

or less alteration of taxonomic sort is introduced whenever a subspecies, species, genus, or other assemblage of animals is incorporated under or removed from the coverage of a given zoological name. Inevitably associated with such classificatory expansions and restrictions is some degree of emendation affecting diagnosis. Granting this, still it is true that now and then somewhat radical revisions are put forward, generally with published statement of reasons for changing the application of a name. To erect a signpost at such points of most significant change is worthwhile, both as aid to subsequent workers in taking account of the altered nomenclatural usage and as indication that not-to-be-overlooked discussion may be found at a particular place in the literature. Authors of contributions to the *Treatise* are encouraged to include records of all specially noteworthy emendations of this nature, using the abbreviation "*emend.*" with the name to which it refers and citing the author and date of the emendation.

In Part G (Bryozoa) and Part D (Protista 3) of the *Treatise*, the abbreviation "*emend.*" is employed to record various sorts of name emendations, thus conflicting with usage of "*emend.*" for change in taxonomic application of a name without alteration of the name itself. This is objectionable. In Part E (Archaeocyatha, Porifera) and later-issued divisions of the *Treatise*, use of "*emend.*" is restricted to its customary sense, that is, significant alteration in taxonomic scope of a name such as calls for noteworthy modifications of a diagnosis. Other means of designating emendations that relate to form of a name are introduced.

**STYLE IN GENERIC DESCRIPTIONS**

**CITATION OF TYPE SPECIES**

The name of the type species of each genus and subgenus is given next following the generic name with its accompanying author and date, or after entries needed for definition of the name if it is involved in homonymy. The originally published combination of generic and trivial names for this species is cited, accompanied by an asterisk (\*), with notation of the author and date of original publication. An exception in this procedure is made, however, if the species was first published in the same

paper and by the same author as that containing definition of the genus which it serves as type; in such case, the initial letter of the generic name followed by the trivial name is given without repeating the name of the author and date, for this saves needed space. Examples of these two sorts of citations are as follows:

*Diplotrypa* NICHOLSON, 1879 [\**Favosites petropoli-tanus* PANDER, 1830].

*Chainodictyon* FOERSTE, 1887 [\**C. laxum*].

If the cited type species is a junior synonym of some other species, the name of this latter also is given, as follows:

*Acervularia* SCHWEIGER, 1819 [\**A. baltica* (= \**Madrepora ananas* LINNÉ, 1758)].

It is judged desirable to record the manner of establishing the type species, whether by original designation or by subsequent designation.

*Fixation of type species originally.* The type species of a genus or subgenus, according to provisions of the *Code*, may be fixed in various ways originally (that is, in the publication containing first proposal of the generic name) or it may be fixed in specified ways subsequent to the original publication. Fixation of the type species of a genus or subgenus in an original publication is stipulated by the *Code* (Art. 68) in order of precedence as 1) *original designation* (in the *Treatise* indicated as OD) when the type species is explicitly stated or (before 1931) indicated by "n. gen., n. sp." (or its equivalent) applied to a single species included in a new genus, 2) defined by use of *typus* or *typicus* for one of the species included in a new genus (adequately indicated in the *Treatise* by the specific name), 3) established by *monotypy* if a new genus or subgenus includes only one originally included species which is neither OD nor TYP (in the *Treatise* indicated as M), and 4) fixed by *tautonymy* if the genus-group name is identical to an included species name not indicated as type belonging to one of the three preceding categories (indicated in the *Treatise* as T).

*Fixation of type species subsequently.* The type species of many genera are not determinable from the publication in which the generic name was introduced and therefore such genera can acquire a type species only by some manner of subsequent designation.

Most commonly this is established by publishing a statement naming as type species one of the species originally included in the genus, and in the *Treatise* fixation of the type species in this manner is indicated by the letters "SD" accompanied by the name of the subsequent author (who may be the same person as the original author) and the date of publishing the subsequent designation. Some genera, as first described and named, included no mentioned species and these necessarily lack a type species until a date subsequent to that of the original publication when one or more species are assigned to such a genus. If only a single species is thus assigned, it automatically becomes the type species and in the *Treatise* this subsequent monotypy is indicated by the letters "SM." Of course, the first publication containing assignment of species to the genus which originally lacked any included species is the one concerned in fixation of the type species, and if this named two or more species as belonging to the genus but did not designate a type species, then a later "SD" designation is necessary. Examples of the use of "SD" and "SM" as employed in the *Treatise* follow.

*Hexagonaria* GÜRICH, 1896 [\**Cyathophyllum hexagonum* GOLDFUSS, 1826; SD LANG, SMITH & THOMAS, 1940].

*Muriceides* STUDER, 1887 [\**M. fragilis* WRIGHT & STUDER, 1889; SM WRIGHT & STUDER, 1889].

Another mode of fixing the type species of a genus that may be construed as a special sort of subsequent designation is action of the International Commission on Zoological Nomenclature using its plenary powers. Definition in this way may set aside application of the *Code* so as to arrive at a decision considered to be in the best interest of continuity and stability of zoological nomenclature. When made, it is binding and commonly is cited in the *Treatise* by the letters "ICZN," accompanied by the date of announced decision and (generally) reference to the appropriate numbered Opinion.

Worthy of repetition is the lack of requirement of a type species for definition of collective groups (*coll. coll.*), but when differentiated and named these are treated for convenience as genera in the meaning of the *Code* (Art. 42c).

#### HOMONYMS

Most generic names are distinct from



all others and are indicated without ambiguity by citing their originally published spelling accompanied by name of the author and date of first publication. If the same generic name has been applied to 2 or more distinct taxonomic units, however, it is necessary to differentiate such homonyms, and this calls for distinction between junior homonyms and senior homonyms. Because a junior homonym is invalid, it must be replaced by some other name. For example, *Callopora* HALL, 1851, introduced for Paleozoic trepostome bryozoans, is invalid because GRAY in 1848 published the same name for Cretaceous-to-Recent cheilostome bryozoans, and BASSLER in 1911 introduced the new name *Hallopora* to replace HALL's homonym. The *Treatise* style of entry is:

*Hallopora* BASSLER, 1911, *nom. subst.* [*pro Callopora* HALL, 1851 (*non* GRAY, 1848)].

In like manner, a needed replacement generic name may be introduced in the *Treatise* (even though first publication of generic names otherwise in this work is avoided). The requirement that an exact bibliographic reference must be given for the replaced name commonly can be met in the *Treatise* by citing a publication recorded in the list of references, using its assigned index number, as shown in the following example.

*Mysterium* DE LAUBENFELS, *nom. subst.* [*pro Mysterium* SCHRAMMEN, 1936 (ref. 40, p. 60) (*non* ROGER, 1862)] [*\*Mysterium porosum* SCHRAMMEN, 1936].

For some replaced homonyms, a footnote reference to the literature is necessary. A senior homonym is valid, and in so far as the *Treatise* is concerned, such names are handled according to whether the junior homonym belongs to the same major taxonomic division (class or phylum) as the senior homonym or to some other; in the former instance, the author and date of the junior homonym are cited as:

*Diplophyllum* HALL, 1851 [*non* SOSHKINA, 1939] [*\*D. caespitosum*].

Otherwise, no mention of the existence of a junior homonym generally is made.

*Synonymic homonyms.* An author sometimes publishes a generic name in two or more papers of different date, each of which indicates that the name is new. This is a

bothersome source of errors for later workers who are unaware that a supposed first publication which they have in hand is not actually the original one. Although the names were separately published, they are identical and therefore definable as homonyms; at the same time they are absolute synonyms. For the guidance of all concerned, it seems desirable to record such names as synonymic homonyms and in the *Treatise* the junior one of these is indicated by the abbreviation "jr. syn. hom."

Identical family-group names not infrequently are published as new names by different authors, the author of the later-introduced name being ignorant of previous publication(s) by one or more other workers. In spite of differences in taxonomic concepts as indicated by diagnoses and grouping of genera and possibly in assigned rank, these family-group taxa are nomenclatural homonyms, based on the same type genus, and they are also synonyms. Wherever encountered, such synonymic homonyms are distinguished in the *Treatise* as in dealing with generic names.

#### SYNONYMS

Citation of synonyms is given next following record of the type species and if two or more synonyms of differing date are recognized, these are arranged in chronological order. Objective synonyms are indicated by accompanying designation "(obj.)," others being understood to constitute subjective synonyms. Examples showing *Treatise* style in listing synonyms follow.

*Calapoecia* BILLINGS, 1865 [*\*C. anticostiensis*; SD LINDSTRÖM, 1883] [= *Columnopora* NICHOLSON, 1874; *Houghtonia* ROMINGER, 1876].

*Staurocyelia* HAECKEL, 1882 [*\*S. cruciata* HAECKEL, 1887] [= *Coccostaurus* HAECKEL, 1882 (obj.); *Phacostaurus* HAECKEL, 1887 (obj.)].

A synonym which also constitutes a homonym is recorded as follows:

*Diplopora* NICHOLSON & ETHERIDGE, 1878 [*\*Palaeopora? javosa* M'COY, 1850] [= *Liopora* LANG, SMITH & THOMAS, 1940 (*non* GIRTY, 1915)].

Some junior synonyms of either objective or subjective sort may take precedence desirably over senior synonyms wherever uniformity and continuity of nomenclature are served by retaining a widely used but tech-

nically rejectable name for a generic assemblage. This requires action of ICZN using its plenary powers to set aside the unwanted name and validate the wanted one, with placement of the concerned names on appropriate official lists. In the *Treatise* citation of such a conserved generic name is given

in the manner shown by the following example.

**Tetragnostus** SALTER, 1863 [*nom. correct.* HALL, 1865 (*pro Tetragnostus* SALTER, 1863), *nom. conserv.* proposed BULMAN, 1955, ICZN pend.] [\**Fucoides serra* BRONGNIART, 1828 (= *Graptolithus bryonoides* HALL, 1858)].

## ABBREVIATIONS

Abbreviations used in this division of the *Treatise* are explained in the following alphabetically arranged list.

- Abhandl.**, *Abhandlung(en)*  
**aff.**, *affinis* (related to)  
**Afhandl.**, *Afhandlingar*  
**Afr.**, Africa, -an  
**Am.**, America, -n  
**Ann.**, *Annaes, Année, Annalen, Annales*, Annual, *Annuaire*  
**approx.**, approximately  
**Arg.**, Argentina  
**Atl.**, Atlantic  
**auctt.**, *auctororum* (of authors)
- B.C.**, British Columbia  
**Bendigon.**, Bendigonian  
**Boh.**, Bohemia  
**Brit.**, Britain, British  
**Bull.**, Bulletin
- C.**, Central  
**ca.**, *circa*  
**Cam.**, Cambrian  
**Can.**, Canada  
**Canad.**, Canadian  
**Carb.**, Carboniferous  
**Castlemain.**, Castlemanian  
**cf.**, *confer* (compare)  
**Chewton.**, Chewtonian  
**Coll.**, Collection(s)  
**Contrib.**, Contribution(s)  
**Cret.**, Cretaceous  
**Czech.**, Czechoslovakia
- Darriwil.**, Darriwilian  
**dec.**, decade  
**Denkschr.**, *Denkschrift(en)*  
**Dept.**, Department  
**Dev.**, Devonian  
**diagram.**, diagrammatic
- E.**, East  
**ed.**, edited, editor  
**edit.**, edition  
**e.g.**, *exempli gratia* (for example)  
**emend.**, *emendatus(-a)*  
**Eng.**, England  
**enl.**, enlarged  
**Eoc.**, Eocene
- err.**, *errore* (by error)  
**Est.**, Estonia  
**et al.**, *et alii* (and others, persons)  
**etc.**, *et cetera* (and others, objects)  
**Eu.**, Europe  
**excl.**, excluding
- F.**, Formation  
**fam.**, family  
**fig.**, figure(s)  
**Förhandl.**, *Förhandlingar*
- Gedinn.**, Gedinnian  
**Geol.**, Geological, *Geologique, Geologische*, Geology  
**Ger.**, German, Germany  
**Gr.**, Great, Group
- Handl.**, *Handlingar*  
**hom.**, homonym
- ICZN**, International Commission on Zoological Nomenclature  
**i.e.**, *id est* (that is)  
**illus.**, illustrated, -ions  
**incl.**, inclined, including  
**Ind.**, Indiana  
**indet.**, indeterminate  
**IndoPac.**, Indo-Pacific  
**Internatl.**, International  
**Ire.**, Ireland  
**Is.**, Island(s)
- Jahr.**, *Jahrbuch*  
**Jahresber.**, *Jahresbericht*  
**Jahrg.**, *Jahrgang*  
**Jour.**, Journal
- Kans.**, Kansas  
**Ky.**, Kentucky
- L.**, low-, Lower  
**lat.**, lateral  
**Lief.**, *Lieferung*  
**Llandov.**, Llandoverly  
**long.**, longitudinal
- Ls.**, Limestone
- M.**, mid-, Middle  
**M.**, monotypy  
**Medd.**, *Meddelelser*  
**Mem.**, Memoir(s), *Memoria, Memorie*  
**Mém.**, *Mémoire(s)*  
**Minn.**, Minnesota  
**Misc.**, Miscellaneous  
**mm.**, millimeter(s)  
**Mon.**, Monograph, *Monographia, Monographie*  
**Monatsber.**, *Monatsberichte*
- n.**, n, new  
**N.**, North  
**N.Am.**, North America(n)  
**Namur.**, Namurian  
**Nat.**, Natural  
**Nev.**, Nevada  
**Newf.**, Newfoundland  
**Niag.**, Niagaran  
**no.**, number  
**nom. conserv.**, *nomen conservatum* (conserved name)  
**nom. correct.**, *nomen correctum* (corrected or intentionally altered name)  
**nom. dub.**, *nomen dubium* (doubtful name)  
**nom. imperf.**, *nomen imperfectum* (imperfect name)  
**nom. neg.**, *nomen negatum* (denied name)  
**nom. nov.**, *nomen novum* (new name)  
**nom. nud.**, *nomen nudum* (naked name)  
**nom. null.**, *nomen nullum* (null, void name)  
**nom. oblit.**, *nomen oblitum* (forgotten name)  
**nom. subst.**, *nomen substitutum* (substitute name)  
**nom. transl.**, *nomen translatum* (transferred name)

<b>nom. van.</b> , <i>nomen vanum</i> (vain, void name)	<b>Quart.</b> , Quarterly	<b>s.str.</b> , <i>sensu stricto</i> (in the strict sense, narrowly defined)
<b>nom. vet.</b> , <i>nomen vetitum</i> (impermissible name)	<b>Que.</b> , Quebec	<b>suppl.</b> , supplement(s)
<b>Nor.</b> , Norway	<b>Rec.</b> , Recent	<b>Tenn.</b> , Tennessee
<b>NW.</b> , Northwest	<b>reconstr.</b> , reconstructed, -ion	<b>Tert.</b> , Tertiary
<b>N.Y.</b> , New York	<b>Rept.</b> , Report(s)	<b>Trans.</b> , Transactions
<b>N.Z.</b> , New Zealand	<b>restor.</b> , restoration	<b>Trempeal.</b> , Trempealeuan
<b>obj.</b> , objective	<b>S.</b> , Sea, South	<b>U.</b> , <b>up.</b> , Upper
<b>OD</b> , original designation	<b>S.Am.</b> , South America	<b>U.S.</b> , United States
<b>Okla.</b> , Oklahoma	<b>schem.</b> , schematic	<b>USA</b> , United States of America
<b>Ont.</b> , Ontario	<b>Sci.</b> , Science	<b>USSR</b> , Union of Soviet Socialist Republics
<b>Opin.</b> , Opinion	<b>Scot.</b> , Scotland	
<b>Ord.</b> , Ordovician	<b>SD</b> , subsequent designation	
	<b>sec.</b> , section(s)	
	<b>secc.</b> , <i>seccion</i>	<b>v.</b> , volumes(s)
<b>p.</b> , page(s)	<b>ser.</b> , serial, series, <i>seria</i>	<b>var.</b> , variety
<b>Pac.</b> , Pacific	<b>Sh.</b> , Shale	<b>Vict.</b> , Victoria
<b>Paleont.</b> , Paleontological	<b>Sib.</b> , Siberia	
<b>pend.</b> , pending	<b>Siegen.</b> , Siegenian	<b>W.</b> , West
<b>Philos.</b> , Philosophical	<b>Sil.</b> , Silurian	<b>Wis.</b> , Wisconsin
<b>pl.</b> , plate(s), plural	<b>Sitzungsber.</b> , <i>Sitzungsberichte</i>	
<b>Pol.</b> , Poland	<b>s.lat.</b> , <i>sensu lato</i> (in the wide sense, broadly defined)	<b>Yapeen.</b> , Yapeenian
<b>Proc.</b> , Proceedings	<b>Sl.</b> , Slate	
<b>Prof.</b> , Professional	<b>SM</b> , subsequent monotypy	<b>Z.</b> , Zone
<b>pt.</b> , part(s)	<b>Soc.</b> , <i>Société</i> , Society	<b>Zeitschr.</b> , <i>Zeitschrift</i>
<b>publ.</b> , publication(s), published	<b>sp.</b> , species ( <i>spp.</i> , plural)	<b>Zool.</b> , Zoological, <i>Zoologici</i> , <i>Zoologisch</i>
	<b>Spec.</b> , Special	

## REFERENCES TO LITERATURE

Each part of the *Treatise* is accompanied by a selected list of references to paleontological literature consisting primarily of recent and comprehensive monographs available but also including some older works recognized as outstanding in importance. The purpose of giving these references is to aid users of the *Treatise* in finding detailed descriptions and illustrations of morphological features of fossil groups, discussions of classifications and distribution, and especially citations of more or less voluminous literature. Generally speaking, publications listed in the *Treatise* are not original sources of information concerning taxonomic units of various rank but they tell the student where he may find them; otherwise it is necessary to turn to such aids as the *Zoological Record* or NEAVE'S *Nomenclator Zoologicus*. References given in the *Treatise* are arranged alphabetically by authors and accompanied by index numbers which serve the purpose of permitting citation most concisely in various parts of the text; these citations of listed papers are enclosed invariably in parentheses and, except in Parts C and N, are distinguishable from dates because the

index numbers comprise no more than 3 digits. The systematic descriptions given in part C are accompanied by a reference list containing more than 2,000 entries with the index numbers marked by an asterisk, and in Part N (containing over 1,000 entries), they are italicized.

The following is a statement of the full names of serial publications which are cited in abbreviated form in the lists of references in the present volume. The information thus provided should be useful in library research work. The list is alphabetized according to the serial titles which were employed at the time of original publication. Those following in brackets are those under which the publication may be found currently in the *Union List of Serials*, the United States Library of Congress listing, and most library card catalogues. The names of serials published in Cyrillic are transliterated; in the reference lists these titles, which may be abbreviated, are accompanied by transliterated authors' names and titles, with English translation of the title. The place of publication is added (if not included in the serial title).

The method of transliterating Cyrillic letters that is adopted as "official" in the *Treatise* is that suggested by the Geographical Society of London and the U.S. Board on Geographic Names. It follows that names of some Russian authors in transliterated form

derived in this way differ from other forms, possibly including one used by the author himself. In *Treatise* reference lists the alternative (unaccepted) form is given enclosed by square brackets (e.g., Chernyshev [Tschernyschew], T.N.).

### *List of Serial Publications*

- Académie Royale de Belgique, Classe des Sciences, Bulletin; Mémoires. Bruxelles.
- Académie des Sciences de l'URSS, Comptes Rendus; Institut Paléontologique, Travaux; Institut Paléozoologique, Travaux [Akademiya Nauk SSSR, Doklady]. Leningrad.
- Académie Tchèque des Sciences, Bulletin International, Classe des Sciences Mathématiques. Praha.
- Acta Geologica Polonica. Warszawa.
- Acta Palaeontologia Sinica. Peking.
- Acta Palaeontologica Polonica [Polska Akademia Nauk, Komitet Geologiczny]. Warszawa.
- Acta Universitatis Asiae Mediae. Tashkent.
- [K.] Akademie der Wissenschaften zu Wien, mathematische-naturwissenschaftliche Klasse, Denkschriften; Sitzungsberichte.
- Akademiya Nauk SSSR. Kirgizskii Filial. Institut Geologii.
- Akademiya Nauk SSSR. Sibirskoe Otdelenie, Institut Geologii i Geofiziki, Trudy. Novosibirsk.
- Akademiya Nauk Uzbekskoy SSR, Doklady. Tashkent.
- American Association for the Advancement of Science, Proceedings; Publications. Washington, D.C.
- American Journal of Science. New Haven, Conn.
- American Museum of Natural History, Bulletins; Memoirs; Novitates. New York.
- Annales Muséi Zoologici Polonici. Warszawa.
- Annales de la Société Géologique du Nord. Lille.
- Annals and Magazine of Natural History. London.
- Arkiv för Mineralogi och Geologi (*see* K. Svenska Vetenskaps Akademierna). Stockholm.
- Aufschluss, Der. Zeitschrift für die Freunde der Mineralogie und Geologie. Göttingen.
- Australia Bureau of Mineral Resources, Geology and Geophysics, Bulletins; Explanatory Notes; Paleontological Papers; Reports. Canberra.
- Belfast Naturalists' Field Club, Proceedings. Belfast.
- British Association for the Advancement of Science, Reports. London.
- British Museum (Natural History), Geology, Bulletins. London.
- Bulletin of American Paleontology. Ithaca, N.Y.
- Canada, Geological Survey of, Department of Mines and Resources, Mines and Geology Branch, Bulletins; Memoirs; Museum Bulletins; Canadian Organic Remains. Ottawa, Montreal.
- Canadian Field Naturalist. Ottawa.
- Canadian Journal of Earth Sciences. National Research Council, Canada. Ottawa.
- Canadian Naturalist and Geologist. Montreal.
- Cincinnati, Quarterly Journals of Science.
- Dansk Geologisk Forening, Meddelelser. København.
- Denison University, Scientific Laboratories, Bulletins; Journals. Granville, Ohio.
- Deutsch Akademie der Wissenschaften zu Berlin, Abhandlungen; Monatsberichte, Geologie und Mineralogie.
- Deutsche Geologische Gesellschaft, Zeitschrift. Berlin, Hannover.
- Eesti NSV Teaduste Akadeemia, Geoloogia Instituudi, Uurimused. [Akademiya Nauk Estonskoi SSR, Instituta Geologii, Trudy.] Tallinn.
- Faculdade de Ciencias, Universidade de Lisboa, Revista.
- [K.] Fysiografiska Sällskapet i Lund, Förhandlingar; Handlingar.
- Geologica Balkanica. Sofia.
- Geological Magazine. London, Hertford.
- Geological Society of America, Bulletins; Memoirs; Special Papers. Boulder, Colo.
- Geological Society of China, Bulletins. Peking.
- Geological Society of London; Memoirs; Proceedings; Quarterly Journals; Transactions.
- Geologie von Thüringen, Beiträge. Jena.
- Geologiska Föreningen, Stockholm, Föreläsningar.
- Geologists' Association, Proceedings. London.
- Gesellschaft von Freunden der Naturwissenschaften in Gera, Jahresbericht.
- Indiana, Department of Conservation Geological Survey, Bulletins; Reports. Bloomington, Ind.
- Journal of Geology. Chicago.
- Journal of Paleontology, Tulsa, Okla.
- Karlova, Universita. Práce, Geologicko-paleontologický ústav. Praha.
- Královské České Společnost Nauk Prague, Třída Mathematicko-Přírodovědecká; Rozpravy; Věstník.
- Linnean Society of London (Zoology), Journals; Proceedings; Transactions.
- Lund Universitet, Årsskrift.
- Meddelelser om Grønland (Kommissionen Videnskabelige Undersøgelser i Grønland). København.
- Missouri University Museum, Bulletins. Columbia.
- Musée Royal d'Histoire Naturelle de Belgique, Annales; Bulletins; Mémoires (continued as Institut Royal des Sciences Naturelles de Belgique). Bruxelles.
- Národního Musea Časopis, Oddíl Přírodovědný Ročník. Praha.
- Natur. Deutsche und Osterreichische Naturwissenschaftliche Gesellschaft. Leipzig.
- Nauchno-issledovatel'skii Institut Geologii Arktiki,

- Ministerstvo Geologii i Okhrany Nedr SSSR, Trudy, Leningrad.
- Neues Jahrbuch für Geologie und Paläontologie (Before 1950, Neues Jahrbuch für Mineralogie, Geologie, und Paläontologie), Abhandlungen; Beilage-Bande; Monatshefte. Stuttgart.
- New York State Cabinet of Natural History, Annual Reports. Albany, N.Y.
- New York State Geological Survey, Annual Reports; Natural History of New York; Palaeontology of New York. Albany.
- New York State Museum of Natural History, Annual Reports; Bulletins. Albany.
- Norsk Geologisk Tidsskrift (Norsk Geologisk Forning). Oslo.
- Norske Videnskaps-Akademi i Oslo, Skrifter.
- Osnovy Paleontologii Spravochnik, dlya Paleontologiv i Geologov SSSR. Yu. A. Orlov, ed. Akademiya Nauk SSSR. Moskva.
- Ottawa Naturalist (*see* Canadian Field Naturalist). Palaeontographica. Stuttgart, Kassel.
- Palaeontographical Society, Memoirs; Monographs. London.
- Palaeontologia Polonica. Warszawa.
- Paläontologische Zeitschrift. Berlin, Stuttgart.
- Palaeontology (Palaeontological Association). London.
- Paleontologicheskii Zhurnal. Akademiya Nauk SSSR. Moskva.
- Public Museum, Bulletins. Milwaukee, Wis.
- Quekett Microscopical Club, Journals. London.
- Revista de la Asociación Geológica Argentina. Buenos Aires.
- Royal Physical Society of Edinburgh, Proceedings.
- Royal Society of Canada, Proceedings and Transactions. Ottawa, Canada.
- Royal Society of London, Philosophical Transactions; Proceedings.
- Royal Society of New South Wales, Journals; Proceedings. Sydney.
- Royal Society of New Zealand, Proceedings; Transactions. Wellington.
- Royal Society of Victoria, Proceedings. Melbourne.
- Scientia Sinica. Academia Sinica. Peking.
- Société Géologique de France, Comptes Rendus des Séances; Bulletin; Mémoires. Paris.
- Société Géologique et Minéralogique de Bretagne, Mémoires. Rennes.
- Société Impériale des Naturalistes de Moscou, Bulletin.
- Státního Geologického Ústavu Československe Republiky, Věstník. Praha.
- Studia Geologica Polonica. Polska Akademia Nauk Zaklad Nauk Geologicznych. Warszawa.
- [K.] Svenska Vetenskapsakademien, Arkiv för Mineralogi och Geologi; Arkiv för Zoologi; Handlingar. Stockholm.
- Sveriges Geologiska Undersökning, Afhandlingar; Årsbok. Stockholm.
- Tartu Ülikooli Geologia-Instituudi Toimetused. Acta de Commentationes Universitatis Tartuensis (Dorpatensis).
- Texas, University of, Bulletins; Publications. Austin.
- United Kingdom, Geological Survey of, Memoirs. London.
- United States Geological Survey, Bulletins; Monographs; Professional Papers. Washington, D.C.
- United States National Museum, Bulletins; Proceedings. Washington, D.C.
- Uppsala, University of, Geological Institution Bulletins.
- Uspekhi Sovremennoi Biologii. Moskva.
- Ústředního Ústavu Geologického, Rozpravy; Sborník; Věstník. Praha.
- Victoria Department of Mines, Mining and Geological Journal. Melbourne.
- Voprosy Paleontologii (Leningradskii Gosudarstvennyi Universitet, Nauchno-Issledovatel'skii Institut Zemnoi Kory, Paleontologicheskaya Laboratoriya).
- Vsesoyuznyi Paleontologicheskoe Obschestvo, Ezhegodnik. Moskva.
- Wisconsin, Geological and Natural History Survey, Bulletins. Madison.
- Zeitschrift für Geschiebeforschung. Berlin.
- Zeitschrift für Naturwissenschaften. Halle.

## SOURCES OF ILLUSTRATIONS

At the end of figure captions an index number is given to supply record of the author of illustrations used in the *Treatise*, reference being made either (1) to publications cited in reference lists or (2) to the

names of authors with or without indication of individual publications concerned. Previously unpublished illustrations are marked by the letter "n" (signifying "new") with the name of the author.

## STRATIGRAPHIC DIVISIONS

Classification of rocks forming the geologic column as commonly cited in the *Treatise* in terms of units defined by concepts of time is reasonably uniform and firm throughout most of the world as regards major divisions (e.g., series, systems, and rocks representing eras) but it is variable and unfirm as regards smaller divisions (e.g., substages, stages, and subseries),

which are provincial in application. Users of the *Treatise* have suggested the desirability of publishing reference lists showing the stratigraphic arrangement of at least the most commonly cited divisions. Accordingly, a tabulation of European and North American units, which broadly is applicable also to other continents, is given here.

## *Generally Recognized Divisions of Geologic Column*

### EUROPE ROCKS OF CENOZOIC ERA NEOGENE SYSTEM<sup>1</sup>

Pleistocene Series (including Recent)  
Pliocene Series  
Miocene Series

### PALEOGENE SYSTEM

Oligocene Series  
Eocene Series  
Paleocene Series

### ROCKS OF MESOZOIC ERA CRETACEOUS SYSTEM

#### Upper Cretaceous Series

Maastrichtian Stage<sup>2</sup>  
Campanian Stage<sup>2</sup>  
Santonian Stage<sup>2</sup>  
Coniacian Stage<sup>2</sup>  
Turonian Stage  
Cenomanian Stage

#### Lower Cretaceous Series

Albian Stage  
Aptian Stage  
Barremian Stage<sup>3</sup>  
Hauterivian Stage<sup>3</sup>  
Valanginian Stage<sup>3</sup>  
Berriasian Stage<sup>3</sup>

### JURASSIC SYSTEM

#### Upper Jurassic Series

Portlandian Stage<sup>4</sup>  
Kimmeridgian Stage  
Oxfordian Stage

#### Middle Jurassic Series

Callovian Stage (or Upper Jurassic)  
Bathonian Stage  
Bajocian Stage

#### Lower Jurassic Series (Liassic)

Toarcian Stage  
Pliensbachian Stage  
Sinemurian Stage  
Hettangian Stage

### TRIASSIC SYSTEM

#### Upper Triassic Series

Rhaetian Stage<sup>5</sup>  
Norian Stage  
Carnian Stage

#### Middle Triassic Series

Ladinian Stage  
Anisian Stage (Virgilorian)

#### Lower Triassic Series

Scythian Stage (Werfenian)

### NORTH AMERICA ROCKS OF CENOZOIC ERA NEOGENE SYSTEM<sup>1</sup>

Pleistocene Series (including Recent)  
Pliocene Series  
Miocene Series

### PALEOGENE SYSTEM

Oligocene Series  
Eocene Series  
Paleocene Series

### ROCKS OF MESOZOIC ERA CRETACEOUS SYSTEM

#### Gulfian Series (Upper Cretaceous)

Navarroan Stage  
Tayloran Stage  
Austinian Stage

Woodbinian (Tuscaloosan) Stage

#### Comanchean Series (Lower Cretaceous)

Washitan Stage

Fredericksburgian Stage  
Trinitian Stage

#### Coahuilan Series (Lower Cretaceous)

Nuevoleonian Stage

Durangoan Stage

### JURASSIC SYSTEM

#### Upper Jurassic Series

Portlandian Stage  
Kimmeridgian Stage  
Oxfordian Stage

#### Middle Jurassic Series

Callovian Stage (or Upper Jurassic)  
Bathonian Stage  
Bajocian Stage

#### Lower Jurassic Series (Liassic)

Toarcian Stage  
Pliensbachian Stage  
Sinemurian Stage  
Hettangian Stage

### TRIASSIC SYSTEM

#### Upper Triassic Series

(Not recognized)  
Norian Stage  
Carnian Stage

#### Middle Triassic Series

Ladinian Stage  
Anisian Stage

#### Lower Triassic Series

Scythian Stage

## ROCKS OF PALEOZOIC ERA

### PERMIAN SYSTEM

#### Upper Permian Series

Tatarian Stage<sup>8</sup>  
Kazanian Stage<sup>7</sup>  
Kungurian Stage

#### Lower Permian Series

Artinskian Stage<sup>8</sup>  
Sakmarian Stage  
Asselian Stage

### CARBONIFEROUS SYSTEM

#### Upper Carboniferous Series

Stephanian Stage

Westphalian Stage

Namurian Stage

#### Lower Carboniferous Series

Visean Stage

Tournaisian Stage  
Strunian Stage

### DEVONIAN SYSTEM

#### Upper Devonian Series

Famennian Stage

Frasnian Stage

#### Middle Devonian Series

Givetian Stage

Couvinian Stage

#### Lower Devonian Series

Emsian Stage  
Siegenian Stage  
Gedinnian Stage

### SILURIAN SYSTEM

#### Ludlow Series

#### Wenlock Series

## ROCKS OF PALEOZOIC ERA

### PERMIAN SYSTEM

#### Upper Permian Series

Ochoan Stage  
Guadalupian Stage

#### Lower Permian Series

Leonardian Stage  
Wolfcampian Stage

### PENNSYLVANIAN SYSTEM

#### Kawvian Series (Upper Pennsylvanian)

Virgilian Stage  
Missourian Stage

#### Oklan Series (Middle Pennsylvanian)

Desmoinesian Stage  
Bendian Stage

#### Ardian Series (Lower Pennsylvanian)

Morrowan Stage

### MISSISSIPPIAN SYSTEM

#### Tennessean Series (Upper Mississippian)

Chesteran Stage

Meramecian Stage

#### Waverlyan Series (Lower Mississippian)

Osagian Stage  
Kinderhookian Stage

### DEVONIAN SYSTEM

#### Chautauquan Series (Upper Devonian)

Conewangoan Stage  
Cassadagan Stage

#### Senecan Series (Upper Devonian)

Chemungian Stage  
Fingerlakesian Stage

#### Erian Series (Middle Devonian)

Taghanican Stage  
Tioughniogan Stage  
Cazenovian Stage

#### Ulsterian Series (Lower Devonian)

Onesquethawan Stage  
Deerparkian Stage  
Helderbergian Stage

### SILURIAN SYSTEM

#### Cayugan Series

Includes age equivalents of middle  
and upper Ludlow (in New York)

#### Niagaran Series

Includes age equivalents of upper  
Llandovery, Wenlock, and lower  
Ludlow (in New York)

Llandovery Series

**Medinan Series**

Includes age equivalents of lower and middle Llandovery (in New York)

**ORDOVICIAN SYSTEM**

**ORDOVICIAN SYSTEM**

Ashgill Series

**Cincinnatian Series (Upper Ordovician)**

Richmondian Stage  
Maysvillian Stage  
Edenian Stage

Caradoc Series

**Champlainian Series (Middle Ordovician)**

Mohawkian Stage  
Trentonian Substage  
Blackriveran Substage  
Chazyan Stage

Llandeilo Series  
Llanvirn Series

Arenig Series  
Tremadoc Series<sup>9</sup>

**Canadian Series (Lower Ordovician)**

**CAMBRIAN SYSTEM**

**CAMBRIAN SYSTEM**

Upper Cambrian Series

**Croixian Series (Upper Cambrian)**

Trempealeuan Stage  
Franconian Stage  
Dresbachian Stage

Middle Cambrian Series  
Lower Cambrian Series

**Albertan Series (Middle Cambrian)  
Waucoban Series (Lower Cambrian)**

**EOCAMBRIAN SYSTEM (?Upper Proterozoic)  
ROCKS OF PRECAMBRIAN AGE**

**EOCAMBRIAN SYSTEM (?Upper Proterozoic)  
ROCKS OF PRECAMBRIAN AGE**

CURT TEICHERT AND RAYMOND C. MOORE

<sup>1</sup> Considered by some to exclude post-Pliocene deposits.

<sup>2</sup> Classed as division of Senonian Subseries.

<sup>3</sup> Classed as division of Neocomian Subseries.

<sup>4</sup> Includes Purbeckian deposits.

<sup>5</sup> Interpreted as lowermost Jurassic in some areas.

<sup>6</sup> Includes some Lower Triassic and equivalent to upper Thuringian (Zechstein) deposits.

<sup>7</sup> Equivalent to lower Thuringian (Zechstein) deposits.

<sup>8</sup> Equivalent to upper Autunian and part of Rotliegend deposits.

<sup>9</sup> Classed as uppermost Cambrian by some geologists.