

REFERENCES

- Ackerly, Spafford. 1991. Hydrodynamics of rapid shell closure in articulate brachiopods. *Journal of Experimental Biology* 156:287–314.
- . 1992. Rapid shell closure in the brachiopods *Terebratulina retusa* and *Terebratalia transversa*. *Journal of the Marine Biological Association of the United Kingdom* 72:579–598.
- Adoutte, André, & H. Philippe. 1993. The major lines of metazoan evolution: summary of traditional evidence and lessons from ribosomal RNA sequence analysis. In Y. Pichon, ed., *Comparative Molecular Neurobiology*. Birkhäuser. Basel. p. 1–30.
- Afzelius, B. A. 1979. Sperm structure in relation to phylogeny in the lower Metazoa. In D. W. Fawcett & J. M. Bedford, eds., *The Spermatozoon. Maturation, Motility, Surface Properties and Comparative Aspects*. Urban and Schwarzenberg. Baltimore. p. 243–251.
- Afzelius, B. A., & M. Ferraguti. 1978. Fine structure of brachiopod spermatozoa. *Journal of Ultrastructural Research* 63:308–315.
- Afzelius, B. A., & H. Mohri. 1966. Mitochondria respiration without exogenous substrate. A study of aged sea urchin spermatozoa. *Experimental Cell Research* 42:11–17.
- Aldridge, A. E. 1981. Intraspecific variation of shape and size in subtidal populations of two recent New Zealand articulate brachiopods. *New Zealand Journal of Zoology* 8:169–174.
- . 1991. Shape variation of *Neothyris* (Brachiopoda, Terebratellinae). In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., *Brachiopods Through Time*, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema. Rotterdam. p. 115–122.
- Alexander, R. R. 1986. Frequency of sublethal shell-breakage in articulate brachiopod assemblages through geologic time. In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels, Actes du 1er Congrès International sur les Brachiopodes*, Brest 1985. *Biostratigraphie du Paléozoïque* 4. p. 159–166, pl. 1.
- Allan, R. S. 1937. On a neglected factor in brachiopod migration. *Records of the Canterbury Museum* 4:157–165.
- . 1949. Notes on a comparison of the Tertiary and recent Brachiopoda of New Zealand and South America. *Transactions of the Royal Society of New Zealand* 77:288–289.
- . 1960. The succession of Tertiary brachiopod faunas in New Zealand. *Records of the Canterbury Museum* 7:233–268.
- . 1963. On the evidence of Austral Tertiary and recent brachiopods on Antarctic biogeography. In *Proceedings of the 10th Science Congress of the Pacific Science Congress*, University of Hawaii, Honolulu. Bishop Museum Press. Honolulu. p. 451–454.
- Al-Rikabi, Iqbal. 1992. A molecular approach to palaeontology: Biochemical method applications of brachiopod proteins. Master of Science thesis, University of Glasgow. 116 p.
- Alvarez, Fernando. 1990. Devonian athyrid brachiopods from the Cantabrian Zone (N.W. Spain). *Biostratigraphie du Paléozoïque* 11:311 p., 30 pl.
- Alvarez, Fernando, Covadonga Brime, & G. B. Curry. 1987. Growth and function of the micro-frills present on the Devonian brachiopod *Athyris campanomensi* (Verneuil & Archiac). *Transactions of the Royal Society of Edinburgh* 78:65–72.
- Alvarez, Fernando, & C. H. C. Brunton. 1990. The shell-structure, growth and functional morphology of some Lower Devonian athyrids from northwest Spain. *Lethaia* 23(2):117–131, 12 fig.
- Amsden, T. W. 1953. Some notes on the Pentameracea, including a description of one new genus and one new subfamily. *Washington Academy of Sciences, Journal* 43(5):137–147, 7 fig.
- An, S., & C. H. Koh. 1992. Environments and distribution of benthic animals on the Mangyung-Dongjin tidal flat, west coast of Korea. *Journal of the Oceanological Society of Korea* 27(1):78–90.
- In Korean.
- Arber, M. A. 1942. The pseudodeltidium of the strophomenid brachiopods. *Geological Magazine* 79:170–187.
- Armstrong, J. 1969. The cross-bladed fabrics of the shells of *Terrakea solida* (Etheridge and Dun) and *Streptorhynchus pelicanensis* Fletcher. *Palaeontology* 12:310–320.
- Asgaard, Ulla, & R. G. Bromley. 1991. Colonization by micromorph brachiopods in the shallow subtidal of the eastern Mediterranean Sea. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., *Brachiopods Through Time*, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema. Rotterdam. p. 261–264.
- Asgaard, Ulla, & N. Stentoft. 1984. Recent micromorph brachiopods from Barbados; palaeoecological and evolutionary implications. *Géobios, Mémoire spécial* 8:29–37, pl. 1–2.
- Ashworth, J. H. 1915. On larvae of *Lingula* and *Pelagodiscus* (Discinidae). *Transactions of the Royal Society of Edinburgh* 51:45–69, pl. 4–5.
- Atkins, Dorothy. 1956. Ciliary feeding mechanisms of brachiopods. *Nature* 177:706.
- . 1958. A new species and genus of Kraussinidae (Brachiopoda) with a note on feeding. *Proceedings of the Zoological Society of London* 131:559–581.
- . 1959. The growth stages of the lophophore of the brachiopods *Platidia davidsoni* (Eudes Des-Longchamps) and *P. anomiooides* (Phillipi), with notes on the feeding mechanism. *Journal of the Marine Biological Association of the United Kingdom* 38:103–132.
- . 1960a. A new brachiopod from the Western Approaches, and the growth stages of the lophophore. *Journal of the Marine Biological Association of the United Kingdom* 39:71–89, fig. 1–14, pl. 1.
- . 1960b. The ciliary feeding mechanism of the

- Megathyridae (Brachiopoda), and the growth stages of the lophophore. Journal of the Marine Biological Association of the United Kingdom 39:459–479.
- . 1961a. A note on the growth stages and structure of the adult lophophore of the brachiopod *Terebratella (Waltonia) inconspicua* (G. B. Sowerby). Proceedings of the Zoological Society of London 136:255–271.
- . 1961b. The growth stage of the adult structure of the lophophore of the brachiopod *Megerlia truncata* (L.) and *M. echinata* (Fischer & Oelhert). Journal of the Marine Biological Association of the United Kingdom 41:95–111.
- . 1963. Notes on the lophophore and gut of the brachiopod *Tegularhynchia nigricans* (G. B. Sowerby). Proceedings of the Zoological Society of London 140:15–24.
- Atkins, Dorothy, & M. J. S. Rudwick. 1962. The lophophore and ciliary feeding mechanism of the brachiopod *Crania anomala* (Müller). Journal of the Marine Biological Association of the United Kingdom 42:469–480.
- Avise, J. C. 1994. Molecular markers, natural history and evolution. Chapman & Hall. New York & London. 511 p.
- Awati, P. R., & G. R. Kshirsagar. 1957. *Lingula* from western coast of India. Zoological Memoirs of the University of Bombay 4:1–87.
- Ayala, F. J., J. W. Valentine, T. E. DeLaca, & G. S. Zumwalt. 1975. Genetic variability of the Antarctic brachiopod *Liothyrella notorcadensis* and its bearing on mass extinction hypotheses. Journal of Paleontology 49:1–9.
- Babin, C., J. H. Delance, C. C. Emig, & P. R. Racheboeuf. 1992. Brachiopodes et Mollusques Bivalves: concurrence ou indifférence? Géobios, Mémoire spécial 14:35–44.
- Backeljau, T., B. Winnepanninckx, & L. De Bruyn. 1993. Cladistic analysis of metazoan relationships: a reappraisal. Cladistics 9:167–181.
- Bada, J. L., M. Y. Shou, E. H. Man, & R. A. Schroeder. 1978. Decomposition of hydroxy amino acids in foraminifera tests; kinetics, mechanism and geochronological implications. Earth and Planetary Science Letters 41:67–76.
- Baker, P. G. 1970a. Significance of the punctuation mosaic of the Jurassic thecidellinid brachiopod *Moorellina*. Geological Magazine 107:105–113.
- . 1970b. The growth and shell microstructure of the thecidacean brachiopod *Moorellina granulosa* (Moore) from the Middle Jurassic of England. Palaeontology 13:76–99.
- . 1990. The classification, origin and phylogeny of thecidideine brachiopods. Palaeontology 33(1):175–191, 3 fig.
- . 1991. Morphology and shell microstructure of Cretaceous thecidideine brachiopods and their bearing on thecidideine phylogeny. Palaeontology 34:815–836.
- Baker, P. G., & D. G. Elston. 1984. A new polyseptate thecidacean brachiopod from the middle Jurassic of the Cotswolds, England. Palaeontology 27:777–791.
- Baker, P. G., & K. Laurie. 1978. Revision of the Aptian thecidideine brachiopods of the Faringdon sponge gravels. Palaeontology 21:555–570.
- Balakirev, E. S., & G. P. Manchenko. 1985. High levels of allozymic variation in brachiopod *Coptothyris grayii* and Ascidia *Halocynthia aurantium*. Genetika 21:239–244.
- Balinski, Andrzej. 1975. Secondary changes in micro-ornamentation of some Devonian ambocoeliid brachiopods. Palaeontology 18:179–189.
- Bancroft, B. B. 1945. The brachiopod zonal indices of the stages Costonian-Onnian in Britain. Journal of Paleontology 19:181–252, pl. 22–38.
- Baron, J., J. Clavier, & B. A. Thomassin. 1993. Structure and temporal fluctuations of two intertidal seagrass-bed communities in New Caledonia (SW Pacific Ocean). Marine Biology 117:139–144.
- Bassett, M. G., L. E. Holmer, L. E. Popov, & John Laurie. 1993. Phylogenetic analysis and classification of the Brachiopoda—reply and comments. Lethaia 26:385–386.
- Bayne, B. L., & R. C. Newell. 1983. Physiological energetics of marine molluscs. In A. S. M. Saleuddin & K. M. Wilbur, eds., The Mollusca, Vol. 4. Academic Press. New York. p. 407–515.
- Bayne, B. L., J. Widdows, & R. J. Thompson. 1976. Physiological integrations. In B. L. Bayne, ed., Marine Mussels: Their Ecology and Physiology. Cambridge University Press. Cambridge. p. 261–291.
- Beecher, C. E. 1891. Development of the Brachiopoda. Part I. Introduction. American Journal of Science (series 3) 41:343–357.
- . 1892. Development of the Brachiopoda. Part II. Classification of the stages of growth and decline. American Journal of Science (series 3) 44:133–155.
- . 1897. Morphology of the brachia. Bulletin of the United States Geological Survey 87:105–112.
- Beecher, C. E., & J. M. Clarke. 1889. The development of some Silurian Brachiopoda. New York State Museum Memoir 1(1):1–95, pl. 1–8.
- Bemmelen, J. F. van. 1883. Untersuchungen über den anatomischen und histologischen Bau der Brachiopoda Testicardina. Jena. Zeitschrift für Naturwissenschaften 16:88–161.
- Benigni, Chiara, & Carla Ferluga. 1988. Carniana *Thecospiridae* (Brachiopoda) from San Cassiano Formation (Cortina d'Ampezzo, Italy). Rivista Italiana di Palaeontologia 94:515–560.
- Benson, D. A., M. Boguski, D. L. Lipman, & J. Ostell. 1994. GenBank. Nucleic Acids Research 22:3441–3444.
- Benton, M. J., ed. 1993. The Fossil Record 2. Chapman & Hall. London. 845 p.
- Bernard, F. R. 1972. The living Brachiopoda of British Columbia. Syesis 5:73–82.
- Beyer, H. G. 1886. A study of the structure of *Lingula (Glottidia) pyramidata* Stimp. (Dall). Studies from the Biology Laboratory, Johns Hopkins University 3:227–265.
- Bhavanarayana, P. V. 1975. Some observations on the benthic faunal distribution in the Kakinada Bay. In R. Natarajan, ed., Recent Researches in Estuarine

- Biology. Hindustan Publishing Co. Dehli. p. 146–150.
- Biernat, Gertrude, & C. C. Emig. 1993. Anatomical distinctions of Mesozoic lingulide brachiopods. *Acta Palaeontologica Polonica* 38(1/2):1–20, 8 fig.
- Biernat, Gertrude, & Alwyn Williams. 1970. Ultrastructure of the protegulum of some acrotretid brachiopods. *Palaeontology* 13:491–502.
- . 1971. Shell structure of the siphonotretacean Brachiopoda. *Palaeontology* 14:423–430.
- Bitter, P. H. von, & R. Ludvigsen. 1979. Formation and function of protular pitting in some North American acrotretid brachiopods. *Palaeontology* 22:705–720.
- Blochmann, F. 1892. Untersuchungen über den Bau der Brachiopoden. I. Die Anatomie von *Crania anomala* (Müller). Jena. Gustav Fischer. p. 1–65.
- . 1898. Die larve von *Discinisca* (Die Muellersche Brachiopodenlarve). *Zoologische Jahrbücher Abteilungen Anatomie und Ontogenie der Tiere* 11:417–426.
- . 1900. Untersuchungen über den Bau der Brachiopoden. I, Die Anatomie von *Crania anomala* O.F.M. (1892). II. Die Anatomie von *Discinisca lamellosa* (Broderip) und *Lingula anatina* (Bruguière). Gustav Fischer. Jena. p. 1–124.
- . 1906. Neue Brachiopoden der Valdivia-und Gaussexpeditionen. *Zoologischer Anzeiger* 30:690–702.
- . 1908. Zur Systematik und geographischen Verbreitung der Brachiopoden. *Zeitschrift für wissenschaftliche Zoologie* 90:596–644, pl. 36–40.
- Boore, J. L., & W. M. Brown. 1994. Complete DNA sequence of the mitochondrial genome of the black chiton, *Katharina tunicata*. *Genetics* 138:423–443.
- Borman, A. H., E. W. de Jong, R. Thierry, P. Westbroek, & L. Bosch. 1987. Coccolith-associated polysaccharides from cells of *Emiliania huxleyi* (Haptophyceae). *Journal of Phycology* 23:118–123.
- Bosi Vanni, M. R., & A. M. Simmonetta. 1967. Contributo alla conoscenza dell'anatomia ed isologia di *Muehlfeldia disculus* (Pallas) 1766 (Brachiopoda, Testicardines). Gli apparati loforale, digerente, nefridial e riproduttore. *Società Toscana di Scienze Naturali, Memorie (series B)* 74B:21–34.
- Boucot, A. J. 1959. Brachiopods of the lower Devonian rocks at Highland Mills, New York. *Journal of Paleontology* 33(5):727–769, 5 fig., pl. 90–103.
- Bozzo, M. G., R. Bargalló, M. Durfort, R. Fontanau, & J. López-Camps. 1983. Ultraestructura de la cubierta des oóctes de *Terebratula vitrea* (Brachiopoda: Testicardina). *Butlletí de la Institució Catalana d'Història Natural* 49 (Secció de Zoologia, 5):13–18, fig. 1–11.
- Brafield, A. E., & D. J. Solomon. 1972. Oxycalorific coefficients for animals respiring nitrogenous substrates. *Comparative Biochemistry and Physiology* 43A:837–841.
- Branch, G. M. 1981. The biology of limpets: physical factors, energy flow and ecological interactions. *Oceanography and Marine Biology: An Annual Review* 19:235–380.
- Bremer, K. 1988. The limits of amino acid sequence data in angiosperm phylogenetic reconstruction. Evolution 42:795–803.
- Britten, R. J., & E. H. Davidson. 1971. Repetitive and non-repetitive DNA sequences and a speculation on the origins of evolutionary novelty. *Journal of Molecular Evolution* 46:111–133.
- Britten, R. J., & D. E. Kohne. 1968. Repeated sequences in DNA. *Science* 161:529–540.
- Bromley, R. G., & Finn Surlyk. 1973. Borings produced by brachiopod pedicles, fossil and recent. *Lethaia* 6:349–365.
- Brooks, W. K. 1879. The development of *Lingula* and the systematic position of the Brachiopoda. Johns Hopkins University, Chesapeake Zoology Laboratory, Scientific Results of the Session of 1878:34–112.
- Brown, I. A. 1953. *Martinopsis* Waagen from the Salt Range, India. *Journal and Proceedings of the Royal Society of New South Wales* 86:100–107, 3 fig., pl. 9.
- Brunton, C. H. C. 1966. Silicified productoids from the Viséan of County Fermanagh. *British Museum (Natural History) Bulletin (Geology)* 12(5):175–243, pl. 1–19.
- . 1969. Electron microscopic studies of growth margins of articulate brachiopods. *Zeitschrift für Seltforsch* 100:189–200.
- . 1971. An endopunctate rhynchonellid brachiopod from the Viséan of Belgium and Britain. *Palaeontology* 14:95–106.
- . 1972. The shell structure of chonetacean brachiopods and their ancestors. *Bulletin of the British Museum of Natural History (Geology)* 21:1–26.
- . 1988. Some brachiopods from the eastern Mediterranean Sea. *Israel Journal of Zoology* 35:151–169.
- Brunton, C. H. C., & G. B. Curry. 1979. British brachiopods. *Synopses of the British fauna (new series)* 17:64 p., 30 fig.
- Brunton, C. H. C., & Norton Hiller. 1990. Late Cainozoic brachiopods from the coast of Namaqualand, South Africa. *Palaeontology* 33(2):313–342, 11 fig.
- Brunton, C. H. C., & D. J. C. Mundy. 1988. Stropholasiacean and aulostegacean productoids (Brachiopoda) from the Craven Reef Belt (late Viséan) of North Yorkshire. *Proceedings of the Yorkshire Geological Society* 47:55–88.
- Brusca, R. C., & G. J. Brusca. 1990. Invertebrates. Sinauer Associates, Inc. Sunderland, Massachusetts. 922 p.
- Buchan, P., L. S. Peck, & N. Tublitz. 1988. A light, portable apparatus for the assessment of invertebrate heart beat rate. *Journal of Experimental Biology* 136:495–498.
- Bullivant, J. S. 1968. The method of feeding of lophophorates (Bryozoa, Phoronida, Brachiopods). *New Zealand Journal of Marine and Freshwater Research* 2:135–146.
- Bulman, O. M. B. 1939. Muscle systems of some inarticulate brachiopods. *Geological Magazine* 76:434–444.
- Campbell, K. S. W., & B. D. E. Chatterton. 1979. *Coelospira*: do its double spires imply a double

- lophophore? *Alcheringa* 3:209–223, fig. 1–7.
- Carlson, S. J. 1989. The articulate brachiopod hinge mechanism: morphological and functional variation. *Paleobiology* 15(4):364–386, 13 fig.
- . 1993a. Investigating brachiopod phylogeny and classification—response to Popov *et al.* 1993. *Lethaia* 26:383–384.
- . 1993b. Phylogeny and evolution of “pentameride” brachiopods. *Palaeontology* 36(4):807–837, 10 fig.
- Carpenter, W. B. 1851. On the intimate structure of shells of Brachiopoda. In T. Davidson, British Fossil Brachiopoda. Monograph of the Palaeontographical Society 1:22–40.
- Carter, J. L., J. G. Johnson, R. Gourvennec, & H.-F. Hou. 1994. A revised classification of the spiriferid brachiopods. *Annals of the Carnegie Museum* 63:327–374.
- Caryl, Anthony. 1992. DNA fingerprinting of brachiopod DNA. Unpublished Honours Bachelor of Science thesis, University of Glasgow. 37 p.
- Chuang, S. H. 1956. The ciliary feeding mechanisms of *Lingula unguis* (L.) (Brachiopoda). *Proceedings of the Zoological Society of London* 127(2):167–189.
- . 1959a. The breeding season of the brachiopod *Lingula unguis* (L.). *Biological Bulletin, Marine Biology Laboratory, Woods Hole, Massachusetts* 117(2):202–207.
- . 1959b. The structure and function of the alimentary canal in *Lingula unguis* (L.) Brachiopoda. *Proceedings of the Zoological Society of London* 132:283–311.
- . 1960. An anatomical, histological and histochemical study of the gut of the brachiopod *Crania anomala*. *Quarterly Journal of Microscopical Science* 101:9–18.
- . 1961. Growth of the postlarval shell in *Lingula unguis* (L.) (Brachiopoda). *Proceedings of the Zoological Society of London* 137(2):299–310.
- . 1968. The larvae of a discinid (Inarticulata, Brachiopoda). *Biological Bulletin* 135:263–272.
- . 1971. New interpretation of the morphology of *Schizambon australis* Ulrich and Cooper (Ordovician siphonotretid inarticulate brachiopod). *Journal of Paleontology* 45:824–832.
- . 1973. The inarticulate brachiopod larvae of the International Indian Ocean Expedition. *Journal of the Marine Biological Association of India* 15:538–544.
- . 1974. Observations on the ciliary feeding mechanisms of the brachiopod *Crania anomala*. *Journal of the Zoological Society of London* 173:441–449.
- . 1977. Larval development in *Discinisca* (inarticulate brachiopod). *American Zoologist* 17:39–53.
- . 1983a. Brachiopoda. In K. G. Adiyodi & R. G. Adiyodi, eds., *Reproductive Biology of Invertebrates. Oogenesis, Oviposition and Oosorption*, Vol. I. John Wiley and Sons Ltd. p. 571–584.
- . 1983b. Brachiopoda. In K. G. Adiyodi & R. G. Adiyodi, eds., *Reproductive Biology of Invertebrates. Spermatogenesis and Sperm Function*, Vol. II. John Wiley and Sons Ltd. p. 517–530.
- . 1990. Brachiopoda. In K. G. Adiyodi & R. G. Adiyodi, eds., *Reproductive Biology of Invertebrates. Fertilisation, Development and Parental Care*, Vol. VI. John Wiley and Sons Ltd. p. 211–254.
- . 1991. Common and evolutionary features of recent brachiopods and their bearing on the relationship between, and the monophyletic origin of, the inarticulates and the articulates. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., *Brachiopods Through Time, Proceedings of the 2nd International Brachiopod Congress*, University of Otago, Dunedin, New Zealand, 1990. Balkema, Rotterdam. p. 11–14.
- Clegg, H. 1993. Biomolecules in recent and fossil articulate brachiopods. Ph.D. thesis, University of Newcastle Upon Tyne. 246 p.
- Cloud, P. E. Jr. 1942. Terebratuloid Brachiopoda of the Silurian and Devonian. *Geological Society of America Special Paper* 38:1–182, pl. 1–26.
- . 1948. Notes on recent brachiopods. *American Journal of Science* 246:241–250.
- Cock, A. G. 1966. Genetical aspects of metrical growth and form in animals. *Quarterly Review of Biology* 41:131–190.
- Cohen, B. L. 1992. Utility of molecular phylogenetic methods: a critique of immuno-taxonomy. *Lethaia* 24:441–442.
- . 1994. Immuno-taxonomy and the reconstruction of brachiopod phylogeny. *Palaeontology* 37:907–911.
- Cohen, B. L., Peter Balfé, Moyra Cohen, & G. B. Curry. 1991. Molecular evolution and morphological speciation in North Atlantic brachiopods (*Terebratulina* spp.). *Canadian Journal of Zoology* 69:2903–2911.
- . 1993. Molecular and morphometric variation in European populations of the articulate brachiopod *Terebratulina retusa*. *Marine Biology* 115:105–111.
- Cohen, B. L., Peter Balfé, & G. B. Curry. 1986. Genetics of the brachiopod *Terebratulina*. In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels, Actes du 1er Congrès International sur les Brachiopodes*, Brest 1985. Biostratigraphie du Paléozoïque 4, p. 55–63.
- Cohen, B. L., A. B. Gawthrop, & T. Cavalier-Smith. In preparation. Phylogeny of lophophorates, especially brachiopods, based on nuclear-encoded SSU rRNA gene sequences.
- Collins, M. J. 1991. Growth rate and substrate-related mortality of a benthic brachiopod population. *Lethaia* 24:1–11.
- Collins, M. J., G. B. Curry, G. Muyzer, R. Quinn, S. Xu, P. Westbroek, & S. Ewing. 1991. Immunological investigations of relationships within the terebratulid brachiopods. *Palaeontology* 34:785–796.
- Collins, M. J., G. B. Curry, R. Quinn, G. Muyzer, T. Zomerdijk, & P. Westbroek. 1988. Sero-taxonomy of skeletal macromolecules in living terebratulid brachiopods. *Historical Biology* 1:207–224.
- Collins, M. J., G. Muyzer, G. B. Curry, P. Sandberg, & P. Westbroek. 1991. Macromolecules in brachiopod

- shells: characterisation and diagenesis. *Lethaia* 24:387–397.
- Collins, M. J., G. Muyzer, P. Westbroek, G. B. Curry, P. A. Sandberg, S. J. Xu, R. Quinn, & D. I. MacKinnon. 1991. Preservation of fossil biopolymeric structures: conclusive immunological evidence. *Geochimica et Cosmochimica Acta* 55:2253–2257.
- Conklin, E. G. 1902. The embryology of a brachiopod, *Terebratulina septentrionalis* Couthouy. *Proceedings of the American Philosophical Society* 41:41–76.
- Conover, R. J., & E. D. S. Corner. 1968. Respiration and nitrogen excretion by some marine zooplankton in relation to their life cycles. *Journal of the Marine Biological Association of the United Kingdom* 48:49–75.
- Conway Morris, Simon. 1994. Why molecular biology needs palaeontology. In M. Akam, P. Holland, P. Ingham, & G. Wray, eds., *The Evolution of Developmental Mechanisms. Development*, 1994 Supplement. Company of Biologists. Cambridge. p. 1–13.
- . 1995. Nailing the lophophorates. *Nature* 375:365–366.
- Conway, Morris, Simon, B. L. Cohen, A. B. Gauthrop, T. Cavalier-Smith, & B. Winneppenningckx. 1996. Lophophorate phylogeny. *Science* 272:282.
- Conway Morris, Simon, & J. S. Peel. 1995. Articulated halkieriids from the Lower Cambrian of north Greenland and their role in early protostome evolution. *Philosophical Transactions of the Royal Society (series B)* 347:305–358.
- Cooper, G. A. 1942. New genera of North American brachiopods. *Washington Academy of Sciences Journal* 32(8):228–235.
- . 1952. Unusual specimens of the brachiopod family Isogrammidæ. *Journal of Paleontology* 26:113–119, pl. 21–23.
- . 1954. Unusual Devonian brachiopods. *Journal of Paleontology* 28:325–332, 5 fig., pl. 36–37.
- . 1955. New genera of middle Paleozoic brachiopods. *Journal of Paleontology* 29:45–63, pl. 11–14.
- . 1956. New Pennsylvanian brachiopods. *Journal of Paleontology* 30:521–530, pl. 61.
- . 1957. Loop development of the Pennsylvanian terebratuloid *Cryptacanthia*. *Smithsonian Miscellaneous Collection* 134(3):1–18, pl. 1–2.
- . 1973. Vema's Brachiopoda (recent). *Smithsonian Contributions to Paleobiology* 17:1–51.
- . 1975. Brachiopods from west African waters with examples of collateral evolution. *Journal of Paleontology* 49:911–927, fig. 1–7, pl. 1–4.
- . 1977. Brachiopods from the Caribbean Sea and adjacent waters. *Studies in Tropical Oceanography* Miami 14. Rosenstiel School of Marine and Atmospheric Science. University of Miami Press. 212 p., 6 fig., 35 pl.
- . 1981. Brachiopods from the southern Indian Ocean. *Smithsonian Contributions to Paleobiology* 43:1–93, fig. 1–30, pl. 1–14.
- . 1982. New Brachiopoda from the southern hemisphere and *Cryptopora* from Oregon (recent). *Smithsonian Contributions to Paleobiology* 41:1–43, fig. 1–4, pl. 1–7.
- . 1983. The Terebratulacea (Brachiopoda), Triassic to recent: A study of the brachidia (loops). *Smithsonian Contributions to Paleobiology* 50:1–445, 17 fig., 77 pl., 86 tables.
- . 1988. Some Tertiary brachiopods of the east coast of the United States. *Smithsonian Contributions to Paleobiology* 64:1–45.
- Cooper, G. A., & P. J. Doherty. 1993. *Calloria variegata*, a new recent species of brachiopod (Articulata: Terebratulida) from northern New Zealand. *Journal of the Royal Society of New Zealand* 23:271–281.
- Cooper, G. A., & R. E. Grant. 1974. Permian brachiopods of West Texas, II. *Smithsonian Contributions to Paleobiology* 15:233–793.
- . 1975. Permian brachiopods of West Texas, III. *Smithsonian Contributions to Paleobiology* 19:795–1298, pl. 192–502.
- . 1976. Permian brachiopods of West Texas, IV. *Smithsonian Contributions to Paleobiology* 21:1923–2285, pl. 503–662.
- Cooper, G. A., & F. G. Stehlí. 1955. New genera of Permian brachiopods from West Texas. *Journal of Paleontology* 29:469–474, pl. 52–54.
- Copper, Paul. 1965. A new Middle Devonian atrypid brachiopod from the Eifel, Germany. *Senckenbergiana Lethaea* 46(4/6):309–325, 13 fig., pl. 27.
- . 1986. Evolution of the earliest smooth spire-bearing Attypoids (Brachiopoda: Lissatrypidae, Ordovician–Silurian). *Palaentontology* 29(4):827–866, pl. 73–75.
- Cornish-Bowden, A. 1983. Relating proteins by amino acid composition. *Methods in Enzymology* 91:60–75.
- Cowen, R. 1966. The distribution of punctae on the brachiopod shell. *Geological Magazine* 103:269–275.
- . 1968. A new type of delthyrial cover in the Devonian brachiopod *Mucrospirifer*. *Palaeontology* 11:317–327, pl. 63–64.
- Cowen, R., & M. J. S. Rudwick. 1970. Deltidial spines in the Triassic brachiopod *Bittnerula*. *Palaeontologische Zeitschrift* 44:82–85, pl. 9.
- Crenshaw, M. A. 1972. The soluble matrix from *Mercenaria mercenaria* shell. *Biomineralization* 6:6–11.
- Culter, J. M. 1979. A population study of the inarticulate brachiopod *Glottidia pyramidata* (Stimpson). Unpublished master of science thesis. University of South Florida. Tampa. 53 p.
- . 1980. The occurrence of hermaphrodites of the inarticulate brachiopod *Glottidia pyramidata*. *Florida Scientist* 43(1):20.
- Culter, J. M., & J. L. Simon. 1987. Sex ratios and the occurrence of hermaphrodites in the inarticulate brachiopod, *Glottidia pyramidata* (Stimpson) in Tampa Bay, Florida. *Bulletin of Marine Science of the Gulf and Caribbean* 40:193–197.
- Curry, G. B. 1981. Variable pedicle morphology in a population of the recent brachiopod *Terebratulina septentrionalis*. *Lethaia* 14:9–20.
- . 1982. Ecology and population structure of the

- recent brachiopod *Terebratulina retusa* from Scotland. *Palaontology* 25(2):227–246.
- . 1983. Microborings in recent brachiopods and the functions of caeca. *Lethaia* 16:119–127.
- Curry, G. B., & A. D. Ansell. 1986. Tissue mass in living brachiopods. In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels, Actes du 1er Congrès International sur les Brachiopodes, Brest 1985. Biostratigraphie du Paléozoïque* 4. p. 231–241.
- Curry, G. B., A. D. Ansell, Mark James, & L. S. Peck. 1989. Physiological constraints on living and fossil brachiopods. *Transactions of the Royal Society of Edinburgh, Earth Sciences* 80:255–262.
- Curry, G. B., Maggie Cusack, Kazuyoshi Endo, Derek Walton, & R. Quinn. 1991. Intracrystalline molecules from brachiopod shells. In S. Suga & H. Nakahara, eds., *Mechanisms and Phylogeny of Mineralization in Biological Systems*. Springer-Verlag, Tokyo. p. 35–40.
- Curry, G. B., Maggie Cusack, Derek Walton, Kazuyoshi Endo, H. Clegg, G. Abbott, & H. Armstrong. 1991. Biogeochemistry of brachiopod intracrystalline molecules. *Philosophical Transactions of the Royal Society of London* 333B:359–366.
- Curry, G. B., R. Quinn, M. J. Collins, Kazuyoshi Endo, S. Ewing, G. Muyzer, & P. Westbroek. 1991. Immunological responses from brachiopod skeletal macromolecules; a new technique for assessing taxonomic relationships using shells. *Lethaia* 24:399–407.
- . 1993. Molecules and morphology—the practical approach. *Lethaia* 26:5–6.
- Cusack, Maggie, G. B. Curry, H. Clegg, & G. Abbott. 1992. An intracrystalline chromoprotein from red brachiopod shells: implications for the process of biomineralisation. *Comparative Biochemistry and Physiology* 102B:93–95.
- Cusack, Maggie, & Alwyn Williams. 1996. Chemicosmological degradation of Carboniferous lingulid shells. *Philosophical Transactions of the Royal Society of London* B351:33–49.
- Dagys, A. S. 1968. Jurskiye i rannemelovye brakhioipy Severa Sibiri [Jurassic and Early Cretaceous brachiopods from northern Siberia]. Akademia Nauk SSSR Sibirokoe Otdelenie Institut Geologii I Geofiziki (IGIG) Trudy [Institute of Geology and Geophysics, Academy of Sciences of the USSR, Siberian Branch, Transactions] 41:167 p., 81 fig., 26 pl.
- . 1972. Postembryonal'noye razvitiye brakhidiya pozdnepaleozoiskikh i rannemezozoiskikh Terebratulida [Postembryonic development of the brachidium of late Paleozoic and early Mesozoic terebratulids]. In A. S. Dagys & A. B. Ivanovskii, eds., *Morphologicheskiye i filogeneticheskiye voprosy paleontologii* [Morphological and Phylogenetic Questions of Paleontology]. Akademia Nauk SSSR Sibirokoe Otdelenie Institut Geologii I Geofiziki (IGIG) Trudy [Institute of Geology and Geophysics, Academy of Sciences of the USSR, Siberian Branch, Transactions] 112:22–58, fig. 1–28.
- . 1974. Triasovye brakhioipy (morphologiya, sistema, filogeniya, stratigraficheskoye znachenie i biogeografiya) [Triassic Brachiopoda (morphology, systematics, phylogeny, stratigraphic distribution, and biogeography)]. Akademia Nauk SSSR Sibirokoe Otdelenie Institut Geologii I Geofiziki (IGIG) Trudy [Institute of Geology and Geophysics, Academy of Sciences of the USSR, Siberian Branch, Transactions] 214:386 p., 171 fig., 49 pl.
- Darwin, Charles. 1859a. *On the Origin of Species*. 1st edition. John Murray. London. 490 p.
- . 1859b. *On the origin of the species by means of natural selection or the preservation of favoured races in the struggle for life*. The Folio Society edition (1990). 298 p.
- Davidson, Thomas. 1850. Sur quelques Brachiopodes nouveaux ou peu connus. *Bulletin de la Société Géologique de France* (série 2) 8:62–74, 1 pl.
- . 1853. A Monograph of the British fossil Brachiopoda (Volume 1: General introduction). *Palaeontographical Society (London) Monograph* 7:1–136, pl. 1–9.
- . 1880. Report on the Brachiopoda dredged by the HMS *Challenger* during the years 1873–1876. *Report of the Scientific Results of the Voyage of HMS Challenger* 1(1):1–67, pl. 1–4.
- Davis, C. C. 1949. Observations of plankton taken in marine waters of Florida in 1947 and 1948. *Quarterly Journal of the Florida Academy of Science* 11:67–103.
- Degens, E. T., D. W. Spencer, & R. H. Parker. 1967. Paleobiochemistry of molluscan shell proteins. *Comparative Biochemistry and Physiology* 20:553–579.
- Devereaux, P., P. Haeblerli, & O. Smithies. 1984. A comprehensive set of sequence analysis programs for the VAX. *Nucleic Acids Research* 12:387–395.
- Dexter, D. M. 1983. Soft bottom infaunal communities in Mission Bay. *California Fish Game* 69(1):5–17.
- Di Geronimo, I., & G. Fredj. 1987. Les fonds à *Errina aspera* et *Pachylasma giganteum*. Documents et Travaux de l'Institut de Géologie "Albert de Lapparent" (Paris) 11:243–247.
- Doherty, P. J. 1976. Aspects of the feeding ecology of the subtidal brachiopod, *Terebratella inconspicua* (Sowerby, 1846). Master of Science Thesis. Department of Zoology, University of Auckland. 183 p.
- . 1979. A demographic study of a subtidal population of the New Zealand articulate brachiopod *Terebratella inconspicua*. *Marine Biology* 52:331–342.
- . 1981. The contribution of dissolved amino acids to the nutrition of brachiopods. *New Zealand Journal of Zoology* 8:183–188.
- Dolah, R. F. van., D. R. Calder, & D. M. Knott. 1983. Assessment of the benthic macrofauna in an ocean disposal area near Charleston, South Carolina. Technical Report, South Carolina Marine Resource Center 56:1–97.
- Dolah, R. F. van., D. M. Knott, E. L. Wenner, T. D. Mathews, & M. P. Katuna. 1984. Benthic studies and sedimentological studies of the Georgetown

- ocean dredged material disposal site. Technical Report, South Carolina Marine Resource Center 59:1–97.
- Donoghue, M. J., & P. D. Cantino. 1984. The logic and limitations of the outgroup substitution approach to cladistic analysis. *Systematic Botany* 9:192–202.
- Dörjes, J. 1977. Marine macrobenthic communities of the Sapelo island, Georgia region. In B. C. Coull, ed., *Ecology of Marine Benthos*. University of South Carolina Press, Columbia, Belle W. Baruch Library in Marine Science 6:399–421.
- . 1978. Sedimentology and faunistics of tidal flats in Taiwan. II. Faunistic and ichnocoenotic studies. *Senckenbergiana Maritima* 10(1/3):85–115.
- Doumen, C., & W. R. Ellington. 1987. Isolation and characterization of a taurine-specific opine dehydrogenase from the pedicles of the brachiopod, *Glottidia pyramidata*. *Journal of Experimental Zoology* 243:25–31.
- Du Bois, H. M. 1916. Variation induced in brachiopods by environmental conditions. *Publications of the Puget Sound Marine Station* 1:177–183.
- Dunning, H. N. 1963. Geochemistry of organic pigments: carotenoids. In I. A. Berger, ed., *Organic Geochemistry*. Macmillan, New York. p. 367–430.
- Dweltz, N. E. 1961. The structure of β -chitin. *Biochimica et Biophysica Acta* 51:283–294.
- Eernisse, D. J., J. S. Albert, & F. E. Anderson. 1992. Annelida and arthropoda are not sister taxa: a phylogenetic analysis of spiralian metazoan morphology. *Systematic Biology* 41:305–330.
- Eernisse, D. J., & A. G. Kluge. 1993. Taxonomic congruence versus total evidence and amniote phylogeny inferred from fossils, molecules and morphology. *Molecular Biology and Evolution* 10:1170–1195.
- Eglinton, G., & G. A. Logan. 1991. Molecular preservation. *Philosophical Transactions of the Royal Society of London* 333B:315–328.
- Egorov, A. N., & L. Ye. Popov. 1990. Novyi rod Lingulid iz niznepermeskikh otlozhennykh Sibroskoi Platformy [A new lingulid genus from the Early Permian deposits of the Siberian Platform]. *Paleontologicheskii Zhurnal* 1990(4):111–115, fig. 1–3.
- Eichler, P. 1911. Die Brachiopoden der deutschen Südpolar-Expedition 1901 bis 1903. Deutsche Südpolar-Expedition 1901–1903 (series 12) *Zoologie* 4:381–401.
- Ekman, T. 1896. Beiträge zur Kenntnis des Steiles der Brachiopoden. *Zeitschrift für Wissenschaftliche Zoologie* 62:169–249.
- Elliott, G. F. 1951. On the geographical distribution of terebratelloid brachiopods. *Annals and Magazine of Natural History* (series 12) 5:305–333.
- . 1953. Brachial development and evolution in terebratelloid brachiopods. *Cambridge Philosophical Society Biological Reviews* 28:261–279, 9 fig.
- Emig, C. C. 1976. Le lophophore-structure significative des Lophophorates (Brachiopoda, Bryozoa, Phoronida). *Zoologica Scripta* 5:133–137.
- . 1981a. Implications de données récentes sur les lingules actuelles dans les interprétations paléoécologiques. *Lethaia* 14(2):151–156.
- . 1981b. Observations sur l'écologie de *Lingula reevii* Davidson (Brachiopoda: Inarticulata). *Journal of Experimental Marine Biology and Ecology* 52(1):47–61.
- . 1982. Terrier et position des lingules (brachiopodes, inarticulés). *Bulletin de la Société Zoologique de France* 107(2):185–194.
- . 1983a. Comportement expérimental de *Lingula anatina* (brachiopode, inarticulé) dans divers substrats meubles (Baie de Mutsu, Japon). *Marine Biology* 75(2/3):207–213.
- . 1983b. Taxonomie du genre *Glottidia* (brachiopodes inarticulés). *Bulletin du Muséum National d'Histoire Naturelle de Paris* (série 4) 5(section 4; no. 2):469–489.
- . 1984a. Importance du sédiment dans la distribution des lingules (brachiopodes, inarticulés). *Lethaia* 17:115–123.
- . 1984b. Pourquoi les lingules (brachiopodes, inarticulés) ont survécu à la transition Secondaire-Tertiaire. *Bulletin de la Commission des Travaux historiques et scientifiques, Section Sciences* 6:87–94.
- . 1986. Conditions de fossilisation du genre *Lingula* (Brachiopoda) et implications paléoécologiques. *Palaeogeography, Palaeoclimatology, Palaeoecology* 53:245–253.
- . 1987. Offshore brachiopods investigated by submersible. *Journal of Experimental Marine Biology and Ecology* 108:261–273.
- . 1988. Les brachiopodes actuels sont-ils des indicateurs (paléo) bathymétriques? *Géologie Méditerranéenne* 15(1):65–71.
- . 1989a. Les lingules fossiles, représentants d'écosystèmes oligotypiques? *Atti 3° Simposio di Ecologia e Paleoecologia delle Comunità bentoniche*, Catania 1985:117–121.
- . 1989b. Distribution bathymétrique et spatiale des populations de *Gryphus vitreus* (brachiopode) sur la marge continentale (Nord-Ouest Méditerranée). *Oceanologica Acta* 12(2):205–209.
- . 1989c. Distributional patterns along the Mediterranean continental margin (upper bathyal) using *Gryphus vitreus* (Brachiopoda) densities. *Palaeogeography, Palaeoclimatology, Palaeoecology* 71:253–256.
- . 1990. Examples of post-mortality alteration in recent brachiopod shells and (paleo) ecological consequences. *Marine Biology* 104:233–238.
- . 1992. Functional disposition of the lophophore in living Brachiopoda. *Lethaia* 25:291–302.
- Emig, C. C., & P. Cals. 1979. Lingules d'Amboine, *Lingula reevii* Davidson et *Lingula rostrum* (Shaw), données écologiques et taxonomiques concernant les problèmes de spéciation et de répartition. *Cahiers de l'Indo-pacifique* 2:153–164.
- Emig, C. C., J. C. Gall, D. Pajaud, & J. C. Plaziat. 1978. Réflexions critiques sur l'écologie et la systématique des Lingules actuelles et fossiles. *Géobios* 11(5):573–609.

- Emig, C. C., & P. LeLoeuff. 1978. Description de *Lingula parva* Smith (Brachiopoda, Inarticulata), récoltée en Côte d'Ivoire avec quelques remarques sur l'écologie de l'espèce. *Téthys* 8(3):271–274.
- Emig, C. C., & J. A. Vargas. 1990. Notes on *Glootidia audebarti* (Broderip) (Brachiopoda, Lingulidae) from the Gulf of Nicoya, Costa Rica. *Revista de Biología Tropical* 38(2A):251–258.
- Endo, Kazuyoshi. 1987. Life habit and relative growth of some laqueid brachiopods from Japan. *Transactions and Proceedings of the Palaeontological Society of Japan (new series)* 147:180–194.
- . 1992. Molecular systematics of recent and Pleistocene brachiopods. Ph.D. thesis. University of Glasgow. 208 p.
- Endo, Kazuyoshi, & G. B. Curry. 1991. Molecular and morphological taxonomy of a recent brachiopod genus *Terebratulina*. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., Brachiopods Through Time, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema. Rotterdam. p. 101–108.
- Endo, Kazuyoshi, G. B. Curry, R. Quinn, M. J. Collins, G. Muyzer, & P. Westbroek. 1994. Re-interpretation of terebratulide phylogeny based on immunological data. *Palaeontology* 37:349–373, fig. 1–10.
- Erdmann, V. A., J. Wolters, E. Huysmans, & R. De Wachter. 1985. Collection of published 5S, 5.8S and 4.5S ribosomal RNA sequences. *Nucleic Acids Research* 13:r105–r153.
- Eshleman, W. P., & J. L. Wilkens. 1979a. Actinomysin ATPase activities in the brachiopod *Terebratalia transversa*. *Canadian Journal of Zoology* 57:1944–1949, fig. 1–3.
- . 1979b. Brachiopod orientation to current direction and substrate position (*Terebratalia transversa*). *Canadian Journal of Zoology* 57:2079–2082, fig. 1.
- Eshleman, W. P., J. L. Wilkens, & M. J. Cavey. 1982. Electrophoretic and electron microscopic examination of the adductor and diductor muscles of an articulate brachiopod, *Terebratalia transversa*. *Canadian Journal of Zoology* 60:550–559, fig. 1–5.
- Farris, J. S. 1972. Outgroups and parsimony. *Systematic Zoology* 31:328–334.
- Felsenstein, Joseph. 1993. PHYLIP (Phylogeny Inference Package). Computer program distributed by the author. Department of Genetics, University of Washington, Seattle, Washington.
- Field, Katherine, G. Olsen, D. J. Lane, S. J. Giovannoni, M. T. Ghiselin, E. C. Raff, N. R. Pace, & R. A. Raff. 1988. Molecular phylogeny of the animal kingdom. *Science* 239:748–753.
- Fischer, P., & D.-P. Oehlert. 1892. Brachiopodes de l'Atlantique Nord. *Résultats des Campagnes Scientifiques du Prince de Monaco* 3:1–30.
- Flower, N. E., & C. R. Green. 1982. A new type of gap junction in the phylum Brachiopoda. *Cell and Tissue Research* 227:231–234.
- Folmer, O., M. Black, W. Hoeh, R. Lutz, & R. Vrijenhoek. 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology* 3:294–299.
- Foster, M. W. 1974. Recent Antarctic and subantarctic brachiopods. *Antarctic Research Series* 21:1–189.
- . 1989. Brachiopods from the extreme South Pacific and adjacent waters. *Journal of Paleontology* 63:268–301.
- Fouke, B.W. 1986. The functional significance of spile-cule-reinforced connective tissues in *Terebratulina unguicula* (Carpenter). In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels, Actes du 1er Congrès International sur les Brachiopodes*, Brest 1985. *Biostratigraphie du Paléozoïque* 4. p. 271–279, fig. 1–4.
- François, P. 1891. Choses de Nouméa. II. Observations biologiques sur la lingule. *Archives de Zoologie expérimentale et générale* (2)9:229–245.
- Franzen, Åke. 1956. On spermiogenesis, morphology of the spermatozoon, and biology of fertilization among invertebrates. *Zoologiska Bidrag från Uppsala* 31:355–482.
- . 1969. On the larval development and metamorphosis in *Terebratulina*, Brachiopoda. *Zoologiska Bidrag från Uppsala* 38:155–174.
- . 1982. Ultrastructure of spermatids and spermatozoa in three polychaetes with modified biology of reproduction: *Autolytus* sp., *Chitinopecta serrula* and *Capitella capitata*. *International Journal of Invertebrate Reproduction* 5:185–200.
- . 1987. Spermatogenesis. In A. C. Giese, J. S. Pearse, & V. B. Pearse, eds., *Reproduction of Marine Invertebrates*. Volume 9. General aspects: seeking unity in diversity. Blackwell Scientific Publications. California. p. 1–47.
- Freeman, Gary. 1994. The endocrine pathway responsible for oocyte maturation in the inarticulate brachiopod *Glootidia*. *Biological Bulletin* 186:263–270.
- Frey, R. W., J. S. Hong, J. D. Howard, B. K. Park, & S. J. Han. 1987. Zonation of benthos on a macro-tidal flat, Inchon, Korea. *Senckenbergiana Marina* 19(5/6):295–329.
- Frith, D. W., R. Tantanasiwong, & O. Bhatia. 1976. Zonation of macrofauna on a mangrove shore, Phuket island. *Phuket Marine Biological Center Research Bulletin* 10:1–37.
- Gaspard, Danièle. 1978. Biomérisation chez les brachiopodes articulés—microstructure et formation de la coquille. *Annales de Paléontologie* 64:1–25.
- . 1982. Microstructure de térebratules biplicées (Brachiopodes) du Cénomanien de la Sarthe (France). Affinités d'une des formes avec le genre *Sellithyrids* Midd. *Annales de Paléontologie (Vertébrés-Invertébrés)* 68(1):1–14, 3 pl.
- . 1986. Aspects figurés de la biomérisation unités de base de la sécrétion carbonatée chez les Terebratulida actuels. In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels, Actes du 1er Congrès International sur les Brachiopodes*, Brest 1985. *Biostratigraphie du Paléozoïque* 4. p. 77–83.
- . 1989. Quelques aspects de la biodégradation

- des coquilles de brachiopodes; conséquences sur leur fossilisation. Bulletin de la Société Géologique de France 6:1207–1216.
- . 1990. Diagenetic modifications of shell microstructure in the Terebratulida (Brachiopoda, Articulata) II. In J. G. Carter, ed., *Skeletal Biomineralization: Patterns, Processes and Evolutionary Trends*, Volume 1. Van Nostrand Reinhold, New York. p. 53–56.
- . 1991. Growth stages in articulate brachiopod shells and their relation to biomineralization. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., *Brachiopods Through Time*, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema, Rotterdam. p. 167–174.
- Gee, Henry. 1995. Lophophorates prove likewise variable. *Nature* 374:493.
- George, T. N. 1932a. *Ambocoelia* Hall and certain similar British Spiriferidae. Geological Society of London, Quarterly Journal 87:30–61, pl. 3–5.
- . 1932b. The British Carboniferous reticulate Spiriferidae. Geological Society of London, Quarterly Journal 88:516–575, pl. 31–35.
- Ghiselin, M. T. 1988. The origin of molluscs in the light of molecular evidence. In P. H. Harvey & L. Partridge, eds., *Oxford Surveys in Evolutionary Biology*. Oxford University Press, Oxford. p. 66–95.
- Giese, A. C., J. S. Pearse, & V. B. Pearse. 1987. *Reproduction of Marine Invertebrates*. Volume 9. General aspects: seeking unity in diversity. Blackwell Scientific Publications, California. 712 p.
- Gilmour, T. H. J. 1978. Ciliation and function of the food-collecting and waste-rejecting organs of the lophophorates. Canadian Journal of Zoology 56:2142–2155.
- . 1981. Food-collecting and waste-rejecting mechanisms in *Glottidia pyramidata* and the persistence of lingulacean brachiopods in the fossil record. Canadian Journal of Zoology 59:1539–1547.
- Golding, G. B., & R. S. Gupta. 1994. Protein-based phylogenies support a chimeric origin for the eukaryotic genome. Molecular Biology and Evolution 12:1–6.
- Gorjansky, V. Ju. [see also Gorjansky, W. Ju.], & L. E. Popov. 1985. Morphologiia, systematicheskoe polozhenie I proiskhozhdenie bezzamkovykh brachiopod s karbonatnoi rakkovinoi [Morphology, systematic position and origin of inarticulate brachiopods with a carbonate shell]. Paleontologicheskii Zhurnal 1985(3):3–14, 5 fig., pl. 1.
- Gorjansky, W. Ju. [see also Gorjansky, V. Ju.], & L. Ye. Popov. 1986. On the origin and systematic position of the calcareous-shelled inarticulate brachiopods. Lethaia 19:233–240, fig. 1–3.
- Gourvennec, Rémy. 1987. Morphologie des épines chez les brachiopodes Delthyrididae. Lethaia 20:21–31.
- . 1989. Radial microornament in spiriferid brachiopods and paleogeographical implications. Lethaia 22:405–411.
- Gourvennec, Rémy, & Michel Mélou. 1990. Découverte d'un cas d'ornementation épineuse chez les Orthida (Brachiopoda). Compte-Rendus de l'Académie des Sciences de Paris 311(II):1273–1277.
- Grant, R. E. 1963. Unusual attachment of a Permian linoprotuctid brachiopod. *Journal of Paleontology* 37:134–140, 1 fig., pl. 19.
- . 1968. Structural adaptation in two Permian brachiopod genera, Salt Range, West Pakistan. *Journal of Paleontology* 42:1–32.
- . 1972. The lophophore and feeding mechanism of the Productinida (Brachiopoda). *Journal of Paleontology* 46:213–248, pl. 1–9.
- . 1980. Koskinoid perforations in brachiopod shells: function and mode of formation. *Lethaia* 13:313–319.
- . 1987. Brachiopods of Enewetak Atoll. In D. M. Devaney & others, eds., *The Natural History of Enewetak Atoll*, vol. 2. Office of Scientific and Technical Information, U. S. Department of Energy, Oak Ridge, Tennessee. p. 77–84.
- Gratiolet, M. P. 1860. Études anatomiques sur la *Lingule anatina* (L. anatina Lam.). *Journal de Conchyliologie* 4:49–172.
- Gustus, R. M., & R. A. Cloney. 1972. Ultrastructural similarities between setae of brachiopods and polychaetes. *Acta Zoologica* 53:229–233.
- Halanych, K. M. 1991. 5S ribosomal RNA sequences inappropriate for phylogenetic reconstruction. *Molecular Biology and Evolution* 8:249–253.
- Halanych, K. M., J. D. Bacheller, A. M. A. Aguinaldo, S. M. Liva, D. M. Hillis, & J. A. Lake. 1995. Evidence from 18S ribosomal DNA that the lophophorates are protostome animals. *Science* 267:1641–1643.
- Hall, J., & J. M. Clarke. 1892–1894. An introduction to the study of the genera of Palaeozoic Brachiopoda. New York Geological Survey 8. Pt. 1(1892):i–xvi, 1–367, pl. 1–20; Pt. 2: i–xvi, 1–394, pl. 21–84.
- . 1894–1895. An introduction to the study of the Brachiopoda intended as a Handbook for the use of Students. New York State Geologist Annual Report for 1891 (1894):134–300, pl. 1–22; continuation (pt. 2) New York State Geologist Annual Report for 1893 (1894) [1895]:751–943, pl. 23–54.
- Hammen, C. S. 1968. Aminotransferase activities and amino acid excretion of bivalve molluscs and brachiopods. *Comparative Biochemistry and Physiology* 26:697–705.
- . 1969. Lactate and succinate oxidoreductases in marine invertebrates. *Marine Biology* 4:233–238.
- . 1971. Metabolism of brachiopods and bivalve molluscs. In R. Alvarez, E. Gadea, & A. de Haro, eds., *Actas del I Simposio International de Zoofilogenia*, Salamanca, 1969, Acta Salmanticensia, Ciencias 36:471–478.
- . 1977. Brachiopod metabolism and enzymes. *American Zoologist* 17:141–147.
- Hammen, C. S., & R. C. Bullock. 1991. Opine oxidoreductases in brachiopods, bryozoans, phoronids and molluscs. *Biochemical Systematics and Ecology* 19:263–269.

- Hammen, C. S., D. P. Hanlon, & S. C. Lum. 1962. Oxidative metabolism of *Lingula*. Comparative Biochemistry and Physiology 5:185–192.
- Hammen, C. S., & S. C. Lum. 1966. Fumarate reductase and succinate dehydrogenase activities in bivalve mollusks and brachiopods. Comparative Biochemistry and Physiology 19:775–781.
- . 1977. Salinity tolerance and pedicle regeneration of *Lingula*. Journal of Paleontology 51:548–551.
- Hammen, C. S., & P. J. Osborne. 1959. Carbon dioxide fixation in marine invertebrates: a survey of major phyla. Science 130:1409–1410.
- Hammond, L. S. 1980. The larvae of a discinid (Brachiopoda, Inarticulata) from inshore waters near Townsville, Australia, with revised identifications of previous records. Journal of Natural History 14:647–661.
- . 1982. Breeding season, larval development and dispersal of *Lingula anatina* (Brachiopoda, inarticulata) from Townsville, Australia. Journal of Zoology, London 198:183–196.
- . 1983. Experimental studies of salinity tolerance, burrowing behavior and pedicle regeneration in *Lingula anatina* (Brachiopoda, Inarticulata). Journal of Paleontology 57:1311–1316.
- . 1984. Epibiofa from the valves of recent *Lingula* (Brachiopoda). Journal of Paleontology 58:1528–1531.
- Hammond, L. S., & I. R. Painer. 1984. Genetic structure of three populations of the “living fossil” brachiopod *Lingula* from Queensland, Australia. Lethaia 17:139–143.
- Hancock, A. 1859. On the organisation of the Brachiopoda. Philosophical Transactions of the Royal Society 148:791–869.
- Hare, P. E. 1962. The amino acid composition of the organic matrix of some recent and fossil shells of some west coast species of *Mytilus*. Ph.D. thesis. California Institute of Technology.
- Hare, P. E., & R. M. Mitterer. 1969. Laboratory simulation of amino acid diagenesis in fossils. Carnegie Institute of Washington Yearbook 67:205–208.
- Haro, A. de. 1963. Estructura y anatomía comparadas des las gonadas y pedunculo des los Braquíópodos testicardinos. Publicaciones del Instituto de Biología Aplicada, Barcelona 35:97–117.
- Harvey, E. N. 1928. The oxygen consumption of luminous bacteria. Journal of General Physiology 11:469–475.
- Hatai, K. M. 1940. The Cenozoic Brachiopoda of Japan. Science Reports of the Tohoku Imperial University, Sendai, Japan (second series, Geology) 20:1–413, pl. 1–12.
- Haugen, J.-E., H.-P. Sejrup, & N. B. Vogt. 1989. Chemotaxonomy of Quaternary benthic foraminifera using amino acids. Journal of Foraminiferal Research 19:38–51.
- Havliček, Vladimír. 1961. Rhynchonelloidea des Boehmischen alteren palaeozoikums (Brachiopoda). Ustřední Ustav Geologicky Rozpravy 27:211 p., 27 pl.
- . 1982. Lingulacea, Paterinacea and Siphonotretacea (Brachiopoda) in the Lower Ordovician sequence of Bohemia. Sborník Geologických ved (Paleontologie) 25:9–82, 16 fig., pl. 1–16.
- Hay-Schmidt, A. 1992. Ultrastructure and immunocytochemistry of the nervous system of the larvae of *Lingula anatina* and *Glottidia* sp. (Brachiopoda). Zoomorphology 112:189–205.
- Heinrikson, R. L., & S. C. Meredith. 1984. Amino acid analysis by reverse-phase high-performance liquid chromatography: precolumn derivatization with phenylisothiocyanate. Analytical Biochemistry 136:65–74.
- Heller, M. 1931. Exkretorische Tätigkeiten der Brachiopoden. Zeitschrift für Morphologie und Ökologie der Tiere 24:238–258.
- Helmcke, J. G. 1940. Die Brachiopoden der deutschen Tiefsee-Expedition. Wissenschaftliche Ergebnisse der deutschen Tiefsee-Expedition auf dem Dampfer “Valdivia” 1898–1899. G. Fischer Verlag, 1932–1940. Jena. Wissenschaftliche Ergebnissen der deutschen Tiefsee-Expedition 24(3):217–316.
- Hemmingsen, A. M. 1960. Energy metabolism as related to body size and respiratory surfaces and its evolution. Report to the Steno Memorial Hospital 9:7–110.
- Hennig, Willi. 1966. Phylogenetic Systematics. University of Illinois Press. Urbana. 263 p.
- Hertlein, L. G., & U. S. Grant IV. 1944. The Cenozoic Brachiopoda of western North America. Publications of the University of California at Los Angeles in Mathematical and Physical Sciences 3:236 p., pl. 1–21.
- Hiller, Norton. 1988. The development of growth lines on articulate brachiopods. Lethaia 21:177–188.
- . 1991. The southern African recent brachiopod fauna. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., Brachiopods Through Time, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema. Rotterdam. p. 439–445.
- . 1993. A modern analogue of the Lower Ordovician *Obolus* conglomerate of Estonia. Geological Magazine 130(2):265–267.
- Hillis, D. M., & M. T. Dixon. 1991. Ribosomal DNA: molecular evolution and phylogenetic inference. Quarterly Review of Biology 66:411–453.
- Hillis, D. M., J. P. Huelsenbeck, & C. W. Cunningham. 1994. Application and accuracy of molecular phylogenies. Science 264:671–677.
- Hillis, D. M., & D. Moritz. 1990. Molecular Systematics. Sinauer Associates, Inc. Sunderland, Massachusetts. 588 p.
- Hirai, E., & T. Fukushi. 1960. The development of two species of lamp shells, *Terebratalia coreanica* and *Coptothyris grayi*. Bulletin of the Ashamushi Marine Biological Station 10:77–80.
- Hochachka, P. W., & G. H. Somero. 1973. Strategies of Biochemical Adaptation. W. B. Saunders Company. Philadelphia. 358 p.
- . 1984. Biochemical Adaptation. Princeton University Press. Princeton. 480 p.
- Holland, P. W. H. 1992. Homeobox genes in vertebrate evolution. BioEssays 14:267–273.

- Holland, P. W. H., & B. L. M. Hogan. 1986. Phylogenetic distribution of Antennapedia-like homeoboxes. *Nature* 321:251–253.
- Holland, P. W. H., N. A. Williams, & J. Lanfear. 1991. Cloning of segment polarity gene homologues from the unsegmented brachiopod *Terebratulina retusa* (Linnaeus). *Federation of European Biochemical Societies Letters* 291:211–213.
- Holmer, L. E. 1989. Middle Ordovician phosphatic inarticulate brachiopods from Västergötland and Dalarna, Sweden. *Fossils and Strata* 26:1–172, 118 fig.
- Holmer, L. E., & L. Ye. Popov. 1990. The Acrotretaceous brachiopod *Ceratreta tanneri* (Metzger) from the Upper Cambrian of Baltoscandia. *Geologiska Foreningens i Stockholm Forhandlingar* 112(3):249–263.
- d'Hondt, Jean-Loup. 1986. Étude de l'intestin et de la glande digestive de *Terebratulina retusa* (L.) (Brachiopode). IV. Comparaison avec les activités enzymatiques d'autres brachiopodes du même biotope. In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels*, Actes du 1er Congrès International sur les Brachiopodes, Brest 1985. *Biostratigraphie du Paléozoïque* 4. p. 301–305.
- d'Hondt, Jean-Loup, & E. Boucaud-Camou. 1982. Étude l'intestin et de la glande digestive de la *Terebratulina retusa* (L.) (Brachiopode). Ultrastructure et recherche d'activités amylasiques et protéasiques. *Bulletin de la Société Zoologique de France* 107(2):207–216.
- Hori, H., B. L. Lim, T. Ohama, T. Kumazaki, & S. Osawa. 1985. Evolution of organisms deduced from 5S rRNA sequences, p. 369–384. In T. Ohta & A. Aoki, eds., *Population Genetics and Molecular Evolution*. Springer. Berlin, 503 p.
- Hori, H., & S. Osawa. 1986. Evolutionary change in 5S rRNA secondary structure and a phylogenetic tree of 352 5S rRNA species. *BioSystems* 19:163–172.
- Hoverd, W. A. 1985. Histological and ultrastructural observations of the lophophore and larvae of the brachiopod, *Notosaria nigricans* (Sowerby, 1846). *Journal of Natural History* 19:831–850.
- . 1986. The adult lophophore of *Notosaria nigricans* (Brachiopoda). In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels*, Actes du 1er Congrès International sur les Brachiopodes, Brest 1985. *Biostratigraphie du Paléozoïque* 4. p. 307–312.
- Huelsenbeck, J. P. 1995. Performance of phylogenetic methods in simulation. *Systematic Biology* 44:17–48.
- Hughes, W. W., G. D. Rosenberg, & R. D. Tkachuck. 1988. Growth increments in the shell of the living brachiopod *Terebratalia transversa*. *Marine Biology* 98:511–518.
- Hulmes, A. G., & G. A. Boxshall. 1988. Pelecistome copepods associated with bivalve molluscs and a brachiopod at Hong-Kong. *Journal of Natural History* 22(2):537–544.
- Huson, D. H., & R. Wetzel. 1994. SplitsTree 1.0: Computer program distributed by the authors.
- Mathematics Department, University of Bielefeld, Germany. Bielefeld.
- Huxley, J. S. 1932. *Problems of Relative Growth*. The Dial Press. New York. 244 p.
- Hyman, L. H. 1959a. The Invertebrates: Smaller Coelomate Groups. Chaetognatha, Hemichordata, Pogonophora, Phoronida, Ectoprocta, Brachiopoda, Sipuncula, the Coelomate Bilateria, Vol. 5. McGraw-Hill. New York, London, Toronto. viii + 783 p., fig. 1–240.
- . 1959b. The Lophophorate Coelomates—Phylum Brachiopoda. In L. H. Hyman, *The Invertebrates: Smaller Coelomate Groups*. McGraw-Hill. New York, London, Toronto. p. 228–609.
- Iijima, M., T. Hiroko, M. Yutaka, & K. Yoshinori. 1991. Difference of the organic component between the mineralized and the non-mineralized layers of *Lingula* shell. *Comparative Biochemistry and Physiology* 98A:379–382.
- Iijima, M., H. Kamemizu, N. Wakamatsu, T. Goto, & Y. Moriwaki. 1991. Thermal decomposition of *Lingula* shell apatite. *Calcified Tissue International* 49:128–133.
- Iijima, M., & Y. Moriwaki. 1990. Orientation of apatite and organic matrix in *Lingula unguis* shell. *Calculated Tissue International* 47:237–242.
- Iijima, M., Y. Moriwaki, Y. Doi, & Y. Kuboki. 1988. The orientation of apatite crystals in *Lingula unguis* shell. *Japanese Journal of Oral Biology* 30:20–30.
- Iijima, M., Y. Moriwaki, & Y. Kuboki. 1991. Orientation of apatite and the organic matrix in *Lingula* shells, p. 433–437. In S. Suga & H. Nakahara, eds., *Mechanisms and Phylogeny of Mineralization of Biological Systems*. Springer-Verlag. Tokyo.
- Ikeda, T. 1974. Nutritional ecology of marine zooplankton. *Memoires of the Faculty of Fisheries, Hokkaido University* 21:19–112.
- Irwin, D. H. 1991. Metazoan phylogeny and the Cambrian radiation. *Trends in Ecology and Evolution* 6:131–134.
- Ishikawa, Hajime. 1977. Comparative studies on the thermal stability of animal ribosomal RNAs: V. Tentaculata (Phoronids, moss-animals and lamp-shells). *Comparative Biochemistry and Physiology* 57B:9–14.
- Ivanov, C. P., & R. Z. Stoyanova. 1972. Aliphatic hydrocarbons in fossils of Mesozoic belemnites. *Comptes-Rendus de l'Académie Bulgare des Sciences* 25(5):637–639.
- Ivanov, C. P., R. Z. Stoyanova, & C. P. Daskalov. 1975. Content and composition of higher fatty acids in fossils of Mesozoic belemnites. *Comptes-Rendus de l'Académie Bulgare des Sciences* 28(7):935–938.
- Iwata, K. 1981. Ultrastructure and mineralization of the shell of *Lingula unguis* Linne (Inarticulate Brachiopod). *Journal of the Faculty of Science of Hokkaido University (series IV)* 20(1):35–65.
- . 1982. Ultrastructure and calcification of the shells in inarticulate brachiopods Part 2. Ultrastructure of the shells of *Glottidia* and *Discinisa*. *Journal of the Geological Society of Japan* 88:957–966, 5 pl.
- Jaanusson, Valdar. 1971. Evolution of the brachiopod hinge. In J. T. Dutro, Jr., ed., *Paleozoic Perspectives*:

- A Paleontological Tribute to G. Arthur Cooper. Smithsonian Contributions to Paleobiology 3:33–46, 6 fig., pl. 1–2.
- Jackson, J. B., T. F. Goreau, & W. D. Hartman. 1971. Recent brachiopod-coralline sponge communities and their paleoecological significance. *Science* 173:623–625.
- Jacobs, H. T., P. Balfe, B. L. Cohen, A. Farquharson, & L. Comito. 1988. Phylogenetic implications of genome rearrangement and sequence evolution in echinoderm mitochondrial DNA. In C. R. C. Paul & A. B. Smith, eds., *Echinoderm Phylogeny and Evolutionary Biology*. Clarendon Press. Oxford. p. 121–137.
- Jaeger, J. A., D. H. Turner, & M. Zuker. 1989a. Improved predictions of secondary structure for RNA. *Proceedings of the National Academy of Sciences, USA* 86:7706–7710.
- . 1989b. Predicting optimal and suboptimal secondary structure for RNA. *Methods in Enzymology* 183:281–306.
- James, M. A., A. D. Ansell, & G. B. Curry. 1991a. Reproductive cycle of the brachiopod *Terebratulina retusa* on the west coast of Scotland. *Marine Biology* 109:441–451.
- . 1991b. Functional morphology of the gonads of the articulate brachiopod *Terebratulina retusa*. *Marine Biology* 111:401–410.
- . 1991c. Oogenesis in the articulate brachiopod *Terebratulina retusa*. *Marine Biology* 111:411–423.
- James, M. A., A. D. Ansell, M. J. Collins, G. B. Curry, L. S. Peck, & M. C. Rhodes. 1992. Biology of living brachiopods. *Advances in Marine Biology* 28:175–387.
- Jin, Yu-gan, & Hua-yu Wang. 1992. Revision of the Lower Cambrian brachiopod *Heliomedusa* Sun & Hou, 1987. *Lethaia* 25(1):35–49, fig. 1–14.
- Johnson, J. G., & P. Westbroek. 1971. Cardinalia terminology in rhynchonellid brachiopods. *Geological Society of America Bulletin* 82:1699–1702.
- Jones, G. J., & J. L. Barnard. 1963. The distribution and abundance of the inarticulate brachiopod *Glottidia albida* (Hinds) on the mainland of southern California. *Pacific Naturalist* 4(2):27–52.
- Jope, H. M. 1965. Composition of brachiopod shell. In R. C. Moore, ed., *Treatise on Invertebrate Paleontology*. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. New York & Lawrence. p. 156–164.
- . 1967a. The protein of brachiopod shell. I. Amino acid composition and implied protein taxonomy. *Comparative Biochemistry and Physiology* 20:593–600.
- . 1967b. The protein of brachiopod shell. II. Shell protein from fossil articulates: amino acid composition. *Comparative Biochemistry and Physiology* 20:601–605.
- . 1969a. The protein of brachiopod shell. III. Comparison with structural protein of soft tissue. *Comparative Biochemistry and Physiology* 30:209–224.
- . 1969b. The protein of the brachiopod shell. IV. Shell protein from fossil inarticulates: amino acid composition and disc electrophoresis of fossil articulate shell protein. *Comparative Biochemistry and Physiology* 30:225–232.
- . 1971. Constituents of brachiopod shells. In M. Florkin & E. H. Stotz, eds., *Comprehensive Biochemistry*. Elsevier. Amsterdam. p. 749–784.
- . 1973. The protein of brachiopod shell. V. N-terminal end groups. *Comparative Biochemistry and Physiology* 45B:17–24.
- . 1977. Brachiopod shell proteins: their function and taxonomic significance. *American Zoologist* 17:133–140.
- . 1979. The protein of brachiopod shell. VI. C-terminal end groups and sodium dodecylsulphate-polyacrylamide gel electrophoresis: molecular constitution and structure of the protein. *Comparative Biochemistry and Physiology* 63B:163–173.
- . 1980. Phylogenetic information from fossil brachiopods. In P. E. Hare, T. C. Hoering, & K. J. King, eds., *Biogeochemistry of Amino Acids*. John Wiley & Sons. New York. p. 83–94.
- . 1986. Evolution of the Brachiopoda: the molecular approach. In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels, Actes du 1er Congrès International sur les Brachiopodes*, Brest 1985. Biostratigraphie du Paléozoïque 4. p. 103–111.
- Jørgensen, C. B. 1981. A hydromechanical principle for particle retention in *Mytilus edulis* and other ciliary suspension feeders. *Marine Biology* 61:277–282.
- Jørgensen, C. B., T. Kiørboe, F. Mohlenberg, & H. U. Riisgård. 1984. Ciliary and mucus-net filter feeding, with special reference to fluid mechanical characteristics. *Marine Ecology Progress Series* 15:283–292.
- Joshii, J. G., & B. Sullivan. 1973. Isolation and preliminary characterisation of haemerythrin for *Lingula unguis*. *Comparative Biochemistry and Physiology* 44B:857–867.
- Joubin, L. 1886. Recherches sur l'anatomie des brachiopodes inarticulés. *Archives de Zoologie Expérimentale et Générale* (série 2) 4:161–303.
- Jux, U., & F. Strauch. 1966. Die mitteldevonische Brachiopoden-Gattung *Uncites* de France 1825. *Palaeontographica* 56:176–222.
- Källersjö, M., J. S. Farris, A. G. Kluge, & C. Bult. 1992. Skewness and permutation. *Cladistics* 8:275–287.
- Karlin, S., & A. M. Campbell. 1994. Which bacterium is the ancestor of the animal mitochondrial genome? *Proceedings of the National Academy of Sciences, USA* 91:12842–12846.
- Kawaguti, S. 1941. Hemerythrin found in the blood of *Lingula*. *Memoirs of the Faculty of Science and Agriculture, Taihoku Imperial University, Formosa (Zoology, Number 12)* 23:95–98.
- . 1943. A biometrical study on *Lingula unguis* (Linné). *Venus* 12(3/4):171–182. In Japanese.
- Kelly, P. G., P. T. P. Oliver, & F. G. E. Pautard. 1965. The shell of *Lingula unguis*. In *Proceedings of the*

- Second European Symposium on Calcified Tissue. Liège, Belgium. p. 337–345.
- Kemezys, K. J. 1965. Significance of punctae and pustules in brachiopods. *Geological Magazine* 102:315–324.
- . 1968. Arrangements of costellae, setae and vascula in enteletacean brachiopods. *Journal of Paleontology* 42:88–93, 1 fig.
- Kenchington, R. A., & L. S. Hammond. 1978. Population structure, growth and distribution of *Lingula anatina* (Brachiopoda) in Queensland, Australia. *Journal of Zoology* 184:63–81.
- Kimble, J. 1994. An ancient molecular mechanism for establishing embryonic polarity? *Science* 266:577–578.
- King, K., Jr., & P. E. Hare. 1972. Amino acid composition of the test as a taxonomic character for living and fossil planktonic foraminifera. *Micropaleontology* 18:285–293.
- Kirtisinghe, P. 1949. Unicellular algae in association with invertebrates. *Nature* 164:970.
- Kleiber, M. 1947. Body size and metabolic rate. *Physiological Reviews* 27:511–541.
- . 1965. Metabolic body size. In K. L. Blaxter, ed., *Energy Metabolism*. Proceedings of the 3rd Symposium, Troon, Scotland. Academic Press. London. p. 427–435.
- Klippenstein, G. L. 1980. Structural aspects of haemerythrin and myohaemerythrin. *American Zoologist* 10:39–51.
- Kniprath, E. 1975. Das Wachstum des Mantels von *Lymnaea stagnalis* (Gastropoda). *Cytobiologie* 10:260–267.
- Knowlton, N. 1993. Sibling species in the sea. *Annual Review of Ecology and Systematics* 24:189–216.
- Kolesnikov, C. M., & E. L. Prosovorskaya. 1986. Biochemical investigation of Jurassic and recent brachiopod shells. In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels, Actes du 1er Congrès International sur les Brachiopodes*, Brest 1985. *Biostratigraphie du Paléozoïque* 4. p. 113–119.
- Komiya, H., N. Shimizu, M. Kawakami, & S. Takemura. 1980. Nucleotide sequence of 5S ribosomal RNA from *Lingula anatina*. *Journal of Biochemistry* 88:1449–1456.
- Kovalevskiy, A. O. 1874. Nablyudenija Nad Razvitiem Brachiopoda [On the development of the Brachiopoda]. *Izvestiya Obschestva Liubiteley Estestvoznanija, Anthropologii i Etnografii* [Proceedings of the Imperial Society for Natural Science, Anthropology, and Ethnology, Moscow] 14:1–40, pl. 1–5. In Russian.
- . 1883. Observations sur le développement des brachiopodes, Analyse par Oehlert et Deniker. *Archives de Zoologie Expérimentale et Générale* (série 2) 1:57–76.
- Kozłowski, Roman. 1929. Les brachiopodes gothlandiens de la Podolie polonaise. *Palaeontologia Polonica* 1:1–254, pl. 1–12.
- Krans, Th. F. 1965. Études morphologiques de quelques spirifères Dévoniens de la Chaine Cantabrique (Espagne). *Leidse Geologische Mededelingen* 33:73–148, 71 fig., pl. 1–16.
- Kuga, Hiroto, & Akira Matsuno. 1988. Ultrastructural investigations on the anterior adductor muscle of a brachiopod, *Lingula unguis*. *Cell Structure and Function* 13:271–279.
- Kume, M. 1956. The spawning of *Lingula*. *Natural Science Report of Ochanomizu University, Tokyo* 6:215–223.
- Kume, M., & K. Dan. 1968. *Invertebrate Embryology*. Nolit Publishing House. Belgrade. 605 p.
- LaBarbera, Michael. 1977. Brachiopod orientation to water movement. I. Theory, laboratory behavior and field observation. *Paleobiology* 3:270–287.
- . 1978. Brachiopod orientation to water movement: functional morphology. *Lethaia* 11:67–79.
- . 1981. Water flow patterns in and around three species of articulate brachiopods. *Journal of Experimental Marine Biology and Ecology* 55:185–206.
- . 1984. Feeding currents and particle capture mechanisms in suspension feeding animals. *American Zoologist* 24:71–84.
- . 1985. Mechanisms of spatial competition of *Discinisca strigata* (Inarticulata: Brachiopoda) in the intertidal of Panama. *Biological Bulletin* 168(1):91–105.
- . 1986a. The evolution and ecology of body size. In D. M. Raup & D. Jablonski, eds., *Patterns and Processes of Life*, Dahlem Conferenzen. Springer-Verlag. Berlin, Heidelberg. p. 69–98.
- . 1986b. Brachiopod lophophores: functional diversity and scaling. In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels, Actes du 1er Congrès International sur les Brachiopodes*, Brest 1985. *Biostratigraphie du Paléozoïque* 4. p. 313–321.
- . 1989. Analyzing body size as a factor in ecology and evolution. *Annual Review of Ecology and Systematics* 20:97–117.
- . 1990. Principles of design of fluid transport systems in zoology. *Science* 249:992–1000.
- Lacaze-Duthiers, F. J. H. de. 1861. *Histoire naturelle des Brachiopodes vivantes de la Méditerranée*. Iie Monographie. *Histoire naturelle de la Thécide (Thecidium mediterraneum)*. *Annales des sciences naturelles Zoologie* (série 4) 15:259–330.
- Lankester, E. R. 1873. Summary of zoological observations made at Naples in the winter of 1871–1872. *Annals and Magazine of Natural History* (series 4) 11:81.
- Laurie, John. 1987. The musculature and vascular systems of two species of Cambrian Paterinida (Brachiopoda). *Bureau of Mineral Resources Journal of Australian Geology and Geophysics* 10:261–265.
- Law, R. H., & C. W. Thayer. 1991. Articulate fecundity in the Phanerozoic: Steady state or what? In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., *Brachiopods Through Time*, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema. Rotterdam. p. 183–190.

- Lee, D. E. 1978. Aspects of the ecology and paleoecology of the brachiopod *Notosaria nigricans* (Sowerby). Journal of the Royal Society of New Zealand 8:395–417.
- . 1987. Cenozoic and recent inarticulate brachiopods of New Zealand: *Discina*, *Pelagodiscus* and *Neocrania*. Journal of the Royal Society of New Zealand 17(1):49–72.
- LeGeros, R. Z., C.-M. Pan, S. Suga, & Norimitsu Watabe. 1985. Crystallo-chemical properties of apatite in atremate brachiopod shells. Calcified Tissue International 37:98–100.
- Leroy, P. 1936. “*Lingula anatina*” Lamarck (1809) dans les mers froides de Chine. Bulletin de la Société des Sciences de Nancy 5:121–124.
- Livingstone, A. 1983. Invertebrate and vertebrate pathways of anaerobic metabolism: evolutionary considerations. Journal of the Geological Society of London 140:27–37.
- Livingstone, D. R., A. De Zwann, M. Leopold, & E. Marteljn. 1983. Studies on the phylogenetic distribution of pyruvate oxidoreductases. Biochemical Systematics and Ecology 11:415–425.
- Lockhart, P. J., M. A. Steel, M. D. Hendy, & D. Penney. 1994. Recovering evolutionary trees under a more realistic model of sequence evolution. Molecular Biology and Evolution 11:605–612.
- Logan, Alan. 1979. The recent Brachiopoda of the Mediterranean Sea. Bulletin de l’Institut Océanographique de Monaco 72(1434):1–112, 10 pl.
- . 1983. Brachiopoda collected by CANCAP 1–111 expeditions to the south-east North Atlantic. 1976–1978. Zoologische Mededelingen 57:165–189, 1 pl.
- . 1988. A new thecidid genus and species (Brachiopoda, recent) from the southeast North Atlantic. Journal of Paleontology 62:546–551.
- . 1990. Recent Brachiopoda from the Snellius and Luymes expeditions to the Surinam-Guyana Shelf, Bonaire-Curacao, and Saba Bank, Caribbean Sea, 1966 and 1969–1972. Zoologische Mededelingen 63:123–136.
- . 1993. Recent brachiopods from the Canarian-Cape Verdean region: diversity, biogeographic affinities, bathymetric range and life habits. Courier Forschungs-Institut Senckenberg, Frankfurt-am-Main 159:229–233.
- Logan, Alan, J. P. A. Noble, & G. R. Webb. 1975. An unusual attachment of a recent brachiopod, Bay of Fundy, Canada. Journal of Paleontology 49:557–558.
- Long, J. A. 1964. The embryology of three species representing three superfamilies of articulate Brachiopoda. Unpublished Ph.D. thesis. University of Washington. Seattle. 184 p.
- Long, J. A., & S. A. Stricker. 1991. Brachiopoda. In A. Geise, J. S. Pearse, & V. B. Pearse, eds., Reproduction of Marine Invertebrates, Vol. 6. Blackwell Scientific. California. p. 47–84.
- Longhurst, A. R. 1958. An ecological survey of the west African marine benthos. Colonial Office Fishery Publications 11:1–102.
- Ludvigsen, R. 1974. A new Devonian acrotretid (Brachiopoda, Inarticulata) with unique protegular ultrastructure. Neues Jahrbuch für Geologie und Paläontologie, Monatshefte 3:133–148.
- Lum, S. C., & C. S. Hammen. 1964. Ammonia excretion in *Lingula*. Comparative Biochemistry and Physiology 12:185–190.
- Lutz, R. A., & D. C. Rhoads. 1977. Anaerobiosis and a theory of growth line formation. Science 198:1222–1227.
- Mackay, Sarah, & R. A. Hewitt. 1978. Ultrastructural studies on the brachiopod pedicle. Lethaia 11: 331–339.
- Mackay, Sarah, D. I. MacKinnon, & Alwyn Williams. 1994. Ultrastructure of the loop of terebratulide brachiopods. Lethaia 26:367–378.
- MacKinnon, D. I. 1971. Perforate canopies to canals in the shells of fossil Brachiopoda. Lethaia 4:321–325.
- . 1974. The shell structure of spiriferide Brachiopoda. British Museum (Natural History) Bulletin (Geology) 25(3):189–261, 27 fig., pl. 1–32.
- . 1977. The formation of muscle scars in articulate brachiopods. Philosophical Transactions of the Royal Society of London (series B, Biological Sciences) 280(970):1–27, 86 fig., pl. 1–11.
- . 1991. A fresh look at growth of spiral brachidia. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., Brachiopods Through Time, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema. Rotterdam. p. 147–153, 6 fig.
- MacKinnon, D. I., & Alwyn Williams. 1974. Shell structure of terebratulid brachiopods. Palaeontology 17(1):179–202, 3 fig., pl. 21–27.
- Macomber, R. W., & Lenore Macomber. 1983. Ribbing patterns in the brachiopod *Diceromyonia*. Lethaia 16:25–37.
- Maddison, W. P., M. J. Donoghue, & D. R. Maddison. 1984. Outgroup analysis and parsimony. Systematic Zoology 33:83–103.
- Mahajan, S. N., & M. C. Joshi. 1983. Age and shell growth in *Lingula anatina* (Lam.). Indian Journal of Marine Sciences 12:120–121.
- Maidak, B. L., N. Larsen, M. J. McCaughey, R. Overbeek, G. L. Olsen, K. Fogel, J. Blandy, & C. R. Woese. 1994. The ribosomal database project. Nucleic Acids Research 22:3485–3487.
- Malakhov, V. V. 1976. Certain stages of embryogenesis in *Cnismatocentrum sakhaliniens parvum* (Brachiopoda, Testicardines) and the problem of evolution of the way of origin of coelomic mesoderm. Zoolicheski Zhurnal 55:66–75.
- Manankov, I. N. 1979. Pseudopunctae in strophomenids. Paleontological Journal 3:332–338.
- Translation of O pseudoporakh strofomenid. Paleontologicheskii Zhurnal 3(13):72–78.
- Mancenido, M. O., & Miguel Griffin. 1988. Distribution and palaeoenvironmental significance of the genus *Bouchardia* (Brachiopoda, Terebratellida): its bearing on the Cenozoic evolution of the South Atlantic. Revista Brasileira de Geociencias 18(2):201–211, pl. 1.
- Mano, R. 1960. On the metamorphosis of the brachiopod *Frenulina sanguinolenta* (Gmelin). Bulletin of

- the Marine Biological Station of Asamushi 10:171–175.
- Marshall, A. G., & L. Medway. 1976. A mangrove community in the New Hebrides, southwest Pacific. *Biological Journal of the Linnean Society* 8:319–336.
- Martinez-Chacon, M. L., & J. L. Garcia-Alcalde. 1978. La genesis del koskinoide en braquiópodos articulados. *Revista de la Facultad de Ciencias, Universidad de Oviedo* 17–19:261–279.
- Mattox, M. T. 1955. Observations on the brachiopod communities near Santa Catalina. In *Essays in the Natural Sciences in Honor of Captain Allan Hancock*. University of Southern California Press. Los Angeles. p. 73–86.
- Mauzey, K. P., C. Birkeland, & P. K. Dayton. 1968. Feeding behaviour of asteroids and escape responses of their prey in the Puget Sound region. *Ecology* 49:603–619.
- Mayzaud, P. 1973. Respiration and nitrogen excretion of zooplankton II. Studies of the metabolic characteristics of starved animals. *Marine Biology* 21:19–28.
- McCammon, H. M. 1965. Filtering currents in brachiopods measured with a thermistor flowmeter. *Ocean Science Engineering* 2:772–779.
- . 1969. The food of articulate brachiopods. *Journal of Paleontology* 43:976–985.
- . 1970. Variation in recent brachiopod populations. *Bulletin of the Geological Institutions of the University of Uppsala (new series)* 2:41–48.
- . 1971. Behaviour in the brachiopod *Terebratulina septentrionalis* (Couthouy). *Journal of Experimental Marine Biology and Ecology* 6:35–45.
- . 1973. The ecology of *Magellania venosa*, an articulate brachiopod. *Journal of Paleontology* 47:266–278.
- . 1981. Physiology of the brachiopod digestive system. In T. W. Broadhead, ed., *Lophophorates, Notes for a Short Course*. University of Tennessee Department of Geological Sciences, *Studies in Geology* 5:170–204.
- McCammon, H., & R. Buchsbaum. 1968. Size and shape variation of three recent brachiopods from the Strait of Magellan. *Antarctic Research Series* 2:215–225.
- McCammon, H. M., & W. A. Reynolds. 1976. Experimental evidence for direct nutrient assimilation by the lophophore of articulate brachiopods. *Marine Biology* 34:41–51.
- McConnell, D. 1963. Inorganic constituents in the shell of the living brachiopod *Lingula*. *Geological Society of America Bulletin* 74:363–364.
- McCrary, J. 1860. On the *Lingula pyramidata* described by Mr. W. Stimpson. *American Journal of Science Arts (series 2)* 30:157–158.
- McDaniel, N. G. 1973. A survey of the benthic macroinvertebrate fauna and solid pollutants in Howe Sound. *Fisheries Board of Canada, Technical Report* 385:1–64.
- Mickwitz, August. 1896. Über die Brachiopoden-gathung *Obolus* Eichwald. *Académie Impériale des Sciences de St. Petersburg, Mémoires (série 8)* 4(2):215 p., 7 fig., 3 pl.
- Mileikovsky, S. A. 1970. Distribution of pelagic larvae of bottom invertebrates in Kurile-Kamchatka area. In V. G. Bogorov, ed., *Fauna of the Kurile-Kamchatka Trench and Its Environment*. Nauka. Moscow. p. 124–143.
- In Russian, translated in English.
- Mineur, R. J., & J. R. Richardson. 1984. Free and mobile brachiopods from New Zealand Oligocene deposits and Australian waters. *Alcheringa* 8(3–4):327–334, fig. 1–5.
- Mohlenberg, F., & H. U. Riisgard. 1978. Efficiency of particle retention in 13 species of suspension feeding bivalves. *Ophelia* 14:239–246.
- Moore, R. C., ed. 1965. *Treatise on Invertebrate Paleontology*. Part H, Brachiopoda. The Geological Society of America & The University of Kansas Press. New York & Lawrence. xxxii + 927 p., 746 fig.
- Morse, E. S. 1873. Embryology of *Terebratulina*. *Memoirs of the Boston Society of Natural History* 2:249–264, pl. 8–9.
- . 1902. Observations on living Brachiopoda. *Memoirs of the Boston Society of Natural History* 5(8):313–386.
- Morton, J. E. 1960. The functions of the gut in ciliary feeders. *Biological Reviews* 35:92–140.
- Muir-Wood, H. M. 1934. On the internal structure of some Mesozoic Brachiopoda. *Royal Society of London Philosophical Transactions (series B)* 223:511–567, pl. 62–63.
- . 1962. On the morphology and classification of the brachiopod suborder Chonetoidae. *British Museum (Natural History), monograph*. viii + 132 p., 24 fig., 16 pl.
- . 1965. Mesozoic and Cenozoic Terebratulidina. In R. C. Moore, ed., *Treatise of Invertebrate Paleontology*. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. Boulder & Lawrence. p. 762–816, fig. 622–695.
- Muir-Wood, H. M., & G. A. Cooper. 1960. Morphology, classification and life habits of the Productoidea (Brachiopoda). *Geological Society of America Memoir* 81:477 p., 135 pl.
- Muir-Wood, H. M., G. F. Elliott, & Kotora Hatai. 1965. Mesozoic and Cenozoic Terebratellidina. In R. C. Moore, ed., *Treatise of Invertebrate Paleontology*. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. Boulder & Lawrence. p. 816–857, fig. 696–741.
- Müller, F. 1860. Beschreibung einer Brachiopoden-Larva. *Archives für Anatomie und Physiologie*:72–79.
- Neall, V. E. 1972. Systematics of the endemic New Zealand brachiopod *Neothyris*. *Journal of the Royal Society of New Zealand* 2:229–247.
- Negri, A., G. Tedeschi, F. Bonomi, J-H. Zhang, & D. M. Kirtz. 1994. Amino-acid sequences of the alpha- and beta-subunits of hemerythrin from *Lingula reevii*. *Biochimica et Biophysica Acta* 1208:277–285.
- Nekvasilova, O., & D. Pajaud. 1969. Le mode de fixation chez *Bifolium lacazelliforme* Elliot (Thecididae Gray, Brachiopodes) au substrat. *Casopis pro*

- Mineralogii a geologii 14:323–330.
- Nielsen, Claus. 1987. The structure and function of metazoan ciliary bands and their phylogenetic significance. *Acta Zoologica* 68(4):205–262.
- . 1991. The development of the brachiopod *Crania (Neocrania) anomala* (O. F. Müller) and its phylogenetic significance. *Acta Zoologica* 72:7–28.
- . 1994. Larval and adult characters in animal phylogeny. *American Zoologist* 34:492–501.
- . 1995. Animal Evolution: Interrelationships of the Living Phyla. Oxford University Press. Oxford. 467 p.
- Nixon, K. C., & J. M. Carpenter. 1993. On out-groups. *Cladistics* 9:413–426.
- Noble, J. P. A., & A. Logan. 1981. Size-frequency distributions and taphonomy of brachiopods: a recent model. *Palaeogeography, Palaeoclimatology, Palaeoecology* 36:87–105.
- Noble, J. P. A., A. Logan, & G. R. Webb. 1976. The recent *Terebratulina* community in the rocky subtidal zone of the Bay of Fundy, Canada. *Lethaia* 9:1–17.
- Nomura, S., & K. M. Hatai. 1936. A note on *Coptothyris grayi* (Davidson). *Saito Ho-on Kai Museum Research Bulletin* 10:209–217.
- Norford, B. S., & H. M. Steele. 1969. The Ordovician trimerellid brachiopod *Eodinobolus* from southeast Ontario. *Palaeontology* 12(1):161–171, pl. 32–33.
- Norman, A. M. 1893. A month on the Trondhjem. *Annals and Magazine of Natural History* (series 6) 12:340–367.
- Odhner, N. H. 1960. Brachiopoda. Report of the Swedish Deep-Sea Expedition 2(4):23.
- Ohuye, T. 1937. On the coelomic corpuscles in the body fluid of some invertebrates VIII. Supplementary note on the formed elements in the coelomic fluid of some Brachiopoda. *Scientific Reports of Tohoku University* (series 4, Biology) 11:231–238.
- Olsen, G. J., H. Matsuda, R. Hagstrom, & R. Overbeek. 1994. fastDNAm: a tool for construction of phylogenetic trees of DNA sequences using maximum likelihood. *Computer Applications in the Biological Sciences* 10:41–48.
- Onyia, A. D. 1973. Contribution to the food and feeding habit of the threadfin *Galeoides decadactylus*. *Marine Biology* 22(4):371–378.
- Öpik, A. A. 1930. Brachiopoda protremata der estlandischen Ordovizischen kukruse-stufe. *Tartu Ulikooli Geoloogia-Instituudi Toimestuues Acta et Commentationes Universitatis Tartuensis* 17:1–261, pl. 1–22.
- . 1933. Über die Plectamboniten. *Tartu Ulikooli Geoloogia-Instituudi Toimestuues Acta et Commentationes Universitatis Tartuensis* 28:1–79, 6 fig., pl. 1–12.
- . 1934. Über die Klitamboniten. *Tartu Ulikooli Geoloogia-Instituudi Toimestuues Acta et Commentationes Universitatis Tartuensis* 39:1–239, 55 fig., pl. 1–48.
- Oró, J., & H. B. Skewes. 1965. Free amino acids on human fingertips: the question of contamination in microanalysis. *Nature* 207:1042–1045.
- Owen, G., & Alwyn Williams. 1969. The caecum of articulate Brachiopoda. *Proceedings of the Royal Society of London* (series B) 172:187–201.
- Paine, R. T. 1962a. Ecological notes on a gymnophalline *Metacercaria* from the brachiopod *Glottidia pyramidata*. *Journal of Parasitology* 48(3):509.
- . 1962b. Filter-feeding pattern and local distribution of the brachiopod *Discinisca strigata*. *Biological Bulletin* 123:597–604.
- . 1963. Ecology of the brachiopod *Glottidia pyramidata*. *Ecological Monographs* 33:187–213.
- . 1969. Growth and size distribution of the brachiopod *Terebratalia transversa* Sowerby. *Pacific Science* 23:337–343.
- . 1970. The sediment occupied by recent lingulid brachiopods and some paleoecological implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* 7:21–31.
- Palmer, A. R. 1981. Do carbonate skeletons limit the rate of body growth? *Nature* 292:150–152.
- . 1983. Relative cost of producing skeletal organic matrix versus calcification: evidence from marine gastropods. *Marine Biology* 75:287–292.
- Pan, C.-M., & Norimitsu Watabe. 1988a. Uptake and transport of shell minerals in *Glottidia pyramidata* Stimpson (Brachiopoda: Inarticulata). *Journal of Experimental Marine Biology and Ecology* 118:257–268, fig. 1–14.
- . 1988b. Shell growth of *Glottidia pyramidata* Stimpson (Brachiopoda: Inarticulata). *Journal of Experimental Marine Biology and Ecology* 119:43–53, fig. 1–21.
- . 1989. Periostracum formation and shell regeneration in the lingulid *Glottidia pyramidata* (Brachiopoda: Inarticulata). *Transactions of the American Microscopical Society* 108(3):283–289.
- Pandian, T. J., & F. J. Vernberg. 1987. Animal Energetics, Volume 2, Bivalvia through Reptilia. Academic Press. San Diego. 631 p.
- Patel, N. H. 1994. Developmental evolution: insights from studies of insect segmentation. *Science* 266:581–590.
- Patterson, Colin. 1985. Introduction. In C. Patterson, ed., *Molecules and Morphology in Evolution*. Third International Congress of Systematic & Evolutionary Biology, University of Sussex, July 1985. Cambridge University Press. p. 1–22.
- . 1989. Phylogenetic relations of major groups: conclusions and prospects. In B. Fernholm, K. Bremer, & H. Jörnvall, eds., *The Hierarchy of Life: Molecules and Morphology in Phylogenetic Analysis*. Proceedings from Nobel Symposium 70, 1988. Elsevier. Amsterdam. p. 471–488.
- Peck, L. S. 1989. Temperature and basal metabolism in two Antarctic marine herbivores. *Journal of Experimental Marine Biology and Ecology* 127:1–12.
- . 1992. Body volumes and internal space constraints in articulate brachiopods. *Lethaia* 25:383–390.
- . 1993. The tissues of articulate brachiopods and their value to predators. *Philosophical Transactions of the Royal Society of London* (series B) 341:171–180.

- tions of the Royal Society of London (series B) 339:17–32.
- Peck, L. S., A. Clarke, & L. J. Holmes. 1987a. Size, shape and the distribution of organic matter in the recent Antarctic brachiopod *Liothyrella uva*. *Lethaia* 20:33–40.
- . 1987b. Summer metabolism and seasonal changes in biochemical composition of the Antarctic brachiopod *Liothyrella uva* (Broderip, 1833). *Journal of Experimental Marine Biology and Ecology* 114:85–97.
- Peck, L. S., G. B. Curry, A. D. Ansell, & Mark James. 1989. Temperature and starvation effects on the metabolism of the brachiopod *Terebratulina retusa* (L.). *Historical Biology* 2:101–110.
- Peck, L. S., & L. J. Holmes. 1989a. Scaling patterns in the Antarctic brachiopod *Liothyrella uva* (Broderip, 1833). *Journal of Experimental Marine Biology and Ecology* 133:141–150, fig. 1–3.
- . 1989b. Seasonal and ontogenetic changes in tissue size in the Antarctic brachiopod *Liothyrella uva* (Broderip, 1833). *Journal of Experimental Marine Biology and Ecology* 134:25–36, fig. 1–2.
- Peck, L. S., D. J. Morris, & Andrew Clarke. 1986a. Oxygen consumption and the role of caeca in the recent Antarctic brachiopod *Liothyrella uva notorcadensis* (Jackson, 1912). In P. R. Racheboeuf & C. C. Emig, eds., *Les Brachiopodes Fossiles et Actuels, Actes du 1er Congrès International sur les Brachiopodes*, Brest 1985. *Biostratigraphie du Paléozoïque* 4, p. 349–355.
- . 1986b. The caeca of punctate brachiopods: a respiring tissue not a respiratory organ. *Lethaia* 19:232, fig. 1.
- Peck, L. S., D. J. Morris, A. Clarke, & L. J. Holmes. 1986. Oxygen consumption and nitrogen excretion in the Antarctic brachiopod *Liothyrella uva* (Jackson, 1912) under simulated winter conditions. *Journal of Experimental Marine Biology and Ecology* 104:203–213.
- Peck, L. S., & K. Robinson. 1994. Pelagic larval development in the brooding Antarctic brachiopod *Liothyrella uva*. *Marine Biology* 120:279–286.
- Pedersen, Fl. Bo. 1978. A brief review of present theories of fjord dynamics. In C. J. Nihoul, ed., *Hydrodynamics of Estuaries and Fjords*. Elsevier Scientific Publishing Company. Amsterdam. p. 407–422.
- Percival, E. 1944. A contribution to the life-history of the brachiopod *Terebratella inconspicua* Sowerby. *Transactions of the Royal Society of New Zealand* 74:1–23, pl. 1–7.
- . 1960. A contribution to the life history of the brachiopod *Tegularhynchia nigricans*. *Quarterly Journal of Microscopical Science* 101:439–457.
- Philippe, Hervé, A. Chenuil, & A. Adoutte. 1994. Can the Cambrian explosion be inferred through molecular phylogeny? In M. Akam, P. Holland, P. Ingham, & G. Wray, eds., *The Evolution of Developmental Mechanisms*. Development, 1994 Supplement. Company of Biologists. Cambridge. p. 15–25.
- Plenk, H. 1913. Die Entwicklung von *Cistella* (*Argiope*) *neopolitana*. Arbeiten aus dem Zoologischen Institute der Universität Wien und der Zoologischen Station in Triest, Wien 20:93–108.
- Popov, L. Ye. 1992. The Cambrian radiation of brachiopods. *Topics in Geobiology* 10:399–423, 6 fig.
- Popov, L. Ye., M. G. Bassett, L. E. Holmer, & J. Laurie. 1993. Phylogenetic analysis of higher taxa of Brachiopoda. *Lethaia* 26:1–5.
- Popov, L. Ye., & Yu. A. Tikhonov. 1990. Ranne-kembriiskie brakhiopody iz iuzhnoi Kirgizii [Early Cambrian brachiopods from south Kirgizii]. *Paleontologicheskii Zhurnal* 1990(3):33–44, 2 fig., pl. 3–4.
- Popov, L. Ye., & G. T. Ushatinskaya. 1987. Novyye dannyye o mikrostrukture rakkoviny bezzamkovykh brakhiopod otryada Paterinida [New data on the microstructure of the shell in inarticulate brachiopods of the Order Paterinida]. *Doklady Akademii Nauk SSSR Sovetskikh Sotsialisticheskikh Respublik* [Academy of Sciences of the USSR, Reports] 293(5):1228–1230.
- Popov, L. Ye., O. N. Zezina, & J. Nolvak. 1982. Mikrostruktura apikal'noy chasti rakkoviny bezzamkovykh brakhiopod i eye paleoecologicheskoye znachenije [Microstructure of the apical part of the shell in inarticulate brachiopods and its paleoecological significance]. *Byuletin' Moskovskogo obshchestva ispytatelej prirody, otdel biologicheskij* [Moscow Society of Natural History, Branch of Biology, Bulletin] 87:94–104.
- Poulsen, V. 1971. Notes on an Ordovician acrotretaceous brachiopod from the Oslo region. *Bulletin of the Geological Society of Denmark* 20:265–278.
- Powls, R., & G. Britton. 1976. A carotenoprotein violaxanthin, isolated from *scenedesmus obliquus* D3. *Biochimica et Biophysica Acta* 453:270–276.
- Prenant, M. 1928. Notes histologiques sur *Terebratula caput-serpentis* L. *Bulletin de la Société Zoologique de France* 59:113–125.
- Pross, A. 1980. Untersuchungen zur Gliederung von *Lingula anatina* (Brachiopoda). *Archimerie bei Brachiopoden*. *Zoologische Jahrbücher, abteilung für Anatomie und Ontogenie der Tiere* 103:250–263.
- Punin, M. Y., & M. V. Filatov. 1980. The epithelium organisation in the digestive gland of the articulate brachiopod *Hemithyris psittacea*. *Citologija* 22(3):277–286.
- In Russian.
- Racheboeuf, P. R. 1973. Données nouvelles sur le développement des épines chez certains Brachiopodes Chonetacea du Massif Armorican. *Comptes Rendus de l'Académie des Sciences de Paris* 277(D):1741–1744.
- Racheboeuf, P. R., & Paul Copper. 1990. The mesolophe, a new lophophore type for chonetacean brachiopods. *Lethaia* 23(4):341–346, 5 fig.
- Raff, R. A., C. R. Marshall, & J. M. Turbeville. 1994. Using DNA sequences to unravel the Cambrian

- radiation of the animal phyla. Annual Review of Ecology and Systematics 25:351–375.
- Ramamoorthi, K., K. Venkataramanujam, & B. Srikrishnadhas. 1973. Mass mortality of *Lingula anatina* (Lam.) (Brachiopoda) in Porto-Novo waters, S. India. Current Science 42(8):285–286.
- Rand, D. M. 1993. Endotherms, ectotherms and mitochondrial genome-size variation. Journal of Molecular Evolution 37:281–295.
- Reed, C. G. 1987. Phylum Brachiopoda Coast. In M. Strathmann, ed., Reproduction and Development of Marine Invertebrates of the Northern Pacific. University of Washington Press. Seattle. p. 486–493.
- Reed, C. G., & R. A. Cloney. 1977. Brachiopod tentacles: ultrastructure and functional significance of the connective tissue and myoepithelial cells in Terebratalia. Cell and Tissue Research 185:17–42.
- Regnault, M. 1987. Nitrogen excretion in marine and fresh-water Crustacea. Biological Reviews 62:1–24.
- Reynolds, W. A., & H. M. McCammon. 1977. Aspects of the functional morphology of the lophophore in articulate brachiopods. American Zoologist 17:121–132.
- Rhodes, M. C. 1990. Extinction patterns and comparative physiology of brachiopods and bivalves. PhD thesis, Department of Geology, University of Pennsylvania. Philadelphia. 152 p.
- Rhodes, M. C., & C. W. Thayer. 1991. Effects of turbidity on suspension feeding: Are brachiopods better than bivalves? In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., Brachiopods Through Time, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema. Rotterdam. p. 191–196.
- Rhodes, M. C., & R. J. Thompson. 1992. Clearance rate of the articulate brachiopod *Neothyris lenticularis* (Deshayes, 1839). Journal of Experimental Marine Biology and Ecology 163:77–89.
- . 1993. Comparative physiology of suspension feeding in living brachiopods and bivalves: evolutionary implications. Paleobiology 19:322–334.
- Richards, J. R. 1952. The ciliary feeding mechanism of *Neothyris lenticularis* (Deshayes). Journal of Morphology 90:65–91, fig. 1–6.
- Richardson, J. R. 1973. Studies on Australian Cainozoic Brachiopods 3. The subfamily Bouchardiinae (Terebratellidae). Royal Society of Victoria Proceedings 86(1):127–132, pl. 7.
- . 1975. Loop development and the classification of terebratulacean brachiopods. Palaeontology 18(2):285–314, 4 fig., pl. 44.
- . 1979. Pedicle structure of articulate brachiopods. Journal of the Royal Society of New Zealand 9:415–436.
- . 1980. Studies on Australian Cainozoic brachiopods 5. The genera *Victorithyris* Allan and *Diedrothyris* nov. Memoirs of the National Museum of Victoria 41:43–52.
- . 1981a. Brachiopods in mud: resolution of a dilemma. Science 211:1161–1163.
- . 1981b. Brachiopods and pedicles. Paleobiology 7:87–95.
- . 1981c. Recent brachiopods from New Zealand. New Zealand Journal of Zoology 8:133–248.
- . 1981d. Distribution and orientation of six articulate species from New Zealand. New Zealand Journal of Zoology 8:189–196.
- . 1986. Brachiopods. Scientific American 254:100–106.
- . 1987. Brachiopods from carbonate sands of the Australian shelf. Proceedings of the Royal Society of Victoria 99:37–50.
- . 1991. Australasian Tertiary Brachiopoda. The subfamily Anakineticinae nov. Proceedings of the Royal Society of Victoria 103(1):29–45, fig. 1–5.
- . 1994. Origins and dispersal of a brachiopod family—the systematics, biogeography and evolution of the Family Terebratellidae. Proceedings of the Royal Society of Victoria 106:17–29.
- Richardson, J. R., & R. J. Mineur. 1981. Differentiation of species of *Terebratella* (Brachiopoda: Terebratellinae). New Zealand Journal of Zoology 8:163–168.
- Richardson, J. R., I. R. Stewart, & Liu Xixing. 1989. Brachiopods from Chinese Seas. Chinese Journal of Oceanology and Limnology 7:211–219, pl. 1–4.
- Richardson, J. R., & J. E. Watson. 1975. Form and function in a recent free living brachiopod *Magadina cumingi*. Paleobiology 1:379–387.
- Ricker, W. E. 1971. Methods for assessment of fish production in fresh waters. I. B. P. Handbook No. 3. Blackwell Scientific Publications. Oxford & Edinburgh, United Kingdom. 326 p.
- Rickwood, A. E. 1968. A contribution to the life history and biology of the brachiopod *Pumilus antiquatus* Atkins. Transactions of the Royal Society of New Zealand (Zoology) 10:163–182, 10 fig.
- . 1977. Age, growth and shape of the intertidal brachiopod *Waltonia inconspicua* Sowerby, from New Zealand. American Zoologist 17:63–73, fig. 1–9.
- Roberts, John. 1968. Mantle canal patterns in *Schizophoria* (Brachiopoda) from the Lower Carboniferous of New South Wales. Palaeontology 11(3):389–405, pl. 74–75.
- Robertson, J. D. 1989. Physiological constraints upon marine organisms. Transactions of the Royal Society of Edinburgh, Earth Sciences 80:225–234.
- Rokop, F. J. 1977. Seasonal reproduction of the brachiopod *Frieleia halli* and the scaphopod *Cadulus californicus* at bathyal depths in the deep sea. Marine Biology 43:237–246.
- Rong, J.-Y., & L. R. M. Cocks. 1994. True *Strophomena* and a revision of the classification and evolution of strophomenoid and “strophodontoid” brachiopods. Palaeontology 37:651–694.
- Rosenburg, G. D., & W. W. Hughes. 1991. A metabolic model for the determination of shell composition in the bivalve mollusc, *Mytilus edulis*. Lethaia 24:83–96.
- Rosenberg, G. D., W. W. Hughes, & R. D. Tkachuck. 1988. Intermediary metabolism and shell growth in the brachiopod *Terebratalia transversa*. Lethaia 21:219–230.
- Rouse, G. W., & B. G. M. Jamieson. 1987. An ultra-

- structural study of the spermatozoa of polychaetes *Eurythoe complanata* (Amphinomidae), *Clymella* sp. and *Micromaldane* sp. (Maldanidae), with definition of sperm types in relation to reproductive biology. *Journal of Submicroscopic Cytology* 19:573–584.
- Rowell, A. J. 1960. Some early stages in the development of the brachiopod *Crania anomala* (O. F. Müller). *Annals and Magazine of Natural History* (series 13) 3:35–52.
- . 1961. Inhalant and exhalant feeding current systems in recent brachiopods. *Geological Magazine* 98(3):261–263.
- . 1977. Valve orientation and functional morphology of the foramen of some siphonotretacean and acrotretacean brachiopods. *Lethaia* 10:43–50.
- . 1982. The monophyletic origin of the Brachiopoda. *Lethaia* 15:299–307.
- Rowell, A. J., & N. E. Caruso. 1985. The evolutionary significance of *Nisusia sulcata*, an early articulate brachiopod. *Journal of Paleontology* 59:1227–1242, fig. 1–9.
- Rowley, A. F., & P. J. Hayward. 1985. Blood cells and coelomocytes of the inarticulate brachiopod *Lingula anatina*. *Journal of Zoology*, London (series A) 205:9–18.
- Rubenstein, D. I., & M. A. R. Koehl. 1977. The mechanisms of filter feeding: some theoretical considerations. *American Naturalist* 111:981–994.
- Rudall, K. M. 1955. The distribution of collagen and chitin. *Symposium of the Society for Experimental Biology* 9:49–71.
- . 1969. Chitin and its association with other molecules. *Journal of Polymer Science (Part C)* 28:83–102.
- Rudwick, M. J. S. 1959. The growth and form of brachiopod shells. *Geological Magazine* 94:1–24.
- . 1960. The feeding mechanisms of spine-bearing fossil Brachiopoda. *Geological Magazine* 97:369–383, 8 fig.
- . 1961. ‘Quick’ and ‘catch’ adductor muscles in brachiopods. *Nature* 191:1021.
- . 1962a. Filter feeding mechanisms in some brachiopods from New Zealand. *Journal of the Linnean Society, Zoology* 44:592–615.
- . 1962b. Notes on the ecology of brachiopods in New Zealand. *Transactions of the Royal Society of New Zealand, Zoology* 1:327–335.
- . 1965a. Ecology and paleoecology. In R. C. Moore, ed., *Treatise on Invertebrate Paleontology*. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. New York & Lawrence. p. 199–214.
- . 1965b. Sensory spines in the Jurassic brachiopod *Acanthothiris*. *Palaeontology* 8:604–617, pl. 84–87.
- . 1970. Living and Fossil Brachiopods. Hutchinson and Co. Ltd. London. 199 p., 99 fig.
- Runnegar, B., A. Scheltema, L. Jackson, M. Jebb, J. McC. Turbeville, & C. R. Marshall. In preparation. A molecular test of the hypothesis that Aplacophora are progenetic aculifera.
- Russell, G. R., & J. H. Subak-Sharpe. 1977. Similarity of the general designs of protostomes and invertebrates. *Nature* 266:533–535.
- Sandy, M. R. 1994. Triassic–Jurassic articulate brachiopods from the Pucará group, central Peru, and description of the brachidial net in the spiriferid *Spondylospira*. *Palaeontographica* A233:99–126.
- Sandy, M. R., & M. R. Langenkamp. 1992. The brachidial net—a unique internal support structure in the Brachiopoda? *Geological Society of America, Abstracts with Programs* (Boulder) 24(7):A226.
- Sass, D. B., E. A. Monroe, & D. T. Gerace. 1965. Shell structure of recent articulate Brachiopoda. *Science* 149:181–182.
- Satake, K., M. Yugi, M. Kamo, H. Kihara, & A. Tsugita. 1990. Hemerythrin from *Lingula unguis* consists of two different subunits, alpha and beta. *Protein Sequences and Data Analysis* 3:1–5.
- Savazzi, E. 1991. Burrowing in the inarticulate brachiopod *Lingula anatina*. *Palaeogeography, Palaeoclimatology, Palaeoecology* 85:101–106.
- Sawada, N. 1973. Electron microscope studies on gametogenesis in *Lingula unguis*. *Zoological Magazine* 82:178–188.
- Schaeffer, C. 1926. Untersuchungen zur vergleichenden Anatomie und Histologie der Brachiopodengattung *Lingula*. *Acta Zoologica*, Stockholm 7:329–402.
- Schägger, H., & G. Von Jagow. 1987. Tricine-sodium dodecyl sulfate-polyacrylamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa. *Analytical Biochemistry* 166:368–379.
- Scheid, M. J., & J. Awapara. 1972. Stereospecificity of some invertebrate lactic dehydrogenases. *Comparative Biochemistry and Physiology* 43B:619–626.
- Scheul, H. 1978. Secretory functions of egg cortical granules in fertilisation and development. A critical review. *Gamete Research* 1:299–382.
- Schmidt, Herta. 1937. Zur Morphogenie der Rhynchonelliden. *Senckenbergiana* 19:22–60, fig. 1–56.
- Schmidt-Nielsen, K. 1979. *Animal Physiology: Adaptation and environment*, second edition. Cambridge University Press. Cambridge. 560 p.
- . 1984. *Scaling: Why is animal size so important?* Cambridge University Press. Cambridge. 241 p.
- Schram, F. R. 1983. Method and madness in phylogeny. In F. R. Schram, ed., *Crustacean Issues I: Crustacean Phylogeny*. Balkema. Amsterdam. p. 331–350.
- . 1991. Cladistic analysis of metazoan phyla and the placement of fossil problematica. In A. M. Simonetta & Simon Conway Morris, eds., *The Early Evolution of the Metazoa and the Significance of Problematic Taxa*. Cambridge University Press. Cambridge. p. 35–46.
- Schuchert, Charles, & G. A. Cooper. 1932. Brachiopod genera of the suborders Orthoidea and Pentamerioidea. *Peabody Museum of Natural History Memoir* 49(1):1–270, pl. 1–29.
- Schulgin, M. A. 1885. *Argiope kowalewskii* (ein Beitrag zur Kenntnis der Brachiopoden). *Zeitschrift für wissenschaftliche Zoologie* 41:116–141.
- Schumann, Dietrich. 1969. “Byssus” - artige

- Stielmuskel - Konvergenzen bei artikulaten Brachiopoden. Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen 133:199–210.
- . 1970. Inäquivalver Schalenbau bei *Crania anomala*. Lethaia 3:413–421.
- . 1973. Mesodermale Endoskelette terebratulider Brachiopoden. I. Palaeontologische Zeitschrift 47(1–2):77–103, 10 fig., pl. 12–15.
- . 1991. Hydrodynamic influences in brachiopod shell morphology of *Terebratalia transversa* (Sowerby) from the San Juan Islands, USA. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., Brachiopods Through Time, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema, Rotterdam, p. 265–272.
- Scott, M. P. 1994. Intimations of a creature. Cell 79:1121–1124.
- Senn, E. 1934. Die Geschlechtsuerhaeltnisse der Brachiopoden im besonderen die Spermato—und Oogenese der *Lingula*. Acta Zoologica 15:1–154.
- Sewell, R. B. S. 1912. Note on the development of the larva of *Lingula*. Records of the Indian Museum 7:88–90.
- Shiells, K. A. G. 1968. *Kochipructus coronus* sp. nov. from the Scottish Viséan and a possible mechanical advantage of its flange structure. Transactions of the Royal Society of Edinburgh 67:477–510, 20 fig., 1 pl.
- Shimizu, N., & K-I. Miura. 1972. Studies on nucleic acids of living fossils. I. Isolation and characterization of DNA and some RNA components from the brachiopod *Lingula*. Animal ribosomes: Experimental studies of the last five years. MSS Information Corporation. New York, p. 19–25.
- Shipley, A. E. 1883. On the structure and development of *Argiope*. Zooligie Stazione Neapoli, Mitteilungen 4:494–520.
- Shipley, A. E., & E. W. MacBride. 1920. Zoology. 4th edition. Cambridge University Press. Cambridge. 752 p.
- Short, G., & S. L. Tamm. 1991. On the nature of paddle cilia and discocilia. Biological Bulletin, Marine Biological Laboratory, Woods Hole, Massachusetts 180:466–474.
- Shumway, S. E. 1982. Oxygen consumption in brachiopods and the possible role of punctae. Journal of Experimental Marine Biology and Ecology 58:207–220.
- Simon, J. L., & D. M. Dauer. 1977. Reestablishment of a benthic community following natural defaunation. In B. C. Coull, ed., Ecology of Marine Benthos. University of South Carolina Press, Columbia, Belle W. Baruch Library in Marine Science 6:139–154.
- Singer, T. P. 1965. Comparative biochemistry of succinate dehydrogenase: forms and functions. In T. E. King, H. S. Mason, & M. Morrison, eds., Oxidases and Related Redox Systems. Wiley. New York. p. 448–481.
- Smirnova, T. N., & E. Popiel-Barczyk. 1991. Characteristics of the shell ultrastructure in Terebratellacea. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., Brachiopods Through Time, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema, Rotterdam. p. 159–165.
- Smith, A. B. 1994. Rooting molecular trees: problems and strategies. Biological Journal of the Linnean Society 51:279–292.
- Smith, M. J., A. Arndt, S. Gorski, & E. Fajber. 1993. The phylogeny of echinoderm classes based on mitochondrial gene arrangements. Journal of Molecular Evolution 36:545–554.
- Soota, T. D., & K. N. Reddy. 1976. On the distribution and habitat of the brachiopod *Lingula* in India. Newsletter of the Zoological Survey of India 2(6):235–237.
- Steele, K. P., K. E. Holsinger, R. K. Jansen, & D. W. Taylor. 1991. Assessing the reliability of 5S rRNA sequence data for phylogenetic analysis in green plants. Molecular Biology and Evolution 8:240–248.
- Steele-Petrovic, H. M. 1976. Brachiopod food and feeding processes. Palaeontology 19:417–436.
- Stehli, F. G. 1956. Evolution of the loop and lophophore in terebratuloid brachiopods. Evolution 10:187–200, 9 fig.
- . 1965. Paleozoic Terebratulida. In R. C. Moore, ed., Treatise on Invertebrate Paleontology. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. New York & Lawrence. p. 730–762, fig. 594–621.
- Steinich, G. 1965. Die artikulaten Brachiopoden der ruegener Schreibkreide (Unter-Maastricht). Geologische und Palaeontologische Abhandlungen (Abt. A) 2:220 p., 21 pl.
- Stewart, I. R. 1975. Morphological variation within the recent brachiopod genus *Magellania*. Unpublished thesis submitted for Geology Fellowship Diploma. Royal Melbourne Institute of Technology. 13 p.
- . 1981. Population structure of articulate brachiopod species from soft and hard substrates. New Zealand Journal of Zoology 8:197–208.
- St. Joseph, J. K. S. 1938. The Pentameracea of the Oslo region. Norsk Geologisk Tidsskrift 17:255–336, pl. 1–8.
- Storch, Volker, & Ulrich Welsch. 1972. Über Bau und Entstehung der Mantelrandstacheln von *Lingula unguis* L. (Brachiopoda). Zeitschrift für Wissenschaftliche Zoologie (Leipzig) 183:181–189.
- . 1974. Epitheliomuscular cells in *Lingula unguis* (Brachiopoda) and *Branchiostoma lanceolatum* (Acrania). Cell and Tissue Research 154:543–545.
- . 1975. Elektronenmikroskopische und enzymhistochemische Untersuchungen über die Mitteldarmdrüse von *Lingula unguis* L. (Brachiopoda). Zoologische Jahrbücher, abteilung für Anatomie und Ontogenie der Tiere 94:441–452.
- . 1976. Elektronenmikroskopische und enzymhistochemische Untersuchungen über Lophophor und Tentakeln von *Lingula unguis* L. (Brachiopoda). Zoologische Jahrbücher, abteilung für Anatomie und Ontogenie der Tiere 96:225–237.
- Stoyanova, R. Z. 1984. Alkane and fatty acid content and composition in Palaeozoic Brachiopoda fossils. Comptes-rendus de l'Académie Bulgare des Sciences

- ences 37(6):771–774.
- Strathmann, R. R. 1973. Function of lateral cilia in suspension feeding of lophophorates (Brachiopoda, Phoronida, Ectoprocta). *Marine Biology* 23:129–136.
- Strathmann, R. R., & D. J. Eernisse. 1994. What molecular phylogenies tell us about the evolution of larval forms. *American Zoologist* 34:502–512.
- Stricker, S. A., & C. G. Reed. 1985a. The ontogeny of shell secretion in *Terebratalia transversa* (Brachiopoda, Articulata). I. Development of the mantle. *Journal of Morphology* 183:233–250.
- . 1985b. The ontogeny of shell secretion in *Terebratalia transversa* (Brachiopoda, Articulata). II. Formation of the protogulum and juvenile shell. *Journal of Morphology* 183:251–271, fig. 1–45.
- . 1985c. Development of the pedicle in the articulate brachiopod *Terebratalia transversa* (Brachiopoda, Terebratulida). *Zoomorphology* 105:253–264.
- Suchanek, T. H., & J. Levinton. 1974. Articulate brachiopod food. *Journal of Paleontology* 48:1–5.
- Summers, R. G. 1970. The fine structure of the spermatozoon of *Pennaria tiarella* (Coelenterata). *Journal of Morphology* 131:117–130.
- Sundarsan, D. 1968. Brachiopod larvae from the west coast of India. *Proceedings of the Indian Academy of Science (section B)* 68:59–68.
- . 1970. On a lingulid larva from Coondapur (Mysore State), India. *Journal of the Marine Biological Association of India* 12:97–99.
- Surlyk, Finn. 1972. Morphological adaptations and population structures of the Danish chalk brachiopods (Maastrichtian, Upper Cretaceous). Kongelige Danske Videnskabernes Selskab, Biologiske Skrifter 19(2):2–57, 24 fig., pl. 1–5.
- Swedmark, B. 1967. *Gwynia capsula* (Jeffreys), an articulate brachiopod with brood protection. *Nature* 213:1151–1152.
- . 1971. A review of Gastropoda, Brachiopoda, and Echinodermata. *Smithsonian Contributions to Zoology* 76:41–45.
- Swofford, D. L. 1993. PAUP: phylogenetic analysis using parsimony. Computer program distributed by the author. Smithsonian Institution. Washington, D.C.
- Taddei Ruggiero, E. 1991. A study of damage evidence in brachiopod shells. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., *Brachiopods Through Time*, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema. Rotterdam. p. 203–210.
- Tanaka, S., K. Anno, & N. Seno. 1982. A novel sulfated glycosaminoglycan, lingulin sulfate, composed of galactose and N-acetylgalactosamine from *Lingula unguis*. *Biochimica et Biophysica Acta* 704:549–551.
- Teichert, Curt. 1958. Cold and deep-water coral banks. *Bulletin of the American Association of Petroleum Geologists* 42:1064–1082.
- Templeton, Alan. 1989. The meaning of species and speciation: a genetic perspective. In D. Otte & J. A. Endler, eds., *Speciation and Its Consequences*.
- Sinauer Associates, Inc. Sunderland, Massachusetts. p. 3–27.
- Thayer, C. W. 1975. Size-frequency and population structure of brachiopods. *Palaeogeography, Palaeoclimatology, Palaeoecology* 17:139–148.
- . 1977. Recruitment, growth, and mortality of a living articulate brachiopod, with implications for the interpretation of survivorship curves. *Paleobiology* 3:98–109.
- . 1986a. Are brachiopods better than bivalves? Mechanisms of turbidity tolerance in articulates and their interaction with feeding in articulates. *Paleobiology* 12:161–174.
- . 1986b. Respiration and the function of brachiopod punctae. *Lethaia* 19:23–31.
- Thayer, C. W., & R. A. Allmon. 1990. Evolutionary refugia? Oligotrophic marine caves of Micronesia. Abstract. Fourth International Congress of Systematic and Evolutionary Biology. p. A323.
- Thayer, C. W., & H. M. Steele-Petrovic. 1975. Burrowing of the lingulid brachiopod *Gloostidia pyramidata*: its ecologic and palaeoecologic significance. *Lethaia* 8:209–221.
- Thomas, G. A. 1958. The Permian Orthotetacea of Western Australia. Bureau of Mineral Resources, Geology and Geophysics, Bulletin 39:1–159.
- Thompson, R. R., & W. B. Creath. 1966. Low molecular weight hydrocarbons in recent and fossil shells. *Geochimica et Cosmochimica Acta* 30:1137–1152.
- Thompson, R. J., E. Ward, & M. C. Rhodes. 1992. *In vivo* observations of feeding in an articulate brachiopod. Abstract. Annual Marine Benthic Ecology Meeting, Newport, RI, March 1992.
- Thomson, J. A. 1918. Brachiopoda. Australasian Antarctic Expedition, 1911–1914, Scientific Reports (series C) 4:1–76, pl. 15–18.
- . 1927. Brachiopod morphology and genera (recent and Tertiary). New Zealand Board of Science and Art, Manual 7:338 p., 103 fig., 2 pl.
- Tkachuck, R. D., G. D. Rosenberg, & W. W. Hughes. 1989. Utilization of free amino acids by mantle tissue in the brachiopod *Terebratalia transversa* and the bivalve mollusc, *Chlamys hastata*. *Comparative Biochemistry and Physiology* 92B:747–750.
- Tommasi, L. R. 1970a. Sobre o braquiopode *Bouchardia rosea* (Mawe, 1823). *Boletim do Instituto Oceanográfico, São Paulo* 19:33–42.
- . 1970b. Observações sobre a fauna bêntica do complexo estuarino-lagunar de Cananéia. *Boletim do Instituto Oceanográfico, São Paulo* 19(1):43–56.
- Tortell, P. 1981. Notes on the reproductive biology of brachiopods from southern New Zealand. *New Zealand Journal of Zoology* 8:175–182.
- Towe, K. M. 1980. Preserved organic ultrastructure: an unreliable indicator for paleozoic amino acid biogeochemistry. In P. E. Hare, T. C. Hoering, & K. J. King, eds., *Biogeochemistry of Amino Acids*. John Wiley & Sons. New York. p. 65–74.
- Towe, K. M., & C. W. Harper, Jr. 1966. Pholidostrophiid brachiopods: origin of the nacreous lustre. *Science* 154:153–155.
- Truman, E. R., & T. M. Wong. 1987. The role of the

- coelom as a hydrostatic skeleton in lingulid brachiopods. *Journal of Zoology* 213(2):221–232, 3 fig.
- Tsuchiya, M., & C. C. Emig. 1983. Macrofaunal assemblages in a habitat of the recent lingulid brachiopod *Lingula anatina* Lamarck at Asamushi, Northern Japan. *Bulletin of the Marine Biological Station of Asamushi, Tohoku University* 17(3):141–157.
- Tunncliffe, Verena. 1981. High species diversity and abundance of the epibenthic community in an oxygen-deficient basin. *Nature* 294:354–356.
- Tuross, Noreen, & L. W. Fisher. 1989. The proteins in the shell of *Lingula*. In R. E. Crick, ed., *Origin, Evolution, and Modern Aspects of Biomineralization in Plants and Animals*. Plenum Press. New York. p. 325–328.
- Tuross, Noreen, & P. E. Hare. 1990. A 40 kDa protein in modern and fossil *Lingula*. In *The Sixth International Symposium on Biomineralization, Conference Abstracts*. Kyoritsu Shuppan Co. Ltd. Tokyo, Japan. p. 76.
- Ulrich, E. O., & G. A. Cooper. 1938. Ozarkian and Canadian Brachiopoda. Geological Society of America Special Paper 13:viii + 323 p., 14 fig., 58 pl.
- Uribe, M. E., & A. P. Larrain. 1992. Estudios biológicos en el enteropneusto *Ptychoderma flava* Eschscholtz, 1825, de Bahía Concepción, Chile. I: Aspectos morfológicos y ecológicos. *Gayana, Zoológica* 56(3–4):141–180.
- Ushatinskaya, G. T. 1988. Obolellid (Brachiopoda) s zamkovym sochleneniem stvork iz nizhnego kembriia Zabaikalia [Obolellids (Brachiopoda) with a hinge from the Lower Cambrian of the Transbaikal area]. *Paleontologicheskii Zhurnal* 1988(1):34–39, 1 fig., pl. 3–4.
- Vader, W. 1970. The amphipod, *Aristias neglectus* Hansen, found in association with brachiopods. *Sarsia* 43:13–14.
- Valentine, J. W., & F. J. Ayala. 1975. Genetic variation in *Freileia halli*, a deep sea brachiopod. *Deep-Sea Research* 22:37–44.
- Vallentyne, J. R. 1964. Biogeochemistry of organic matter II: Thermal reaction kinetics and transformation products of amino compounds. *Geochimica et Cosmochimica Acta* 32:1353–1356.
- Vandercammen, A., & M. Lambiotte. 1962. Observations sur les sarcoglyphe dans *Atypa reticularis* (C. Linné, 1767). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique*, Bruxelles 38:1–15, pl. 1.
- Van Kleef, F. S. M., W. W. de Jong, & H. J. Hoenders. 1975. Stepwise degradation of the eye lens protein α -crystallin in aging. *Nature* 258:264–266.
- Vargas, J. A. 1988. Community structure of macrofauna and the results of macropredator exclusion on a tropical intertidal mud flat. *Revista de Biología Tropical* 36(2A):287–308.
- Walker, A. O. 1909. Amphipoda Gammaridea from the Indian Ocean, British East Africa, and the Red Sea. *Transactions of the Linnean Society of London* (series 2, Zoology) 12:323–344, pl. 42–43.
- Walton, Derek. 1992. Biogeochemistry of brachiopod intracrystalline proteins and amino acids. Ph.D. thesis. University of Glasgow. 237 p.
- Walton, Derek, & G. B. Curry. 1991. Amino acids from fossils, facies and fingers. *Palaeontology* 34:851–858.
- Walton, Derek, Maggie Cusack, & G. B. Curry. 1993. Implications of the amino acid composition of recent New Zealand brachiopods. *Palaeontology* 36:883–896.
- Wang, Yu, Paul Copper, & Jia-Yu Rong. 1983. Distribution and morphology of the Devonian brachiopod *Punctatrypa*. *Journal of Paleontology* 57:1067–1089, 11 fig.
- Watabe, Norimitsu, & C.-M. Pan. 1984. Phosphatic shell formation in aetremate brachiopods. *American Zoologist* 24:977–985.
- Webb, G. R., A. Logan, & J. P. A. Noble. 1976. Occurrence and significance of brooded larva in a recent brachiopod, Bay of Fundy, Canada. *Journal of Paleontology* 50:869–871.
- Weiner, S. 1983. Mollusk shell formation: isolation of two organic matrix proteins associated with calcite deposition in the bivalve *Mytilus californianus*. *Biochemistry* 22:4139–4145.
- Westbroek, Peter. 1967. Morphological observations with systematic implications on some Palaeozoic Rhynchonellida from Europe, with special emphasis on the Uncinulidae. Thesis. Leidse Geologische Mededelingen 41:1–82, 14 pl.
- Westbroek, Peter, J. Yanagida, & Y. Isa. 1980. Functional morphology of brachiopod and coral skeletal structures supporting ciliated epithelia. *Paleobiology* 6:313–330.
- Widdows, J. 1985. Physiological procedures. In B. L. Bayne, ed., *The Effects of Stress and Pollution on Marine Animals*. Praeger Scientific. New York. p. 161–178.
- Wilkens, J. L. 1978a. Adductor muscles of brachiopods: activation and contraction. *Canadian Journal of Zoology* 56:315–323.
- . 1978b. Diductor muscles of brachiopods: activation and very slow contraction. *Canadian Journal of Zoology* 56:324–332.
- . 1987. Tonic free maintenance after the decay of active state in brachiopod smooth adductor muscle. *Journal of Comparative Physiology (series B)* 157:651–658.
- Williams, Alwyn. 1953. North American strophodontids: their morphology and systematics. *Geological Society of America Memoir* 56:67 p., 13 pl.
- . 1956. The calcareous shell of the Brachiopoda and its importance to their classification. *Biological Reviews* 31:243–287, fig. 1–7.
- . 1957. Evolutionary rates of brachiopods. *Geological Magazine* 94:201–211.
- . 1962. The Barr and lower Ardmillian series (Caradoc) of the Girvan district, southwest Ayrshire, with descriptions of the Brachiopoda. *Geological Society of London Memoir* 3:267 p., 25 pl.
- . 1963. The Caradocian brachiopod faunas of the Bala District, Merionethshire. *Bulletin of the British Museum (Natural History) Geology*, Lon-

- don 8:327–471, 13 fig., 16 pl.
- . 1965. Stratigraphic Distribution. In R. C. Moore, ed., Treatise on Invertebrate Paleontology. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. New York & Lawrence. p. 237–250, fig. 148–154.
- . 1966. Growth and structure of the shell of living articulate brachiopods. *Nature* 211:1146–1148.
- . 1968a. Evolution of the shell structure of articulate brachiopods. *Special Papers in Palaeontology* 2:1–55, 27 fig., 24 pl.
- . 1968b. Significance of the structure of the brachiopod periostracum. *Nature* 218:551–554.
- . 1968c. Shell structure of the billingsellacean brachiopods. *Palaeontology* 11:486–490.
- . 1968d. A history of skeletal secretion among articulate brachiopods. *Lethaia* 1:268–287.
- . 1970a. Origin of laminar-shelled articulate brachiopods. *Lethaia* 3:329–342.
- . 1970b. Spiral growth of the laminar shell of the Brachiopod *Crania*. *Calcified Tissue Research* 6:11–19.
- . 1971a. Comments on the growth of the shell of articulate brachiopods. In J. Thomas Dutro, Jr., ed., *Paleozoic Perspectives: A Paleontological Tribute to G. Arthur Cooper*. Smithsonian Contributions to Paleobiology 3:47–67.
- . 1971b. Scanning electron microscopy of the calcareous skeleton of fossil and living Brachiopoda. In V. H. Heywood, ed., *Scanning Electron Microscopy: Systematic and Evolutionary Applications*. Academic Press. London & New York. p. 37–66.
- . 1973. The secretion and structural evolution of the shell of thecidideine brachiopods. *Philosophical Transactions of the Royal Society of London (series B)* 264:439–478.
- . 1974. Ordovician Brachiopoda from the Shelve District, Shropshire. *Bulletin of the British Museum (Natural History) Geology, Supplement* 11:1–163, 11 fig., 28 pl.
- . 1977. Differentiation and growth of the brachiopod mantle. *American Zoologist* 17:107–120.
- . 1984. Lophophorates. In J. Bereiter-Hahn, A. G. Matoltsy, & K. S. Richards, eds., *Biology of the Integument, Volume 1, Invertebrates*. Springer-Verlag. Berlin, Germany. p. 728–745.
- . 1990. Biomineralization in the lophophorates. In J. G. Carter, ed., *Skeletal Biomineralization: Patterns, Processes and Evolutionary Trends*. Volume I & II. Van Nostrand Reinhold. New York. p. 67–82.
- Williams, Alwyn, & C. H. C. Brunton. 1993. Role of shell structure in the classification of the orthotetidine brachiopods. *Palaeontology* 36:931–966.
- Williams, Alwyn, S. J. Carlson, C. H. C. Brunton, L. E. Holmer, & L. E. Popov. 1996. A supra-ordinal classification of the Brachiopoda. *Philosophical Transactions of the Royal Society of London B* 351:1171–1193.
- Williams, Alwyn, & G. B. Curry. 1991. The micro-architecture of some acrotretide brachiopods. In D. I. MacKinnon, D. E. Lee, & J. D. Campbell, eds., *Brachiopods Through Time*, Proceedings of the 2nd International Brachiopod Congress, University of Otago, Dunedin, New Zealand, 1990. Balkema. Rotterdam. p. 133–140, fig. 1–4.
- Williams, Alwyn, Maggie Cusack, & Sarah Mackay. 1994. Collagenous chitinophosphatic shell of the brachiopod *Lingula*. *Philosophical Transactions of the Royal Society of London (series B)* 346:223–266.
- Williams, Alwyn, & R. A. Hewitt. 1977. The delthyrial covers of some living brachiopods. *Proceedings of the Royal Society of London (series B)* 197:105–129, pl. 1–7.
- Williams, Alwyn, & L. E. Holmer. 1992. Ornamentation and shell structure of acrotretoid brachiopods. *Palaeontology* 35:657–692.
- Williams, Alwyn, & Sarah Mackay. 1978. Secretion and ultrastructure of the periostracum of some terebratulide brachiopods. *Proceedings of the Royal Society of London (series B)* 202:191–209.
- . 1979. Differentiation of the brachiopod periostracum. *Palaeontology* 22:721–736.
- Williams, Alwyn, Sarah Mackay, & Maggie Cusack. 1992. Structure of the organo-phosphatic shell of the brachiopod *Disciniscia*. *Philosophical Transactions of the Royal Society of London (series B)* 337:83–104.
- Williams, Alwyn, & A. J. Rowell. 1965a. Brachiopod anatomy. In R. C. Moore, ed., Treatise on Invertebrate Paleontology. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. New York & Lawrence. p. 6–57, fig. 1–58.
- . 1965b. Morphology. In R. C. Moore, ed., Treatise on Invertebrate Paleontology. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. New York & Lawrence. p. 57–138, fig. 59–138.
- Williams, Alwyn, A. J. Rowell, D. V. Ager, G. F. Elliott, R. E. Grant, H. M. Muir-Wood, & F. G. Stehli. 1965. Morphological terms applied to Brachiopods. In R. C. Moore, ed., Treatise on Invertebrate Paleontology. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. New York & Lawrence. p. 139–155.
- Williams, Alwyn, & A. D. Wright. 1961. The origin of the loop in articulate brachiopods. *Palaeontology* 4:149–176, fig. 1–13.
- . 1963. The classification of the “*Orthis testudinaria* Dalman” group of brachiopods. *Journal of Paleontology* 37:1–32, fig. 1–10, pl. 1–2.
- . 1965. Orthida. In R. C. Moore, ed., Treatise on Invertebrate Paleontology. Part H, Brachiopoda. Geological Society of America & University of Kansas Press. New York & Lawrence. p. 299–359, fig. 188–228.
- . 1970. Shell structure of the Craniacea and other calcareous inarticulate brachiopods. *Special Papers in Palaeontology* 7:1–51, 15 pl.
- Willmer, P. G., & P. W. H. Holland. 1991. Modern approaches to metazoan relationships. *Journal of Zoology* 224:689–694.
- Wilson, G. D. F. 1987. Speciation in the deep sea. *Annual Review of Ecology and Systematics* 18:185–207.

- Wilson, H., & R. K. Cannon. 1937. The glutamic acid-pyrrolidone carboxylic acid system. *Journal of Biological Chemistry* 119:309–331.
- Winberg, G. G. 1956. Rate of metabolism and food requirements of fishes. *Trudy Belorusskogo gosudarstvennogo universiteta Minske*. 253 p.
- Translated from Russian by Fisheries Research Board of Canada, Translation Series 194, 1960.
- Winneppenninckx, B., T. Backeljau, & R. De Wachter. 1995. Phylogeny of protostome worms derived from 18S rRNA sequences. *Molecular Biology and Evolution* 12:641–649.
- Wisely, B. 1969. Preferential settlement in concavities (rugophilic behaviour) by larvae of the brachiopod *Waltonia inconspicua* (Sowerby, 1846). *New Zealand Journal of Marine and Freshwater Research* 3:237–280.
- Witman, J. D., & R. A. Cooper. 1983. Disturbance and contrasting patterns of population structure in the brachiopod *Terebratulina septentrionalis* (Couthouy) from two subtidal habits. *Journal of Experimental Marine Biology and Ecology* 73:57–79.
- Worcester, W. 1969. On *Lingula reevii*. Unpublished Master of Science thesis. University of Hawaii. 49 p.
- Wourms, J. S. 1987. Oogenesis, p. 49–187. In A. C. Giese, J. S. Pearse, & V. B. Pearse, eds., *Reproduction of Marine Invertebrates*. Volume 9. General aspects: seeking unity in diversity. Blackwell Scientific Publications. California. 712 p.
- Wright, A. D. 1966. The shell punctuation of *Dicoelosia biloba* (Linnaeus). *Geologiska Foreningens I Stockholm Forhandlingar* 87:548–556.
- . 1981. The external surface of *Dictyonella* and of other pitted brachiopods. *Palaeontology* 24:443–481, pl. 62–71.
- Yamada, M. 1956. Notes on discinid larvae (Brachiopoda) from Osyro, West coast of Hokkaido. *Annotated Zoology of Japan* 29:165–167.
- Yano, Hiroyuki, K. Satake, Y. Ueno, K. Kondo, & A. Tsugita. 1991. Amino acid sequence of the haemerythrin α subunit from *Lingula unguis*. *Journal of Biochemistry* 110:376–380.
- Yano, Hiroyuki, K. Satake, Y. Ueno, & A. Tsugita. 1991. The amino acid sequence of the β chain of hemerythrin from *Lingula unguis*. *Protein Sequences and Data Analysis* 4:87–91.
- Yatsu, Naukidé. 1902a. On the development of *Lingula anatina*. *Journal of the College of Science, Imperial University, Tokyo, Japan* 17(4):1–112, pl. 1–8.
- . 1902b. On the habits of the Japanese *Lingula*. *Annotationes Zoologicae Japonenses* 4(2):61–67.
- Young, J. 1884. Notes on the shell structure of *Eichwaldia capewelli*. *Geological Magazine* 1(series 3):214–218.
- Zabi, S. G. 1984. Rôle de la biomasse dans la détermination de l’“importance value” pour la mise en évidence des unités de peuplements benthiques en Lagune Ebrié (Côte d’Ivoire). *Documents Scientifiques du Centre de Recherches Océanographiques, Abidjan* 15(1/2):55–87.
- Zezina, O. N. 1961. Distribution of the deepwater brachiopod *Pelagodiscus atlanticus* (King). *Oceanology* 5(2):354–358.
- In Russian.
- . 1970. Brachiopod distribution in the recent ocean with reference to problems of zoogeographic zoning. *Paleontologicheski Zhurnal* 2:3–17.
- In Russian.
- . 1975. Deep-sea brachiopods from the southeast Pacific and Scotia Sea. *Trudy Instituta Okeanologii* 103:247–258.
- In Russian.
- . 1981. Recent deep-sea Brachiopoda from the western Pacific. *Galathea Report* 15:7–20.
- . 1985. Sovremennye brakhiopody i problemy batial noi zony okeana [Living brachiopods and problems of the north bathyal oceans]. Nauka. Moscow. 247 p.
- . 1987. Brachiopods collected by BENTHEDI-Cruise in the Mozambique Channel. *Bulletin du Muséum Nationale d’Histoire naturelle de Paris* (série 4) 9:551–563.
- Zhang, J.-H., & D. M. Kurtz. 1991. Two distinct sub-units of hemerythrin from the brachiopod *Lingula reevii*: an apparent requirement for cooperativity in oxygen binding. *Biochemistry* 30:9121–9125.
- Zittel, K. A. von. 1880. *Handbuch der Paläontologie*, Vol. 1, No. 4. R. Oldenbourg. München & Leipzig. p. 641–722.
- Zuckerkandl, Emil, & L. Pauling. 1965. Molecules as documents of evolutionary history. *Journal of Theoretical Biology* 8:357–366.
- Zuker, Michael. 1989. On finding all suboptimal foldings of an RNA molecule. *Science* 244:48–52.
- Zwaan, A. de, M. Leopold, E. Marteyn, & D. R. Livingstone. 1982. Phylogenetic distribution of pyruvate oxidoreductases, arginine kinase and aminotransferases. In A. D. F. Addink & N. Spronk, eds., *Exogenous and Endogenous Influences on Metabolic and Neural Control*, Volume 2. Pergamon Press. Oxford. p. 136–137.

INDEX

- abduction 75
Abyssothyris 209, 448
 A. elongata 134
 A. sp. 211
 A. wyvillei 224, 441, 443, 449
Acanthambonia 350
Acanthobasioliola 334
Acanthoecopsis unguiculata 211
Acanthopleura 201, 204, 205,
 206, 207
 A. japonica 195, 211
Acanthothiris 344
acinus (pl., acini) 84, 85, 91, 92,
 93, 94, 96
acosome 133
Acrothele 351
Acrotreta 295, 407
activity,
 carbohydrase 94
adduction 75
adductor,
 posterior 79, 83
adminiculum 362
 dorsal 362
Aegiromena 289, 290
 A. aquila 293
Aerothyris 445, 465, 467
 A. kerguelensis 466
 A. macquariensis 466
AFDM (ash-free dry mass) 217,
 218, 219, 220, 221, 223, 225,
 227, 228, 229, 230, 235, 236,
 242
Alcyonium 201
 A. gelatinosum 211
Aldingia 266
 A. willmoeysi 468
Alisina 364, 406
Alligator mississippiensis 211
allometry 213
allozyme 192
amino acid 243, 245, 246, 247,
 248, 249, 250, 252, 254, 255
amoebocyte 74, 79, 105
Amphigenia 388
Amphithyris 113, 452, 469
ampula,
 gill 71
Anakinetica 68, 444, 445, 448
 A. cumingi 66, 445
Anastrophia 402
anderidia 381
Androctonus australis 195, 211
Aneboconcha 467
 A. obscura 466
Anemonia sulcata 211
Angulotreta 385
 A. postapicalis 269, 281
 A. triangulatus 273
annelid 201
Annuloplatidia 469
 A. indopacifica 469
Anoptambonites 395
Antedon serrata 211
anteris 364
Antigonambonites 391
 A. planus 392
antigydium 352, 353
antiperistalsis 94, 95
anus 84, 85, 89, 166, 171, 185,
 186
apatite 243, 244
apparatus,
 brachial 159
 fiber-anchoring 134
approach,
 total-evidence 210
Apsocalymma shiellsi 306
Apsotreta 323
arch,
 jugal 374, 375
archenteron 153, 157, 159, 165,
 171
Archeochonetes 383
Arctohedra 367
area,
 cardinal 321, 360
Argentiproductus margaritaceus
 366
Argopecten 244
 A. irradians 195, 211
Argulus nobilis 195
Argyrotheca 90, 102, 113, 117,
 125, 126, 127, 148, 173, 174,
 175, 176, 177, 178, 187, 266,
 374, 459, 469
 A. baretti 134
 A. barrettiana 469
 A. cistellula 64
 A. cordata 151, 160, 165, 463
 A. cuneata 137, 151, 160, 463
 A. jacksoni 151, 158, 160
 A. johnsoni 134, 450
 A. sp. 158
arm,
 side 375
arm-sinus 159
arrangement,
 setal 338
Artemia salina 195, 211
arthropod 201
ash-free dry mass (AFDM) 217,
 218, 219, 220, 221, 223, 225,
 227, 228, 229, 230, 235, 236,
 242
astrophic (nontrophic)
 terebatulides, rhynchonellides,
 and atrypoids 322
Athyris 334, 372, 375, 415
 A. campanesi 336
Atrypa 339, 414
 A. reticularis 258, 416
 A. spinosa 257
Aulidospira 393
Aulites brazieri 455
Astrothyris 467
autophagy 104
axis,
 brachial 113
 hinge 321, 355
axoneme 135
Bactrynum 312
 B. emmrichii 314
baculum 26, 27, 276, 279, 280
band,
 growth 17, 273, 275, 294,
 326, 329
 gastroparietal 70, 84, 87, 96,
 125, 128, 129
 ileoparietal 70, 72, 84, 96,
 128, 129
 transverse 377, 378
Barbarorthis 356
Barrandella 400
Barroisella 418
base 367
 crural 367, 368, 370, 372,
 396, 398, 401
 muscle 386, 387, 396, 403
Baupläne 209
beak 323
behavior 124, 125, 175, 178, 214
 larval 175
Bellimirina 333
bema 381
Berndtia purpurea 195, 211
Bernoulli's principle 117
Bicea 364
Biernatia 295, 385
 B. holmi 386
bifid 395
Bifolium 299
Billingsella 289, 292, 369, 411,
 412, 413
 B. lindströmi 292
Bilobia 395
Bimuria 335, 381, 398
 B. cf. buttsi 336
biomineralization 192
Bittnerula 356
blastocoel 157, 160, 163
blastomere 157, 160, 164
blastopore 153, 154, 157, 160,
 164, 165, 171, 186
blastula 155, 157, 160, 163, 164
 coeloblastula 153

- blister 403
 blood 73
 body,
 polar 154, 155, 156, 163
 spindle 73, 74
 bootstrap 195, 197, 199, 205
 botryoid 279
Botsfordia 351, 420
Bouchardia 402, 405, 444, 445
 B. antarctica 405
 B. rosea 448
 braceplate 401
 brachidium 98, 110, 376
 falae 381
 short-looped 376
 brachiophore 368, 369, 370, 381,
 386, 400
 brachiopod,
 articulated 7, 60, 158, 207
 free-spawning 160
 gonochoristic 126, 151, 160
 nonplanktotrophic 463
 short-looped articulated 206,
 208, 377
 threefold division of the
 articulated 208
 brachiostest 32, 376
 brachium (pl., brachia) 84, 98,
 100, 102, 103, 105, 113, 115,
 183
 spiral 114
 branch,
 descending 378
 lateral jugal 374
 long 199
Branchinecta packardi 195, 211
Branchiostoma floridae 211
Brochocarina tearnensis 320
Broggeria 418, 419
 brush 33
 buccal plate 380
 bud,
 pedicle 168
Bufo valliceps 211
 bulb,
 pedicle 64, 65
 bulla 350, 351
 bundle,
 setal 165, 176
 burrow 473, 474, 475, 477, 479,
 487, 488
 burrowing 214
 buttress,
 median 407
 caecum (pl., caeca) 33, 34, 299,
 300, 303, 305, 319
Caenorhabditis elegans 211
 calcite 243, 251
 prismatic 294, 295
Callinectes sapidus 195, 211
Callioria 9, 12, 14, 15, 16, 17, 32,
 95, 123, 124, 131, 132, 133,
 135, 136, 137, 139, 143, 146,
 148, 151, 154, 155, 156, 165,
 173, 177, 178, 182, 183, 186,
 251, 252, 452, 453, 264, 465,
 467
C. inconspicua 10, 11, 12, 21,
 36, 38, 39, 40, 79, 80, 95,
 115, 117, 126, 134, 140,
 142, 144, 153, 156, 159,
 160, 211, 218, 219, 220,
 223, 230, 231, 232, 234,
 238, 248, 250, 252, 253,
 254, 256, 260, 261, 262,
 263, 264, 273, 296, 331,
 444, 455, 456, 457, 458,
 459, 460, 461, 463, 465,
 466
 C. variegata 466
camarophorium 400
Camarotechia sp. 248
Camerella 369
Campages 68, 265, 374, 468
 C. mariae 471
canal 30, 33, 35, 36, 280, 295,
 303
 alimentary 93, 123, 171
 brachial 100, 110, 159, 168
 coelomic 71, 98
 great brachial 98
 mantle 9, 127, 128, 133
 small brachial 72, 99
cancellothyrid 209
Cancellothyris 67, 68, 265
 C. hedleyi 211
canopy 33, 295, 296
capilla 342, 343
capillary 110
capsule,
 follicular 139, 146, 151
 pedicle 64, 66, 356
capture,
 particle 118
carbohydrate 243, 245, 260, 261,
 262
carbonate 243, 244, 255
cardinalia 366, 367, 371, 386,
 398, 399, 402
carotenoid 252, 253
carotenoprotein 245, 252
cartilage,
 hyaline 106
catecholamine 122, 127
cavity,
 coelomic 7, 61
 denticular 364
 mantle (brachial) 7, 46, 98,
 372, 403
 pedicle 61
 perivisceral 69
 umbonal 364, 368
cell,
 accessory 137, 139, 140, 145,
 155
 basophil-like 93
 blood 73, 77
 cilia,
 apical 173
 Clarkeia 397
 ciliated coelomic (peritoneal)
 110
 coelomic epithelial 136
 core 33
 digestive 94
 follicular 136, 139, 145, 148,
 150, 152, 155, 156
 germ 136
 glandular 92
 intraepidermal 105
 intra-epithelial 104
 laterofrontal 106
 lobate 9, 12, 15, 16, 40
 mesenchyme 159
 microvillous epithelial 103
 mold of vesicular 271
 monociliated epithelial 104
 mucous (glandular) 91, 96,
 105
 musculoepithelial 91
 myoepithelial 77, 81, 82, 83,
 89, 103, 106, 110
 nurse 137, 145, 148
 nutritive 146, 150
 outer epithelial 19, 23, 30, 31,
 41, 318
 peripheral 33
 primary germ 135
 secretory 98, 104, 105
 smooth adductor 88
 smooth myoepithelial 90, 108,
 110
 squamous smooth myoepithe-
 rial 110
 striated adductor 88
 striated myoepithelial 90, 110
 vesicular 9, 12, 15, 41, 42,
 271, 272, 344, 350
cella 392
Centronella 374, 376, 378
Ceratreta 410
chamber,
 brood 148, 160
 delthyrial 388
 exhalant 119
channel 110
character,
 morphological 465
character-weighting 210
Chatwinothyris 398
chilidium 356, 358, 359, 394
chitin 243, 244, 245, 255, 260
chiton 201, 210
Chlamys 204
 C. islandica 195, 211
Chlidinophora 265, 448
 C. chuni 67
 C. incerta 67
Christania 381
chromosome 189
 brachiopod 190
cilia,
 apical 173
Clarkeia 397

- classification 191
 cleavage 157, 160
Cleiothyridina 370, 372
 C. *seriata* 399
Clitambonites 412, 413
 C. *squamatus* 361
 closure,
 shell 215, 217
coeloblastula 157
coelomocyte 73, 74, 105, 155
Coelospira 415
 coil,
 median 115
 plane-spiral median 115
collagen 243, 247, 254, 255
 collar,
 pedicle 352, 353, 356, 392
colleplax 359, 360
 colonization 464
 commissure 8, 321, 338
 component,
 principal 248, 252
Composita 396
 C. *crassa* 397
 composition,
 base 191
Compsoria 468
 connectivum 371, 372
 conspecifics 472
 consumption,
 oxygen 229, 230, 231, 232,
 233, 241
Coptothyris 156, 165, 173, 178,
 265, 467, 471
 C. *grayii* 120, 154, 158
 core,
 taleolar 311
 corpus 326, 381
coscinidium 312
 costa 327, 335, 336, 339, 340
costella 327, 335, 338, 339, 340
 hollow 341
Cranaena 377, 417
Crania (*Neocrania*) *anomala* 191
C. californica 114
C. pourtelesi 114
 craniid 207, 208
Craniops 408
 C. *implicata* 289
Craniscus 286, 483, 484, 493,
 499, 500, 501
Craniscus japonicus 500
Crassostrea virginica 195, 211
Crenispirifer 370, 372
Cristatella 204
 C. *mucedo* 211
 cross reaction,
 immunological 209
cruralium 370, 399, 400, 401
 sessile 400
 crus (pl., *crura*) 367, 369, 371,
 372, 374, 378, 380, 381
Cryptacanthia 377, 378
Cryptopora 448
 C. *gnomon* 67, 454
Cryptotreta 279
Ctenalosia 364
ctenophoridium 394, 396, 397
Cudmorella 467
 current 116
 exhalant 119
 feeding 125
 rejection 119
Curticia 350
 cuticle 61, 62, 350
 pedicle 41, 46, 49, 347
Cyclacantharia 313
 C. *kingorum* 366
 cycle,
 diploid life 189, 190
 haploid life 189, 190
 life 189, 190
 reproductive 158
Cyrtina 356, 391, 392, 393, 402
 C. *hibernica* 393
cyrtomatodont 360, 362
Cyrtonella 339
Cyrtonotella 414
 C. *kukersiania* 412
Cytonotreta 420
 cytokinesis 132
Dallina 265, 468, 493
 D. *septigera* 137, 139, 264
 D. sp. 158
Dallinella 265, 471
Dallithyris 370, 372
Dalmanella 369, 393, 396
 D. *wattsi* 387
Davidsonella 283
Davidsonia 356
Daviesiella llangollensis 258, 259,
 262
 degradation 245, 248, 249, 250
delthyrium 353, 355, 358, 360,
 363, 364
deltidiodont 367
deltidium 50, 354, 355, 356
 denticle 364
 denticulum 364
 deoxyribose nucleic acid (DNA)
 189
 depth 464
Desquamatia 414, 416
deuterolophe 375
deuterostome 154, 199, 208, 209
Deuterostomia 151
 development 168, 180
 lecithotrophic larval 179
Diaphanoeca grandis 211
Dicellomus 366
Diceromyonia 337
Dicoelosia 298
Dictyonella 300, 341, 360
Dictyothyris 342
 D. *coarctata* 343
Dielasma 377
Diestothrysis 468
 D. *frontalis* 468
 digestion 91, 94, 228
 extracellular 94
 intracellular 94
Digonella 364
 dimorphism,
 sexual 126
Dinobolus 366, 368
Dinorthis 323, 398
 diploblast 201
Diplospirella 375
Discina 25, 28, 29, 37, 38, 44,
 53, 54, 55, 114, 233, 277, 303,
 340, 349, 499, 500, 501
 D. *striata* 17, 26, 27, 53, 211,
 246, 255, 260, 280, 305,
 331, 500
 discinid 207, 208
Discinisa 10, 24, 25, 44, 45, 61,
 63, 68, 70, 71, 73, 79, 84, 85,
 87, 92, 100, 114, 115, 122,
 123, 136, 168, 172, 176, 179,
 183, 233, 243, 244, 347, 349,
 351, 420, 483, 488, 492, 497,
 499, 500, 501
 D. *laevis* 129, 171
 D. *lamellosa* 74, 121, 128, 170
 D. sp. 158, 159
 D. *striata* 254
 D. *strigata* 223, 225
 D. *tenuis* 211, 246, 254, 257,
 259
Discardisca 480, 481, 492, 494,
 499, 500, 501
 dispersal 457, 463, 464, 465, 470,
 472
 distance,
 nucleotide 204
 distribution,
 geographical 441, 451, 463
 size-frequency 457, 459, 460
 disturbance,
 growth 329, 331
 diversification 472
 diverticulum,
 digestive 84, 85, 90, 91, 93,
 94, 95, 96, 97, 98, 99, 167,
 169, 171, 185, 186
 division,
 meiotic 132, 156
 DNA (deoxyribose nucleic acid)
 189
 fingerprinting 210
Doleroides 341
Dolerorthis 414, 415
Douvillina 401, 404
 D. *arcuata* 404
 drape 272
 duplication,
 gene 192
Dyscolia 102, 112
 D. sp. 211
Dyscritosia 467
 D. *secreta* 466

- ear 364
Echinoconchus 395
Echinorhinus cookei 211
 echiuran 201
echmidium 376, 377
 eclosion 153
Ecnomiosoa 265, 266, 467, 468
 E. gerda 464, 468
 ectoderm 153
 ectoproct 195, 197, 199, 203
 gymnolaemate 201
 phylactolaemate 201
 efficiency
 particle-retention 223
 egg 132, 135, 160
Eisenia foetida 195, 211
Elisia 343
 emboly 153
 embryo 120, 153, 154, 166
 embryology 151, 208
Emiliania huxleyi 260
Enantiosphen 326, 380
 E. vicaryi 382
 endemicity 210
 endemics 472
 endoderm 153, 171
 endopuncta 295, 296, 297, 298,
 299, 300, 318
 endospine 311, 312
Enteletes 339, 371
 enterocoel 165
 enterocoely 154, 163
 entrainment,
 viscous 117
 enzyme,
 activity 237, 238, 239, 240,
 241
 digestive 228
Eoconulus 350
Eodevonaria 364
Eodinobolus 366, 406, 408
Eohemithiris 396, 445
Eoorthis 412
Eoplectodonta 305, 383
 E. transversalis 305
Eospirifer 356
Ephippelasma 295, 384, 385
 epidermis,
 tentacular 103
Epimena australis 195, 211
 epistome 159, 183, 186
 epitaxy 275, 285
 epithelium 8, 403
 coelomic 8, 61
 germinal 128, 129, 131
 inner 9, 19, 44, 45, 50, 312,
 352
 outer 9, 18, 24, 30, 32, 40, 44,
 45, 48, 49, 281, 293, 300,
 312, 316, 347, 349, 350,
 352, 356, 358, 372, 386
 pedicle 9, 44, 45, 61, 62, 63,
 64, 347, 352, 353, 355, 358
 pyloric 92
Epithiris oxonica 248
 erythrocyte 73, 74, 77
 esophagus 84, 85, 89, 93, 94, 100,
 101, 121, 159, 167, 186, 371
Eucalathis murrayi 67
Eurypelma californica 195, 211
 exchange,
 gaseous 104
 excretion 233, 237
 ammonia 234, 235, 236, 237
 nitrogen 116
 expression,
 differential gene 192
 exopuncta 340, 341
 extension,
 caecal 295
 extropuncta 305, 309, 310, 311
 eyespot 125, 170, 171, 172, 173
 face,
 terminal 18, 282, 294, 318
 factor,
 abiotic 451
 physical 452, 453, 456
falafer 381
Falafer epidelus 384
Fallaix 71, 75, 202, 205, 206, 468
 F. dalliniiformis 126, 363
 F. neocalledonensis 211
 family,
 gene 192
Fardenia 307
 F. scotia 307, 308
Fascicostella 335
 feces 94, 116
 fecundity 151
 feeding 116, 117, 118, 222
 fenestra 299
 fertilization 144, 153, 154, 155,
 176, 177
 fiber 18, 32, 280, 282, 283, 284,
 293, 294, 295, 318
 collagen 106, 108
 muscle 75, 110, 167
 nerve 107, 125, 131, 132, 174
 rosette of 312
 secondary 354
 unsheathed nerve 123
 field,
 myofilament 83
filum 272, 273, 316, 332, 340,
 342
 filament,
 acrosome 156
Finkelnburgia 412, 413
Fitzroyella 417
 flange,
 cardinal 372, 394, 395, 396,
 397, 399
 dental 362
 flexor 272
 setal 58
 flow,
 exhalant 98, 118
 gene 189, 210
 inhalant 98, 118
 laminar 116
 turbulent 116
 water 116
Floweria 414
 fluid,
 coelomic 61, 71, 131
 extrapallial 26
 fluorapatite,
 carbonate 243, 244
FMRFamide 127
 fold,
 brachial 183
 folding,
 alternate 327
 folium 286, 287
 follicle 42, 50, 51, 52, 53, 56, 57,
 299, 338, 339
 setal 71
 foramen 349, 350, 351, 352, 355,
 356, 359
 dorsal 372, 396, 398
 supra-apical 352
 force,
 London-van der Waals 119
 form,
 long-looped 206, 208, 376,
 377
 formation,
 coelom 209
 fossette,
 crural 363
Fosteria 467
 F. spinosa 466
 francolite 243, 244
Frenulina 135, 136, 137, 146,
 176, 177, 182, 186, 265, 468
 F. sanguinolenta 134, 146,
 158, 160, 173, 451, 471
 frequency,
 nearest-neighbor base doublet
 191
Frieleia halli 134, 158, 160
Fundulus heteroclitus 211
 funnel,
 nephridial 146
Fusispirifer 397
Gacella insolita 290
 GAGs (glycosaminoglycans) 243,
 245, 261
Gallus gallus 211
 gamete 144, 178
 gametogenesis 145, 190

- ganglion 121, 167
 apical 122, 127
 subenteric 105, 121, 122, 123
 supraenteric 121, 122
 ventral 122, 126, 127
- gap,
 neurological 123
- gape 7
- gastrula 153, 159
 gastrulation 153, 157, 160, 163, 164, 175
- Gefonia 374, 377
- gene 189
 embryonic axis-determining 210
 mitochondrial SSU (12S) 193
 mitochondrial LSU (16S) 193
- genealogy 191
- genetics,
 population 192
- generalist 442, 443, 444, 445, 452, 455
- genetic,
 information 189
 marker 189
- genome 189, 191
 complexity 189, 190
 mitochondrial (mtDNA) 189, 190
 nuclear 189
- Gigantoprotodus 381
- Glaciarcula 468
 G. spitzbergensis 224
- Globirhynchia subobsoleta 248
- Globithyridia 372
- Glossorthis 398
 G. tacens 391
- Glottidia 12, 24, 25, 40, 44, 61, 62, 63, 64, 65, 69, 71, 72, 76, 77, 104, 106, 119, 121, 122, 125, 147, 157, 166, 170, 179, 183, 206, 244, 276, 278, 315, 316, 418, 473, 476, 478, 481, 482, 484, 485, 486, 487, 488, 489, 490, 492, 494, 497, 499, 500, 501
 G.? 500
 G. albida 130, 500
 G. pyramidata 14, 17, 47, 56, 61, 103, 127, 130, 152, 158, 160, 180, 190, 211, 229, 237, 238, 244, 246, 254, 257, 258, 260, 261, 274, 279, 476, 479
- Glycera 204
 G. americana 195, 211
- glycosaminoglycans (GAGs) 243, 245, 261
- Glyptoria 367
- Glyptorthis 334, 398
- gonad 126, 128, 129
- hermaphroditic 132, 140
- Gondwana 471, 472
- Goniobrochus 112
- gonocoel 411, 412, 417
- gonoduct 95
- granule 24, 26, 29, 276, 340, 342
 cortical 143, 145, 146, 148, 150, 152
 pigment 125, 173, 174
 yolk 136
- grille 340, 345
- groove,
 brachial 84, 101, 105, 183
 brachial food 93, 98
 food 108, 118
 pedicle 347
 periorstral 14, 45
 setal 347
- group,
 monophyletic 201, 208
 sister 191
 sister, relationship of phoronids and craniids 208
- growth,
 hemiperipheral 321
 holoperipheral 321, 352, 359
 intussusceptive 343
 line 329
 mixoperipheral 321
 spiral 23, 285, 287
- Gryphus 21, 50, 59, 117, 121, 143, 207, 209, 265, 266, 294, 374, 377, 493
 G. sp. 158
 G. vitreus 11, 120, 123, 139, 160, 211, 228, 264, 265, 266, 295, 445, 447, 453
- Gusarella gusarensis 248
- gut 90, 91, 93, 166, 173, 175, 184, 186
- gutter,
 brachial 115
- Gwynia 16, 112, 469
 G. capsula 12, 67, 120, 148, 160, 178, 448, 463
- Gypidula 369, 389, 400, 401
 G. dudleyensis 390, 401
- Gyrothyridia 265, 445, 467
 G. mawsoni 134, 211, 248, 466
- halkieriid 209, 210
- halo 331
- hatching 153, 154, 159, 164
- heart 72, 130
- Hebertella 398
- Heliomedusa 404
- hemerythrin 73, 192, 233, 234
- Hemithiris 70, 75, 90, 91, 92, 108, 110, 117, 120, 154, 156, 163, 173, 177, 178, 186, 256, 338, 339, 396, 412, 417
H. psittacea 64, 93, 103, 134, 144, 148, 154, 158, 160, 180, 211, 224, 225, 227, 228, 229, 230, 231, 232, 234, 247, 314, 319, 387, 388, 463
H. sp. 160
- hemostasis 74
- Herdmania momus 211
- heredity,
 mechanism of 189
- hermaphrodite 126, 160
- hermaphroditism 151
- Hesperorthis 339, 356, 368, 369
 H. australis 362
- Heterodon platyrhinos 211
- heterophagy 104
- hinge 364
- Hisingerella 282
 H. tenuis 281
- Holorhynchus 389
- homeochilidium 352
- homeodeltidium 325, 352, 366
- Homo sapiens 211
- homology 209
- homoplasy 191, 199
- Huenella 388
- Hungaritheca 380
- hydrodynamics 117
- Hypogastura sp. 211
- hypothesis,
 molecular-clock 193
- Hypothyridina 397
- Hypsomyonia 402
- identity,
 amino-acid 192
- Imbricatia 369
- immunology 261, 265
- immunotaxonomy 209
- index,
 retention (RI) 201, 204
 support 205
- infrastructure 16
- ingroup 199
- insemination,
 artificial 451
- intensity,
 light 452, 456
- interarea 321, 322, 356, 364, 368, 394
- intercrystalline 245, 246, 247, 248, 249, 251, 256, 258, 260, 261
- interspace 339, 340
- intestine 84, 89, 90, 93, 166, 167, 171, 185
- intracrystalline 245, 246, 247, 249, 250, 252, 253, 254, 255, 256, 258, 260, 261

- isolation,
geographical 210
- Jaffaia jaffensis 466, 467
Jolonica 265, 467
jugum 373, 374, 380
arm of the 375
- junction 124
myoneural 106, 125
septate 124
- Juresania 291
- juvenile 154, 168, 182, 183, 186
- Kayserella 400
Kayseria 375
Kingena 46
kingenid 266
Kirtisinghe 489
Koninckina 375
Kotujella 284
Kraussina 265, 266, 464, 469
K. rubra 264
kraussinid 206
Kulumbella 333
Kutorgina 364, 367
- Lacazella 19, 59, 82, 90, 113,
120, 126, 137, 148, 151, 160,
165, 173, 174, 177, 187, 283,
287, 358, 470
L. mediterranea 33, 126, 127,
151, 160, 163, 178, 296,
331, 463
- lamella 334, 335, 342, 343
accessory 375
ascending 377, 378
descending 376, 377
primary 373
- lamina 23, 26, 276
botryoidal 30, 277
camerate 278, 295
columnar 278, 295
compact 30, 276, 277, 279,
280
crested 289
genital 128, 129, 130, 131,
132, 135, 136, 137, 139,
141
intraseptal 389
tubular 284, 285, 286
- lamination,
cross-bladed 287, 288, 289,
291, 293
tabular 284
- Lampetra aepyptera 211
Langella 418
Lanice conciliegata 195, 211
Laqueus 50, 104, 105, 108, 117,
118, 119, 202, 205, 206, 209,
265, 364, 370, 372, 417, 467
L. blanfordi 468
L. californianus 116, 134, 160,
211, 223, 224, 225, 229,
230, 231, 232, 238, 444,
468
- L. californicus 103, 246, 247
L. quadratus 468
L. rubellus 252, 253, 256, 264
- larva 120, 124, 125, 126, 127,
151, 153, 154, 163, 164, 169,
173
brooded 158, 463
drift 179
free-swimming 160, 166, 176
lecithotrophic 151, 160, 179,
184
planktotrophic 122, 151, 160,
178, 463
- Latimeria chalumnae 211
lattice,
genital 133
- layer 14
basal 14, 16
chitin 24
primary 22, 26, 268, 269, 270,
271, 272, 275, 276, 300,
332, 335, 340, 341
primary shell 17, 343
secondary shell 18, 22, 26,
268, 275, 276, 278, 282,
285, 286, 289, 294, 318,
332, 334, 335, 338, 339,
340, 341, 344, 362, 364,
376
tertiary 21, 268, 293, 294, 295
- Leiorhynchus 417
Leptaena 333, 412, 413, 414
Leptagonia 308
L. caledonica 310
Leptella 398
Leptellina 381, 383, 414
L. tennesseensis 362
Leptodus cf. richthofeni 309
Leptothyrella 114
L. incerta 379
Levitusia 381
life,
planktonic 169
life-style 443, 465
Limicolaria kambeul 195, 211
line,
hinge 321, 322
- Lingula 10, 24, 25, 28, 29, 36,
37, 44, 45, 50, 51, 54, 55, 56,
57, 61, 62, 69, 72, 73, 76, 77,
80, 81, 82, 83, 85, 87, 91, 92,
93, 94, 100, 105, 110, 123,
125, 130, 132, 133, 134, 135,
136, 137, 139, 146, 147, 155,
156, 157, 166, 170, 171, 172,
179, 183, 186, 190, 192, 193,
243, 244, 246, 255, 260, 269,
274, 276, 303, 312, 323, 332,
347, 349, 412, 418, 419, 473,
476, 478, 479, 481, 482, 483,
484, 485, 487, 488, 489, 490,
492, 493, 494, 497, 498, 499,
501
L.? 500
- L. adamsoni@2009 University of California San Diego Biological Institute
- L. anatina 15, 25, 28, 29, 30,
31, 32, 44, 46, 58, 61, 69,
74, 77, 79, 87, 95, 96, 97,
98, 99, 100, 103, 108, 111,
120, 121, 122, 127, 129,
138, 141, 143, 144, 150,
152, 158, 159, 160, 161,
163, 169, 184, 211, 214,
229, 231, 233, 234, 235,
237, 238, 244, 246, 253,
254, 255, 257, 258, 260,
261, 275, 277, 278, 279,
305, 333, 476, 482, 486
- L. bancrofti 220, 229, 230,
232
- L. reevii 201, 211, 237, 238,
482
- L. shantoungensis 244, 260
L. unguis 233, 234
L. unguis (= anatina) 192
- Lingulasma 342
Lingulella 325
lingulid 207, 208
Linnarssonella 366
Liothyrella 15, 21, 31, 50, 68, 72,
120, 209, 265, 269, 294, 353,
354, 356, 389
- L. antarctica 160
L. blochmanni 134
L. neozelanica 11, 22, 117,
134, 159, 211, 218, 219,
220, 225, 226, 227, 228,
229, 248, 264, 295, 296,
302, 450, 452, 453, 456
- L. notorcadensis 134, 460
L. sp. 159
- L. uva 177, 211, 217, 218,
220, 221, 222, 223, 229,
230, 231, 232, 233, 235,
236, 237, 238, 242, 244
- L. uva antarctica 148, 177
- lip,
brachial 98, 100, 102, 105,
121, 177
- lipid 243, 245, 255, 256, 257,
258, 259, 260
- listrium 349
- liver 84
- lobe,
anterior 157, 182
azygous 187
inner 10
inner mantle 47
mantle 165, 168, 174, 182,
353, 412
outer mantle 12, 47, 282, 299,
305, 315, 332, 334, 347,
349, 350
pedicle 168, 174, 181
- LOBoidothyris kakardinensis 248
- Lochkothele 420
- loop 372, 373, 376
acuminate 376, 377
deltiform 377, 378

- lophophore 192, 197
 lophophore 7, 58, 72, 98, 103,
 104, 105, 108, 111, 112, 113,
 116, 118, 121, 147, 157, 159,
 166, 168, 171, 177, 183, 184,
 186, 188, 222, 223, 224, 225,
 366, 367, 368, 371, 375, 380,
 381, 383, 385, 401, 403, 405
 brooding in the 120, 160
 homology of 209
 ptycholophous 380
 schizolophous 380, 385
 trocholophous 104, 385
Lymnaea 39

Macandrevia 71, 94, 100, 137,
 206, 209, 265, 266, 295, 339,
 415, 417, 468
M. africana 297
M. americana 451, 468, 469
M. cranium 38, 64, 67, 134,
 137, 211, 247, 462, 468
M. tenera 468
Mactromeris polynyma 195, 211
Magadina 67, 467
 M. flavaescens 66
Magadinella mineuri 448
Magasella 58, 318, 452, 453, 465,
 467, 471, 472
 M. haurakiensis 466
 M. sanguinea 317, 444, 446,
 450, 455, 456, 458, 459,
 461, 466
Magellania 67, 68, 71, 91, 265,
 298, 374, 465, 466, 472
 M. australis 124, 134, 271
 M. flavaescens 444, 445, 460,
 465, 466, 467
 M. fragilis 466
 M. joubini 466
 M. venosa 445, 466
Magnicanalis 364
mantle 7, 38, 39, 58
 ventral 168, 171
margin,
 cardinal 323, 353
Marginifera sp. 258
mass,
 botryoidal 29, 276
material,
 storage 108
mating,
 random 190
matrix,
 distance 197
 hyaline 106
 metachromatic 106
Maurispirifer 343
mechanism,
 rejection 120
Meekella 339, 400
Meganteris 417
Megathiris 113, 117, 265, 469
 M. detruncata 116, 160
Megerlia 59, 202, 205, 206, 208,
 380, 265, 469
 M. truncata 60, 211, 228, 264,
 297, 379

Megerlina 68, 202, 205, 206, 415,
 464, 469
 M. lamarciana 450
 M. sp. 211

meiosis 132, 190

membrane,
 fertilization 143, 154, 156,
 160, 166
 fertilization (vitelline) 153
 inner mantle 130, 136
 mantle 134

Mercenaria 264, 265
 M. mercenaria 260

Merista 392
 M. tennesseensis 395

Meristina 415

mesentery 69

mesocoelom 98

mesoderm 153, 171

mesolophe 383

mesosoma 98

metamorphosis 164, 165, 175,
 179, 182, 183, 186

metanephridiopore 177

metanephridium 70, 72, 73, 95,
 96, 97, 101, 129, 146, 148,
 167, 171, 175, 186

metaphase 154, 156

method,
 maximum-likelihood (ML)
 197, 204

Microciona prolifera 211

Micromitra 280

micromorph 464

micropuncta 305

migration,
 transoceanic 471

Mimikonstantia 312
 M. sculpta 314, 315

mollusc 201
 eulamellibranch 201

Monomerella 366, 421, 422

Moorellina 283, 287, 297
 M. granulosa 285, 298

morphology 191
 comparative 209
 spermatozoan 144

mosaic 26, 29, 282, 283, 284, 285
 false 318, 319
 secondary layer 281

mosaicism,
 stochastic 209

motion,
 pendular 94

mouth 84, 93, 98, 101, 186
 embryonic 159

movement 441, 442, 443, 445,
 448, 463
 conveyor-belt 41

mtDNA (mitochondrial genome)
 189, 190

Mucrospirifer 357

- musculus,
 brachialis 122
 lophophoralis 122
 occludens anterior 125
Mutationella 282
 M. podolica 286
myoepithelium 75, 83, 110
myofilament 80, 81, 82, 88, 110
myophore 372, 393, 394, 396,
 397, 399
myophragm 399, 402
myotest 31, 386, 402
Mystrophora 401, 403
Mytilus 204
 M. edulis 195, 211
 M. trossulus 195, 211
Myxine glutinosa 211

N-terminal sequence 252, 253
Nanothyris 370, 372
Narynella 365
necrosis 146
Nematodirus battus 211
Neoancistrocrania 479, 499, 500
 N. norfolkii 500
Neocrania 22, 31, 54, 70, 72, 73,
 79, 85, 87, 89, 92, 94, 100,
 110, 122, 123, 125, 130, 131,
 133, 134, 135, 136, 137, 151,
 153, 155, 163, 168, 171, 175,
 178, 179, 181, 182, 184, 186,
 273, 280, 284, 285, 301, 340,
 353, 359, 404, 420, 421, 452,
 479, 482, 483, 484, 489, 493,
 494, 497, 499, 500, 501
N. anomala 23, 35, 42, 43, 48,
 55, 74, 105, 120, 121, 128,
 130, 134, 138, 143, 144,
 152, 158, 160, 161, 166,
 172, 180, 185, 211, 214,
 217, 218, 219, 220, 228,
 246, 254, 255, 257, 259,
 260, 275, 287, 302, 341,
 408, 486
N. californica 160, 223, 225
N. huttoni 211
 N. lecointei 486, 500
Neorhynchia profunda 134
N. sp. 211
Neospirifer 370, 372, 381
Neothyris 55, 206, 248, 251, 252,
 258, 262, 263, 264, 265, 398,
 452, 453, 465, 467, 471, 472
N. compressa 445, 446, 448,
 459, 466
N. dawsoni 466
N. lenticularis 134, 159, 160,
 218, 219, 220, 224, 225,
 226, 227, 228, 229, 230,
 231, 232, 233, 241, 247,
 248, 252, 253, 254, 256,
 260, 261, 264, 443, 445,
 452, 454, 456, 458, 464,
 466
N. parva 211, 248
N. sp. 247, 258, 260, 261
nephridiopore 95, 146
nephridium 233, 234
nephrostome 96, 98, 100, 102
nerve 103, 105
 accessory and lower brachial
 105
 basipithelial 106
 brachial 122
 circumenteric 121, 122
 dorsal lophophore 122
 lateral 123
 mantle 122, 128
 marginal 123
 peritoneal 106, 125
 sensory 124
net,
 brachidial 380
neuron 91, 123
neuropeptide 122
neurophil 127
neurotransmitter 122
Nicolella 356, 414, 415
 N. actoniae 412
Nipponithyris 468
Nisusia 364, 365, 367
notation 335, 337
Nothorthis 398
Notorhynchus cepedianus 211
Notosaria 16, 17, 18, 21, 49, 50,
 54, 55, 58, 66, 68, 69, 71, 75,
 91, 93, 104, 105, 108, 110,
 116, 120, 132, 133, 135, 136,
 137, 139, 143, 148, 163, 165,
 173, 174, 176, 177, 187, 248,
 251, 252, 256, 269, 280, 317,
 329, 353, 369, 377, 389, 398,
 415, 417, 452, 453
N. nigricans 18, 19, 51, 52,
 57, 103, 114, 117, 122,
 126, 134, 141, 144, 153,
 159, 160, 211, 218, 219,
 220, 223, 238, 247, 257,
 264, 268, 283, 284, 317,
 318, 330, 448, 450, 455,
 456, 458, 459, 460, 463,
 465
notothyrium 324, 353, 355, 358,
 368
Nucleospira 397
 N. carlukensis 400
nucleus,
 quantity of DNA per 189
Numericoma 384

O:N ratio 235, 236, 238
Obolella 352, 364, 406, 420, 421
Obolus 407
ocellum (pl., *ocelli*) 125, 173
Ochetostoma erythrogrammon
 195, 211
Oepikites 407, 410, 418, 419
Oina 367, 406
Ombonia 388
Onchidella celtica 195, 211
ontogeny 135, 369
Onychotreta 322
Onya 489
oocyte 135, 136, 137, 139, 143,
 145, 147, 148, 150, 152, 153,
 156
 primary 136, 154
 vitellogenic 131, 135, 137, 155
oogenesis 146, 190
oogonia 131
 primary 136
 secondary 136
oolemma 137, 140, 152
ooplasm 145
osorption 74
Opsicondion 269
 O. aldridgei 271
Orbiculoidae 62, 270, 323, 325,
 326, 332, 340, 349
 O. forbesi 246
 O. mediorhenana 63
 O. nitida 272, 332
Orbithele 420
order,
 gene 190
organ,
 excretory 70, 186
 feeding 116
 sense 124
organogenesis 186
orientation 443, 445, 450, 451
origin 467, 470, 472
ornamentation,
 concentric 329
 radial 335
Orthambonites 339
Orthidiella 399
Orthorhynchula 394
Orthostrophia 412, 413, 417
Orthotetes 392
Oryctolagus cuniculus 211
outgroup 199
 selected 205, 206, 207
ovary 134, 136, 137, 138
ovum (pl., *ova*) 146, 163, 177
Oxoplica 396

Pachymagas 262, 263, 467
Pachyplax 335, 396
 P. elongata 336
 P. gyralea 397, 444
pad,
 calcitic 317, 318, 319
Pajaudina 59, 113, 470
 P. atlantica 60
Palaeostrophomena 412, 413, 414

- Palaeotrimerella 406, 421, 422
 palintrope 321, 323
 Pamirotheca 380
 papilla 150
 holdfast 65
 paracrystalline 246, 247, 258
 Parakinética 444, 448, 463
 P. mineuri 464
 P. stewarti 441, 442
 Paraldingia 468
 paralogy 192
 paramyosin 81, 83
 Paraspirifer 343
 Parenteletes 393
 partition,
 median 406
 Paterina 325, 418
 Paterula 418, 419
 pathway,
 metabolic 236, 237
 pattern,
 regional 464
 Paucicurra 395, 399
 Paurorthis 341
 PCA 250
 PCR (polymerase chain reaction) 191, 193
 Pecten 251, 252
 pedicle 7, 41, 43, 49, 60, 62, 64,
 65, 66, 67, 75, 83, 122, 124,
 165, 168, 169, 179, 182, 183,
 186, 321, 325, 347, 349, 352,
 353, 356, 358, 402
 median 67
 Pelagodiscus 55, 113, 114, 171,
 173, 174, 179, 183, 347, 476,
 479, 481, 483, 484, 485, 486,
 492, 497, 498, 499, 500, 501
 P. atlanticus 166, 170, 477,
 500
 P. sp. 159
 pellet,
 fecal 95
 Peniculauris 383
 Pentamerella 389, 400
 Pentamerus 400
 Perditocardinia 322
 perforation,
 koskinoid 319
 period,
 spawning 458, 459
 periostracum 12, 14, 15, 34, 36,
 46, 48, 49, 185, 267, 269, 270,
 271, 272, 275, 295, 301, 316,
 329, 332, 342, 344, 349, 350
 peristalsis 93, 94
 Petrocrania 301, 408, 421
 P. scabiosa 246, 301, 303
 Petromyzon marinus 211
 phagocyte 91, 94, 145, 155
 phagocytosis 93, 131
 Phaneropora 448
 pharynx 84, 93, 100, 123
 of Calloria 132
 Phascolosoma granulatum 195,
 211
 phase,
 planktonic larval 175
 Philyra pisum 195, 211
 Pholidostrophia 288, 311, 365
 P. cf. geniculata 290
 phoronid 195, 197, 199, 203,
 205, 206, 207, 208, 210
 diphyly of 204
 Phoronis hippocrepia 204, 211
 P. psammophila 204, 211
 P. vancouverensis 204, 211
 phosphate 243
 photosensitivity 125
 phototaxis 175, 176
 Phragmophora 356
 Phragmorthis sp. cf. P. buttsi 403,
 406
 Phricodothyris 343
 phylum 208
 physiology 213
 Pictothyris 265, 445, 467
 P. picta 264, 468
 pillar,
 septal 378
 pinocytosis 93
 pit 341
 apical 407, 408
 cardinal 396
 larval shell 269
 post-larval shell 270, 341
 Placopecten magellanicus 195,
 211
 Plaesiomya 323, 339, 341, 417
 P. subquadrata 342
 plate 367
 brachiophore 368, 371
 cardinal 372, 396, 397
 cover 372
 crural 363, 369, 371, 372
 delthyrial 392
 deltidial 50, 354, 356
 dental 362, 364, 388, 389, 393
 fulcral 368, 370
 hinge 372, 386, 396, 398, 401
 inner 371
 inner hinge 372, 400, 401
 outer hinge 370, 371, 372
 socket 368
 surmounting 385, 408
 plate tectonics 471
 platform,
 brachial 381
 hinge 402
 muscle 406
 notothyrial 364, 368, 394, 395
 Platidia 59, 76, 207, 208, 380,
 452, 464, 469
 P. annulata 82
 P. anomiooides 60, 195, 211,
 379, 451, 454, 469
 P. clepsydra 469
 P. davidsoni 126, 469
 P. spp. 158
 Platystrophia 257, 342
 Plectatrypa 372
 Plectodonta 414
 P. transversalis 365
 plectolophe 104, 115, 376, 380
 Plectorthis 341
 plexus,
 nerve 123
 Plumatella repens 211
 polarity,
 evolutionary 191
 polarization 210
 pole,
 blastoporal 160
 polychaete 192
 polymerase chain reaction (PCR) 191, 193
 Polytoechia 391
 populations 190
 morphological variation
 between 210
 Porocephalus crotali 195, 211
 Porostictia 341
 Portneufia? 266
 postlarva 154
 potential,
 dispersal 210
 pouch,
 brachial 100
 predation 457, 461
 pressure,
 hydrostatic 98
 priapulans 192, 201
 Priapulus caudatus 195, 211
 Prionothyris 399
 prism 21
 Proboscidella 327
 process,
 apical 407, 408
 brachial 371
 cardinal 76, 324, 364, 367,
 372, 386, 393, 396, 397,
 398, 399
 crural 380
 jugal 374
 shoe-lifter 392
 product,
 gene 189
 waste 98, 116
 Productus 323
 P. horides 258
 pronucleus 157
 proparea 325, 365, 366
 prophase 136, 154
 protegulum 160, 166, 169, 183,
 186, 321, 323, 325, 332
 cuticle 157

- protein 189, 191, 243, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 262
- Protorthis 388
- protostome 154, 192, 193, 203, 208, 209
- Protostomia 151
- Prototreta 273, 315, 316, 325, 385
- Protozyga 373, 375
 P. elongata 375
 P. exigua 375
- protractor 58, 272
- Pseudocrania 286, 325, 353, 404, 420, 421
- pseudocruralium 402
- pseudodeltidium 358, 359, 364, 365
- pseudointerarea 325, 350, 351, 352, 366
- Pseudolingula 277, 418, 419
- pseudopuncta 305, 306, 307, 308, 309, 310, 311, 313
- pseudosiphon 115
- pseudospondylum 388, 389
- Ptychoglyptus 333
- ptycholophe 113, 116, 381
- Ptychopleurella 343
- Pugettia quadridens 195, 211
- Pugilis 384, 395, 399
- Pugnax 417
- Pumilus 71, 100, 113, 120, 148, 173, 177, 178, 417, 452, 469
 P. antiquatus 126, 159, 160, 165
- pump,
 ciliary 116, 117
- puncta 33, 34, 300, 309, 319
- Punctatrypa 299, 342
 P. (Punctatrypa) naliivkini 299, 300
- Pygope 327
- pylorus 84, 85, 89, 90, 91, 93, 95, 186
- quadrifid 395
- Rafinesquina 301, 307, 316, 396
 R. nasuta 317
- range,
 bathymetric 451
- Raninoides lousianensis 195, 211
- rate,
 clearance 224, 225, 226, 227, 228, 229
 oxygen-consumption 242
 water exchange 224
- ratio,
 sex 126
- Rattus norvegicus 211
- record,
 fossil 191
- reflection,
 growth 329
- reflex,
 shadow 124
- relationship,
 orthologous evolutionary 209
 substrate 441, 442, 450, 464
- Rensellandia 376
- Rensselaeria 374, 377
- reserve,
 yolk 141
- respiration 118
- response,
 immune 74
- Resserella 394, 396
- retraction 329, 334
- Rhinobatos lentiginosus 211
- Rhipidomella 286, 302, 341
 R. hessensis 342
- Rhizothyrus 467
- rhynchonellid 206, 208
- RI (retention index) 201, 204
- ribose nucleic acid (RNA) 189, 192, 193
- ribosomal RNA (rRNA) 192, 193
 large nuclear-encoded, subunit (28S or LSU) 193
 small subunit (SSU) 193
 5S sequence 192, 193
 18S sequence 193
- Richthofenia 327
- ridge,
 brachial 159, 163, 381
 brachial arm 159
 inner socket 363, 364, 367, 368, 369, 370, 371, 372, 395, 396, 399
 laterofrontal epidermal 106
 socket 364, 369
- Ridgeia piscesae 195, 211
- RNA (ribose nucleic acid) 189, 192, 193
- rootlet 62, 65
 pedicle 63, 64
- rosette 306, 307, 308, 309, 310, 311, 313, 314
- Rostricellula 282
 R. lapworthi 286
- Rowellella 270
- Rowleyella 393
- rRNA (ribosomal RNA) 192, 193
 large nuclear-encoded, subunit (28S or LSU) 193
 small subunit (SSU) 193
 5S sequence 192, 193
 18S sequence 193
- rudiment,
 mantle 61
 pedicle 60
- ruge 332, 333
- Rugochonetes silleesi 293
- Rugosochonetes 414
- sac,
 coelomic 163, 184
 setal 171
- saddle,
 jugal 374
- sand,
 bryozoan 442
- saturation 199
- Saukrodictya 341
- Scachinella 322
 S. americana 407
- scaling 213
 lophophore 112
- Scaphelasma 350
 S. mica 269
- scar,
 adjustor 369
 anterior lateral 407
 anterocentral 407
 diductor 359
 flabellate muscle 387
 muscle 75, 386, 387, 403, 404
- Schellwienna 290
- Schizambon 350, 420
- schizocoely 154, 157, 163
- schizophope 113, 114, 115, 168, 177, 183, 375, 376, 381
- Schizophoria 335, 414
 S. iowensis 372
- Schmidties 419
- Schuchertella 309, 394
 S. lens 311
- scleroblast 12, 58, 59, 98
- Scypha ciliata 211
- Sebastolobus altivelis 211
- selection,
 particle 125
 substrate 178
- Sellithyris 269
 S. cenomanensis 305
- sensitivity 124
- septalium 370, 371, 372, 401
- septum (pl., septa),
 lateral 113
 median 370, 380, 400
- sequence,
 amino-acid 191, 192
 DNA 190
 nuclear-encoded SSU 197
 primary 245, 250, 251
 protein amino-acid 191
 repetitive 190
 repetitive nuclear 190
- serotonin 122, 126
- seta 42, 44, 50, 51, 52, 53, 54, 55, 56, 114, 115, 125, 130, 168, 169, 171, 174, 186, 272, 299, 302, 339, 341, 412
- chitinous 125
embryonic 170
- setoblast 50, 51, 130
- settlement 125, 154, 164, 169,

- 171, 175, 179, 182, 184, 463
Sextropoma 312
 shaft 393
 sheath,
 membranous 18, 21
 pedicle 358
 sheet,
 pedicle 42
 shell 170, 185, 321
 astrophic 353
 fibrous secondary 289
 foliated secondary 289
 larval 163, 166
 primary 24, 286, 299, 318,
 334, 354, 364
 pseudopunctate 295
 punctate 295
 strophic 321, 360, 364
Siberia 364
Siboglinum fiordicum 195, 211
Sicilia 388
Sieberella 400
 S. sieberi 258
Simplicithyris 113, 467
Siphonobolus 408
Siphonotreta 344
sipunculan 192, 201
 size,
 mitochondrial genome 190
 skeleton,
 hydrostatic 98, 113
Skenidiooides 371, 388, 389, 403
 S. craigensis 390
 slot,
 periostracial 12, 14
 socket 363, 364, 366, 367, 368
 accessory 364
 cardinal 366
 dental 360
 sorting,
 particle, and rejection 119
Sowerbyella 312, 333, 339, 399,
 414, 415
 S. variabilis 292, 309
 space,
 periesophagal 100
 spawning 131, 145, 147, 155
 speciation 210
 species,
 adapted to hard substrates 452
 brooding 148
 interstitial 448
 sperm 132, 141, 145, 156, 157
 spermatid 132, 133
 spermatocyte 133
 primary 132
 secondary 132
 spermatogenesis 132
spermatogonia 131, 132
spermatozoa 131, 132, 133, 139,
 143, 156
 spermiogenesis 133
Sphaerirhynchia 326, 339, 340,
 417
Sphenothyris 357
 spherule 26, 29, 276
 spicule 12, 19, 58, 59, 98, 100,
 110, 380
 spine 340, 342, 343, 344, 346,
 347
 attachment 345
 clasping 346
 marginal 340
 spiralium 372, 373, 374, 375,
 376, 380
 planispiral apex of 373
Spirifer elegans 258
Spiriferid 208
Spiriferina walcotti 286
spiroloph 100, 113, 114, 184,
 186, 375, 380
Spisula solidia 195, 211
 S. solidissima 195
spondylion 391, 400
 sessile 389, 391
spondylium,
 discretum 388
 duplex 389
 simplex 389
 triplex 391
Spondylospira 380
 S. lewensis 380
Spyridiophora 400
 S. reticulata 404
spyridium 400
Squalus acanthias 211
 stage,
 developmental 166
 free-swimming 171
statozyst 125, 166, 167, 169, 170,
 171
statolith 125
stegidium 357, 358, 392
 stem,
 jugal 375
Stenocypris major 195, 211
Stenosarina 207
 S. crosnieri 211
Stenoscisma 403
Stethothyris 467
 stimulus 124
 stomach 84, 85, 89, 90, 91, 95,
 159, 167
 posterior 89
stomodaeum 159, 186, 187
 strategy,
 reproductive 160, 161
 spawning and reproductive
 146
Streptorhynchus 309
 S. pelicanensis 320
Stringocephalus 376
Strongylocentrotus intermedius
 211
 S. purpureus 211
Strongyloides stercoralis 211
Strophochonetes 289, 290
 S. primigenius 293
Strophomena 307, 369, 412, 413,
 414
 S. oklahomensis 290, 331
 S. planumba 306
strophomenid 208
 structure,
 cystose 403
 population 457
 population genetic 210
Styela plicata 211
 subclade,
 Dyscolia-Liothyrella 207
 substrate 169, 455, 456, 465
 succession,
 stratiform 267
 superstructure 15, 16
 survivorship 459
symphytium 50, 355, 364
 synapse 106
Syntomaria 467
 S. curiosa 466
Syringospira 357, 403
Syringothyris 322, 357, 392
 S. cuspidata exoleta 394
syrix 392
 system,
 canal 37
 central nervous 120
 circulatory 69
 conveyor-belt 40
 current 113, 114, 120
 digestive 84, 170
 immune 146
 muscular 75, 169
 nervous 106, 121, 124, 125,
 128, 129
 pedicle 441, 442, 443, 445,
 449, 450, 456
 vascular (circulatory) 71, 130
Taimyrothyris 378
taleola 305, 308, 309, 310, 312,
 364
taxolophe 186
tooth 32, 360, 364, 366
tegula 364
tendon 80
Tenebrio molitor 195, 211
tentacle 101, 102, 103, 106, 107,
 108
 ablabial (outer) 98, 106, 120
 adlabial (inner) 98, 106
 brachial 380
 filament or cirri 98
 inner (adlabial) 120
 median 159, 163, 171, 183
 tentacular canal 99, 110
 trocholophous 104

- Terebratalia 15, 16, 31, 41, 50, 52, 53, 71, 72, 80, 81, 82, 83, 103, 104, 106, 108, 110, 125, 137, 155, 156, 163, 176, 183, 206, 209, 265, 339, 444, 468, 471
T. coreanica 154, 156, 158, 165, 173, 178, 252, 253, 252, 255, 471
T. transversa 41, 64, 66, 68, 81, 88, 89, 103, 107, 108, 111, 116, 117, 120, 134, 136, 144, 153, 154, 158, 160, 163, 164, 172, 173, 174, 176, 178, 180, 182, 183, 186, 211, 215, 216, 217, 223, 224, 225, 230, 231, 232, 240, 247, 360, 397, 444, 451, 455, 461
- Terebratella 68, 91, 93, 124, 139, 143, 248, 265, 467
T. dorsata 134, 445, 465, 466
T. haurakiensis 248
T. sanguinea 133, 134, 144, 159, 160, 211, 220, 229, 230, 231, 233, 248, 251, 252, 253, 255, 256, 258, 260, 261, 262, 263
T. sp. 247
terebratellid, New Zealand 206
Terebratula 370, 372
Terebratulida 251, 252
Terebratulina 7, 15, 50, 52, 58, 59, 61, 63, 64, 65, 75, 91, 92, 93, 108, 110, 117, 125, 130, 132, 134, 135, 136, 137, 139, 146, 155, 156, 263, 265, 266, 295, 298, 312, 338, 339, 340, 355, 370, 372, 374, 375, 377, 380, 398, 452, 484, 493
T. hataiana 471
T. inconspicua 233
T. retusa 12, 59, 60, 62, 64, 101, 102, 104, 133, 134, 135, 136, 138, 142, 143, 144, 145, 147, 151, 152, 153, 154, 158, 160, 161, 164, 165, 173, 174, 175, 176, 177, 180, 181, 182, 186, 191, 211, 215, 216, 217, 218, 219, 223, 228, 229, 230, 231, 232, 234, 235, 236, 237, 238, 242, 243, 252, 253, 264, 297, 361, 379, 451, 456, 458, 459, 461, 462
T. septentrionalis 65, 148, 151, 153, 154, 155, 160, 163, 165, 173, 177, 178, 223, 224, 225, 226, 227, 228, 229, 237, 238, 444, 451, 456, 457, 458, 459, 460, 461, 463
T. sp. 158, 247
T. unguicula 116, 120, 144, 148, 151, 156, 160, 163, 165, 173, 177, 180, 224, 225, 230, 231, 232, 378, 463
T. unguis 158
testis 74, 126, 136, 138
tetanus 83
Tetralobula 391, 413
Thaumatosia 113
thecideidine 206, 208, 209
Thecidellina 19, 31, 47, 104, 113, 151, 177, 273, 276, 283, 295, 297, 313, 470
T. barretti 21, 22, 33, 50, 158, 160, 275, 314
T. blochmanni 211
T. congregata 158
T. maxilla 450
Thecidiopsis 287
Thecospira 312, 356, 380
Thecospirella 380
Thecospiropsis 380
tichorhinum 392
Ticosina 265
tissue,
 connective 10, 58, 61, 62, 64, 108, 110
 necrotic 145
Titanambonites 414
Tomiopsis 363
tonofibril 75
tooth 363
 accessory 363
 complementary, and socket 8
 deltidiodont 360
 hinge 360
Torynelasma 269, 295, 385
transformation,
 character-state 191
transmission,
 matrilineal 190
track,
 muscle 386, 403, 409
tree,
 gene 197
 maximum-likelihood 199, 202, 206
 neighbor-joining 195, 197, 203, 204, 207
 parsimony 197, 200, 204
 phylogenetic 205
 species 197
 unrooted 200, 202, 203
 weighted 205
Trematis 341, 347
Trematobolus 286, 352, 364, 367, 406, 409, 420, 421
T. pristinus 289
T. pristinus bicostatus 289
Tresus capax 195, 211
Tretorhynchia 300
Trichoplax adhaerens 211
trifid 395
Trimerella 366, 406, 409
Tripedalia cystophora 211
trocholophe 101, 102, 112, 114, 115, 159, 166, 170, 183, 187, 188, 376
trophocyte 74, 145
Tropidolectus 380
 T. carinatus 382
Trypetasa lampas 195
tubercle 19, 283, 305, 307, 308, 311, 312, 313, 314, 340, 342
turratellid 251, 252
Typetasa lampas 211
Tythothyris 467
Ulophysema oeresundense 195, 211
umbo 166, 323, 355, 366, 372
Uncinulus 415, 417
Uncites 319
Ungula 277, 407
 U. ingrica 279
unifid 395
unit,
 isotopic 268
uptake,
 oxygen 116
Valcourea 356
Valdiviathyris 499
 V.? 500
 V. quenstedti 500
valve 321
variation,
 intraspecific 448
vascula,
 genitalia 12, 71, 75, 127, 130, 131, 135, 145, 391, 411, 412, 413, 414, 417
 lateralia 70, 407, 417, 418, 419, 420
 media 70, 71, 75, 128, 391, 411, 412, 413, 414, 417, 418, 419, 420, 421, 422
 myaria 383, 411, 412, 413, 414, 417
ventilation 98
vesicle,
 germinal 154
vessel,
 blood 69, 71, 72, 89, 110,

- 111, 137, 139, 144
tentacular blood (channel) 77,
 110, 111
Vex? 266
vicariance 472
Victorithyris 467, 472
Viligothyris 378
vitellogenesis 136, 137, 145
 follicular 137
 mixed 139, 147
 nutritive 137, 147
Vitiliproductus 334
Waiparia 467
wall,
 anterior body 7
 body 367, 368, 383
 posterior body 41, 44, 60, 359
waste,
 metabolic 174
Xenopus laevis 211
Xystostrophia 334
 X. umbulacrum 335
yolk 131, 143
Zhanatella 418, 419
zone,
 collagenous 12
zonulae adhaerens 83, 107
zygolophe 115
zygote 157