

REFERENCES

- Abdullaev, R. N., & O. N. Khaletskaya. 1970. Nizhniiy Paleozoy Chatkalskogo Khrepta: Trilobity i Graptolity Ordovika Pskemskogo Khrepta [Lower Paleozoic of the Chatkalskiy Range: Trilobites and Graptolites of the Ordovician of the Pskemskiy Range]. Institut Geologii i Geofiziki. Tashkent. 104 p., 8 pl.
- Adams, C. G., & D. V. Ager, eds. 1967. Aspects of Tethyan Biogeography. Publication no. 7. The Systematics Association. London. vi + 336 p.
- Adrain, J. M., & B. D. E. Chatterton. 1990. *Odontopleura* (Trilobita, Silurian), and a method of constrained congruency analysis. *Journal of Paleontology* 64:600–614, fig. 1–7.
- Ahlberg, Per. 1985. Lower Cambrian trilobite faunas from the Scandinavian Caledonides: A review sister group. In G. G. Gee & B. A. Sturt, eds., *The Caledonide Orogen: Scandinavia and Related Areas*. John Wiley & Sons. New York. p. 339–346.
- . 1988. Ocular structures in an Ordovician agnostid trilobite. *Lethaia* 21:115–120, fig. 1–3.
- . 1989. The type species of the Ordovician agnostid trilobite *Geragnostus* Howell, 1935. *Palaeontologische Zeitschrift* 63:309–317, fig. 1–3.
- . 1991. Trilobites in the Lower Cambrian of Scandinavia. *Geologiska Foereningens i Stockholm Foerhandlingar* 113:74–75, fig. 1.
- Ahlberg, Per, Jan Bergström, & Jan Johansson. 1986. Lower Cambrian olenellid trilobites from the Baltic Faunal province. *Geologiska Foereningens i Stockholm Foerhandlingar* 108:39–56, fig. 1–16.
- Alberch, Pere, S. J. Gould, G. F. Oster, & D. B. Wake. 1979. Size and shape in ontogeny and phylogeny. *Paleobiology* 5:296–317, fig. 1–25.
- Alberti, G. K. B. 1969. Trilobiten des jüngeren Siluriums sowie des Unter- und Mitteldevons. I. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 520:1–692, fig. 1–55, pl. 1–52.
- . 1970. Trilobiten des jüngeren Siluriums sowie des Unter- und Mitteldevons. II. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 525:1–233, fig. 1–20, pl. 1–20.
- . 1975. Zur paläozoogeographischen Verbreitung von *Warburgella rugulosa* (Alth 1874) (Trilobita, Devon-Basis). Mitteilungen der Geologisch-Paläontologisches Institut der Universität Hamburg 44:1–10, 1 pl.
- . 1981. Beziehungen zwischen “herzynischen” Trilobiten-Faunen aus NW-Marokko und Deutschland (Unter- und Mittel-Devon). *Natur und Museum* 111:362–369, fig. 1–4.
- Alberti, Helmut. 1972. Ontogenie des Trilobiten *Phacops accipitrinus*. Neues Jahrbuch fuer Geologie und Palaeontologie, Abhandlungen 141:1–36, fig. 1–11.
- Allen, P. M., A. A. Jackson, & A. W. A. Rushton. 1981. The stratigraphy of the Mawddach Group in the Cambrian succession of North Wales. *Proceedings of the Yorkshire Geological Society* 43:295–329, fig. 1–5, pl. 16–17.
- Alpert, S. P., & J. N. Moore. 1975. Lower Cambrian trace fossil evidence for predation on trilobites. *Lethaia* 8:223–230, fig. 1–6.
- Angelin, N. P. 1851–1878. *Palaeontologia Scandinavica*. Pars 1. Crustacea Formationis Transitionis [fasc. 1 (1851): *Palaeontologia Suecica*, p. 1–24, pl. 1–24; fasc. 2 (1854): *Palaeontologia Scandinavica*, p. i–ix, 21–92, pl. 25–41; republished in combined and revised form (1878): G. Lindström, ed., x + 96 p., 41 pl.]. Norstedts & Söner. Stockholm.
- Apollonov, M. K. 1975. Ordovician trilobite assemblages of Kazakhstan. *Fossils and Strata* 4:375–380.
- . 1991. Cambrian-Ordovician boundary beds in the USSR. In C. R. Barnes & S. H. Williams, eds., *Advances in Ordovician Geology*. Geological Survey of Canada, Paper 90-9, p. 33–45, fig. 1–2.
- Apollonov, M. K., & M. N. Chugaeva. 1982. Batyrbaysayskiy razrez kembriya i Ordovika v Malom Karatau (Yuzhny Kazakhstan) [Batyrbaisai section in the Maly Karatau (south Kazakhstan)]. *Izvestiya Akademii Nauk SSSR, Seriya Geologicheskaya* 4:34–45.
- In Russian.
- Apollonov, M. K., M. N. Chugaeva, & S. V. Dubinina. 1981. The Cambrian-Ordovician boundary in the Maly Karatau Range, south Kazakhstan. In M. E. Taylor, ed., *Short Papers for the Second International Symposium on the Cambrian System*. United States Geological Survey, Open-file Report 81-743, p. 15–17.
- Archinal, A. 1994. Zur Morphologie, Systematik, Stratigraphie und Ökologie der Gattung *Scutellum* (Trilobita: Devon). *Senckenbergiana Lethaea* 74: 291–324.
- Astashkin, V. A., T. V. Pegel, Yu. Ya. Shabanov, S. S. Sukhov, V. M. Sundukov, L. N. Repina, A. Yu. Rozanov, & A. Yu. Zhuravlev. 1991. The Cambrian System on the Siberian Platform. International Union of Geological Sciences, Publication 27:1–133.
- Ax, Peter. 1987. *The Phylogenetic System*. J. Wiley & Sons. New York. 340 p., 90 fig.
- Babcock, L. E. 1982. Original and diagnostic color patterns in two phacopid trilobites from the Devonian of New York. In Bernard Mamet & M. J. Copeland, eds., *Third North American Paleontological Convention, Proceedings*, vol. 1. Business and Economic Service Limited. Toronto, Ontario. p. 17–22, fig. 1–2, pl. 1.
- . 1993. Trilobite malformations and the fossil record of behavioral asymmetry. *Journal of Paleontology* 67:217–229, 6 fig.
- . 1994a. Systematics and phylogenetics of polymeroid trilobites from the Henson Gletscher and Cap Stanton formations (Middle Cambrian), North Greenland. *Grønlands Geologiske Undersøgelse, Bulletin* 169:79–127, 31 fig.
- . 1994b. Biogeography and biofacies patterns of Middle Cambrian polymeroid trilobites from North Greenland: Palaeogeographic and palaeoceanographic implications. *Grønlands Geologiske*

- Undersøgelse, Bulletin 169:129–147, 7 fig.
- Babcock, L. E., & S. E. Speyer. 1987. Enrolled trilobites from the Alden Pyrite Bed, Ledyard Shale (Middle Devonian) of western New York. *Journal of Paleontology* 61:539–548, fig. 1–5.
- Baer, K. E. von. 1828. Entwicklungsgeschichte der Thiere: Beobachtung und Reflexion. Bornträger. Königsberg. 264 p.
- Balashova, E. A. 1976. Sistematička Trilobitov Asaphina i ikh Predstavitev v SSSR [Taxonomy of Trilobites Asaphina and their Representatives in the U.S.S.R. Ministerstvo Geologii SSSR, Severo-Zapadnoe Territorial'noe Geologicheskoe Upravlenie. Leningrad. 215 p.
- Baldwin, C. T. 1977. Internal structures of trilobite trace fossils indicative of an open surface furrow origin. *Palaeogeography, Palaeoclimatology, Palaeoecology* 21:273–284, fig. 1–2, pl. 1–2.
- Bancroft, B. B. 1929. Some new species of *Cryptolithus* (s.l.), from the Upper Ordovician. *Memoirs and Proceedings of the Manchester Literary and Philosophical Society* 73:67–98, fig. 1–5, pl. 1–2.
- Barrande, Joachim. 1846. Notice Préliminaire sur le Système Silurien et les Trilobites de Bohême. Hirschfeld. Leipzig. 96 p.
- . 1852. Système Silurien du Centre de la Bohême. I. Recherches Paléontologiques, vol. 1 (Crustacés: Trilobites). Prague & Paris. xxx + 935 p., 51 pl.
- . 1872. Système Silurien du Centre de la Bohême, I. Recherches Paléontologiques, supplément au vol. 1 (Trilobites, Crustacés divers et Poissons). Prague & Paris. 647 p., 37 pl.
- Barrientos, Yolande, & M. S. Laverack. 1986. The larval crustacean dorsal organ and its relationship to the trilobite median tubercle. *Lethaia* 19:309–313, fig. 1–3.
- Bassett, M. G., R. M. Owens, & A. W. A. Rushton. 1976. Lower Cambrian fossils from the Hell's Mouth Grits, St. Tudwal's Peninsula, North Wales. *Journal of the Geological Society, London* 132:623–644, fig. 1–5, pl. 1–3.
- Beecher, C. E. 1893a. Larval forms of trilobites from the Lower Helderberg group. *American Journal of Science* (series 3) 46:142–147, pl. 2.
- . 1893b. A larval form of *Triarthrus*. *American Journal of Science* (series 3) 46:361–362.
- . 1895a. The larval stages of trilobites. *The American Geologist* 16:166–197, pl. 8–10.
- . 1895b. Structure and appendages of *Trinucleus*. *American Journal of Science* (series 3) 49:307–311, pl. 3.
- . 1897. Outline of a natural classification of the trilobites. *American Journal of Science* (series 4) 3:89–106, 181–207, pl. 3.
- Belt, T. 1867. On some new trilobites from the upper Cambrian rocks of North Wales. *Geological Magazine* (decade 1) 4:294–295, pl. 12.
- . 1868. On the "Lingula Flags" or "Festiniog Group" of the Dolgelly District. Part 3. *Geological Magazine* (decade 1) 5:5–11, pl. 2.
- Bengtson, Stefan, Simon Conway Morris, B. J. Cooper, P. A. Jell, & B. N. Runnegar. 1990. Early Cambrian fossils from South Australia. Association of Australasian Palaeontologists, Memoir 9. Brisbane. 364 p., 218 fig.
- Bergeron, Jules. 1889. Étude géologique du Massif ancien situé au sud du plateau central. *Annales des Sciences Géologiques* 22:1–361, pl. 1–9.
- . 1899. Étude de quelques trilobites de Chine. *Bulletin de la Société Géologique de France* (series 3) 27:499–516, pl. 13.
- Bergström, Jan. 1972. Appendage morphology of the trilobite *Cryptolithus* and its implications. *Lethaia* 5:85–94, fig. 1–3.
- . 1973a. Organization, life and systematics of trilobites. *Fossils and Strata* 2:1–69, fig. 1–16, pl. 1–5.
- . 1973b. Classification of olenellid trilobites and some Balto-Scandian species. *Norsk Geologisk Tidsskrift* 53:283–314, fig. 1–22.
- . 1973c. Palaeoecologic aspects of an Ordovician *Tretaspis* fauna. *Acta Geologica Polonica* 23:179–206, fig. 1–4, pl. 1–2.
- . 1973d. Trilobite segmentation. *Acta Geologica Polonica* 23:207–219, fig. 1–3.
- . 1976. Lower Palaeozoic trace fossils from eastern Newfoundland. *Canadian Journal of Earth Sciences* 13:1613–1633, fig. 1–19.
- . 1977. Proetida—a disorderly order of trilobites. *Lethaia* 10:95–105, fig. 1–5.
- Bergström, Jan, & Per Ahlberg. 1981. Uppermost Lower Cambrian biostratigraphy in Scania, Sweden. *Geologiska Föreningens i Stockholm Förhandlingar* 103(2):193–214.
- Bergström, Jan, & Günther Brassel. 1984. Legs in the trilobite *Rhenops* from the Lower Devonian Hunsrück Slate. *Lethaia* 17:67–72, fig. 1–3.
- Bergström, Jan, & Riccardo Levi-Setti. 1978. Phenotypic variation in the Middle Cambrian trilobite *Paradoxides davidi* Salter at Manuels, SE Newfoundland. *Geologica et Palaeontologica* 12:1–40, fig. 1–11, pl. 1–10.
- Bernays, E. A. 1986. Diet-induced head allometry among foliage-chewing insects and its importance for graminivores. *Science* 231:495–497, fig. 1–2.
- Bernays, E. A., & J. Hamai. 1987. Head size and shape in relation to grass feeding in Acridoidea (Orthoptera). *International Journal of Insect Morphology and Embryology* 16:323–336.
- Best, R. V. 1961. Intraspecific variation in *Encrinurus ornatus*. *Journal of Paleontology* 35:1029–1040, fig. 1, pl. 124.
- Beyrich, E. 1845. Über einige böhmischer Trilobiten. Berlin. 47 p., 1 pl.
- Billings, Elkanah. 1860. On some new species of fossils from the limestone near Point Lévi opposite Quebec. *Proceedings of the Canadian Naturalist and Geologist* 5:301–324, 30 fig.
- . 1865. Palaeozoic fossils, vol. 1. *Geological Survey of Canada*. Montreal. 426 p., 399 fig.
- . 1870. Notes on some specimens of Lower Silurian trilobites. *Quarterly Journal of the Geological Society of London* 26:479–486.
- . 1872. On some fossils from the Primordial rocks of Newfoundland. *The Canadian Naturalist* 6:465–479.
- Birkmajer, Krzysztof, & D. L. Bruton. 1971. Some

- trilobite resting and crawling traces. *Lethaia* 4:303–319, fig. 1–14.
- Blaker, M. R. 1988. A new genus of nevadiid trilobite from the Buen Formation (Early Cambrian) of Peary Land, central North Greenland. *Grønlands Geologiske Undersøgelse, Rapport* 137:33–41, 6 fig.
- Boeck, C. 1827. Notitser til Laeren om Trilobiterne. *Magazin for Naturvidenskaberne, Christiania* 8(1):11–44.
- Bohlin, Birger. 1949. The Asaphus Limestone in northernmost Öland. *Bulletin of the Geological Institution of the University of Uppsala* 33:529–570, fig. 1–10, pl. 1–2.
- . 1960. Trilobites of the genus *Megistaspis* from the Vaginatum Limestone of Scandinavia. *Bulletin of the Geological Institutions of the University of Uppsala* 38:155–205, fig. 1–28, pl. 1–12.
- Bornemann, J. G. 1888. Die Versteinerungen des Cambrischen Schichtensystems der Insel Sardinien. *Nova Acta Kaiserlich Leopoldinisch-Carolinische Deutsche Akademie der Naturforscher* (Halle) 56(3):427–524, pl. 35–44.
- . 1891. Die Versteinerungen des Cambrischen Schichtensystems der Insel Sardinien. Abt. 2. *Nova Acta Kaiserlich Leopoldinisch-Carolinische Deutsche Akademie der Naturforscher* (Halle), *Nova Acta* 56(3):1–101 (427–528), pl. 35–40.
- Boucot, A. J. 1975. Evolution and extinction rate controls. Elsevier. Amsterdam. xvi + 428 p., 44 fig., 4 pl.
- . 1988. Devonian biogeography: An update. In N. J. McMillan, A. F. Embry, & D. J. Glass, eds., *Devonian of the World*, vol. 3. Canadian Society of Petroleum Geologists. Calgary. p. 211–227, fig. 1–3.
- . 1990. Silurian and pre-Upper Devonian Bioevents. In E. G. Kauffman & O. H. Walliser, eds., *Extinction Events in Earth History*. Lecture Notes in Earth Sciences 30. p. 124–132.
- Boudda, A., G. Choubert, & A. Faure-Muret. 1979. *Essai de Stratigraphie de la Couverture sédimentaire de l'Anti-Atlas: Adoudounien Cambrien Inférieur. Notes et Mémoires du Service des Mines et de la Carte Géologique du Maroc* 271:1–96, fig. 1–20.
- Branson, C. C. 1965. New specimens of *Homotelus* from the Bromide Formation. *Oklahoma Geology Notes* 25:294–296, fig. 1–3.
- Brasier, M. D. 1976. An Archaeocyathid-trilobite association in Sardinia and its stratigraphic significance. *Rivista Italiana di Paleontologia e Stratigrafia* 82(2):267–278, pl. 25.
- . 1989. Towards a biostratigraphy of the earliest skeletal biotas. In J. W. Cowie & M. D. Brasier, eds., *The Precambrian-Cambrian Boundary*. Oxford Monographs on Geology and Geophysics, vol. 12. Clarendon Press. Oxford. p. 117–165.
- Brassel, Gunther, & Jan Bergström. 1978. Der Trilobit *Parahomalonotus planus* (Koch, 1883), ein Homalonotide aus dem unterdevonischen Hunsruckschiefe. *Geologische Jahrbuch Hessen* 106:5–11, 2 fig., 2 pl.
- Brauckmann, C. 1978. Die Cyrtosymbolinae mit geblähten Wangen-Stacheln (Trilobita—Dinantium bis Namurium). *Senckenbergiana Lethaea* 59:137–203, 45 fig., 2 pl.
- Brenchley, P. J. 1984. Late Ordovician extinctions and their relationships to the Gondwana glaciation. In P. J. Brenchley, ed., *Fossils and Climate*. Wiley. New York. p. 291–316.
- . 1989. The late Ordovician extinction. In S. K. Donovan, ed., *Mass Extinctions*. Belhaven Press. London. p. 104–132, fig. 6.1–6.5.
- Brezinski, D. K. 1986a. An opportunistic Upper Ordovician trilobite assemblage from Missouri. *Lethaia* 19:315–325, fig. 1–7.
- . 1986b. Trilobite associations from the Chouteau Formation (Kinderhookian) of central Missouri. *Journal of Paleontology* 60:870–881, fig. 1–5.
- . 1988a. Trilobites of the Gilmore City Limestone (Mississippian) of Iowa. *Journal of Paleontology* 62:241–245, fig. 1–2.
- . 1988b. Appalachian Carboniferous trilobites. *Journal of Paleontology* 62:934–945, fig. 1–3.
- . 1992. Permian trilobites from West Texas. *Journal of Paleontology* 66:924–943, fig. 1–10.
- Briggs, D. E. G. 1994. Giant predators from the Cambrian of China. *Science* 264:1283–1284.
- Briggs, D. E. G., S. H. Bottrell, & Robert Raiswell. 1991. Pyritization of soft-bodied fossils: Beecher's Trilobite Bed, Upper Ordovician, New York State. *Geology* 19:1221–1224, fig. 1–3.
- Briggs, D. E. G., & P. R. Crowther, eds. 1990. *Palaeobiology: A Synthesis*. Blackwell Scientific Publications. Oxford, London, Edinburgh, Boston, Melbourne. xiii + 583 p.
- Briggs, D. E. G., & G. D. Edgecombe. 1993. Beecher's Trilobite bed. *Geology Today* (May–June 1993):97–102.
- Briggs, D. E. G., & R. A. Fortey. 1992. The early radiation of the Arthropoda. In Jere Lipps & P. E. Signor, eds., *Origin and Early Evolution of the Metazoa*. Plenum. New York. p. 336–374, fig. 1–8.
- Briggs, D. E. G., R. A. Fortey, & E. N. K. Clarkson. 1988. Extinction and the fossil record of the arthropods. In G. P. Larwood, ed., *Extinction and Survival in the Fossil Record*. Clarendon Press. Oxford. p. 171–209, 18 fig.
- Briggs, D. E. G., R. A. Fortey, & M. A. Wills. 1992. Morphological disparity in the Cambrian. *Science* 256:1670–1673, fig. 1–3.
- Briggs, D. E. G., & A. W. A. Rushton. 1980. An arthropod trace fossil from the Upper Cambrian Festiniog Beds of North Wales and its bearing on trilobite locomotion. *Geologica et Palaeontologica* 14:1–7, fig. 1, pl. 1.
- Briggs, D. E. G., & H. B. Whittington. 1985. Modes of life of arthropods from the Burgess Shale, British Columbia. *Transactions of the Royal Society of Edinburgh, Earth Sciences* 76:149–160, fig. 1–4.
- Bright, R. C. 1959. A paleoecologic and biometric study of the Middle Cambrian trilobite *Elrathia kingii* (Meek). *Journal of Paleontology* 33:83–98, fig. 1–8, pl. 17–18.
- Brögger, W. C. 1875. Fossiler fra Øxna og Kletten. *Geologiska Foereningens i Stockholm Foerhandlingar* 2 (1874–1875):572–580, pl. 25.
- . 1878. Om paradoxidesskifrene ved Krekling. *Nyt Magazin for Naturvidenskaberne* 24:18–88, pl. 1–6.
- Brongniart, A. 1822. Les Trilobites. In A. Brongniart

- & A.-G. Desmarest, *Histoire naturelle des crustacés fossiles, sous les rapports zoologiques et géologiques*. Paris & Strasbourg, p. 1–65, pl. 1–2.
- Brooks, H. K. 1957. Chelicera, Trilobitomorpha, Crustacea (exclusive of Ostracoda) and Myriapoda. In H. S. Ladd, ed., *Treatise on Marine Ecology and Paleoecology*. Vol. 2: *Paleoecology*. Geological Society of America, Memoir 67, p. 895–929.
- Bruton, D. L. 1966. A revision of the Swedish Ordovician Odontopleuridae (Trilobita). *Bulletin of the Geological Institutions of the University of Uppsala* 67:1–40, fig. 1–9, pl. 1–6.
- _____. 1968a. The trilobite genus *Panderia* from the Ordovician of Scandinavia and the Baltic areas. *Norsk Geologisk Tidsskrift* 48:1–53, fig. 1–3, pl. 1–12.
- _____. 1968b. A revision of the Odontopleuridae (Trilobita) from the Palaeozoic of Bohemia. *Skrifter utgitt av Det Norske Videnskaps-Akademi i Oslo. I. Matematisk-Naturvidenskapelig Klasse* (new series) 25:1–73, pl. 1–11.
- _____. 1976. The trilobite genus *Phillipsinella* from the Ordovician of Scandinavia and Great Britain. *Palaeontology* 19:699–718, fig. 1, pl. 104–108.
- _____. 1983. The morphology of *Celodus* (Trilobita) and its classification. *Special Papers in Palaeontology* 30:213–220.
- Bruton, D. L., & Winfried Haas. 1997. Functional morphology of Phacopinae (Trilobita) and the mechanics of enrolment. *Palaeontographica* (Abt. A) 245:43 p., 25 fig., 14 pl.
- Bruton, D. L., & A. W. Owen. 1988. The Norwegian Upper Ordovician illaenid trilobites. *Norsk Geologisk Tidsskrift* 68:241–258, fig. 1–10.
- Bullard, Edward, J. E. Everett, & A. G. Smith. 1965. The fit of the continents around the Atlantic. *Philosophical Transactions of the Royal Society of London* (series A) 258:41–51, fig. 1–8.
- Burling, L. D. 1916. *Paedeumias* and the Mesonacidae, with description of a new species, having at least 44 segments, from the Lower Cambrian of British Columbia. *The Ottawa Naturalist* 30:53–58, pl. 1.
- Burrett, Clive. 1973. Ordovician biogeography and continental drift. *Palaeogeography, Palaeoclimatology, Palaeoecology* 13:161–201, fig. 1–3.
- Burrett, Clive, & Robert Richardson. 1980. Trilobite biogeography and Cambrian tectonic models. *Tectonophysics* 63:155–192, fig. 1–6.
- Busch, R. M., & F. M. Swartz. 1985. Molting and description of a new homalonotid trilobite from Pennsylvania. *Journal of Paleontology* 59:1062–1074, fig. 1–5.
- Butterfield, N. J. 1990. Organic preservation of non-mineralizing organisms and the taphonomy of the Burgess Shale. *Paleobiology* 16:272–286, fig. 1–4.
- Butts, C. 1926. The Palaeozoic Rocks. In G. I. Adams, C. Butts, L. W. Stephanson, & W. Cooke, eds., *Geology of Alabama*. Geological Survey of Alabama, Special Report 14, p. 41–230, pl. 3–76.
- Callaway, Charles. 1877. On a new area of Upper Cambrian rocks in South Shropshire, with a description of a new fauna. *Quarterly Journal of the Geological Society of London* 33:652–672, pl. 24.
- Campbell, K. S. W. 1967. Trilobites of the Henryhouse Formation (Silurian) in Oklahoma. *Oklahoma Geological Survey, Bulletin* 115:1–68, fig. 1–7, pl. 1–19.
- _____. 1975. The functional morphology of *Cryptolithus*. *Fossils and Strata* 4:65–86, fig. 1–16, pl. 1–2.
- _____. 1976. The functional anatomy of phacopid trilobites: Musculature and eyes. *Journal and Proceedings, Royal Society of New South Wales* 108:168–188, fig. 1–12, pl. A–C.
- _____. 1977. Trilobites of the Haragan, Bois d'Arc and Frisco Formations (Early Devonian) Arbuckle Mountains region, Oklahoma. *Oklahoma Geological Survey, Bulletin* 123:1–227, fig. 1–36, pl. 1–40.
- _____. 1982. A note on the Haragan trilobite *Dicranurus hamatus elegans*. *Oklahoma Geology Notes* 42(1):4–6, fig. 1.
- Capéra, J. C., R. Courte sole, & J. Pillet. 1978. Contribution à l'étude de l'Ordovicien inférieur de la Montagne Noire. *Biostratigraphie et révision des Agnostida*. *Annales de la Société Géologique du Nord* 98:67–88.
- Chang, Taiyung. 1965. A New Lower Cambrian Trilobite from Keping, western Sinkiang. *Acta Palaeontologica Sinica* 13(1):154–158, pl. 1. In Chinese, with English summary.
- Chang, Wentang [see also Zhang, Wentang]. 1953. Some Lower Cambrian trilobites from western Hupei. *Acta Palaeontologica Sinica* 1(3):121–149, pl. 1–4. In Chinese and English.
- _____. 1957. Preliminary note on the Lower and Middle Cambrian stratigraphy of Poshan, Central Shantung. *Acta Palaeontologica Sinica* 5(1):13–32, pl. 1–2.
- _____. 1962. On the genus *Eoredlichia*. *Acta Palaeontologica Sinica* 10(1):36–44, 1 fig., pl. 1. In Chinese, with English summary.
- _____. 1966. On the classification of Redlichiae, with description of new families and new genera. *Acta Palaeontologica Sinica* 14(2):135–184, fig. 1–17, pl. 1–6. In Chinese, with English summary.
- _____. 1980. A review of the Cambrian of China. *Journal of the Geological Society of Australia* 27:137–150.
- _____. 1988. The Cambrian System in eastern Asia. *International Union of Geological Sciences, Publication* 24:1–81.
- Chatterton, B. D. E. 1971. Taxonomy and ontogeny of Siluro-Devonian trilobites from near Yass, New South Wales. *Palaeontographica* (Abt. A) 137:1–108, fig. 1–20, pl. 1–24.
- _____. 1980. Ontogenetic studies of Middle Ordovician trilobites from the Esbataottine Formation, Mackenzie Mountains, Canada. *Palaeontographica* (Abt. A) 171:1–74, fig. 1–13, pl. 1–19.
- Chatterton, B. D. E., & Margaret Campbell. 1980. Silurian trilobites from near Canberra and some re-

- lated forms from the Yass basin. *Palaeontographica* (Abt. A) 167:77–119.
- . 1993. Enrolling in trilobites: A review and some new characters. *Association of Australasian Palaeontologists, Memoir* 15:103–123, 8 fig.
- Chatterton, B. D. E., G. D. Edgecombe, S. E. Speyer, A. S. Hunt, & R. A. Fortey. 1994. Ontogeny and relationships of Trinucleoidea (Trilobita). *Journal of Paleontology* 68:523–540, fig. 1–15.
- Chatterton, B. D. E., Zerina Johanson, & George Sutherland. 1994. Form of the trilobite digestive system: Alimentary structures in *Pterocephalia*. *Journal of Paleontology* 68:294–305, fig. 1–5.
- Chatterton, B. D. E., & Rolf Ludvigsen. 1976. Silicified Middle Ordovician trilobites from the South Nahanni River area, District of Mackenzie, Canada. *Palaeontographica* (Abt. A) 154:1–106, fig. 1–9, pl. 1–22.
- Chatterton, B. D. E., & D. G. Perry. 1979. *Acanthalommina* Prantl and Pribyl, a valid subgenus of the trilobite genus *Diacanthaspis*. *Journal of Paleontology* 53:1327–1342, fig. 1, pl. 1–4.
- . 1983. Silicified Silurian odontopleurid trilobites from the Mackenzie Mountains. *Palaeontographica Canadiana* 1:1–126, 44 fig., 36 pl.
- . 1984. Silurian cheirurid trilobites from the Mackenzie Mountains, northwestern Canada. *Palaeontographica* (Abt. A) 184:1–78, fig. 1–22, pl. 1–35.
- Chatterton, B. D. E., D. J. Siveter, G. D. Edgecombe, & A. S. Hunt. 1990. Larvae and relationships of the Calymenina (Trilobita). *Journal of Paleontology* 64:255–277, fig. 1–14.
- Chatterton, B. D. E., & S. E. Speyer. 1989. Larval ecology, life history strategies, and patterns of extinction and survivorship among Ordovician trilobites. *Paleobiology* 15:118–132, fig. 1–6.
- . 1990. Applications of the study of trilobite ontogeny. In *Short Courses in Paleontology, No. 3: Arthropod Paleobiology*. Paleontological Society, Knoxville, Tennessee. p. 116–136.
- Chen, Runye. 1983. A new species of *Sapushania* (Trilobita) in Lower Cambrian Chiungchussu Formation from Kunming, Yunnan. *Scientia Geologica Sinica* 2:203–204, pl. 1.
- . 1985. Lower Cambrian trilobites from Liangshan district of Nanzheng, Shaanxi. *Acta Palaeontologica Sinica* 24(3):332–336, pl. 1.
- Chien, Yiyuan [see also Qian, Yiyuan]. 1958. Ontogeny of a new Upper Cambrian trilobite from Penchi, Liaoning. *Palaeontologica Sinica* 6:466–478.
- Chlupáč, Ivo. 1977. The phacopid trilobites of the Silurian and Devonian of Czechoslovakia. *Rozpravy Ústředního Ústavu Geologického* 43:1–172, 26 fig., 32 pl.
- . 1983. Trilobite assemblages in the Devonian of the Barrandian area and their relations to palaeoenvironments. *Geologica et Palaeontologica* 17:45–73, fig. 1–5, pl. 1–3.
- . 1987. Ecostratigraphy of Silurian trilobite assemblages of the Barrandian area, Czechoslovakia. *Newsletter on Stratigraphy* 17:169–186, 5 fig.
- Chu, Chaoling [see also Zhu, Zhaoling]. 1959. Trilobites from the Kushan Formation of North and Northeastern China. *Memoirs of the Institute of Palaeontology, Academica Sinica* 2(2):44–128, pl. 1–7.
- In Chinese and English.
- Chugaeva, M. N., & M. K. Apollonov. 1982. The Cambrian-Ordovician boundary in the Batyrbaissai section, Mal'yi Karatau Range, Kazakhstan, USSR. In M. G. Bassett & W. T. Dean, eds., *The Cambrian-Ordovician boundary: Sections, fossil distributions, and correlations*. National Museum of Wales, Geological Series 3. p. 77–85.
- Cisne, J. L. 1971. Paleoecology of trilobites of the Kaibab Limestone (Permian) in Arizona, Utah, and Nevada. *Journal of Paleontology* 45:525–533, fig. 1, pl. 68.
- . 1973a. Beecher's trilobite bed revisited: Ecology of an Ordovician deepwater fauna. *Postilla* 160:1–25, fig. 1–5.
- . 1973b. Life history of an Ordovician trilobite *Triarthrus eatoni*. *Ecology* 54:135–142.
- . 1974. Trilobites and the Origin of Arthropods. *Science* 186:13–18, fig. 1–3.
- . 1975. Anatomy of *Triarthrus* and the relationships of the Trilobita. *Fossils and Strata* 4:45–63, fig. 1–13, pl. 1–2.
- . 1981. *Triarthrus eatoni* (Trilobita): Anatomy of its exoskeletal, skeleto muscular, and digestive systems. *Palaeontographica Americana* 9(53):95–142, fig. 1–28, pl. 17–23.
- . 1982. Origin of the Crustacea. In D. E. Bliss, ed., *The Biology of Crustacea*. Vol. 1: Systematics, the Fossil Record, and Biogeography (L. G. Abele, vol. ed.). Academic Press. New York & London. p. 65–92, fig. 1–7.
- Cisne, J. L., G. O. Chandlee, B. D. Rabe, & J. A. Cowen. 1980. Geographic variation and episodic evolution in an Ordovician trilobite. *Science* 209:925–927, fig. 1.
- Cisne, J. L., Joane Molenock, & B. D. Rabe. 1988. Evolution in a cline: The trilobite *Triarthrus* along an Ordovician depth gradient. *Lethaia* 13:47–59, fig. 1–9.
- Clark, T. H. 1923a. New fossils from the vicinity of Boston. *Proceedings of the Boston Society of Natural History* 36(8):473–485, fig. 1–2.
- . 1923b. A group of new species of *Agnostus* from Lévis, Quebec. *The Canadian Field-Naturalist* 37(7):121–125.
- Clarke, J. M. 1889. The structure and development of the visual area in the trilobite, *Phacops rana* Green. *Journal of Morphology* 2:253–270, pl. 1.
- Clarkson, E. N. K. 1966a. Schizochroal eyes and vision of some Silurian acastid trilobites. *Palaeontology* 9:1–29, fig. 1–10, pl. 1–3.
- . 1966b. Schizochroal eyes and vision in some phacopid trilobites. *Palaeontology* 9:464–487, fig. 1–9, pl. 73–75.
- . 1966c. The life attitude of the Silurian trilobite *Phacops musheni* Salter, 1864. *Scottish Journal of Geology* 2:76–83, fig. 1–3, pl. 1.
- . 1967a. Fine structure of the eye in two species

- of *Phacops* (Trilobita). *Palaeontology* 10:603–616, fig. 1–3, pl. 99.
- . 1967b. Environmental significance of eye-reduction in trilobites and Recent arthropods. *Marine Geology* 5:367–375, fig. 1.
- . 1969a. On the schizochroal eyes of three species of *Reedops* (Trilobita, Phacopidae) from the Lower Devonian of Bohemia. *Transactions of the Royal Society of Edinburgh* 68:183–205, fig. 1–6, pl. 1–3.
- . 1969b. Dimorphism of the eye in *Weberides shunnerensis* (King) (Trilobita). In G. E. G. Westermann, ed., *Sexual Dimorphism in Fossil Metazoa and Taxonomic Implications*. E. Schweizerbart'sche Verlagsbuchhandlung. Stuttgart. p. 185–195, fig. 1–5, pl. 13.
- . 1969c. A functional study of the Silurian odontopleurid trilobite *Leonaspis deflexa* (Lake). *Lethaia* 2:329–344, fig. 1–7.
- . 1971. On the early schizochroal eyes of *Ormathops* (Trilobita, Zeliskellinae). *Mémoires du Bureau de Recherches Géologiques et Minières* 73:51–63, fig. 1–2, pl. 1.
- . 1973a. The eyes of *Asaphus raniceps* Dalman (Trilobita). *Palaeontology* 16:425–444, fig. 1–4, pl. 48–50.
- . 1973b. Morphology and evolution of the eye in Upper Cambrian Olenidae (Trilobita). *Palaeontology* 16:735–763, fig. 1–8, pl. 91–95.
- . 1975. The evolution of the eye in trilobites. *Fossils and Strata* 4:7–31, fig. 1–6, pl. 1–6.
- . 1979a. The visual system of trilobites. *Palaeontology* 22:1–22, fig. 1–5, pl. 1.
- . 1979b. *Invertebrate Palaeontology and Evolution*. 1st Edition. George Allen and Unwin. London. 323 p.
- Clarkson, E. N. K., Niles Eldredge, & J.-L. Henry. 1977. Some Phacopina (Trilobita) from the Silurian of Scotland. *Palaeontology* 20:119–142, fig. 1–6, pl. 18–20.
- Clarkson, E. N. K., & Jean-Louis Henry. 1973. Structures coaptatives et enroulement chez quelques Trilobites ordoviciens et siluriens. *Lethaia* 6:105–132, fig. 1–18.
- Clarkson, E. N. K., & Riccardo Levi-Sertti. 1975. Trilobite eyes and the optics of Des Cartes and Huygens. *Nature* 254:663–667, fig. 1–5.
- Clarkson, E. N. K., & C. M. Taylor. 1995. Ontogeny of the trilobite *Olenus wahlenbergi* Westergaard, 1922, from the Upper Cambrian Alum Shales of Andrarum, Skåne, Sweden. *Transactions of the Royal Society of Edinburgh, Earth Sciences* 86:13–34, 16 fig.
- Clarkson, E. N. K., & X. G. Zhang. 1991. Ontogeny and structure of the Carboniferous trilobite *Paladin eichwaldii shunnerensis* (King, 1914). *Transactions of the Royal Society of Edinburgh, Earth Sciences* 82:277–295, 15 fig.
- Cobbold, E. S. 1910. On some small trilobites from the Cambrian rocks of Comley, Shropshire. *Quarterly Journal of the Geological Society of London* 66:19–51, pl. 3–8.
- . 1931. Additional fossils from the Cambrian rocks of Comley, Shropshire. *Quarterly Journal of the Geological Society of London* 87:459–511, pl. 39–41.
- Cocks, L. R. M., & R. A. Fortey. 1982. Faunal evidence for oceanic separations in the Lower Palaeozoic of Britain. *Journal of the Geological Society of London* 139:465–478.
- . 1988. Lower Palaeozoic facies and faunas around Gondwana. In A. Hallam & M. G. Audley-Charles, eds., *Gondwana and Tethys*. Special Publications of the Geological Society of London 37. p. 183–200.
- . 1990. Biogeography of Ordovician and Silurian faunas. In W. S. McKerrow & C. R. Scotese, eds., *Palaeozoic palaeogeography and biogeography*. Memoir of the Geological Society of London 12. p. 97–104.
- Cook, H. E., & M. E. Taylor. 1975. Early Paleozoic continental margin sedimentation, trilobite biofacies, and the thermocline, western United States. *Geology* 3:559–562, fig. 1–4.
- Cooper, G. A., & C. H. Kindle. 1936. New brachiopods and trilobites from the Upper Ordovician of Percé, Quebec. *Journal of Paleontology* 10:348–372, fig. 1, pl. 51–53.
- Cooper, G. A., & H. B. Whittington. 1965. Use of acids in preparation of fossils. In Bernhard Kummel & David Raup, eds., *Handbook of Paleontological Techniques*. W. H. Freeman. San Francisco. p. 294–300.
- Cooper, M. R. 1982. A revision of the Devonian (Emsian-Eifelian) Trilobita from the Bokkeveld Group of South Africa. *Annals of the South African Museum* 89:1–174, fig. 1–120.
- Cossmann, M. 1902. Rectification de la nomenclature. *Revista Crítica Paleozoología* 16:52.
- Courtessole, Robert. 1967. Contribution à la connaissance de la paléontologie et de la stratigraphie du Cambrien Moyen de la Montagne Noire (versant méridional). *Bulletin de la Société d'Histoire Naturelle de Toulouse* 103:491–526.
- . 1973. Le Cambrien Moyen de la Montagne Noire: Biostratigraphie. Imprimerie d'Oc. Toulouse. 248 p., fig. 1–24, 27 pl.
- Courtessole, Robert, Jean-Louis Henry, & Daniel Vizcaíno. 1991. Quelques Calymenidae (Trilobita) de l'Ordovicien Inférieur (Arenig) de la Montagne Noire, France: Systématique, Évolution, et Paléoenvironments. *Palaeontographica (Abt. A)* 218:1–15, fig. 1–4, pl. 1–4.
- Courtessole, Robert, & J. B. Jago. 1980. Biostratigraphie du Cambrien inférieur du Cabardès. Mémoire de la Société d'Études Scientifiques des l'Aude. Carcassonne, France. p. 1–26, 4 pl.
- Courtessole, Robert, J. Pillet, & Daniel Vizcaíno. 1988. Stratigraphie et paléontologie du Cambrien Moyen gréseux de la Montagne Noire (versant méridional). Mémoire de la Société d'Études Scientifiques des l'Aude. Carcassonne, France. p. 1–53, pl. 1–8, unnumbered figs.
- Cowie, J. W. 1971. Lower Cambrian faunal provinces. In F. A. Middlemiss, P. F. Rawson, & G. Newall, eds., *Faunal Provinces in Space and Time*. Geological Jour-

- nal, Special Issue No. 4. Seal House Press. Liverpool. p. 31–46, fig. 1–4.
- Cowie, John, & K. J. McNamara. 1978. *Olenellus* (Trilobita) from the Lower Cambrian strata of northwest Scotland. *Palaeontology* 21:615–634, fig. 1–4, pl. 69–70.
- Crimes, T. P. 1970. Trilobite tracks and other trace fossils from the Upper Cambrian of North Wales. *Geological Journal* 7:47–68, fig. 1–7, pl. 5–13.
- . 1975. The production and preservation of trilobite resting and furrowing traces. *Lethaia* 8:35–48, fig. 1–7.
- Daily, Brian, & J. B. Jago. 1975. The trilobite *Lejopyge* Hawle and Corda and the middle-upper Cambrian boundary. *Palaeontology* 18(3):527–550, fig. 1, pl. 62–63.
- Daily, Brian, A. R. Milnes, C. R. Twidale, & J. A. Bourne. 1979. Geology and Geomorphology. In M. J. Tyler, J. K. Ling, & C. R. Twidale, eds., *Natural History of Kangaroo Island*. Royal Society of South Australia. p. 1–38, fig. 1–40.
- Dalingwater, J. E. 1973. Trilobite cuticle microstructure and composition. *Palaeontology* 16:827–839, pl. 107–109.
- Dalingwater, J. E., S. J. Hutchinson, Harry Mutvei, & D. J. Siveter. 1991. Cuticular ultrastructure of the trilobite *Ellipsocephalus polytomus* from the Middle Cambrian of Öland, Sweden. *Palaeontology* 34:205–217, fig. 1–3, pl. 1–3.
- Dalingwater, Hutchinson, Mutvei, & Siveter—. 1993a. Trilobite cuticle calcification. In I. Kobayashi, H. Mutvei and A. Sahni, eds., *Structure, Formation and Evolution of Fossil Hard Tissues*. Tokai University Press. Tokyo. p. 13–20, pl. 1–2.
- Dalingwater, Hutchinson, Mutvei, & Siveter—. 1993b. Cuticular ultrastructure of some Silurian calymenid trilobites from the Welsh Borderland and Gotland. *Palaeontographica* (Abt. A) 229: 37–49, pls. 1–10.
- Dalingwater, J. E., & John Miller. 1977. The laminae and cuticular organization of the trilobite *Asaphus raniceps*. *Palaeontology* 20:21–32, fig. 1–2, pl. 9–10.
- Dalla Salda, Luis, Carlos Cingolani, & Ricardo Varela. 1992. Early Paleozoic orogenic belt of the Andes in southwestern South America: Result of Laurentia-Gondwana collision? *Geology* 20:617–620, fig. 1–2.
- Dalman, J. W. 1827. Om Palestader, eller de så kallade Trilobiterna. Kongliga Svenska Vetenskaps-Akademiens Handlingar 1826(2):113–162, 226–294, pl. 1–6.
- . 1828. Nya Svenska Palaeder. Årsberättelse om Nyare Zoologiska Arbeten och Uppträcker. Kongliga Svenska Vetenskaps-Akademien Handlingar 1828:134–135.
- Dalmatov, B. A., & L. N. Repina. 1971. A new trilobite genus from the Lower Cambrian of eastern Sayan. *Paleontologicheskii Zhurnal* 1971(1):115–118.
- In English.
- David, T. W. E. 1932. Explanatory notes to accompany a new geological map of the Commonwealth of Australia. Commonwealth Council for Scientific and Industrial Research, Australian Medical Publishing Co., Ltd. Sydney. 177 p.
- David, T. W. E., & W. R. Browne. 1950. The Geology of the Commonwealth of Australia. 2 vol. Edward Arnold & Co. London. 747 p. (vol. 1); 618 p. (vol. 2).
- Dawson, J. W. 1868. Acadian Geology: The geological structure, organic remains, and mineral resources of Nova Scotia, New Brunswick and Prince Edward Island, 2nd Edition. Macmillan. London. 694 p., 231 fig., map.
- Dean, W. T. 1966. The Lower Ordovician stratigraphy and trilobites of the Landeyran Valley and the neighbouring district of the Montagne Noire, southwestern France. *Bulletin of the British Museum (Natural History), Geology Series* 12(6):245–353, 21 pl.
- Debrene, F. 1990. Archaeocyatha du Maroc: Essai de synthèse. *Géologie Méditerranéenne* 17(3–4):213–227.
- Delgado, J. F. N. 1904. Faune Cambrienne du Haut-Alemtejo (Portugal). *Communicacoes dos Servicos Geologicos de Portugal* 5:307–374, pl. 1–6.
- Demeter, E. J. 1973. Lower Ordovician pliomeric trilobites from western Utah. *Brigham Young University Geology Studies* 20:37–65.
- Demokidov, K. K., & N. P. Lazarenko. 1964. Stratigrafia verkhnego Dokembriia i Kembriia i Nizhnekembriiskie trilobity severnoi chasti srednei sibiri i ostrovov sovetskoi Arktiki [Stratigraphy of the upper Precambrian and Cambrian and Lower Cambrian trilobites in the northern part of central Siberia and the islands of the Soviet Arctic]. Trudy Nauchno-Issledovatel'skogo Instituta Geologii Arktiki, vol. 137. Moscow. 288 p.
- Dollo, Louis. 1910. La Paléontologie éthologique. *Bulletin de la Société Belge de Géologie, de Paléontologie et d'Hydrologie, Mémoires* 23(1909):377–421, fig. 1–13, pl. 7–11.
- Dong, Xiping. 1990. Both agnostid and conodont based Middle–Upper Cambrian boundary in Huayuan, Hunan. In L. N. Repina & A. Yu. Zhuravlev, eds., *Third International Symposium on the Cambrian System, Novosibirsk, USSR, Abstracts*. Institut Geologii i Geofiziki, Sibirskoe Otdelenie, Akademii Nauk SSSR. p. 86–88.
- Donovan, S. K. 1991. The processes of fossilization. Belhaven Press. London. ix + 303 p.
- Du, W. C., & Y. T. Shao. 1963. A new Lower Cambrian trilobite from Wuting, Yunnan. *Acta Paleontologica Sinica* 11(2):304, 1 unnumbered fig.
- Dubinin, S. V. 1982. Konodontnie assotsiatii pogranichnykh otlozheniy Kembriya i Ordovika Malogo Karatau (Yuzhnyy Kazakhstan) [Conodont associations of Cambrian–Ordovician boundary beds in Maly Karatau (south Kazakhstan)]. *Izvestiya Akademii Nauk SSSR, Seriya Geologicheskaya* 4:47–54.
- In Russian.
- Dunbar, C. O. 1925. Antennae in *Olenellus getzi*, n. sp. *American Journal of Science* (series 5) 9:303–308, fig. 1–2.
- Dyar, G. H. 1890. The number of moults of

- lepidopterous larvae. *Psyche* 5:420–422.
- Eckel, E. B. 1982. The Geological Society of America: Life history of a learned society. Geological Society of America, Memoir 155:167 p.
- Edgecombe, G. D., & B. D. E. Chatterton. 1987. Heterochrony in the Silurian radiation of encrinurine trilobites. *Lethaia* 20:337–351, fig. 1–7.
- . 1990a. *Mackenziurus*, a new genus of the Silurian “*Encrinurus*” *variolaris plexus* (Trilobita). *American Museum Novitates* 2968:1–22, fig. 1–9.
- . 1990b. Systematics of *Encrinuroides* and *Curriella* (Trilobita), with a new Early Silurian encrinurine from the Mackenzie Mountains. *Canadian Journal of Earth Sciences* 27:820–833, fig. 1, pl. 1–4.
- . 1992. Early Silurian (Llandovery) encrinurine trilobites from the Mackenzie Mountains, Canada. *Journal of Paleontology* 66:52–74, fig. 1–12.
- Edgecombe, G. D., & L. Ramsköld. 1991. Trilobite monophyly revisited. *Historical Biology* 4:267–283.
- Edgecombe, G. D., S. E. Speyer, & B. D. E. Chatterton. 1988. Protaspid larvae and phylogenetics of encrinurid trilobites. *Journal of Paleontology* 62:779–799, fig. 1–11.
- Egorova, L. I., M. N. Lomovitskaia, O. K. Poletaeva, & A. G. Sivov. 1955. Tip Arthropoda, Chlenistonogie: Klass Trilobita, Trilobiti [Trilobites]. In *Atlas rukovodящих форм ископаемых фаун в флоры западной Сибири, I* [Atlas of index forms of fossil faunas and floras of western Siberia, I]. Gosgeoltexizdat. Moscow. p. 102–145.
- Egorova, L. I., & V. E. Savitskii. 1969. Stratigrafia i biofatsii kembriia Sibirskoi platformy (Zapadnoe Prianabar'e) [Stratigraphy and biofacies of the Cambrian of the Siberian Platform (western Pre-Anabar)]. Sibirskogo Nauchno-issledovatel'skogo Instituta Geologii, Geofiziki i Mineral'nogo Syr'ya, Seriya Paleontologiya i stratigrafiya 43. 407 p.
- In Russian.
- Eldredge, Niles. 1970. Observations on burrowing behavior in *Limulus polyphemus* (Chelicerata, Merostomata), with implications on the functional anatomy of trilobites. *American Museum Novitates* 2436:1–18, fig. 1–4.
- . 1971. Patterns of cephalic musculature in the Phacopina (Trilobita) and their phylogenetic significance. *Journal of Paleontology* 45:52–67, 7 fig., pl. 13–14.
- . 1973. Systematics of Lower and lower Middle Devonian species of the trilobite *Phacops* Emrich in North America. *Bulletin of the American Museum of Natural History* 151:285–338, fig. 1–37.
- . 1977. Trilobites and evolutionary patterns. In Anthony Hallam, ed., *Patterns of Evolution*. Elsevier. Amsterdam. p. 305–332, fig. 1–13.
- . 1980. An extravagance of species. *Natural History* 89(7):45–51.
- Eldredge, Niles, & L. Braniša. 1980. Calmoniid trilobites of the Lower Devonian *Scaphiocoelia* Zone of Bolivia, with remarks on related species. *Bulletin of the American Museum of Natural History* 165:185–289, fig. 1–39.
- Eldredge, Niles, & A. R. Ormiston. 1979. Biogeography of Silurian and Devonian trilobites of the Malvinokaffric Realm. In Jane Gray & A. J. Boucot, eds., *Historical Biogeography, Plate Tectonics and the changing environment: Proceedings of the 37th Annual Biology Colloquium and Selected Papers*. Oregon State University Press. Corvallis. p. 147–167, pl. 1.
- Emmons, Ebenezer. 1844. The Taconic System: Based on observations in New York, Massachusetts, Maine, Vermont and Rhode Island. Albany, New York. 653 p.
- . 1855. *American Geology, Containing a Statement of the Principles of the Science, with Full Illustrations of the Characteristic Fossils*. Vol. 1, Parts I–III. New York State Publisher. Albany, New York. 17 pl.
- Endo, R. 1939a. Description of *Blackwelderia quadrata* n. sp. and its post-embryonic development. *Bulletin of the Central National Museum of Manchoukuo* 1:1–6, pl. 1–2.
- . 1939b. The post-embryonic development of *Blackwelderia quadrata* Endo. *Proceedings of the Imperial Academy, Tokyo* 15:131–134, fig. 1–14.
- Erben, H. K. 1961. Blinding and extinction of certain *Proetidae* (Tril.). *Journal of the Palaeontological Society of India* 3:82–104, 5 fig.
- . 1964. Facies developments in the marine Devonian of the Old World. *Proceedings of the Ussher Society* 1(3):92–118.
- Ergaliev, G. Kh. 1965. K stratigrafiya venda i kembriya Baykonur-Karatau-Dzhabaglinskoy zony [Towards the stratigraphy of the Vendian and Cambrian of the Baikonur-Karatau-Dzhebaglinsk zones]. *Izvestiya Akademii Nauk Kazakhskoy SSR, Seriya Geologicheskaya* 6:12–25.
- . 1980. *Trilobity Srednego i Verkhnego Kembriya Malogo Karatau*. Nauka. Alma-Ata. 211 p., 20 pl.
- . 1983. Nekotorye trilobity Verkhnego Kembriya i Nizhnego Ordovika Bolyshogo Karatau i Ulutau [Some trilobites from the Upper Cambrian and Lower Ordovician of the Greater Karatau and Ulutau]. In M. K. Apollonov, S. M. Bandeletov, & N. K. Ivshin, eds., *Stratigrafiya i Paleontologiya Nizhnego Paleozoya Kazakhstana*. Nauka. Alma-Ata. p. 35–66, pl. 1–6.
- . 1990. Kyrshabakty section in Maly Karatau as a stratotype for stage and zonal subdivision of the Middle and Upper Cambrian. In L. N. Repina & A. Yu. Zhuravlev, eds., *Third International Symposium on the Cambrian System, Novosibirsk, USSR, Abstracts*. Institut Geologii i Geofiziki, Sibirske Otdelenie, Akademii Nauk SSSR. p. 90.
- Esker, G. C., III. 1968. Colour markings in *Phacops* and *Greenops* from the Devonian of New York. *Palaeontology* 11:498–499, pl. 96.
- Etheridge, R., Jr. 1902. Official Contributions to the Palaeontology of South Australia. No. 13: Evidence of further Cambrian trilobites. *South Australian Parliamentary Papers*, p. 3–4, pl. 2.
- Evitt, W. R. 1953. Observations on the trilobite *Ceraurus*. *Journal of Paleontology* 27:33–48, 1 fig.,

- pl. 5–8.
- . 1961. Early ontogeny in the trilobite family Asaphidae. *Journal of Paleontology* 35:986–995, fig. 1–6, pl. 117–118.
- Evitt, W. R., & R. P. Tripp. 1977. Silicified Middle Ordovician trilobites from the families Encrinuridae and Staurocephalidae. *Palaeontographica (Abt. A)* 157:109–174, fig. 1–19, pl. 1–24.
- Evitt, W. R., & H. B. Whittington. 1953. The exoskeleton of *Flexicalymene* (Trilobita). *Journal of Paleontology* 27:49–55, 1 fig., pl. 9–10.
- Fatka, Oldřich, Vratislav Kordule, & Milan Šnajdr. 1981. New Middle Cambrian trilobites from the Barrandian. *Věstník Ústředního Ústavu Geologického* 56:367–370, pl. 1–2.
- Feist, Raimund. 1970. *Breviscutellum (Meridioscutellum)* n. sg. (Trilobite) et son développement larvaire. *Geobios* 3(4):41–73.
- . 1991. The late Devonian trilobite crises. *Historical Biology* 5:197–214.
- . 1995. Effect of paedomorphosis in eye reduction on patterns of evolution and extinction in trilobites. In K. J. McNamara, ed., *Evolutionary Change and Heterochrony*. John Wiley & Sons. New York. p. 226–244.
- Feist, Raimund, & E. N. K. Clarkson. 1989. Environmentally controlled phyletic evolution, blindness and extinction in Late Devonian tropidocoryphine trilobites. *Lethaia* 22:359–373, fig. 1–9.
- Feist, Raimund, & Eberhard Schindler. 1994. Trilobites during the Frasnian Kellwasser crisis in European Late Devonian cephalopod limestones. *Courier Forschungsinstitut Senckenberg*, Frankfurt am Main 169:195–223, 7 fig., 5 pl.
- Fisher, D. C. 1975. Swimming and burrowing in *Limulus* and *Mesolimulus*. *Fossils and Strata* 4:281–290.
- Foote, Mike. 1989. Perimeter-based Fourier analysis: A new morphometric method applied to the trilobite cranium. *Journal of Paleontology* 63:880–885, fig. 1–5.
- . 1991. Morphologic patterns of diversification: Examples from trilobites. *Palaeontology* 34:461–485, fig. 1–4.
- Ford, S. W. 1872. Descriptions of some new species of primordial fossils. *American Journal of Science (series 3)* 3:419–422, fig. 1–2.
- . 1873. Remarks on the distribution of the fossils in the Lower Potsdam rocks at Troy, N.Y., with descriptions of a few new species. *American Journal of Science (series 3)* 6:134–140, fig. 1–2.
- . 1877. On some embryonic forms of trilobites from the primordial rocks at Troy, N.Y. *American Journal of Science (series 3)* 13:265–273, pl. 4.
- . 1881. On additional embryonic forms of trilobites from the primordial rocks of Troy, N.Y., with observations on the genera *Olenellus*, *Paradoxides*, and *Hydrocephalus*. *American Journal of Science (series 3)* 22:250–259, fig. 1–12.
- Fordyce, David, & T. W. Cronin. 1989. Comparison of fossilized schizochroal compound eyes of phacopid trilobites with eyes of modern marine crustaceans and other arthropods. *Journal of Crustacean Biology* 9:554–569, fig. 1–5.
- . 1993. Trilobite vision: A comparison of schizochroal and holochroal eyes with compound eyes of modern arthropods. *Paleobiology* 19:288–303, 7 fig.
- Fortey, R. A. 1974a. A new pelagic trilobite from the Ordovician of Spitsbergen, Ireland, and Utah. *Palaeontology* 17:111–124, fig. 1–4, pl. 13–14.
- . 1974b. The Ordovician trilobites of Spitsbergen. I. Olenidae. *Norsk Polarinstitutt Skrifter* 160:1–181, fig. 1–12, pl. 1–24.
- . 1975a. Early Ordovician trilobite communities. *Fossils and Strata* 4:331–352, fig. 1–6.
- . 1975b. The Ordovician trilobites of Spitsbergen. II. Asaphidae, Nileidae, Raphiophoridae and Telephinidae of the Valhallfonna Formation. *Norsk Polarinstitutt Skrifter* 162:1–207, fig. 1–15, pl. 1–41.
- . 1979. Early Ordovician trilobites from the Catoche Formation (St. George Group), western Newfoundland. *Geological Survey of Canada, Bulletin* 321:61–114, fig. 10–13, pl. 23–37.
- . 1980a. Generic longevity in Lower Ordovician trilobites: Relation to environment. *Paleobiology* 6:24–31, fig. 1–4.
- . 1980b. The Ordovician trilobites of Spitsbergen. III. Remaining trilobites of the Valhallfonna Formation. *Norsk Polarinstitutt Skrifter* 171:1–163, fig. 1–8, pl. 1–25.
- . 1980c. *Basilicus tyrannus* (Murchison) and the glabellar structure of the asaphid trilobites. *Bulletin of the British Museum (Natural History), Geology* 34(4):255–264, 12 fig.
- . 1983. Cambrian–Ordovician trilobites from the boundary beds in Western Newfoundland and their phylogenetic significance. In D. E. G. Briggs & P. D. Lane, eds., *Trilobites and Other Early Arthropods: Papers in Honour of Professor H. B. Whittington*. F. R. S. Special Papers in Palaeontology 30:179–211, fig. 1–3, pl. 23–27.
- . 1985. Pelagic trilobites as an example of deducing the life habits of extinct arthropods. *Transactions of the Royal Society of Edinburgh, Earth Sciences* 76:219–230, fig. 1–11.
- . 1986. The type species of the Ordovician trilobite *Sympysurus*: Systematics, functional morphology and terrace ridges. *Palaeontologische Zeitschrift* 60:255–275, fig. 1–12.
- . 1989. There are extinctions and extinctions: Examples from the Lower Palaeozoic. *Philosophical Transactions of the Royal Society of London (B, Biological Sciences)* 325:327–355, fig. 1–9.
- . 1990a. Ontogeny, hypostome attachment and trilobite classification. *Palaeontology* 33:529–576, fig. 1–19, pl. 1.
- . 1990b. Trilobite evolution and systematics. *Short Courses in Paleontology, Paleontological Society* 3:44–65.
- Fortey, R. A., & B. D. E. Chatterton. 1988. Classification of the trilobite suborder Asaphina. *Palaeontology* 31:165–222, fig. 1–27, pl. 17–19.
- Fortey, R. A., & E. N. K. Clarkson. 1976. The function of the glabellar “tubercle” in *Nileus* and other trilobites. *Lethaia* 9:101–106, fig. 1–4.
- Fortey, R. A., & R. P. S. Jefferies. 1982. Fossils and

- phylogeny: A compromise approach. In K. A. Joysey & A. E. Friday, eds., *Problems of Phylogenetic Reconstruction*, Systematics Association Special Volume 21. Academic Press. London & New York. p. 197–234, fig. 1–17.
- Fortey, R. A., & S. F. Morris. 1978. Discovery of nauplius-like trilobite larvae. *Palaeontology* 21:823–833, fig. 1–3, pl. 94.
- . 1982. The Ordovician trilobite *Nesuretus* from Saudi Arabia, and the palaeogeography of the *Nesuretus* fauna related to Gondwanaland in the earlier Ordovician. *Bulletin of the British Museum (Natural History), Geology* 36:63–75, fig. 1–11.
- Fortey, R. A., & R. M. Owens. 1975. Proetida: A new order of trilobites. *Fossils and Strata* 4:227–239.
- . 1978. Early Ordovician (Arenig) stratigraphy and faunas of the Carmarthen district, south-west Wales. *Bulletin of the British Museum (Natural History) Geology* 30:225–294, fig. 1–12, pl. 1–11.
- . 1979. Enrollment in the classification of trilobites. *Lethaia* 12:219–226, fig. 1–2.
- . 1987. The Arenig Series in South Wales: Stratigraphy and Palaeontology. I. The Arenig Series in South Wales. *Bulletin of the British Museum (Natural History), Geology* 41:67–307, fig. 1–146.
- . 1990a. Trilobites. In K. J. McNamara, ed., *Evolutionary Trends*. Belhaven Press. London. p. 121–142, 7 figs.
- . 1990b. Evolutionary radiations in the Trilobita. In P. D. Taylor & G. P. Larwood, eds., *Major Evolutionary Radiations*. Systematics Association Special Vol. 42. Clarendon Press. Oxford. p. 139–164, 8 figs.
- . 1991. A trilobite fauna from the highest Shineton Shales in Shropshire, and the correlation of the latest Tremadoc. *Geological Magazine* 128(5): 437–464, 13 figs.
- Fortey, R. A., & A. W. A. Rushton. 1980. *Acanthopleurella* Groom, 1902: Origin and life-habits of a miniature trilobite. *Bulletin of the British Museum (Natural History), Geology* 33:79–89, fig. 1–21.
- Fortey, R. A., & J. H. Shergold. 1984. Early Ordovician trilobites, Nora Formation, central Australia. *Palaeontology* 27:315–366, fig. 1–17, pl. 38–46.
- Fortey, R. A., & H. B. Whittington. 1989. The Trilobita as a natural group. *Historical Biology* 2:125–138.
- Fortey, R. A., & N. V. Wilmot. 1991. Trilobite cuticle thickness in relation to palaeoenvironment. *Palaeontologische Zeitschrift* 65:141–151, fig. 1–5.
- Fowler, G. H. 1909. Biscayan plankton. Part 12: The Ostracoda. *Transactions of the Linnaean Society of London, Zoology* 10:219–336.
- Frey, R. C. 1989. Paleoecology of a well-preserved nautiloid assemblage from a late Ordovician shale unit, southwestern Ohio. *Journal of Paleontology* 63:604–620, fig. 1–9.
- Fritz, W. H. 1972. Lower Cambrian trilobites from the Sekwi Formation type section, Mackenzie Mountains, northwestern Canada. *Geological Survey of Canada, Bulletin* 212:1–90, pl. 1–20.
- . 1973. Medial Lower Cambrian trilobites from the Mackenzie Mountains northwestern Canada. Geological Survey of Canada, Paper 73-24:1–43, fig. 1, pl. 1–8.
- . 1976. Ten stratigraphic sections from the Lower Cambrian Sekwi Formation, Mackenzie Mountains, northwestern Canada. *Geological Survey of Canada, Paper* 76-22:1–42.
- . 1978. Fifteen stratigraphic sections from the Lower Cambrian of the Mackenzie Mountains, northwestern Canada. *Geological Survey of Canada, Paper* 77-33:1–19, pl. 1–7.
- . 1979. Eleven stratigraphic sections from the Lower Cambrian of the Mackenzie Mountains, northwestern Canada. *Geological Survey of Canada, Paper* 78-23:1–19, fig. 1, pl. 1–7.
- . 1980. Two new formations in the Lower Cambrian Atan Group, Cassiar Mountains, north-central British Columbia. *Current Research, Part B, Geological Survey of Canada, Paper* 80-1B:217–225, fig. 25.1–25.3, pl. 25.1.
- . 1991. Lower Cambrian trilobites from the Iltyd Formation, Wernecke Mountains, Yukon Territory. *Geological Survey of Canada, Bulletin* 409:1–76, fig. 1–5, pl. 1–17.
- . 1992. Walcott's Lower Cambrian olenellid trilobite collection 61k, Mount Robson area, Canadian Rocky Mountains. *Geological Survey of Canada, Bulletin* 432:1–64, fig. 1–7, pl. 1–17.
- . 1993. New Lower Cambrian olenelloid trilobite genera *Cirquella* and *Geraldinella* from southwestern Canada. *Journal of Paleontology* 67:856–868, fig. 1–13.
- . 1995. *Esmeraldina rowei* and associated Lower Cambrian trilobites (1f fauna) at the base of Walcott's Waucoban Series, southern Great Basin, U.S.A. *Journal of Paleontology* 69:708–723, 10 figs.
- Fritz, W. H., & E. L. Yochelson. 1988. The status of *Salterella* as a Lower Cambrian index fossil. *Canadian Journal of Earth Sciences* 25:403–416.
- Gaines, R. B., Jr. 1951. Statistical study of *Irvingella*, Upper Cambrian trilobite. *Texas Journal of Science* 3:606–616.
- Geyer, Gerd. 1983. Biostratigraphische und systematisch-paläontologische Untersuchungen in Grenzbereich Unter-/Mittelkambrium von Marokko. Ph.D. thesis. Universitäts Würzburg. 229 p., 19 pl.
- . 1988. Agnostida aus dem höheren Unterkambrium und der Mittelkambrium von Marokko. Teil 2: Eodiscina. *Neues Jahrbuch für Geologie und Palaeontologie, Abhandlungen* 177:93–133, fig. 1–112.
- . 1990a. Revised Lower to lower Middle Cambrian biostratigraphy of Morocco. *Newsletters in Stratigraphy* 22:53–70, 2 pl.
- . 1990b. Die marokkanischen Ellipsocephalidae (Trilobita: Redlichiiida). *Beringeria* 3:1–363, 69 fig., pl. 1–56.
- . 1993. The giant Cambrian trilobites of Morocco. *Beringeria* 8:71–107, 4 fig., 11 pl.
- . 1996. The Moroccan fallotaspid trilobites revisited. *Beringeria* 18:89–199, 69 fig.
- Geyer, Gerd, & A. R. Palmer. 1995. Neltneriidae and Holmiidae (Trilobita) from Morocco and the prob-

- lem of Early Cambrian intercontinental correlation. *Journal of Paleontology* 69:459–474.
- Gill, E. D. 1949. *Prospon*, a term proposed to replace the biologically erroneous term *ornament*. *Journal of Paleontology* 23:572.
- Ginatzy, W., & F. Romer. 1984. Cuticle formation, moulting and control. In J. Berelte-Hahn, A. Matalsky, & K. Richards, eds., *Biology of the integument*. Springer, Berlin, p. 638–684.
- Goldring, Roland. 1985. The formation of the trace fossil *Cruziana*. *Geological Magazine* 122:65–72, fig. 1–4.
- Goryanskii, V. Yu., L. I. Egorova, & V. E. Savitskii. 1964. O faune nizhnego kembriia severnogo sklonov Anabarskogo shchita [Lower Cambrian fauna from the northern slope of the Anabar shield]. Uchenye Zapiski, Seriya Paleontologii i Biostratigrafii 4:5–32.
- In Russian.
- Gould, S. J. 1977. Ontogeny and phylogeny. Belknap Press, Cambridge, Massachusetts. 510 p.
- . 1985. The paradox of the first tier: An agenda for paleobiology. *Paleobiology* 11:2–12.
- Grabau, A. W. 1931. Palaeozoic centers of faunal evolution and dispersal. *Bulletin of the Geological Society of China* 11(3):227–239.
- . 1937. Palaeozoic Formation in the Light of the Pulsation Theory. *Cambrian Pulsation*, vol. 3, pt. 2. Peiping University Press. Peking. 850 p., 58 fig., 4 pl., 6 correlation charts.
- Green, J. 1834. Descriptions of some new North American trilobites. *American Journal of Science* (series 1) 25:334–337.
- Grönwall, K. A. 1902. Bornholms Paradoxideslag og deres Fauna. *Danmarks Geologiske Undersøgelse* (series 2) 13:1–230, pl. 1–4.
- Gunther, L. F., & V. G. Gunther. 1981. Some Middle Cambrian fossils of Utah. *Brigham Young University Studies* 28:87 p.
- Guo, Hongjun, & Jiye Duan. 1978. Cambrian and Early Ordovician trilobites from northeastern Hebei and Western Liaoning. *Acta Palaeontologica Sinica* 17(4):439–460, pl. 1–3.
- Gürich, G. 1907. Versuch einer Neueinteilung Trilobiten. *Zentralblatt fuer Mineralogie, Geologie und Palaeontologie*, Stuttgart 1907:129–133.
- Haack, S. C. 1987. The evolution and acuity of the schizochroal eye in trilobites. *Evolutionary Theory* 8:69–72, fig. 1–2.
- Haas, Winfried. 1969. Lower Devonian trilobites from central Nevada and northern Mexico. *Journal of Paleontology* 43:641–659, fig. 1–6, pl. 81–84.
- . 1981. Tastsinnesorgane bei *Trimerus* (*Dipleura*)—Trilobita, Homalonotidae—Ein Beitrag zum Bau und Leben der Trilobiten. *Natur und Museum* 111:347–355, fig. 1–14.
- Hahn, Gerhard. 1990. Palaeobiogeographic distribution and biostratigraphic significance of Lower Carboniferous trilobites: A review. *Courier Forschungs-Institut Senckenberg* 130:199–205.
- Hahn, Gerhard, & Renate Hahn. 1981. Kulm-trilobiten und ihr Lebensraum. *Natur und Museum* 111:355–361, fig. 1–8.
- . 1988. The biostratigraphical distribution of Carboniferous Limestone trilobites in Belgium and adjacent areas. *Bulletin de la Société Belge de Géologie* 97(1):77–93.
- Hall, J. 1847. *Palaeontology of New York*, vol. 1. In *Natural History of New York*, Part 4. Carroll & Cook, Albany, New York. xxiii + 338 p., 87 pl.
- . 1859. Trilobites of the shales of the Hudson River Group. In *12th Annual Report of the New York State Cabinet for Natural History*. Albany, New York. p. 59–62.
- . 1861. Supplementary note to the thirteenth report of the Regents of the State Cabinet. In *15th Annual Report of the New York State Cabinet for Natural History*. Albany, New York. p. 113–119.
- Appeared as a preprint in 1861 and then published in 1862.
- . 1863. Preliminary notice of the fauna of the Potsdam Sandstone; with remarks upon the previously known species of fossils and descriptions of some new ones, from the sandstone of the Upper Mississippi Valley. *New York State Cabinet of Natural History*, 16th Annual Report, Appendix D, Contributions to Palaeontology, p. 119–184, pl. Va–X1.
- Hall, J., & R. P. Whitfield. 1877. *Paleontology*. United States Geological Exploration of the Fortieth Parallel 4(2):198–302.
- Hallam, Anthony. 1973. *Atlas of Palaeobiogeography*. Elsevier Scientific Publishing Company, Amsterdam. xii + 531 p.
- Hammann, Wolfgang. 1983. Calymenacea (Trilobita) aus dem Ordovizium von Spanien; ihre Biostratigraphie, Ökologie und Systematik. *Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft* 542:1–177, fig. 1–50, pl. 1–25.
- . 1985. Life habit and enrolment in Calymenacea (Trilobita) and their significance for classification. *Transactions of the Royal Society of Edinburgh, Earth Sciences* 76:307–318, fig. 1–4.
- Hammann, Wolfgang, R. Laske, & G.-L. Pillola. 1990. *Tariccoia arrusensis* n. g. n. sp., an unusual trilobite-like arthropod: Rediscovery of the “phyllocarid” beds of Taricco (1922) in the Ordovician “Pudding” sequence of Sardinia. *Bollettino della Società Paleontologica Italiana* 29:163–178, 3 pl.
- Hammann, Wolfgang, & Isabel Rabano. 1987. Morphologie und Lebenweise der Gattung *Selenopeltis* (Trilobita) und ihre Vorkommen im Ordovizium von Spanien. *Senckenbergiana Lethaea* 68:91–137, 11 fig., 3 pl.
- Han, Nairen. 1978. Panderian organs of *Cyclopyge rotundata* Lu (Trilobita). *Acta Palaeontologica Sinica* 17:351–356, 2 fig., 2 pl.
- In Chinese, with English summary.
- Harkness, R., & H. Hicks. 1871. On the ancient rocks of the St. David's Promontory, south Wales, and their fossil contents. *Quarterly Journal of the Geological Society of London* 27:384–402, fig. 1, pl. 15–16.
- Harrington, H. J. 1938. Sobre las faunas del ordoviciano inferior del norte Argentino. *Revista del*

- Museo de la Plata (new series) 1:109–289, pl. 1–14.
- . 1956. Olenellidae with advanced cephalic spines. *Journal of Paleontology* 30:56–61, fig. 1, pl. 15.
- Harrington, H. J., & A. F. Lanza. 1957. Ordovician trilobites of Argentina. Department of Geology, University of Kansas, Special Publication 1:1–276, 140 fig.
- Harrington, H. J., R. C. Moore, & C. J. Stubblefield. 1959. Morphological terms applied to Trilobita. In R. C. Moore, ed., *Treatise on Invertebrate Paleontology*, Part O, Arthropoda 1. Geological Society of America & University of Kansas Press. New York & Lawrence, Kansas. p. 117–126.
- Hartnoll, R. G. 1969. Mating in Brachyura. *Crustaceana* 16:161–181.
- . 1982. Growth. In D. E. Bliss & L. G. Abele, eds., *The Biology of Crustacea*. Vol. 2: Embryology, Morphology, and Genetics. Academic Press. New York & London. p. 11–196.
- Havlíček, Vladimír, & Jiří Vaněk. 1990. Ordovician invertebrate communities in black-shale lithofacies (Prague Basin, Czechoslovakia). *Věstník Ústředního Ústavu Geologického* 65:223–236, fig. 1–3.
- Havlíček, Vladimír, Jiří Vaněk, & Oldřich Fatka. 1993. Floating algae of the genus *Krejciella* as probable hosts of epiplanktonic organisms (Dobrotivá Series, Ordovician: Prague basin). *Journal of the Czech Geological Society* 38:79–87, 1 fig., pl. 1–4.
- Hawle, Ignaz, & A. J. C. Corda. 1847. Prodrom einer Monographie der böhmischen Trilobiten. Abhandlungen Koeniglichen Boehmischen Gesellschaft der Wissenschaften. J. G. Calve. Prague. 176 p., 7 pl.
- Hayes, A. O., & B. J. Howell. 1937. Geology of the Saint John, New Brunswick. Geological Society of America, Special Paper 5:1–146.
- Henningsmoen, Gunnar. 1951. Remarks on the classification of trilobites. *Norsk Geologisk Tidsskrift* 29:174–217.
- . 1957a. The trilobite family Olenidae: With description of Norwegian material and remarks on the Olenid and Tremadocian Series. *Skrifter Utgitt av det Norske Videnskaps-Akademiet i Oslo*, I, Matematisk-naturvidenskapelig Klasse 1957(1):1–303, fig. 1–19, pl. 1–31.
- . 1957b. Los trilobites de las capas *Saukianda*, Cambriico inferior, en Andalucia. *Estudios Geológicos* 14 (memoir 35–36):251–269, pl. 36–39.
- . 1958. The Upper Cambrian faunas of Norway with descriptions of non-olenid invertebrate fossils. *Norsk Geologisk Tidsskrift* 38:179–195, pl. 1–7.
- . 1959. Rare Tremadocian trilobites from Norway. *Norsk Geologisk Tidsskrift* 39:153–174, fig. 1, pl. 1–2.
- . 1960. The Middle Ordovician of the Oslo Region, Norway. 13: Trilobites of the family Asaphidae. *Norsk Geologisk Tidsskrift* 40:203–257, fig. 1–5, pl. 1–14.
- . 1975. Moulting in trilobites. *Fossils and Strata* 4:179–200, fig. 1–14.
- Henry, Jean-Louis. 1980a. Trilobites ordoviens du Massif Armorican. *Mémoires de la Société Géologique et Mineralogique de Bretagne* 22:1–250, 95 fig., 48 pl.
- . 1980b. Evolution and classification of some Ordovician Calymenina (Trilobita). *Geological Magazine* 117:351–362, fig. 1–4, pl. 1–2.
- . 1985. New information on the coaptative devices in the Ordovician trilobites *Placoparia* and *Crozonaspis*, and its significance for their classification and phylogeny. *Transactions of the Royal Society of Edinburgh, Earth Sciences*, 76:319–324, fig. 1–6.
- . 1989. Paléoenvironnements et dynamique de faunes de trilobites dans l'Ordovicien (Llanvirn supérieur–Caradoc basal) du massif Armorican (France). *Palaeogeography, Palaeoclimatology, Palaeoecology* 73:139–153, fig. 1–7.
- . 1996. Classification de quelques Calymenina (Trilobita) Ordoviens: Calymenidae ou Homalonotidae? *Geobios* 29:331–340, 3 fig., pl. 45.
- Henry, J.-L., & E. N. K. Clarkson. 1975. Enrollment and coaptations in some species of the Ordovician trilobite genus *Placoparia*. *Fossils and Strata* 4:87–96, fig. 1–3, pl. 1–3.
- Henry, J.-L., & Jacques Destombes. 1991. Un biofacies à trilobites Homalonotidae dans l'Ordovicien de la marge nord-gondwanienne: Implications paléobiologiques et paléogéographiques. *Lethaia* 24:249–253, fig. 1–3.
- Hesselbo, S. P. 1987. The biostratinomy of *Dikelocephalus* sclerites: Implications for the use of trilobite attitude data. *Palaeos* 2:605–608, 3 fig.
- Hessin, W. A. 1988. *Leviceraurus*, a new cheirurine trilobite from the Cobourg Formation (Middle–Upper Ordovician), southern Ontario, Canada. *Journal of Paleontology* 62:87–93, 5 fig.
- Hessler, R. R. 1964. The Cephalocarida: Comparative skeleto-musculature. *Memoirs of the Connecticut Academy of Arts and Sciences* 16:1–97, 47 fig.
- . 1965. Lower Mississippian trilobites of the Family Proetidae in the United States. Part II. *Journal of Paleontology* 39:248–264, 1 fig., pl. 37–40.
- . 1982. The structural morphology of walking mechanisms in eumalacostran crustaceans. *Philosophical Transactions of the Royal Society of London (series B)* 296:245–298, fig. 1–41.
- Hicks, Henry. 1869. On some recent discoveries of fossils in the Cambrian rocks. *Report of the British Association for the Advancement of Science* for 1868, Transactions of Sections, p. 68–69.
- . 1871. Descriptions of new species of fossils from the Longmynd rocks of St. David's. *Quarterly Journal of the Geological Society of London* 27:399–402, pl. 15–16.
- . 1875. On the succession of the Ancient Rocks in the vicinity of St. David's, Pembrokeshire, with special reference to those of the Arenig and Llandeilo Groups, and their fossil contents. *Quarterly Journal of the Geological Society of London* 31:167–195, pl. 8–11.
- . 1895. On the genus *Plutonides* (non *Plutonia*) from the Cambrian rocks of St. David's. *Geological Magazine* (decade 4) 2:230–231.
- Hill, D., G. Playford, & J. T. Woods. 1971. Cambrian fossils of Queensland. *Queensland Palaeontographical Society*. Brisbane. 32 p., 15 pl.

- Hintze, L. F. 1953. Lower Ordovician trilobites from western Utah and eastern Nevada. Utah Geological and Mineralogical Survey, Bulletin 48:vi + 249 p., 1 fig., 28 pl.
- Date on cover November 1952, but for evidence of publication date see H. B. Whittington, 1953, American Journal of Science 251:766–767.
- Ho, Xinyi, & Jinseng Li. 1959. Discovery of fossils from the Late Cambrian Sanyoudong Limestone, NW Hubei and its stratigraphical significance. Short Papers for the First All-China Conference on Stratigraphy 1. Beijing Geological College. p. 153–160, pl. 1.
- In Chinese.
- Hoffman, Antoni, & Wolf-Ernst Reif. 1994. Rudolf Kaufmann's work on iterative evolution in the Upper Cambrian trilobite genus *Olenus*: A reappraisal. Palaeontologische Zeitschrift 68:71–87, 6 fig.
- Hofmann, H. J. 1979. Chazy (Middle Ordovician) trace fossils in the Ottawa-St. Lawrence lowlands. Geological Survey of Canada, Bulletin 321:27–59, fig. 5–9, pl. 9–22.
- Hohensee, S. R., & J. H. Stitt. 1989. Redeposited *Elvinia* Zone (Upper Cambrian) trilobites from the Collier Shale, Ouachita Mountains, west-central Arkansas. Journal of Paleontology 63:857–869, fig. 1–6.
- Holloway, D. J. 1980. Middle Silurian trilobites from Arkansas and Oklahoma, U.S.A. Palaeontographica (Abt. A) 170:1–85, fig. 1–10, pl. 1–20.
- . 1981. Silurian dalmanitacean trilobites from North America, and the origins of the Dalmanitinae and Synphoriinae. Palaeontology 24:695–731, fig. 1–5, pl. 96–103.
- Holm, G., & A. H. Westergård. 1930. A Middle Cambrian fauna from Bennett Island. Zapiski Akademii Nauk SSSR, po Otdeleniyu Fiziko-Matematicheskikh Nauk 21(8):1–25, pl. 1–4.
- Holub, K. 1908. Příspěvek ku poznání fauny pásmá Dd. Rozpravy České Akademie Věd Čísaře Františka Josefa Vědy, Slovesnost a Umení, Třídy 2, Matematico-prírodořecké 17(10):1–19, 1 pl.
- . 1912. Doplňky ku fauně Eulomového horizontu v okolí Rokycan. Rozpravy České Akademie Věd Čísaře Františka Josefa Vědy, Slovesnost a Umení, Třídy 2, Matematico-přírodořecké 21(33):1–2, 2 pl.
- Horný, Radvan, & František Bastl. 1970. Type specimens of fossils in the National Museum, Prague. Volume 1, Trilobita. Museum of Natural History. Prague. 354 p., 20 pl.
- Horváth, Gábor, & E. N. K. Clarkson. 1993. Computational reconstruction of the probable change of form of the corneal lens and maturation of optics in the post-ecdysial development of the schizochroal eye of the Devonian trilobite *Phacops rana milleri*. Journal of Theoretical Biology 160:343–374, 15 fig.
- Horváth, Gábor, E. N. K. Clarkson, & W. Pix. 1997. Survey of modern counterparts of schizochroal eyes: Structural and functional similarities and differences. Historical Biology 12:229–264.
- House, M. R. 1971. Devonian faunal distributions. In F. A. Middlemiss, P. F. Rawson, & G. Newall, eds., Faunal Provinces in Space and Time. Geological Journal Special Issue 4:77–94.
- . 1979. Devonian in the eastern hemisphere. In R. A. Robison & C. Teichert, eds., Treatise on Invertebrate Paleontology, Part A, Introduction. Geological Society of America & the University of Kansas. Boulder, Colorado & Lawrence, Kansas. p. 183–217.
- Howell, B. F. 1933. The classification of the trilobite Subfamily Centropleurinae. Meddelelser fra Dansk Geologisk Forening 8:215–219.
- . 1935a. New Middle Cambrian agnostian trilobites from Vermont. Journal of Paleontology 9:218–221, pl. 22.
- . 1935b. Cambrian and Ordovician trilobites from Hérault, southern France. Journal of Paleontology 9:222–238, pl. 22–23.
- . 1935c. Some New Brunswick Cambrian agnostians. Bulletin of the Wagner Free Institute of Science 10(2):13–16, 1 pl.
- . 1937. Cambrian *Centropleura vermontensis* fauna of northwestern Vermont. Geological Society of America, Bulletin 48:1147–1210, 6 pl.
- . 1955. *Phalagnostus*, a new genus for trilobite *Battus nudus* Beyrich. Journal of Paleontology 29:925–926.
- Howell, B. F., J. Bridge, C. F. Deiss, I. Edwards, C. Lochman, G. O. Raasch, & C. E. Resser. 1944. Correlation of the Cambrian formations of North America. Bulletin of the Geological Society of America 55:993–1003.
- Howell, B. F., E. A. Frederickson, Christina Lochman, G. O. Raasch, & Franco Rasetti. 1947. Terminology for describing Cambrian trilobites. Journal of Paleontology 21:72–76, fig. 1.
- Hu, Chunhung. 1963. The dimorphism and ontogeny of *Norwoodella halli* Resser. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 52:129–132.
- . 1964a. Ontogeny and dimorphism of the trilobite *Peltula scarabeoides* (Wahlenberg) from the Upper Cambrian of Norway. Journal of the Palaeontological Society of India 5–9:39–44, 1 pl.
- . 1964b. The ontogeny and dimorphism of *Welleraspis lata* Howell (Trilobita). Journal of Paleontology 38:95–97, pl. 24.
- . 1968. Notes on the ontogeny and sexual dimorphism of Upper Cambrian trilobites of the *Welleraspis* faunule from Pennsylvania. Journal of Nanyang University 2:321–357, 8 fig., 5 pl.
- . 1969. Ontogeny and sexual dimorphism of three Upper Cambrian trilobites. Journal of Nanyang University 3:438–462, 6 fig., 3 pl.
- . 1970. Ontogenies and sexual dimorphisms of two Upper Cambrian trilobites. Proceedings of the Geological Society of China 13:143–155.
- . 1971. Ontogeny and sexual dimorphism of Lower Palaeozoic Trilobita. Palaeontographica Americana 7(44):29–155, fig. 1–59, pl. 7–26.
- . 1972. Ontogeny of three *Cedaria* Zone trilobites from the Upper Cambrian, Montana.

- Transactions and Proceedings of the Palaeontological Society of Japan (new series) 85:245–259.
- . 1973. Description of basal Ordovician trilobites from the Deadwood Formation, northern Black Hills, South Dakota. Proceedings of the Geological Society of China 16:85–95.
- . 1974a. Ontogenies of two Middle Ordovician trilobites from the Edinburg Formation, Virginia. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 95:353–363.
- . 1974b. Ontogenies of a few Middle Ordovician trilobites from the Edinburg Formation of Virginia, U.S.A. Bulletin of the Geological Survey of Taiwan 24:51–67.
- . 1975a. Ontogenies of two species of silicified trilobites from the Middle Ordovician of Virginia. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 97:32–47.
- . 1975b. Ontogenies of four species of silicified Middle Ordovician trilobites from Virginia. Proceedings of the Geological Society of China 18:115–127, 3 fig., 2 pl.
- . 1976. Ontogenies of three species of silicified Middle Ordovician trilobites from Virginia. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 101:247–263, 3 fig., pl. 26–28.
- . 1978. Ontogenies of four Upper Cambrian trilobites from the Bonneterre Dolomite, Missouri. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 111:348–357.
- . 1979. Ontogenetic studies of a few Upper Cambrian trilobites from the Deadwood Formation, South Dakota. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 114:49–63.
- . 1980. Ontogenies of a few Upper Cambrian trilobites from the Deadwood Formation, South Dakota. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 119:371–387.
- . 1981. Studies on the ontogenetic and phylogenetic development of two Upper Cambrian trilobites from South Dakota. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 123:159–167, 2 fig., pl. 20–21.
- . 1983. Ontogenetic and phylogenetic development of two Upper Cambrian trilobites from the Nolichucky Formation, Tennessee. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 129:26–34, 4 fig., pl. 10–11.
- . 1984. Ontogenesis of *Ehmaniella burgessensis* Rasetti (Trilobita) from the Burgess Shale, Middle Cambrian, Yoho Park, British Columbia. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 135:395–400, 1 fig., pl. 76.
- . 1985a. Ontogenies of two Middle Cambrian corynexochid trilobites from the Canadian Rocky Mountains. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 138:138–147.
- . 1985b. Ontogenetic development of Cambrian trilobites from British Columbia and Alberta, Canada (part 1). Journal of Taiwan Museum 38:121–158, 10 fig., 9 pl.
- . 1986. Ontogenetic development of Cambrian trilobites from British Columbia and Alberta, Canada (part 2). Journal of Taiwan Museum 39:1–44, fig. 11–20, pl. 10–20.
- Hu, Chunhung, & I. L. Li. 1971. Ontogenies of four proparian trilobites from Upper Cambrian, Montana, U.S.A. (with a description of *Vernaculina lushibi*, n. sp.). Proceedings of the Geological Society of China 14:165–184.
- Hu, Chunhung, & L. L. Tan. 1971. Ontogenies of two Upper Cambrian trilobites from northern Black Hills, South Dakota. Transactions and Proceedings of the Palaeontological Society of Japan (new series) 82:61–72.
- Hughes, C. P. 1969. The Ordovician trilobite faunas of the Builth-Llandrindod Inlier, Central Wales, part 1. Bulletin of the British Museum (Natural History), Geology 18:39–103, fig. 1–6, pl. 1–14.
- . 1970. Statistical analysis and presentation of trinucleid (Trilobita) fringe data. Palaeontology 13:1–9, fig. 1.
- . 1971. The Ordovician trilobite faunas of the Builth-Llandrindod Inlier, Central Wales, part 2. Bulletin of the British Museum (Natural History), Geology 20:117–182, fig. 1–13, pl. 1–16.
- . 1975. Redescription of *Burgessia bella* from the Middle Cambrian Burgess Shale, British Columbia. Fossils and Strata 4:415–435, pl. 1–13.
- . 1979. The Ordovician trilobite faunas of the Builth-Llandrindod Inlier, Central Wales, part 3. Bulletin of the British Museum (Natural History), Geology 32:109–181, fig. 1–177.
- Hughes, C. P., J. K. Ingham, & R. Addison. 1975. The morphology, classification and evolution of the Trinucleidae (Trilobita). Philosophical Transactions of the Royal Society of London (series B) 272:537–604, fig. 1–123.
- Hughes, N. C. 1993. Distribution, taphonomy and functional morphology of the Upper Cambrian trilobite *Dikelcephalus*. Milwaukee Public Museum, Contributions in Biology and Geology 84:1–49, 6 fig., 7 pl.
- Hunt, A. S. 1966. Submarginal suture and ventral plate of an agnostid trilobite. Journal of Paleontology 40:1238–1240, 1 fig.
- . 1967. Growth, variation, and instar development of an agnostid trilobite. Journal of Paleontology 41:203–208, fig. 1–2, pl. 22.
- Hupé, Pierre. 1945. Les organes de Pander des Trilobites asaphidés. Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences 221:705–706.
- . 1950. Étude statistique de l'évolution du céphalon des trilobites *Proparia* et *Opistoparia*. Bulletin de la Société Géologique de France (series 5) 20:9–24, fig. 1–8.
- . 1951. Sur les affinités des trilobites. Bulletin de la Société Géologique de France (series 6) 1:469–486, fig. 1–6.
- . 1952. Sur les Zones de Trilobites du Cambrien inférieur marocain. Comptes Rendus des

- Séances de l'Académie des Sciences, Paris 235:480–481.
- . 1953a. Contribution à l'étude du Cambrien inférieur et du Précambrien III de l'Anti-Atlas Marocain. Direction de la Production Industrielle et des Mines, Division des Mines et de la Géologie, Service Géologique, Notes et Mémoires 103:1–402, fig. 1–99, pl. 1–24.
- Dated 1952 on cover, published 1953.
- . 1953b. Classe des trilobites. In Jean Piveteau, ed., Traité de Paléontologie, vol. 3. Les formes ultimes d'Invertébrés: Morphologie et évolution: Onychophores—Arthropodes—Échinodermes—Stomocordés. Masson, Paris, p. 44–246, fig. 1–140.
- . 1953c. Quelques remarques sur la croissance et la segmentation des trilobites. Bulletin de la Société Géologique de France (series 6) 3:3–11, fig. 1–4.
- . 1954. Classification des trilobites. Annales de Paleontologie 39:61–168, fig. 1–92.
- Dated 1953, but printed in 1954.
- . 1955a. Classification des trilobites. Annales de Paleontologie 41:91–325, fig. 93–247.
- . 1955b. À propos des organes de Pander des trilobites. Bulletin de la Société Géologique de France (series 6) 4(1954):701–711, fig. 1–8, pl. 29, pl. 30, fig. 1.
- . 1960. Sur le Cambrien inférieur du Maroc. In Report of the 21st International Geological Congress, Norden, Part 8, Late Precambrian and Cambrian Stratigraphy, p. 75–85.
- Hupé, Pierre, & J. Abadie. 1950. Sur l'existence de Trilobites du Cambrien inférieur marocain. Comptes Rendus des Séances de l'Académie des Sciences 230:2112–2113.
- Hutchinson, R. D. 1962. Cambrian stratigraphy and trilobite faunas of southeastern Newfoundland. Geological Survey of Canada, Bulletin 88:1–156, pl. 1–25.
- ICZN. 1985. International Code of Zoological Nomenclature. 3rd edition. International Trust for Zoological Nomenclature, British Museum (Natural History) & University of California Press. London & Berkeley. xx + 338 p.
- Illing, V. C. 1916. The Paradoxian fauna of a part of the Stockingford Shales. Quarterly Journal of the Geological Society 71:386–450, pl. 28–38.
- Ingham, J. K. 1968. British and Swedish Ordovician species of *Cybeloides* (Trilobita). Scottish Journal of Geology 4:300–316, fig. 1–3, pl. 1–2.
- . 1970. The Upper Ordovician trilobites from the Cautley and Dent districts of Westmorland and Yorkshire, Part 1. Palaeontographical Society, London, Monograph, vol. 124. p. 1–58, pl. 1–9.
- Ivshin, N. K. 1953. Srednekembriyskie trilobity Kazakhstana, Chast 1. Boshchekul'skiy faunisticheskiy gorizont [Middle Cambrian trilobites of Kazakhstan, Part 1. Boshchekul faunal horizon]. Institut Geologicheskikh Nauk, Akademiya Nauk, Alma-Ata. 226 p.
- . 1956. Verkhnekembriyskie trilobity Kazakhstana, Chast 1. Kuyandinskiy faunisticheskiy gorizont mezhdu rechiya Olenty-Shiderty [Upper Cambrian trilobites of Kazakhstan, Part 1. Kuyandinsk faunal horizon between the Olenty and Shiderty Rivers]. Institut Geologicheskikh Nauk, Akademiya Nauk, Kazakhskoy SSR. Alma-Ata. 98 p., 9 pl.
- . 1960. New biostratigraphical scale for the Upper Cambrian of the Sayan-Altaï geosynclinal region. Trudy Instituta geologicheskikh nauk Akademii nauk Kazakhskoy SSR 3:1–62.
- . 1962. Verkhnekembriyskie trilobity Kazakhstana, Chast 2. Seletinskiy Gorizont Kuyandinskogo Yarusa tsentral'nogo Kazakhstana [Upper Cambrian trilobites of Kazakhstan, Part 2. Seletinsk horizon of the Kuyandinsk Stage of central Kazakhstan]. Institut Geologicheskikh Nauk, Akademii Nauk Kazakhskoy SSR. Alma-Ata. 412 p., 21 pl.
- Ivshin, N. K., & N. V. Pokrovskaya. 1968. Stage and zonal subdivision of the Upper Cambrian. Proceedings of the 23rd International Geological Congress, Prague. p. 97–108.
- Jaanusson, Valdar. 1953a. Untersuchungen über baltoskandinische Asaphiden. Revision der mittelordovizischen Asaphiden des Siljan-Gebietes in Dalarna. Arkiv foer Mineralogi och Geologi 1(14):377–464, 15 fig., 10 pl.
- . 1953b. Untersuchungen über baltoskandinische Asaphiden. II. Revision der *Asaphus (Neoasaphus)*-Arten aus dem Geschiebe des sudbottnischen Gebietes. Arkiv foer Mineralogi och Geologi 1(15):465–499, 6 fig., 6 pl.
- . 1954. Zur Morphologie und Taxonomie der Illaeniden. Arkiv foer Mineralogi och Geologi 1(20):545–583, 19 fig., 3 pl.
- . 1956a. On the trilobite genus *Celmus* Angelin, 1854. Bulletin of the Geological Institutions of the University of Uppsala 36:35–49, fig. 1–2, pl. 1.
- . 1956b. Untersuchungen über baltoskandinische Asaphiden. III. Über die Gattungen *Megistaspis* n. nom. und *Homalopyge* n. gen. Bulletin of the Geological Institutions of the University of Uppsala 36:59–77, fig. 1–3, pl. 1.
- . 1975. Evolutionary processes leading to the trilobite suborder Phacopina. Fossils and Strata 4:209–218, fig. 1–5.
- . 1979. Ordovician. In R. A. Robison & Curt Teichert, eds., Treatise on Invertebrate Paleontology, Part A, Introduction. Geological Society of America & The University of Kansas. Boulder, Colorado & Lawrence, Kansas. p. 136–166.
- Jaekel, O. 1909. Über die Agnostiden. Zeitschrift der Deutschen Geologischen Gesellschaft 61:380–401, 23 fig.
- Jago, J. B. 1973. Cambrian agnostid communities in Tasmania. Lethaia 6:405–421, fig. 1–3.
- . 1976. Late Middle Cambrian agnostid trilobites from north-western Tasmania. Palaeontology 19:133–172, fig. 1, pl. 21–26.
- . 1987. Idamean (Late Cambrian) trilobites from the Denison Range, south-west Tasmania. Palaeontology 30:207–231, fig. 1–3, pl. 24–27.

- Jahnke, H. 1969. *Phacops zinkeni* F. A. Roemer 1843—ein Beispiel für eine ontogenetische Entwicklung bei Phacopiden (Trilobitae, Unterdevon). Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen 133:309–324, pl. 32.
- Jefferies, R. P. S. 1986. The Ancestry of the Vertebrates. British Museum (Natural History), London & Syndicates of the University of Cambridge. viii + 376 p.
- Jegla, T. 1982. A review of the molting physiology of the trilobite larva of *Limulus*. In J. Bonaventura, C. Bonaventura, & S. Tesh, eds., Physiology and Biology of Horseshoe Crabs. Alan R. Liss, Inc. New York. p. 83–101.
- Jell, P. A. 1970. *Pagetia ocellata*, a new Cambrian trilobite from northwestern Queensland. Memoirs of the Queensland Museum 15(4):303–313, pl. 23–24.
- . 1974. Faunal provinces and possible planetary reconstruction of the Middle Cambrian. Journal of Geology 82:319–350, 11 fig.
- . 1975a. Australian Middle Cambrian eodiscoids with a review of the superfamily. Palaeontographica (Abt. A) 150:1–97, fig. 1–22, pl. 1–29.
- . 1975b. The abathochroal eye of *Pagetia*, a new type of trilobite eye. Fossils and Strata 4:33–43, fig. 1–5.
- . 1978a. Trilobite respiration and genal caeca. Alcheringa 2:251–260, 6 fig.
- . 1978b. *Asthenopsis* Whitehouse, 1939 (Trilobita, Middle Cambrian) in northern Australia. Memoirs of the Queensland Museum 18:219–231, pl. 31–38, 2 fig.
- . 1989. Some aberrant exoskeletons from fossil and living arthropods. Memoirs of the Queensland Museum 27:491–498, 7 fig.
- Jell, P. A., & L. N. Repina. 1992. Olenellid trilobites of the Botomian Stage, Siberian Platform. Paleontologicheskii Zhurnal 1992:118–122.
- Jell, P. A., & R. A. Robison. 1978. Revision of a late Middle Cambrian trilobite faunule from northwestern Queensland. University of Kansas Paleontological Contributions, Paper 90:1–21, fig. 1–2, pl. 1–4.
- Jensen, Sören. 1990. Predation by early Cambrian trilobites on infaunal worms—evidence from the Swedish Mickwitzia Sandstone. Lethaia 23:29–42, fig. 1–10.
- Johnson, M. E., D. F. Skinner, & K. G. Macleod. 1988. Ecological zonation during the carbonate transgression of a late Ordovician rocky shore (northeastern Manitoba, Hudson Bay, Canada). Palaeogeography, Palaeoclimatology, Palaeoecology 65:93–114, fig. 1–15.
- Johnson, T. T. 1985. Trilobites of the Thomas T. Johnson collection: How to find, Prepare and Photograph Trilobites. Litho-Print Incorporated. Dayton, Ohio. 176 p.
- Jones, P. J., J. H. Shergold, & E. C. Druce. 1971. Late Cambrian and Early Ordovician Stages in western Queensland. Journal of the Geological Society of Australia 18(1):1–32.
- Kácha, Petr, & Radko Šarfč. 1991. Ontogeny of the trilobite *Kosovopeltis svobodai* Šnajdr from the Bohemian Silurian. Věstník Ústředního Ústavu Geologického 66:257–273, 11 fig., pl. 1–6.
- Kauffman, R. 1933. Variations statistische Untersuchungen über die „Artabwandlung“ und „Artumbildung“ an der Oberkambrischen Trilobitengattung *Olenus* Dalm. Abhandlungen aus dem Geologisch-palaeontologischen Institut der Universität Greifswald 10:1–54.
- Kautsky, F. 1945. Die Unterkambrische Fauna vom Aistjakk in Lappland (Die Larven von *Strenuella*). Geologiska Foereningens i Stockholm Foerhandlingar 67:129–211, fig. 1–5, pl. 9–18.
- Keller, B. M., & N. V. Pokrovskaya. 1965. Novye dannye o vozraste fosforitov Karatau [New information about the age of the phosphorites in Karatau]. Izvestiya Akademii Nauk SSSR, Seriya Geologicheskaya 6:78–91, pl. 1.
- Kennedy, R. J. 1989. Ordovician (Llanvirn) trilobites from S.W. Wales. Palaeontographical Society, London, Monograph, vol. 141(1987). p. 1–55, 4 fig., 14 pl.
- Khalfin, L. L., ed. 1960. Biostratigrafiya Paleozoya Sayano-Altayskoy Gornoj Oblasti. Tom 1: Nizhniy Paleozoy [Biostratigraphy of the Paleozoic of the Sayan-Altai mountain range. Vol. 1: Lower Paleozoic]. Trudy Sibirsogo Nauchno-Issledovatel'skogo Instituta Geologii, Geofiziki i Mineral'nogo Syrya 19:498 p., 69 fig., pl. 1–33; pl. 1–20.
- Khomontovskii, V. V. 1976. Vend [Vendian]. Trudy Instituta Geologii i Geofiziki 243:271 p.
- In Russian
- Khomontovskii, V. V., & L. N. Repina. 1965. Nezhniy Kembrii Stratotipicheskogo razreza Sibiri [The Lower Cambrian Stratotype section of Siberia]. Sibirskoe Otdelenie, Institut Geologii i Geofiziki, Akadmeija Nauk SSSR:1–196, pl. 1–14.
- Kjaer, J. 1917. The Lower Cambrian *Holmia* fauna at Tømten in Norway. Videnskapsselskapets Skrifter. 1. Matematisk-naturvidenskapelig Klasse 10:1–140, 15 fig., pl. 1–14.
- Although cover says 1916, p. 112 says printed on Apr. 20, 1917.
- Kielan, Zofia. 1960. Upper Ordovician trilobites from Poland and some related forms from Bohemia and Scandinavia. Palaeontologia Polonica 11:vi + 191, 50 fig., 36 pl.
- King, W. B. R. 1941. The Cambrian fauna of the Salt Range of India. Records of the Geological Survey of India 75(1940), Professional Paper 9:1–15, pl. 1–5.
- Kir'yanov, V. V., & N. E. Tchernysheva. 1967. O nizhnem kembriiskikh otlozheniiakh severo-zapadnoi volini i nakhodke drevneishego trilobita [About Lower Cambrian deposits of northwestern Volini and the discovery of an ancient trilobite]. Izvestiya Akademii Nauk SSSR, Seriya Geologicheskaya 1967(7):119–125.
- Kobayashi, Teiichi. 1935. The Cambro-Ordovician formations and faunas of South Chosen. Palaeontology. Part 3: Cambrian faunas of South Chosen with a special study on the Cambrian trilo-

- bite genera and families. Journal of the Faculty of Science, Imperial University of Tokyo, Section II, 4(2):49–344, fig. 1–33, pl. 1–24.
- . 1937a. Restudy of the Dames' Types of the Cambrian trilobites from Liaotung. Transactions and Proceedings of the Palaeontological Society of Japan 12(7):70–86, pl. 17.
- . 1937b. The Cambro-Ordovician shelly faunas of South America. Journal of the Faculty of Science, Imperial University of Tokyo, Section II, 4(4):369–522, pl. 1–8.
- . 1938. Upper Cambrian fossils from British Columbia with a discussion on the isolated occurrence of the "Olenus" Beds of Mt. Jubilee. Journal of Japanese Geology and Geography 15:149–192, pl. 15–16.
- . 1939a. On the Agnostids (part 1). Journal of the Faculty of Science, Imperial University of Tokyo, Section II, Geology, Mineralogy, Geography, Seismology 5(5):69–198.
- . 1939b. Supplementary notes on the Agnostida. Journal of the Geological Society of Japan 46:577–580.
- . 1941a. Studies on Cambrian trilobite genera and families (I). Japanese Journal of Geology and Geography 18(1–2):25–40, pl. 1–2.
- . 1941b. Studies on Cambrian trilobite genera and families (II). Japanese Journal of Geology and Geography 18(1–2):41–51, pl. 3.
- . 1941c. Studies of the genera and families of the Trilobita (III). Japanese Journal of Geology and Geography 18(1–2):59–70, pl. 5–6.
- . 1942a. On the Dolichometopinae. Journal of the Faculty of Science, Imperial University of Tokyo, Section II, 6(10):141–206, pl. 1–4.
- . 1942b. Studies on Cambrian trilobite genera and families (IV). Japanese Journal of Geology and Geography 18(4):197–212, pl. 20–21.
- . 1942c. Two Cambrian trilobites from the Parara limestone in the Yorke's Peninsula, South Australia. Proceedings of the Imperial Academy, Tokyo 18:492–498, fig. 1–10.
- . 1943. Brief notes on the eodiscids 1, their classification with a description of a new species and a new variety. Proceedings of the Imperial Academy, Tokyo 19:37–42, fig. 1–5.
- . 1944a. On the eodiscids. Journal of the Faculty of Science, Imperial University of Tokyo, Section II, 7(1):1–74, pl. 1–2, table 1–4.
- . 1944b. The zoopalaeogeographic province in the Upper Cambrian and Lower Ordovician periods. Japanese Journal of Geology and Geography 19:19–26.
- . 1944c. On the Cambrian formations in Yunnan and Haut-Tonkin and the trilobites contained. Japanese Journal of Geology and Geography 19:107–138, pl. 9–10.
- . 1949. The *Glyptagnostus* hemera, the oldest world-instant. Japanese Journal of Geology and Geography 21(1–4):1–6, pl. 1.
- . 1955. The Ordovician fossils from the McKay Group in British Columbia, western Canada, with a note on the Early Ordovician palaeogeography. Journal of the Faculty of Science, University of Tokyo, Section II, 9(3):355–493, pl. 1–9.
- . 1962. The Cambro-Ordovician formations and faunas of South Korea, Part 9. Palaeontology 8: The Machari fauna. Journal of the Faculty of Science, University of Tokyo, Section II, 14(1):1–152, pl. 1–8.
- Kobayashi, Teiichi, & T. Hamada. 1971. Agnostoid trilobites in a Devonian formation in west Malaysia. Proceedings of the Japan Academy 47(4):396–400.
- . 1974. Silurian trilobites of Japan. In comparison with Asian, Pacific and other faunas. Palaeontological Society of Japan, Special Papers 18:viii + 155 p., 12 pl.
- . 1978. Upper Ordovician trilobites from the Langkawi Islands, Malaysia. Geology and Palaeontology of Southeast Asia 19:1–27, pl. 1–2.
- Kobayashi, Teiichi, & F. Kato. 1951. On the ontogeny and the ventral morphology of *Redlichia chinensis*, with description of *Alutella nakamurai* n. gen. n. sp. Journal of the Faculty of Science, University of Tokyo, Section II, 8(3):99–143, 9 fig., pl. 1–5.
- Kolobova, I. M. 1981. *Granulatagnostus*—novyy rod trilobitov iz Ordovika Kazakhstana [*Granulatagnostus*—a new genus of trilobites from the Ordovician of Kazakhstan]. Ezhegodnik Vsesoyuznogo Paleontologicheskogo Obschestva 24:257–260. Nauka, Leningrad.
- Kopaska-Merkel, D. C. 1981. Ontogeny of *Ehmaniaella*: Implications for trilobite ecology. United States Geological Survey, Open-file Report 81-743:111–114.
- . 1987. Ontogeny and evolution of an Ordovician trilobite. Society of Economic Paleontologists and Mineralogists Mid Year Meeting, Abstracts 4:43–44.
- Kordule, V. 1990. *Rejkocephalus*, a new paradoxid genus from the Middle Cambrian of Bohemia (Trilobita). Věstník Ústředního Ústavu Geologického 65:55–60.
- Korobeinikova, T. V. 1966. O novom rode Sem. Redlichiiidae iz otlozhenij nizhnego Kembrija vostochnogo Cayana [On a new genus of the family Redlichiiidae from the Lower Cambrian deposits of eastern Sayan]. Trudy Tomskogo Gosudarstvennogo Universiteta Imeni V. V. Kuibysheva 184:75–82, pl. 1.
- Korobov, M. N. 1980. Biostratigrafija i miomernye trilobity nizhnego kembrija Mongolii [Biostratigraphy and miomerid trilobites from the Lower Cambrian of Mongolia]. The Joint Soviet-Mongolian Scientific-Research Geological Expedition, Transactions 26:5–108, fig. 1–12, pl. 1–11, table 1–2.
- . 1989. Biostratigrafija i polimernye trilobity nizhnego kembrija Mongolii [Biostratigraphy and Lower Cambrian Polymera trilobites of Mongolia]. The Joint Soviet-Mongolian Scientific-Research Geological Expedition, Transactions 48:1–208, pl. 1–13.
- Koroleva, M. N. 1982. Trilobity Ordovika severo-vostochnogo Kazakhstana. Nedra. Moscow. 192 p., 26 pl.
- Kraevsky, B. G. 1965. Nekotorye nizhnekembrijskie

- trilobity khrepta Iolgo (Gornyj Altaj) [Some Lower Cambrian trilobites from Khrepta Iolgo (Gorno Altai)]. *Trudy SNIIGGIMS* 34:47–56, pl. 1.
- Kříž, Jiří, & Ilja Pek. 1974. *Dysplanus*, *Nobilasaphus*, and *Petrlobia* (Trilobita) in the Llandeilo of Bohemia. *Věstník Ústředního Ústavu Geologického* 49:19–27, pl. 1–4, 1 fig.
- Kruse, P. D. 1990. Cambrian palaeontology of the Daly Basin, Northern Territory Geological Survey, Report 7:1–58.
- Kuo, Zhenming. 1965. New material of Late Cambrian trilobite fauna from the Yehli area, Kaiping Basin, Hopei. *Acta Palaeontologica Sinica* 13(4):629–643, pl. 1.
- Kushan, Bijan. 1973. Stratigraphie und trilobitenfauna in der Mila-Formation (Mittelkambrium-Tremadoc) im Alborz-gebirge (N-Iran). *Palaeontographica* (Abt. A) 144:113–165, fig. 1–18, pl. 26–34.
- Labandeira, C. C., & N. C. Hughes. 1994. Biometry of the late Cambrian trilobite genus *Dikelocephalus* and its implications for trilobite systematics. *Journal of Paleontology* 68:492–517, 15 fig.
- Lake, P. 1906. A Monograph of the British Cambrian Trilobites, Part 1. Palaeontographical Society, London, Monograph, 1906. p. 1–28, pl. 1–2.
- Lalicker, C. G. 1935. Larval stages of trilobites from the Middle Cambrian of Alabama. *Journal of Paleontology* 9:394–399, pl. 47.
- Landing, Ed. 1992. Lower Cambrian of SE Newfoundland: Epeirogeny and Lazarus faunas, lithofacies-biofacies linkages. In Jere Lipps & P. E. Signor, eds., Origin and Early Evolution of the Metazoa. Plenum Press. New York & London. p. 283–309.
- . 1993. Precambrian-Cambrian boundary GSSP, SE Newfoundland: Biostratigraphy and geochronology. In G. S. Odin, ed., Phanerozoic Time Scale. IUGS Subcommission on Geochronology, Bulletin de Liaison et Informations 11. p. 6–8.
- Landing, Ed, Paul Myrow, A. P. Benus, & G. M. Narbonne. 1989. The Placentian Series: Appearance of the oldest skeletonized faunas in southeastern Newfoundland. *Journal of Paleontology* 63:739–769, fig. 1–12.
- Lane, P. D. 1971. British Cheiruridae (Trilobita). Palaeontographical Society, London, Monograph, vol. 125. p. 1–95, 13 fig., 16 pl.
- . 1972. New trilobites from the Silurian of north-east Greenland, with a note on trilobite faunas in pure limestones. *Palaeontology* 15:336–364, fig. 1, pl. 59–64.
- Lane, P. D., & A. T. Thomas. 1978. Family Scutelluidae Richter & Richter, 1955. In A. T. Thomas, British Wenlock Trilobites, Part 1. Palaeontographical Society, London, Monograph, vol. 132. p. 8–29.
- . 1983. A review of the trilobite suborder Scutellina. In D. E. G. Briggs & P. D. Lane, eds., Trilobites and Other Early Arthropods: Papers in Honour of Professor H. B. Whittington, F. R. S. Special Papers in Palaeontology 30:141–160, fig. 1–7.
- Lask, P. B. 1993. The hydrodynamic behavior of sclerites from the trilobite *Flexicalymene meeki*. *Palaeos* 8:219–225, 6 fig.
- Laudon, L. R. 1939. Unusual occurrence of *Isotelus gigas* DeKay in the Bromide Formation (Ordovician) of southern Oklahoma. *Journal of Paleontology* 13:211–213, fig. 1–2.
- Laurie, J. R. 1988. Revision of some Australian Ptychagnostinae (Agnostida, Cambrian). *Alcheringa* 12:169–205.
- . 1989. Revision of species of *Goniagnostus* Howell and Lejopyge Corda from Australia (Agnostida, Cambrian). *Alcheringa* 13:175–191.
- . 1990. On the Middle Cambrian agnostoid species *Agnostus fallax* Linnarsson 1869. *Alcheringa* 14:317–324.
- Lauterbach, K.-E. 1980. Schlüsselereignisse in der Evolution des Grundplans der Arachnata (Arthropoda). *Abhandlungen des Naturwissenschaften Vereins in Hamburg* 23:163–327.
- . 1983. Synapomorphien zwischen Trilobiten- und Cheliceratenzweig der Arachnata. *Zoologischer Anzeiger* 210:213–238.
- Laverack, M. S., & Yolande Barrientos. 1985. Sensory and other superficial structures in living marine Crustacea. *Transactions of the Royal Society of Edinburgh, Earth Sciences* 76:123–136, fig. 1–12.
- Laverock, W. 1927. On the casting of the shell in *Limulus*. *Proceedings and Transactions of the Biological Society of Liverpool* 41:13–26.
- Lazarenko, N. P. 1962. Novye nizhnemekbriiskie trilobity Sovetskoi Arktiki [New Lower Cambrian trilobites from the Soviet Arctic]. *Sbornik Statey po Paleontologii i biostratigrafi 29:29–77*.
- . 1966. Biostratigrafiya i nekotorye novye trilobity Verkhnego Kembriya Olenekskogo podnyatiya i Kharaulakhskikh Gor. *Uchenye Zapiski* [The biostratigraphy and some new trilobites of the Upper Cambrian of the Olenek uplift and Kharanlakh hills]. *Paleontologiya i Biostratigrafiya* 11:33–78, pl. 1–8.
- Leanza, A. F. 1949. *Olenopsis* Ameghino 1889 (un roedor) versus *Olenopsis* Bornemann 1891 (un trilobite). Asociacion Geologia Argentina (Buenos Aires), Revista 4(1):36.
- Lee, Shanchi [see Li, Shanji].
- Lermontova E. V. 1940. Klass trilobity [Class Trilobita]. In A. G. Vologdin, ed., *Atlas rukovodystashchikh form iskopaemykh faun SSSR*. 1. Kembriy [Atlas of the leading forms of the fossil faunas of the USSR. 1. Cambrian]. State Editorial Office for Geological Literature. Moscow & Leningrad. p. 112–162, pl. 35–49.
- . 1951a. Nizhnemekbriiskie trilobity i brakhiony Vostochnoi Sibiri [Lower Cambrian trilobites and brachiopods from Eastern Siberia]. *Vsesoiuznyj Nauchno-Issledovatel'skij Geologicheskij Institut (VSEGEI)*, Gosudarstvennoe Izdatel'stvo. Moscow. 218 p.
- . 1951b. Verkhmekbriiskie trilobity i brakhiony Boshche-Kulya (severo-vostochnyy Kazakhstan) [Upper Cambrian trilobites and brachiopods from Boshchekul (west Pavlodar oblast), N.E. Kazakh]. *Vsesoiuznyj Nauchno-Issledovatel'skij*

- Geologicheskij Institut (VSEGEI), Gosudarstvennoe Izdatel'stvo. Moscow. 49 p., 6 pl.
- Lespérance, P. J. 1990. Cluster analysis of previously described communities from the Ludlow of the Welsh Borderland. *Palaeontology* 33:209–224, fig. 1–4.
- . 1991. Vincular furrows in some early Silurian and Devonian Phacopidae (Trilobita), predominantly from North America. *Journal of Paleontology* 65:276–294, fig. 1–6.
- Levi-Setti, R. 1975. *Trilobites: A Photographic Atlas*. University of Chicago Press. Chicago & London. 213 p.
- Li, Jinseng & Suseng Hao. 1959. Discovery of fossils from the Qinjiamiao Limestone, Ichang Gorge, W. Hubei, and its stratigraphical significance. Short Papers for the 1st All-China Conference on Stratigraphy 1:129–138, pl. 1.
In Chinese.
- Li, Shanji [Lee Shanchi]. 1978. *Trilobita*. In *Palaeontological Atlas of SW China, Sichuan Vol. 1: Sinian to Devonian*. Geological Publishing House. Beijing. p. 179–284, 568–583 (explanation of plates), pl. 89–114.
- . 1980. Trilobites from the Chiulaotung Formation (Lower Cambrian) in Emei area, western Sichuan. *Acta Palaeontologica Sinica* 19:42–50, pl. 1–3.
- Li, Shanji, Chenglin Kang, Xiguang Zhang. 1990. Sedimentary environment and trilobites of Lower Cambrian Yuxiansi formation in Leshan district, Sichuan. Chengdu Institute of Geology and Mineral Resources, Chinese Academy of Geological Science 12:37–56, pl. 1–4.
- Li, Yaoxi, Lisheng Song, Ziqiang Zhou, & Jingyao Yang. 1975. *Lower Palaeozoic Stratigraphy of Western Dabashan*. Geological Publishing House. Beijing. 232 p., 70 pl.
- Liñan, E., & J. Fernández-Carrasco. 1984. La Formación Torreáboles y la paleogeografía del límite Precámbrico-Cámbrico en Ossa Morena (Flanco norte de la alineación Olivenza-Monasterio). Cuadernos do Laboratorio Xeolóxico de Laxe 8:315–328.
- Liñan, E., A. Perejón, & K. Sdzuy. 1993. The Lower–Middle Cambrian stages and stratotypes from the Iberian Peninsula: A revision. *Geological Magazine* 130(6):817–833.
- Lindström, G. 1901. Researches on the visual organs of the trilobites. *Kongliga Svenska Vetenskaps-Akademiens Handlingar* 34(8):1–86, 12 fig., 6 pl.
- Linnarsson, J. G. O. 1869. Om Västergötlands Cämbriska och Siluriska aflagringar. *Kongliga Svenska Vetenskaps-Akademiens Handlingar* 8(2):1–89, pl. 1–2.
- . 1873. Om några forsteningar från Sveriges och Norges "Primordialzon." *Kongliga Svenska Vetenskaps-Akademiens Förflyttningar* 6(1871): 789–796, pl. 16.
- . 1879. Om faunen i kalken med *Conocoryphe exsulans* ("coronatuskalken"). *Sveriges Geologiska Undersökning* (series C) 35:1–31, pl. 1–3.
- . 1883. De undre paradoxideslagren vid Andrarum. *Sveriges Geologiska Undersökning* (series C) 54:1–47, pl. 1–4.
- Lipcius, R. N., & W. F. Herrnkind. 1982. Molt cycle alterations in behavior, feeding and diet rhythms of a decapod crustacean, the spiny lobster *Panulirus argus*. *Marine Biology* 68:241–252.
- Lisogor, K. A., S. N. Rozov, & A. V. Rozova. 1988. Korreljatsiya srednekembrijskih otlozheniy Malogo Karatau i Sibirskoy Platfromy po trilobitam. *Trudy Instituta Geologii i Geofiziki* 720:54–82, pl. 4–7.
- Liu, Yiren. 1975. *Spinoredlichia*, a new Early Cambrian trilobite genus from Kueichou Province. *Acta Geologica Sinica* 1:14–16, pl. 1.
- Liu—. 1982. *Trilobita*. In *The Palaeontological Atlas of Hunan*. Ministry of Geology and Mineral Resources, Geological Memoirs (series 2), vol. 1. Geological Publishing House. Beijing. p. 290–346, pl. 207–242.
In Chinese.
- Liu, Yiren, & Tairong Zhang. 1979. Discovery of Middle Cambrian *Centropleura* (Trilobita) in China. *Geological Review* 25(2):1–6, 1 pl.
In Chinese.
- Lochman, Christina. 1952. In G. A. Cooper & others, eds., *Cambrian stratigraphy and paleontology near Cabo Corral, northwestern Sonora, Mexico*. Miscellaneous Collections of the Smithsonian Museum 119:60–161.
- . 1956. Stratigraphy, paleontology, and paleogeography of the *Elliptocephala asaphoides* strata in Cambridge and Hoosick quadrangles, New York. *Geological Society of America, Bulletin* 67:1331–1396.
- Lochman, Christina, & D. Duncan. 1944. Early Upper Cambrian faunas of central Montana. *Geological Society of America, Special Papers* 54:181 p., 19 pl.
- Lochman-Balk, Christina, & J. L. Wilson. 1958. Cambrian biostratigraphy in North America. *Journal of Paleontology* 32:312–350, fig. 1–18.
- Lockwood, A. P. M. 1968. Aspects of the Physiology of Crustacea. Oliver and Boyd. Edinburgh. 328 p.
- Loeblich, A. R., Jr. 1940. An occurrence of *Isotelus gigas* DeKay in the Arbuckle Mountains, Oklahoma. *Journal of Paleontology* 14:161–162.
- Lotze, F. 1961. Das Kambrium Spaniens. Teil 1: Stratigraphie. Akademie der Wissenschaften und der Literatur Abhandlungen der Mathematisch-Naturwissenschaftlichen Klasse 6:285–501.
- Lu, Yen-hao. 1940. On the ontogeny and phylogeny of *Redlichia intermedia* Lu (sp. nov.). *Bulletin of the Geological Society of China* 20:333–342, pl. 1.
- . 1941. Lower Cambrian stratigraphy and trilobite fauna of Kunming, Yunnan. *Bulletin of the Geological Society of China* 21(1):71–90, pl. 1.
- . 1942. Some Lower Cambrian trilobites from Chintingshan, N. Kueichou. *Bulletin of the Geological Society of China* 22(3–4):177–188, 2 pl.
- . 1946. Early Middle Cambrian faunas from Meitan. *Bulletin of the Geological Society of China* 25:185–199, pl. 1.

- . 1950. On the genus *Redlichia* with description of its new species. Geological Review 15:157–169, pl. 1.
- In Chinese.
- . 1961. New Lower Cambrian trilobites from eastern Yunnan. Acta Palaeontologica Sinica 9(4):299–328, pl. 1–3.
- In Chinese, with English summary.
- Lu, Yen-hao, Wentang Chang, Yiyuan Qian, Zhaoling Zhu, Huanling Lin, Zhiyi Zhou, Sengui Zhang, & Jinliang Yuan. 1974. Cambrian trilobites. In Nanjing Institute of Geology & Paleontology, A Handbook of the Stratigraphy and Palaeontology of Southwest China. Science Press. Beijing. p. 82–107, pl. 31–42.
- Lu, Yen-hao, Wentang Chang, Zhaoling Zhu, Yiyuan Qian, & Liwen Xiang. 1965. Fossils of Each Group of China: Chinese Trilobites. Science Press. Beijing. 766 p., 135 pl. (2 vol.)
- In Chinese.
- Lu, Yen-hao, & N. T. Dong. 1952. Revision of the Cambrian type sections of Shantung. Acta Geologica Sinica 32(3):164–201, fig. 1–11.
- Lu, Yen-hao, & Huanling Lin. 1981. Zonation of Cambrian faunas in western Zhejiang and their correlation with faunas in North China, Australia, and Sweden. In M. E. Taylor, ed., Short Paper for the Second International Symposium on the Cambrian System 1981. United States Geological Survey, Open-file Report 81-743:118–120.
- . 1989. The Cambrian trilobites of western Zhejiang. Palaeontologia Sinica 178:1–287, pl. 1–28.
- Lu, Yen-hao, & Yiyuan Qian. 1983. Cambro-Ordovician trilobites from eastern Guizhou. Palaeontologia Cathayana 1:1–105, 3 fig., 12 pl.
- Lu, Yen-hao, & Hongji Wu. 1982. The ontogeny of *Platycoryphe sinensis* and its bearing on the phylogeny of the Homalonotidae. Acta Palaeontologica Sinica 21:37–56.
- . 1983. Ontogeny of the trilobite *Dalmanitina (Dalmanitina) nanchangensis* Lu. Palaeontologia Cathayana 1:123–154.
- Lu, Yen-hao, Zhaoling Zhu, Yiyuan Quian, Huanling Lin, Zhiyi Zhou, & Kexing Yuan. 1974. The Bioenvironmental control hypothesis and its application to the Cambrian biostratigraphy and palaeoecology. Nanjing Institute of Geology & Paleontology, Academia Sinica, Memoir 5:27–110, pl. 1–4.
- In Chinese.
- Ludvigsen, Rolf. 1978a. The trilobites *Bathyurus* and *Eomonorachus* from the Middle Ordovician of Oklahoma and their biofacies significance. Life Sciences Contributions, Royal Ontario Museum 114:1–18, 5 fig.
- . 1978b. Middle Ordovician trilobite biofacies, Southern Mackenzie Mountains. In C. R. Stelck, & B. D. E. Chatterton, eds., Western and Arctic Canadian Biostratigraphy, Geological Association of Canada Special Paper 18:1–37, 15 fig., 3 pl.
- . 1979a. Fossils of Ontario. Part 1: The trilobites. Life Sciences Miscellaneous Publications. Royal Ontario Museum. Ontario. p. 1–96, 58 fig.
- . 1979b. The Ordovician trilobite *Pseudogigites* Kobayashi in eastern and arctic North America. Life Sciences Contributions, Royal Ontario Museum 120:1–41, 13 fig.
- . 1982. Upper Cambrian and Lower Ordovician Biostratigraphy of the Rabbitkettle Formation, Western District of Mackenzie. Life Sciences Contributions, Royal Ontario Museum 134:1–188, 70 fig.
- Ludvigsen, Rolf, & B. D. E. Chatterton. 1980. The ontogeny of *Faileana* and origin of the Bumastinae (Trilobita). Geological Magazine 117:471–478.
- . 1982. Ordovician Pterygometopidae (Trilobita) of North America. Canadian Journal of Earth Sciences 19:2179–2206, fig. 1–9, pl. 1–7.
- . 1991. The peculiar Ordovician trilobite *Hypodicranotus* from the Whittaker Formation, District of Mackenzie. Canadian Journal of Earth Sciences 28:616–622, fig. 1–4, pl. 1.
- Ludvigsen, Rolf, & S. R. Westrop. 1983a. Trilobite biofacies of the Cambrian-Ordovician interval in North America. Alcheringa 7:301–319, 23 fig.
- . 1983b. Franconian trilobites of New York State. Memoirs of the New York State Museum 23:1–45, pl. 1–19.
- . 1985. Three new Upper Cambrian stages for North America. Geology 13:139–143, fig. 1–4.
- Ludvigsen, Rolf, S. R. Westrop, & C. H. Kindle. 1989. Sunwaptan (Upper Cambrian) trilobites of the Cow Head Group, western Newfoundland, Canada. Palaeontographica Canadana 6:175 p., 50 pl.
- Ludvigsen, Rolf, S. R. Westrop, B. R. Pratt, P. A. Tuffnell, & G. A. Young. 1986. Paleocene #3. Dual biostratigraphy: Zones and biofacies. Geoscience Canada 13:139–154, 19 fig.
- Lütke, F. 1980. Zur evolution der altpaläozoischen Proetina (Trilobita). Senckenbergiana Lethaia 61:73–144.
- MacArthur, R. H., & E. O. Wilson. 1967. The theory of island biogeography. Monographs in Population Biology 1, Princeton University Press. Princeton, New Jersey. 203 p.
- Männil, R. 1982. Wenlock and late Silurian trilobite associations of the East Baltic area and their stratigraphical value. In D. Kaljo & E. Klaaman, eds., Ecostratigraphy of the East Baltic Silurian. Academy of Sciences of the Estonian S. S. R., Institute of Geology. Valgus, Tallinn. p. 63–69.
- Mansuy, H. 1912. Étude géologique du Yunnan oriental. Part 2: Paléontologie. Mémoires du Service Géologique de l'Indochine 1 (fasc. 2):1–146, pl. 1–25.
- Manton, S. M. 1977. The Arthropoda. Habits, Functional Morphology, and Evolution. Clarendon Press. Oxford. xxii + 527.
- Marek, Ladislav. 1961. The trilobite family Cyclopygidae Raymond in the Ordovician of Bohemia. Rozpravy Ústředního Ústavu Geologického 28:1–84, 25 fig., 6 pl.
- In English with Czech summary.
- Martin, F., & W. T. Dean. 1988. Middle and Upper Cambrian acritarch and trilobite zonation at Manuels

- River and Random Island, eastern Newfoundland. Geological Survey of Canada, Bulletin 381:1–91, fig. 1–10, pl. 1–18.
- Martinsson, A. 1974. The Cambrian of Norden. In C. H. Holland, ed., Lower Palaeozoic Rocks of the World. Vol. 2: Cambrian of the British Isles, Norden and Spitsbergen. John Wiley & Sons. London & New York. p. 185–283.
- Matthew, G. F. 1886. Illustrations of the fauna of the St. John Group continued. III. Descriptions of new genera and species (including a description of a new species of *Solenopleura* by J. F. Whiteaves). Transactions of the Royal Society of Canada 3 (section 4):29–84, pl. 5–7.
- . 1888. Illustrations of the fauna of the St. John Group. II. The smaller trilobites with eyes (Ptychopariidae and Ellipsocephalidae). Transactions of the Royal Society of Canada 5 (section 4):123–166.
- . 1889. Sur le développement des premiers Trilobites. Mémoires de la Société Royale Malacologique de Belgique 23:351–362.
- . 1890. On Cambrian organisms in Acadia. Proceedings and Transactions of the Royal Society of Canada 7 (section 4):135–162.
- . 1896. Faunas of the Paradoxides Beds in eastern North America, no. 1. Transactions of the New York Academy of Sciences 15:192–247, pl. 14–17.
- . 1897. What is the Olenellus fauna? The American Geologist 19:396–407.
- . 1899a. The Etcheminian fauna of Smith Sound, Newfoundland. Transactions of the Royal Society of Canada 5 (section 4):97–119.
- . 1899b. A new Cambrian trilobite. Bulletin of the Natural History Society of New Brunswick 17:137–142, pl. 3.
- Mauchline, J. 1976. The Hiatt growth line for Crustacea. Marine Biology 35:79–84.
- Maximova, Z. A. 1955. Trilobity sretsnego i verkhnego Devona urala i severnykh Mugodzhar [Trilobites of the Middle and Upper Devonian of the Urals and northern Mugodzhar Hills]. Trudy Vsesoyuznogo Nauchnogo-Issledovatel'skogo Geologicheskogo Instituta (VSEGEI) 3:1–263, 44 fig., pl. 1–18.
- In Russian.
- . 1968. Srednepaleozoiskie trilobity tsentral'nogo Kazakhstana. Trudy Vsesoyuznogo Nauchnogo-Issledovatel'skogo Geologicheskogo Instituta (VSEGEI) 165:1–208, 35 pl.
- McAllister, J. E., & Uwe Brand. 1989. Primary and diagenetic microstructures in trilobites. Lethaia 22:101–111, fig. 1–7.
- McKerrow, W. S., & C. R. Scotese, eds. 1990. Palaeozoic Palaeogeography and Biogeography. Geological Society of London, Memoir 12:1–435.
- McKerrow, W. S., C. R. Scotese, & M. D. Brasier. 1992. Early Cambrian continental reconstructions. Journal of the Geological Society, London 149:599–606, fig. 1–3.
- McKinney, M. L. 1986. Ecological causation of heterochrony: A test and implications for evolutionary theory. Paleobiology 12:282–289, fig. 1–3.
- McNamara, K. J. 1978. Paedomorphosis in Scottish olenellid trilobites (early Cambrian). Palaeontology 21:635–655, fig. 1–7, pl. 71.
- . 1980. Evolutionary trends and their functional significance in chasmopine trilobites. Lethaia 13:61–78, fig. 1–11.
- . 1981a. Paedomorphosis in Middle Cambrian xystridurine trilobites from northern Australia. Alcheringa 5:209–224, 9 fig.
- . 1981b. The role of paedomorphosis in the evolution of Cambrian trilobites. United States Geological Survey, Open-file Report 81-743:126–129.
- . 1982. Heterochrony and phylogenetic trends. Paleobiology 8:130–142, fig. 1–6.
- . 1983. Progenesis in trilobites. In D. E. G. Briggs & P. D. Lane, eds., Trilobites and Other Early Arthropods: Papers in Honour of Professor H. B. Whittington, F.R.S. Special Papers in Palaeontology 30:59–68.
- . 1986a. The role of heterochrony in the evolution of Cambrian trilobites. Biological Reviews 6:121–156.
- . 1986b. A guide to the nomenclature of heterochrony. Journal of Paleontology 60:4–13, fig. 1–4.
- . 1986c. Techniques of exuviation in Australian species of the Cambrian trilobite *Redlichia*. Alcheringa 10:403–412, fig. 1–5.
- . 1988. The abundance of heterochrony in the fossil record. In M. L. McKinney, ed., Heterochrony in Evolution: A Multidisciplinary Approach. Topics in Paleobiology, Vol. 7. Plenum Press. New York & London. p. 287–325.
- McNamara, K. J., & D. M. Rudkin. 1984. Techniques of trilobite exuviation. Lethaia 17:153–173, fig. 1–13.
- M'Coy, F. 1846. A Synopsis of the Silurian Fossils of Ireland. Dublin. 72 p., 5 pl.
- . 1849. On the classification of some British fossil Crustacea with notices of some new forms in the University collection at Cambridge. Annals and Magazine of Natural History (series 2) 4:161–179, 330–335, 392–414.
- Meneghini, G. 1881. Fauna primordiale in Sardegna. Atti Accademia, Lincei Translanti 5 (series 3):305–307.
- . 1882. Fauna Cambriana dell'Iglesiente in Sardegna. Atti Soc. Toscana Scienze Naturali, Processi Verbali 1–2(1878–1881):158–166.
- . 1888. Paleontologia dell'Iglesiente in Sardegna. Fauna Cambriana: Trilobiti. Memoria per Servier alla Descrizione della Carta Geologica, d'Italia (Roma) 3(2):1–53, pl. 1–7.
- Mens, K., J. Bergström, & K. Lendzion. 1990. The Cambrian System of the East European Platform. International Union of Geological Sciences, Publication 25:1–73.
- Mikulic, D. G. 1981. Trilobites in Paleozoic carbonate buildups. Lethaia 14:45–56, fig. 1.
- Mikulic, D. G., & Rodney Watkins. 1981. Trilobite ecology in the Ludlow Series of the Welsh Borderland. In Jane Gray, A. J. Boucot, & W. B. N. Berry, eds., Communities of the Past. Hutchinson Ross. Stroudsburg. p. 101–117, 10 fig.
- Miller, John. 1975. Structure and function of trilobite terrace lines. Fossils and Strata 4:155–178, fig. 1–21.
- . 1976. The sensory fields and life mode of

- Phacops rana* (Green, 1832) (Trilobita). Transactions of the Royal Society of Edinburgh 69(16):337–367, 6 fig., 4 pl.
- Miller, John, & E. N. K. Clarkson. 1980. The post-ecdysial development of the cuticle and the eye of the Devonian trilobite *Phacops rana milleri* Stewart 1927. Philosophical Transactions of the Royal Society of London (series B) 288:461–480, fig. 1–47.
- Missarzhevsky, V. V. 1983. Stratigraphy of the oldest Phanerozoic units in the Anabar Massif. Sovetskaya Geologiya 1983(9):62–73.
- Moberg, J. C. 1899. Sveriges älsta kända Trilobiter. Geologiska Föreningens i Stockholm Förehandlingar 21:309–348, fig. 1, pl. 13–15.
- Moberg, J. C., & C. O. Segerberg. 1906. Bidrag till Kannedomen om *Ceratopyge*-regionen med sarskild hänsyn till dess utveckling i Fogelsångstrakten. Meddelande från Lunds Geologiska Fältklubb (series B) 2:1–113, pl. 1–7.
- Monke, H. 1903. Beiträge zur Geologie von Schantung. Part 1: Obercambrische trilobiten von Yen-tsy-yai. Jahrbuch Königliche Preussische Geologische Landesanstalt, Berlin 23:103–151.
- Moore, R. C., ed. 1959. Treatise on Invertebrate Paleontology, Part O, Arthropoda 1. Geological Society of America & University of Kansas Press, Lawrence, Kansas & Boulder, Colorado. xix + 560 p., 415 fig.
- Morris, S. F. 1988. A Review of British Trilobites, Including a Synoptic Revision of Salter's Monograph. Palaeontographical Society, London, Monograph, vol. 140. p. 1–316.
- Morris, S. F., & R. A. Fortey. 1985. Catalogue of the Type and Figured Specimens of Trilobita in the British Museum (Natural History). British Museum (Natural History), London. 183 p., 8 pl.
- Morزادек, پیر. 1983. Trilobites du Devonien (Emsien-Famennien) de la rade de Brest (Massif Armorican). Palaeontographica (Abt. A) 181:103–184, fig. 1–39, pl. 1–32.
- . 1988. Le genre *Pychopyge* (Trilobita) dans le Devonien inférieur du nord de l'Afrique et l'ouest de l'Europe. Palaeontographica (Abt. A) 200:153–161, fig. 1–2, pl. 1–2.
- Müller, K. J. 1981. Arthropods with phosphatized soft parts from the Upper Cambrian "Orsten" of Sweden. Short Papers for the Second International Symposium on the Cambrian System, 1981. United States Geological Survey, Open-file Report 81-743:147–151.
- . 1985. Exceptional preservation in calcareous nodules. Philosophical Transactions of the Royal Society of London (series B) 311:67–73, 1 fig., 1 pl.
- Müller, K. J., & Dieter Walossek. 1986. Arthropod larvae from the Upper Cambrian of Sweden. Transactions of the Royal Society of Edinburgh, Earth Sciences 77:157–179.
- . 1987. Morphology, ontogeny and life-habit of *Agnostus pisiformis* from the Upper Cambrian of Sweden. Fossils and Strata 19:1–124, 28 fig., 33 pl.
- Mutvei, Harry. 1981. Exoskeletal structure in the Ordovician trilobite *Flexicalymene*. Lethaia 14:225–234, fig. 1–6.
- Neben, W., & H. H. Kreuger. 1971. Fossilien ordovicischer Gescheibe. Staringia 1:5 p., 50 pl.
- Nelson, C. A. 1976. Late Precambrian-Early Cambrian stratigraphic and faunal succession of eastern California and the Precambrian-Cambrian boundary. In J. N. Moore & A. E. Fritsche, eds., Depositional Environments of Lower Paleozoic Rocks in the White-Inyo Mountains, Inyo County, California. Society of Economic Paleontologists and Mineralogists, Pacific Section. Los Angeles. p. 31–41.
- Neltner, L., & N. Poctey. 1949. Quelques faunes géorgiennes du Maroc. Notes et Mémoires du Service Géologique du Maroc 74:53–83, fig. 1–5, pl. 1–7.
- Nicholas, T. C. 1916. Notes on the trilobite fauna of the Middle Cambrian of the St. Tudwal's peninsula, Carnarvonshire. Quarterly Journal of the Geological Society, London 71:451–472, pl. 39.
- Nicoll, R. S., & J. H. Shergold. 1991. Revised Late Cambrian (pre-Payntonian–Datsonian) conodont biostratigraphy at Black Mountain, Georgina Basin, western Queensland, Australia. BMR Journal of Australian Geology & Geophysics 12:93–118.
- Nicosia, M. L., & Franco Rasetti. 1970. Revisione dei trilobiti dell'Cambriano dell'Iglesiente (Sardegna) descritti da Meneghini. Accademia Nazionale Lincei, Memorie Classe Scienze Fisiche Matematiche e Naturali (series 8) (section 2, fascile 1) 10:1–18, pl. 1–3.
- Nikolaisen, Frank. 1983. The Middle Ordovician of the Oslo Region, Norway. Part 32: Trilobites of the family Remopleurididae. Norsk Geologisk Tidsskrift 62 (1982):231–329, fig. 1–14, pl. 1–15.
- Nikolaisen, Frank, & Gunnar Henningsmoen. 1985. Upper Cambrian and lower Tremadoc olenid trilobites from the Digermul peninsula, Finnmark, northern Norway. Norges Geologiske Undersøkelse, Bulletin 400:1–49, 18 fig.
- . 1990. Lower and Middle Cambrian trilobites from the Digermul peninsula, Finnmark, northern Norway. Norges Geologiske Undersøkelse, Bulletin 419:55–95, 10 fig.
- Novák, Otmar. 1883. Zur Kenntnis der böhmischen Trilobiten. Beiträge zur Paläontologie Österreich-Ungarns und des Orients 3(1/2):23–63, pl. 8–12.
- Öpik, A. A. 1958. The Cambrian trilobite *Redlichia*: Organization and generic concept. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 42:1–51, 9 fig., 6 pl.
- . 1959. Genal caeca of agnostids. Nature 183:1750–1751, fig. 1.
- . 1961a. Alimentary caeca of agnostids and other trilobites. Palaeontology 3:410–438, fig. 1–16, pl. 68–70.
- . 1961b. The Geology and palaeontology of the headwaters of the Burke River, Queensland. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 53:1–249, 59 fig., pl. 1–24.
- . 1963. Early Upper Cambrian fossils from Queensland. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 64:1–133, 40 fig., 9 pl.
- . 1967. The Mindyallan fauna of north-west-

- ern Queensland. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 74, vol. 1(text):1–404, fig. 1–149; vol. 2(appendices, plates and index):1–166, 67 pl.
- . 1968. The Ordian Stage of the Cambrian and its Australian Metadoxididae. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Department of National Development, Bulletin 92:133–168, pl. 19–20.
- . 1970a. Nepeid trilobites of the Middle Cambrian of Northern Australia. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 113:1–48, 15 fig., 17 pl.
- . 1970b. *Redlichia* of the Ordian (Cambrian) of Northern Australia and New South Wales. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 114:1–66, 3 fig., 14 pl.
- . 1975a. Templetonian and Ordian xystridurid trilobites of Australia. Australian Government Publishing Service, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 121:84 p., 13 fig., 32 pl.
- . 1975b. Cymbric Vale fauna of New South Wales and Early Cambrian biostratigraphy. Australian Government Publishing Service, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 159:1–78, 14 fig., 7 pl.
- . 1979. Middle Cambrian agnostids: Systematics and biostratigraphy. Australian Government Publishing Service, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 172:1–188, 54 fig., 67 pl. (2 vol.).
- . 1982. Dolichometopid trilobites of Queensland, Northern Territory, and New South Wales. Australian Government Publishing Service, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 175:1–85, 33 fig., 32 pl.
- Orłowski, Stanisław. 1985. Lower Cambrian and its trilobites in the Holy Cross Mts. *Acta Geologica Polonica* 35:231–250, fig. 1–18, pl. 1–7.
- Ormiston, A. R. 1967. Lower and Middle Devonian trilobites of the Canadian Arctic Islands. Geological Survey of Canada, Bulletin 153:1–148, fig. 1–7, pl. 1–17.
- . 1971. Silicified specimens of the Gedinnian trilobite, *Warburgella rugulosa canadensis* Ormiston, from the Northwest Territories, Canada. *Palaeontologische Zeitschrift* 45:173–180, fig. 1–2, pl. 19–21.
- Osgood, R. G. 1970. Trace Fossils of the Cincinnati area. *Palaeontographica Americana* 6(41):279–444, fig. 1–29, pl. 57–83.
- . 1975. The Paleontological significance of trace fossils. In R. W. Frey, ed., *The Study of Trace Fossils*. Springer-Verlag, New York. p. 87–108.
- Osmólska, Halszka. 1963. On some Famennian Phacopinae (Trilobita) from the Holy Cross Mountains. *Acta Palaeontologica Polonica* 8:495–519, 7 fig., 3 pl.
- . 1975. Fine morphological characters of some Upper Palaeozoic trilobites. *Fossils and Strata* 4:201–207, pl. 1–2.
- Owen, A. W. 1980. The trilobite *Tretaspis* from the Upper Ordovician of the Oslo region, Norway. *Palaeontology* 23: 715–747, fig. 1–9, pl. 89–93.
- . 1981. The Ashgill trilobites of the Oslo Region, Norway, *Palaeontographica* (Abt. A) 175:1–88, fig. 1–3, pl. 1–17.
- . 1985. Trilobite abnormalities. *Transactions of the Royal Society of Edinburgh, Earth Sciences* 76:255–272, fig. 1–5.
- . 1986. The uppermost Ordovician (Hirnantian) trilobites of Girvan, southwest Scotland, with a review of coeval trilobite faunas. *Transactions of the Royal Society of Edinburgh* 77:231–239, 2 fig., 2 tables.
- . 1987a. The Scandinavian Middle Ordovician trinucleid trilobites. *Palaeontology* 30:75–103, fig. 1–4, pl. 11–14.
- . 1987b. The trilobite *Tretaspis* at the Middle–Upper Ordovician boundary in Västergötland. *Geologiska Foereningens i Stockholm Foerhandlingar* 109:259–266, fig. 1–2.
- Owen, A. W., & D. L. Bruton. 1980. Late Caradoc–early Ashgill trilobites of the central Oslo Region, Norway. *Paleontological Contributions from the University of Oslo* 245:62 p., 4 fig., 10 pl.
- Owen, A. W., & J. K. Ingham. 1988. The stratigraphical distribution and taxonomy of the trilobite *Onnia* in the type Onnian Stage of the uppermost Caradoc. *Palaeontology* 31:829–855, fig. 1–8, pl. 74–77.
- Owens, R. M. 1973. British Ordovician and Silurian Proetidae (Trilobita). *Palaeontographical Society, London, Monograph*, vol. 127. 98 p., 12 fig., 15 pl.
- . 1974. The affinities of the trilobite genus *Scharyia*, with a description of two new species. *Palaeontology* 17:685–697, fig. 1–3, pl. 98–99.
- . 1983. A review of Permian trilobite genera. In D. E. G. Briggs & P. D. Lane, eds., *Trilobites and Other Early Arthropods: Papers in Honour of Professor H. B. Whittington*, F. R. S. Special Papers in Palaeontology 30:15–41, fig. 1–2, pl. 1–5.
- . 1986. The Carboniferous Trilobites of Britain, Part 1. *Palaeontographical Society, London, Monograph*, vol. 138. p. 1–26, pl. 1–7, fig. 1–4.
- . 1994. Pseudoextinctions in late Devonian proetide trilobites. *Historical Biology* 9:207–221, fig. 1–8.
- Owens, R. M., R. A. Fortey, J. C. W. Cope, A. W. A. Rushton, & M. G. Bassett. 1982. Tremadoc faunas from the Carmarthen district, South Wales. *Geological Magazine* 119:1–38, fig. 1–4, pl. 1–8.
- Owens, R. M., & G. Hahn. 1993. Biogeography of Carboniferous and Permian trilobites. *Geologica et Palaeontologica* 27:165–180, fig. 1–7.
- Owens, R. M., & Wolfgang Hammann. 1990. Proetide trilobites from the Cystoid Limestone (Ashgill) of NW Spain, and the suprageneric classification of related forms. *Palaeontologische Zeitschrift* 64:221–244, fig. 1–20.
- Owens, R. M., & J. W. Tilsley. 1995. An atheloptic trilobite assemblage from the Carboniferous of North Devon. *Geological Magazine* 132:713–728, 8 fig.
- Pabian, R. K., & J. A. Fagerstrom. 1972. Late Paleozoic trilobites from southeastern Nebraska. *Journal of*

- Paleontology 46:789–816, fig. 1–19, pl. 1.
- Pack, P. D., & H. B. Gayle. 1971. A new olenellid trilobite, *Biceratops nevadensis*, from the Lower Cambrian near Las Vegas, Nevada. Journal of Paleontology 45:893–898, 2 fig., pl. 102.
- Palmer, A. R. 1951. *Pemphigaspis*, a unique Upper Cambrian trilobite. Journal of Paleontology 25:762–764, pl. 105.
- . 1955. Upper Cambrian Agnostidae of the Eureka district, Nevada. Journal of Paleontology 29:86–101, fig. 1–2, pl. 19–20.
- . 1957. Ontogenetic development of two olenellid trilobites. Journal of Paleontology 31:105–128, fig. 1–9, pl. 19.
- . 1958. Morphology and ontogeny of a Lower Cambrian ptychoparioid trilobite from Nevada. Journal of Paleontology 32:154–170, fig. 1–7, pl. 25–26.
- . 1960. Trilobites of the Upper Cambrian Dunderberg Shale, Eureka district, Nevada. United States Geological Survey, Professional Paper 334C:1–109, 11 pl.
- . 1962a. *Glyptagnostus* and associated trilobites in the United States. United States Geological Survey, Professional Paper 374F:1–63, 6 pl.
- . 1962b. Comparative ontogeny of some opisthoparian, gonatoparian and proparian Upper Cambrian trilobites. Journal of Paleontology 36:87–96, fig. 1–2, pl. 19.
- . 1964. An unusual Lower Cambrian Trilobite fauna from Nevada. United States Geological Survey, Professional Paper 483F:1–12, 2 fig., 3 pl.
- . 1965a. Biomere—a new kind of stratigraphic unit. Journal of Paleontology 39:149–153, fig. 1–2.
- . 1965b. Trilobites of the late Cambrian pterocephaliid biomere in the Great Basin, United States. United States Geological Survey, Professional Paper 493:iv + 1–105, 16 fig., 20 pl.
- . 1968. Cambrian Trilobites of East-Central Alaska. United States Geological Survey, Professional Paper 559B:1–115, fig. 1–6, pl. 1–16.
- . 1971. The Cambrian of the Great Basin and adjacent areas, western United States. In C. H. Holland, ed., Lower Palaeozoic Rocks of the World. Vol. 1: Cambrian of the New World. John Wiley & Sons. London & New York. p. 1–78.
- . 1972. Problems of Cambrian Biogeography. 24th International Geological Congress, Montreal, Canada, Section 7 (Paleontology). p. 310–315, 5 fig.
- . 1977. Biostratigraphy of the Cambrian System—a progress report. Annual Review of Earth and Planetary Science 5:13–33.
- . 1984. The biomere problem: Evolution of an idea. Journal of Paleontology 58:599–611, fig. 1–14.
- Palmer, A. R., & C. G. Gatehouse. 1972. Early and Middle Cambrian trilobites from Antarctica. United States Geological Survey, Professional Paper 456D:1–37, 3 fig., 6 pl.
- Palmer, A. R., & R. B. Halley. 1979. Physical stratigraphy and trilobite biostratigraphy of the Carrara Formation (Lower and Middle Cambrian) in the southern Great Basin. United States Geological Survey, Professional Paper 1047:1–131, 36 fig., 18 pl.
- Palmer, A. R., & N. P. James. 1979. The Hawke Bay event: A circum-Iapetus regression near the lower Middle Cambrian boundary. In D. R. Wones, ed., The Caledonides in the U.S.A., Proceedings, Virginia Polytechnic Institute and State University Department of Geology, Memoir 2. Blacksburg, Virginia. p. 15–18.
- Palmer, A. R., & L. N. Repina. 1993. Through a glass darkly: Taxonomy, phylogeny, and biostratigraphy of the Olenellina. The University of Kansas Paleontological Contributions (new series) 3:1–35, fig. 1–13.
- Peach, B. N. 1894. Additions to the fauna of the *Olenellus*-zone of the Northwest Highlands. Quarterly Journal of the Geological Society of London 50:661–676, pl. 29–32.
- Peel, J. S., ed. 1988. Stratigraphy and Palaeontology of the Holm Dal Formation (late Middle Cambrian), central North Greenland. Meddelelser om Grønland, Geoscience 20:1–168.
- Pek, Ilja. 1970. *Granuloagnostus* g. n. (Trilobita) from the Sarka formation of the Barrandian area. Acta Universitatis Palackianae Olomucensis Facultas Rerum Naturalium 29:129–131.
- . 1977. Agnostid trilobites of the central Bohemian Ordovician. Sborník Geologických Věd, Paleontologie 19:5–44, 11 fig., 12 pl.
- Pek, Ilja, & Martin Smola. 1989. *Leiagnostus ariel* sp. nov. (Trilobita) from the Klabava Formation (Ordovician, Barrandian). Casopis pro Mineralogii a Geologii 34(2):195–7, 1 pl.
- Pek, Ilja, & Jiří Vaněk. 1971. Revision of the genera *Peronopsis* Hawle et Corda, 1847 and *Diplorrhina* Hawle et Corda, 1847 (Trilobita) from the Middle Cambrian of Bohemia. Věstník Ústředního Ústavu Geologického 46:269–275, pl. 1–2.
- Peng, Shanchi. 1992. Upper Cambrian biostratigraphy and trilobite faunas of the Cili-Taoyuan area, north-western Hunan, China. Association of Australasian Palaeontologists, Memoir 13. p. 1–119, fig. 1–63.
- Perejón, A. 1986. Bioestratigrafía de los Arqueociatos en España. Cuadernos Geología Iberica 9:213–265.
- Petrunina, Z. E. 1966. Trilobity i biostratigrafiya Tremadoka zapadnoy chasti Sayano-Altayskoy Gornoy oblasti. Institut Geologicheskikh Nauk, Akademii Nauk Kazakhskoy SSR. Alma-Ata. 30 p.
- Pillola, G.-L. 1991. Trilobites du Cambrien inférieur du SW de la Sardaigne, Italie. Palaeontographica Italica 78:1–174, 56 fig., 32 pl.
- Pocock, K. J. 1970. The Emuellidae, a new family of trilobites from the Lower Cambrian of South Australia. Palaeontology 13:522–562, fig. 1–9, pl. 106–110.
- Pokrovskaya, N. V. 1958. Agnostidy Srednego Kembriya Yakutii, Chast I [Agnostida from the Middle Cambrian of Yakutia, part 1]. Akademii Nauk SSSR, Trudy Geologicheskogo Instituta 16:1–96, pl. 1–5.
- . 1959. Trilobitovaya fauna i Stratigrafiya Kembrijskikh otlochenij Tuvy [Trilobite fauna and stratigraphy of Cambrian deposits from Tuva]. Akademii Nauk SSSR, Trudy Geologicheskogo Instituta 27:1–199, pl. 1–11.
- . 1960. Otriad Miomera Jaekel, 1909 [Order Miomera Jaekel, 1909]. In Yu. A. Orlov, ed., Osnovy

- Paleontologii, N. E. Chernysheva, ed., v. 8, Chlenistonogie trilobitoobraznye i rakoobraznye [Fundamentals of Paleontology, v. 8, Arthropoda trilobites and crustaceans]. Akademiiia Nauk SSSR. Moscow. p. 54–61, fig. 31, pl. 1–2.
- . 1967. [Generic description]. In I. T. Zhuravleva, N. M. Zadorozhnaya, D. V. Osadchaya, N. V. Pokrovskaya, N. M. Rodionova, & V. D. Fonin, eds., Fauna nizhnego Kembriia Tuvy [Lower Cambrian fauna from Tuva]. Akademiiia Nauk SSSR, Sibirskoe Otdelenie, Institut Geologii i Geofiziki, Moscow. p. 115–116, fig. 18–19, pl. 15.
- Pompeckj, J. F. 1896. Die fauna des Cambrium von Tejrovice und Skrej in Böhmen. Jahrbuch der Kaiserlich-koeniglichen Geologische Reichsanstalt, Wien 45:495–614, 1 fig., pl. 13–17.
- Pospelov, A. G., & E. V. Romanenko. 1980. Drevniaia rannekembriiskaia fauna altaia i Kuznetskogo Altaia [Early Cambrian fauna from Altai and Kuznetsk Altai]. In I. T. Zhuravleva, ed., Kembrii Altae-Saianskoi skladchatoi oblasti [Cambrian of the Altai-Sayan Folded Region]. Institute of Geology and Geophysics, Siberian Branch of Academy of Sciences SSSR. Nauk Publishing House. Moscow. p. 58–82, pl. 11–14.
- Poulsen, C. 1923. Bornholms Olenslag og deres Fauna. Danmarks Geologiske Undersøgelse (series 2) 40:83 p., pl. 1–3.
- . 1927. The Cambrian, Ozarkian, and Canadian faunas of northwest Greenland. Meddelelser om Grønland 70:233–343, pl. 14–21.
- . 1932. The Lower Cambrian faunas of East Greenland. Meddelelser om Grønland 87(6):1–66.
- . 1960. Fossils from the late Middle Cambrian *Bolaspidella* Zone of Mendoza, Argentina. Matematisk-fysiske Meddelelser, Det Kongelige Danske Videnskabernes Selskab 32(11):1–42, pl. 1–3.
- Poulsen, V. 1974. Olenellacean trilobites from eastern North Greenland. Geological Society of Denmark, Bulletin 23:79–101.
- Pratt, B. 1992. Trilobites of the Marjuman and Steptoean Stages (Upper Cambrian), Rabbitkettle Formation, southern Mackenzie Mountains, northwest Canada. Palaeontographica Canadana 9:1–179, 34 pl.
- Prentice, J. E. 1967. Lower Carboniferous trilobites of North Devon and related species from northern England. Bulletin of the British Museum (Natural History), Geology 14:209–241, fig. 1–3, pl. 1–7.
- Přibyl, Alois, & Jiří Vaněk. 1969. Trilobites of the family Trinucleidae Hawle et Corda, 1847, from the Ordovician of Bohemia. Sborník Geologických Věd, Paleontologie 11:85–137, 15 fig., 16 pl.
- . 1976. Palaeoecology of Berounian trilobites from the Barrandian area. Rozpravy Československé Akademie Věd, Řada Matematických a Přírodních Věd 86(5):1–40, pl. 1–8.
- . 1980. Ordovician trilobites of Bolivia. Rozpravy Československé Akademie Věd, Řada Matematických a Přírodních Věd 90(2):3–90, 22 fig., pl. 1–26.
- . 1986. A study of the morphology and phylogeny of the Family Harpetidae Hawle and Corda, 1847 (Trilobita). Sborník Narodního Muzea v Praze 42B(1–2):1–51, fig. 1–17, pl. 1–10.
- Price, D., & P. M. Magor. 1984. The ecological significance of variation in the generic composition of Rawtheyan (late Ordovician) trilobite faunas from North Wales. Geological Journal 19:187–200.
- Przibram, H. 1929. Quanta in biology. Proceedings of the Royal Society of Edinburgh 49:224–231.
- Qian, Yiyuan [see also Chien, Yiyuan]. 1982. Ontogeny of *Pseudagnostus benxiensis* sp. nov. (Trilobita). Acta Palaeontologica Sinica 21(6):632–644, 1 pl. In Chinese, with English summary.
- Qian, Yiyuan, & Zemin Zhou. 1984. Middle and early Upper Cambrian trilobites from Kunshan, Jiansu, with reference to their distribution in the lower Yangtze region. Acta Palaeontologica Sinica 23(2):170–184, pl. 1–2.
- Qiu, Hongan, Yanhao Lu, Zhaoling Zhu, Dechang Bi, Tianrui Lin, Zhiyi Zhou, Quanzhong Zhang, Yiyuan Qian, Tianyin Ju, Nairen Han, & Xus Wei. 1983. Trilobita. In Paleontological Atlas of East China. Part 1: Early Paleozoic. Nanjing Institute of Geology and Mineral Resources. Geological Publishing House. Beijing. p. 1–657, pl. 1–176. In Chinese.
- Rabano, Isabel. 1989. El genero *Uralichas* Delgado, 1892 (Trilobita, Lichaida) en el Ordovícico de la península Iberica. Boletín Geológico y Minero 1989:21–47, 6 fig., pl. 1–4.
- . 1990. Trilobites del Ordovícico Medio del sector meridional de la zona Centroibérica española. Publicaciones Especiales del Boletín Geológico y Minero. 233 p.
- Ramsköld, Lars. 1985. Silurian phacopid and dalmanitid trilobites from Gotland. Acta Universitatis Stockholmiensis—Stockholm Contributions in Geology 40:1–62, 8 fig., 12 pl.
- . 1986. Silurian Encrinurid trilobites from Gotland and Dalarna, Sweden. Palaeontology 29:527–575, fig. 1–9, pl. 37–49.
- . 1988. Heterochrony in Silurian phacopid trilobites as suggested by the ontogeny of *Acernaspis*. Lethaia 21:307–318, fig. 1–4.
- . 1991a. The perforated trilobite *Laethoprusia* gen. nov., and the phylogeny of *Koneprusia* and *Isoprusia* (Odontopleuridae, Koneprusiinae). Transactions of the Royal Society of Edinburgh, Earth Sciences 82:125–141, fig. 1–7.
- . 1991b. Pattern and process in the evolution of the Odontopleuridae (Trilobita): The Selenopeltinae and Ceratocephalinae. Transactions of the Royal Society of Edinburgh, Earth Sciences 82:143–181, fig. 1–12.
- Ramsköld, Lars, & B. D. E. Chatterton. 1991. Revision of the polyphyletic “*Leonaspis*” (Trilobita). Transactions of the Royal Society of Edinburgh, Earth Sciences 82:333–371, 11 fig., 1 table.
- Ramsköld, Lars, Chen Jun-Yuan, G. D. Edgecombe, & Zhou Gui-Qing. 1996. Preservational folds stimulating tergite junctions in tegopeltid and naraoiid

- arthropods. *Lethaia* 29:15–20, 2 fig.
- Ramsköld, Lars, & G. D. Edgecombe. 1991. Trilobite monophyly revisited. *Historical Biology* 4:264–283.
- Ramsköld, Lars, & Lars Werdelin. 1991. The phylogeny and evolution of some phacopid trilobites. *Cladistics* 7:29–74, fig. 1–8.
- Rasetti, Franco. 1944. Upper Cambrian trilobites from the Lévis Conglomerate. *Journal of Paleontology* 18:229–258, pl. 36–39.
- _____. 1945a. New Upper Cambrian trilobites from the Lévis Conglomerate. *Journal of Paleontology* 19:462–478, pl. 60–62.
- _____. 1945b. Fossiliferous horizons in the 169 “Sillery Formation” 170 near Lévis, Quebec. *American Journal of Science* 243:305–319, pl. 1–2.
- _____. 1948a. Lower Cambrian trilobites from the conglomerates of Quebec (exclusive of the Ptychopariidae). *Journal of Paleontology* 22:1–24, pl. 1–6.
- _____. 1948b. Middle Cambrian trilobites from the conglomerates of Quebec (exclusive of the Ptychopariidae). *Journal of Paleontology* 22:315–339, pl. 45–52.
- _____. 1952a. Revision of the North American trilobites of the family Eodiscidae. *Journal of Paleontology* 26:434–451, pl. 51–54.
- _____. 1952b. Cephalic sutures in the Upper Cambrian trilobite *Entomaspis*. *Journal of Paleontology* 26:797–802, fig. 1–5, pl. 117.
- _____. 1952c. Ventral cephalic sutures in Cambrian trilobites. *American Journal of Science* 250:885–898, 1 pl.
- _____. 1954. Phylogeny of the Cambrian trilobite family Catellicephalidae and the ontogeny of *Welleraspis*. *Journal of Paleontology* 28:599–612, fig. 1–4, pl. 62.
- _____. 1966a. New Lower Cambrian trilobite faunule from the Taconic sequence of New York. *Smithsonian Miscellaneous Collections* 148(9):1–52, 12 pl.
- _____. 1966b. Revision of the North American species of the Cambrian trilobite genus *Pagetia*. *Journal of Paleontology* 40:502–511, pl. 59–60.
- _____. 1967. Lower and Middle Cambrian faunas from the Taconic sequence of New York. *Smithsonian Miscellaneous Collections* 152(4):1–111, 14 pl.
- _____. 1972. Cambrian trilobite faunas of Sardinia. *Atti della Accademia Nazionale dei Lincei, Memorie* (series 8) 11 (section II^a, fasc. 1):1–100, pl. 1–19.
- Rasetti, Franco, & George Theokritoff. 1967. Lower Cambrian agnostid trilobites of North America. *Journal of Paleontology* 41:189–196, pl. 20.
- Ratte, F. 1886. Note on some trilobites new to Australia. *Proceedings of the Linnaean Society of New South Wales* 1:1065–1066.
- Raw, Frank. 1925. The development of *Leptoplastus salteri* (Callaway), and of other trilobites (Olenidae, Ptychopariidae, Conocoryphidae, Paradoxidae, Phacopidae, and Mesonacidae). *Quarterly Journal of the Geological Society of London* 81:223–324, pl. 25–28.
- _____. 1927. The ontogenies of trilobites and their significance. *American Journal of Science* (series 5) 14:7–35, 131–149, fig. 1–25.
- _____. 1936. Mesonacidae of Comley in Shropshire, with a discussion of classification within the family. *Quarterly Journal of the Geological Society of London* 92:236–293, pl. 16–23.
- _____. 1953. The external morphology of the trilobite and its significance. *Journal of Paleontology* 27:82–129, fig. 1–7.
- Raymond, P. E. 1913a. Some changes in the names of genera of trilobites. *The Ottawa Naturalist* 26:137–142.
- _____. 1913b. On the genera of the Eodiscidae. *The Ottawa Naturalist* 27:101–106.
- _____. 1914a. Notes on the ontogeny of *Paradoxides*, with a description of a new species from Braintree, Massachusetts. *Bulletin of the Museum of Comparative Zoology at Harvard College* 58:225–244.
- _____. 1914b. Notes on the ontogeny of *Isotelus gigas* DeKay. *Bulletin of the Museum of Comparative Zoology at Harvard College* 58:247–264.
- _____. 1920. The appendages, anatomy and relationships of trilobites. *Memoirs of the Connecticut Academy of Arts and Sciences* 7:1–169, 46 fig., 11 pl.
- _____. 1922. A trilobite retaining color-markings. *American Journal of Science* (series 5) 4:461–464, 1 fig.
- _____. 1924. New Upper Cambrian and Lower Ordovician trilobites from Vermont. *Proceedings of the Boston Society for Natural History* 37:389–466, pl. 12–14.
- _____. 1931. Notes on invertebrate fossils, with descriptions of new species. *Bulletin of the Museum of Comparative Zoology at Harvard College* 55(6):165–213, 5 pl.
- _____. 1935. Protaspides of trilobites. *Journal of Paleontology* 9:400–401.
- Redlich, K. 1899. The Cambrian fauna of the eastern Salt Range. *Memoirs of the Geological Survey of India, Palaeontologica Indica* (new series) 1:1–13, pl. 1.
- Reed, F. R. C. 1903. The Lower Palaeozoic Trilobites of the Girvan District, Ayrshire. *Palaeontological Society Monograph*:1–48, pl. 1–6.
- Reimann, I. G. 1943. *Terataspis* gets remodeling: New find yields new knowledge. *Hobbies, Buffalo Museum of Science* 23(4):75–77, 4 fig.
- Repina, L. N. 1956. Trilobity rod *Bulaiaspis* [Trilobite genus *Bulaiaspis*]. In *Materialy po paleontologii, novye semeistva i rody* [Materials for Paleontology, New families and genera]. Trudy Vsesoyuznogo Nauchnogo-Issledovatel'skogo Geologicheskogo Instituta (VSEGEI) (new series) 12:145–147.
- _____. 1960. Kompleksy trilobitov nizhnego i srednego kembriya zapadnoj chasti Vostochnogo Sayana [Lower and Middle Cambrian trilobites of western part of eastern Sayan]. In *Regional'naya Stratigrafiya SSSR*, vyp. 4 [Regional Stratigraphy of the USSR, vol. 4]. Izdatel'stvo Akademii Nauk SSSR. Moscow, p. 171–225.
- _____. 1961. O hakhodke olenellid v lenskom iaruse Batenevskogo kraizha [On the discovery of olenellids in the Lena Stage of Batenevskiy Ridge]. *Doklady Akademii Nauk USSR* 136(4):40–45.
- _____. 1966. Trilobity nezhnogo kembriya yuga Sibiri (Nadsemejstvo Redlichioidea), Chast 1 [Trilo-

- bites of the Lower Cambrian of Southern Siberia (Superfamily Redlichioidea)]. Sibirske Otdelenie, Institut Geologii i Geofiziki, Akademii Nauk SSSR. p. 1–176, pl. 1–27.
- . 1972. K voprosu o razvitiu trilobitov semeistva Protolenidae (Sibir') [Problems concerning the evolution of the Family Protolenidae (Siberia)]. In I. T. Zhurnoleva, ed., Problemy biostratigrafii i paleontologii nizhnego kembriia Sibiri [Problems of Biostratigraphy and Palaeontology of the Lower Cambrian of Siberia]. Nauka, Moscow. p. 15–30.
- . 1973. Trilobity [Trilobites]. In O. G. Okuneva & L. N. Repina, Biostratigrafia I Fauna Kembriia primor'ia [Biostratigraphy and fauna of the Cambrian of Primorye]. "NAUKA" Siberian Branch. Novosibirsk. p. 155–209.
- . 1979. Zavisimost morfologicheskikh priznakov ot uslovii obitanii trilobitov i otsenka ikh znachenii dla sistematiki nadsemeistva Olenelloidea [The dependence of morphological features upon the living conditions of trilobites and an evaluation of their importance in the classification of the Superfamily Olenelloidea]. Akademii Nauk SSSR, Sibirske Otdelenie, Trudy Instituta Geologii i Geofizikii 431:11–30, 13 fig., pl. 1–2.
- In Russian.
- . 1986. Planetarnaia korreliatsiia iarusnikh podrazdelenii nizhnego kembriia po trilobitam [Global correlation of stage subdivisions of the Lower Cambrian according to trilobites]. In I. T. Zhuravleva, ed., Biostratigrafiya i paleontologiya kembriya severnoy Azii [Biostratigraphy and paleontology of the Cambrian of central Asia]. Akademii Nauk SSSR, Sibirske Otdelenie, Trudy Instituta Geologii i Geofizikii 669. p. 4–25.
- . 1990a. Evoliutsiia trilobitov no nachal'nykh etapakh ikh istoricheskogo razvitiia [Evolution of trilobites in their early stages of historical development]. In O. A. Betecktina & I. T. Zhuravleva, eds., Sreda i zhizn' v geologicheskem proshlom [Environment and life of the geologic past]. Akademii Nauk SSSR, Sibirske Otdelenie, Trudy Instituta Geologii i Geofizikii 764. p. 34–44.
- . 1990b. Evoliutsiia soobshchestv trilobitov v rannekembriiskikh basseinakh [Evolution of trilobite associations in Early Cambrian basins]. In V. N. Dubamolov & A. T. Mosalenko, eds., Printsip razvitiia i istorizma v geologii i paleobiologii [Principles of Development and Historicity in Geology and Paleontology]. Nauka, Sibirske Otdelenie. Novosibirsk. p. 206–212.
- Repina, L. N., G. V. Belyaeva, & L. P. Sobolev. 1976. Novy danny po nizhnemu kembriiu basseina R. Shevli [New data on the Lower Cambrian in the basin of the River Shevli]. Akademii Nauk SSSR, Sibirske Otdelenie, Trudy Instituta Geologii i Geofizikii 296:151–161, pl. 14–16.
- Repina, L. N., V. V. Khomentovskii, I. T. Zhuravleva, & A. Yu. Rozanov. 1964. Biostratigrafia nizhnego kembriia Sayano-Altaiskoi skladchatoi oblasti [Biostratigraphy of the Lower Cambrian of the Sayan-Alтай fold region]. Akademii Nauk SSSR, Sibirske Otdelenie, Institut Geologii i Geofiziki. Moscow. 364 p., 48 pl.
- Repina, L. N., N. P. Lazarenko, N. P. Meshkova, V. I. Korshunov, N. I. Nikiforov, & N. A. Aksarina. 1974. Biostratigrafia i fauna nizhnego kembriia Kharaulakha (Khr. Tuora-Sis) [Biostratigraphy and fauna of the Lower Cambrian of Kharaulakh (Tuora-Sis ridge)]. Akademii Nauk SSSR, Sibirske Otdelenie, Trudy Instituta Geologii i Geofizikii 235:1–299.
- Repina, L. N., & V. S. Pereladov. 1988. O trilobitakh roda *Lenadiscus* Repina [The trilobite genus *Lenadiscus* Repina]. Akademii Nauk SSSR, Sibirske Otdelenie, Trudy Instituta Geologii i Geofizikii 720:176–179, pl. 25.
- Repina, L. N., Z. E. Petrunina, & T. I. Hajrullina. 1975. Trilobity [Trilobites]. In L. N. Repina, B. V. Yaskovich, N. A. Aksarina, Z. E. Petrunina, I. A. Poniklenko, D. A. Rubanov, G. V. Bolgova, A. N. Golikov, T. I. Hajrullina, & M. M. Posokhova, Stratigrafia i fauna nizhnego paleozoia cevernykh predgorian Turkestanskogo n Alaiskogo Khebretov (uzhnyi Tian'-Shan') [Stratigraphy and fauna of the Lower Paleozoic of the northern submontane belt of Turkestan and Alai Ridges (southern Tian-shan)]. Akademii Nauk SSSR, Sibirske Otdelenie, Trudy Instituta Geologii i Geofizikii 278:100–248, pl. 7–48.
- Repina, L. N., & E. V. Romanenko. 1978. Trilobity i stratigrafia nizhnego kembriia Altaia [Trilobites and stratigraphy of the Lower Cambrian of Altay]. Akademii Nauk SSSR, Sibirske Otdelenie, Trudy Instituta Geologii i Geofizikii 382:1–304, fig. 1–17, pl. 1–32.
- Resser, C. E. 1928. Cambrian fossils from the Mojave Desert. Smithsonian Miscellaneous Collections 81:1–14.
- . 1937. Third contribution to nomenclature of Cambrian trilobites. Smithsonian Miscellaneous Collections 95(22):1–29.
- . 1938. Cambrian System (restricted) of the Southern Appalachians. Geological Society of America, Special Paper 15:1–140, 16 pl.
- . 1939. The Ptarmigania strata of the northern Wasatch Mountains. Smithsonian Miscellaneous Collections 98(24):1–72, pl. 1–14.
- Resser, C. E., & B. F. Howell. 1938. Lower Cambrian *Olenellus* Zone of the Appalachians. Geological Society of America, Bulletin 49:195–248, 13 pl.
- Reyment, R. A. 1976. Göran Wahlenberg's collection. Illustrated Catalogue of the Type Collections of the Palaeontological Museum of the University of Uppsala 3:2–11.
- Reynolds, S. E. 1980. Integration of behaviour and physiology in ecdysis. In M. J. Berridge, J. E. Treherne, & V. B. Wigglesworth, eds., Advances in Insect Physiology 15. Academic Press. London. p. 476–595.
- Riccio, J. F. 1952. The Lower Cambrian Olenellidae of the Southern Marble Mountains, California. Southern California Academy of Science, Bulletin 51(2):25–49.
- Richter, Rudolf. 1921. Beitrage zur Kenntnis

- devonischer Trilobiten. III. Über die Organisation von Harpes. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 37:179–218, 3 fig., pl. 16–17.
- . 1932. Crustacea (Paläontologie). In R. Dittler, G. Joos, E. Korschelt, G. Linek, F. Oltmanns, K. Schaum, eds., Handwörterbuch der Naturwissenschaften, 2nd ed. Gustav Fisher. Jena. p. 840–864, fig. A, 1–64.
- This volume was published in 9 parts, which were not dated. The final part contains the title page (dated 1933) and list of contents. All parts were received together by the University Library, Cambridge, United Kingdom, on 23 March, 1933. An offprint of Crustacea (Paläontologie) sent by Richter to Professor O. M. B. Bulman (Sedgwick Museum, Cambridge) is dated 1932 on the cover in Richter's handwriting. Stubblefield (1936) and subsequent authors date the article 1932.
- . 1937. Von Bau und Leben der Trilobiten, 8: Die "Salter'sche Einbettung" als Folge und Kennzeichen des Hautungs-Vorgangs. Senckenbergiana 19:413–431, 3 fig.
- . 1942. Die Einkippungsregel. Senckenbergiana 25:181–206, 404, 1 fig.
- Richter, Rudolph, & Emma Richter. 1926. Die Trilobiten des Oberdevons: Beiträge zur Kenntnis devonischer Trilobiten, IV. Abhandlungen der Preussischen Geologischen Landesanstalt (new series) 99:1–314, 18 fig., 12 pl.
- . 1940. Studien im Paläozoikum der Mittelmeer-Länder, 5: Die Saukianda-Stufe von Andalusien, eine fremde Fauna im europäischen Ober-Kambrium. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 450:1–81, pl. 1–5.
- . 1941a. Die Fauna des Unter-Kambriums von Cala in Andalusien. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 455:1–90, fig. 1, pl. 1–4.
- . 1941b. Das Kambrium am Toten Meer und die älteste Tethys. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 460:1–50, fig. 1–3, pl. 1–2.
- Robison, R. A. 1964. Late Middle Cambrian faunas from western Utah. Journal of Paleontology 38:510–566, fig. 1–4, pl. 79–92.
- . 1967. Ontogeny of *Bathyuriscus fimbriatus* and its bearing on the affinities of the corynexochid trilobites. Journal of Paleontology 41:213–221, fig. 1–5, pl. 24.
- . 1971. Additional Middle Cambrian trilobites from the Wheeler Shale of Utah. Journal of Paleontology 45:796–804, fig. 1, pl. 89–91.
- . 1972a. Mode of life of agnostid trilobites. 24th International Geological Congress, Montreal, Canada, Section 7 (Paleontology). p. 33–40, 2 fig.
- . 1972b. Hypostoma of agnostid trilobites. Lethaia 5:239–248, fig. 1–4.
- . 1978. Origin, taxonomy, and homeomorphs of *Doryagnostus* (Cambrian Trilobita). The University of Kansas Paleontological Contributions, Paper 91:1–10, fig. 1–3, pl. 1–2.
- Robison—. 1982. Some Middle Cambrian agnostoid trilobites from western North America. Journal of Paleontology 56:132–160, fig. 1–2, pl. 1–6.
- . 1984. Cambrian Agnostida of North America and Greenland. Part 1: Ptychagnostidae. The University of Kansas Paleontological Contributions, Paper 109:1–59, 32 fig.
- . 1988. Trilobites of the Holm Dal Formation (late Middle Cambrian), central North Greenland. Meddelelser om Grønland, Geoscience 20:23–103, 27 fig.
- Robison, R. A., & D. P. Campbell. 1974. A Cambrian corynexochid trilobite with only two thoracic segments. Lethaia 7:273–282, fig. 1–3.
- Robison, R. A., & Jerjes Pantoja-Alor. 1968. Tremadocian trilobites from the Nochixtlan Region, Oaxaca, Mexico. Journal of Paleontology 42:767–800, fig. 1–4, pl. 97–104.
- Robison, R. A., A. V. Rosova, A. J. Rowell, & T. P. Fletcher. 1977. Cambrian boundaries and divisions. Lethaia 10:257–262, fig. 1–2.
- Robison, R. A., & A. J. Rowell, eds. 1976. Paleontology and depositional environments: Cambrian of western North America. Brigham Young University, Geology Studies 23(2):iii + 1–227.
- Romanenko, E. V. 1985. Trilobity iz pogranichnykh otlozheniy Srednego i Verkhnego Kembriya Altaya. Paleontologicheskiy Zhurnal 1985(4):54–63, pl. 5.
- Romanenko, E. V., & M. F. Romanenko. 1967. Nekotorye voprosy paleogeografii i trilobity kembriya Gornogo Altaia [On some questions of the paleogeography and Cambrian trilobites of Gorny Altay]. Izvestiya Altayskogo Otdela Geograficheskogo Obschestva Soyusa SSR 8:62–96, pl. 1–3.
- Romanenko, M. F., & E. V. Romanenko. 1962. Trilobity suvaryskoi svity srednego kembriya Gornogo Altaia [Trilobites of the Suyarksky suite of the Middle Cambrian of Gorny Altai]. Materialy Geologii Zapadnos Sibirskogo Kraya Tomsk 63:16–29, fig. 1, pl. 1–3.
- Romano, M. 1976. The trilobite genus *Placoparia* from the Ordovician of the Valongo area, north Portugal. Geological Magazine 113:11–28.
- Ross, R. J., Jr. 1951a. The ontogenies of three Garden City (early Ordovician) trilobites. Journal of Paleontology 25:578–586, pl. 81–84.
- . 1951b. Stratigraphy of the Garden City Formation in northeastern Utah, and its trilobite faunas. Peabody Museum of Natural History, Yale University Bulletin 6:1–161, 4 fig., 36 pl.
- . 1953. Additional Garden City (Early Ordovician) trilobites. Journal of Paleontology 27:633–646, fig. 1, pl. 62–64.
- . 1967. Calymenid and other Ordovician trilobites from Kentucky and Ohio. United States Geological Survey, Professional Paper 583B:1–18, 3 fig., 5 pl.
- . 1975. Early Paleozoic trilobites, sedimentary facies, lithospheric plates, and ocean currents. Fossils and Strata 4:307–329, fig. 1–9.
- . 1979. Additional trilobites from the Ordovician of Kentucky. In John Pojeta, Jr., ed., Contribu-

- tions to the Ordovician Paleontology of Kentucky and nearby States. United States Geological Survey, Professional Paper 1066A-G:D1–13, 6 pl.
- Rowell, A. J., & D. J. McBride. 1972. Faunal variation in the *Elvinia* Zone of the Upper Cambrian of North America—a numerical approach. 24th International Geological Congress, Montreal, Canada, Section 7 (Paleontology), p. 246–253, 3 fig.
- Rowell, A. J., D. J. McBride, & A. R. Palmer. 1973. Quantitative study of Trempealeauian (Latest Cambrian) trilobite distribution. Geological Society of America, Bulletin 84:3429–3442, 11 fig.
- Roy, Kaustuv, & L. E. Fähræus. 1989. Tremadocian (Early Ordovician) nauplius-like larvae from the Middle Arm Point Formation, Bay of Islands, western Newfoundland. Canadian Journal of Earth Sciences 26:1802–1806, fig. 1–2, pl. 1.
- Rozanov, A. Yu., & B. S. Sokolov, eds. 1984. Iarusoje raschlenenie nizhnego kembrija—stratigrafija [Stage subdivision of the Lower Cambrian—stratigraphy]. Nauka. Moscow. 184 p.
- Rozanov, A. Yu., & A. Yu. Zhuravlev. 1992. The Lower Cambrian fossil record of the Soviet Union. In Jere Lipps & P. E. Signor, eds., Origin and Early Evolution of the Metazoa. Plenum Press. New York & London. p. 205–282.
- Rozova, A. V. 1960. Verkhnekembrijskie trilobity Salaira [Upper Cambrian Trilobites of Salair]. Trudy Instituta Geologii i Geofiziki 5:116 p.
- . 1964. Biostratigrafiya i opisanie trilobitov srednego i verkhnego kembrija severo-zapada Sibirskoy platformy [Biostratigraphy and description of trilobites of the Middle and Upper Cambrian of the northwest Siberian Platform]. Akademija Nauk SSSR, Sibirskoe Otdelenie, Institut Geologii i Geofiziki. Izdatelstvo “Nauka,” Moscow. 106 p., 19 pl.
- Rudkin, D. M. 1985. Exoskeletal abnormalities in four trilobites. Canadian Journal of Earth Sciences 22:479–483, fig. 1–2.
- Rudolph, Frank. 1992. Kopfmuskulatur bei Trilobiten-Rekonstruktion, Funktionsmorphologie und phylogenetisch-systematische Schlussfolgerungen. Diplom-Arbeit aus dem Zoologischen Institut der Christian-Albrechts-Universität Kiel. F. Rudolph. Wankendorf. p. 1–115, 33 fig., 14 pl., 16 tables.
- Ruedemann, R. 1912. The Lower Siluric Shales of the Mohawk Valley. Education Department Bulletin of the University of the State of New York, Museum Bulletin 162:151 p.
- Rusconi, C. 1950a. Trilobitas y otros organismos del Cambriko de Canota. Revista del Museo Historia Natural de Mendoza 4:71–84, fig. 1–14.
- . 1950b. Nuevos trilobitas y otros organismos del Cambriko de Canota. Revista del Museo Historia Natural de Mendoza 4(3–4):85–94, fig. 1–11.
- . 1951. Mas trilobitas Cambriicos de san Isidro Cerro Pelado y Canota. Revista del Museo Historia Natural de Mendoza 5:3–30.
- . 1952. Varias especies de trilobitas del Cambriko de Canota. Revista del Museo Historia Natural de Mendoza 6(1–4):5–17, 1 pl.
- . 1956. Mares y organismos extinguidos de Mendoza. Revista del Museo de Historia Natural de Mendoza 9(3–4):2–88.
- Rushton, A. W. A. 1963. *Paradoxides* from Colombia. Geological Magazine 100:255–257.
- . 1966. The Cambrian Trilobites from the Purley Shales of Warwickshire. Palaeontographical Society, London, Monograph, vol. 120. p. 1–55, fig. 1–18, pl. 1–6.
- . 1978. Fossils from the Middle–Upper Cambrian transition in the Nuneaton district. Palaeontology 21:245–283, fig. 1–3, pl. 24–27.
- . 1979. A review of the Middle Cambrian Agnostida from the Abbey Shales, England. Alcheringa 3:43–61, fig. 1–9.
- . 1983. Trilobites from the Upper Cambrian *Olenus* Zone in central England. Special papers in Palaeontology 30:107–139, pl. 14–19, fig. 1–7.
- Rushton, A. W. A., & C. P. Hughes. 1981. The Ordovician trilobite fauna of the Great Paxton Borehole, Cambridgeshire. Geological Magazine 118(6):623–646.
- Růžička, R. 1943. Príspěvek k ontogenii českých Paradoxidu a rodu *Sao* [Contribution on the ontogeny of Bohemian paradoxids of the genus *Sao*]. Vestnik Královské České Společnosti Náuk, Třída Mat-prír 1943:1–43.
- Pages 1–16, Czech; 17–33, German; 34–43, German and Czech.
- Saito, Kazuo. 1934. Older Cambrian Trilobita and Conchostraca from northwestern Korea. Japanese Journal of Geology and Geography, Tokyo 11(3–4):211–237, 7 fig., pl. 25–27.
- . 1936. Older Cambrian Brachiopoda, Gastropoda, etc. from northwestern Korea. Journal Faculty of Science, Imperial University of Tokyo, section II, 4(3):346–367, pl. 1–3.
- Appendix: Changes in systematic reference of some trilobites previously described by the writer, p. 363.
- Salter, J. W. 1864a. A Monograph of British Trilobites, Part 1. Palaeontographical Society, London, Monograph, vol. for 1862. p. 1–80, pl. 1–6.
- . 1864b. Memoirs of the Geological Survey of the United Kingdom. Figures and descriptions illustrative of British organic remains. Decade XI, Trilobites, pl. 64 p., 9 pl.
- . 1864c. On some new fossils from the *Lingula*-flags of Wales. Quarterly Journal of the Geological Society of London 20:233–241.
- . 1865. A Monograph of British Trilobites, Part 2. Palaeontographical Society, London, Monograph, vol. for 1863. p. 81–128, pl. 7–14.
- . 1866a. A Monograph of British Trilobites, Part 3. Palaeontographical Society, London, Monograph, vol. for 1864. p. 129–176, pl. 15–25.
- . 1866b. On the fossils of North Wales. In A. C. Ramsay, The Geology of North Wales. Memoirs of the Geological Survey of Great Britain, no. 3. p. 239–381, 19 fig., pl. 1–26.
- Samson, Sara, A. R. Palmer, R. A. Robison, & D. T. Secor, Jr. 1990. Biogeographical significance of Cambrian trilobites from the Carolina slate belt.

- Geological Society of America Bulletin 102:1459–1480, 6 fig.
- Schevill, W. E. 1936. Habits of trilobites. Report of the Committee on Paleoecology, 1935–1936. Annual Meeting of the Division of Geology and Geography, United States National Research Council, Washington, D.C. p. 29–43.
- Schmalfuss, Helmut. 1981. Structure, patterns and function of cuticular terraces in trilobites. *Lethaia* 14:331–341, fig. 1–7.
- Schmidt, F. 1888. Ueber eine neuentdeckte untercambrische Fauna in Estland. *Mémoires de l'Académie Impériale des Sciences de St-Petersbourg* (7th series) 36(2):1–27.
- Schram, F. R. 1982. The fossil record and evolution of Crustacea. In L. G. Abele, ed., *The Biology of the Crustacea*, vol. 1. Academic Press. New York. p. 93–147, 13 fig.
- Schrack, Eckart. 1972a. Proetacea, Encrinuridae and Phacopina (Trilobita) aus Silurischen Geschieben. *Geologica* 21:117 p., 4 fig., 21 pl.
- _____. 1972b. *Nileus*-Arten (Trilobita) aus Geschieben des Tremadoc bis tieferen Caradoc. Der Deutschen Gesellschaft Geologischen Wissenschaften, A, *Geologie-Palaontologie* 17:351–375, 11 fig., 11 pl.
- _____. 1975. Kambrische Trilobiten der China-Kollektion v. Richthofen, 2. Die Fauna mit *Kaolishania quadriceps* von Saimaki. *Zeitschrift fuer Geologische Wissenschaften* 3:591–619, pl. 1–8.
- _____. 1977. Zur Paläobiogeographie silurischer Trilobiten. *Neues Jahrbuch fuer Geologie und Palaontologie, Abhandlungen* 155:108–136, 2 fig.
- Scotese, C. R., R. K. Bambach, Colleen Barton, Rob Van der Voo, & A. M. Ziegler. 1979. Paleozoic Base maps. *Journal of Geology* 87:217–277, 43 fig.
- Scotese, C. R., & W. S. McKerrow. 1990. Revised world maps and introduction. In W. S. McKerrow & C. R. Scotese, eds., *Palaeozoic Palaeogeography and Biogeography*. Geological Society of London, Memoir 12, p. 1–21.
- Sdzuy, Klaus. 1957. Bemerkungen zur Familie Homalonotidae. *Senckenbergiana Lethaea* 38:275–290, 4 fig., 1 pl.
- _____. 1958. Fossilien aus dem Tremadoc des Montagne Noire. *Senckenbergiana Lethaea* 39:255–285, pl. 1–3.
- _____. 1959. Die unterkambrische Trilobiten-Familie Dolerolenidae. *Senckenbergiana Lethaea* 44:389–407, 1 fig.
- _____. 1961. Das Kambrium Spaniens. Teil II: Trilobiten 1. Abschnitt. Akademie der Wissenschaften und der Literatur Mainz, Abhandlungen der Mathematisch-naturwissenschaftlichen Klasse (Wiesbaden) 7:499–594 (217–312), fig. 1–23, pl. 1–15.
- _____. 1962a. Neue Kambrische fossilien aus Bohrungen im Gebiet von Doberlug. *Geologie (Jahrgang 11)* 9:1087–1101, 1 pl.
- _____. 1962b. Trilobiten aus dem Unter-Kambrium der Sierra Morena (S-Spanien). *Senckenbergiana Lethaea* 43(3):181–229, fig. 1–4, pl. 18–23.
- _____. 1968. Trilobites del Cambrico medio de Asturias. *Trabajos de Geología, Faculte de Ciencias, Universidad de Oviedo* 1:77–133, 1 fig., 10 pl.
- _____. 1971a. Acerca de la correlación del Cámbrico medio en España. 1 Congresso Hispano-Luso-Americano de Geología Económica. *Geología* 2:753–766.
- _____. 1971b. La subdivisión bioestratigráfica y la correlación del Cámbrico medio en España. 1 Congresso Hispano-Luso-Americano de Geología Económica. *Geología* 2:769–782.
- _____. 1972. Das Kambrium der acadobaltischen Faunenprovinz. *Zentralblatt fuer Geologie und Palaeontologie* 2(1–2):1–91.
- _____. 1978. The Precambrian-Cambrian boundary beds in Morocco (preliminary report). *Geological Magazine* 115:83–94, fig. 1–6, pl. 1.
- _____. 1979. Two rare trilobites from the Tremadoc Leimitz Shales, Germany. *Alcheringa* 3:63–72, 5 fig.
- _____. 1981. Der Beginn des Phanerozoikums—Paläobiologische und stratigraphische Probleme. *Natur und Museum* 111:390–398, fig. 1–20.
- Sedgwick, Adam, & R. I. Murchison. 1840. On the physical structure of Devonshire, and on the subdivisions and geological relations of its older stratified deposits, etc. *Transactions of the Geological Society of London* (second series) 5:633–703, pl. 50–58.
- Seilacher, Adolf. 1955. Spuren und Lebenweise der Trilobiten. In O. H. Schindewolf & Adolf Seilacher, eds., *Beiträge zur Kenntnis des Kambris in der Salt Range (Pakistan)*. Akademie der Wissenschaften und der Literatur, Abhandlungen der Mathematisch-naturwissenschaftlichen Klasse, Mainz 10:342–372, 5 fig., pl. 16–21.
- _____. 1959. Vom Leben der Trilobiten. *Die Naturwissenschaften* 12:389–393, 5 fig.
- _____. 1962. Form und Funktion des Trilobiten-Daktylus. *Palaontologische Zeitschrift (H. Schmidt-Festband)*. p. 218–227, 2 fig., pl. 24–25.
- Not bound with Band 36 (1962).
- _____. 1970. Cruziana stratigraphy of “non-fossiliferous” Palaeozoic sandstones. In T. P. Crimes & J. C. Harper, eds., *Trace Fossils*. Geological Journal, Special Issue 3, p. 447–476, 11 fig.
- _____. 1985. Trilobite palaeobiology and substrate relationships. *Transactions of the Royal Society of Edinburgh, Earth Sciences* 76:231–237, fig. 1–4.
- Sekiguchi, K., S. Seshimo, & H. Sugita. 1988. Post-embryonic development. In K. Sekiguchi, ed., *Biology of Horseshoe Crabs*. Science House Co. Tokyo. p. 181–195.
- Shaler, N. S., & A. F. Foerste. 1888. Preliminary description of North Attleborough fossils. *Bulletin of the Museum of Comparative Zoology at Harvard College* (series 2) 16:27–41, pl. 1–2.
- Shaw, A. B. 1950. A revision of several Early Cambrian trilobites from eastern Massachusetts. *Journal of Paleontology* 24:577–590, fig. 1–3, pl. 79.
- _____. 1951. The paleontology of northwestern Vermont. I. New Late Cambrian trilobites. *Journal of Paleontology* 25:97–114, pl. 21–24.
- _____. 1956. Quantitative trilobite studies I. The statistical description of trilobites. *Journal of Paleon-*

- tology 30:1209–1224, fig. 1–2.
- . 1957. Quantitative trilobite studies II. Measurement of the dorsal shell of non-agnostidean trilobites. *Journal of Paleontology* 31:193–207, fig. 1–13.
- . 1959. Quantitative trilobite studies III. *Proliostracus strenuiformis* Poulsen, 1932. *Journal of Paleontology* 33:474–487, fig. 1–15.
- Shaw, F. C. 1968. Early Middle Ordovician Chazy trilobites of New York. *New York State Museum and Science Service Memoir* 17:163 p.
- . 1974. Simpson Group (Middle Ordovician) trilobites of Oklahoma. *Paleontological Society Memoir* 6, *Journal of Paleontology* 48 (supplement to no. 5):1–54, fig. 1–6, pl. 1–12.
- . 1991. Viola Group (Ordovician, Oklahoma) cryptolithinid trilobites, biogeography and taxonomy. *Journal of Paleontology* 65:919–935, 9 fig.
- Shaw, F. C., & R. A. Fortey. 1977. Middle Ordovician facies and trilobite faunas. *Geological Magazine* 114:409–443, fig. 1–8.
- Shaw, F. C., & P. J. Léspérance. 1994. North American biogeography and taxonomy of *Cryptolithus* (Trilobita, Ordovician). *Journal of Paleontology* 68:808–823, 7 fig.
- Sheldon, P. R. 1987. Parallel gradualistic evolution of Ordovician trilobites. *Nature* 330:561–563, fig. 1–4.
- . 1988. Trilobite size-frequency distributions, recognition of instars, and phyletic size changes. *Lethaia* 21:293–306, fig. 1–11.
- Shergold, J. H. 1969. Oryctocephalidae (Trilobita: Middle Cambrian) of Australia. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 104:1–66, 18 fig., 12 pl.
- . 1972. Late Upper Cambrian trilobites from the Gola Beds, western Queensland. Bureau of Mineral Resources of Australia, Bulletin 112:127 p., 19 pl.
- . 1975. Late Cambrian and Early Ordovician trilobites from the Burke River structural belt, western Queensland, Australia. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Bulletin 153:1–251, 72 fig. (vol. 1); 58 pl. (vol. 2).
- . 1977. Classification of the trilobite *Pseudagnostus*. *Palaeontology* 20:69–100, pl. 15–16.
- . 1980. Late Cambrian trilobites from the Chatsworth Limestone, western Queensland. Commonwealth of Australia, Bureau of Mineral Resources, Bulletin 186:111 p., 35 pl.
- . 1981. Towards a global Late Cambrian agnostid biochronology. In M. E. Taylor, ed., *Short Papers for the Second International Symposium on the Cambrian System*, 1981. United States Geological Survey, Open-file Report 81-743:208–214.
- . 1982. Idamean (Late Cambrian) trilobites, Burke River Structural Belt, western Queensland. Bureau of Mineral Resources of Australia, Bulletin 187:69 p., 17 pl.
- . 1988. Review of trilobite biofacies distributions at the Cambrian-Ordovician boundary. *Geological Magazine* 125(4):363–380.
- . 1989. Australian Phanerozoic Timescales, 1. Cambrian biostratigraphic chart and explanatory notes. Commonwealth of Australia, Bureau of Mineral Resources, Record 1989/31:25 p.
- . 1991. Protaspis and early meraspid growth stages of the eodiscoid trilobite *Pagezia ocellata* Jell, and their implications for classification. *Alcheringa* 15:65–86, fig. 1–8.
- . 1993. The Iverian, a proposed Late Cambrian Stage, and its subdivision in the Burke River Structural Belt, western Queensland. *BMR Journal of Australian Geology & Geophysics* 13(4):345–358.
- Shergold, J. H., & M. D. Brasier. 1986. Biochronology of Proterozoic and Cambrian phosphorites. In P. J. Cook & J. H. Shergold, eds., *Phosphate Deposits of the World. Volume 1: Proterozoic and Cambrian Phosphorites*. Cambridge University Press. Cambridge, p. 295–326.
- Shergold, J. H., & J. R. Laurie. 1991. *Ptychagnostus Jaekel, 1909* and *Glyptagnostus* Whitehouse, 1936 (Trilobita): Proposed conservation of accepted usage. *Bulletin of Zoological Nomenclature* 48(3):200–202.
- Shergold, J. H., J. R. Laurie, & Xiaowen Sun. 1990. Classification and review of the trilobite order Agnostida Salter, 1864: An Australian perspective. Commonwealth of Australia, Bureau of Mineral Resources, Geology and Geophysics, Report 296:iv + 1–92, fig. 1–19.
- Shergold, J. H., & R. S. Nicoll. 1992. Revised Cambrian-Ordovician boundary biostratigraphy, Black Mountain, western Queensland. In B. D. Webby & J. R. Laurie, eds., *Global Perspectives on Ordovician Geology*. Balkema. Rotterdam, p. 81–92.
- Shimer, H. W., & R. R. Shrock. 1944. *Index Fossils of North America*. Technology Press, Massachusetts Institute of Technology. Cambridge. 837 p.
- Shone, R. W. 1979. Giant *Cruziana* from the Beaufort Group. *Transactions of the Geological Society of South Africa* 81:327–329, 6 fig.
- Shu, Degan, Gerd Geyer, Ling Chen, & Xingliang Zhang. 1995. Redlichian trilobites with preserved soft parts from the Lower Cambrian Chengjiang fauna (South China). *Beringia* (special issue) 2:203–241, 21 fig., pl. 1.
- Shuster, C., Jr. 1982. A pictorial review of the natural history and ecology of the horseshoe crab *Limulus polyphemus*, with reference to other Limulidae. In J. Bonaventura, C. Bonaventura, & S. Tesh, eds., *Physiology and Biology of Horseshoe Crabs*. Alan R. Liss, Inc. New York, p. 1–59.
- Siegfried, Paul. 1936. Über das Pandersche Organ bei den Asaphiden des Ostbaltischen Ordoviciums. Publications of the Geological Institution of the University of Tartu, no. 69, in *Acta ad Res Naturae Estonicae Perscrutandus* (series 1) 9(fasc. 2):1–42, 12 fig., 10 pl.
- . 1939. Von der Lebensweise der trilobiten der Gattung *Illaenus* Dalm. Beiträgen zur Kunde Estlands, Naturwissenschaftliche Reihe 1:43–48, pl. 1–2.
- Siveter, D. J. 1980. Evolution of the Silurian trilobite *Tapinocalymene* from the Wenlock of the Welsh Borderlands. *Palaeontology* 23:783–802, 3 fig., pl. 97–101.

- . 1983. *Calymene lawsoni* and allied species from the Silurian of Britain and their stratigraphic significance. Special Papers in Palaeontology 30:69–88.
- Sjögren, A. 1872. Om några försteningar i Ölands kambriska lager. Geologiska Föreningens i Stockholm Forhandlingar 1:67–80, pl. 5.
- Skinner, D. M. 1985. Molting and Regeneration. In D. E. Bliss & L. H. Mantel, eds., The Biology of Crustacea. Vol. 9: Integument, Pigments and Hormonal Processes. Academic Press. San Diego. p. 43–146.
- Smeenk, Z. 1983. Devonian trilobites of the southern Cantabrian mountains (Northern Spain), with a systematic description of the Asteropyginæ. Leidse Geologische Mededelingen 52(2):383–511, 26 fig., 35 pl.
- Smith, A. G., J. C. Briden, & G. E. Drewry. 1973. Phanerozoic world maps. In N. F. Hughes, ed., Organisms and Continents through Time, Special Papers in Palaeontology, no. 12. p. 1–42, fig. 1–21.
- Smith, A. G., A. M. Hurley, & J. C. Briden. 1981. Phanerozoic Paleocoastal World Maps. Cambridge University Press. Cambridge. 102 p., 88 maps.
- Šnajdr, Milan. 1950. *Aculeodiscus* nov. gen. ze středočeského středního kambria (Trilobitae) [*Aculeodiscus* gen. nov. from the Middle Cambrian of central Bohemia (Trilobite)]. Sborníku Státního Geologického Ústavu Československé Republiky, Paleontologický, Praha 17:201–212, fig. 1, pl. 15–17.
- . 1957. O nových trilobitech z českého Kambria [On new trilobites of the Cambrian of Bohemia]. Věstník Ústředního Ústavu Geologického 32:235–244, 1 fig., 2 pl.
- . 1958. Trilobiti českého středního Kambria [The trilobites of the Middle Cambrian of Bohemia]. Rozpravy Ústředního Ústavu Geologického 24:1–280, 46 fig., 46 pl.
- Czech text, English summary p. 237–280.
- . 1960. Studie o Celedi Scutellidae (Trilobitae). Rozpravy Ústředního Ústavu Geologického 26:1–264, 61 fig., 36 pl.
- Czech text, English summary.
- . 1975. On the ontogeny of Bohemian representatives of the genus *Parabarrandia* Prantl et Přibyl (Trilobita). Věstník Ústředního Ústavu Geologického 50:241–244, 2 pl.
- . 1977. Nový nález trilobita *Luhops expectans* (Barrande, 1852) ve skryjském kambriu. Casopis Národního Muzea 145:47–48.
- . 1978. Anomalous carapaces of Bohemian paradoxidid trilobites. Sborník Geologických Věd Paleontologie 20:7–31, 5 fig., 8 pl.
- . 1980. Bohemian Silurian and Devonian Proetidae (Trilobita). Rozpravy Ústředního Ústavu Geologického 45:1–324, 80 fig., 64 pl.
- In English, Czech summary.
- . 1981a. Ontogeny of some representatives of the trilobite genus *Scharyia*. Sborník Geologických Věd Paleontologie (Journal of Geological Sciences Paleontology) 24:7–32.
- . 1981b. Bohemian Proetidae with malformed exoskeletons (Trilobita). Sborník Geologických Věd Paleontologie 24:37–61, 11 fig., 8 pl.
- . 1985. Anomalous exoskeletons of Bohemian encrinurine trilobites. Věstník Ústředního Ústavu Geologického 60:303–306, 2 pl.
- . 1986. Two new paradoxid trilobites from the Jince Formation (Middle Cambrian, Czechoslovakia). Věstník Ústředního Ústavu Geologického 61:169–174.
- . 1990. Bohemian Trilobites. Geological Survey. Prague. 265 p., 8 fig., 112 pl.
- . 1991. On the digestive system of *Deanaspis goldfussi* (Barrande). Casopis Národního Muzea 156:8–16, fig. 1–3, pl. 1–4.
- In Czech, English summary.
- Soloviev, I. A. 1964. Nekotorye novye trilobity iz amginskogo iarusu v Olenekskom raione iakutii [Some new trilobites from the Amga Stage in the Olenek region of Yakutia]. Uchenya Zapiski Nauchno-Issledovatel'skikh, Instituta Geologika Arktika, Paleontologia i Biostratigrafia 4:33–55, fig. 1–3, pl. 1.
- . 1969. Novye vidy *Paradoxides* (Trilobity) iz goriuchikh slantsev amginskogo iarusu severnoi iakutii [New species of *Paradoxides* (Trilobite) from the oil shales in the Amgan Stage of northern Yakutia]. Uchenya Zapiski Nauchno-Issledovatel'skikh, Instituta Geologika Arktika, Paleontologia i Biostratigrafia 25:9–20.
- Southgate, P. N., & J. H. Shergold. 1991. Application of sequence stratigraphic concepts to Middle Cambrian phosphogenesis, Georgina Basin, Australia. BMR Journal of Australian Geology & Geophysics 12(2):119–144.
- Speyer, S. E. 1985. Moulting in phacopid trilobites. Transactions of the Royal Society of Edinburgh, Earth Sciences 76:239–253, fig. 1–10.
- . 1987. Comparative taphonomy and palaeoecology of trilobite lagerstatten. Alcheringa 11:205–232, 13 fig.
- . 1988. Biostratinomy and functional morphology of enrollment in two Middle Devonian trilobites. Lethaia 21:121–138, fig. 1–12.
- . 1991. Trilobite taphonomy: a basis for comparative studies of arthropod preservation, functional anatomy and behaviour. In S. K. Donovan, ed., The Processes of Fossilization. Belhaven Press. London. p. 194–219, fig. 1–4.
- Speyer, S. E., & C. E. Brett. 1985. Clustered trilobite assemblages in the Middle Devonian Hamilton Group. Lethaia 18:85–103, fig. 1–8.
- . 1986. Trilobite taphonomy and Middle Devonian taphofacies. Palaios 1:312–327, fig. 1–5.
- Speyer, S. E., & B. D. E. Chatterton. 1989. Trilobite larvae and larval ecology. Historical Biology 3:27–60, 15 fig.
- . 1990. Trilobite larvae, larval ecology and developmental paleobiology. Short Courses in Palaeon-

- tology Number 3. Arthropod Paleobiology. Paleontological Society. Knoxville, Tennessee. p. 137–156.
- Speyer, S. E., & G. D. Edgecombe. 1989. The evolution of early development in Ordovician and Silurian phacopid trilobites. Geological Society of America, Abstracts with Programs 21(6):115.
- Spizharski, T. N., G. Kh. Ergaliev, I. T. Zhuravleva, L. N. Repina, A. Yu. Rozanov, & N. E. Chernysheva. 1983. Yarusnaya shkala kembriyskoy Sistemy [Yarus scale for the Cambrian System]. Sovetskaya Geologiya 1983(8):57–72.
- In Russian.
- Spizharski, T. N., I. T. Zhuravleva, L. N. Repina, A. Yu. Rozanov, N. Ye. Tchernysheva, & G. H. Ergaliev. 1986. The stage scale of the Cambrian System. Geological Magazine 123(4):387–392.
- Stabile, G. 1864. Mollusques terrestres vivants du Piémont. Atti della Societa Italiana di Scienze Naturali 7:3–141.
- Stitt, J. H. 1975. Adaptive radiation, trilobite paleoecology and extinction, *Ptychaspis* biomere, late Cambrian of Oklahoma. Fossils and Strata 4:381–390.
- . 1976. Functional morphology and life habits of the Late Cambrian trilobite *Stenopilus pronus* Raymond. Journal of Paleontology 50:561–576, fig. 1–7, pl. 1–2.
- . 1983. Enrolled Late Cambrian trilobites from the Davis Formation, southeast Missouri. Journal of Paleontology 57:93–105, fig. 1–3.
- Stitt, J. H., & R. L. Clark. 1984. A complete specimen of *Peachella brevispina* Palmer: An unusual olenellid trilobite (Arthropoda: Olenellida) from the Lower Cambrian of California. Transactions of the San Diego Society of Natural History 20(9):145–150, 3 fig.
- Stockton, W. L., & Richard Cowen. 1976. Stereoscopic vision in one eye: Palaeophysiology of the schizochroal eye of trilobites. Paleobiology 2:304–315, fig. 1–10.
- Størmer, Leif. 1930. Scandinavian Trinucleidae: With special references to Norwegian species and varieties. Skrifter Utgitt av Der Norske Videnskaps-Akademii i Oslo, I, Matematisk-naturvidenskapelig Klasse 1930, no. 4:1–111, fig. 1–47, pl. 1–14.
- . 1933. Are trilobites related to arachnids? American Journal of Science (series 5) 26:147–157, fig. 1–2.
- . 1939. Studies on trilobite morphology. Part 1: The thoracic appendages and their phylogenetic significance. Norsk Geologisk Tidsskrift 19:143–274, 35 fig., 12 pl.
- . 1942. Studies on trilobite morphology. Part II: The larval development, the segmentation and the sutures, and their bearing on trilobite classification. Norsk Geologisk Tidsskrift 21:49–164, 19 fig., 2 pl.
- . 1951. Studies on trilobite morphology. Part III: The ventral cephalic structures with remarks on the zoological position of the trilobites. Norsk Geologisk Tidsskrift 29:108–158, 14 fig., 4 pl.
- . 1980. Sculpture and microstructure of the exoskeleton in chasmopinid and phacopid trilobites. Palaeontology 23:237–271, fig. 1–8, pl. 25–34.
- Strand, T. 1927. The ontogeny of *Olenus gibbosus*. Norsk Geologisk Tidsskrift 9:320–329.
- Strusz, D. L. 1980. The Encrinuridae and related trilobite families, with a description of Silurian species from southeastern Australia. Palaeontographica (Abt. A) 168:1–68, fig. 1–16, pl. 1–6.
- Stubblefield, C. J. 1926. Notes on the development of a trilobite, *Shumardia pusilla* (Sars). Linnean Society Journal of Zoology 36:345–372.
- . 1936. Cephalic sutures and their bearing on current classifications of trilobites. Biological Reviews 11:407–440, 9 fig.
- . 1959. Evolution in trilobites. Quarterly Journal of the Geological Society of London 115:145–162, fig. 1–2.
- Stürmer, Wilhelm. 1970. Soft parts of cephalopods and trilobites: Some surprising results of X-ray examination of Devonian slates. Science 170:1300–1302, fig. 1–5.
- Stürmer, Wilhelm, & Jan Bergström. 1973. New discoveries on trilobites by X-rays. Palaeontologische Zeitschrift 47:104–141, fig. 1–6, pl. 16–24.
- Suarez-Soroco, R. 1975. Nuevos trilobites del Tremadociano inferior (Ordovicico) del sur de Bolivia. Revista Técnica de Yacimientos Petrolíferos Fiscales Bolivianos 4(3):129–146, pl. 1–2.
- Suf, Jiří. 1926. O Českých Paradoxidech se zvláštním zretelem k jejich vývoji. Sborník Statního Geologického Ústavu Československé Republiky 6:31–67, 1 fig., pl. 1–4.
- In Czech and French.
- Sun, Xiaowen. 1989. Cambrian agnostids from the North China Platform. Palaeontologia Cathayana 4:53–129, pl. 1–15.
- Sun, Yunzhu. 1924. Contributions to the Cambrian faunas of North China. Palaeontologia Sinica (series B) 1(4):1–109, pl. 1–5.
- Suvorova, N. P. 1958. Novye trilobity nezhnego Kembriya Yakutii [New Lower Cambrian trilobites from Yakutia]. Doklady Akademii Nauk SSSR 122(5):917–920.
- . 1959. Novye trilobity Nadsemejstva Corynexchoidea i Redlichioidea Lenskogo Yarusa Nizhnego Kembriya Yakutii [New trilobites of the superfamilies Corynexchoidea and Redlichioidea from the Lower Cambrian Lena Stage of Yakutia]. Paleontologicheskiy Zhurnal 3:66–77, pl. 6.
- . 1960. Trilobity kembrija vostoka Sibirskoi Platformy. Vypusk 2: Olenellidy—Granulariidy [Cambrian trilobites from the eastern part of the Siberian platform. Part 2: Olenellida—Granulariida]. Paleontological Institute Academy of Sciences USSR Trudy 84:1–230.
- Swinnerton, H. H. 1915. Suggestions for a revised classification of trilobites. Geological Magazine (new series) 6(2):487–496, 538–545.
- Taylor, M. E. 1976. Indigenous and redeposited trilobites from Late Cambrian basinal environments of Central Nevada. Journal of Paleontology 50:668–700, fig. 1–9, pl. 1–3.

- . 1977. Late Cambrian of western North America: Trilobite biofacies, environmental significance, and biostratigraphic implications. In E. G. Kauffman & J. E. Hazel, eds., Concepts and Methods of Biostratigraphy. Dowden, Hutchinson and Ross, Stroudsburg, Pennsylvania, p. 397–425, 14 fig.
- Taylor, M. E., & R. M. Forester. 1979. Distributional model for marine isopod crustaceans and its bearing on early Paleozoic paleogeography and continental drift. Geological Society of America, Bulletin 90:405–413, 5 fig.
- Tchernysheva, N. E., ed. 1960. Chlenistonogie: Trilobitoobraznye i rakoobraznye [Arthropoda: Trilobitomorpha and Crustacea]. Osnovy Paleontologii [Fundamentals of Paleontology]. Akademija Nauk SSSR, Ministerstvo Geologij i Okhrany Nedr SSSR, Moscow. 515 p.
- , ed. 1971. Amginskii iarus Altai-Sayan'koi oblasti [The Amga Stage in the Altay-Sayan region]. Trudy Sibirskogo Nauchno-Issledovatel'skogo Instituta Geologii, Geofiziki i Mineral'nogo Syr'ya 111:1–267, fig. 1–10, pl. 1–25.
- . 1972. Novye rannekembriyskie trilobity Pamira [New early Cambrian trilobites from Pamira]. In Novye vidy drevnikh rastenij i bespozvonochnykh SSSR [New Species of Prehistoric Plants and Vertebrates of the USSR]. Akademija Nauk SSSR, Moscow. p. 211–214, fig. 6–9, pl. 53.
- . 1977. Novye rody trilobitov iz srednego Kembrija Tuvy i Sibirs'koj Platformy [New trilobite genera from the Middle Cambrian of Tuva and Siberian Platform]. In G. A. Stukalina, ed., Novye vidy drevnikh rastenij i bespozvonochnykh SSSR [New Species of Prehistoric Plants and Invertebrates of the USSR], vol. 4. Akademija Nauk SSSR, Moscow. p. 61–65.
- Tchernysheva, N. E., L. I. Egorova, L. V. Ogienko, O. K. Poletaeva, & L. N. Repina. 1956. Novye rody trilobitov [New genera of Trilobita]. Trudy Vsesoyuznogo Nauchnogo-Issledovatel'skogo Geologicheskogo Instituta (VSEGEI) (new series) 12:145–182, pl. 28–33.
- Teichert, Curt. 1944. Permian trilobites from western Australia. Journal of Paleontology 18:455–463, 1 fig., pl. 77.
- Teigler, D. J., & K. M. Towe. 1975. Microstructure and composition of the trilobite exoskeleton. Fossils and Strata 4:137–149, pl. 1–9.
- Temple, J. T. 1952. The ontogeny of the trilobite *Dalmanitina olini*. Geological Magazine 89:251–262.
- . 1975. Standardisation of trilobite orientation and measurement. Fossils and Strata 4:461–467, fig. 1.
- . 1980. A numerical taxonomic study of species of Trinucleidae (Trilobita) from the British Isles. Transactions of the Royal Society of Edinburgh, Earth Sciences 71:213–233, fig. 1–11.
- Temple, J. T., & R. P. Tripp. 1979. An investigation of the Encrinurinae (Trilobita) by numerical taxonomic methods. Transactions of the Royal Society of Edinburgh 70:223–250, fig. 1–7.
- Temple, J. T., & Hongji Wu. 1990. Numerical taxonomy of Encrinurinae (Trilobita): Additional species from China and elsewhere. Transactions of the Royal Society of Edinburgh, Earth Sciences 81:209–219, fig. 1–2.
- Theokritoff, George. 1985. Early Cambrian biogeography in the North Atlantic region. Lethaia 18:282–293, 3 fig.
- Thomas, A. T. 1977. Classification and phylogeny of homalonotid trilobites. Palaeontology 20:159–178, fig. 1, pl. 23–24.
- . 1978. British Wenlock Trilobites, Part 1. Palaeontographical Society, London, Monograph, vol. 132, p. 1–56, 7 fig., pl. 1–14.
- . 1979. Trilobite associations in the British Wenlock. In A. L. Harris, C. H. Holland, & B. E. Leake, eds., The Caledonides of the British Isles—reviewed. Special Publications of the Geological Society of London 8, p. 447–451, 3 fig., 1 pl.
- . 1981. British Wenlock trilobites, Part 2. Palaeontographical Society, London, Monograph, vol. 134, p. ix–xii, 57–99, fig. 8–10, pl. 15–25.
- Thomas, A. T., & D. J. Holloway. 1988. Classification and phylogeny of the trilobite order Lichida. Philosophical Transactions of the Royal Society of London, B. Biological Sciences 321:179–262, fig. 1–365.
- Thomas, A. T., & P. D. Lane. 1984. Autecology of Silurian trilobites. In M. G. Bassett & J. D. Lawson, eds., Autecology of Silurian Organisms, Special Papers in Palaeontology, no. 32, p. 55–69, fig. 1–2.
- Thomas, A. T., & G. M. Narbonne. 1979. Silurian trilobites from arctic Canada. Geological Magazine 116:1–19, fig. 1–2, pl. 1–5.
- Thomas, A. T., & R. M. Owens. 1978. A review of the trilobite family Aulacopleuridae. Palaeontology 21:65–81, fig. 1, pl. 7.
- Thorson, G. 1936. The larval development, growth, and metabolism of Arctic marine bottom invertebrates. Meddelelser om Grönland 100:155 p., 32 fig.
- Tillman, C. G. 1960. *Spathacalymene*, an unusual new Silurian trilobite genus. Journal of Paleontology 34:891–895, pl. 116.
- Toll, E. von. 1899. Beiträge zur Kenntnis des Sibirischen Cambrium. Imp. Akad. Nauk, Leningrad, Zap. (series 8) 8(10):1–57, fig. 1–9, pl. 1–8.
- Towe, K. M. 1973. Trilobite eyes: Calcified lenses in vivo. Science 179:1007–1009, fig. 1.
- . 1978. Do trilobites have a typical arthropod cuticle? Palaeontology 21:459–461.
- Travis, D. 1954. The molting cycle of the spiny lobster, *Panulirus argus* Latreille. I. Molting and growth in laboratory-maintained individuals. Biological Bulletin 107:433–450.
- Tripp, R. P. 1957. The trilobite *Enrinurus multisegmentatus* (Portlock) and allied Middle and Upper Ordovician species. Palaeontology 1:60–72, fig. 1, pl. 11–12.
- . 1962. The Silurian trilobite *Enrinurus punctatus* (Wahlenberg) and allied species. Palaeontology 5:460–477, fig. 1–2, pl. 65–68.
- Tripp, R. P., & W. R. Evitt. 1981. Silicified Lichidae (Trilobita) from the Middle Ordovician of Virginia. Geological Magazine 118:665–677, fig. 1–4, pl. 1–2.
- . 1983. Silicified trilobites of the genus

- Dimeropyge* from the Middle Ordovician of Virginia. Special Papers in Palaeontology 30:229–240.
- . 1986. Silicified trilobites of the family Asaphidae from the Middle Ordovician of Virginia. *Palaeontology* 29:705–724, fig. 1–7, pl. 54–57.
- Tripp, R. P., J. T. Temple, & K. C. Gass. 1977. The Silurian trilobite *Encrinurus variolaris* and allied species, with notes on *Frannmia*. *Palaeontology* 20:847–867, fig. 1–4, pl. 113–115.
- Troedsson, G. T. 1937. On the Cambro-Ordovician faunas of the western Quruq Tagh, eastern Tien-Shan. *Palaeontologica Sinica* (new series B, no. 2) 106:74 p., 10 pl.
- Tullberg, S. A. 1880. Om Agnostus-arterna i de kambriska aflagringarna vid Andrarum. *Sveriges Geologiska Undersökning* (series C) 42:1–38, pl. 1–2.
- Vermeij, G. J. 1978. Biogeography and adaptation. Patterns of marine life. Harvard University Press, Cambridge, Massachusetts. 332 p.
- Vogdes, A. W. 1917. Palaeozoic crustacea: The publications and notes on the genera and species during the past twenty years, 1895–1917. *Transactions of the San Diego Society of Natural History* 3(1):1–141, pl. 1–5.
- . 1925. A list of the genera and subgenera of the Trilobita. *Transactions of the San Diego Society of Natural History* 4:89–115.
- Wahlenberg, G. 1818. *Petrificata Telluris Svecanae. Nova Acta Regiae Societatis Scientiarum Upsaliensis* 8:1–116, pl. 1–4.
- Walch, J. E. I. 1771. Die Naturgeschichte der versteinerungen zur erläuterung der Knorrischen Sammlung von Merkwürdigkeiten der Natur. Nürnberg.
- Volume 3 of G. W. Knorr and J. E. I. Walch, 1768–1774.
- Walcott, C. D. 1879. The Utica Slate and related formations of the same geological horizon. *Transactions of the Albany Institute* 10:38 p.
- Author's extras were printed in 1879; the rest were printed in 1883.
- . 1881. The trilobite: New and old evidence relating to its organization. *Bulletin of the Museum of Comparative Zoology at Harvard College* 8(10):191–224, pl. 1–6.
- . 1884a. On the Cambrian faunas of North America. *United States Geological Survey, Bulletin* 10:285–354, pl. 1–10.
- . 1884b. Paleontology of the Eureka district. *United States Geological Survey, Monograph* 8:1–298, 7 fig., pl. 1–24.
- . 1885. Paleoozoic notes: New genus of Cambrian trilobites, *Mesonacis*. *American Journal of Science* (series 3) 29:328–330, fig. 1–2.
- . 1886. Second contribution to the studies on the Cambrian faunas of North America. *United States Geological Survey Bulletin* 30:369 p.
- . 1890a. Descriptive notes of new genera and species from the Lower Cambrian or *Olenellus* Zone of North America. *United States National Museum, Proceedings* 12:33–46.
- . 1890b. The fauna of the Lower Cambrian or *Olenellus* zone. In 10th Annual Report of the Director, 1888–1889, United States Geological Survey. p. 509–774, fig. 44–69, pl. 43–98.
- . 1905. Cambrian fauna of China. *Proceedings of the United States National Museum* 29:1–106.
- . 1906. Cambrian fauna of China. *Proceedings of the United States National Museum* 30:563–595.
- . 1910. Cambrian geology and paleontology, no. 6: *Olenellus* and other genera of the Mesonacidae. *Smithsonian Miscellaneous Collections* 53(6):231–422, 17 fig., pl. 23–44.
- . 1912a. Cambrian geology and paleontology II, no. 9: New York Potsdam-Hoyt fauna. *Smithsonian Miscellaneous Collections* 57(9):251–304, pl. 37–49.
- . 1912b. Cambrian geology and paleontology II, no. 10: Group terms for the Lower and Upper Series of formations. *Smithsonian Miscellaneous Collections* 57(10):305–307.
- . 1912c. Cambrian Brachiopoda. *United States Geological Survey, Monograph* 51:1–872 (vol. 1); 1–363, pl. 1–104 (vol. 2).
- . 1912d. The Sardinian Cambrian genus *Olenopsis* in America. *Smithsonian Miscellaneous Collections* 57(8):239–249, pl. 36.
- . 1913a. The Cambrian faunas of China. In *Research in China*, vol. 3. Carnegie Institute Publication 54:3–276, pl. 1–24.
- . 1913b. Cambrian geology and paleontology, no. 11: New Lower Cambrian subfauna. *Smithsonian Miscellaneous Collections* 57(11):309–326, pl. 50–54.
- . 1916a. Cambrian geology and paleontology III, no. 3: Cambrian trilobites. *Smithsonian Miscellaneous Collections* 64(3):157–258, pl. 24–38.
- . 1916b. Cambrian geology and paleontology III, no. 5: Cambrian trilobites. *Smithsonian Miscellaneous Collections* 64:303–457, pl. 45–67.
- . 1918. Cambrian geology and paleontology IV: The appendages of trilobites. *Smithsonian Miscellaneous Collections* 67:115–216.
- Wallerius, I. D. 1895. Undersökningar öfver zonen med Agnostus laevigatus i Västergötland. Gleerupska Universitets-Bokhandeln, Lund. 72 p.
- Wandås, B. T. G. 1984. The Middle Ordovician of the Oslo region, Norway, 33. Trilobites from the lowermost part of the Ogygiocaris Series. *Norske Geologisk Tidsskrift* 63(1983):211–267, fig. 1–8, pl. 1–13.
- Wang Yu, ed. 1964. *Handbook of Index Fossils of China, Huanan Region*. Geology Press, Beijing. 173 p., 92 pl.
- Wanner, A. 1901. A new species of *Olenellus* from the Lower Cambrian of York County, Pennsylvania. *Washington Academy of Sciences Proceedings* 3:267–272.
- Warburg, Elsa. 1925. The Trilobites of the Leptaena Limestone in Dalarne, with a discussion of the zoological position and the classification of the Trilobita. *Bulletin of the Geological Institute of the University of Uppsala* 17:vi + 1–446, fig. 1–23, pl. 1–11.
- . 1939. The Swedish Ordovician and Lower

- Silurian Lichidae. Kungliga Svenska Vetenskapsakademiens Handlingar (series 3) 17(4):1–162, 1 fig., 14 pl.
- Webby, B. D. & R. S. Nicoll, compilers. 1989. Australian Phanerozoic timescales 2: Ordovician biostratigraphic chart and explanatory notes. Bureau of Mineral Resources of Australia, Record 1989/32: 42 p.
- Weller, J. M. 1935. Adolescent development of *Ditomopyge*. Journal of Paleontology 9:503–513, fig. 1–31.
- . 1969. The Course of Evolution. McGraw-Hill Series in Population Biology. McGraw-Hill. New York, 696 p.
- Wells, J. W. 1942. Supposed color-markings in Ordovician trilobites from Ohio. American Journal of Science 240:710–713, 1 fig., 1 pl.
- Wenndorf, Klaus-Werner. 1990. Homalonotinae (Trilobita) aus dem Rheinischen Unter-Devon. Palaeontographica (Abt. A) 211:1–184, fig. 1–57, pl. 1–15.
- Westergård, A. H. 1922. Sveriges Olenidskiffer. Sveriges Geologiska Undersökning, Series Ca, no. 18:205 p., 39 fig., 16 pl.
- In Swedish and English.
- . 1936. *Paradoxides oelandicus* beds of Oland: With the account of a diamond boring through the Cambrian at Mossberga. Sveriges Geologiska Undersökning, Series C, no. 394, Årsbok 30, no. 1:1–66, 12 fig., 12 pl.
- . 1946. Agnostidae of the Middle Cambrian of Sweden. Sveriges Geologiska Undersökning, Series C, no. 477, Årsbok 40, no. 1: 1–140, fig. 1–2, pl. 1–16.
- . 1947. Supplementary notes on the Upper Cambrian trilobites of Sweden. Sveriges Geologiska Undersökning, Series C, no. 489, Årsbok 41, no. 8:1–34, 3 pl.
- . 1948. Non-agnostidean trilobites of the Middle Cambrian of Sweden. Sveriges Geologiska Undersökning, Series C, no. 498, Årsbok 42, no. 7:1–32, 1 fig., 4 pl.
- . 1950a. Non-agnostidean trilobites of the Middle Cambrian of Sweden (II). Sveriges Geologiska Undersökning, Series C, no. 511, Årsbok 43, no. 9: 56 p., pl. 1–8.
- . 1950b. *Opsidiscus*, a new name replacing *Aulacodiscus* Westergård, 1946. Geologiska Föreningens i Stockholm Forhandlingar 71:606.
- . 1953. Non-agnostidean trilobites of the Middle Cambrian of Sweden. Sveriges Geologiska Undersökning, Series C, no. 526, Årsbok 46, no. 2: 58 p., pl. 1–8.
- Westrop, S. R. 1983. The life habits of the Ordovician illaenine trilobite *Bumastoides*. Lethaia 16:15–24, fig. 1–4.
- . 1986a. Taphonomic versus ecologic controls on taxonomic relative abundance patterns in tempestites. Lethaia 19:123–132, fig. 1–11.
- . 1986b. Trilobites of Upper Cambrian Sunwaptan Stage, southern Canadian Rocky Mountains, Alberta. Palaeontographica Canadana 3:1–179, 39 fig., pl. 1–41.
- Westrop, S. R., & Rolf Ludvigsen. 1987. Biogeographic control of trilobite mass extinction at an Upper Cambrian “biomere” boundary. Paleobiology 13:84–99, fig. 1–11.
- Whitehouse, F. W. 1927. Notes accompanying an exhibit of fossils. Proceedings of the Royal Society of Queensland 39:vii–viii.
- . 1930. The geology of Queensland. Australasian Association for the Advancement of Science, Handbook for Queensland. Brisbane, p. 23–39.
- . 1931. Report of the Palaeontologists. Annual Report of the Queensland Department of Mines for 1930. Brisbane, p. 141.
- . 1936. The Cambrian faunas of north-Eastern Australia. Part 1: Stratigraphical outline; Part 2: Trilobita (Miomera). Memoirs of the Queensland Museum 11(1):59–112, fig. 1–4, pl. 8–10.
- . 1939. The Cambrian faunas of north-Eastern Australia. Part 3: The polymerid trilobites (with supplement no. 1). Memoirs of the Queensland Museum 11(3):179–282, unnumbered figures, pl. 19–25.
- Whittard, W. F. 1940. The Ordovician trilobite fauna of the Shelve-Corndon district, west Shropshire. Part I: Agnostidae, Raphiophoridae, Cheiruridae. Annals and Magazine of Natural History (series 2) 5:153–172, pl. 5–6.
- . 1955. The Ordovician Trilobites of the Shelve Inlier, Shropshire, Part 1. Palaeontographical Society, London, Monograph, vol. 109. p. 1–40, pl. 1–4.
- . 1960. The Ordovician trilobites of the Shelve Inlier, West Shropshire, Part IV. Palaeontographical Society, London, Monograph, vol. 113. p. 117–162, pl. 16–21.
- Whittington, H. B. 1941. Silicified Trenton trilobites. Journal of Paleontology 15:492–522, fig. 1–13, pl. 72–75.
- . 1949. *Dolichoharpes* and the origin of the harpid fringe. American Journal of Science 247:276–285, pl. 1–2.
- . 1950. Sixteen Ordovician genotype trilobites. Journal of Paleontology 24:531–565, fig. 1–9, pl. 68–75.
- . 1952a. The trilobite family Dionididae. Journal of Paleontology 26:1–11, fig. 1, pl. 1–2.
- . 1952b. A unique remopleurid trilobite. Breviora, Museum of Comparative Zoology, no. 4:1–9, 1 fig., 1 pl.
- . 1953. North American Bathyruridae and Leiostegiidae (Trilobita). Journal of Paleontology 27:647–678, fig. 1–5, pl. 65–69.
- . 1954a. Two silicified Carboniferous trilobites from West Texas. Smithsonian Miscellaneous Collections 122(10):16, 1 fig., pl. 1–3.
- . 1954b. Ordovician trilobites from Silliman's Fossil Mount. In A. K. Miller, Walter Youngquist, & Charles Collinson, Ordovician cephalopod fauna of Baffin Island. Geological Society of America Memoir 62. p. 119–149, pl. 59–63.
- . 1954c. Trilobita. In B. Kummel, ed., Status

- of invertebrate paleontology, 1953. Bulletin of the Museum of Comparative Zoology at Harvard College 112:193–200.
- . 1956a. Beecher's supposed odontopleurid protaspis is a phacopid. Journal of Paleontology 30:104–109, fig. 1–2.
- . 1956b. Type and other species of Odontopleuridae (Trilobita). Journal of Paleontology 30:504–520, fig. 1–4, pl. 57–60.
- . 1956c. Beecher's lichid protaspis and *Acanthopyge consanguinea* (Trilobita). Journal of Paleontology 30:1200–1204, fig. 1, pl. 131.
- . 1956d. Silicified Middle Ordovician trilobites: The Odontopleuridae. Bulletin of the Museum of Comparative Zoology at Harvard College 114(5):155–288, 25 fig., 24 pl.
- . 1957a. Ontogeny of *Elliptocephala*, *Paradoxides*, *Sao*, *Blainia*, and *Triarthrus* (Trilobita). Journal of Paleontology 31:934–946, pl. 115–116.
- . 1957b. The ontogeny of trilobites. Biological Reviews 32:421–469, 29 fig.
- . 1958. Ontogeny of the trilobite *Peltura scarabaeoides* from Upper Cambrian, Denmark. Palaeontology 1:200–206, pl. 38.
- . 1959a. Silicified Middle Ordovician trilobites: Remopleurididae, Trinucleidae, Raphiophoridae, Endymionidae. Bulletin of the Museum of Comparative Zoology at Harvard College 121(8):371–496, 8 fig., 36 pl.
- . 1959b. Ontogeny of Trilobita. In R. C. Moore, ed., Treatise on Invertebrate Paleontology, Part O. Geological Society of America & The University of Kansas Press. New York & Lawrence, Kansas. p. 127–144, fig. 86–106.
- . 1960a. *Cordania* and other trilobites from the Lower and Middle Devonian. Journal of Paleontology 34:405–420, fig. 1, pl. 51–54.
- . 1960b. Trilobita. In McGraw-Hill Encyclopedia of Science and Technology. McGraw-Hill Book Company. New York. p. 102–106, fig. 1–4.
- . 1961a. Silurian *Hemiarges* (Trilobita) from Cornwallis Island and New York State. Journal of Paleontology 35:433–444, pl. 55–57.
- . 1961b. Middle Ordovician Pliomeridae (Trilobita) from Nevada, New York, Quebec, Newfoundland. Journal of Paleontology 35:911–922, fig. 1–5, pl. 99–102.
- . 1963. Middle Ordovician trilobites from Lower Head, western Newfoundland. Bulletin of the Museum of Comparative Zoology 129(1):1–118, 6 fig., 36 pl.
- . 1964. Taxonomic basis of paleoecology. In John Imbrie & N. D. Newell, eds., Approaches to Paleoecology. John Wiley & Sons. New York, London, & Sydney. p. 19–27.
- . 1965. Trilobites of the Ordovician Table Head Formation, western Newfoundland. Bulletin of the Museum of Comparative Zoology 132(4):275–442, 7 fig., 68 pl.
- . 1966. Phylogeny and distribution of Ordovician trilobites. Journal of Paleontology 40:696–737, fig. 1–16.
- . 1971. A new calymenid trilobite from the Maquoketa Shale, Iowa. In J. Thomas Dutro, Jr., ed., Paleozoic Perspectives: A Paleontological Tribute to G. Arthur Cooper. Smithsonian Contributions to Paleobiology, no. 3. Smithsonian Institution Press. Washington, D.C. p. 129–136, 1 fig., 2 pl.
- . 1975. Trilobites with appendages from the Middle Cambrian, Burgess Shale, British Columbia. Fossils and Strata 4:97–136, fig. 1–31, pl. 1–25.
- . 1977. The Middle Cambrian trilobite *Naraoia*. Burgess Shale, British Columbia. Philosophical Transactions of the Royal Society of London (series B) 280:409–443, fig. 1–99.
- . 1980a. Exoskeleton, moult stage, appendage morphology, and habits of the Middle Cambrian trilobite *Olenoides serratus*. Palaeontology 23:171–204, fig. 1–16, pl. 17–22.
- . 1980b. The significance of the fauna of the Burgess Shale, Middle Cambrian, British Columbia. Proceedings of the Geologists Association, London 91:127–148, 12 fig., 4 pl.
- . 1981. Paedomorphosis and cryptogenesis in trilobites. Geological Magazine 118:591–602, fig. 1, pl. 1–2.
- . 1985. *Tegopelte gigas*, a second soft-bodied trilobite from the Burgess Shale, Middle Cambrian, British Columbia. Journal of Paleontology 59:1251–1274, fig. 1–17.
- . 1988a. Hypostomes and ventral cephalic sutures in Cambrian trilobites. Palaeontology 31:577–609, fig. 1–20, pl. 52–55.
- . 1988b. Hypostomes of post-Cambrian trilobites. New Mexico Bureau of Mines and Mineral Resources, Memoir 44:321–339, 26 fig.
- . 1989. Olenelloid trilobites: Type species, functional morphology and higher classification. Philosophical Transactions of the Royal Society of London (series B) 324:111–147, fig. 1–54.
- . 1990. Articulation and exuviation in Cambrian trilobites. Philosophical Transactions of the Royal Society of London (Series B, Biological Sciences) 329:27–46, 31 fig.
- . 1993a. Anatomy of the ordovician trilobite *Placoparia*. Philosophical Transactions of the Royal Society of London (Series B, Biological Sciences) 339:109–118, 9 fig.
- . 1993b. Morphology, anatomy and habits of the Silurian homalonotid trilobite *Trimerus*. Memoirs of the Association of Australasian Palaeontologists 15:69–83, 10 fig.
- . 1994. Burlingiids, small proparian Cambrian trilobites of enigmatic origin. Palaeontology 37:1–16, 1 fig., pl. 1–4.
- . 1997. Illaenidae (Trilobita): Morphology of thorax, classification, and mode of life. Journal of Paleontology 71:878–896.
- Whittington, H. B., & J. E. Almond. 1987. Appendages and habits of the Upper Ordovician trilobite *Triarthrus eatoni*. Philosophical Transactions of the Royal Society of London (series B) 317:1–46, fig. 1–43.
- Whittington, H. B., & D. E. G. Briggs. 1985. The

- largest Cambrian animal, *Anomalocaris*, Burgess Shale, British Columbia. Philosophical Transactions of the Royal Society of London (series B) 309:569–609, fig. 1–108.
- Whittington, H. B., & K. S. W. Campbell. 1967. Silicified Silurian trilobites from Maine. Bulletin of the Museum of Comparative Zoology 135(9):447–483, 10 fig., 19 pl.
- Whittington, H. B., & W. R. Evitt. 1954. Silicified Middle Ordovician trilobites. Geological Society of America, Memoir 59:1–137, fig. 1–27, pl. 1–33.
- Whittington, H. B., & C. P. Hughes. 1972. Ordovician geography and faunal provinces deduced from trilobite distribution. Philosophical Transactions of the Royal Society of London (series B) 263:235–278, 12 fig.
- . 1973. Ordovician trilobite distribution and geography. In N. F. Hughes, ed., Organisms and Continents Through Time. Special Papers in Palaeontology, no. 12:235–240, fig. 1–2.
- . 1974. Geography and faunal provinces in the Tremadoc Epoch. In Charles A. Ross, ed., Paleogeographic Provinces and Provinciality. Society of Economic Paleontologists and Mineralogists, Special Publication 21:203–218, 5 fig.
- Whitworth, P. H. 1970. Ontogeny of the Upper Cambrian trilobite *Leptoplastus crassicornis* (Westergaard) from Sweden. Palaeontology 13:100–111, fig. 1–2, pl. 22–24.
- Wilde, P. 1991. Oceanography in the Ordovician. In C. R. Barnes & S. H. Williams, eds., Advances in Ordovician Geology, Geological Survey of Canada, Paper 90-9:283–298, fig. 1–6.
- Williams, J. S. 1930. A color pattern on a new Mississippian trilobite. American Journal of Science (series 5) 20:61–64, 1 fig.
- Wilmot, N. V. 1990a. Cuticular structure of the agnostine trilobite *Homagnostus obesus*. Lethaia 23:87–92, fig. 1–2.
- . 1990b. Primary and diagenetic microstructures in trilobite exoskeletons. Historical Biology 4:51–65, 6 fig.
- . 1990c. Biomechanics of trilobite exoskeletons. Palaeontology 33:749–768, fig. 1–11.
- . 1991. Sensory field maps of proetide trilobites. Transactions of the Royal Society of Edinburgh, Earth Sciences 82:183–193, fig. 1–9.
- Wilmot, N. V., & A. E. Fallick. 1989. Original Mineralogy of trilobite exoskeletons. Palaeontology 32:297–304, fig. 1–2.
- Wilson, J. L. 1957. Geography of olenid trilobite distribution and its influence on Cambro-Ordovician correlation. American Journal of Science 255:321–340, fig. 1–3.
- Wilson, J. T. 1966. Did the Atlantic close and then reopen? Nature 211:676–681, fig. 1–5.
- Winchell, N. H. 1873. Potsdam Sandstone. Minnesota Geological and Natural History Survey, First Annual Report (1872). p. 68–80.
- . 1886. Revision of the stratigraphy of the Cambrian in Minnesota. Minnesota Geological and Natural History Survey, Fourteenth Annual Report (1885). p. 325–337.
- Wolfart, Reinhard. 1968. Die trilobiten aus dem Devon von Boliviens und ihre Bedeutung für Stratigraphie und Tiergeographie. In Reinhard Wolfart & Adolf Voges, Beiträge zur Kenntnis des Devons von Bolivien. Beihefte zum Geologischen Jahrbuch 74:5–201, 8 fig., 29 pl.
- . 1974. Die fauna (Brachiopoda, Mollusca, Trilobita) des älteren Ober-Kambriums (Ober-Kushanian) von Dorah Shah Dad, Südost-Iran, und Surkh Bum, Zentral-Afghanistan. Geologischen Jahrbuch B8:71–184, fig. 9–16, pl. 10–27, table 2.
- Woodward, H. 1884. Note on the remains of trilobites from South Australia. Geological Magazine (new series, decade 3) 1:372–374.
- Xiang, Liwen. 1991. On the Middle/Upper Cambrian boundary of China. In Zunyi Yang, ed., Stratigraphy and Palaeontology of China 1. Geological Publishing House. Beijing. p. 199–210.
- Xiang, Liwen, Shanji Li, Runshan Nan, Zhenming Guo, Jialu Yang, Guoqiang Zhou, Taixiang An, Kexing Yuan, & Yi Qian. 1979. The Cambrian System of China. In Chinese Academy of Geological Sciences, Second All-China Stratigraphic Congress, 1979, Stratigraphy of China (Abstract). p. 6–9.
- Xiang, Liwen & others. 1981. Stratigraphy of China, 4. The Cambrian System of China. Geological Publishing House. Beijing. 198 p., 12 pl.
- In Chinese.
- Xiang, Liwen, & Tairong Zhang. 1985. Stratigraphy and trilobite faunas of the Cambrian in the western part of northern Tianshan, Xinjiang. Ministry of Geology and Mineral Resources, Geological Memoirs (series 2) 4:1–243, fig. 1–30, pl. 1–52, table 1–6.
- In Chinese with an English summary.
- Yang, Guisen. 1981. Notes on a Lower Cambrian Trilobite. Journal of Geological College of Xian, China 1:78–81, pl. 21.
- Yang, Jialu. 1978. Middle and Upper Cambrian trilobites of western Hunan and eastern Guizhou. Chinese Academy of Geological Sciences, Professional Papers of Stratigraphy and Palaeontology 4:1–83, pl. 1–13.
- In Chinese.
- Yin, Gongzheng, & Sanji Li. 1978. Trilobita. In Palaeontological Atlas of Southwest China. Part 1: Guizhou volume. Geological Publishing House. Beijing. p. 385–594, pl. 143–192.
- In Chinese.
- Young, G. C. 1995. Cladistics—Application or non-application in paleontology. Memoirs of the Association of Australasian Palaeontologists 18:1–20, 8 fig.
- Yuan, Jinliang. 1988. Proetiden aus dem jüngeren Oberdevon von Süd-China. Palaeontographica (Abt. A) 201:1–102, fig. 1–46, pl. 1–15.
- Zapasnik, H. T., & P. A. Johnston. 1984. Replication in plastic of three-dimensional fossils preserved in indurated clastic sedimentary rocks. Science 224:1425–1427, fig. 1–2.
- Zhang, Jinlin. 1985. New materials of the early

- Gushanian trilobites in Zhouzishan district, Nei Mongol Zizhiqu (Autonomous region). Tianjin Institute of Geology and Mineral Resources, Bulletin 13:111–120, pl. 1.
- Zhang, Jinlin, & Shaolin Wang. 1985. Trilobita. In Tianjin Institute of Geology & Mineral Resources, ed., Palaeontological Atlas of North China 1: Paleozoic Volume. Geological Publishing House. Beijing. p. 327–488, pl. 103–147.
- In Chinese.
- . 1986. Some Late Cambrian Kushanian trilobites from Pinglu, Shanxi. Acta Palaeontologica Sinica 25(6):663–671, pl. 1–3.
- Zhang, Wentang [see also Chang, Wentang]. 1953. Some Lower Cambrian trilobites from western Hupei. Acta Palaeontologica Sinica 1:121–149, pl. 1–4.
- , ed. 1964. Atlas of Palaeozoic fossils of northern Guizhou. Nanjing Institute of Geology and Palaeontology, Academia Sinica. p. 1–41, pl. 1–20.
- . 1980. On the Miomera and Polymera (Trilobita). Scientia Sinica 23(2):223–234, pl. 1.
- . 1987. Early Cambrian Chengjiang fauna and its trilobites. Acta Palaeontologica Sinica 26:223–235, pl. 1–2.
- . 1989. World Cambrian biogeography. Developments in Geoscience, Chinese Academy of Sciences, Contribution to 28th International Geological Congress, 1989, Washington, D.C. Science Press. Beijing. p. 209–220, 4 fig.
- Zhang, Wentang [see also Chang, Wentang], & Xianguang Hou. 1985. Preliminary notes of the occurrence of the unusual trilobite *Naraovia* in Asia. Acta Palaeontologica Sinica 24:591–595, fig. 1, pl. 1–4.
- In Chinese, with English summary.
- Zhang, Wentang [see also Chang, Wentang], & P. A. Jell. 1987. Cambrian trilobites of North China: Chinese Cambrian trilobites housed in the Smithsonian Institution. Science Press. Beijing. xvi + 459 p., 23 fig., 125 pl.
- Zhang, Wentang [see also Chang, Wentang], Huanling Lin, Hongji Wu, & Jinliang Yuan. 1980. Cambrian stratigraphy and trilobite fauna from the Zhongtiao Mountains, southern Shanxi. Nanjing Institute of Geology and Palaeontology, Memoir 16:39–110, pl. 1–11.
- In Chinese, with English summary.
- Zhang, Wentang [see also Chang, Wentang], Yanhao Lu, Zaoling Zhu, Yiyuan Qian, Huanling Lin, Zhiyi Zhou, Sengui Zhang, & Jinliang Yuan. 1980. Cambrian trilobite faunas of southwestern China. Palaeontologica Sinica 159 (new series B, no. 16):1–497, 105 fig., 134 pl.
- In Chinese, with English summary.
- Zhang, Wentang [see also Chang, Wentang], & Jinliang Yuan. 1981. Trilobites from the Hsuchuang Formation (lower Middle Cambrian) in western marginal parts of the North China platform. Geological Society of America, Special Paper 187:161–175, pl. 1–3.
- Zhang, Xiguang. 1987. Molt stages and dimorphism of Early Cambrian bradoriids from Xichuan, Henan, China. Alcheringa 11:1–19.
- . 1989. Ontogeny of an Early Cambrian eodiscid trilobite from Henan, China. Lethaia 22:13–29, fig. 1–12.
- Zhang, Xiguang, & E. N. K. Clarkson. 1990. The eyes of Lower Cambrian eodiscid trilobites. Palaeontology 33:911–932, fig. 1–9, pl. 1–4.
- . 1993. Ontogeny of the eodiscid trilobite *Shizhudiscus longquanensis* from the Lower Cambrian of China. Palaeontology 36:785–806, 8 fig., pl. 1–2.
- Zhao, Yuanlong, Jianquan Mao, Youzhuang Huang, & Jianwei Liu. 1984. Trilobites of the Lower Cambrian Huanglianba Formation from Zhongxin of Kaiyang, Guizhou. Acta Palaeontologica Sinica 23(6):755–763, pl. 1–2.
- In Chinese, with English abstract.
- Zhou, Zhiqiang, & K. S. W. Campbell. 1990. Devonian phacopacean trilobites from the Zhusilenhaiherhan region, Ejin Qi, western Inner Mongolia, China. Palaeontographica (Abt. A) 214:57–77, fig. 1–8, pl. 1–6.
- Zhou, Zhiqiang, Jinseng Li, & Xinguo Qu. 1982. Trilobita. In Paleontological Atlas of northwest China, Shaanxi-Gansu-Ningxia Volume. Part 1: Precambrian and Early Paleozoic. Geological Publishing House. Beijing. p. 215–294, pl. 57–72.
- In Chinese.
- Zhou, Zhiyi. 1987. Notes on the Chinese Ordovician agnostids. Acta Palaeontologica Sinica 26(6):639–661.
- In Chinese, with English summary.
- Zhou, Zhiyi, & W. T. Dean. 1989. Trilobite evidence for Gondwanaland in east Asia during the Ordovician. Journal of Southeast Asian Earth Sciences 3:131–140.
- Zhu, Zhaoling [see also Chu, Chaoling], & Huanling Lin. 1983. Some early Cambrian trilobites from the Xidashan Formation of Kuruktag, Xinjiang. Acta Palaeontologica Sinica 22(1):21–30, pl. 1–2.
- In Chinese, with English summary.
- Zhuravleva, I. T., & others. 1979. Biostatigrafija i paleontologiya nizhnego Kembriya Sibiri [Lower Cambrian biostratigraphy and palaeontology of Siberia]. Trudy Instituta Geologii i Geofizikii Akademii Nauk SSSR, Sibirskoe Otdelenie 406:1–160, pl. 1–16.
- Ziegler, A. M., C. R. Scotese, W. S. McKerrow, M. E. Johnson, & R. K. Bambach. 1979. Paleozoic palaeogeography. Annual Review of Earth and Planetary Sciences 7:473–502, 8 fig.

INDEX

- A**
 Abadiella 461
ABADIELLIDAE 461
 Abakolia 392
 abathochroal eye 116, 128
 abaxial 2
 absence of median or connective sutures 37
Acadagnostus 362
 Acadoparadoxides 472, 474, 476
ACANTHAGNOSTIDAE 371
 Acanthagnostus 371
 accessory furrows 59, 64
 Acidiscus 392
 Acidusus 350
 Acimetopus 392
 Acmarachis 334, 349
 acrolobe 11, 64
 acron 133, 135
 Aculeodiscus 401
 Acuraspis 404
 Acutatagnostus 333, 340
 adaxial 2
 adult molt assemblage 154
 adult-like larva 196
 adult-like protaspis 187
 Agnostardis 334, 348
 Agnostascus 334, 347
AGNOSTIDA 331, 384
 instar 216
AGNOSTIDAE 333, 334, 336, 337, 339
AGNOSTINA 325, 331, 332, 333, 335, 384, 385, 404
 classification 331
 mode of life 137, 213
 protaspis 213, 215
 systematic position 294
AGNOSTINAE 333, 334, 339
AGNOSTINI 331, 332
 Agnostoglossa 344
 Agnostogonus 337, 377
 agnostoid 56
AGNOSTOIDEA 332, 333, 339
 Agnostonymus 352
 Agnostenes 334, 336, 366, 367
 Agnostus 332, 333, 334, 335, 339
 Aistagnostus 334, 349
 Akbashichia 468
 ala 18
Alaskadiscus 399
 Alemtejoia 389
 alimentary canal infilling of 99
 alimentary diverticulae 100
 alimentary tract 107
Allobodochus 352
AMMAGNOSTINAE 333, 334, 344
 Ammagnóstus 334, 344
- Anabaraceps 475
Anabaraspis 475
 Anadoxides 459
ANADOXIDIDAE 459
 Analox 392
 anaprotaspis 183
 Andalusiana 414
Anglagnostus 373
 Angusteva 404
 Angustolenellus 408
ANOMOCAROIDEA
 protaspis 227
 Anopolenus 478, 479
 antenna 87, 90, 97, 137
 antennal segment 133
 anterior band 47
 anterior border 20
 anterior branch 24
 anterior cephalic border 20
 anterior fixigenal spine 23, 184
 anterior flange 51
 anterior gap 72
 anterior ocular line 26
 anterior pleural ridge 54, 55
 anterior section 24
 anterior wing 28, 41
 anteroaxis 59
 anteroglabella 7
 anteromedian depression 8
Aotagnostus 354
 aplanatic lens 124
 apodemal pit 44
 apodeme 7, 44, 101
 appendages 289
 phosphatization of 168
Archaeagnostus 338, 377
ARCHEAESPIDIIDAE 405, 422
ARCHEAESPIDIINAE 422
 Archaeaspis 422
 Archaeops 438
 Arcuolenellus 409
 Aristarius 354
 Armagnostus 338, 377
 arterial system 100
ARTHGORHACHIDAE 373
 Arthrorhachis 373
 articulating furrow 3, 43, 56
 articulating half ring 43, 56
 articulation 3, 50
 asaphid 25
ASAPHIDA
 meraspis 229
 asaphid 227, 301
 asaphid protaspides 228
ASPIDAGNOSTINAE 337, 372
 Aspidagnostus 372
 assemblages 163
 associations 163
 Astenaspis 466
- Asthenaspis 466
 asymmetrical 150
 atheloptic 163, 267, 286
AULACODISCIDAE 400
 Aulacodiscus 401
Australaspis 456
 autochthonous assemblage 167
 Axagnostus 362
 axial articulating process 56
 axial cephalic musculature 105
 axial furrow 3, 5
 axial glabellar carina 8
 axial glabellar node 8
 axial process 51, 68
 axial ring 43
 axial socket 51, 68
 axial spine 44
 axiolobate 59
- baccula 18, 259
 bacular furrow 18
Balcoracania 429
Baltagnostus 335, 364
Baltoparadoxides 474
 band furrow 5
Barrandagnostus 347
Bathydiscus 393
 bathyurid 146
Battus 339
 behavioral asymmetry 159
Beishanella 478
Belliceps 467
 benthic 144
 Bertillon pattern 82
Biceratops 409
BICERATOPSINAE 409
 bilaminar pitted fringe 145
 biofacies
 and evolution 275
 Cambrian 273
 Carboniferous 275
 Devonian 274
 Permian 275
 Silurian 274
 biogeography 166
 biomechanics 84
 biomere 164, 165, 282
 biostratigraphy
 Australia 324
 China 323
 Iberia 321
 Kazakhstan 323
 Laurentia 321, 322
 Lower Cambrian 405
 Morocco 321
 Scandinavia 321
 Siberian Platform 322
Biragnostus 372
 biramous appendage 90

- biramous limb 97
 biramous series of limbs 141
 blindness 129, 255
Blystagnostus 338, 377
Blackwelderia 323
 body
 clusters 159
 cross section 140, 141
Bolbolenellus 409
Bolboparia 393
Bondonella 426
 border 21
 border furrow 62
 border sector 27
 border spine 65
Bornemannaspis 432
Bradyfallotaspis 423
Breviagnostus 356
BREVIDISCINAE 390
Brevidiscus 390
Breviredlichia 432
Bristolia 409
BRISTOLIINAE 409
Buenellus 428
Bulaiaspis 384, 467
 bulla 7, 241
 bullar lobe 7, 258
 bumastoid stance 250, 266
 burlingiiform 25
 burrow 142
 burrowing 148
 burrowing habit 250

 caesura 123
Calagnostus 368
Callavia 416
CALLAVIIDAE 414, 416
CALLAVIINAE 414, 416, 423
CALODISCIDAE 386, 390
CALODISCINAE 390
Calodiscus 390
CALYMININA
 meraspis 238
 protaspis 234
 Cambrian faunal realms 276
Cambropallas 414
 canal 77
CANOTAGNOSTIDAE 350
Canotagnostus 350
 Carboniferous and Permian
 cosmopolitan genera 282
 carcass 158, 180
 carina 8
 cedariidiform 25
 cell polygon 82
Cenagnostus 383
Centropleura 478, 479
CENTROPLEURIDAE 478
 cephalic border 20
 anterior arch 141
 cephalic groove 71
 cephalic segmentation 292

 cephalic suture 24, 291
 primary role in exuviation 158
 cephalon 3, 134
Cephalopyge 393
 cephalothoracic aperture 56, 113,
 138, 297
Ceratagnostus 359
 cerci 90, 92
Chaoaspis 441
Chatkalagnostus 374
CHEIRURINA
 protaspis 231
Chelediscus 384, 390
Chengjiangaspis 441
CHENGKOUASPIDAE 467
Chengkuoaspis 467
Choubertella 422
Churkinia 459
Ciceragnostus 338, 377
 circumocular suture 13, 255, 299
Cirquella 428
 cladogenesis
 Lower Cambrian 282
 Lower Ordovician 283
 Silurian to Devonian 284
Clarella 479, 481
Clariondria 456
CLAVAGNOSTIDAE 333, 337
 371
CLAVAGNOSTINAE 337, 371
Clavagnostotes 383
 clusters 185
 coaptation 68
 coaptive devices 141
 evolution 270
Cobboldia 391
Cobboldites 393
 communities 162
 compaction 168
 complete enrollment 67, 147
 composite lateral lobe 7
 concave-dorsal flexure 147
Condylopyge 332, 383
CONDYLOPYGENAE 383
CONDYLOPYGIDAE 332, 333,
 337, 383, 404
CONDYLOPYGOIDEA 332,
 333, 383
Connagnostus 334, 349
 connective suture 25, 27
CONOCORYPHIDAE 129
Conoredlichia 430
 conterminant hypostome 25, 34,
 41, 260, 261, 263, 300
 primitive or secondary 261
 specialized 263
 convexity 250
Corrugagnostus 337, 375
CORYNEXOCHIDA 404
CORYNEXOCHIDAE 404
CORYNEXOCHINA
 instar 220

 protaspis 220
Costadiscus 392
Cotalagnostus 356
 coxa 87, 90
 cranidium 5
Criotypus 352
Cristagnostus 336, 365
Cruziana 150
Culipagnostus 371
 current sorting 166
 cuticle
 canal 76
 lamination 75
 thickness 75
Cyclagnostus 349
CYCLOPAGNOSTIDAE 355
CYCLOPAGNOSTINAE 355
Cyclopagnostus 356
 cylindrical 68

DAGUINASPIDAE 418, 420
DAGUINASPIDIDAE 418, 420
DAGUINASPIDINAE 405, 420
Daguinaspis 420
 dalmanitidiform 25
Danagouia 462
Dawsonia 400
DAWSONIIDAE 400
DAWSONIIDEA 386
Delagnostus 337, 377
Delgadella 388
Delgadodiscus 389
Delgadoia 389
DELGADOIIINAE 387
 deliquiate 333
Deltadiscus 400
Denagnostus 368
 derived group 261
Despujolsia 454
DESPUJOLSIIDAE 454
DESPUJOLSIINAE 454
 deuterolobe 59, 64
 Devonian atheloptic fauna 281
 Devonian faunal realms 280
 diagenesis 168
DICERODISCINAE 387
Dicerodiscus 389
Dichagnostus 383
 digestive caeca 100
 digestive gland 145
Dignagnostus 337, 381
 dimorphic 60
 dimorphism 161, 184
Dipharus 403
DIPLAGNOSTIDAE 333, 334,
 335, 336, 337, 362
DIPLAGNOSTINAE 334, 335,
 336, 362
Diplagnostus 335, 336, 337, 362
Diplorrhina 335, 360
Discagnostus 338, 383, 404
Discomesites 403

- Distagnostus 333, 342
 Dividuagnostus 375
 DOLEROLENIDAE 444
 DOLEROLENINAE 444
 Dolerolenus 444
 Dolerolichia 456
 Dolichagnostus 335, 364
 dome 77
 Dongshania 430
 DORYAGNOSTINAE 335, 358
 Doryagnostus 359
 doublural plate 26
 doublure 4, 48, 59, 66, 67
 doublure sector 27
 Drepanopyge 446
 Drepanuroides 446
 Drepanura 323
 drifting 139
 Eccaparadoxides 472, 476
 effaced 142
 effacement 266
 eggs 185
 Egyngolia 400
 Ekwipagetia 400
 Elegestina 469
 Elganellus 470
 ELLIPSOCEPHALIDAE 325
 protaspis 225
 ELLIPSOCEPHALOIDEA 325,
 404, 429
 Elliptocephala 414
 ELLIPTOCEPHALINAE 414
 Emeidiscus 387
 Emuella 429
 EMUELLIDAE 429
 EMUELLOIDEA 429
 protaspis 218
 en grande tenue 334
 Enantiaspis 459
 endemics 277, 279, 280
 endemism
 and paleogeography 276
 in Cambrian 277
 endite 92, 95, 97, 139, 152
 endoskeletal bar 103, 110
 Enetagnostus 362
 enrollment 103, 140, 147
 entomaspidiform 26
 Eoagnostus 356
 EODISCIDAE 385, 386, 400
 EODISCIDEA 386
 EODISCIDI 383
 EODISCINA 338, 383, 384
 eodiscoid protaspis 215
 Eodiscoidea 386
 EODISCOIDEA 384, 385, 386,
 404
 Eodiscus 400
 Eofallotaspis 418
 Eolotagnostus 333, 341
 Eomalungia 470
 Eopagetia 402
 Eoparadoxides 472
 Eops 458
 Eoredlichia 437, 439, 440, 441,
 461, 462
 epifacetal pleural furrow 47, 55,
 299
 epipalbral furrow 13
 epipelagic 143, 144
 Esmeraldina 414
 EUAGNOSTINAE 355
 Euagnostus 356
 Euplethagnostus 368
 euptychopariid 27
 Eurudagnostus 343
 evolutionary trend 72
 exfoliated specimen 3
 exoskeletal spine 144
 exoskeleton
 evolutionary change in shape,
 convexity 250
 exsagittal 2
 extension of the body 103
 external dorsal muscles 105
 extinction 279
 extinction
 end-Ordovician 279, 284
 Middle to Late Devonian 285
 extrinsic limb musculature 111
 exuviae 157
 decay series of 158
 exuviation 160
 inverted arrangement 153
 eye 255
 fusion 270
 reduction 130, 132
 eye lens
 composition 119
 optics 119
 structure 119
 eye lobe 5, 12
 eye loss, blindness 270
 eye ridge 12, 14, 255
 eye socle 12
 eye socle furrow 12
 facet 47
 facial line 15
 facial suture 5, 12, 24
 fused 28, 154
 Fallagnostus 383
 Fallotaspida 423
 FALLOTASPIDIDAE 405, 418
 FALLOTASPIDINAE 405, 418
 FALLOTASPIDOIDEA 405, 418
 Fallotaspis 418
 family groups 289
 Fandianaspis 470
 faunal province 165
 faunal realm 165
 fenestrae 54, 59, 101
 fibular furrow 67
 filament 97
 filter feeding 151
 fixigena 5
 fixigenal 20
 flange 51, 53, 54
 Formosagnostus 336, 344
 fossette 114
 fossula 5, 12, 41, 133, 134
 fossular apodeme 29, 34
 Fremontella 408
 Fremontia 408
 FREMONTIINAE 407, 409
 fringe 22, 70
 frontal cephalic process 157
 frontal lobe 7
 segments 132, 133
 frontal organ 113
 frontal process 23, 145
 frontal spine 23
 fronto-median glabellar lobe 7
 fulcral process 53, 54, 68
 fulcral prong 56
 fulcral socket 53, 54
 fulcral swelling 54, 55
 fulcrate 22, 50, 56, 67
 fulcrate socket 68
 fulcrum 22, 46, 56
 Fuminaspis 459
 furrow 3
 GABRIELLINAE 411
 Gabriellus 412
 gait 111
 Galbagnostus 375
 Gallagnostoides 338, 383
 Gallagnostus 338, 377
 Galloredlichia 438
 gena 3
 genal caeca 15, 100, 151
 genal field 11
 genal region
 muscle scar 110
 genal ridge 15
 genal spine 23, 255
 genicranium 26
 geographical distribution 165
 Geragnostella 375
 GERAGNOSTIDAE 337, 373
 Geragnostus 334, 375
 Geraldinella 423
 Geratrinodus 375
 Gigantopygidiae 451
 Gigantopyginae 451
 Gigantopygus 451
 Girvanagnostus 373
 glabella 5
 glabellar culmination 7
 glabellar furrow
 effacement 258
 glabellar lobe
 inflation 258
 glabellar segmentation 132

- Glaberagnostus 337, 377
 Glabrella 404
 GLYPTAGNOSTIDAE 333, 339
 GLYPTAGNOSTINAE 333, 334,
 336, 337, 347
 glyptagnostoid 56
 Glyptagnostes 336, 368
 Glyptagnostus 334, 347
 gnathobase 87, 90, 95
 gonatoparian 20
 Goniagnostus 350
 Goniodiscus 390
 Grandagnostus 337, 338, 378
 Granulagnostus 375
 granulation 79
 Granuloagnostus 376
 Gratagnostus 335, 361
 grazing trail 149
 gripping sediment 148
 groove 54
 grooved recess 51
 growth increments between molts
 208
 growth stage 219
 Guangyuaspis 461
 Guangyuania 470
 Guizhoudiscus 387
 Gymnagnostus 341

 Hadragnostus 344
 hanging stance 99
 Harpina 129
 Hastagnostidae 333
 Hastagnostus 338, 379
 HEBEDISCIDAE 386, 387
HEBEDISCINA 400
 HEBEDISCINAE 387
 Hebediscus 387
 Helepagetia 401
 heterochronic changes 183, 201
 heterochronic evolution 201, 205
 heterochronic patterns 203, 204
 heterochrony 174, 177, 203, 259,
 271
 Hoeferia 430
 holaspid period 173, 195
 holaspis 1, 175, 184
 Holmia 414
 Holmiella 415
HOLMIIDAE 405, 413, 414,
 416, 423
HOLMIINAE 414, 416, 418,
 420, 423, 425
 holochroal eyes 115, 117, 124
 Homagnostoides 376
 Homagnostus 333, 339
 homalonotid 58
 Hongshiyuanaspis 459
 Huarpagnostus 350
 hunting burrow 148
 hunting trail 149
 Hupeidiscus 387

 Hydrocephalus 476
 Hypagnostinae 355
 Hypagnostus 334, 356
 Hyperagnostus 368
 hypermorphosis 294
 hypertrophied eye 255
 hypostomal fork 263
 hypostomal sculpture 263
 hypostomal suture 27, 34
 fused 220
 hypostome 4, 28, 87, 107, 152
 function of modifications 264
 in Agnostina 33
 muscle scars 107

ICHANGIIDAE 325
 Idolagnostus 334, 336, 349
 Iglesiella 432
ILLAENIDAE 141, 142
 illaenimorph 142, 266
ILLAENINA
 adult-like 222
 meraspis 222
 protaspis 222
 impendent hypostome 40, 260,
 261
 Inella 467
 infestation by parasites 160
 Iniospheniscus 364
 injury from predation 159
 inner branch 90, 95, 96, 97
 Innitagnostus 333, 334, 340, 341
 instars 173, 216, 217
 inter-ring furrow 3, 62
 intercalating ring 7
 intergenal angle 24
 intergenal ridge 15
 intergenal spine 1, 23
 interlensar sclera 120
 interpleural furrow 62
 intervening furrow 5
 intestinal diverticulae 110
 intralensar bowl 123, 124
 intrascleral membrane 120
 Iolgia 470
 Irigitkhemia 439
 isopygous 5, 61
 Itagnostus 359
 Ivshinagnostus 341
 Iyouella 416

 Jinghendiscus 393
 Jingyangia 434
 Judomia 423
 Judomiella 423
JUDOMIIDAE 405, 423
JUDOMIINAE 423

 kainelliform 25
 Kepingaspis 441, 443
 Kerberodiscus 393
KINGSTONIIDAE 404

 Kiskinella 401
 Kitatagnostus 383
 Kjerulfa 416
 Kolbaspis 466
 Kormagnostella 334, 344
 Kormagnostus 345
 Korobovia 390
 Kuanyangia 442
 Kueichowia 462
KUEICHOWIIDAE 462
 Kunshanagnostus 344
 Kymagnostus 333, 343

LADADISCINAE 392
 Ladadiscus 396
 laminated layer 76
 larval ecology 178
 Late Ordovician mass extinction
 210
 lateral axial lobe 44
 lateral border 59
 lateral facies change 164
 lateral gap 72
 lateral glabellar furrow 3, 5, 6
 lateral glabellar lobe 5
 lateral muscle impression 18
 lateral notch 29
 lateral occipital lobe 5
 Latiredlichia 430
 Laudonia 412
LAUDONIINAE 412
 leg branch 99
 Leiagnostus 337, 380
LEIOSTEGIINA
 protaspis 222
 Lejopyge 352
LEJOPYGINAE 334, 350
 Lemadella 439
 Lenadiscus 400
 Lenallina 418
 lens packing in ontogeny 117
 Leptagnostus 371
 Leptochilodiscus 393
 Leptoredlichia 437
 Liangshandiscus 387
 librigena 5
 librigenal 20
 Libristoma 296, 300
LICHIDAE
 protaspis 241
 ligament 101, 103
 light-sensitive organ 113
 limb movement 111
 Limbadiscus 389
 lines of movement 158
 Linguagnostus 335, 364
 lira 82
 Lisogoragnostus 337, 381
 Lispagnostus 334, 344
 Litagnostoides 344
 Litagnostus 336, 368
 Litometopus 393

- Longienda** 454
 longitudinal furrow 7
 longitudinal median glabellar furrow 8
Longmenshania 470
Lotagnostus 333, 341
 Lower Carboniferous faunal realms 281
 lower lamella(e) 22, 26
Luhops 480
 luminous organ 114
 lunette 8, 18, 299
Lunolenus 462
Luvsanodiscus 389

Macannia 401
Machaeragnostus 336, 370
 macropleura(e) 48, 49
 macropleural spine 48
 macropygous 5, 61
 macula 28, 263
 major pleural spine 48
MALLAGNOSTIDAE 338
Mallagnostus 338, 383, 393, 396
Malongocephalus 462
Malungia 444
Maopingaspis 434
 marginal suture 26
 marginal cephalic spines 268
 marginal spine 65, 189
Margodiscus 391
Marsaisia 456
Mayiella 449
MAYIELLIDAE 449
 median axial thoracic spine 145
 median connective suture 227, 228
 median fixigenal spine 23
 median glabellar tubercle 79
 median occipital spine 79
 median occipital tubercle 79
 median preglabellar furrow 12
 median preglabellar ridge 11
 median preoccipital lobe 7
 median suture 25, 28, 35, 37, 260, 301
Meitanella 446
Mendodiscus 404
Meniscuchus 397
MENNERASPIDAE 464
Meneraspis 466
 meraspid degree 174, 189
 meraspid instars 189
 meraspid molt assemblage 154
 meraspid period 173, 174
 accumulation phase 194
 shedding phase 194
 meraspis 154, 175, 184
Mesagnostus 360
Mesodema 430
Mesolenellus 408
Mesonacida 404

Mesonacidae 404
Mesonacidae 407
Mesonacis 408
Mesopagetia 402
 mesopelagic 143, 144
Mesopheniscus 360
Metadiscus 401
Metadoxides 459, 460
METADOXIDIDAE 459
METAGNOSTIDAE 333, 334, 336, 337, 373
Metagnostus 373
Metahypagnostus 356
 metamorphosis 197
 metamorphosis in ontogeny 196
 metaparian 26
 metaprotaspis 183
Metaredlichia 432, 434
METAREDLICHIIINAE 431
Metaredlichoides 435
 metastome 99
Miagnostus 352
Mianxiandiscus 387
Micagnostus 356
Micangshania 470
MICRAGNOSTIDAE 333, 339
Micragnostus 334, 342
Microdiscus 385
Microparia 338, 383
 micropygous 5, 61
 middle body 28
 middle furrow 28
 midfixigenal spine 184
 miniature trilobite 267
Minusella 459
Minusinella 459
Miomera 331, 385
 miomerid 43
Miraculaspis 404
 molt 180
 molt clusters 159
 molt configuration 154, 157
 molting 152
Monaxagnostus 337, 380
Mongolodiscus 400
 monospecific occurrences 185
 morphs 171
 morphological convergence 295
 morphotype 265
 morphotypes through time 268
 mosaic heterochrony 203
 mucro 65, 145
Mummaspis 408
Munagnostus 383
 muscle 101, 103
 muscle area 105
 muscle attachment area 7, 8, 84, 85
 muscle scar 62, 101
Myrmecomimus 352

Nahannagnostus 336, 368

NARAOIIDAE
 systematic position 293
Natalina 389
 natant hypostome 25, 30, 33, 42, 260, 263, 296, 300
 unspecialized 263
Nebidella 434
Nektaspida 294
Nellina 467
Neltneria 426
NELTNERIIDAE 405, 425
NELTNERIINAE 416, 425
Neoagnostus 336, 368
Neocobboldia 391
NEOCOBBOLDINAE 390
Neopagetina 389
Neoredlichia 437
NEOREDLICHIIIDAE 437
NEOREDLICHIIINAE 437
 neoteny 201
Nephrolenellus 411
Neptunagnostella 375
Nevadella 428
Nevadia 426
NEVADIIDAE 405, 426
NEVADIINAE 423, 426
 new clades
 Lower Ordovician 283
 nileid meraspid 229
 nileiform 25
Ninadiscus 397
Ningtiangaspis 439
 nonadult-like larvae 196
 nonadult-like protaspis 187, 211
 unclassified 211
 nonfulcate 22, 51, 57, 68
 notula 8

 occipital doublure 5
 occipital furrow 3, 5
 occipital ring 5
 occipital tubercle 113
 occiput 7
Oculagnostus 374
 ocular furrow 13
 ocular lobe 13, 132
 ocular striga 13
 ocular suture 115, 116, 255
 odontopleurid 245
ODONTOPLEURIDAE
 glabellar lobes 245
 meraspis 241
 protaspis 241
Oedorhachis 335, 336, 364
OIDALAGNOSTINAE 335, 336, 365
Oidalagnostus 336, 337, 365
OLENELLACEA 404, 407
 olenellid realm 407
OLENELLIDA 404, 418
OLENELLIDAE 405, 407, 409, 418

- OLENELLIDEA 404, 407
 OLENELLIDIAE 404, 407
 OLENELLINA 325, 404, 405,
 407, 428
 cephalic sutures 220
 growth stages 219
 meraspis 219
 phylogenetic trends 405
 systematic position 292
 OLENELLINAE 407, 409, 413
 OLENELLOIDAE 404, 407
 OLENELLOIDEA 404, 405,
 407, 418
Olenelloides 405, 412
Olenellus 408
 OLENIDAE
 evolution 270
 olenimorph 268
 OLENINA
 meraspis 227
 protaspis 225
 OLENOPSIDAE 444
Olenopsis 444
Olgaspis 437
 ommatidia in Phacops, supposed
 125
Onaraspis 460
Oncagnostus 333, 343
 ontogeny and classification 178
Onymagnostus 334, 352
Oodiscus 397
 opisthoparian 20, 25
 opisthoparian suture 259
 opistothorax 49
 OPSIDISCIDAE 400
Opsidiscus 401, 404
 Ordovician faunal realms 278
 Ordovician glaciation 279
 Ordovician-Silurian glaciation
 209, 210
 "Osmólska cavities" 77
 outer branch 87, 90, 91, 92, 95,
 96, 97
 function 151
Ovalagnostus 365
Oxyagnostus 336, 370

P. bulbus 334
Pachyredlichia 439
Paedeumias 408
 paedomorphic evolution 205
 paedomorphic pattern 203
 paedomorphosis 116, 124, 129,
 132, 200, 201, 202, 203
Pagetia 401, 402, 403, 404
 PAGETIDAE 400
Pagetides 403
Pagetiellinae 387, 400
Pagetiellus 389
Pagetina 389
 paired spines 79
 paired tubercles 79

 pairs of spines 184
Palaeoaspis 452
 paleogeographic distribution 209
Palmettaspis 416
 palpebral furrow 12
 palpebral ledge 13
 palpebral lobe 12
 palpebral rim 13
 palpebral suture 114
 palpebro-ocular ridge 13, 14
 panderian notch 48, 50, 51, 101
 panderian opening 27, 48, 51,
 100
 panderian organ 101
 panderian projection 70
 panderian protuberance 48, 50,
 51, 68
Paokannia 446
Parabadiella 461, 462
Paradiscus 398
 paradoublural line 26
 PARADOXIDACEA 470
Paradoxides 325, 470, 471, 472
 PARADOXIDIDAE 325, 471
 PARADOXIDOIDEA 429, 470
 protaspis 218
Paradrepanuroides 449
Parafallotaspis 418
 parafrontal band 13, 15
 paraglabellar area 18, 20
Paragnostascus 334, 347
Paragnostus 383
Paraleptoredlichia 437
Paramalungia 444
 PARAMALUNGIINAE 444
Paranevadella 425
 para-ocular facial line 15
Parapagetia 390
Parapokannia 446, 447
 paraprotaspis 183
Parapseudagnostus 383
Pararedlichia 438
 PARAREDLICHIIINAE 437
Parasajanaspis 466
Paratungusella 470
Parawutingaspis 470
Parayinites 448
Parazhenaspis 434
Pareops 458
 parietal 3
 parietal surface 3
 partial enrollment 147
Peachella 409
 pelagic 143
 pelagic morphotype 266
 pelagic larvae 209
Pelmanaspis 418
Pentagnostus 354
Pentagonalia 389
 peramorphosis 202, 203
Peratagnostus 357
Peronopsella 335, 361

 PERONOPSIDAE 333, 335, 360
Peronopsis 335, 337, 360, 361
Perrector 456
 perrostral suture 27
 petaloid 52
Peziziopsis 375
 phacomorph 266
 phacop lens
 internal structure 123
 PHACOPINA
 protaspis 231
Phalacroma 337, 381
 PHALACROMIDAE 332, 337,
 381
Phalacromina 380
 PHALAGNOSTIDAE 338
Phalagnostus 337, 338, 380
Phaldagnostus 338, 380
Phanoptes 476
phaselus 183, 187, 198
Phlysacium 476
Phoidagnostoides 380
Phoidagnostus 337, 380
 pit 83
 pitted-fringe morphotype 268
 planktonic 143
 planktonic larvae 209
Planodiscus 390
 PLATAGNOSTIDAE 381
Platagnostus 381
 plectrum 11
Plenudiscus 404
Plethagnostus 366
 pleura 43
 inner portion 46
 outer portion 46
 pleural articulating facet 255
 pleural band 62
 pleural border 62
 pleural field 62
 pleural furrow 3, 47, 62
 pleural guide 51
 pleural region 3
 pleural rib 63
 pleural spine 65
Pleuroctenium 332, 333, 383
 plow 151
 plowing 149
Plurinodus 338, 380
Plutonia 476
Plutonides 476
Poletaevella 428
 polymerid 43
 polymorphism 171
 pore canal 77
 postannulus 44
 postaxial furrow 64
 postaxial ridge 64, 66
 postecdysial trilobite 153
 posterior band 5, 47
 posterior border 3, 29, 59
 posterior branch 24

- posterior cephalic border 22
 posterior fixigenal spine 184
 posterior ocular line 16, 26
 posterior ocular ridge 16
 posterior pleural ridge 54
 posterior recess 51, 53
 posterior section 24
 posterior wing 29
 posteroaxial 59
 posterolabellula 7
 posterolateral cranidial lobe 7
 postfacetal 47, 55
Postfallotaspis 428
 preannulus 44, 54, 58
 preantennal segment 133, 134
 precranidial lobe 21
 preglabellar boss 11
 preglabellar field 11
 preglabellar furrow 5
 preocular facial line 15
 primitive morphology 249
Primoriella 478
 principal layer 75, 76, 77
 prismatic layer 75, 77
Proagnostus 334, 347
PROETIDA
 meraspis 238
 protaspis 238
Profallotaspis 419
 progenetic 200, 203
 prong 56
 proparian 20, 25, 259
 prosopon 77
 protaspid instars 184
 protaspid period 173
 protaspis 174, 175, 184
 prothorax 49
 protocranidium 183
PROTOLENIDAE 325
Protoparia 404
 protopygidium 183
 protothoracic segment 183
Pseudagnostella 383
Pseudagnostina 366
PSEUDAGNOSTINAE 333, 334, 335, 336, 366
Pseudagnostus 336, 366
Pseudocobboldia 391
Pseudodiphurus 403
 pseudoextinction 286
Pseudoglyptagnostus 334, 336, 368
Pseudojudomia 428
Pseudopaokannia 448
Pseudoperonopsis 335, 360
Pseudoredlichia 434
Pseudoresserops 467
Pseudorhaptagnostus 368
Pseudosaukianda 454
Pseudotrinodus 338, 383
 pseudotubercle 79
Pseudowutingaspis 470
Pseudoyiliangella 470
Pteroredlichia 430, 431
PTYCHAGNOSTIDAE 333, 334, 350
PTYCHAGNOSTINAE 350
Ptychagnostus 350
 ptychoparid 25, 26
PTYCHOPARIINA 429
 derived group 261
 families, genera 296
 systematic position 295
PTYCHOPARIOIDEA
 protaspis 224
 pustule 77
 pygidial ribbing
 changes in time 271
 pygidium 3, 59
 relative size 251
 pyritized appendages 92, 95, 96, 168
Qiaodiella 449
Qiaotingaspis 449
Qingkouia 449
Quadragnostidae 355
Quadragnostinae 334, 335
Quadragnostus 335, 338, 380
Quadrahomagnostus 349
 raised ridge 82
Raragnostus 358
 rate of evolution 249
Rawops 456
Realaspis 458
Redlichia 324, 325, 429, 430, 431, 434, 437, 466, 468
 redlichid realm 407
REDLICHIIDA 404, 405, 429
REDLICHIIDAE 430
Redlichiina 407, 429
REDLICHIINAE 430
Redlichina 466
REDLICHINIDAE 466
REDLICHIOIDEA 386, 430
 protaspis 217
Redlichops 440
Rejkocephalus 476
 respiration 100, 137, 147, 151
RESSEROPINAE 454
Resserops 456
 reticulate pattern 82
 retina 125
 retinal eyes 126
 retrodivergent 25
Rhaptagnostus 336, 370, 371
Rhodotypiscus 360
 rhynchos 28, 34, 71
Richterops 456
 ring process 51
 ring socket 51
 rostellum 37, 228, 301
 rostral flange 34
 rostral plate 27, 39, 71, 189, 259
 rostral suture 27
 rostral-hypostomal plate 38, 41
RUDAGNOSTIDAE 333, 339
Rudagnostus 343
 rugae 16, 100
Runcinodiscus 398
Runnania 470
 sagittal 2
 sagittal band 65
Sajanaspis 466
 Salterian mode of molting 153, 154
Sapushania 442
Sarassina 470
Sardaspis 442
Sardoredlichia 434
Saukianda 454
SAUKIANDIDAE 452, 454
SAUKIANDINAE 454
Saukiandops 438
Schagonaria 478
 schizochroal eye 120, 123, 124, 125
 function 124, 127, 128
 lens packing 120
 optics 122, 124
Schmidtiellus 416
 scrobiculae 16
 scrobiculate 334
 sculpture 77, 148, 167, 263, 264
 secondary divisions 3
 secondary eye 129
 secondary joint 134
 segment x 134, 135
Segmentagnostus 337, 375
Selindella 423
Semadiscus 398
 semi-ankylosed segment 60
 sensory device 148
 sensory function 145
Serrodiscidae 386
Serrodiscus 398
 setae 113
 setal duct 77, 113
 sexual dimorphism 161, 162, 184, 185
Shaanxia 462
Shangsiaspis 470
Shatania 462
 shelf faunas
 Permian 286
Shivelicus 404
Shizhudiscus 387
 shoulder 28
Sibiriaspis 462
 Silurian faunal realm 279
 simplimarginate 335
Sinodiscus 392
Sinopagetia 403
Sinskia 425

- size-frequency diagrams 208
Skryjagnostus 337, 380
 socket 56
Solenagnostus 354
 somite 3
 specialized hypostomal form 263
SPHAERAGNOSTIDAE 332, 337, 381
Sphaeragnostus 337, 382
SPINAGNOSTIDAE 333, 334, 335, 355
SPINAGNOSTINAE 334, 335, 355
Spinagnostus 334, 356
 spine 79, 113
 spine pattern 184
 spines 79
Spinodiscus 400
Spinoredlichia 431
 spiral enrollment 69
stenoptychopariid 27
 sternite 87, 90, 99
Stigmadiscus 398
Stigmagnostus 371
Strictagnostus 333, 343
 submarginal suture 26
 subocular area 12
 subocular groove 12
 subocular ridge 12
Sulcatagnostus 336, 366
 suprafamily group 291
 sutural edge 28
 sutural ridge 26
 suture 158
 fusion 158, 260
 lines of movement 158
Svenax 358
 swimming 137, 139
 swimming mechanism 147
Syndianella 431
Szechuanaspis 400

Tannudiscus 385, 398
taphofacies 166
Tarayagnostus 368
Tasagnostus 335, 364
Tchernysheviooides 390
 tectonic deformation 168
Tentagnostus 334, 344
Terechthaspis 467
 terminal axial piece 62
 terminal axial spine 65
 terminal glabellar node 8
 terrace ridge 72, 79, 81, 82

 thoracic segments
 number of 292
thoracopygon 153, 154
 thorax 3
 back-arching of 58
 number of segments 43
Tologoja 392
Tomagnostella 358
TOMAGNOSTINAE 350
Tomagnostus 334, 354
Tomorhachis 371
Toragnostus 381
torulus 188
 trace fossil 145
 transglabellar furrow 6
 transitory pygidium 183
 transverse 2
 transverse preglabellar ridge 12
Triadaspis 373
Triangulaspis 404
Triangullina 404
Trilobagnostus 333, 343
TRILOBITA 331
TRILOBITEN 331
TRINODIDAE 373
Trinodus 377
 trinucleid fringe
 evolution 271
 trinucleoids 129
TRINUCLEOIDEA 129
TRIPLAGNOSTINAE 334, 350
Triplagnostus 354
Tririmagnostus 371
Trisulcagnostus 337, 371
 tropidial ridges 17
tropidium 17
 trunk limb 90
TSUNYDISCIDAE 384, 387
Tsunydiscus 384, 387
 tubercle 77, 79
Tungusella 466
 tunnel 151

 Upper Carboniferous–Permian
 faunal realms 281
 upper lamellae 22
Ushbaspis 434, 435
Utagnostus 337, 373

Valenagnostus 337, 338, 381
 venous system 100
 ventral cuticle 87, 92, 98, 99, 103
 ventral longitudinal muscle 107

 vertical burrow 142
 vincular furrow 26, 70, 71, 74
 vincular groove 70
 vincular notch 53, 69, 70, 71, 72, 74
 vincular socket 55
 vincular structure 26, 67
Vinicella 472
 visceral feature 3
 visual field 118
 visual surface 12

 walking 104, 111, 139
Wanagnostus 349
Wanneria 414
WANNERIIDAE 413, 414
WANNERIINAE 413
Wenganaspis 443
Weymouthia 392
WEYMOUTHIIDAE 384, 385, 386, 392
 wing process 28, 34
Wolynaspis 422
WUTINGASPINAEE 441
Wutingaspis 441, 444

Xela 435
Xenoredlichia 437
Xestagnostus 336, 371
Xingzishania 470
Xishuiella 446
Xystridura 325
XYSTRIDURIDAE 325, 429

Yankongia 437
Yiliangella 452, 470
Yiliangellina 452
YILIANGELLINAE 451
Yinites 446, 448
YINITIDAE 446
Yorkella 444
Yukonia 398
Yukonides 400
YUKONIIDAE 386, 398
YUKONIINAE 398
Yunnanaspidella 449
Yunnanaspis 449

Zeteagnostus 354
Zhangshania 452
Zhenbadiscus 400
Zhenbaspis 437
Zhenxiongaspis 437