# TREATISE ON INVERTEBRATE PALEONTOLOGY

Prepared under the Guidance of the Joint Committee on Invertebrate Paleontology

Paleontological Society Society of Economic Paleontologists and Mineralogists Palaeontographical Society

Directed and Edited by

RAYMOND C. MOORE Assisted by Charles W. Pitrat

## Part Q

## ARTHROPODA 3

## CRUSTACEA

## OSTRACODA

R. H. BENSON, J. M. BERDAN, W. A. VAN DEN BOLD, TETSURO HANAI, IVAR
HESSLAND, H. V. HOWE, R. V. KESLING, S. A. LEVINSON, R. A. REYMENT,
R. C. MOORE, H. W. SCOTT, R. H. SHAVER, I. G. SOHN, L. E. STOVER, F. M. SWAIN, P. C. SYLVESTER-BRADLEY, and JOHN WAINWRIGHT

Geological Society of America and University of Kansas Press

1961

## © 1961 by the University of Kansas Press and the Geological Society of America

ALL RIGHTS RESERVED

Library of Congress Catalogue Card Number: 53-12913

> Text Composed by THE UNIVERSITY OF KANSAS PRESS Lawrence, Kansas Illustrations and Offset Lithography MERIDEN GRAVURE COMPANY Meriden, Connecticut Binding RUSSELL-RUTTER COMPANY New York City

Address all communications to The Geological Society of America, 419 West 117 Street, New York 27, N.Y.

ii

The Treatise on Invertebrate Paleontology has been made possible by (1) a grant of funds from The Geological Society of America through the bequest of Richard Alexander Fullerton Penrose, Jr., for preparation of illustrations and partial defrayment of organizational expense; (2) contribution of the knowledge and labor of specialists throughout the world, working in co-operation under sponsorship of The Palaeontographical Society, The Paleontological Society, and The Society of Economic Paleontologists and Mineralogists; and (3) acceptance by the University of Kansas Press of publication without cost to the Societies concerned and without any financial gain to the Press.

## JOINT COMMITTEE ON INVERTEBRATE PALEONTOLOGY

RAYMOND C. MOORE, University of Kansas, Chairman

G. ARTHUR COOPER, United States National Museum, Executive Member

NORMAN D. NEWELL, Columbia University and American Museum of Natural History, Executive Member

C. J. STUBBLEFIELD, Geological Survey of Great Britain, Executive Member

### Representing THE PALAEONTOGRAPHICAL SOCIETY

- L. BAIRSTOW, British Museum (Natural History)
- O. M. B. BULMAN, Sedgwick Museum, Cambridge University
- C. P. CHATWIN, Geological Survey of Great Britain (retired)
- L. R. Cox, British Museum (Natural History)
- T. NEVILLE GEORGE, Glasgow University

- H. L. HAWKINS, University of Reading
- R. V. MELVILLE, Geological Survey of Great Britain
- H. M. MUIR-WOOD, British Museum (Natural History)
- C. J. STUBBLEFIELD, Geological Survey of Great Britain
- H. DIGHTON THOMAS, British Museum (Natural History)

#### Representing The Paleontological Society

- G. ARTHUR COOPER, United States National Museum
- CARL O. DUNBAR, Yale University
- B. F. Howell, Princeton University
- A. K. MILLER, State University of Iowa
- R. R. Shrock, Massachusetts Institute of Technology
- F. M. SWARTZ, Pennsylvania State University
- H. E. VOKES, Tulane University
- A. SCOTT WARTHIN, JR., Vassar College
- J. W. WELLS, Cornell University
- W. P. WOODRING, United States Geological Survey

## Representing The Society of Economic Paleontologists and Mineralogists

- CARL C. BRANSON, University of Oklahoma
- DON L. FRIZZELL, Missouri School of Mines
- H. V. Howe, Louisiana State University
- C. G. LALICKER, Wichita, Kansas
- STUART A. LEVINSON, Humble Oil & Refining Company
- N. D. NEWELL, Columbia University; American Museum of Natural History
- F. W. ROLSHAUSEN, Humble Oil & Refining Company
- H. B. STENZEL, Shell Development Company
- J. M. WELLER, University of Chicago

## GEOLOGICAL SOCIETY OF AMERICA

FREDERICK BETZ, JR., Editor-in-Chief

AGNES CREAGH, Managing Editor

UNIVERSITY OF KANSAS PRESS CLYDE K. HYDER, Editor

iv

## TREATISE ON INVERTEBRATE PALEONTOLOGY

Directed and Edited by RAYMOND C. MOORE Assisted by CHARLES W. PITRAT

## PARTS

The indicated Parts (excepting the first and last) are to be published at whatever time each is ready. All may be assembled ultimately in bound volumes. In the following list, already published Parts are marked with a double asterisk (\*\*) and those in press or nearing readiness for press are marked with a single asterisk (\*). Each is cloth bound with title in gold on the cover. Copies are available on orders sent to the Geological Society of America at 419 West 117th Street, New York 27, N.Y., at prices quoted, which very incompletely cover costs of producing and distributing them but on receipt of payment the Society will ship copies without additional charge to any address in the world.

The list of contributing authors is subject to change.

- (A)—INTRODUCTION.
  - **B**—PROTISTA 1 (chrysomonads, coccolithophorids, diatoms, etc.).
- C—PROTISTA 2 (foraminifers).
- \*\*D—Protista 3 (radiolarians, tintinnines) (xii+195 p., 1050 figs.). \$3.00.
- \*\*E—Archaeocyatha, Porifera (xviii + 122 p., 728 figs.). \$3.00.
- \*\*F-Coelenterata (xvii + 498 p., 2,700 figs.). \$8.00.
- \*\*G—BRYOZOA (xii + 253 p., 2,000 figs.). \$3.00.
  - H—Brachiopoda.
- \*\*I—Mollusca 1 (chitons, scaphopods, gastropods) (xxiii+351 p., 1,732 figs.). \$7.50.
  - J-MOLLUSCA 2 (gastropods).
- K-Mollusca 3 (nautiloid cephalopods).
- \*\*L—Mollusca 4 (ammonoid cephalopods) (xxii + 490 p., 3,800 figs.). \$8.50.

- M-MOLLUSCA 5 (dibranchiate cephalopods).
- N-MOLLUSCA 6 (pelecypods).
- \*\*O—ARTHROPODA 1 (trilobitomorphs) (xix+560 p., 2880 figs.). \$10.50.
- \*\*P—ÀRTHROPODA 2 (chelicerates, pycnogonids) (xvii + 181 p., 565 figs.).
   \$3.50.
- \*\*Q—Arthropoda 3 (ostracodes) (this volume).
  - R—ARTHROPODA 4 (branchiopods, cirripeds, malacostracans, myriapods, insects).
  - S-ECHINODERMATA 1 (cystoids, blastoids, edrioasteroids, etc.).
  - **T**—Echinodermata 2 (crinoids).
  - U-Echinodermata 3 (echinozoans, asterozoans).
- \*\*V—GRAPTOLITHINA (xvii + 101 p., 358 figs.). \$3.00.
- \*W—MISCELLANEA (worms, conodonts, problematical fossils). Addenda (index).

## CONTRIBUTING AUTHORS

- AGER, D. V., Imperial College of Science and Technology, London, England.
- AMSDEN, T. W., Oklahoma Geological Survey, Norman, Okla.
- †ARKELL, W. J., Sedgwick Museum, Cambridge University, Cambridge, Eng.
- BAIRSTOW, LESLIE, British Museum (Natural History), London, Eng.
- BARKER, R. WRIGHT, Shell Development Co., Houston, Tex.
- BASSLER, R. S., U.S. National Museum, Washington, D.C.
- BATTEN, ROGER, L., University of Wisconsin, Madison, Wisconsin.
- BAYER, FREDERICK M., U.S. National Museum, Washington, D.C.
- BEAVER, HAROLD H., Humble Oil & Refining Co., Houston, Texas.
- BENSON, R. H., University of Kansas, Lawrence, Kans.

- BERDAN, JEAN M., U.S. Geological Survey, Washington, D.C.
- BOARDMAN, R. S., U.S. Geological Survey, Washington, D.C.
- BOLD, W. A. VAN DEN, Louisiana State University, Baton Rouge, La.
- Boschma, H., Rijksmuseum van Natuurlijke Historie, Leiden, Netherlands.
- Bowsher, Arthur L., Sinclair Oil & Gas Co., Tulsa, Okla.
- BRAMLETTE, M. N., Scripps Institution of Oceanography, La Jolla, California.
- BRANSON, CARL C., University of Oklahoma, Norman, Okla.
- BROWN, D. A., University of Otago, Dunedin, N.Z.
- BULMAN, O. M. B., Sedgwick Museum, Cambridge University, Cambridge, Eng.
- CAMPBELL, ARTHUR S., St. Mary's College, St. Mary's College, Calif.
- CARPENTER, FRANK M., Biological Laboratories, Harvard University, Cambridge, Mass.
- CASEY, RAYMOND, Geological Survey of Great Britain, London, Eng.
- CASTER, K. E., University of Cincinnati, Cincinnati, Ohio
- CHAVAN, ANDRÉ, L'École d'Anthropologie, Seyssel (Ain), France.
- COLE, W. STORRS, Cornell University, Ithaca, N.Y.
- COOPER, G. ARTHUR, U.S. National Museum, Washington, D.C.
- Cox, L. R., British Museum (Natural History), London, Eng.
- CURRY, DENNIS, Pinner, Middlesex, Eng.
- †DAVIES, L. M., Edinburgh, Scot.
- DECHASEAUX, C., Laboratoire de Paléontologie à la Sorbonne, Paris, France.
- DOUGLASS, R. C., U.S. National Museum, Washington, D.C.
- DURHAM, J. WYATT, Museum of Palaeontology, University of California, Berkeley, Calif.
- EAMES, F. E., Anglo-Iranian Oil Company, London, Eng.
- ELLIOTT, GRAHAM F., Iraq Petroleum Company, London, Eng.
- EMERSON, W. K., American Museum of Natural History, New York, N.Y.
- ERBEN, H. K., Universität Bonn, Bonn, West Ger.
- Exline, HARRIET, Rolla, Mo.
- FAY, ROBERT O., Oklahoma Geological Survey, Norman, Okla.

- FELL, H. BARRACLOUGH, Victoria University of Wellington, Wellington, N.Z.
- FISCHER, ALFRED G., Princeton University, Princeton, N.J.
- FISHER, D. W., New York State Museum, Albany, N.Y.
- FRIZZELL, DONALD L., Missouri School of Mines, Rolla, Mo.
- FURNISH, WILLIAM M., State University of Iowa, Iowa City, Iowa.
- †GARDNER, JULIA, U.S. Geological Survey, Washington, D.C.
- George, T. Neville, Glasgow University, Glasgow, Scot.
- GLENISTER, B. F., Iowa State University, Ames, Iowa.
- HAAS, FRITZ, Chicago Natural History Museum, Chicago, Ill.
- HANAI, TETSURO, University of Tokyo, Tokyo, Japan.
- HANNA, G. DALLAS, California Academy of Sciences, San Francisco, Calif.
- HÄNTZSCHEL, WALTER, Geologisches Staatsinstitut, Hamburg, Ger.
- HARRINGTON, H. J., Tennessee Gas Transmission Company, Houston, Tex.
- <sup>†</sup>HASS, WILBERT H., U.S. Geological Survey, Washington, D.C.
- HATAI, KOTORA, Tohoku University, Sendai, Japan.
- HAWKINS, H. L., Reading University, Reading, Eng.
- HEDGPETH, JOEL, College of the Pacific, Dillon Beach, Calif.
- HENNINGSMOEN, GUNNAR, Paleontologisk Museum, University of Oslo, Oslo, Norway.
- HERTLEIN, L. G., California Academy of Sciences, San Francisco, Calif.
- Hessland, Ivar, Geologiska Institutet, University of Stockholm, Stockholm, Swed.
- HILL, DOROTHY, University of Queensland, Brisbane, Queensl.
- HOLTHUIS, L. B., Rijksmuseum van Natuurlijke Historie, Leiden, Netherlands.
- Howe, HENRY V., Louisiana State University, Baton Rouge, La.
- Howell, B. F., Princeton University, Princeton, N.J.
- HYMAN, LIBBIE H., American Museum of Natural History, New York, N.Y.
- JAANUSSON, VALDAR, Paleontological Inst., Uppsala, Sweden.
- JELETZKY, J. A., Geological Survey of Canada, Ottawa, Can.

- KAMPTNER, ERWIN, Naturhistorisches Museum, Wien, Aus.
- KEEN, MYRA, Stanford University, Stanford, Calif.
- KESLING, ROBERT V., Paleontological Museum, University of Michigan, Ann Arbor, Mich.
- KIER, PORTER, U.S. National Museum, Washington, D.C.
- †KNIGHT, J. BROOKES, Longboat Key, Fla.
- KUMMEL, BERNHARD, Museum of Comparative Zoology, Harvard University, Cambridge, Mass.
- LA ROCQUE, AURÈLE, Ohio State University, Columbus, Ohio.
- <sup>†</sup>LAUBENFELS, M. W. DE, Oregon State College, Corvallis, Ore.
- LECOMPTE, MARIUS, Institut Royal des Sciences Naturelles, Bruxelles, Belg.
- LEONARD, A. BYRON, University of Kansas, Lawrence, Kans.
- LEVINSON, S. A., Humble Oil & Refining Company, Houston, Tex.
- LOCHMAN-BALK, CHRISTINA, New Mexico Institute of Mining and Geology, Socorro, N.Mex.
- LOEBLICH, A. R., JR., California Research Corporation, La Habra, Calif.
- LOEBLICH, HELEN TAPPAN, University of California, Los Angeles, Calif.
- LOHMAN, KENNETH E., U.S. Geological Survey, Washington, D.C.
- LOWENSTAM, HEINZ A., California Institute of Technology, Pasadena, Calif.
- LUDBROOK, N. H., Department of Mines, Adelaide, S.Austral.
- MARWICK, J., New Zealand Geological Survey, Wellington, N.Z.
- MELVILLE, R. V., Geological Survey and Museum, London, Eng.
- MILLER, ARTHUR K., State University of Iowa, Iowa City, Iowa.
- Montanaro-Gallitelli, Eugenia, Istituto di Geología e Paleontología, Università, Modena, Italy.
- MOORE, RAYMOND C., University of Kansas, Lawrence, Kans.
- MORRISON, J. P. E., U.S. National Museum, Washington, D.C.
- MUIR-WOOD, HELEN M., British Museum (Natural History), London, Eng.
- Newell, NORMAN D., American Museum of Natural History (and Columbia University), New York, N.Y.

- OKULITCH, VLADIMIR J., University of British Columbia, Vancouver, B.C.
- OLSSON, AXEL A., Coral Gables, Florida.
- PALMER, KATHERINE VAN WINKLE, Paleontological Research Institution, Ithaca, N.Y.
- PECK, RAYMOND E., University of Missouri, Columbia, Mo.
- PETRUNKEVITCH, ALEXANDER, Osborn Zoological Laboratory, Yale University, New Haven, Conn.
- POULSEN, CHR., Universitetets Mineralogisk-Geologiske Institut, København, Denm.
- Powell, A. W. B., Auckland Institute and Museum, Auckland, N.Z.
- PURI, HARBANS, Florida State Geological Survey, Tallahassee, Fla.
- RASETTI, FRANCO, Johns Hopkins University, Baltimore, Md.
- RASMUSSEN, H. W., Universitets Mineralogisk — Geologiske Institut, København, Denm.
- REGNÉLL, GERHARD, Paleontologiska Institution, Lunds Universitets, Lund, Swed.
- REHDER, HARALD A., U.S. National Museum, Washington, D.C.
- REICHEL, M., Bernouillanum, Basel University, Basel, Switz.
- REYMENT, RICHARD A., University of Stockholm, Stockholm, Swed.
- †Richter, EMMA, Senckenberg Natur-Museum, Frankfurt-a.-M., Ger.
- RICHTER, RUDOLF, Universität Frankfurt-a.-M., Frankfurt-a.-M., Ger.
- ROBERTSON, ROBERT, Academy of Natural Sciences, Philadelphia, Pa.
- Rowell, A. J., Nottingham University, Nottingham, Eng.
- SCHINDEWOLF, O. H. Geologisch-paläontologisches Institut der Universität Tűbingen, Tűbingen, Ger.
- SCHMIDT, HERTA, Senckenbergische Naturforschende Gesellschaft, Frankfurt-a.-M., Ger.
- SCOTT, HAROLD W., University of Illinois, Urbana, Ill.
- SDZUY, KLAUS, Senckenbergische Naturforschende Gesellschaft, Frankfurt-a.-M., Ger.
- SHAVER, ROBERT, University of Indiana and Indiana Geological Survey, Bloomington, Ind.
- SIEVERTS-DORECK, HERTHA, Stuttgart-Möhringen, Ger.

vii

- SINCLAIR, G. W., Geological Survey of Canada, Ottawa, Can.
- SMITH, ALLYN G., California Academy of Sciences, San Francisco, Calif.
- SOHN, I. G., U.S. Geological Survey, Washington, D.C.
- +SPENCER, W. K., Crane Hill, Ipswich, Suffolk, Eng.
- †STAINBROOK, MERRILL A., Brandon, Iowa.
- STEHLI, F. G., Western Reserve University, Cleveland, Ohio.
- STENZEL, H. B., Shell Development Co., Houston, Tex.
- STEPHENSON, LLOYD W., Dover, Ohio.
- STØRMER, LEIF, Paleontologisk Institutt, University of Oslo, Oslo, Nor.
- STOVER, LEWIS E., Tulsa, Okla.
- STRUVE, WOLFGANG, Senckenbergische Naturforschende Gesellschaft, Frankfurt-a.-M., Ger.
- STUBBLEFIELD, C. J., Geological Survey and Museum, London, Eng.
- STUMM, ERWIN C., Museum of Paleontology, University of Michigan, Ann Arbor, Mich.
- SWEET, WALTER C., Ohio State University, Columbus, Ohio.
- SWAIN, FREDERICK M., University of Minnesota, Minneapolis, Minn.
- SYLVESTER-BRADLEY, P. C., University of Leicester, Leicester, Eng.
- TASCH, PAUL, University of Wichita, Wichita, Kans.
- TEICHERT, CURT, U.S. Geological Survey, Federal Center, Denver, Colo.

- THOMPSON, M. L., Illinois Geological Survey, Urbana, Ill.
- THOMPSON, R. H., University of Kansas, Lawrence, Kans.
- <sup>†</sup>TIEGS, O. W., University of Melbourne, Melbourne, Victoria, Austral.
- TRIPP, RONALD P., Seven Oaks, Kent, Eng.
- UBAGHS, G., Université de Liège, Liège, Belg.
- Vokes, H. E., Tulane University, New Orleans, La.
- WAINWRICHT, JOHN, Shell Oil Company, Midland, Texas.
- <sup>†</sup>WANNER, J., Scheidegg (Allgäu), Bayern, Ger.
- WEIR, JOHN, Glasgow University, Glasgow, Scot.
- Weller, J. MARVIN, University of Chicago, Chicago, Ill.
- WELLS, JOHN W., Cornell University, Ithaca, N.Y.
- WHITTINGTON, H. B., Museum of Comparative Zoology, Harvard University, Cambridge, Mass.
- WILLIAMS, ALWYN, Queens University of Belfast, Belfast, N.Ire.
- WILLS, L. J., Romsley, Eng.
- †WITHERS, T. H., Bournemouth, Eng.
- WRIGHT, A. D., Queens University of Belfast, Belfast, N. Ire.
- WRIGHT, C. W., London, Eng.
- WRIGLEY, ARTHUR, Norbury, London, Eng.
- YOCHELSON, ELLIS L., U.S. Geological Survey, Washington, D.C.
- YONGE, C. M., University of Glasgow, Glasgow, Scot.

†-Deceased.

viii

## EDITORIAL PREFACE

The aim of the Treatise on Invertebrate Paleontology, as originally conceived and consistently pursued, is to present the most comprehensive and authoritative, yet compact statement of knowledge concerning invertebrate fossil groups that can be formulated by collaboration of competent specialists in seeking to organize what has been learned of this subject up to the mid-point of the present century. Such work has value in providing a most useful summary of the collective results of multitudinous investigations and thus should constitute an indispensable text and reference book for all persons who wish to know about remains of invertebrate organisms preserved in rocks of the earth's crust. This applies to neozoologists as well as paleozoologists and to beginners in study of fossils as well as to thoroughly trained, long-experienced professional workers, including teachers, stratigraphical geologists, and individuals engaged in research on fossil invertebrates. The making of a reasonably complete inventory of present knowledge of invertebrate paleontology may be expected to yield needed foundation for future research and it is hoped that the *Treatise* will serve this end.

The Treatise is divided into parts which bear index letters, each except the initial and concluding ones being defined to include designated groups of invertebrates. The chief purpose of this arrangement is to provide for independence of the several parts as regards date of publication, because it is judged desirable to print and distribute each segment as soon as possible after it is ready for press. Pages in each part will bear the assigned index letter joined with numbers beginning with 1 and running consecutively to the end of the part. When the parts ultimately are assembled into volumes, no renumbering of pages and figures is required.

The outline of subjects to be treated in connection with each large group of invertebrates includes (1) description of morphological features, with special reference to hard parts, (2) ontogeny, (3) classification, (4) geological distribution, (5) evolutionary trends and phylogeny, and (6) systematic description of genera, subgenera, and higher taxonomic units. In general, paleoecological aspects of study are omitted or little emphasized because comprehensive treatment of this subject is being undertaken in a separate work, prepared under auspices of a committee of the United States National Research Council. A selected list of references is furnished in each part of the *Treatise*.

Features of style in the taxonomic portions of this work have been fixed by the Editor with aid furnished by advice from the Joint Committee on Invertebrate Paleontology representing the societies which have undertaken to sponsor the Treatise. It is the Editor's responsibility to consult with authors and co-ordinate their work, seeing that manuscript properly incorporates features of adopted style. Especially he has been called on to formulate policies in respect to many questions of nomenclature and procedure. The subject of family and subfamily names is reviewed briefly in a following section of this preface, and features of Treatise style in generic descriptions are explained.

A generous grant of \$35,000 has been made by the Geological Society of America for the purpose of preparing *Treatise* illustrations. Administration of expenditures has been in charge of the Editor and most of the work by photographers and artists has been done under his direction at the University of Kansas, but sizable parts of this program have also been carried forward in Washington and London.

#### FORM OF ZOOLOGICAL NAMES

Many questions arise in connection with the form of zoological names. These include such matters as adherence to stipulations concerning Latin or Latinized nature of words accepted as zoological names, gender of generic and subgeneric names, nominative or adjectival form of specific names, required endings for some family-group names, and numerous others. Regulation extends to capitalization, treatment of particles belonging to modern patronymics, use of neo-Latin letters, and approved methods for converting diacritical marks. The magnitude and complexities of nomenclature problems surely are enough to warrant the complaint of those who hold that zoology is the study of animals rather than of names applied to them.

## CLASSIFICATION OF ZOOLOGICAL NAMES

In accordance with the "Copenhagen Decisions on Zoological Nomenclature" (London, 135 p., 1953), zoological names may be classified usefully in various ways. The subject is summarized here with introduction of designations for some categories which the *Treatise* proposes to distinguish in systematic parts of the text for the purpose of giving readers comprehension of the nature of various names together with authorship and dates attributed to them.

#### CO-ORDINATE NAMES OF TAXA GROUPS

Five groups of different-rank taxonomic units (termed taxa, sing., taxon) are discriminated, within each of which names are treated as co-ordinate, being transferrable from one category to another without change of authorship or date. These are: (1) Species Group (subspecies, species); (2) Genus Group (subgenus, genus); (3) Family Group (tribe, subfamily, family, superfamily); (4) Order/Class Group (suborder, order, subclass, class); and (5) Phylum Group (subphylum, phylum). In the first 3 of these groups, but not others, the author of the first-published valid name for any taxon is held to be the author of all other taxa in the group which are based on the same nominate type and the date of publication for purposes of priority is that of the first-published name. Thus, if author A in 1800 introduces the family name Xidae to include 3 genera, one of which is X-us; and if author B in 1850 divides the 20 genera then included in X-idae into subfamilies called X-inae and Y-inae; and if author C in 1950 combines X-idae with other later-formed families to make a superfamily X-acea (or X-oidea, X-icae, etc.); the author of X-inae, X-idae and X-acea is A, 1800, under the Rules. Because taxonomic concepts introduced by authors B and C along with appropriate names surely are not attributable to author A, some means of recording responsibility of B and C are needed. This is discussed later in explaining proposed use of "nom. transl." The co-ordinate status of zoological names belonging to the species group is stipulated in Art. 11 of the present Rules; genus group in Art. 6 of the present Rules; family group in paragraph 46 of the Copenhagen Decisions; order/class group and phylum group in paragraphs 65 and 66 of the Copenhagen Decisions.

## ORIGINAL AND SUBSEQUENT FORMS OF NAMES

Zoological names may be classified according to form (spelling) given in original publication and employed by subsequent authors. In one group are names which are entirely identical in original and subsequent usage. Another group comprises names which include with the original subsequently published variants of one sort or another. In this second group, it is important to distinguish names which are inadvertent changes from those constituting intentional emendations, for they have quite different status in nomenclature. Also, among intentional emendations, some are acceptable and some quite unacceptable under the Rules.

#### VALID AND INVALID NAMES

Valid names. A valid zoological name is one that conforms to all mandatory provisions of the Rules (Copenhagen Decisions, p. 43-57) but names of this group are divisible into subgroups as follows: (1) "inviolate names," which as originally published not only meet all mandatory requirements of the Rules but are not subject to any sort of alteration (most generic and subgeneric names); (2) "perfect names," which as they appear in original publication (with or without precise duplication by subsequent authors) meet all mandatory requirements and need no correction of any kind but which nevertheless are legally alterable under present Rules (as in changing the form of ending of a published class/ordergroup name); (3) "imperfect names," which as originally published and with or without subsequent duplication meet mandatory requirements but contain defects such as incorrect gender of an adjectival specific name (for example, Spironema recta instead of Spironema rectum) or incorrect stem or form of ending of a family-group name (for example, Spironemidae instead of Spironematidae); (4) "transferred names," which are derived by valid emendation from either of the 2nd or 3rd subgroups or from a pre-existing transferred name (as illustrated by change of a familygroup name from -inae to -idae or making of a superfamily name); (5) "improved names," which include necessary as well as somewhat arbitrarily made emendations allowable under the Rules for taxonomic categories not now covered by regulations as to name form and alterations that are distinct from changes that distinguish the 4th subgroup (including names derived from the 2nd and 3rd subgroups and possibly some alterations of 4th subgroup names). In addition, some zoological names included among those recognized as valid are classifiable in special categories, while at the same time belonging to one or more of the above-listed subgroups. These chiefly include (7) "substitute names," introduced to replace invalid names such as junior homonyms; and (8) "conserved names," which are names that would have to be rejected by application of the Rules except for saving them in their original or an altered spelling by action of the International Commission on Zoological Nomenclature in exercising its plenary powers to this end. Whenever a name requires replacement, any individual may publish a "new name" for it and the first one so introduced has priority over any others; since newness is temporary and relative, the replacement designation is better called substitute name rather than new name. Whenever it is considered desirable to save for usage an otherwise necessarily rejectable name, an individual cannot by himself accomplish the preservation, except by unchallenged action taken in accordance with certain provisions of the Copenhagen Decisions; otherwise he must seek validation through ICZN.

It is useful for convenience and brevity of distinction in recording these subgroups of valid zoological names to introduce Latin designations, following the pattern of nomen nudum, nomen novum, etc. Accordingly, the subgroups are (1) nomina inviolata (sing., nomen inviolatum, abbr., nom. inviol.); (2) nomina perfecta (sing., nomen perfectum, abbr., nom. perf.); (3) nomina imperfecta (sing., nomen imperfectum,

abbr., nom. imperf.); (4) nomina translata (sing., nomen translatum, abbr., nom. transl.); (5) nomina correcta (sing., nomen correctum, abbr., nom. correct.); (6) nomina substituta (sing., nomen substitutum, abbr., nom. subst.); (7) nomina conservata (sing., nomen conservatum, abbr., nom. conserv.).

Invalid names. Invalid zoological names consisting of originally published names that fail to comply with mandatory provisions of the Rules and consisting of inadvertent changes in spelling of names have no status in nomenclature. They are not available as replacement names and they do not preoccupy for purposes of the Law of Homonomy. In addition to nomen nudum, invalid names may be distinguished as follows: (1) "denied names," which consist of originally published names (with or without subsequent duplication) that do not meet mandatory requirements of the Rules; (2) "null names," which comprise unintentional alterations of names; and (3) "vain or void names," which consist of invalid emendations of previously published valid or invalid names. Void names do have status in nomenclature, being classified as junior synonyms of valid names.

Proposed Latin designations for the indicated kinds of invalid names are as follows: (1) nomina negata (sing., nomen negatum, abbr., nom. neg.); (2) nomina nulla (sing., nomen nullum, abbr., nom. null.); (3) nomina vana (sing., nomen vanum, abbr., nom. van.). It is desirable in the Treatise to identify invalid names, particularly in view of the fact that many of these names (nom. neg., nom null.) have been considered incorrectly to be junior objective synonyms (like nom. van.), which have status in nomenclature.

#### SUMMARY OF NAME CLASSES

Partly because only in such publications as the *Treatise* is special attention to classes of zoological names called for and partly because new designations are now introduced as means of recording distinctions explicitly as well as compactly, a summary may be useful. In the following tabulation valid classes of names are indicated in boldface type, whereas invalid ones are printed in italics.

#### Definitions of Name Classes

- nomen conservatum (nom. conserv.). Name otherwise unacceptable under application of the Rules which is made valid, either with original or altered spelling, through procedures specified by the Copenhagen Decisions or by action of ICZN exercising its plenary powers.
- nomen correctum (nom. correct.). Name with intentionally altered spelling of sort required or allowable under the Rules but not dependent on transfer from one taxonomic category to another ("improved name"). (See Copenhagen Decisions, paragraphs 50, 71-2-a-i, 74, 75, 79, 80, 87, 101; in addition, change of endings for categories not now fixed by Rules.)
- nomen imperfectum (nom. imperf.). Name that as originally published (with or without subsequent identical spelling) meets all mandatory requirements of the Rules but contains defect needing correction ("imperfect name"). (See Copenhagen Decisions, paragraphs 50-1-b, 71-1-b-i, 71-1-b-i, 79, 80, 87, 101.)
- nomen inviolatum (nom. inviol.). Name that as originally published meets all mandatory requirements of the Rules and also is uncorrectable or alterable in any way ("inviolate name"). (See Copenhagen Decisions, paragraphs 152, 153, 155-157).
- nomen negatum (nom. neg.). Name that as originally published (with or without subsequent identical spelling) constitutes invalid original spelling and although possibly meeting all other mandatory requirements of the Rules, is not correctable to establish original authorship and date ("denied name"). (See Copenhagen Decisions, paragraph 71-1-b-iii.)
- nomen nudum (nom. nud.). Name that as originally published (with or without subsequent identical spelling) fails to meet mandatory requirements of the Rules and having no status in nomenclature, is not correctable to establish original authorship and date ("naked name"). (See Copenhagen Decisions, paragraph 122.)
- nomen nullum (nom. null.). Name consisting of an unintentional alteration in form (spelling) of a previously published name (either valid name, as nom. inviol., nom. perf., nom. imperf., nom. transl.; or invalid name, as nom. neg., nom. nud., nom. van., or another nom. null.) ("null name"). (See Copenhagen Decisions, paragraphs 71-2-b, 73-4.)
- nomen perfectum (nom. perf.). Name that as originally published meets all mandatory requirements of the Rules and needs no correction of any kind but which nevertheless is validly alterable ("perfect name").
- nomen substitutum (nom. subst.). Replacement name published as substitute for an invalid name, such as a junior homonym (equivalent to "new name").
- nomen translatum (nom. transl.). Name that is derived by valid emendation of a previously

published name as result of transfer from one taxonomic category to another within the group to which it belongs ("transferred name"),

nomen vanum (nom. van.). Name consisting of an invalid intentional change in form (spelling) from a previously published name, such invalid emendations having status in nomenclature as junior objective synonyms ("vain or void name"). (See Copenhagen Decisions, paragraphs 71-2-a-ii, 73-3.)

Except as specified otherwise, zoological names accepted in the *Treatise* may be understood to be classifiable either as nomina inviolata or nomina perfecta (omitting from notice nomina correcta among specific names) and these are not discriminated. Names which are not accepted for one reason or another include junior homonyms, a few senior synonyms classifiable as nomina negata or nomina nuda, and numerous junior synonyms which include both objective (nomina vana) and subjective (all classes of valid names) types; effort to classify the invalid names as completely as possible is intended.

#### NAME CHANGES IN RELATION TO GROUP CATEGORIES

#### SPECIFIC AND SUBSPECIFIC NAMES

Detailed consideration of valid emendation of specific and subspecific names is unnecessary here because it is well understood and relatively inconsequential. When the form of adjectival specific names is changed to obtain agreement with the gender of a generic name in transferring a species from one genus to another, it is never needful to label the changed name as a nom. transl. Likewise, transliteration of a letter accompanied by a diacritical mark in manner now called for by the Rules (as in changing originally published brőggeri to broeggeri) or elimination of a hyphen (as in changing originally published cornuoryx to cornuoryx does not require "nom. correct." with it. Revised provisions for emending specific and subspecific names are stated in the report on Copenhagen Decisions (p. 43-46, 51-57).

#### GENERIC AND SUBGENERIC NAMES

So rare are conditions warranting change of the originally published valid form of generic and subgeneric names that lengthy discussion may be omitted. Only elimination of diacritical marks of some names in this category seems to furnish basis for valid emendation. It is true that many changes of generic and subgeneric names have been published, but virtually all of these are either nomina vana or nomina nulla. Various names which formerly were classed as homonyms are not now, for two names that differ only by a single letter (or in original publication by presence or absence of a diacritical mark) are construed to be entirely distinct. Revised provisions for emendation of generic and subgeneric names also are given in the report on Copenhagen Decisions (p. 43-47).

Examples in use of classificatory designations for generic names as previously given are the following, which also illustrate designation of type species, as explained later.

- Kurnatiophyllum Thomson, 1875 [\*K. concentricum; SD GREGORY, 1917] [=Kumatiophyllum Thomson, 1876 (nom. null.); Cymatiophyllum Thomson, 1901 (nom. van.); Cymatiophyllum LANG, SMITH & THOMAS, 1940 (nom. van.)].
- Stichophyma POMEL, 1872 [\*Manon turbinatum Römer, 1841; SD RAUFF, 1893] [=Stychophyma VOSMAER, 1885 (nom. null.); Sticophyma Morer, 1924 (nom. null.)].
- Stratophyllum SMYTH, 1933 [\*S. tenue] [=Ethmoplax SMYTH, 1939 (nom. van. pro Stratophyllum); Stratiphyllum LANG, SMITH & THOMAS, 1940 (nom. van. pro Stratophyllum SMYTH) (non Stratiphyllum SCHEFFEN, 1933)].
- Placotelia Oppliger, 1907 [\*Porostoma marconi FROMENTEL, 1859; SD DELAUBENFELS, herein] [=Plakotelia Oppliger, 1907 (nom. neg.)].
- Walcottella DeLAUB., nom. subst., 1955 [pro Rhopalicus Schramm., 1936 (non Förster, 1856)].
- Cyrtograptus CARRUTHERS, 1867 [nom. correct. LAPWORTH, 1873 (pro Cyrtograpsus CARRUTHERS, 1867), nom. conserv. proposed Bulman, 1955 (ICZN pend.)]

#### FAMILY-GROUP NAMES; USE OF "NOM. TRANSL."

The Rules now specify the form of endings only for subfamily (-inae) and family (-idae) but decisions of the Copenhagen Congress direct classification of all familygroup assemblages (taxa) as co-ordinate, signifying that for purposes of priority a name published for a unit in any category and based on a particular type genus shall date from its original publication for a unit in any category, retaining this priority (and authorship) when the unit is treated as belonging to a lower or higher category. By exclusion of -inae and -idae, respectively reserved for subfamily and family, the endings of names used for tribes and superfamilies must be unspecified different letter combinations. These, if introduced subsequent to designation of a subfamily or family based on the same nominate genus, are nomina translata, as is also a subfamily that is elevated to family rank or a family reduced to subfamily rank. In the Treatise it is desirable to distinguish the valid emendation comprised in the changed ending of each transferred family group name by the abbreviation "nom. transl." and record of the author and date belonging to this emendation. This is particularly important in the case of superfamilies, for it is the author who introduced this taxon that one wishes to know about rather than the author of the superfamily as defined by the Rules, for the latter is merely the individual who first defined some lowerrank family-group taxon that contains the nominate genus of the superfamily. The publication of the author containing introduction of the superfamily nomen trans*latum* is likely to furnish the information on taxonomic considerations that support definition of the unit.

Examples of the use of "nom. transl." are the following.

#### Subfamily STYLININAE d'Orbigny, 1851

[nom. transl. Edwards & HAIME, 1857 (ex Stylinidae D'Orbigny, 1851]

#### Superfamily ARCHAEOCTONOIDEA Petrunkevitch, 1949

[nom. transl. PETRUNKEVITCH, herein (ex Archaeoctonidae PETRUNKEVITCH, 1949)]

#### Superfamily CRIOCERATITACEAE Hyatt, 1900

[nom. transl. WRIGHT, 1952 (ex Crioceratitidae HYATT, 1900)]

#### FAMILY-GROUP NAMES; USE OF "NOM. CORRECT."

Valid emendations classed as *nomina* correcta do not depend on transfer from one category of family-group units to another but most commonly involve correction of the stem of the nominate genus; in addition, they include somewhat arbitrarily chosen modification of ending for names of tribe or superfamily. Examples of the use of "nom. correct." are the following.

#### Family STREPTELASMATIDAE Nicholson, 1889

[nom. correct. WEDEKIND, 1927 (ex Streptclasmidae Nicholson, 1889, nom. imperf.)]

#### Family PALAEOSCORPIIDAE Lehmann, 1944

[nom. correct. PETRUNKEVITCH, herein (ex Palaeoscorpionidae LEHMANN, 1944, nom. imperf.)]

#### Family AGLASPIDIDAE Miller, 1877

[nom. correct. STØRMER, herein (ex Aglaspidae MILLER, 1877, nom. imperf.)]

#### Superfamily AGARICIICAE Gray, 1847

[nom. correct. Wells, herein (ex Agaricioidae VAUGHAN & Wells, 1943, nom. transl. ex Agariciidae GRAY, 1847)]

#### FAMILY-GROUP NAMES; USE OF "NOM. CONSERV."

It may happen that long-used familygroup names are invalid under strict application of the Rules. In order to retain the otherwise invalid name, appeal to ICZN is needful. Examples of use of *nom. conserv*. in this connection, as cited in the *Treatise*, are the following.

#### Family ARIETITIDAE Hyatt, 1874

[nom. correct. HAUG, 1885 (pro Arietidae HYATT, 1875), nom. conserv. proposed Arkell, 1955 (ICZN pend.)]

#### Family STEPHANOCERATIDAE Neumayr, 1875

[nom. correct. FISCHER, 1882 (pro Stephanoceratinen NEU-MAYR, 1875, invalid vernacular name), nom conserv. proposed ARKELL, 1955 (ICZN pend.)]

#### FAMILY-GROUP NAMES; REPLACEMENTS

Family-group names are formed by adding letter combinations (prescribed for family and subfamily but not now for others) to the stem of the name belonging to genus (nominate genus) first chosen as type of the assemblage. The type genus need not be the oldest in terms of receiving its name and definition, but it must be the first-published as name-giver to a familygroup taxon among all those included. Once fixed, the family-group name remains tied to the nominate genus even if its name is changed by reason of status as a junior homonym or junior synonym, either objective or subjective. According to the Copenhagen Decisions, the family-group name requires replacement only in the event that the nominate genus is found to be a junior

homonym, and then a substitute familygroup name is accepted if it is formed from the oldest available substitute name for the nominate genus. Authorship and date attributed to the replacement family-group name are determined by first publication of the changed family-group name.

The aim of family-group nomenclature is greatest possible stability and uniformity, just as in case of other zoological names. Experience indicates the wisdom of sustaining family-group names based on junior subjective synonyms if they have priority of publication, for opinions of different workers as to the synonymy of generic names founded on different type species may not agree and opinions of the same worker may alter from time to time. The retention similarly of first-published family-group names which are found to be based on junior objective synonyms is less clearly desirable, especially if a replacement name derived from the senior objective synonym has been recognized very long and widely. To displace a much-used family-group name based on the senior objective synonym by disinterring a forgotten and virtually unused family-group name based on a junior objective synonym because the latter happens to have priority of publication is unsettling. Conversely, a long-used family-group name founded on a junior objective synonym and having priority of publication is better continued in nomenclature than a replacement name based on the senior objective synonym. The Copenhagen Decisions (paragraph 45) take account of these considerations by providing a relatively simple procedure for fixing the desired choice in stabilizing family-group names. In conformance with this, the Treatise assigns to contributing authors responsibility for adopting provisions of the Copenhagen Decisions.

Replacement of a family-group name may be needed if the former nominate genus is transferred to another family-group. Then the first-published name-giver of a familygroup assemblage in the remnant taxon is to be recognized in forming a replacement name.

#### FAMILY-GROUP NAMES; AUTHORSHIP AND DATE

All family-group taxa having names

xiv

based on the same type genus are attributed to the author who first published the name for any of these assemblages, whether tribe, subfamily, or family (superfamily being almost inevitably a later-conceived taxon). Accordingly, if a family is divided into subfamilies or a subfamily into tribes, the name of no such subfamily or tribe can antedate the family name. Also, every family containing differentiated subfamilies must have a nominate (sensu stricto) subfamily, which is based on the same type genus as that for the family, and the author and date set down for the nominate subfamily invariably are identical with those of the family, without reference to whether the author of the family or some subsequent author introduced subdivisions.

Changes in the form of family-group names of the sort constituting *nomina correcta*, as previously discussed, do not affect authorship and date of the taxon concerned, but in publications such as the *Treatise* it is desirable to record the authorship and date of the correction.

#### ORDER/CLASS-GROUP NAMES; USE OF "NOM. CORRECT."

Because no stipulation concerning the form of order/class-group names is given yet by the Rules, emendation of all such names actually consists of arbitrarily devised changes in the form of endings. Nothing precludes substitution of a new name for an old one, but a change of this sort is not considered to be an emendation. Examples of the use of "nom. correct." as applied to order/class-group names are the following.

Order DISPARIDA Moore & Laudon, 1943

[nom. correct. Moore, 1952 (ex Disparata Moore & Laudon, 1943)]

Suborder FAVIINA Vaughan & Wells, 1943

[nom. correct. Wells, herein (ex Faviida Vaughan & Wells, 1943)]

Suborder FUNGIINA Verrill, 1865 [nom. correct. Wells, herein (ex Fungiida DUNCAN, 1884, ex Fungacea VERRILL, 1865)]

#### TAXONOMIC EMENDATION

Emendation has two measurably distinct aspects as regards zoological nomenclature. These embrace (1) alteration of a name itself in various ways for various reasons, as has been reviewed, and (2) alteration of taxonomic scope or concept in application of a given zoological name, whatever its hierarchical rank. The latter type of emendation primarily concerns classification and inherently is not associated with change of name, whereas the other type introduces change of name without necessary expansion, restriction, or other modification in applying the name. Little attention generally has been paid to this distinction in spite of its significance.

Most zoologists, including paleozoologists, who have signified emendation of zoological names refer to what they consider a material change in application of the name such as may be expressed by an importantly altered diagnosis of the assemblage covered by the name. The abbreviation "emend." then may accompany the name, with statement of the author and date of the emendation. On the other hand, a multitude of workers concerned with systematic zoology think that publication of "emend." with a zoological name is valueless because more or less alteration of taxonomic sort is introduced whenever a subspecies, species, genus, or other assemblage of animals is incorporated under or removed from the coverage of a given zoological name. Inevitably associated with such classificatory expansions and restrictions is some degree of emendation affecting diagnosis. Granting this, still it is true that now and then somewhat radical revisions are put forward, generally with published statement of reasons for changing the application of a name. To erect a signpost at such points of most significant change is worth while, both as aid to subsequent workers in taking account of the altered nomenclatural usage and as indication that not-to-be-overlooked discussion may be found at a particular place in the literature. Authors of contributions to the Treatise are encouraged to include records of all specially noteworthy emendations of this nature, using the abbreviation "emend." with the name to which it refers and citing the author and date of the emendation.

In Part G (Bryozoa) and Part D (Protista 3) of the *Treatise*, the abbreviation "emend." is employed to record various sorts of name emendations, thus conflicting with usage of "emend." for change in taxonomic application of a name without alteration of the name itself. This is objectionable. In Part E (Archaeocyatha, Porifera) and later-issued divisions of the *Treatise*, use of "emend." is restricted to its customary sense, that is, significant alteration in taxonomic scope of a name such as calls for noteworthy modifications of a diagnosis. Other means of designating emendations that relate to form of a name are introduced.

#### STYLE IN GENERIC DESCRIPTIONS

#### DEFINITION OF NAMES

Most generic names are distinct from all others and are indicated without ambiguity by citing their originally published spelling accompanied by name of the author and date of first publication. If the same generic name has been applied to 2 or more distinct taxonomic units, however, it is necessary to differentiate such homonyms, and this calls for distinction between junior homonyms and senior homonyms. Because a junior homonym is invalid, it must be replaced by some other name. For example, Callopora HALL, 1851, introduced for Paleozoic trepostome bryozoans, is invalid because GRAY in 1848 published the same name for Cretaceous-to-Recent cheilostome bryozoans, and BASSLER in 1911 introduced the new name Hallopora to replace HALL's homonym. The Treatise style of entry is:

Hallopora BASSLER, 1911 [pro Callopora HALL, 1851 (non GRAY, 1848)].

In like manner, a needed replacement generic name may be introduced in the *Treatise* (even though first publication of generic names otherwise in this work is avoided). The requirement that an exact bibliographic reference must be given for the replaced name commonly can be met in the *Treatise* by citing a publication recorded in the list of references, using its assigned index number, as shown in the following example.

Mysterium DELAUBENFELS, nom. subst. [pro Mystrium Schrammen, 1936 (ref. 40, p. 60) (non Roger, 1862)] [\*Mystrium porosum Schrammen, 1936].

For some replaced homonyms, a footnote reference to the literature is necessary. A senior homonym is valid, and in so far as the *Treatise* is concerned, such names are handled according to whether the junior homonym belongs to the same major taxonomic division (class or phylum) as the senior homonym or to some other; in the former instance, the author and date of the junior homonym are cited as:

Diplophyllum Hall, 1851 [non Soshkina, 1939] [\*D. caespitosum].

Otherwise, no mention of the existence of a junior homonym is made.

#### CITATION OF TYPE SPECIES

The name of the type species of each genus and subgenus is given next following the generic name with its accompanying author and date, or after entries needed for definition of the name if it is involved in homonymy. The originally published combination of generic and trivial names for this species is cited, accompanied by an asterisk (\*), with notation of the author and date of original publication. An exception in this procedure is made, however, if the species was first published in the same paper and by the same author as that containing definition of the genus which it serves as type; in such case, the initial letter of the generic name followed by the trivial name is given without repeating the name of the author and date, for this saves needed space. Examples of these 2 sorts of citations are as follows:

Diplotrypa Nicholson, 1879 [\*Favosites petropolitanus Pander, 1830].

Chainodictyon FOERSTE, 1887 [\*C. laxum].

If the cited type species is a junior synonym of some other species, the name of this latter also is given, as follows:

Acervularia Schweigger, 1819 [\*A. baltica (=\*Madrepora ananas Linné, 1758)].

It is judged desirable to record the manner of establishing the type species, whether by original designation or by subsequent designation, but various modes of original designation are not distinguished.

Original designation of type species. The Rules provide that the type species of a genus or subgenus may be recognized as an original designation if only a single species was assigned to the genus at the time of first publication (monotypy), if the author of a generic name employed this same name for one of the included species (tautonymy), if one of the species was named "typus," "typicus," or the like, if the original author explicitly indicated the species chosen as the type, or if some other stipulations were met. According to convention adopted in the *Treatise*, the absence of any indication as to manner of fixing the type species is to be understood as signifying that it is established by original designation, the particular mode of original designation not being specified.

Subsequent designation of type species; use of "SD" and "SM." The type species of many genera are not determinable from the publication in which the generic name was introduced and therefore such genera can acquire a type species only by some manner of subsequent designation. Most commonly this is established by publishing a statement naming as type species one of the species originally included in the genus, and in the Treatise fixation of the type species in this manner is indicated by the letters "SD" accompanied by the name of the subsequent author (who may be the same person as the original author) and the date of publishing the subsequent designation. Some genera, as first described and named, included no mentioned species and these necessarily lack a type species until a date subsequent to that of the original publication when one or more species are assigned to such a genus. If only a single species is thus assigned, it automatically becomes the type species and in the *Treatise* this subsequent monotypy is indicated by the letters "SM." Of course, the first publication containing assignment of species to the genus which originally lacked any included species is the one concerned in fixation of the type species, and if this named 2 or more species as belonging to the genus but did not designate a type species, then a later "SD" designation is necessary. Examples of the use of "SD" and "SM" as employed in the *Treatise* follow.

- Hexagonaria Gürich, 1896 [\*Cyathophyllum hexagonum Goldfuss, 1826; SD Lang, Smith & THOMAS, 1940].
- Muriceides Studer, 1887 [\*M. fragilis WRIGHT & Studer, 1889; SM WRIGHT & Studer, 1889].

#### SYNONYMS

Citation of synonyms is given next following record of the type species and if 2 or more synonyms of differing date are recognized, these are arranged in chronological order. Objective synonyms are indicated by accompanying designation "(obj.)," others being understood to constitute subjective synonyms. Examples showing *Treatise* style in listing synonyms follow.

- Calapoecia BILLINGS, 1865 [\*C. anticostiensis; SD LINDSTRÖM, 1833] [=Columnopora Nicholson, 1874; Houghtonia Rominger, 1876].
- Staurocyclia HAECKEL, 1882 [\*S. cruciata HAECKEL, 1887] [=Coccostaurus HAECKEL, 1882 (obj.); Phacostaurus HAECKEL, 1887 (obj.)].

A synonym which also constitutes a homonym is recorded as follows:

Lyopora Nicholson & Etheridge, 1878 [\*Palaeopora? favosa M'Coy, 1850] [=Liopora Lang, Smith & Thomas, 1940 (non Girty, 1915)].

Some junior synonyms of either objective or subjective sort may take precedence desirably over senior synonyms wherever uniformity and continuity of nomenclature are served by retaining a widely used but technically rejectable name for a generic assemblage. This requires action of ICZN using its plenary powers to set aside the unwanted name and validate the wanted one, with placement of the concerned names on appropriate official lists. In the *Treatise* citation of such a conserved generic name is given in the manner shown by the following example.

Tetragraptus SALTER, 1863 [nom. correct. HALL, 1865 (pro Tetragrapsus SALTER, 1863), nom. conserv. proposed BULMAN, 1955, ICZN pend.] [\*Fucoides serra BRONGNIART, 1828 (=Graptolithus bryonoides HALL, 1858].

#### ABBREVIATIONS

A few author's names and most stratigraphic and geographic names are abbreviated in order to save space. General principles for guidance in determining what names should be abbreviated are frequency of repetition, length of name, and avoidance of ambiguity. Abbreviations used in this division of the *Treatise* are explained in the following alphabetically arranged list.

#### Abbreviations

Abh., Abhandlungen Abt., Abteilung, -en Acad., Academia, Académie, Academy aff., affinis Afr., Africa, -an Akad., Akademie Ala., Alabama Alb., Albian Alba., Alberta Alg., Algeria Am., America, -n Ann., Analen; Annal, -s; Annual ant., anterior Antarct., Antarctic Apt., Aptian Arbeit., Arbeiten Arch., Archiv Arct., Arctic Arenig., Arenigian Ark., Arkansas Art., Article Ashgill., Ashgillian AsiaM., Asia Minor Assoc., Association Atl., Atlantic Aus., Austria Austral., Australia Baikal., Baikalia Barrem., Barremian Barton, Bartonian Bathon., Bathonian Beil., Beilage Belg., Belgique, Belgium Bidr., Bidrag Biol., Biology Boh., Bohemia Bot., Botany Braz., Brazil Br.I., British Isles Brit., Britain, British Bull., Bulletin Burdigal., Burdigalian C., Centigrade, Central Calif., California Callov., Callovian Cam., Cambrian Campan., Campanian Can., Canada Caradoc., Caradocian Carb., Carboniferous Carib., Caribbean Cenom., Cenomanian Centralbl., Centralblatt cf., confero(compare) Chatt., Chattian Chazy., Chazyan Clinton., Clintonian cm., centimeter Co., Company Colo., Colorado Comp., Comparative Coniac., Coniacian Conserv., Conservation Contr., Contribution, -s

cosmop., cosmopolitan Cret., Cretaceous C.Z., Canal Zone Czech., Czechoslovakia Dept., Department deutsch., deutschen Dev., Devonian Distr., District Dol., Dolomite dors., dorsal E., East ed., edition, editor Eden., Edenian e.g., exempli gratia (for example) Ellesm., Ellesmereland Eng., England Eoc., Eocene Est., Estonia et al., et alii Eu., Europe ext., exterior f., för, für, från F., Formation Fac., Facultad, Faculté, Faculty fig., figure, -s Fla., Florida Förhandl., Förhandlingar, er Fr., France, Francais, -e, French G.Brit., Great Britain Genoot., Genootschap Geol., Geologiá, Geological, Geológico, Geologie, Geologisch, Geologiska, Geology Géol., Géologie, Géologique Ger., Germany Gesell., Gesellschaft Givet., Givetian Gotl., Gotland Gr., Group Greenl., Greenland Hauteriv., Hauterivian Hemis., Hemisphere Holl., Holland Hung., Hungarica, Hungary I.(Is.), Island, -s ICZN, International Commission on Zoological Nomenclature i.e., id est (that is) III., Illinois illus., illustration, -s incl., including, inclusive Ind., Indiana Ind.O., Indian Ocean Inst., Institut, Institute, Institutet, Institution, Instituto, Instituut int., interior Ire., Ireland Jahrb., Jahrbuch Jahrg., Jahrgang Jour., Journal Jur., Jurassic juv., juvenile Kans., Kansas

Kimm., Kimmeridgian Kl., Klasse Kolon., Kolonien kon., koninklijk kön., königlich Ky., Kentucky L., Lower, Land La., Louisiana lat., lateral Led., Ledian Lief., Lieferung, -en Linn., Linnean, Linnéenne Llandeil., Llandeilian Llandov., Lladoverian Llanvirn., Llanvirnian long., longitudinal Ls., Limestone Ludov., Ludlovian Lutet., Lutetian m., meter M., Middle Maastricht., Maastrichtian Mag., Magazine Math., Mathematische max., maximum Md., Maryland Me., Maine Medit., Mediterranean Meeresuntersuch., Meeresuntersuchungen Mem., Memoir, -s, Memoria Mém., Mémoire, -s Mich., Michigan Mijnb., Mijnbouw-kundig Min., Mineralogie Minn., Minnesota Mio., Miocene Miss., Mississippi, Mississippian Mitteil., Mitteilungen ml., milliliter mm., millimeter Mo., Missouri Mon., Monograph Mus., Museum n, new N., North N.Am., North America Nat., Natural; Naturale, -s; Naturali; Naturelle, -s Naturf., Naturforschende Naturv., Naturvetenskap, Naturvidenskapelig Natuurwetensch., Natuurwetenschappen N.B., New Brunswick NC., North Central N.Car., North Carolina NE., Northeast Neb., Nebraska Ned., Nederland Neocom., Neocomian Neog., Neogene Neth., Netherlands N.J., New Jersey no., number, -s; numéro, -s; número, -s

xviii

nom. correct., nomen correctum nom. nov., nomen novum nom. null., nomen nullum nom. subst., nomen substitutum nom. transl., nomen translatum nom. van., nomen vanum Nouv., Nouveau, Novelle Nov., Novitates NW., Northwest N.Y., New York N.Z., New Zealand O., Ocean obj., objective Occas., Occasional Okla., Oklahoma Oligo., Oligocene Onond., Onondagan Ont., Ontario Ord., Ordovician p., page, -s Pa., Pennsylvania Pac., Pacific Paläont., Paläontologie, Paläontologisch Paleoc., Paleocene Paleog., Paleogene Paleont., Paleontologia, Paleontologica, Paleontological, Paleontologiese, Paleontology Paleontgr., Paleontographica Para., Paraguay pend., pending Penn., Pennsylvanian Perm., Permian Philos,, Philosophical pl., plural; plate, -s Pleist., Pleistocene Plio., Pliocene Pol., Poland post., posterior Preuss., Preussische Proc., Proceedings Prof., Professional Prov., Province pt., part, -s Pub., Publication

Quat., Quaternary Rec., Recent reconstr., reconstructed, -ion Rept., Report, -s Res., Research Rev., Review, Revue R.I., Rhode Island Richmond., Richmondian Roy., Royal, -e Rupel., Rupelian Russ., Russia S., South, Sea S.Am., South America Santon., Santonian Sarmat., Sarmatian Sav., Savants SC., South Central Scand., Scandinavia Schweiz., Schweizerische Sci., Science, -s; Scientifique Scot., Scotland SD, subsequent designation S.Dak., South Dakota SE., Southeast sec., section, -s Senckenberg., Senckenbergischen Senon., Senonian ser., series, serial Sh., Shale Sib., Siberia Sil., Silurian Skr., Skrifter Soc., Sociedad, Societâ, Société, Society sp., species Sp., Spain Spec., Special s.s., sensu stricto Stud., Studies subfam., subfamily suppl., supplement Surv., Survey SW., Southwest Swed., Sweden, Swedish Switz., Switzerland Tatar., Tatarian

Tenn., Tennessee Tert., Tertiary Tex., Texas th., thoracic Tidsskr., Tidsskrift Tongr., Tongrian Trans., Transactions transl., translated, translation transv., transverse Tremadoc., Tremadocian Trenton., Trentonian Trias., Triassic Turon., Turonian Tyrrhen., Tyrrhenian u., und U., Upper Univ., Universidad, Università, Université, Universitets, University USA, United States (America) USSR, Union of Soviet Socialist Republics v., volume, -s Va., Virginia var., variety Venez., Venezuela vent., ventral Verh., Verhandlung, -en, Verhandelingen Verslag., Verslagen Vidensk., Videnskab, Videnskaberne **Visé.,** Viséan Volg., Volgian W., West Wenlock., Wenlockian Wiss., Wissenschaft, -en; Wissenschaftliche, -en W.Va., West Virginia Wyo., Wyoming Ypres., Ypresian Yugosl., Yugoslavia Zeitschr., Zeitschrift Zool., Zoologi, Zoologia, Zoological, Zoologie, Zoologisch, Zoologiska, Zoology

#### **REFERENCES TO LITERATURE**

Each part of the *Treatise* is accompanied by a selected list of references to paleontological literature consisting primarily of recent and comprehensive monographs available but also including some older works recognized as outstanding in importance. The purpose of giving these references is to aid users of the *Treatise* in finding detailed descriptions and illustrations of morphological features of fossil groups, discussions of classifications and distribution, and especially citations of more or less voluminous literature. Generally speaking, publications listed in the *Treatise* are not original sources of inform-

ation concerning taxonomic units of various rank but they tell the student where he may find them; otherwise it is necessary to turn to such aids as the Zoological Record or NEAVE'S Nomenclator Zoologicus. References given in the Treatise are arranged alphabetically by authors and accompanied by index numbers which serve the purpose of permitting citation most concisely in various parts of the text; these citations of listed papers are inclosed invariably in parentheses and are distinguishable from dates because the index numbers comprise no more than 3 digits. Ordinarily, index numbers for literature references are given at the end of generic or family diagnoses.

xix

#### SOURCES OF ILLUSTRATIONS

At the end of figure captions an index number is given to supply record of the author of illustrations used in the *Treatise*, reference being made to an alphabetically arranged list of authors' names which follows. The names of authors, but generally not individual publications, are cited. Previously unpublished illustrations are marked by the letter "n" (signifying "new") with the name of the author.

## STRATIGRAPHIC DIVISIONS

Classification of rocks forming the geologic column as commonly cited in the *Treatise* in terms of units defined by concepts of time is reasonably uniform and firm throughout most of the world as regards major divisions (e.g., series, systems, and rocks representing eras) but it is variable and unfirm as regards smaller divisions (e.g., substages, stages, and subseries), which are provincial in application. Users of the *Treatise* have suggested the desirability of publishing reference lists showing the stratigraphic arrangement of at least the most commonly cited divisions. Accordingly, a tabulation of European and North American units, which broadly is applicable also to other continents, is given here.

#### Generally Recognized Divisions of Geologic Column

#### Europe

#### ROCKS OF CENOZOIC ERA

#### NEOGENE SYSTEM<sup>1</sup>

Pleistocene Series (including Recent) Pliocene Series Miocene Series

#### PALEOGENE SYSTEM

Oligocene Series Eocene Series Paleocene Series

#### ROCKS OF MESOZOIC ERA

#### CRETACEOUS SYSTEM

Upper Cretaceous Series Maastrichtian Stage<sup>2</sup> Campanian Stage<sup>3</sup> Santonian Stage<sup>2</sup> Coniacian Stage<sup>2</sup> Turonian Stage Cenomanian Stage

Lower Cretaceous Series Albian Stage

Aptian Stage

North America

#### ROCKS OF CENOZOIC ERA

#### **NEOGENE SYSTEM<sup>1</sup>**

Pleistocene Series (including Recent) Pliocene Series Miocene Series

#### PALEOGENE SYSTEM

Oligocene Series Eocene Series Paleocene Series

#### ROCKS OF MESOZOIC ERA

#### CRETACEOUS SYSTEM

#### Gulfian Series (Upper Cretaceous) Navarroan Stage Tayloran Stage Austinian Stage

Woodbinian (Tuscaloosan) Stage Comanchean Series (Lower Cretaceous) Washitan Stage

Fredericksburgian Stage Trinitian Stage

#### Coahuilan Series (Lower Cretaceous)

XX

Barremian Stage<sup>3</sup> Hauterivian Stage<sup>3</sup> Valanginian Stage<sup>3</sup> Berriasian Stage<sup>3</sup>

### JURASSIC SYSTEM

Upper Jurassic Series Portlandian Stage<sup>4</sup> Kimmeridgian Stage Oxfordian Stage

Middle Jurassic Series Callovian Stage Bathonian Stage Bajocian Stage

Lower Jurassic Series (Liassic) Toarcian Stage Pliensbachian Stage Sinemurian Stage Hettangian Stage

#### TRIASSIC SYSTEM

Upper Triassic Series Rhaetian Stage<sup>5</sup> Norian Stage Carnian Stage Middle Triassic Series Ladinian Stage Anisian Stage (Virglorian) Lower Triassic Series Scythian Series (Werfenian)

#### ROCKS OF PALEOZOIC ERA

#### PERMIAN SYSTEM

Upper Permian Series Tartarian Stage<sup>6</sup> Middle Permian Series Kazanian Stage<sup>7</sup> Kungurian Stage Artinskian Stage<sup>8</sup> Lower Permian Series Sakmarian Stage

#### CARBONIFEROUS SYSTEM Upper Carboniferous Series

Stephanian Stage

Westphalian Stage

Namurian Stage

Nuevoleonian Stage

#### Durangoan Stage

#### JURASSIC SYSTEM

Upper Jurassic Series Portlandian Stage Kimmeridgian Stage Oxfordian Stage Middle Jurassic Series

Callovian Stage Bathonian Stage Bajocian Stage

Lower Jurassic Series (Liassic) Toarcian Stage Pliensbachian Stage Sinemurian Stage Hettangian Stage

#### TRIASSIC SYSTEM

Upper Triassic Series (Not recognized) Norian Stage Carnian Stage Middle Triassic Series

Ladinian Stage Anisian Stage Lower Triassic Series Scythian Stage

#### **ROCKS OF PALEOZOIC ERA**

#### PERMIAN SYSTEM

Upper Permian Series Ochoan Stage Middle Permian Series Guadalupian Stage

Leonardian Stage Lower Permian Series Wolfcampian Stage

#### PENNSYLVANIAN SYSTEM

Kawvian Series (Upper Pennsylvanian) Virgilian Stage Missourian Stage Oklan Series (Middle Pennsylvanian) Desmoinesian Stage Bendian Stage Ardian Series (Lower Pennsylvanian) Morrowan Stage

MISSISSIPPIAN SYSTEM Tennesseean Series (Upper Mississippian)

xxi

Lower Carboniferous Series Viséan Stage

Tournaisian Stage Strunian Stage

#### DEVONIAN SYSTEM

Upper Devonian Series Famennian Stage

Frasnian Stage

Middle Devonian Series Givetian Stage

#### Couvinian Stage

Lower Devonian Series Coblenzian Stage

#### Gedinnian Stage

SILURIAN SYSTEM Upper Silurian Series Ludlovian Stage

Middle Silurian Series Wenlockian Stage

Llandoverian Stage (upper part) Lower Silurian Series Llandoverian Stage (lower part)

#### **ORDOVICIAN SYSTEM**

Upper Ordovician Series Ashgillian Stage Caradocian Stage (upper part)

Middle Ordovician Caradocian Stage (lower part)

Llandeilian Stage Llanvirnian Stage

Lower Ordovician Series Arenigian Stage Tremadocian Stage<sup>9</sup>

CAMBRIAN SYSTEM Upper Cambrian Series Chesteran Stage

Meramecian Stage Waverlyan Series (Lower Mississippian) Osagian Stage Kinderhookian Stage

**DEVONIAN SYSTEM** 

Chautauquan Series (Upper Devonian) Conewangoan Stage Cassadagan Stage Senecan Series (Upper Devonian) Chemungian Stage Fingerlakesian Stage

Erian Series (Middle Devonian) Taghanican Stage Tioughniogan Stage Cazenovian Stage

Ulsterian Series (Lower Devonian) Onesquethawan Stage Deerparkian Stage Helderbergian Stage

SILURIAN SYSTEM Cayugan Series (Upper Silurian)

Keyseran Stage Tonolowayan Stage Salinan Stage

Niagaran Series (Middle Silurian) Lockportian Stage Cliftonian Stage Clintonian Stage

Medinan Series (Lower Silurian) Alexandrian Stage

#### ORDOVICIAN SYSTEM

Cincinnatian Series (Upper Ordovician) Richmondian Stage Maysvillian Stage Edenian Stage Champlainian Series (Middle Ordovician) Mohawkian Stage Trentonian Substage Blackriveran Substage Chazyan Stage

Canadian Series (Lower Ordovician)

#### **CAMBRIAN SYSTEM**

Croixian Series (Upper Cambrian) Trempealeauan Stage Franconian Stage

xxii

Middle Cambrian Series Lower Cambrian Series

#### EOCAMBRIAN SYSTEM ROCKS OF PRECAMBRIAN AGE

Dresbachian Stage Albertan Series (Middle Cambrian) Waucoban Series (Lower Cambrian)

#### EOCAMBRIAN SYSTEM ROCKS OF PRECAMBRIAN AGE

RAYMOND C. MOORE

- <sup>2</sup> Classed as division of Senonian Subseries.
- <sup>8</sup> Classed as division of Neocomian Subseries.
- <sup>4</sup> Includes Purbeckian deposits.
- <sup>5</sup> Interpreted as lowermost Jurassic in some areas.

<sup>6</sup> Includés some Lower Triassic and equivalent to upper Thuringian (Zechstein) deposits.

<sup>7</sup> Equivalent to lower Thuringian (Zechstein) deposits.

<sup>8</sup> Equivalent to upper Autunian and part of Rotliegend deposits.

<sup>9</sup> Classed as uppermost Cambrian by some geologists.

xxiii

<sup>&</sup>lt;sup>1</sup> Considered by some to exclude post-Pliocene deposits.