

REFERENCES

- Abaimova, G. P., 1972, *Raschlenenie i korrelyatsiya Ordovikskikh otlozhennyi yugo-vostoka Sibirs'koy platformy po konodontam*: Tr. Sib. Nauchno-Issled. Inst. Geol. Geofiz. Miner. Syrya, v. 146, p. 65-67. [Examination and correlation of near-East Ordovician deposits of the Siberian platform by conodonts.]
- 1975, *Ranneordovikskie konodonty srednego techeniya r. leny*: Tr. Sib. Nauchno-Issled. Inst. Geol. Geofiz. Miner. Syrya, v. 207, p. 1-129, pl. 1-10. [Early Ordovician conodonts from the River Lena.]
- 1978, *Pozdnekembriyskiye konodonty Tsentralnogo Kazakhstana*: Paleontol. Zh., no. 4, p. 77-87, 3 text-fig., pl. 7, 8. [Late Cambrian conodonts from Central Kazakhstan.]
- Aldridge, R. J., 1972, *Llandovery conodonts from the Welsh Borderland*: Bull. Br. Mus. Nat. Hist. Geol., v. 22, no. 2, p. 127-226, pl. 1-9.
- 1974, *An amorphognathoides Zone conodont fauna from the Silurian of the Ringerike area, South Norway*: Nor. Geol. Tidsskr., v. 54, p. 295-303, 1 text-fig.
- 1975, *The stratigraphic distribution of conodonts in the British Silurian*: J. Geol. Soc. London, v. 131, p. 607-618, 2 text-fig., pl. 1-3.
- Al-Rawi, Dhyā, 1977, *Biostratigraphische Gliederung der Tentaculiten-Schichten des Frankenalbwaldes mit Conodonten und Tentaculiten (Unter- und Mittel-Devon; Bayern, Deutschland)*: Senckenbergiana Lethaea, v. 58, p. 25-[80], 7 text-fig., 8 pl.
- Aristov, V. A., & Alekseev, A. S., 1976 (1978), *Late Tournaisian conodonts from the Scaliognathus anchoralis Zone of Eastern Kazakhstan*: Dokl. Acad. Sci. USSR, Earth Sci. Sect., v. 229, no. 1-6, p. 229-232, 1978 transl. of Dokl. Akad. Nauk SSSR, v. 229, no. 1, p. 189-192.
- Armstrong, W. G., & Tarlo, L. B. H., 1966, *Amino-acid components in fossil calcified tissues*: Nature, v. 210, no. 5035, p. 481-482.
- Austin, R. L., 1972, *Problems of conodont taxonomy*: Geol. Palaeontol. Spec. Vol. 1, p. 115-126, 2 text-fig., 2 pl.
- 1973a, *Phylogeny and homeomorphy of conodonts in the Lower Carboniferous*: in F. H. T. Rhodes (ed.), *Conodont paleozoology*, Geol. Soc. Am., Spec. Pap. 141, p. 105-116, 2 text-fig.
- 1973b, *Modification of the British Avonian conodont zonation and a reappraisal of European Dinantian conodont zonation and correlation*: Ann. Soc. Geol. Belg., Ann., v. 96, p. 523-532.
- 1975, *Dinantian conodont biostratigraphy in Europe*: Geol. Soc. Am. Abstr. Programs, v. 7, no. 6, p. 713-714.
- , Conil, Raphael, Groessens, Eric, & Pirlet, H., 1974, *Étude biostratigraphique de l'encrinite de Tramaka*: Bull. Soc. Belge Géol. Paléontol. Hydrol., v. 83, p. 113-129, pl. 1-3.
- , & Hill, P. J., 1973, *A lower Avonian (K zone) conodont fauna from near Tintern, Monmouthshire, Wales*: Geol. Palaeontol., v. 7, p. [23]-34, 2 text-fig., pl. 1, 2.
- , & Mitchell, M., 1975, *Middle Dinantian platform conodonts from Co. Fermanagh and Co. Tyrone, Northern Ireland*: Bull. Geol. Surv. G. B., no. 55, p. 43-54, 2 text-fig., pl. 1-2.
- , & Rhodes, F. H. T., 1969, *A conodont assemblage from the Carboniferous of the Avon Gorge, Bristol*: Palaeontology, v. 12, p. 400-405, 1 text-fig.
- Avcin, M. J., & Norby, R. D., 1973, *Scottognathus (Pennsylvanian conodont), a generic concept*: Geol. Soc. Am. Abstr. Programs, v. 5, no. 4, p. 296.
- Babcock, L. C., 1976, *Conodont paleoecology of the Lamar Limestone (Permian), Delaware basin, west Texas*: in C. R. Barnes (ed.), *Conodont paleoecology*, Geol. Soc. Can., Spec. Pap. 15, p. 279-294.
- Baesemann, J. F., 1973, *Missourian (Upper Pennsylvanian) conodonts of northeastern Kansas*: J. Paleontol., v. 47, p. 689-710, 2 text-fig., pl. 1-3.
- Barnes, C. R., 1967, *A questionable natural conodont assemblage from Middle Ordovician limestone, Ottawa, Canada*: J. Paleontol., v. 41, p. 1557-1560, 2 text-fig.
- , & Fähræus, L. E., 1975, *Provinces, communities, and the proposed nektobenthic habit of Ordovician conodontophorids*: Lethaia, v. 8, p. 133-149, 5 text-fig.
- , & Nowlan, G. S., 1975, *Conodonts: A thing of the past—and of the future*: Geosci. Can., v. 2, p. 85-89, 6 text-fig.
- , Rexroad, C. B., & Miller, J. F., 1973, *Lower Paleozoic conodont provincialism*: in F. H. T. Rhodes (ed.), *Conodont paleozoology*, Geol. Soc. Am. Spec. Pap. 141, p. 157-190, 16 text-fig.
- , Sass, D. B., & Monroe, E. A., 1970, *Preliminary studies of the ultrastructure of selected Ordovician conodonts*: R. Ont. Mus. Life Sci. Contrib., no. 76, p. 1-24, pl. 1-10.
- 1973, *Ultrastructure of some Ordovician conodonts*: in F. H. T. Rhodes (ed.), *Conodont paleozoology*, Geol. Soc. Am. Spec. Pap. 141, p. 1-30, 8 text-fig.
- , —, & Poplawski, M. L. S., 1973, *Conodont ultrastructure: The family Panderodontidae*: R. Ont. Mus. Life Sci. Contrib., no. 90, p. 1-36, 11 text-fig.
- , & Slack, D. J., 1975, *Conodont ultrastructure: The subfamily Acanthodontinae*: R. Ont. Mus. Life Sci. Contrib., no. 106, p. 1-21, 6 text-fig.

- Barnett, S. G., 1971, Biometric determination of the evolution of *Spathognathodus remsciedensis*: A method for precise intrabasinal correlations in the northern Appalachians: J. Paleontol., v. 45, p. 274-300, 17 text-fig., pl. 35-37.
- Barrick, J. E., 1977, Multielement simple-cone conodonts from the Clarita Formation (Silurian), Arbuckle Mountains, Oklahoma: Geol. Palaeontol., v. 11, p. 47-68, 1 text-fig., 3 pl.
- _____, & Klapper, Gilbert, 1976, Multielement Silurian (late Llandoveryan-Wenlockian) conodonts of the Clarita Formation, Arbuckle Mountains, Oklahoma, and phylogeny of *Kockella*: Geol. Palaeontol., v. 10, p. 59-98, 5 text-fig., 4 pl.
- Barskoy, I. S., Alekseev, A. S., & Goreva, N. V., 1977, The taxonomic and nomenclatural status of conodonts of the genus *Gnathodus* Pander, 1856: Acad. Sci. USSR, Paleontol. J., no. 4, p. 131-134, transl. of Akad. Nauk SSSR, Paleontol. Zh., v. 11, no. 4, p. 518-521, pl. 8.
- Bassler, R. S., 1925, Classification and stratigraphic use of the conodonts: Geol. Soc. Am. Bull., v. 36, p. 218-220.
- Beckmann, Heinz, 1949, Conodonten aus dem Iberger Kalk (Ober-Devon) des Bergischen Landes und ihr Feinbau: Senckenbergiana, v. 30, no. 1-3, p. 153-168, pl. 1-4.
- 1952, Zur Anwendung von Essigsäure in der Mikropaläontologie: Palaeontol. Z., v. 26, p. 138-139.
- Behnken, F. H., 1975, Leonardian and Guadalupian (Permian) conodont biostratigraphy in western and southwestern United States: J. Paleontol., v. 49, p. 284-315, 11 text-fig., 2 pl.
- Beinert, R. J., Klapper, Gilbert, Sandberg, C. A., & Ziegler, Willi, 1971, Revision of *Scaphignathus* and description of *Clydagnathus? ormistoni* n. sp. (Conodonta, Upper Devonian): Geol. Palaeontol., v. 5, p. 81-91, 1 text-fig., 2 pl.
- Bender, Hans, 1970, Zur Gliederung der Mittleren Trias II. Die Conodontenchronologie der Mittleren Trias: Ann. Geol. Pays Hell., v. 19, p. 465-540.
- _____, & Stoppel, Dieter, 1965, Perm-conodonten: Geol. Jahrb., v. 82, p. 331-364, pl. 14-16.
- Bengtson, Stefan, 1976, The structure of some Middle Cambrian conodonts, and the early evolution of conodont structure and function: Lethaia, v. 9, p. 185-206, 12 text-fig.
- Bergström, S. M., 1962, Conodonts from the Ludibundus Limestone (Middle Ordovician) of the Tvären area (S. E. Sweden): Ark. Mineral. Geol., v. 3, no. 1, p. 1-61, 5 text-fig., pl. 1-5.
- 1964, Remarks on some Ordovician conodont faunas from Wales: Lunds Univ. Arsskr. Avd. 2, no. 3, p. 1-66, 22 text-fig.
- 1968, Biostratigraphy of the Lower Ordovician sequence at Skattungbyn, Dalarna: Geol. Foer. Stockholm Foerh., v. 90, p. 454.
- 1971, Conodont biostratigraphy of the Middle and Upper Ordovician of Europe and eastern North America: in W. C. Sweet & S. M. Bergström (eds.), Symposium on conodont biostratigraphy, Geol. Soc. Am. Mem. 127, p. 83-164, 14 text-fig., 2 pl.
- 1973, Biostratigraphy and facies relations in the lower Middle Ordovician of easternmost Tennessee: Am. J. Sci., v. 273-A, p. 261-293.
- _____, Carnes, J. B., Ethington, R. L., Votaw, R. B., & Wigley, P. B., 1974, *Appalachignathus*, a new multielement conodont genus from the Middle Ordovician of North America: J. Paleontol., v. 48, p. 227-235, 5 text-fig., 1 pl.
- _____, Epstein, A. G., & Epstein, J. B., 1972, Early Ordovician North Atlantic Province conodonts in eastern Pennsylvania: U.S. Geol. Surv. Prof. Pap. 800D, p. D37-D44, 3 text-fig.
- _____, & Sweet, W. C., 1966, Conodonts from the Lexington Limestone (Middle Ordovician) of Kentucky and its lateral equivalents in Ohio and Indiana: Bull. Am. Paleontol., v. 50, no. 229, p. 271-441, 13 text-fig., pl. 28-35.
- Bischoff, Günther, 1957, Die Conodonten-Stratigraphie des rheno-herzyinischen Unterkarbons mit Berücksichtigung der Wocklumeria-Stufe und der Devon/Karbon-Grenze: Abh. Hess. Landesamtes Bodenforsch., no. 19, p. 1-64, pl. 1-6.
- 1973, On the nature of the conodont animal: Geol. Palaeontol., v. 7, p. 147-174, 1 text-fig., pl. 1-6.
- _____, & Sannemann, Dietrich, 1958, Unterdevonische Conodonten aus dem Frankenwald: Notizbl. Hess. Landesamtes Bordenforsch. Wiesbaden, v. 86, p. 87-110, pl. 12-15.
- _____, & Ziegler, Willi, 1957, Die Conodontenchronologie des Mitteldevons und des tiefsten Oberdevons: Abh. Hess. Landesamtes Bordenforsch., v. 22, 136 p., 16 text-fig., 21 pl.
- Bitter, P. H. von, 1972, Environmental control of conodont distribution in the Shawnee Group (Upper Pennsylvanian) of eastern Kansas: Univ. Kans. Paleontol. Contrib. Artic. 59, 105 p., 16 pl.
- 1974, Element composition and micromorphology of species of *Gondolella* from the Middle and Upper Pennsylvanian of the central U.S.A.: Geol. Soc. Am. Abstr. Programs, v. 6, no. 6, p. 551.
- 1976a, The apparatus of *Gondolella sublanceolata* Gunnell (Conodontophorida, Upper Pennsylvanian) and its relationship to *Illinella typica* Rhodes: R. Ont. Mus. Life Sci. Contrib., no. 109, p. 1-44, 18 text-fig.
- 1976b, Paleogeology and distribution of Windsor Group (Visean?-early Namurian) conodonts, Port Hood Island, Nova Scotia, Canada: in C. R. Barnes (ed.), Conodont paleoecology, Geol. Soc. Can., Spec. Pap. 15, p. 225-241.
- Boersma, K. Th., 1973, On the basal structure of *Siphonodella cooperi* Hass, 1959, and *Siphonodella lobata* (Branson & Mehl), 1934: Leidse Geol. Meded., v. 49, p. 39-57, pl. 1-4.
- Boogaard, M. van den, 1966, Post-Carboniferous conodonts from south-eastern Spain: Proc. K. Ned. Akad. Wet. Ser. B, v. 69, p. 1-8, pl. 1-2.

- , & Kuhry, B., 1979, Statistical reconstruction of the *Palmatolepis* apparatus (Late Devonian conodontophorids) at the generic, subgeneric, and specific level: *Scr. Geol.*, v. 49, 57 p., 28 text-fig.
- Bradshaw, L. E., 1969, Conodonts from the Fort Peña Formation (Middle Ordovician), Marathon Basin, Texas: *J. Paleontol.*, v. 43, p. 1137-1168, 4 text-fig., pl. 131-137.
- , Noel, J. A., & Larson, R. J., 1972, Neutron activation analysis of selected conodonts: in F. H. T. Rhodes (ed.), *Conodont paleozoology*, *Geol. Soc. Am. Spec. Pap.* 141, p. 67-84.
- Branson, C. C., 1957, Comment on the Moore/Sylvester-Bradley "Parataxonomic Plan": *Bull. Zool. Nomencl.*, v. 15, Doc. 1/25, p. 169.
- , & Mankin, D. J., 1964, Composition of conodonts: *Oklahoma Geol. Notes*, v. 24, p. 296-302.
- Branson, E. B., & Branson, C. C., 1947, Lower Silurian conodonts from Kentucky: *J. Paleontol.*, v. 21, p. 549-556, 1 text-fig., pl. 81, 82.
- , & Mehl, M. G., 1933a, Conodont studies no. 1: Conodonts from the Harding sandstone of Colorado; Bainbridge (Silurian) of Missouri; Jefferson City (Lower Ordovician) of Missouri: *Univ. Mo. Stud.*, v. 8, no. 1, p. 5-72, pl. 1-4.
- 1933b, Conodont studies no. 2: Conodonts from the Joachim (Middle Ordovician) of Missouri; Conodonts from the Platin (Middle Ordovician) of Missouri; Conodonts from the Maquoketa-Thebes (Upper Ordovician) of Missouri; A study of Hinde's types of conodonts preserved in the British Museum: *Univ. Mo. Stud.*, v. 8, no. 2, p. 77-167, 3 text-fig., pl. 5-12.
- 1934a, Conodont studies no. 3: Conodonts from the Grassy Creek shale of Missouri: *Univ. Mo. Stud.*, v. 8, 1933, no. 3, p. 171-259, 3 text-fig., pl. 13-21.
- 1934b, Conodont studies no. 4: Conodonts from the Bushberg sandstone and equivalent formations of Missouri: *Univ. Mo. Stud.*, v. 8, 1933, no. 4, p. 265-300, pl. 22-24.
- 1936, Geological affinities and taxonomy of conodonts: *Geol. Soc. Am. Proc. Abstr.*, 1935, p. 436 (also *Pan. Am. Geol.*, v. 65, p. 233).
- 1938, The conodont genus *Icriodus* and its stratigraphic distribution: *J. Paleontol.*, v. 12, p. 156-166, 1 text-fig., pl. 26.
- 1940, Caney conodonts of Upper Mississippian age: *Denison Univ. Sci. Lab. J.*, v. 35, p. 167-178, pl. 5.
- 1941a, Conodonts from the Keokuk formation: *Denison Univ. Sci. Lab. J.*, v. 35, 1940, p. 179-188, pl. 1-6.
- 1941b, The recognition and interpretation of mixed conodont faunas: *Denison Univ. Sci. Lab. J.*, v. 35, 1940, p. 195-209.
- 1941c, New and little known Carboniferous conodont genera: *J. Paleontol.*, v. 15, p. 97-106, pl. 19.
- 1943, Ordovician conodont faunas from Oklahoma: *J. Paleontol.*, v. 17, p. 374-387, pl. 63, 64.
- 1944, Conodonts: in H. W. Shimer & R. R. Shrock, *Index fossils of North America*, p. 235-246, pl. 93, 94, Wiley & Sons (New York).
- 1948, Conodont homonyms and names to replace them: *J. Paleontol.*, v. 22, p. 527-528.
- , —, & Branson, C. C., 1951, Richmond conodonts of Kentucky and Indiana: *J. Paleontol.*, v. 25, p. 1-17, 1 text-fig., pl. 1-4.
- Branson, E. R., 1934, Conodonts from the Hannibal formation of Missouri: *Univ. Mo. Stud.*, v. 8, Oct., 1933, p. 301-334, pl. 25-28.
- Bryant, W. L., 1921, The Genesee conodonts: *Bull. Buffalo Soc. Nat. Sci.*, v. 13, p. 1-59, 7 text-fig., pl. 1-16.
- Budurov, K. J., 1968, *Conodonten-fauna der nicht Metamorphen Trias Bulgariens*: Univ. Sofia Geol. Geog. diss., p. 1-15.
- 1972, *Ancyrogondolella triangularis gen. et sp. n. (Conodonta)*: *Mitt. Ges. Geol. Bergbaustud. Wien*, v. 21, p. 853-860.
- 1973, *Carinella n. gen. und revision der Gattung Gladigondolella (Conodonta)*: *Dokl. Bolg. Akad. Nauk.*, v. 26, p. 799-802.
- , & Pantic, S., 1973, Conodonten aus den Campiller Schichten von Brassina (Westserbien): *Izv. Geol. Inst. Bulg. Akad. Nauk. Ser. Paleontol.*, v. 22, p. 49-64.
- Bultynck, P., 1976, *Le Silurien supérieur et le Dévonien inférieur de la Sierra de Guadarrama (Espagne centrale), Troisième partie: Éléments icriodiformes, pelekyognathiformes et polygnathiformes*: *Bull. Inst. R. Sci. Nat. Belg.*, v. 49 (Sci. Terre no. 5), 74 p., 10 text-fig., 11 pl.
- Burnley, G. I., 1938, The conodonts of the shale overlying the Lexington Coal Bed of Lafayette County and Jackson County, Missouri: Unpubl. MA thesis, Univ. Missouri (Columbia).
- Burrett, C. F., 1979, *Tasmanognathus: A new Ordovician conodontophorid genus from Tasmania*: *Geol. Palaeontol.*, v. 13, p. 31-38, 4 text-fig., 1 pl.
- Butler, Malcolm, 1973, Lower Carboniferous conodont faunas from the Eastern Mendips, England: *Palaeontology*, v. 16, p. 477-517, pl. 56-59.
- Butts, C., 1926, The Paleozoic rocks, in G. I. Adams et al., *Geology of Alabama*: Ala. Geol. Surv. Spec. Rep. 14, p. 41-230, pl. 3-76.
- Carls, Peter, & Gndl, Josef, 1969, *Stratigraphie und Conodonten des Unter-Devons der Östlichen Iberischen Ketten (NE-Spanien)*: Neues Jahrb. Geol. Palaeontol. Abh., v. 132, p. 155-218, 3 text-fig., pl. 15-20.
- Carnes, J. B., 1975, Conodont biostratigraphy in the lower Middle Ordovician of the western Appalachian thrust-belts in northeastern Tennessee: Unpubl. Ph.D. diss., 291 p., 8 pl., The Ohio State University (Columbus).
- Chamberlain, C. K., & Clark, D. L., 1973, Trace fossils and conodonts as evidence for deep-water deposits in the Oquirrh Basin of Central Utah:

- J. Paleontol., v. 47, p. 663-682, 7 text-fig., pl. 1-3.
- Chauft, K. M., & Dombrowski, Anna**, 1977, *Hemistriona*, a new conodont genus from the basal shale member of the Sulphur Springs Formation, east-central Missouri: Geol. Palaeontol., v. 11, p. 109-120, 1 text-fig., 2 pl.
- , & Klapper, Gilbert, 1978, New conodont genus *Apatella* (Late Devonian), possible homeomorph *Bactrognathus* (Early Carboniferous, Osagean Series), and homeomorphy in conodonts: Geol. Palaeontol., v. 12, p. 151-164, 3 pl.
- Clark, D. L.**, 1959, Conodonts from the Triassic of Nevada and Utah: J. Paleontol., v. 33, p. 305-312, 1 text-fig., pl. 44, 45.
- 1972a, Early Permian crisis and its bearing on Permo-Triassic conodont taxonomy: Geol. Palaeontol., Spec. Vol. 1, p. 147-158, 11 text-fig.
- 1972b, Conodont paleoecology: Geol. Soc. Am. Abstr. Programs, v. 4, p. 312.
- 1974, Factors of Early Permian conodont paleoecology in Nevada: J. Paleontol., v. 48, p. 710-720, 3 text-fig., pl. 1, 2.
- 1977, Late Paleozoic and Triassic conodont biostratigraphy: Correlations around the expanding Atlantic Ocean: in F. M. Swain (ed.), Stratigraphic micropaleontology of Atlantic Basin and borderlands, Elsevier Dev. Paleontol. Stratigr. no. 6, p. 111-136.
- , & Behnken, F. H., 1971, Conodonts and biostratigraphy of the Permian: in W. C. Sweet & S. M. Bergström (eds.), Symposium on conodont biostratigraphy, Geol. Soc. Am. Mem. 127, p. 415-439, 4 text-fig., 2 pl.
- , & Miller, J. F., 1969, Early evolution of conodonts: Geol. Soc. Am. Bull., v. 80, p. 125-134, 8 text-fig.
- , & Müller, K. J., 1968, The basal opening of conodonts: J. Paleontol., v. 42, p. 561-570, 6 text-fig.
- , & Rosser, S. V., 1976, Analysis of paleoecologic factors associated with the Triassic *Parachirognathus/Furnishius* conodont fauna in Utah and Nevada: in C. R. Barnes (ed.), Conodont paleoecology, Geol. Soc. Can., Spec. Pap. 15, p. 295-311.
- , Sincavage, J. P., & Stone, D. D., 1964, New conodont from the Lower Triassic of Nevada: J. Paleontol., v. 38, p. 375-377, 1 text-fig., pl. 60.
- Clarke, J. M.**, 1885, On the higher Devonian faunas of Ontario County, New York: U.S. Geol. Surv. Bull., v. 3, no. 16, p. 35-120, pl. 1-3.
- Collinson, C. W.**, 1963, Techniques for the collecting and processing of conodonts: Ill. State Geol. Surv. Circ. 343, p. 1-16.
- 1965, Conodonts: in Bernhard Kummel & D. M. Raup (eds.), Handbook of paleontological techniques, p. 94-102, W. H. Freeman & Co. (San Francisco).
- , Avcin, M. J., Norby, R. D., & Merrill,
- G. K., 1972, Pennsylvanian conodont assemblages from LaSalle County, northern Illinois: Ill. State Geol. Surv. Guideb. Ser., no. 10, p. 1-37, 18 text-fig.
- , Rexroad, C. B., & Thompson, T. F., 1971, Conodont zonation of the North American Mississippian: in W. C. Sweet & S. M. Bergström (eds.), Symposium on conodont biostratigraphy, Geol. Soc. Am. Mem. 127, p. 353-394, 8 text-fig.
- Conway Morris, Simon**, 1976, A new Cambrian lophophorate from the Burgess Shale of British Columbia: Palaeontology, v. 19, p. 199-222, pl. 30-34.
- Cooper, B. J.**, 1974a, New forms of *Belodella* (*Conodonta*) from the Silurian of Australia: J. Paleontol., v. 48, p. 1120-1125, 1 text-fig., 1 pl.
- 1974b, Studies of multielement Silurian conodonts: Unpubl. Ph.D. diss., 197 p., 10 text-fig., 7 pl., The Ohio State University (Columbus).
- 1975, Multielement conodonts from the Brassfield Limestone (Silurian) of southern Ohio: J. Paleontol., v. 49, p. 984-1008, 3 text-fig., 3 pl.
- 1976, Multielement conodonts from the St. Clair Limestone (Silurian) of southern Illinois: J. Paleontol., v. 50, p. 205-217, 2 text-fig., 2 pl.
- 1977, Toward a familial classification of Silurian conodonts: J. Paleontol., v. 51, p. 1057-1071, 2 pl.
- Cooper, C. L.**, 1931, New conodonts from the Woodford formation of Oklahoma: J. Paleontol., v. 5, p. 230-243, pl. 28.
- 1939, Conodonts from a Bushberg-Hannibal horizon in Oklahoma: J. Paleontol., v. 13, p. 379-422, pl. 38-47.
- , & Sloss, L. L., 1943, Conodont fauna and distribution of a Lower Mississippian black shale in Montana and Alberta: J. Paleontol., v. 17, p. 168-176, 1 text-fig., pl. 28, 29.
- Croneis, Carey**, 1938, Utilitarian classification for fragmentary fossils: J. Geol., v. 46, p. 975-984.
- Cullison, J. S.**, 1938, Dutchtown fauna of southeastern Missouri: J. Paleontol., v. 12, p. 219-228, pl. 29.
- Demanet, Felix**, 1939, Filtering appendices on the branchial arches of *Coelacanthus lepturus Agassiz*: Geol. Mag., v. 76, no. 899, p. 215-219, 2 text-fig.
- Denham, R. L.**, 1944, Conodonts: J. Paleontol., v. 18, p. 216-218, 1 text-fig.
- Diebel, Kurt**, 1956, Conodonten in der Oberkreide von Kamerun: Geologie, v. 5, p. 424-450, pl. 1-6.
- Dow, V. E.**, 1965, Magnetic separation of conodonts: in Bernhard Kummel & D. M. Raup (eds.), Handbook of paleontologic techniques, p. 263-267, W. H. Freeman & Co. (San Francisco).
- Druse, E. C.**, 1969, Devonian and Carboniferous conodonts from the Bonapart Gulf basin, northern Australia: Aust. Bur. Miner. Resour. Geol. Geophys. Bull. 98, 242 p., 33 text-fig., 43 pl.
- 1970, Lower Carboniferous conodonts from the

- Northern Yarrol basin, Queensland*: Aust. Bur. Miner. Resour. Geol. Geophys. Bull. 108 (1967), p. 91-113, pl. 15-18.
- 1973, *Upper Paleozoic and Triassic conodont distribution and the recognition of biofacies*: in F. H. T. Rhodes (ed.), Conodont paleozoology, Geol. Soc. Am. Spec. Pap. 141, p. 191-237, 1 text-fig.
- , & Jones, P. J., 1971, *Cambro-Ordovician conodonts from the Burke River structural belt, Queensland*: Aust. Bur. Miner. Resour. Geol. Geophys. Bull. 110, p. 1-159, pl. 1-20.
- , Rhodes, F. H. T., & Austin, R. L., 1972, *Statistical analysis of British Carboniferous conodont faunas*: Q.J. Geol. Soc. London, v. 128, p. 53-70, 8 text-fig.
- 1974, *Recognition, evolution and taxonomy of Lower Carboniferous conodont assemblages*: J. Paleontol., v. 48, p. 387-402, 7 text-fig.
- Drygant, D. M., 1974, *Prostyte Konodonty Silur i nizov Devona Volyno-Podolya*: Paleontol. Sb. Lvov Univ., v. 10, p. 64-70, 2 pl. [Simple conodonts of the Silurian and lowermost Devonian of the Volyn-Podolian area.]
- Dubois, E. P., 1943, *Evidence on the nature of conodonts*: J. Paleontol., v. 17, p. 155-159, pl. 25.
- Dunn, D. L., 1966, *New Pennsylvanian platform conodonts from southwestern United States*: J. Paleontol., v. 40, p. 1294-1303, 2 text-fig., pl. 157, 158.
- 1970, *Middle Carboniferous conodonts from western United States and phylogeny of the platform group*: J. Paleontol., v. 44, p. 312-342, 11 text-fig., pl. 61-64.
- Durden, C. J., 1969, *Gnathostomulida: Is there a fossil record?*: Science, v. 164, p. 855.
- Dzik, Jerzy, 1976, *Remarks on the evolution of Ordovician conodonts*: Acta Palaeontol. Pol., v. 21, no. 4, p. 395-455, 36 text-fig., pl. XLI-XLIV.
- 1978, *Conodont biostratigraphy and paleogeographical relations of the Ordovician Mójcza Limestone (Holy Cross Mts., Poland)*: Acta Palaeontol. Pol., v. 23, no. 1, p. 51-72, 6 text-fig., pl. 12-15.
- Ehrenberg, C. G., 1854, *Über den Grünsand und seine Erläuterung des organischen Lebens*: Abh. K. Akad. Wiss. Berlin, 1855, p. 85-176, pl. 1-7.
- Eichenberg, W., 1930, *Conodonten aus dem Culm des Harzes*: Palaeontol. Z., v. 12, p. 177-182, text-fig., 1-30.
- Eisenack, Alfred, 1973, *Kleinorganismen als Zerstörer säurefester organischer Substanzen und von Biophosphaten*: Palaeontol. Z., v. 47, p. 8-16, pl. 1, 2.
- Elias, M. K., 1956, *Upper Mississippian and Lower Pennsylvanian formations of south-central Oklahoma*: in I. C. Hicks et al. (eds.), Petroleum geology of southern Oklahoma, A symposium, v. 1, p. 56-134, 2 text-fig., 6 pl., Ardmore Geological Society.
- Ellison, S. P., Jr., 1941, *Revision of the Pennsylvanian conodonts*: J. Paleontol., v. 15, p. 107-143, pl. 20-23.
- 1944, *The composition of conodonts*: J. Paleontol., v. 18, p. 133-140.
- 1972, *Conodont taxonomy in the Pennsylvanian*: Geol. Palaeontol., Spec. Vol. 1, p. 127-146, 2 text-fig., pl. 1.
- Epstein, A. G., Epstein, J. B., & Harris, L. D., 1974, *Incipient metamorphism, structural anomalies, and oil and gas potential in the Appalachian basin determined from conodont color*: Geol. Soc. Am. Abstr. Programs, v. 6, no. 7, p. 723-724.
- 1975, *Conodont color alteration—An index to diagenesis of organic matter*: Am. Assoc. Pet. Geol. and Soc. Econ. Paleontol. Mineral., Ann. Mtg. Abstr., v. 2, p. 21-22 (Dallas, Texas).
- 1977, *Conodont color alteration—An index to organic metamorphism*: U.S. Geol. Surv. Prof. Pap. 995, 27 p., 20 text-fig.
- Ethington, R. L., 1959a, *Conodonts of the Ordovician Galena formation*: J. Paleontol., v. 33, p. 257-292, 2 text-fig., pl. 39-41.
- 1959b, *Rhynchognathodus, new name for the Ordovician conodont Rhynchognathus, preoccupied*: J. Paleontol., v. 33, p. 1128.
- , & Brand, Uwe, 1981, *Oneotodus simplex (Furnish) and the genus Oneotodus (Conodonta)*: J. Paleontol., v. 55, p. 239-247, 2 text-fig.
- , & Clark, D. L., 1971, *Lower Ordovician conodonts in North America*: in W. C. Sweet & S. M. Bergström (eds.), Symposium on conodont biostratigraphy, Geol. Soc. Am. Mem. 127, p. 63-82, 2 text-fig., 2 pl.
- , & Furnish, W. M., 1959, *Ordovician conodonts from northern Manitoba*: J. Paleontol., v. 33, p. 540-546, 1 text-fig., pl. 73.
- 1960, *Upper Ordovician conodonts from southern Manitoba*: J. Paleontol., v. 34, p. 265-274, pl. 38.
- Fahlbusch, Klaus, 1964, *Die Stellung der Conodontia im biologischen System*: Palaeontographica, v. 123, Abt. A., p. 137-201, 9 text-fig., pl. 16-22.
- Fähræus, L. E., 1966, *Lower Viruan (Middle Ordovician) conodonts from the Gullhögen Quarry, southern central Sweden*: Sver. Geol. Unders. Ser. C, no. 610, p. 1-40, text-fig. 1-3, pl. 1-4.
- 1975, *Conodontophorid ecology and evolution related to global tectonics*: Geol. Soc. Am. Abstr. Programs, v. 7, no. 6, p. 753-754.
- , & Nowlan, G. S., 1978, *Franconian (Late Cambrian) to early Champlainian (Middle Ordovician) conodonts from the Cow Head Group, Western Newfoundland*: J. Paleontol., v. 52, p. 444-471, 6 text-fig., 3 pl.
- Fay, R. O., 1952, *Catalogue of conodonts*: Univ. Kans. Paleontol. Contrib. (Vertebrata) Artic. 3, 206 p., 109 text-fig.
- 1957, *Comment on the Moore/Sylvester-Bradley "Parataxa plan"*: Bull. Zool. Nomencl., v. 15, Doc. 1/26, p. 170-171.
- 1958, *A key to conodont genera and subgenera*:

- Oklahoma Geol. Notes, v. 18, p. 103-120.
- 1959, *Generic and subgeneric homonyms of conodonts*: J. Paleontol., v. 33, p. 195-196.
- Ferrigno, K. F.**, 1971, *Environmental influences on the distribution and abundances of conodonts from the Dundee Limestone (Devonian), St. Mary's, Ontario*: Can. J. Earth Sci., v. 8, p. 378-386, 5 text-fig.
- Furnish, W. M.**, 1938, *Conodonts from the Prairie du Chien (Lower Ordovician) beds of the upper Mississippi Valley*: J. Paleontol., v. 12, p. 318-340, 2 text-fig., pl. 41, 42.
- Glenister, B. F.**, & **Klapper, Gilbert**, 1966, *Upper Devonian conodonts from the Canning basin, Western Australia*: J. Paleontol., v. 40, p. 777-842, 3 text-fig., pl. 85-96.
- Graves, R. W.**, & **Ellison, S. P.**, 1941, *Ordovician conodonts of the Marathon Basin, Texas*: Univ. Mo. Sch. Mines Metall. Bull. Tech. Ser., v. 14, no. 2, 26 p., 2 text-fig., 3 pl.
- Gross, Walter**, 1954, *Zur Conodonten-Frage*: Senckenb. Lethaea, v. 35, p. 73-85, 2 text-fig., pl. 1-5.
- 1957, *Über die Basis der Conodonten*: Palaeontol. Z., v. 31, p. 78-91, pl. 7-9.
- 1960, *Über die Basis bei den Gattungen *Palmatolepis* und *Polygnathus* (Conodontida)*: Palaeontol. Z., v. 34, p. 40-58, 9 text-fig.
- Gunnell, F. H.**, 1931, *Conodonts from the Fort Scott limestone of Missouri*: J. Paleontol., v. 5, p. 244-252, pl. 29.
- 1933, *Conodonts and fish remains from the Cherokee, Kansas City, and Wabaunsee groups of Missouri and Kansas*: J. Paleontol., v. 7, p. 261-297, pl. 31-33.
- Hadding, Assor**, 1913, *Undre dicellograptusskiftern i Skåne jämte några därmed ekvivalenta bildningar*: Lunds Univ. Arsskr Avd. 2, v. 9, no. 15, p. 1-90, text-fig. 1-23, pl. 1-8.
- Halstead, L. B.**, 1968, *The pattern of vertebrate evolution*: W. H. Freeman & Co. (San Francisco), 209 p.
- Hamar, György**, 1964, *The Middle Ordovician of the Oslo region, Norway. 17. Conodonts from the lower Middle Ordovician of Ringerike*: Nor. Geol. Tidsskr., v. 44, p. 243-292, 6 text-fig., 6 pl.
- 1966, *The Middle Ordovician of the Oslo region, Norway. 22. Preliminary report on conodonts from the Oslo-Asker and Ringerike districts*: Nor. Geol. Tidsskr., v. 46, p. 27-83, 6 text-fig., 7 pl.
- Hardin, N. S.**, 1972, *Paleoecology of Ordovician conodonts of southwest Wisconsin*: Unpubl. MS thesis, Univ. Wisconsin (Madison).
- Harley, J.**, 1861, *On the Ludlow bone-bed and its crustacean remains*: Q.J. Geol. Soc. London, v. 17, p. 542-552, pl. 17.
- Harlton, B. H.**, 1933, *Micropaleontology of the Pennsylvanian Johns Valley shale of the Ouachita Mountains, Oklahoma, and its relationship to the Mississippian Caney shale*: J. Paleontol., v. 7, p. 3-29, pl. 1-7.
- Harris, R. W.**, 1962, *New conodonts from Joins (Ordovician) Formation of Oklahoma*: Okla. Geol. Notes, v. 22, no. 8, p. 199-211, pl. 1.
- 1964, *Subgenera of the conodont genus *Multioistodus* in Simpson-Burgen (Ordovician Arbuckle) conodonts from Oklahoma*: Okla. Geol. Notes, v. 25, p. 34-47.
- , & **Harris, Beth**, 1965, *Some West Spring Creek (Ordovician Arbuckle) conodonts from Oklahoma*: Okla. Geol. Notes, v. 25, p. 34-47, pl. 1.
- , & **Hollingsworth, R. V.**, 1933, *New Pennsylvanian conodonts from Oklahoma*: Am. J. Sci., ser. 5, v. 25, no. 147, p. 193-204, 1 pl.
- Hass, W. H.**, 1941, *Morphology of conodonts*: J. Paleontol., v. 15, p. 71-81, pl. 12-16.
- 1953, *Conodonts of the Barnett formation of Texas*: U.S. Geol. Surv. Prof. Pap. 243-F, p. 69-94, pl. 14-16.
- 1959, *Conodonts from the Chappel limestone of Texas*: U.S. Geol. Surv. Prof. Pap. 294-J, p. 365-400, pl. 46-50.
- 1962, *Conodonts*: in R. C. Moore (ed.), *Treatise on Invertebrate Paleontology*, Part W, *Miscellanea*, p. W3-W69, text-fig. 1-42, Geological Society of America and University of Kansas (New York and Lawrence).
- , & **Lindberg, M. L.**, 1946, *Orientation of crystal units of conodonts*: J. Paleontol., v. 20, p. 501-504, 4 text-fig.
- Hayashi, Shingo**, 1968, *The Permian conodonts in chert of the Adoyama Formation, Ashio Mountains, Central Japan*: Earth Sci., v. 22, p. 63-77, pl. 1-4.
- Heckel, P. H.**, & **Baesemann, J. F.**, 1975, *Environmental interpretation of conodont distribution in Upper Pennsylvanian (Missourian) megacycles in eastern Kansas*: Bull. Am. Assoc. Pet. Geol., v. 59, no. 3, p. 486-509, 6 text-fig.
- Helms, Jochen**, 1959, *Conodonten aus dem Saalfelder Oberdevon (Thüringen)*: Geologie, Jahrg. 8, no. 6, p. 634-677, text-fig. 1-3, pl. 1-6.
- 1963, *Zur "Phylogene" und Taxonomie von *Palmatolepis* (Conodontida, Oberdevon)*: Geologie, Jahrg. 12, no. 4, p. 449-485, text-fig. 1-3, pl. 1-4.
- Higgins, A. C.**, 1975, *Conodont zonation of the late Viséan-early Westphalian strata of the south and central Pennines of northern England*: Bull. Geol. Surv. G.B., no. 53, 90 p., 14 text-fig., 18 pl.
- Hinde, G. J.**, 1879, *On conodonts from the Chazy and Cincinnati group of the Cambro-Silurian, and from the Hamilton and Genesee-shale divisions of the Devonian in Canada and the United States*: Q.J. Geol. Soc. London, v. 35, p. 351-369, pl. 15-17.
- Hirschmann, Christa**, 1959, *Über Conodonten aus dem Oberen Muschelkalk des Thüringer Beckens*: Freiberger Forschungsh. C, v. 76, p. 33-93, pl. 4-5.

- Hofker, Jan, 1974, Eine mögliche Tiergruppe, welche die Trägerin der sogenannten Conodonten war: *Palaeontol. Z.*, v. 48, p. 29-35, text-fig. 1-3.
- Holmes, G. B., 1928, A bibliography of the conodonts with descriptions of Early Mississippian species: *Proc. U.S. Natl. Mus.*, v. 72, art. 5, 38 p., 11 pl.
- Huckriede, Reinhold, 1958, Die Conodonten der Mittelrheinischen Trias und ihr stratigraphischer Wert: *Palaeontol. Z.*, v. 32, p. 141-175, pl. 10-14.
- Huddle, J. W., 1934, Conodonts from the New Albany shale of Indiana: *Bull. Am. Paleontol.*, v. 21, no. 72, 136 p., 12 pl.
- 1968, Redescription of Upper Devonian conodont genera and species proposed by Ulrich & Bassler in 1926: *U.S. Geol. Surv. Prof. Pap.* 578, 55 p., 2 text-fig., 17 pl.
- 1970, Revised descriptions of some late Devonian polygnathid conodonts: *J. Paleontol.*, v. 44, p. 1029-1040, 1 text-fig., pl. 137, 138.
- 1972, Historical introduction to the problem of conodont taxonomy: *Geol. Palaeontol., Spec. Vol.* 1, p. 3-16, 1 pl.
- Hyman, L. H., 1940, *The invertebrates, vol. I (Protozoa through Ctenophora)*: 726 p., McGraw-Hill (New York, London).
- Igo, Hisayoshi, Koike, Toshio, & Yin, E. H., 1965, Triassic conodonts from Kelantian, Malaya (Studies of Asiatic conodonts, Part III): *Meijo Gakuen Women's Jr. Coll., Mem.*, v. 2, p. 5-20, pl. 1, 2.
- James, U. P., 1884, On conodonts and fossil annelid jaws: *Cincinnati Soc. Nat. Hist. J.*, v. 7, p. 143-149, pl. 7.
- Jeppsson, Lennart, 1969, Notes on some Upper Silurian multielement conodonts: *Geol. Foeren. Stockholm Foerh.*, v. 91, p. 12-24, 4 text-fig.
- 1971, Elements arrangement in conodont apparatuses of *Hindeodella* type and in similar forms: *Lethaia*, v. 4, p. 101-123, 5 text-fig.
- 1972, Some Silurian conodont apparatuses and possible conodont dimorphism: *Geol. Palaeontol.*, v. 6, p. 51-69, text-fig. 1-5, pl. 1, 2.
- 1975, Aspects of Late Silurian conodonts: *Fossils Strata*, v. 6 (1974), 54 p., 6 text-fig., 12 pl.
- Jones, D. J., 1941, *The conodont fauna of the Seminole formation of Oklahoma*: 55 p., 4 pl., University of Chicago Press (Chicago).
- Khodalevich, A. N., & Tschernich, V. V., 1973a, Konodonty iz zhivetskikh otlozheniy vostochnogo sklona yuzhnogo Urala: *Tr. Sverdl. Gorn. Inst.*, no. 93, p. 27-41, 1 text-fig., 4 pl. [Conodonts from Givetian deposits of the eastern slope of the southern Urals.]
- 1973b, Novoe podsemeystvo Belodellinae (Konodonty): *Tr. Sverdl. Gorn. Inst.*, no. 93, p. 42-47, 1 text-fig., 1 pl. [New subfamily Belodellinae (conodonts).]
- Kirk, S. R., 1929, Conodonts associated with the Ordovician fish fauna of Colorado—A preliminary note: *Am. J. Sci.*, ser. 5, v. 18, no. 108, p. 493-496, 14 text-fig.
- Knapper, Gilbert, 1966, Upper Devonian and Lower Mississippian conodont zones in Montana, Wyoming, and South Dakota: *Univ. Kans. Paleontol. Contrib. Pap.* 3, 43 p., 2 text-fig., 6 pl.
- 1971, *Patrognathus* and *Siphonodella* (Conodontata) from the Kinderhookian (Lower Mississippian) of western Kansas and southwestern Nebraska: *Kans. State Geol. Surv. Bull.* 202, pt. 3, 14 p., pl. 1, 2.
- , & Furnish, W. M., 1963, Conodont zonation of the early Upper Devonian in eastern Iowa: *Proc. Iowa Acad. Sci.*, v. 69, p. 400-410, 2 text-fig.
- , & Murphy, M. A., 1975, Silurian-Lower Devonian conodont sequence in the Roberts Mountains Formation of central Nevada: *Univ. Calif. Publ. Geol. Sci.*, v. 111 (1974), 62 p., 10 text-fig., 12 pl.
- , & Philip, G. M., 1971, Devonian conodont apparatuses and their vicarious skeletal elements: *Lethaia*, v. 4, p. 429-452, 14 text-fig.
- 1972, Familial classification of reconstructed Devonian conodont apparatuses: *Geol. Palaeontol., Spec. Vol.* 1, p. 97-105, pl. 1-4.
- , Sandberg, C. A., Collinson, Charles, Huddle, J. W., Orr, R. W., Rickard, L. V., Schumacher, Dietmar, Seddon, George, & Uyeno, T. T., 1971, North American Devonian conodont biostratigraphy: in W. C. Sweet & S. M. Bergström (eds.), *Symposium on conodont biostratigraphy*, *Geol. Soc. Am. Mem.* 127, p. 285-316, 6 text-fig.
- Knüpfel, Jürgen, 1967, Zur Fauna und Biostratigraphie des Ordoviciums (Gräfenthaler Schichten) in Thüringen: *Freiberger Forschungsh.* C, no. 220, 199 p., 19 pl.
- Kozitskaya, R. I., Kosenko, Z. A., Lipnyagov, O. M., & Nemirovskaya, T. I., 1978, Konodonty Karbona Donetskogo Basseyna: *Naukova Dumka, Akad. Nauk Ukrainskoy SSR*, 136 p., 1 text-fig., 32 pl. [Conodonts of the Carboniferous of the Donets basin.]
- Kozur, Heinz, 1968, Neue Conodonten aus dem Oberen Muschelkalk des germanischen inneren Beckens (Vorläufige Mitteilung): *Monatsber. Dtsch. Akad. Wiss. Berlin*, v. 10, p. 130-142, pl. 1 (Berlin).
- 1972, Die Conodontengattung *Metapolygnathus* Hayashi 1968 und ihr stratigraphischer Wert: *Geol. Paläontol. Mitteil.* Innsbruck, v. 2, no. 11, p. 1-27, pl. 1-7.
- 1973, Beiträge zur Stratigraphie und Paläontologie des Trias: *Geol. Paläontol. Mitt.* Innsbruck, v. 3, no. 1, p. 1-30.
- 1975a, Beiträge zur Conodontenfauna des Perm: *Geol. Paläontol. Mitt.* Innsbruck, v. 5, no. 4, p. 1-44, pl. 1-4.
- 1975b, Probleme der Triasgliederung und Parallelisierung des germanischen und tethyalen Trias. Teil II. Anschluss der germanischen Trias an die internationale Trias Gliederung: *Frei-*

- berger Forschungsh. C, no. 304, p. 51-77.
- 1978, Beiträge zur Stratigraphie des Perms. Teil II. Die Conodontenchronologie des Perms: Freiburger Forschungsh. C, no. 334, p. 85-161, 8 pl.
- _____, & Mock, Rudolf, 1972, Neue Conodonten aus der Trias der Slowakei und ihre Stratigraphische Bedeutung: Geol. Palaeontol. Mitt. Innsbruck, v. 2, no. 4, p. 1-20.
- 1974, Zwei Neue Conodonten-Arten aus der Trias des Slowakischen Karstes: Cas. Mineral. Geol., v. 19, p. 135-139.
- _____, & Mostler, Helfried, 1970, Neue Conodonten aus der Trias: Bericht Nat.-Med. Ver. Innsbruck, v. 58, p. 429-464.
- 1971, Holothuriens-Sklerite und Conodonten aus der Mittel- und Obertrias von Köveskal (Balatonhochland, Ungarn): Geol. Palaeontol. Mitt. Innsbruck, v. 1, no. 10, p. 1-36.
- 1972, Die Bedeutung der Conodonten für stratigraphische und palaeogeographische Untersuchungen in der Trias: Mitt. Ges. Geol. Bergbaustud. Wien, v. 21, p. 777-810.
- 1976, Neue Conodonten aus dem Jungpaläozoikum und der Trias: Geol. Palaeontol. Mitt. Innsbruck, v. 6, no. 3, p. 1-33, 4 pls.
- _____, _____, & Rahimi-Yazd, A., 1976, Beiträge zur Mikrofauna permotriadischer Schichtfolgen. Teil II. Neue Conodonten aus dem Oberperm und der basalen Trias von Nord- und Zentraliran: Geol. Palaeontol. Mitt. Innsbruck, v. 5, no. 3, p. 1-23, 7 pl.
- Lamont, Archie, & Lindström, Maurits, 1957, Arenigian and Llandeilian cherts identified in the Southern Uplands of Scotland by means of conodonts, etc.: Trans. Edinburgh Geol. Soc., v. 17, pt. 1, p. 60-70, text-fig. 1, pl. 5.
- Landing, Ed, 1977, "Prooneotodus" tenuis (Müller, 1959) apparatuses from the Taconic allochthon, eastern New York: Construction, taphonomy and the protoconodont "supertooth" model: J. Paleontol., v. 51, p. 1072-1084, 1 text-fig., 2 pl.
- 1979, Conodonts and biostratigraphy of the Hoyt Limestone (Late Cambrian, Trempealeauan), eastern New York: J. Paleontol., v. 53, p. 1023-1029, 3 text-fig.
- Lane, H. R., 1967, Uppermost Mississippian and Lower Pennsylvanian conodonts from the type Morrowan region, Arkansas: J. Paleontol., v. 41, p. 920-942, 2 text-fig., pl. 119-123.
- 1968, Symmetry in conodont element-pairs: J. Paleontol., v. 42, p. 1258-1263, 3 text-fig.
- _____, Merrill, G. K., Straka, J. J., II, & Webster, G. D., 1971, North American Pennsylvanian conodont biostratigraphy: in W. C. Sweet & S. M. Bergström (eds.), Symposium on conodont biostratigraphy, Geol. Soc. Am. Mem. 127, p. 395-414, 4 text-fig., pl. 1.
- _____, Müller, K. J., & Ziegler, Willi, 1979, Devonian and Carboniferous conodonts from Perak, Malaysia: Geol. Palaeontol., v. 13, p. 213-226, 2 text-fig., 2 pl.
- _____, & Straka, J. J., II, 1974, Late Mississippian and early Pennsylvanian conodonts, Arkansas and Oklahoma: Geol. Soc. Am. Spec. Pap. 152, 144 p., 44 text-fig. (text-fig. 32-44 are plates).
- _____, & Ziegler, Willi, 1979, Gnathodus Pander, 1856 (Conodonta): Proposed designation of a type species under the plenary powers Z.N.(S) 2279, Bull. Zool. Nomencl., v. 36, pt. 1, p. 57-62.
- Lange, F. G., 1968, Conodonten-Gruppenfunde aus Kalken des tieferen Oberdevon: Geol. Palaeontol., v. 2, p. 37-57, 2 text-fig., 6 pl.
- Lee, H. Y., 1970, Conodonten aus der Choson-Gruppe (Unteres Ordovizium) von Korea: Neues Jahrb. Geol., Palaeontol. Abh., v. 136, no. 3, p. 303-344, pl. 7, 8.
- Legault, J. A., 1968, Conodonts and fish remains from the Stonehouse Formation, Arisaig, Nova Scotia: Contrib. Can. Paleontol., pt. 1, Geol. Surv. Can. Bull. 165, p. 1-23, 1 text-fig., pl. 1-3.
- Lindström, Maurits, 1955, Conodonts from the lowermost Ordovician strata of south-central Sweden: Geol. Foeren. Stockholm Foer., v. 76, h. 4 (1954), no. 21, p. 517-603, 6 text-fig., 10 pl.
- 1964, Conodonts: 196 p., 64 text-fig., Elsevier Publishing Co. (Amsterdam).
- 1970, A suprageneric taxonomy of the conodonts: Lethaia, v. 3, p. 427-445, 9 text-fig.
- 1971, Lower Ordovician conodonts of Europe: in W. C. Sweet & S. M. Bergström (eds.), Symposium on conodont biostratigraphy, Geol. Soc. Am. Mem. 127, p. 21-61, 20 text-fig., 1 pl.
- 1973, On the affinities of conodonts: in F. H. T. Rhodes (ed.), Conodont palaeozoology, Geol. Soc. Am. Spec. Paper 141, p. 85-102, 6 text-fig.
- 1974, The conodont apparatus as a food-gathering mechanism: Palaeontology, v. 17, p. 729-744, 4 text-fig.
- _____, McTavish, R. A., & Ziegler, Willi, 1972, Feinstrukturelle Untersuchungen an Conodonten. 2. Einige Prioniodontidae aus dem Ordovicium Australiens: Geol. Palaeontol., v. 6, p. 33-43, pl. 1-3.
- _____, & Ziegler, Willi, 1966, Ein Conodontentaxon aus vier morphologisch verschiedenen Typen (Grenze Mittel-/Oberdevon, Rheinisches Schiefergebirge), in Das Mitteldevon des Rheinischen Schiefergebirges, Ein Symposium: Fortschr. Geol. Rheinl. Westfalen, v. 9 (1965), p. 209-218, pl. 1, 2.
- 1971, Feinstrukturelle Untersuchungen an Conodonten. 1. Die Überfamilie Panderodontacea: Geol. Palaeontol., v. 5, p. 9-33, text-fig. 1-6, pl. 1-8.
- Link, A. G., & Druce, E. C., 1972, Ludlovian and Gedinnian conodont stratigraphy of the Yass basin, New South Wales: Aust. Bur. Miner. Resour. Geol. Geophys. Bull. 134, 136 p., 67 text-fig., 12 pl.
- Loomis, F. B., 1936, Are conodonts gastropods?: J. Paleontol., v. 10, p. 663-664, 1 text-fig.
- Lys, Maurice, Serre, Bernadette, & Deroo, G., 1957,

- Études micropaléontologiques dans le paléozoïque de la Montagne Noire (Foraminifères, Conodontes, etc.):* Inst. Fr. Pét. Rev., v. 12, p. 783-833, 3 text-fig., 12 pl.
- Macfarlane, J. M., 1923, *Fishes the source of petroleum:* 451 p., Macmillan Co. (New York).
- McHargue, T. R., 1974, *Conodonts of the Joins Formation (Ordovician), Arbuckle Mountains, Oklahoma:* Unpubl. MA thesis, Univ. Missouri, 151 p., 8 pl. (Columbia).
- McTavish, R. A., 1973, *Prioniodontacean conodonts from the Emanuel Formation (Lower Ordovician) of western Australia:* Geol. Palaeontol., v. 7, p. 27-58, 3 pl.
- Mashkova, T. V., 1972, *Ozarkodina steinhornensis (Ziegler) apparatus, its conodonts and biozone:* Geol. Palaeontol., Spec. Vol. 1, p. 81-90, 2 text-fig., 2 pl.
- 1977, *Novye Konodonty zony amorphognathoides iz nizhnego Silura Podolií:* Paleontol. Zh., 1977, no. 4, p. 127-131, 2 text-fig. [New conodonts of the amorphognathoides Zone from the Lower Silurian of Podolia.]
- 1978, *Novye Knodonty zony pesavis-optima iz nizhnego Devona Urala i Zeravshana:* Paleontol. Zh., 1978, no. 2, p. 91-97, 2 text-fig. [New conodonts of the pesavis-optima Zone from the Lower Devonian of the Urals and Zeravshan.]
- Matern, Hans, 1933, *Neue Conodonten aus Devon und Unterkarbon:* Senckenbergiana Lethaea, v. 15, p. 12-22, 18 text-fig.
- Matthews, S. C., 1969a, *A Lower Carboniferous conodont fauna from east Cornwall:* Palaeontology, v. 12, p. 262-275, 1 text-fig., pl. 46-50.
- 1969b, *Two conodont faunas from the Lower Carboniferous of Chudleigh, south Devon:* Palaeontology, v. 12, p. 276-280, pl. 51.
- , & Naylor, D., 1973, *Lower Carboniferous conodont faunas from south-west Ireland:* Palaeontology, v. 16, no. 2, p. 335-380, pl. 35-38.
- , & Sadler, P. M., & Selwood, E. B., 1972, *A Lower Carboniferous conodont fauna from Chilaton, south-west Devonshire:* Palaeontology, v. 15, p. 550-568, 1 text-fig., pl. 109-111.
- Meischner, K. D., 1970, *Conodonten-Chronologie des deutschen Karbons:* Congr. Adv. Étud. Stratigr. Géol. Carbonifère, 6th, Sheffield, 1967, C.R., v. 3, p. 1169-1180, 3 text-fig.
- Melton, W. G., & Scott, H. W., 1973, *Conodont-bearing animals from the Bear Gulch Limestone, Montana:* in F. H. T. Rhodes (ed.), *Conodont paleoecology*, Geol. Soc. Am. Spec. Pap. 141, p. 31-65, 20 text-fig.
- Merrill, G. K., 1968, *Pennsylvanian conodont assemblages, natural assemblages and statistical assemblages* (abstr.): Geol. Soc. Am., 9th Central Section Mtg., Iowa City, Iowa, p. 198-199.
- 1972, *Taxonomy, phylogeny and biostratigraphy of Neognathodus in Appalachian Pennsylvanian rocks:* J. Paleontol., v. 46, p. 817-829, 1 text-fig., 2 pl.
- 1973, *Pennsylvanian conodont paleoecology:* in F. H. T. Rhodes (ed.), *Conodont paleoecology*, Geol. Soc. Am. Spec. Pap. 141, p. 239-274, 13 text-fig.
- 1975a, *Pennsylvanian conodont biostratigraphy and paleoecology of northwestern Illinois:* Geol. Soc. Am. Microform Pub., 3 p.
- 1975b, *Pennsylvanian conodonts of northwestern Illinois: Summary and new systematics:* Geology, v. 3, no. 12, p. 721-722, 1 text-fig.
- , & King, C. W., 1971, *Platform conodonts from the lowest Pennsylvanian rocks of northwestern Illinois:* J. Paleontol., v. 45, p. 645-664, pl. 75, 76.
- , & Merrill, S. M., 1974, *Pennsylvanian non-platform conodonts, IIa: The dimorphic apparatus of Idioprioniodus:* Geol. Palaeontol., v. 8, p. 119-130, 6 text-fig.
- Miller, A. K., & Youngquist, W. L., 1947, *Conodonts from the type section of the Sweetland Creek shale in Iowa:* J. Paleontol., v. 21, p. 501-517, pl. 72-75.
- Miller, J. F., 1969, *Conodont fauna of the North Peak Limestone (Cambro-Ordovician), House Range, Utah:* J. Paleontol., v. 43, p. 413-439, pl. 63-66.
- 1975, *Conodont faunas from the Cambrian and lowest Ordovician of western North America:* Geol. Soc. Am. Abstr. Programs, v. 7, no. 7, p. 1200-1201.
- 1980, *Taxonomic revisions of some Upper Cambrian and Lower Ordovician conodonts, with comments on their evolution:* Univ. Kans. Paleontol. Contrib. Pap. 99, 44 p., 6 text-fig., 2 pl.
- , & Rushton, A. W. A., 1973, *Natural conodont assemblages from the Upper Cambrian of Warwickshire, England:* Geol. Soc. Am. Abstr. Programs, v. 5, no. 4, p. 338-339.
- Miller, S. A., 1889, *North American geology and palaeontology for the use of amateurs, students, and scientists:* 718 p., 1,265 text-fig., Western Methodist Book Concern (Cincinnati, Ohio).
- Missarzhevsky, V. V., 1973, *Konodontobraznye organizmy iz pogranichnykh sloyev Kembriya i Dokembriya Sibirskoy platformy i Kazakhstana:* in Problemy paleontologii i biostratigrafi p nizhnego Kembriya i dalnego vostoka: Tr. Inst. Geol. Geofiz. Akad. Nauk SSSR, Sib. Otd., p. 53-57 (Moscow). [Conodontlike organisms from the boundary beds of the Cambrian and Precambrian of the Siberian Platform and Kazakhstan: in Problems of paleontology and biostratigraphy of the Lower Cambrian of Siberia and the Far East.]
- Moore, R. C., 1962, *Conodont classification and nomenclature:* in R. C. Moore (ed.), *Treatise on Invertebrate Paleontology*, Part W, Miscellanea, p. W92-W98, text-fig. 49, Geological Society of America and University of Kansas Press (New York and Lawrence).
- , & Sylvester-Bradley, P. C., 1957a, *Proposed*

- insertion in the "Regles" of provisions recognizing "Parataxa" as a special category for the classification and nomenclature of discrete fragments or of life-stages of animals which are inadequate for identification of whole-animal taxa, with proposals of procedure for the nomenclature of "Parataxa": Bull. Zool. Nomencl., v. 15, sec. A, pt. 1/4, Doc. 1/1, p. 5-13.
- 1957b, First supplemental application: Application for ruling of the International Commission directing that the classification and nomenclature of discrete conodonts be in terms of "parataxa": Bull. Zool. Nomencl., v. 15, sec. A, pt. 1/4, Doc. 1/2, p. 14-34.
- Mosher, L. C., 1967, Are there post-Triassic conodonts?: J. Paleontol., v. 41, p. 1554-1555.
- 1968, Triassic conodonts from western North America and Europe and their correlations: J. Paleontol., v. 42, p. 895-946, 14 text-fig., pl. 113-118.
- 1969, Nomenclatural revisions for Triassic conodonts in Mosher, 1968: J. Paleontol., v. 43, p. 1441.
- 1973, Evolutionary, ecologic, and geographic observations on conodonts during their decline and extinction: in F. H. T. Rhodes (ed.), Conodont paleozoology, Geol. Soc. Am. Spec. Pap. 141, p. 143-152, 1 text-fig.
- _____, & Clark, D. L., 1965, Middle Triassic conodonts from the Prida Formation of northwestern Nevada: J. Paleontol., v. 39, p. 551-565, 2 text-fig., pl. 65, 66.
- Moskalenko, T. A., 1967, Nouye Dannye po biostratigraphii nizhnego Paleozoya Sibirskoy platformy: Tr. Inst. Geol. Geofiz. Akad. Nauk SSSR Sib. Otd., v. 58, p. 98-116, 16 text-fig., pl. 22-25. [New data on the biostratigraphy of the Lower Paleozoic deposits of the Siberian Platform.]
- 1970, Konodonty krivolutskogo yarusa (sredniy ordovik) Sibirskoy platformy: Tr. Inst. Geol. Geofiz. Akad. Nauk SSSR Sib. Otd., v. 61, 132 p., 14 pl. [Conodonts from the middle Ordovician Krivolutskian stage of the Siberian platform.]
- 1972, Ordovician conodonts of the Siberian platform and their bearing on multielement taxonomy: Geol. Palaeontol., Sp. Vol. 1, p. 47-55.
- 1973, Konodonty srednego i verkhnego Ordovika Sibirskoy platformy: Tr. Inst. Geol. Geofiz. Akad. Nauk SSSR Sib. Otd., v. 137, 143 p., 18 pl. [Conodonts from the Middle and Upper Ordovician of the Siberian platform.]
- Mostler, Helfried, 1967, Conodonten aus dem tieferen Silur der Kitzbühler Alpen (Tirol): Naturhist. Mus. Wien, Ann., v. 71, p. 295-303, 5 text-fig., 1 pl.
- Mound, M. C., 1965a, A conodont fauna from the Joins Formation (Ordovician), Oklahoma: Tulane Stud. Geol., v. 4, p. 1-46, pl. 1-4.
- 1965b, Two new conodont genera from the Joins Formation (lower Middle Ordovician) of Oklahoma: Biol. Soc. Wash. Proc., v. 78, p. 193-200, 13 text-fig.
- 1968, Upper Devonian conodonts from southern Alberta: J. Paleontol., v. 42, p. 444-524, text-fig. 1-14, pl. 65-71.
- Müller, K. J., 1956a, Zur Kenntnis der Conodonten-Fauna des europäischen Devons, I. Die Gattung *Palmatolepis*: Abh. Senckenb. Naturforsch. Ges., v. 494, 70 p., 1 text-fig., 11 pl.
- 1956b, Triassic conodonts from Nevada: J. Paleontol., v. 30, p. 818-830, pl. 95, 96.
- 1956c, Taxonomy, nomenclature, orientation, and stratigraphic evaluation of conodonts: J. Paleontol., v. 30, p. 1324-1340, pl. 145.
- 1959, Kambrische Conodonten: Z. Dtsch. Geol. Ges., v. 111, p. 434-485, pl. 11-15.
- 1962a, Zur systematischen Einteilung der Conodontophorida: Palaeontol. Z., v. 36, p. 109-117, 1 text-fig.
- 1962b, Taxonomy, evolution, and ecology of conodonts: in R. C. Moore (ed.), Treatise on Invertebrate Paleontology, Part W, Miscellanea, p. W83-W91, text-fig. 44-48. Geological Society of America and University of Kansas Press (New York and Lawrence).
- 1962c, Supplement to systematics of conodonts: in R. C. Moore (ed.), Treatise on Invertebrate Paleontology, Part W, Miscellanea, p. W246-W249, text-fig. 150-153, Geological Society of America and University of Kansas Press (New York and Lawrence).
- 1964, Conodonten aus dem unteren Ordovizium von Südkorea: Neues Jahrb. Geol. Palaeontol. Abh., v. 119, no. 1, p. 93-102, pl. 12, 13.
- 1969, Bürstenbildung bei Conodonten: Palaeontol. Z., v. 43, p. 64-71, pl. 5, 6.
- 1973, Late Cambrian and Early Ordovician conodonts from northern Iran: Geol. Surv. Iran Rep. 30, p. 1-77, text-fig. 1-11, pl. 1-11.
- _____, & Andres, D., 1976, Eine Conodontengruppe von *Prooneotodus tenuis* (Müller, 1959) in natürlichem Zusammenhang aus dem Oberen Kambrium vom Schweden: Palaeontol. Z., v. 50, p. 193-200, 3 text-fig., pl. 22.
- _____, & Clark, D. L., 1967, Early late Devonian conodonts from the Squaw Bay Limestone in Michigan: J. Paleontol., v. 41, p. 902-919, 7 text-fig., pl. 115-118.
- _____, & Mosher, L. C., 1971, Post-Triassic conodonts: in W. C. Sweet & S. M. Bergström (eds.), Symposium on conodont biostratigraphy, Geol. Soc. Am. Mem. 127, p. 467-470.
- _____, & Müller, E. M., 1957, Early Upper Devonian (Independence) conodonts from Iowa, Part 1: J. Paleontol., v. 31, p. 1069-1108, 8 text-fig., pl. 135-142.
- _____, & Nogami, Yasuo, 1971, Über den Feinbau der Conodonten: Mem. Fac. Sci. Kyoto Univ. Ser. Geol. Mineral., v. 38, p. 1-88, 31 text-fig., pl. 1-22.
- 1972a, Growth and function of conodonts: Int. Geol. Congr.. 24th Sess., Montreal, p. 20-27, text-fig. 1-10.

- 1972b, *Entöken und Bohrspuren bei den Conodontophorida*: Palaeontol. Z., v. 46, p. 68-86, 11 text-fig., pl. 14-16.
- Munsell Color Company, 1971, *Munsell soil color charts*: Munsell Color Company, Inc. (Baltimore, Maryland).
- Murchison, R. I., 1867, *Siluria. A history of the oldest rocks in the British Isles and other countries*: 566 p., 51 pl., J. Murray (London).
- Murray, F. N., & Chronic, John, 1965, *Pennsylvanian conodonts and other fossils from insoluble residues of the Minturn Formation (Desmoinesian), Colorado*: J. Paleontol., v. 39, p. 594-610, pl. 71-73.
- Nease, F. R., 1969, *Conodontophyta Chattanoogae, a non-petrified fossil plant from Chattanooga Shale*: Louisburg Coll. J. Arts Sci., v. 3, p. 10-23.
- Newberry, J. S., 1875, *Descriptions of fossil fishes*: Ohio Geological Survey, rept. 2, pt. 2, p. 41-46, pl. 57.
- Nicoll, R. S., 1975, *The effect of Late Carboniferous-Early Permian glaciation on the distribution of Permian conodonts in Australasia*: Geol. Soc. Am. Abstr. Programs, v. 7, p. 828-829.
- , & Rexroad, C. B., 1969, *Stratigraphy and conodont paleontology of the Salamonie Dolomite and Lee Creek Member of the Brassfield Limestone (Silurian) in southeastern Indiana and adjacent Kentucky*: Indiana Geol. Surv. Bull. 40, 73 p., 4 text-fig., 7 pl.
- Nieper, C. M., 1969, *Conodonts of Nora Fm., Toko Range, Glenormiston*: in Dorothy Hill, Geoffrey Playford, & J. T. Woods (eds.), Ordovician and Silurian fossils of Queensland, Queensland Palaeontographical Society (Brisbane), p. 12-15, pl. 7.
- Nogami, Yasuo, 1966, *Kambrische Conodonten von China. Teil 1. Conodonten aus den oberkambrischen Kushan-Schichten*: Kyoto Imp. Univ., Mem. Coll. Sci., Ser. B, v. 32, p. 351-367, pl. 9, 10.
- 1967, *Kambrische Conodonten von China. Teil 2. Conodonten aus den hoch oberkambrischen Yencho-Schichten*: Mem. Coll. Sci. Kyoto Univ. Ser. B, v. 33, p. 211-219, 3 text-fig., pl. 1.
- Nohda, Susumu, & Steoguchi, Takeshi, 1967, *An occurrence of Jurassic conodonts from Japan*: Mem. Coll. Sci. Kyoto Univ. Ser. B, v. 33, no. 4, p. 227-237, pl. 2.
- Norby, R. D., 1974, *Conodont apparatuses of the Heath Shale (Chesterian) of central Montana*: Geol. Soc. Am. Abstr. Prog., v. 6, p. 535.
- Ochietti, Serge, & Cailleur, André, 1969, *Paléontologie: Comparaison des Conodontes et des mâchoires de Gnathostomulides*: C. R. Acad. Sci. Ser. D, v. 268, p. 2664-2666, 1 text-fig.
- Orr, R. W., & Klapper, Gilbert, 1968, *Two new conodont species from Middle-Upper Devonian boundary beds of Indiana and New York*: J. Paleontol., v. 42, p. 1066-1075, 2 text-fig., pl. 139-140.
- Owen, Richard, 1861, *Paleontology or a systematic summary of extinct animals and their geological relations*: 463 p., 174 text-fig., Adam & Charles Black (Edinburgh).
- Packham, G. H., 1967, *The occurrence of shelly Ordovician strata near Forbes, New South Wales*: Aust. J. Sci., v. 30, no. 3, p. 106-107.
- Pander, C. H., 1856, *Monographie der fossilen Fische des silurischen Systems der russisch-baltischen Gouvernements*: Akad. Wiss., St. Petersburg, 91 p., 1 text-fig., 7 pl.
- Perlmutter, Barry, 1975, *Conodonts from the uppermost Wabaunsee Group (Pennsylvanian) and the Admire and Council Grove groups (Permian) in Kansas*: Geol. Palaeontol., v. 9, p. 95-115, pl. 1-3.
- Philip, G. M., 1965, *Lower Devonian conodonts from the Tyers area, Gippsland, Victoria*: Proc. R. Soc. Victoria, v. 79, p. 95-117, 2 text-fig., pl. 8-10.
- Pierce, R. W., & Langenheim, R. L., Jr., 1970, *Surface patterns of selected Mississippian conodonts*: Geol. Soc. Am. Bull., v. 81, p. 3225-3236.
- 1974, *Platform conodonts of the Monte Cristo Group, Mississippian Arrow Canyon Range, Clark County, Nevada*: J. Paleontol., v. 48, p. 149-169, text-fig. 1-3, pl. 1-4.
- Pietzner, Horst, Vahl, Johanna, Werner, Hans, & Ziegler, Willi, 1968, *Zur chemischen Zusammensetzung und Mikromorphologie der Conodonten*: Palaeontographica, v. 128, p. 115-152, pl. 18-27.
- Pilsbry, H. A., 1937, *Are conodonts molluscan teeth?*: Nautilus, v. 50, no. 3, p. 101.
- Pollock, C. A., 1969, *Fused Silurian conodont clusters from Indiana*: J. Paleontol., v. 43, p. 929-935, 1 text-fig., pl. 110-112.
- , Rexroad, C. B., & Nicoll, R. S., 1970, *Lower Silurian conodonts from northern Michigan and Ontario*: J. Paleontol., v. 44, p. 743-764, 3 text-fig., pl. 111-114.
- Pomesano Cherchi, Antoinetta, 1967, *I Conodonti del Muschelkalk della Nurra (Sardegna nordoccidentale)*: Riv. Ital. Paleontol. Stratigr., v. 73, no. 1, p. 205-272, 14 pl.
- Poulsen, Valdemar, 1966, *Early Cambrian distacodontid conodonts from Bornholm*: Biol. Medd. K. Dan. Vidensk. Selsk., v. 23, p. 1-9, pl. 1.
- Rabe, E. H., 1977, *Zur Stratigraphie des ostandinischen Raumes von Kolumbien*: Giessener Geol. Schr., no. 11, 223 p.
- Rexroad, C. B., 1957, *Conodonts from the Chester series in the type area of southwestern Illinois*: Illinois State Geol. Surv., Rep. Invest. 199, 43 p., 4 pl.
- 1958a, *The conodont homeomorphs Taphrognathus and Streptognathodus*: J. Paleontol., v. 32, p. 1158-1159.
- 1958b, *Conodonts from the Glen Dean formation (Chester) of the Illinois basin*: Ill. State Geol. Surv. Rep. Invest. 209, 27 p., 14 text-fig., 6 pl.
- 1967, *Stratigraphy and conodont paleontology of the Brassfield (Silurian) in the Cincinnati arch area*: Indiana Geol. Surv. Bull. 36, 64 p., 4 pl.

- _____, & Burton, R. C., 1961, Conodonts from the Kinkaid Formation (Chester) in Illinois: J. Paleontol., v. 35, p. 1143-1158.
- _____, & Collinson, Charles, 1961, Preliminary range chart of conodonts from the Chester Series (Mississippian) in the Illinois basin: Ill. State Geol. Surv. Circ. 319, p. 3-11.
- 1963, Conodonts from the St. Louis Formation (Valmeyeran series) of Illinois, Indiana, and Missouri: Ill. State Geol. Surv. Circ. 355, 28 p., 5 text-fig., 2 pl.
- _____, & Furnish, W. M., 1964, Conodonts from the Pella formation (Mississippian), south-central Iowa: J. Paleontol., v. 38, p. 667-676, 1 text-fig., pl. 111.
- _____, & Nicoll, R. S., 1964, A Silurian conodont with tetanus?: J. Paleontol., v. 38, p. 771-773, 1 text-fig.
- 1971, Summary of conodont biostratigraphy of the Silurian System of North America: in W. C. Sweet & S. M. Bergström (eds.), Symposium on conodont biostratigraphy, Geol. Soc. Am. Mem. 127, p. 207-225, pl. 1, 2.
- Rhodes, F. H. T., 1952, A classification of Pennsylvanian conodont assemblages: J. Paleontol., v. 26, p. 886-901, 4 text-fig., pl. 126-129.
- 1953a, Some British Lower Palaeozoic conodont faunas: Philos. Trans. R. Soc. London Ser. B, v. 237, p. 261-334, 20 text-fig., pl. 20-23.
- 1953b, Nomenclature of conodont assemblages: J. Paleontol., v. 27, p. 610-612.
- 1954, The zoological affinities of the conodonts: Biol. Rev. (Cambridge Philos. Soc.), v. 29, p. 419-452, 6 text-fig.
- 1955, The conodont fauna of the Keisley limestone: Q.J. Geol. Soc. London, v. 111, pt. 2, p. 117-142, pl. 7-10.
- 1957, Comment on the Moore/Sylvester-Bradley "Parataxonomic Plan": Bull. Zool. Nomencl., v. 15, Doc. 1/47, p. 305-312.
- 1962, Recognition, interpretation, and taxonomic position of conodont assemblages: in R. C. Moore (ed.), Treatise on Invertebrate Paleontology, Part W, Miscellanea, p. W70-W83, text-fig. 43, Geological Society of America and University of Kansas Press (New York and Lawrence).
- 1963, Conodonts from the topmost Tensleep Sandstone of the eastern Big Horn Mountains, Wyoming: J. Paleontol., v. 37, p. 401-408, 1 text-fig., pl. 47.
- _____, & Austin, R. L., 1971, Carboniferous conodont faunas of Europe: in W. C. Sweet & S. M. Bergström (eds.), Symposium on conodont biostratigraphy, Geol. Soc. Am. Mem. 127, p. 217-352, pl. 1, 2.
- _____, _____, & Druce, E. C., 1969, British Avonian (Carboniferous) conodont faunas, and their value in local and intercontinental correlation: Bull. Br. Mus. Nat. Hist. Geol., Suppl. 5, 313 p., 92 text-fig., 31 pl.
- _____, & Müller, K. J., 1956, The conodont genus *Prioniodus* and related forms: J. Paleontol., v. 30, p. 695-699.
- _____, & Wingard, Paul, 1957, Chemical composition, microstructure and affinities of the Neurodontiformes: J. Paleontol., v. 31, p. 448-454, 2 text-fig.
- Riedl, R. J., 1969, Gnathostomulida from North America: Science, v. 163, p. 445-452.
- Rietschel, Siegfried, 1973, Zur Deutung der Conodonten: Nat. Mus., v. 103, p. 409-418, 11 text-fig.
- Rodgers, John, 1969, Gnathostomulida: Is there a fossil record?: Science, v. 164, p. 855-856.
- Rohon, J. V., & Zittel, K. A. von, 1887, Ueber Conodonten: Sitzungsber. Math. Naturwiss. Kl. Bayer. Akad. Wiss. Muenchen, v. 16, Jahrg. 1886, p. 108-136, 1 text-fig., 2 pl.
- Rolle, Friedrich, 1882, in Adolf Kenngott (ed.), Handwörterbuch der Mineralogie, Geologie und Palaeontologie, v. 1, 550 p. (Breslau).
- Roundy, P. V., 1926, Introduction, the microfauna in Mississippian formations of San Saba County, Texas by Roundy and others: U.S. Geol. Surv. Prof. Pap. 146, 63 p., 33 pl.
- Sannemann, Dietrich, 1955, Oberdevonische Conodonten (to II a): Senckenbergiana Lethaea, v. 36, p. 123-156, 2 text-fig., pl. 1-6.
- Schmidt, Hermann, 1934, Conodonten-Funde in ursprünglichem Zusammenhang: Palaeontol. Z., v. 16, p. 76-85, 8 text-fig., pl. 6.
- 1950, Nachträge zur Deutung der Conodonten: Decheniana, v. 104, p. 11-19, 7 text-fig.
- _____, & Müller, K. J., 1964, Weitere Funde von Conodonten-Gruppen aus dem oberen Karbon des Sauerlandes: Palaeontol. Z., v. 38, p. 105-135, 11 text-fig.
- Schönlau, H. P., 1971, Zur Problematik der Conodonten-Chronologie an der Wende Ordoviz/Silur mit besonderer Berücksichtigung der Verhältnisse im Llandover: Geol. Palaeontol., v. 5, p. 35-57, 2 text-fig., pl. 1-3.
- Schopf, T. J. M., 1966, Conodonts of the Trenton Group (Ordovician) in New York, southern Ontario and Quebec: N.Y. State Mus. Sci. Serv. Bull. no. 405, 105 p., 7 text-fig., 6 pl.
- Scott, A. J., 1961, Three new conodonts from the Louisiana Limestone (Upper Devonian) of western Illinois: J. Paleontol., v. 35, p. 1223-1227, 2 text-fig.
- Scott, H. W., 1934, The zoological relationships of the conodonts: J. Paleontol., v. 8, p. 448-455, pl. 58, 59.
- 1942, Conodont assemblages from the Heath formation, Montana: J. Paleontol., v. 16, p. 293-300, 1 text-fig., pl. 37-40.
- 1969, Discoveries bearing on the nature of the conodont animal: Micropaleontology, v. 15, p. 420-426, 1 text-fig., 1 pl.
- 1973, New Conodontochordata from the Bear Gulch Limestone (Namurian, Montana): Mich. State Univ., Paleontol. Ser., v. 1, p. 81-100, 7

- text-fig., pl. 1-3.
- Seddon, George**, 1970, *Frasnian conodonts from the Sadler Ridge-Bugle Gap area, Canning basin, Western Australia*: J. Geol. Soc. Aust., v. 16, p. 723-753, 9 text-fig., pl. 11-16.
- , & **Sweet, W. C.**, 1971, *An ecologic model for conodonts*: J. Paleontol., v. 45, p. 869-880, 3 text-fig.
- Sergeeva, S. P.**, 1963, *Novyy ranneordovikskiy rod konodontov semeystva Prioniodinidae*: Paleontol. Zh., no. 4, p. 138-140. [A new Early Ordovician conodont genus of the family Prioniodinidae.]
- 1966, *Biostratigraficheskoe rasprostranenie kono-dontov v Tremadokskom yaruse (Ordovik) Leningradskoy Oblasti*: Dokl. Akad. Nauk SSSR, v. 67, p. 672-674. [Biostratigraphic distribution of the conodonts of the Tremadocian Stage (Ordovician) from Leningrad region.]
- 1974, *Nekotorbye novyye Konodonty iz ordovik-skikh otlozheniy Leningradskoy oblasti*: Paleontol. Sb., v. 11, p. 79-85. [Some new Ordovician conodonts from the Leningrad region.]
- Serpagli, Enrico**, 1967, *I conodonti dell'Ordoviciano superiore (Ashgilliano) delle Alpi Carniche*: Boll. Soc. Paleontol. Ital., v. 6, p. 30-111, 8 text-fig., pl. 6-31.
- 1971, *Uppermost Wenlockian-Upper Ludlovian (Silurian) conodonts from western Sardinia*: Boll. Soc. Paleontol. Ital., v. 9 (1970), p. 76-96, 1 text-fig., pl. 21-24.
- 1974, *Lower Ordovician conodonts from Precordilleran Argentina (Province of San Juan)*: Boll. Soc. Paleontol. Ital., v. 13, no. 1, 2, p. 17-98, pl. 7-31.
- Shatzter, D. C.**, 1976, *Conodont biostratigraphy of the Fremont and Priest Canyon formations (Upper Ordovician) at Kerber Creek, Saguache County, Colorado*: Unpubl. MS thesis, The Ohio State Univ., 123 p., 4 pl. (Columbus).
- Siewing, Rolf**, 1976, *Probleme und neuere Erkenntnisse in der Gross-systematik der Wirbellosen*: Verh. Dtsch. Zool. Ges., 1976, p. 59-83, 13 text-fig.
- Sinclair, G. W.**, 1953, *The naming of conodont assemblages*: J. Paleontol., v. 27, p. 489-490.
- Smith, John**, 1907, *On the occurrence of conodonts in the Arenig-Llandeilo formations of the Southern Uplands of Scotland*: Trans. Glasgow Nat. Hist. Soc., n.s., v. 7, pt. 3, p. 235-252, pl. 5-9.
- Sparling, D. R.**, 1981, *Middle Devonian conodont apparatuses with seven types of elements*: J. Paleontol., v. 55, p. 295-316, 1 pl.
- Staesche Ulrich**, 1964, *Conodonten aus dem Skyth von Südtirol*: Neues Jahrb. Geol. Palaeontol. Abh., v. 119, p. 247-306, text-fig. 1-73, pl. 28-32.
- Stauffer, C. R.**, 1930, *Conodonts from the Decorah shale*: J. Paleontol., v. 4, p. 121-128.
- 1935a, *Conodonts from the Glenwood beds*: Geol. Soc. Am. Bull., v. 46, p. 125-168, pl. 9-12.
- 1935b, *The conodont fauna of the Decorah shale (Ordovician)*: J. Paleontol., v. 9, p. 596-620, pl. 71-75.
- 1936, *Pravognathus, a new name for Heterognathus Stauffer (not Girard)*: J. Paleontol., v. 10, p. 79.
- 1938, *Conodonts of the Olentangy shale*: J. Paleontol., v. 12, p. 411-443, pl. 48-53.
- 1940, *Conodonts from the Devonian and associated clays of Minnesota*: J. Paleontol., v. 14, p. 417-435, pl. 58-60.
- , & **Plummer, H. J.**, 1932, *Texas Pennsylvanian conodonts and their stratigraphic relations*: Univ. Texas Bull. 3201, p. 13-50, pl. 1-4.
- Stone, G. L.**, & **Furnish, W. M.**, 1959, *Bighorn conodonts from Wyoming*: J. Paleontol., v. 33, p. 211-228, pl. 31, 32.
- Sweet, W. C.**, 1955, *Conodonts from the Harding formation (Middle Ordovician) of Colorado*: J. Paleontol., v. 29, p. 226-262, pl. 27-29.
- 1970, *Uppermost Permian and Lower Triassic conodonts of the Salt Range and Trans-Indus Ranges, West Pakistan*: in Bernhard Kummel & Curt Teichert (eds.), *Stratigraphic boundary problems, Permian and Triassic of West Pakistan*, Univ. Kansas, Dep. Geol., Spec. Publ. 4, p. 207-275, pl. 1-5.
- 1979, *Late Ordovician conodonts and biostratigraphy of the western Midcontinent Province*: Brigham Young Univ. Geol. Stud., v. 26, no. 3, p. 45-86, 10 text-fig.
- , & **Bergström, S. M.**, 1962, *Conodonts from the Pratt Ferry Formation (Middle Ordovician) of Alabama*: J. Paleontol., v. 36, text-fig. 1-5, p. 1214-1252, pl. 168-171.
- 1969, *The generic concept in conodont taxonomy*: North Am. Paleontol. Conv., Proc., v. 1, p. 157-173, Allen Press (Lawrence, Kansas).
- 1971, eds., *Symposium on conodont biostratigraphy*: Geol. Soc. Am. Mem. 127, 499 p.
- 1972, *Multielement taxonomy and Ordovician conodonts*: Geol. Palaeontol., Spec. Vol. 1, p. 29-42, 4 text-fig.
- 1974, *Provincialism exhibited by Ordovician conodont faunas*: in C. A. Ross (ed.), *Paleogeographic provinces and provinciality*, p. 189-202, Soc. Econ. Paleontol. Mineral., Spec. Publ. 21.
- , **Ethington, R. L.**, & **Barnes, C. R.**, 1971, *North American Middle and Upper Ordovician conodont faunas*: in W. C. Sweet & S. M. Bergström (eds.), *Symposium on conodont biostratigraphy*, Geol. Soc. Am. Mem. 127, p. 163-193, 2 pl.
- , **Mosher, L. C.**, **Clark, D. L.**, **Collinson, J. W.**, & **Hasenmueller, W. A.**, 1971, *Conodont biostratigraphy of the Triassic*: in W. C. Sweet & S. M. Bergström (eds.), *Symposium on conodont biostratigraphy*, Geol. Soc. Am. Mem. 127, p. 441-465, 3 text-fig., 1 pl.
- , & **Schönlau, H. P.**, 1975, *Conodonts of the genus Oulodus Branson & Mehl, 1933*: Geol. Palaeontol., v. 9, p. 41-59, pl. 1, 2.
- , **Thompson, T. L.**, & **Satterfield, I. R.**, 1975, *Conodont stratigraphy of the Cape Lime-*

- stone (Maysvillian) of eastern Missouri: Missouri Geol. Surv. Water Resour. Rep. Invest. 57, pt. 1, p. 1-60, pl. 1-3.
- , Turco, C. A., Warner, Earl, & Wilkie, L. C., 1959, *The American Upper Ordovician Standard 1. Eden conodonts from the Cincinnati region of Ohio and Kentucky*: J. Paleontol., v. 33, p. 1029-1068, pl. 130-133.
- Szaniawski, Hubert, 1971, *New species of Upper Cambrian conodonts from Poland*: Acta Palaeontol. Pol., v. 16, p. 401-413.
- , & Matkowski, Krzysztof, 1979, *Conodonts from the Kapp Starostin Formation (Permian) of Spitsbergen*: Acta Palaeontol. Pol., v. 24, no. 2, p. 231-264, pl. 4-10.
- Szulczewski, Michał, 1971, *Upper Devonian conodonts, stratigraphy and faunal development in the Holy Cross Mts.*: Acta Geol. Pol., v. 21, p. 1-129.
- Tatge, Ursula, 1956, *Conodonten aus dem germanischen Muschelkalk*: Palaeontol. Z., v. 30, pt. 1, p. 108-127, 12 text-fig., pl. 5, 6.
- Thomas, L. A., 1949, *Devonian-Mississippian formations of southeast Iowa*: Geol. Soc. Am. Bull., v. 60, p. 403-438, pl. 1-4.
- Titus, Robert, 1974, *Paleoecology of the lower Trenton conodonts of New York State*: Geol. Soc. Am. Abstr. Programs, v. 5, p. 81.
- Ulrich, E. O., 1878, *Observations on fossil annelids and description of some new forms*: Cincinnati Soc. Nat. Hist. J., v. 1, p. 87-91, pl. 4.
- , & Bassler, R. S., 1926, *A classification of the toothlike fossils, conodonts, with descriptions of American Devonian and Mississippian species*: U.S. Nat. Mus. Proc., v. 68, art. 12, 63 p., 5 text-fig., 11 pl.
- Van Wamel, W. A., 1974, *Conodont biostratigraphy of the Upper Cambrian and Lower Ordovician of north-western Öland, south-eastern Sweden*: Utrecht Micropaleontol. Bull., v. 10, p. 1-125, pl. 1-8.
- Viira, Viive, 1966, *Distribution of conodonts in the Lower Ordovician sequence of Sukhramägi (Tallinn)*: Eesti NSV Tead. Akad. Toim., v. 15, no. 1, p. 150-155.
- 1975, *Konodonty Ordovika Pribaltiki*: Eesti NSV Tead. Akad., Geol. Inst. (1974), 142 p., 3 pl.
- Votaw, R. B., 1971, *Conodont biostratigraphy of the Black River Group (Middle Ordovician) and equivalent rocks of the eastern Midcontinent, North America*: Unpubl. Ph.D. diss., 160 p., 3 pl., The Ohio State Univ. (Columbus).
- Walliser, O. H., 1957, *Conodonten aus dem oberen Gotlandium Deutschlands und der Karnischen Alpen*: Notizbl. Hess. Landesamtes Bodenforsch. Wiesbaden, v. 85, p. 28-52, text-fig. 1-3, pl. 1-3.
- 1958, *Rhombocorniculum comleyense n. gen., n. sp. (incerte sedis, Unterkarbrium, Shropshire)*: Palaeontol. Z., v. 32, p. 176-180.
- 1964, *Conodonten des Silurs*: Abh. Hess. Landesamtes Bodenforsch., v. 41, p. 1-106, 10 text-fig., pl. 1-32.
- 1972, *Conodont apparatuses in the Silurian*: Geol. Palaeontol., Spec. Vol. 1, p. 75-80.
- Webers, G. F., 1966, *The Middle and Upper Ordovician conodont faunas of Minnesota*: Minn. Geol. Surv. Spec. Publ. Ser., 4, 123 p., 2 text-fig., 15 pl.
- Weddige, Karsten, 1977, *Die Conodonten der Eifel-Stufe im Typusgebiet und in benachbarten Faziesgebieten*: Senckenbergiana Lethaea, v. 58, p. 271-420, 9 text-fig., 6 pl.
- Welles, S. P., 1947, *Vertebrates from the upper Moenkopi formation of northern Arizona*: Univ. Calif. Dept. Geol. Sci. Bull., v. 27, no. 7, p. 241-294, pl. 21, 22.
- Wittekindt, H. P., 1966, *Zur Conodonten Chronologie des Mitteldevons*: Fortschr. Geol. Rhein. Westfalen, v. 9 (1965), p. 621-646, 1 text-fig., pl. 1-3.
- Woodward, A. S., 1898, *Outlines of vertebrate palaeontology for students of zoology*: Cambridge Biological Series, 470 p., 228 text-fig.
- Yochelson, E. L., 1975, *Discussion of early Cambrian "molluscs"*: J. Geol. Soc. London, v. 131, p. 661-662.
- Youngquist, Walter, 1945, *Upper Devonian conodonts from the Independence shale (?) of Iowa*: J. Paleontol., v. 19, p. 335-367, pl. 54-56.
- , & Miller, A. K., 1949, *Conodonts from the Late Mississippian Pella beds of south-central Iowa*: J. Paleontol., v. 23, p. 617-622, pl. 101.
- , Hawley, R. W., & Miller, A. K., 1951, *Phosphoria conodonts from southeastern Idaho*: J. Paleontol., v. 25, p. 356-364, pl. 54.
- Ziegler, Willi, 1958, *Conodontenfeinstratigraphische Untersuchungen an der Grenze Mittel-/Oberdevon und in der Adorfstufe*: Notizbl. Hess. Landesamtes Bodenforsch. Wiesbaden, v. 87, p. 7-77, text-fig. 1-7, pl. 1-12.
- 1959, *Ancyrolepis n. gen. (Conodonta) aus dem höchsten Teil der Manticoceras-Stufe*: Neues Jahrb. Geol. Paläontol. Abh., v. 108, p. 75-80, pl. 7.
- 1962, *Taxonomie und Phylogenie oberdevonischer Conodonten und ihre stratigraphische Bedeutung*: Abh. Hess. Landesamtes Bodenforsch., v. 38, p. 1-166, pl. 1-14.
- 1966, *Eine Verfeinerung der Conodontengliederung an der Grenze Mittel-/Oberdevon*, in Das Mitteldevon des Rheinischen Schiefergebirges, Ein Symposium: Fortschr. Geol. Rhein. Westfalen, v. 9 (1965), p. 647-676, 4 text-fig., 6 pl.
- 1969, *Eine neue Conodontenfauna aus dem höchsten Oberdevon*: Fortschr. Geol. Rheinl. Westfalen, v. 17, p. 343-360, 2 pl.
- 1970, *On microstructure and surface ornamentation of conodonts*: Geol. Soc. Am. Abstr. Programs, v. 2, p. 410.
- 1971, *Conodont stratigraphy of the European Devonian*: in W. C. Sweet & S. M. Bergström (eds.), *Symposium on conodont biostratigraphy*, Geol. Soc. Am. Mem. 127, p. 227-284, 3 text-fig.

- 1974, Catalogue of conodonts: v. I, 504 p., E. Schweizerbart'sche (Stuttgart).
- 1975, Catalogue of conodonts: v. II, 404 p., 26 text-fig., 25 pl., E. Schweizerbart'sche (Stuttgart).
- _____, & Lindström, Maurits, 1971, Über *Panderodus Ethington, 1959, und Neopanderodus n. g. (Conodonta) aus dem Devon*: Neues Jahrb. Geol. Palaeontol. Monatsh., Jahrg. 1971, no. 10, p. 628-640, 3 text-fig.
- 1972, Microstructure and growth in some platform conodonts: Geol. Soc. Am. Abstr. Programs, v. 4, p. 357.
- 1975, Fortschrittsbericht Conodonten: Palaeontol. Z., v. 49, no. 4, p. 565-595.
- _____, _____, & McTavish, R. A., 1973, Monochloracetic acid and conodonts—A warning: Nature, v. 230, no. 5296, p. 584-585.
- _____, Sandberg, C. A., & Austin, R. L., 1974, Revision of *Bispatherodus group (Conodonta) in the Upper Devonian and Lower Carboniferous*: Geol. Palaeontol., v. 8, p. 97-112, 1 text-fig., pl. 1-3.
- Zittel, K. A., & Rohon, J. V., 1886, Über Conodonten: Bayer. Akad. Wiss. Muenchen Math.-Phys. Kl. Sitzungsber., v. 16, p. 108-136, pl. 1, 2.

INDEX

Italicized names in the following index are considered to be invalid; those printed in roman type, including morphological terms, are accepted as valid. The names of all taxa above the rank of superfamily are distinguished by use of full capitals, and authors' names are set in large and small capitals. Page references having chief importance are in boldface type.

- A**ABAIMOVA, W94
aboral, W60; *attachment scar*, W60; *cavity*, W60; *edge*, W60; *extension*, W60; *groove*, W60; *margin*, W60; *process*, W60; *projection*, W60; *side*, W60; *surface*, W60
aboro-lateral groove, W60
Acanthocordylodus, **W124**
Acanthodina, **W138**
Acanthodontidae, W43, **W142**
Acanthodus, W95, **W143**
accessory lobe, **W61**
Acodina, W17, W125
Acodus, **W172**
Acontiodus, W48
Acontiodus, **W172**
adcarinal groove, W16, **W61**
adenticulate, W61; *process*, W8
Adetognathus, W88, W89, W91, W97, **W158**, W159
advanced element structures, W24-W41
Aethotaxis, W89, **W167**
affinities of conodonts, W78-W80
alate, W10; *element*, **W61**
Albiconus, **W112**
albid element, W61
ALDRIDGE, W95, W136
"aligned compartments," W47
Ambalodus, W48, W120, W136
amino-acid spectrum, W82
Amorphognathus, W6, W19, W91, W94, **W120**, W130, W175
Amphigaeisina, W22, **W111**
Amphigaeisacea, **W111**
Amphigaeisinidae, **W111**
Anastrophognathus, **W152**
Anchignathodontacea, W166
Anchignathodontidae, **W166**
Anchignathodus, W16, W89, W167, W168
Anchignathodus typicalis Zone, W100
Ancoradella, W96, **W157**
Ancyrodella, W38, W45, W83, W88, **W164**
Ancyrodelloides, **W164**
Ancyrognathus, W41, W88, W97, **W164**
Ancyrogondolella, W156
Ancyroides, W164
Ancyrolepis, **W164**
Ancyropenta, W164
angulate, W14-W15; *element*, **W61**
anguliplanate element, **W61**
anguliscaphate element, **W61**
Angulodus, **W172**, W175
anisometric growth, localized, W25-W31
anterior, **W61**; *arch*, W11, **W61**; *bar*, W61; *blade*, W61; *deflection*, W61; *denticles*, **W61**; *edge*, **W61**; *face*, **W61**; *inner bar*, W61; *inner-lateral bar*, W61; *inner-lateral process*, **W61**; *limb*, W61; *margin*, W7, **W61**; *outer bar*, W61; *outer-lateral bar*, W61; *outer-lateral process*, W61; *process*, W9, **W61**; *projection*, W61; *side*, W61; *trough margin*, W61
anterobasal corner, W7, **W61**
anticusp, W12, **W61**
Antognathus, W125, **W179**
Apatella, W169, **W179**
Apatognathus, W167, **W172**
apex, W6, **W61**
Aphelognathus, W95, **W124**
apical denticle, W61; *lamella*, **W61**
apparatus, **W61**; *morphology*, W80-W81
apparatuses, skeletal, classification of, W16-W20; *terminology*, W16-W20
appressed denticles, W61
apron, W61
Apsidognathus, W96, **W136**
arched, **W61**; *processes*, W15
Archeognathus, W179
Arcugnathus, W179
Arenigian zonation, W94
ARMSTRONG & TARLO, W56
assemblage, **W61**; *interpretation of*, W69-W72
Astacoderma, W179
Astrognathus, W136
Astropentagnathus W135, **W136**
asymmetric pairs in P positions, W19
attachment scar, **W61**; *surface*, W13, **W61**
Aulacognathus, W96, **W136**
AUSTIN, W83, W91, W97
AUSTIN & RHODES, W68
AVCIN & NORBY, W74
Avignathus, W178
axis, **W61**
azygous node, **W61**
BABCOCK, W89, W91
Bactrognathidae, **W169**
Bactrognathus, **W169**
BAESEMAN, W68, W73, W76, W77, W78
Balognathidae, **W120**
Balognathinae, W120
Balognathus, W120
Baltoniodus, W132
bar, W62; *tooth*, W62
Barbarodina, W150
BARNES, W17, W68
BARNES & FÄHRAEUS, W87, W88, W89
BARNES, REXROAD, & MILLER, W22
BARNES, SASS, & MONROE, W44, W48, W49, W91
BARNES, SASS, & POPLAWSKI, W45, W46
BARNES & SLACK, W44, W46, W48, W49
BARNETT, W88
BARSKOV, ALEKSEEV, & GOREVA, W76
basal, **W62**; *attachment scar*, **W62**; *canalules*, W62; *cone*, W62; *extension*, W62; *excavation*, W62; *funnel*, W62; *furrow*, W62; *groove*, W62; *suture*, **W62**
basal cavity, W6, W7, W9, W25, W62; *inverted*, W9
basal filling, W50-W52, **W62**
basal margin, W9, **W62**
basal pit, W9, W25-W27, **W62**
basal plate, W24, W27-W31, **W62**
basal wrinkles, W44, **W62**
base, W6, W7, W8, **W62**
BECKMANN, W22, W53
BEHNKEN, W68, W89, W90, W100

- Belodella, W17, W74-W76, W141, W179
 Belodellidae, W141
 Belodellinae, W141
 Belodina, W16, W44, W80, W88, W95, W140
Belodus, W132
 BENGTSON, W23, W38
 Bergstroemognathus, W120, W134
 BERGSTRÖM, W4, W19, W94, W147
 BERGSTRÖM & SWEET, W5, W85
 bimembrate, W17; apparatus, W62
 bipennate, W11; element, W62
 Bispathodus, W96, W97, W164
 von BITTER, W68, W73, W76, W77, W88, W89, W100
 blade, W15, W62; fixed, W15; free, W15; parapet, W62
 BOERSMA, W30
 BOGAARD & KUHRY, W77
 boss structures, W62
 bowed, W62
 BRADSHAW, NOEL, & LARSON, W53, W54, W56
 Branmehla, W172
 BRANSON, W68
 BRANSON & MANKIN, W54
 BRANSON & MEHL, W49, W50, W68, W82, W83, W102
 Bransonella, W179
 Bryantodina, W124, W125
 Bryantodus, W41, W172, W177
 bubble structures, W35-W38; bands, W36; cone-shaped, W36; layers, W36; M-shaped, W38; peglike, W35-W36; reversed cone-shaped, W36-W37
 BURNLEY, W77, W78
 BUTLER, W97
 buttress, W62

 Caenodontus, W172
 CAI, W57-W60
 Cambroistodus, W116
 Capricornognathus, W159
 Carboniferous water depth and energy data, W88-W89
 Cardiodella, W173
 Cardiodus, W173
 carina, W7, W16, W62
 Carinella, W156
 carminate, W14-W15; element, W62
 carminiplanate element, W62
 carminiscaphate element, W63
 Carniodus, W135
 Caudicriodus, W125
 Cavusgnathidae, W158
 Cavusgnathus, W6, W16, W73, W76, W88, W89, W97, W158, W159, W172
Celsigondolella, W157
 central node, W63
 Centrognathodus, W179
 Centrognathus, W179
Cervicornoides, W172
 CHAMBERLAIN & CLARK, W87, W88, W89, W90
 chemical properties of conodont elements, W52-W56, W80
 Chirodella, W155
 Chirognathacea, W115, W137
 Chirognathidea, W137
 Chirognathus, W49, W137, W138
 Chosonodina, W95, W115
Cladognathodus, W176
Cladognathus, W176
 CLARK, W83, W85, W86, W87, W89, W90, W91
 CLARK & BEHNKEN, W100
 CLARK & MILLER, W22, W56, W57, W80
 CLARK & MÜLLER, W25
 CLARK & ROSSER, W87, W89, W91
 Clavohamulidae, W115
 Clavohamulus, W115
 Cloghergnathus, W159
 Clydagnathus, W88, W96, W97, W159
Coelocerodontus, W141
 Coleodus, W179
 COLLINSON & others, W70
 COLLINSON, REXROAD, & THOMPSON, W97
 color standards, W58; variation, W56-W60
 Complexodus, W179
 compound element, W63
Conditolepis, W165
 coniform element, W6-W8, W63, W74-W76, W77; orientation of, W6-W7
 conodont, W63; apparatus, W63; -bearing animal, W63; element, W63; organism, W71-W72
 CONODONTA, W111
 conodontijer, W63
 CONODONTOPHORIDA, W22, W93, W111, W115
 conodonts, abundance of, W3; biostratigraphy, W3, W92-W99; diversity, W3, W86; life mode, W3, W87-W88; range of, W3, W104-W110
 CONWAY MORRIS, W72, W81, W102
 COOPER, W75
 coprolitic associations, W71
 Cordylododontidae, W116
Cordylodontinae, W116
 Cordylodus, W5, W36, W48, W93, W94, W116
Cornudina, W155
 Cornuodus, W172
 Cornuramia, W179
Coryssognathus, W172
 costa, W7, W63
Cratognathodus, W152
 crimp, W63
cristula, W63
Criteriognathus, W166
 CRONEIS, W72
 crown, W63
 Cruziana, W88, W90
 Cryptotaxidae, W157
 Cryptotaxis, W157, W158
Ctenognathodus, W165
Ctenognathus, W165
Ctenopolygnathus, W163
Culumbodina, W141
 cup, W63
 Curtognathus, W173
 cusp, W6, W8, W63
 Cypridodella, W86, W101, W152, W156, W157
 Cyrtioniodontidae, W95, W120
Cyrtioniodontinae, W120
 Cyrtioniodus, W5, W129

 Dapsilodus, W94, W174
Declinognathodus, W161
 Decoriconus, W174
Deflectolepis, W165
Delotaxis, W150
 dental pits, W44-W45
 denticle, W8, W63; discrete, W9; fused, W10; laterally confluent, W10; overgrown, W10; sub-merged, W10
 denticulate, W63; process, W8
 Dermatolithis, W179
 Devonian water depth and energy data, W88
 dextral element, W63
 Dichodella, W175
Dichodella, W152
Dichognathus, W5, W129
Didymodella, W152
 DIEBEL, W86, W101
 digyrate, W11; element, W63
 Dimantian, W97
 Dinodus, W88, W170
Diplododella, W85, W175
Diplognathodus, W100, W167
Dirhadicodus, W138
 discrete denticles W63; element, W63
Distacodidae, W142
Distacodontacea, W115, W142

- Distacodontidae, W142
 Distacodus, **W143**
 distal, W9
 Distomodontidae, **W137**, W173
 Distomodus, W96, W129, **W137**,
 W173
 dolabrate, W12; element, **W63**
 Doliognathus, W88, **W169**
 Dollymae, W88, **W169**
Drepanodina, W125
 Drepanodus, W85, W88, **W146**
 Drepanoistodontidae, **W143**
 Drepanoistodus, W94, W95,
 W143, W144, W145, W146
 DRUCE, **W87**
 DRUCE & JONES, W94
 DRUCE, RHODES, & AUSTIN, W68
Dryphenotus, W161
 Dubois, W68, W69, W70
Duboisella, W16, W149

EICHENBERG, W22, W68, W72,
 W77
 Eifelian, W96
 element, **W63**; discrete, W5;
 proper, **W63**; variation, W83
 ELIAS, W69
Elictognathidae, **W170**
Elictognathus, **W170**
 ELLISON, W52, W53, W57
 Ellisonia, W16, W85, W89, W91,
 W101, **W152**, W157
Ellisoniacea, **W152**
Elloniidae, **W152**
Elsonella, **W175**
Eobelodina, W140
Ecconodontus, **W116**
Eofalodus, **W138**
Eognathodus, **W164**
Eoligonodina, W5, W124
Eoneopriionodus, **W138**
Eoplacognathus, W94, **W130**,
 W131
Etaphrus, **W170**
Epigondolella, W83, W91, W101,
 W156, W157
Epigondolella bidentata Zone,
 W86
 EPSTEIN, EPSTEIN, & HARRIS,
 W57, W58, W59
 erect, **W63**
 erect cusp, W7
Erismodus, **W138**
Erraticodon, **W179**
escutcheon, W46, W63
 ETHINGTON & BRAND, W117
 ETHINGTON & CLARK, W94, W95
 euconodonts, W115
Euprioniodina, **W175**
Eurygnathodus, W157
Evencodus, **W175**
- evolutionary homeomorphy, **W83**
 evolution crises, W85-W87
Exochognathus, W137
 extinctions, W85-W87

FAHLBUSCH, W81
Fährhaeus, W87
Falcodus, W167, **W170**
Falodus, W128, W138
 Famennian, W96, W97
fang, W63
FAY, W68, W73
FERRIGNO, W88
 fibrous, **W63**
 fibrous structure, W49
 field collection, W4
 fixed blade, W15, **W63**
 flange, **W63**
Foliella, W157
 form-taxa system, W4, W5, W72,
 W102
Fortscottella, W179
 fracture observation, W22
 free blade, W15, **W63**
Fryxellodontacea, **W118**
Fryxellodontidae, **W119**
Fryxellodontus, **W119**
FURNISH, W88
Furnishina, W23, **W112**
Furnishinacea, **W112**
Furnishinidae, **W112**
Furnishius, W92, W101, **W152**,
 W153
 furrow, **W63**; longitudinal, W44
 fused cluster, W16, **W64**;
 denticles, **W64**

 galleries, in elements, W41
Gapparodus, W112, W179
 geniculate, W8, **W64**
 geniculation point, **W63**
Geniculatus, **W175**
 geographic distribution, W70-
 W71
germ denticles, W64
 "ghost conodont," W56
Givetian, W96
Gladigondolella, W17, W101,
 W152, W157
Gladigondolella tethydis Zone,
 W101
Gnampotognathus, W178
Gnathodella, W179
Gnathodus, W76, W91, W97,
 W161, W162
Gondolella, W73, W76, W83,
 W89, W100, **W151**
Gondollacea, W100, **W150**
Gondolellidae, **W150**
Giobiodontus, W120
Gothodus, W132
- Griesbachian, W101
Grodella, W156
 grooves, **W7**
 Gross, W22, W48, W51
 gross morphology and affinity,
 W80
 growth axis, W7, W49-W50,
 W64; center, **W64**; *lamella*,
 W64; lines, **W64**
 "growth canal," W49-W50
 growth centers, secondary, W41
 growth lamellae, W23, W24-
 W27; in basal filling, W51
 Guadalupian, W100
Gyrognathus, W150

Haddingodus, W132
Hadrodontina, W101, **W153**
Hadrognathus, W137
Hamarodus, W128, W129
Hamulosodina, W179
Haplobelodella, W141
HARDIN, W88
HARRIS, W138
Hass, W21, W45, W48, W49,
 W67, W77, W102
HASS & LINDBERG, W52, W53,
 W56
HECKEL & BAESMANN, W76,
 W87, W89
 heel, **W64**
 height, **W64**
Hemilistrona, W164, **W180**
Hertzina, W22, **W112**
Heterognathus, W178
Hibbardella, W77, W85, W132,
 W149
Hibbardellacea, W20, W95, **W148**
Hibbardellidae, **W148**
Hibbardelloides, W156
HIGGINS, W68
HINDE, W3, W4
Hindeodella, W6, W17, W86,
 W155, W162, W167
Hindeodelloides, **W175**
 hindeodells, W72
Hindeodina, **W175**
Hindeodus, W89, W100, **W167**,
 W168
Hirsutodontus, **W115**
Histiodella, W95, **W135**
 histology, W81
HOFKER, W82
Holmesella, W179
holoconodont, W64
Holodontus, W120
 homeomorphy, **W83-W85**
HUDDLE, W77
 haline element, **W64**
 hypersalinity tolerance, W89

- Icriodella, W96, **W125**
Icriodidae, W125
 Icriolina, W179
 Icriodontidae, **W125**, W178
Icriodontinae, W125
 Icriodus, W45, W77, W85, W88, W96, **W125**, W178
 Ichthyodus, W179
Idiognathinae, W161
 Idiognathodontidae, **W161**
 Idiognathodus, W69, W73, W74, W76, W88, W89, W91, W97, W100, W158, **W161**, W162
 Idiognathoides, W97, **W161**
 Idiopriionodus, W77-W78, W89, **W149**
Illinella, W16, W151
inferior side, W64
 inner face, **W64**; -lateral process, **W64**; platform, **W64**; side, **W64**
interior limb, W64
 interlamellar space, W35, W45, **W64**; striae, **W64**; striation, W25; stripes, W64
 internal element structure, W20-W41, W41-W52
inverted basal cavity, W9, W46, W64
 Iranognathus, W167, **W180**
 Isarcicella, W100, **W167**
 Istorinus, **W175**
- JEPSSON, W6, W16, W17, W18, W73, W74, W83, W85
 Johnognathus, W136, W180
 JONES, W78
 Juanognathidae, **W145**
 Juanognathus, **W145**
- keel, W7, W15, **W64**; angle, **W64**
Keuslognathus, W120
 Kimognathus, W164, **W180**
 Kinderhookian, W97
 kink, **W64**
 KIRK, W82
 Kladognathus, **W176**
 KLAPPER & others, W96, W97
 KLAPPER & PHILIP, W6, W16, W17, W18, W20, W68, W74, W77
Klapperina, W165
Kockelella, W96, **W157**
Kockelellidae, W157
 KOZUR, W100, W101
 KOZUR & MOSTLER, W6, W17, W18, W100, W101, W152
Lambdagnathus, **W176**
 lamella, W45-W47, W50-W52, **W64**
- LANDING, W68, W74
 LANE, W19, W85
 LANE & others, W97
 LANE & STRAKA, W97
 LANE & ZIEGLER, W76
 LANGE, W17, W68, W69, W74, W76, W77, W78
 lateral, **W64**; bar, W64; face, W6, **W64**; process, W9, **W64**
laterally confluent denticles, W64
Latericriodus, W125
Laterignathus, W180
Latorpian, W94
 LEE, W94
 length, **W64**
Lenodus, W120
Lepodus, W179
Lepognathodus, W179
Leptochirognathus, **W137**
Lewistownella, W16, W158
Ligonodina, W77, W78, W88, **W177**
Ligonodinoides, W179
limb, W64
 LINDSTRÖM, W17, W45, W48, W49, W50, W51, W56, W57, W74, W81, W82, W90, W93, W102, W141, W172
 LINDSTRÖM, McTAVISH, & ZIEGLER, W42, W43
 LINDSTRÖM & ZIEGLER, W22, W42, W43, W44, W46, W48, W49, W52, W56
 linguiform process, **W64**
 lip, **W64**
Llandoveryan zonation, W95
Llandoverygnathus, W135
 lobe, **W64**
 locational notation, W18
Lochriea, W16, W77
Lonchodina, W88, W91, **W177**, W178
Lonchodus, W179
 longitudinal, **W64**; furrow, **W64**
 loop, **W64**
 lower side, **W65**
Loxodus, W95, **W177**
Loxognathus, W128
 lumen, **W65**
- Macerodus, **W180**
Machairodia, W143
Machairodus, W143
 macromorphology, W5-W20
Macropolygnathus, W166
Magnilateralla, **W177**
 main carina, **W65**; *cusp*, **W65**; keel, W65; trough, **W65**
Malaygnathus, W52
Manticolepis, W165
Mashkova, W69, W76
- MATTHEWS & NAYLOR, W97
 MATTHEWS, SADLER, & SELWOOD, W97
 MCCONNELL, W53
 MCHARGUE, W135, W138
 Mehlina, **W177**
 MEISCHNER, W97
 MELTON & SCOTT, W71, W72, W81, W102
 MERRILL, W76, W88, W97
 MERRILL & MERRILL, W78
Merrillina, W157
 Mesotaxis, W96, W97, **W164**, W165, W178
Mestognathidae, **W172**
Mestognathus, **W172**
Metalonchodina, W77, W149
 metamorphism, organic, W56-W60
Metapolygnathus, W157
Metaprioniodus, **W177**
Microcoelodus, W138, W173
 microdenticles, W44-W45
 micromorphology of elements, W20-W52
 micro-ornamentation, W41-W52
 microtome technique, W22
Microzarkodina, W94, **W124**
 midplane, W6, **W65**
 "military classification," W72
 MILLER, W92, W93
 MILLER & RUSHTON, W74
 mineralogic properties of conodont elements, W52-W56, W80
Misikella, W157
MISSARZHEVSKY, W22
Missourian, W97
Mixococonus, **W143**
Monocostodus, **W117**
 MOORE, W73
 MOORE & SYLVESTER-BRADLEY, W73
 morphology and composition of elements, W5-W67
 MOSHER, W86, W89, W101
 MOSHER & CLARK, W89
Mosherella, W153
 MOSKALENKO, W94, W95, W175
 M position, W19, **W65**
Muellerina, W112
Muellerodus, **W112**
 MÜLLER, W22, W41, W90, W93, W94
 MÜLLER & ANDRES, W74
 MÜLLER & CLARK, W25, W38, W88
 MÜLLER & MOSHER, W86, W101
 MÜLLER & NOGAMI, W22, W25, W30, W36, W46, W52, W91
Multicornis, W138
Multidentodus, W179

- multimembrate, W17; apparatus, **W65**; assemblages, W74-W78
- Multioistodontidae**, **W138**
- Multioistodus**, W95, **W138**
- multiramate, W12; element, **W65**
- natural assemblage, W3-W4, W5, W16, **W65**, W69
- navel, **W65**
- Neocoledodus**, **W177**
- Neognathodus**, W97, **W161**
- Neogondolella**, W16, W31, W83, W89, W91, W92, W100, W101, **W157**
- Neohindeodella**, W152, W155
- Neomultioistodus**, W138
- Neopanderodus**, **W141**
- Neoplectospathodus**, W152
- Neopriionoidus**, W77, W149, **W167**
- Neorhipidognathus**, W175
- Neospathodus**, W16, W83, W86, W101, **W157**
- Neopathognathodus**, W136, **W157**
- Neostreptognathodus**, W83, W89, W100, **W168**
- Nereites strata**, W88, W89, W90
- Nericodus**, **W116**
- Neurodontiformes**, W49
- NICOLL**, W90
- node, **W65**
- Nodognathus**, **W165**
- Nogamiconus**, **W112**
- NOHDA & SETOGUCHI**, W86, W101
- nomenclature of assemblages, W72-W73
- nongeniculate, W8
- nongeniculate coniform element, **W65**
- NORBY**, W76
- Nordiodus**, **W144**
- North American Midcontinent province, W93
- North Atlantic province, W93
- notch, W65
- Nothognathella**, W178
- Nurrella**, W179
- nutrients, W90-W91
- obverse side, **W65**
- OCHIETTI & CAILLEAU**, W82
- Odontotriphus**, W72, W81
- Oelandodus**, **W147**
- Oepikodontidae**, **W125**
- Oepikodus**, **W128**, W179
- Oistodella**, **W177**
- Oistodontidae**, **W146**
- Oistodus**, W94, W138, W144, **W146**, W147
- Oligodus**, **W177**
- Oncadella**, W152
- Oneotodontidae**, **W117**
- Oneotodus**, W36, W88, **W117**
- oral, W65
- Ordovician water depth and energy data, W88
- organic associations, W90-W91
- organic layer, W23-W24
- organic metamorphism, W56-W60
- orientation, W6-W7
- Osagean, W97
- Otoceras, W100
- Otoceras boreale Zone, W100
- Otoceras concavum Zone, W100
- oulodontiform, W150
- Oulodus, W20, W95, W96, **W149**
- outer face, **W65**; -lateral process, **W65**; platform, **W65**; side, **W65**
- overgrown denticles, **W65**
- Oxignathus**, W161
- oxygen, W90
- Ozarkodina, W5, W20, W41, W76, W83, W88, W89, W96, **W158**, **W165**, W167
- Pachycladina**, **W154**
- Pachysomia**, W179
- PACKHAM**, W95
- paired occurrence, W70
- Palmatodella**, W179
- Palmatolepis**, W27, W31, W76-W77, W88, W91, W96, W97, **W165**, W178, W179
- Paltodus**, W94, W143, W144, **W146**, **W177**
- PANDER**, W3, W22, W45, W48, W49, W82
- Panderodella**, W179
- Panderodontacea**, W43, **W140**
- Panderodontidae**, W43, **W140**
- Panderodus**, W8, W17, W44, W46, W51, W88, W94, W95, **W140**, W141
- Pandervolepis**, W165
- Pandorina**, **W166**
- Pandorinellina**, W96, **W166**
- Pa position, **W65**
- Parabelodina**, **W180**
- Parachirognathus**, W91-W92, **W154**
- PARACONCONDONTIDA**, W22, W23, W92-93, **W111**, W114, W115
- Paracordylodontidae**, **W128**
- Paracordylodus**, **W128**
- Paragnathodus**, **W162**
- Paragnathodus**, **W162**
- Paragondolella**, W83, **W157**
- Parallelcostata**, W141
- parapet, W16, **W65**
- Parapolygnathus**, **W158**
- "parataxa," W73
- Paroistodus**, W94, **W144**, W146
- Parvigondolella**, W156, W157
- pastinate, W14; element, **W65**
- pastiniplanate element, **W65**
- pastiniscaphate element, **W65**
- pathologic structures, W41
- Patrognathus**, W91, W96, W97, **W159**
- Pavlovites**, **W180**
- Pb position, **W65**
- pectiniform elements, W12-W16, **W65**, W76-W77
- Pedavis**, W96, **W125**
- pelagic life mode, W87-W88, W90
- Pelekysgnathus**, W96, **W125**, W178
- Periodon**, W94, **W128**
- Periodontidae**, **W128**
- PERLMUTTER**, W100
- Permian water depth and energy data, W89
- Petalognathus**, W129
- PHILLIPS**, W52, W56
- phosphatic hard part development, W22
- Phragmodontidae**, W128, **W129**
- Phragmodus, W6, W59, W88, W95, W125, **W129**, W175
- PIERCE & LANGENHEIM**, W43
- PIETZNER & others**, W48, W51, W53, W54, W56, W57
- Pinacodus**, W171
- Pinacognathus**, **W171**, W177
- planate, W13, W15; element, **W65**
- plane of discontinuity, W30
- plate, **W65**
- platform, **W65**
- Platylvilosus**, W91, **W157**
- Playfordia**, **W178**
- Plectodina**, W5, W6, W88, W95, **W124**, W125, W175
- Plectospathodus**, W88, W165
- Plegagnathus**, **W141**
- POLLOCK**, W17, W68
- Pollognathus**, W156
- Polonodus**, **W180**
- Polycaulodus**, W173
- Polygnathacea**, W20, W100, **W157**
- Polygnathellus**, **W178**
- Polygnathidae**, W96, W157, **W162**
- Polygnathodella**, W161
- Polygnathoides**, **W136**
- Polygnathus**, W41, W77, W88, W96, W97, **W162**, W164, W166
- Polylophodonta**, **W166**
- Polyplacognathidae**, **W129**, W131
- Polyplacognathus**, W94, **W129**

- positional homeomorphy, W83, W85
 positional notation, W18
 posterior, W65; *bar*, W66; *blade*, W66; deflection, W66; denticles, W66; edge, W66; face, W66; *inner bar*, W66; inner-lateral process, W66; limb, W66; *outer bar*, W66; outer-lateral bar, W66; outer-lateral process, W66; *side*, W66
 posterior margin, W7, W66
 posterior process, W9, W66
 posterobasal corner, W7, W66
 P position, W19, W65
Praelatericriodus, W125
Pravognathus, W116, W178
 preparation of material, W20-
 W22
 primary process, W13, W66
 primitive element structures,
 W22-W24
Priomorphognathus, W130
Prioniodelta, W178
Prionioidae, W120, W132
Prioniiodina, W5, W148, W178
Prionioidinacea, W148
Prionioidinidae, W148
Prioniodontacea, W42, W44,
 W120
Prioniodontidae, W43, W120,
 W132
Prioniodus, W6, W19, W94,
 W128, W132
Prioniodus (Baltoniodus), W132,
 W175
Prioniodus (Prioniodus), W132
Priognathodus, W179
Priognathus, W179
Pristognathus, W150
Proacodus, W112
Problematonites, W113
 process, W8, W66; anterior, W9;
 lateral, W9; posterior, W9;
 primary, W13; secondary, W13
 proclined, W66; cusp, W7
Proconodontacea, W115
Proconodontidae, W146
Proconodontus, W74, W93, W146
Proconodontus Zone, W93
prong, W66
Prooneotodus, W73, W74, W113,
 W117
Prosagittodontus, W114
Proscandodus, W114
 protein structure, W82
 "protoconodonts," W23
Protognathodus, W97, W162
Protohertzina, W22, W114
Protopanderodontidae, W145
Protopanderodontinae, W145
Protopanderodus, W94, W145
Protoprioniodus, W147
 proximal, W9
Pseudobelodina, W180
Pseudofurnishius, W152, W154
pseudokeel, W66
Pseudooneotodus, W178
Pseudopanderodus, W117, W180
Pseudopolynathus, W88, W97,
 W165, W166
Pseudozarkodina, W156
Pteracontiodus, W139
Pteroconus, W138
Pterospathodontidae, W135
Pterospathodus, W96, W135
Pterospathodus celloni Zone, W95
Ptiloconus, W138
Ptilognathus, W178
Piloncodus, W179
pulpa, W66
pulp cavity, W66
Pygodontidae, W132
Pygodus, W94, W132, W136
 quadrimembrate, W17; apparatus,
 W66
 quadriramate, W12; element,
 W66
 quinquimembrate, W17; apparatus,
 W66
Rabeignathus, W168, W180
 "radial lamellae," W46
 radial ridge, W66
 ramiform element, W8-W16,
 W66, W76-W77; orientation
 of, W8-W9
 ramp, W66
 ranges of taxa, W103-W110
 recessive basal margin, W9
 reclined, W66; cusp, W7
 recurrent association of like
 elements, W69-W70
 recurved, W66; cusp, W7
 regeneration, W38
 resorption, W38
 reticulation, W42
Reutterodus, W178
reverse side, W66
REXROAD, W83
REXROAD & NICOLL, W68, W95
Rhachistognathus, W166
Rhaetic, W101
Rhipidognathidae, W132
Rhipidognathus, W134
Rhodalepis, W166
RHODES, W16, W17, W18, W68,
 W69, W72, W73, W74, W77,
 W78
RHODES & AUSTIN, W97
RHODES, AUSTIN, & DRUCE, W83
RHODES & WINGARD, W49, W52
Rhodesognathus, W120
Rhombocorniculum, W179
Rhynchognathodus, W125
Rhynchognathus, W125
Rosagnathus, W120
 rostral ridge, W66
 rostrum, W16, W66
Rotundacodina, W178
Roundya, W85, W178
Sagittodontina, W178
Sagittodontus, W125
 salinity, W89
 sample preparation, W4
Sannemannia, W125, W180
Sa position, W66
Saukia Zone, W93
Sb position, W66
Scaliognathus, W77, W88, W170
Scalpellodus, W180
Scandodus, W94, W138, W143,
 W144
 scaphate, W13, W15; element,
 W67
Scaphignathus, W96, W97, W166
SCHMIDT, W3-W4, W68, W69,
 W72, W80
SCHMIDT & MÜLLER, W68, W77,
 W78
Schmidtognathus, W96, W166
SCHÖNLAUB, W95
Scolopodella, W179
Scolopodontidae, W141
Scolopodus, W88, W94, W117,
 W141
Scotlandia, W179
Scott, W3-W4, W6, W68, W69,
 W70, W72
Scotella, W161, W162
Scottognathus, W16, W161, W162
Sc position, W67
Scutula, W178
Scyphiodus, W124
Scythian, W101
Sd position, W67
 secondary carina, W67; keel,
 W67
 secondary process, W13, W67
SEDDON, W88
SEDDON & SWEET, W87, W88,
 W89, W90
 segminate, W15; element, W67
 segminiplanate element, W67
 segminiscaphate element, W67
Semiacontiodus, W118
 septimembrate, W17; apparatus,
 W67
SERGEVA, W93
SERPAGLI, W75
Serratognathus, W179

seximembrate, W17; apparatus, **W67**
 shape-category ratio, W70
 sheath, **W67**
simple cone, W67
SINCLAIR, W72
 sinistral element, **W67**
Siphonodella, W16, W88, W91, W97, **W166**
Siphonognathus, W166
 size range, W82
 skeletal apparatus, W67;
 classification of, W16-W20;
 terminology, W16-W20
 skeletal element, W67
 slant, **W67**
Smithian, W101
Solenodella, W170
Solenognathus, W170
Spathodus, W165
Spathognathodontidae, W162
Spathognathodontinae, W162
Spathognathodus, W88, W165, W167
 spherulites, W51, W52
Spinodus, **W180**
 S positions, W19, W66
Staufferella, W8, **W141**
Staurognathus, W88, W170
 stellate, W14; element, **W67**
 stelliplanate element, **W67**
 stelliscaphate element, **W67**
Stepanovites, W152
Stephanodella, W179
Stereocorus, **W144**
Stolodus, W94, **W142**
Strachanognathidae, **W147**
Strachanognathus, **W147**
 stratigraphic distribution, W82
Streptognathodus, W76, W83, W88, W97, W100, **W162**, W168
 striae, W7
 striation, W41-W42, W43; coarse, W43; fine, W43
Strigaconus, W115
 structural homeomorphy, **W83**, W85
 structural irregularities, W38-W41
 structural similarity, W70
 structures of element, advanced, W24-W41; primitive, W22-W24
Subbryantodus, **W179**
Subcordyliodus, W129
 submerged denticles, **W67**

Subprioniodus, W179
 sulcus, **W67**
 suppressed denticles, W67
 surfaces of elements, W41-W44;
 smooth, W43; striated, W43
SWEET, W6, W16, W73, W74, W89
SWEET & BERGSTROM, W6, W17, W18, W68, W74, W75, W85, W93, W116, W132, W172
SWEET, ETHINGTON, & BARNEs, W95
SWEET & others, W100
SWEET & SCHÖNLAUB, W18, W20
SWEET, WEBERS, & SCHOPF, W4
Sweetocristatus, W157, **W180**
Sweetognathus, W89, W100, **W168**
 symmetry-transition series, **W67**
Synprioniodina, **W179**
SZULCZEWSKI, W88
Taphrognathus, W83, **W160**
Tardogondolella, W156
Tasmanognathus, **W180**
Telumodina, W179
 temperature, W90
Teridontidae, **W147**
Teridontus, W115, W117, **W148**
 tertiopedeate, W11; element, **W67**
Tetraprioniodus, W132
 thin sections, W21
 tip, W6, W67
Tritus, W87
Tokognathus, **W179**
Tortodus, W166, **W180**
Tortonioidus, W124
Tournaisian, W97
 transparent mounts, W21
 transverse ridge, W16, **W67**
Trapezognathus, W132
Tremadocian zonation, W94
Triangulodus, W138
 Triassic water depth and energy data, W89
Trichognathus, W124
Trichonodella, W5, W85, W124
Tricladiodus, W138
Trigonodus, W138
 trimembrate, W17; apparatus, **W67**
Tripodellus, **W179**
Tripodontus, W120
Trirhadicodus, W138
 trough, W67
Trucherognathus, W173
Tvaerognathus, W120
ULRICH & BASSLER, W102
Ulrichodina, W95, **W148**
Ulrichodinidae, **W148**
 under, W67; side **W67**
 unimembrate, W17; apparatus, W67; assemblage, W74
 upper, W67; edge, **W67**; side, **W67**
 upper margin, W9, W67
Utahconus, **W118**
Valentia, W179
VAN WAMEL, W94, W128, W143, W146
Veghella, W156
Viira, W93, W172
Virgilian, W100
Visean, W97
Vjalonites, W168
Volchodina, W132
WALLISER, W95, W136
Walliserodus, W95, **W142**
WEBERS, W125, W178
Westergaardodina, W23, **W114**
Westergaardodinidae, **W114**
Westfalicus, W16, W161
Westphalian, W97
 white matter, W24, W31-W38, W48-W49, **W67**
 width, **W67**
Windsorgnathus, W158
WITTEKINDT, W96
Wolfcampian, W100
 wrinkles, **W67**
Xaniognathidae, W83, W150, **W154**
Xaniognathus, W16, W83, W101, **W154**, W156, W157
YOCHELSON, W80
ZIEGLER, W41, W68, W96, W97, W125
ZIEGLER & LINDSTRÖM, W49
ZIEGLER, LINDSTRÖM, & McTAVISH, W53
 zone of recessive basal margin, W9, W30, **W67**
Zoophycos strata, W88, W90
Zygognathus, W5, W124