An Observation of Ophiophagy in the Kenyan Sandboa (*Eryx colubrinus*)

Soham Mukherjee^{1,2}, Akanksha Mukherjee^{1,2}, and Gowri Mallapur³

¹Life Science Education Trust, Bangalore, Karnataka, India (soham.naja@gmail.com)

²Wildroost India, Ahmedabad, Gujarat, India

³GaiaMitra Collective Foundation, Goa, India

1

Kenyan Sandboas (*Eryx colubrinus*) are native to East Africa (Branch 2014) and often are kept as pets. In nature, they occur in arid or semi-arid regions, where they feed on a variety of small prey such as lizards, rodents, and birds (Branch 2014). Although reports of ophiophagy in snakes are not uncommon (e.g., Jackson et al. 2004), no published records document ophiophagy by Kenyan Sandboas in either captivity or nature. We herein report a case of ophiophagy in *E. colubrinus* in captivity.

On 17 February 2022, a captive-bred *E. colubrinus* (sex unknown, total length approximately 30 cm) had a markedly distended abdomen after being temporarily housed with a mixed-sex group of Eastern Cornsnakes (*Pantherophis guttatus*) about 40 cm in total length for a period of approximately two hours while the cornsnake enclosure was being cleaned. When the cornsnakes were returned to their enclosure, one was missing. The snake room with the enclosures




Figure 1. Radiograph of a Kenyan Sandboa (*Eryx colubrinus*) containing an Eastern Cornsnake (*Pantherophis guttatus*). Photograph by Soham Mukherjee.

was designed to be escape proof and the room was thoroughly searched without finding the missing snake. A subsequent search through the substrate of the sandboa enclosure uncovered the *E. colubrinus* that looked like it had recently consumed a large meal. A radiograph (Fig. 1) taken at a local veterinary clinic revealed the missing *P. guttatus*.

In nature, Kenyan Sandboas burrow through sandy substrates and ambush prey (Coborn 1991; Rogner 1997; Bartlett and Bartlett 2011). In this case, we cannot say why the *E. colubrinus* ingested the cornsnake. The sandboa had been wellfed and was not under any apparent stress. We believe that it opportunistically consumed the cornsnake when it became available, as it presumably would do in nature.

Literature Cited

Bartlett, R. D. and P.P. Bartlett. 2011. *Guide and Reference to the Snakes of Western North America (North of Mexico) and Hawaii*. University Press of Florida, Gainesville, USA.

Branch, B. 2014. Photographic guide to snakes, other reptiles and amphibians of East Africa. Penguin Random House, Midrand, South Africa.

Coborn, J. 1991. *The Atlas of Snakes of the World*. TFH Publications, Neptune, USA. Greer, G. 1995. A report of cannibalism in ball pythons. *Reptile & Amphibian Magazine*: 36–39.

Jackson, K., N.J. Kley, and E.L. Brainerd. 2004. How snakes eat snakes: The biomechanical challenges of ophiophagy for the California Kingsnake, *Lampropeltis getula californiae* (Serpentes: Colubridae). *Zoology* 107: 191–200. http://dx.doi.org/10.1016/j.zool.2004.06.001.

Rogner, M. 1997. Snakes: The Keeper and the Kept. Volume 2. Krieger Publishing Company, Malabar, Florida, USA.

Saha, A., and A. Chaudhuri. 2017. PTYAS MUCOSA (Indian Rat Snake). DIET/ CANNIBALISM. Herpetological Review 48: 681.