



TREATISE ONLINE

Number 56

Part E, Revised, Volume 4, Chapter 20C:

Archaeocyatha and Cribriacyatha nomina nuda;
Taxa not *Archaeocyatha*, *Radiocyatha*,
or *Cribriacyatha*

F. Debrenne, A. Yu. Zhuravlev, & P. D. Kruse

2012

KU PALEONTOLOGICAL
INSTITUTE

The University of Kansas

Lawrence, Kansas, USA
ISSN 2153-4012 (online)
paleo.ku.edu/treatiseonline

PART E, REVISED, VOLUME 4, CHAPTER 20C: ARCHAEOCYATHA AND CRIBRICYATHA NOMINA NUDA; TAXA NOT ARCHAEOCYATHA, RADIACYATHA, OR CRIBRICYATHA

F. DEBRENNE,¹ A. YU. ZHURAVLEV,² and P. D. KRUSE³

[¹13 rue du Long Foin, 91700 Ste Geneviève des Bois, France, francoise.debrenne@gmail.com; ²Área y Museo de Paleontología, Departamento de Ciencias de la Tierra, Facultad de Ciencias, Universidad de Zaragoza, Zaragoza, Spain; Geological Institute, Russian Academy of Sciences, Moscow, Russia, ayzhur@mail.ru; ³South Australian Museum, Adelaide, archaeo.kruse@gmail.com]

ARCHAEOCYATHA AND CRIBRICYATHA NOMINA NUDA

- Argunicyathus* FONIN, 1985, p. 27.
Baculocyathus VOLOGDIN, 1940, p. 27.
Bijacoscínus Krasnopeeva, 1978, p. 81.
Ceratocyathus GANGLOFF in ROZANOV & GANGLOFF, 1979, p. 57, *non* SEGUENZA, 1864, p. 430, cnidarian.
Coscinophyllina RADUGIN, 1966, p. 110.
Coscinophyllum RADUGIN, 1966, p. 109.
Demboicyathus VOLOGDIN in Krasnopeeva, 1960, p. 40.
Dissocyathus VOLOGDIN, 1962a, p. 117.
GAMOCYATHIDAE VOLOGDIN, 1961, p. 179, invalid family-group name based on unavailable genus name.
Gunnicyathus HAN & others, 2008, p. 26.
Involucroyathus YANG & others, 2007, p. 91.
Leptoscyathella ROZANOV, 1973, p. 110.
LYSOCYATHIDAE BOYARINOV in ROZANOV, 1973, p. 85, invalid family-group name based on unavailable genus name.
Lysocyathus BOYARINOV in ROZANOV, 1973, p. 61.
Mongolocyathus ROZANOV, 1973, p. 38.
Plenocystathus VOLOGDIN, 1962c, p. 13.
Protophyllum RADUGIN, 1966, p. 114, invalid genus-group name based on unavailable type species.
Sagacyathellus KASHINA in DEBRENNE & ROZANOV, 1983, p. 734.
Saocyathus KASHINA & JANKAUSKAS, 1973, p. 181.
Saocyathus KASHINA in ZHURAVLEVA, 1974, p. 86.
Serratocyathus VOLOGDIN, 1960, p. 424.
Sheathcyathus YANG & others, 2005, p. 206.
Taschtagolia RADUGIN, 1966, p. 111, invalid genus-group name based on unavailable type species.
Ulenicyathus Krasnopeeva in YAROSHEVICH, 1962, p. 117.
Utukcyathus VOLOGDIN in DEBRENNE, 1964, p. 231.

TAXA THAT ARE NOT ARCHAEOCYATHA, RADIACYATHA, OR CRIBRICYATHA

- Binatocyathus* VOLOGDIN, 1963, p. 948 [**B. obliquoseptatus*; OD]. Possible nonspiculate thalamid sponge.
Cornutocyathus BOYARINOV in ZHURAVLEVA & others, 1997, p. 166 [**C. cornutus*; OD]. One-walled cone of probable magnesium calcite skeletal mineralogy; wall thick with long, curved radial spines externally; possibly an eroded archaeocyath.
Buschmannia KAEVER & RICHTER, 1976, p. 28 [**B. roeringi*; OD; holotype, KAEVER & RICHTER, 1976, pl. 4,3, B2-358, UM]. Radiating gypsum crystal bundles; for discussion, see DEBRENNE & LAFUSTE, 1979; GLAESNER, 1980.
Domophyllum RADUGIN, 1964, p. 146, *nom. nud.*, invalid genus-group name based on unavailable type species; hyolith transverse section.
Lenella KORDE, 1959, p. 626 [**L. reticulata*; OD; holotype, KORDE, 1959, fig. 1(1, 4), 1298/496, PIN, Moscow, not located]. Similar to *Tunkia* R. BEDFORD & J. BEDFORD (1936, p. 21), a probable alga or small skeletal fossil; for discussion, see HANDFIELD and HANSMAN (1967).
Maldeotaina FLÜGEL in FLÜGEL & SINGH, 2003, p. 368 [**M. composita*; OD]. Possible microstromatolite (for discussion, see DEBRENNE, GANGLOFF, & ZHURAVLEV, 1990, p. 361) or cyanobacterium, alga or khasakiid (for discussion, see WEBBY, 2012, p. 3).
MANACYATHIDAE JANKAUSKAS, 1969, p. 154. Probable cyanobacteria.
Manacyathus JANKAUSKAS, 1969, p. 154 [**M. mikroporus*; OD]. Probable cyanobacterium with affinities to *Obruchevella* REITLINGER, 1948, and especially *Spirellus* JIANG in LUO & others, 1982.
Matthewcyathidae OKULITCH, 1943, p. 48. Possibly inorganic.

- Matthewcyathus* OKULITCH, 1940, p. 83 [**Archaeocyathus pavonoides* MATTHEW, 1886, p. 29; OD]. Possibly inorganic.
- Misracyathus* VOLOGDIN, 1959, p. 82 [**M. vindbianus*; OD]. Possible alga.
- Mussoriella* FLÜGEL in FLÜGEL & SINGH, 2003, p. 356 [**M. kroli*; OD]. Possible microstromatolite; for discussion, see DEBRENNE, GANGLOFF, and ZHURAVLEV (1990, p. 361).
- Pentaphyllum* RADUGIN, 1964, p. 146, *nom. nud.*, invalid genus-group name based on unavailable type species; hyolith transverse section.
- Sphaerocyathus* VOLOGDIN, 1962b, p. 76 [**S. plasticus*; OD]. Possible micrite envelope.
- Tanchocyathus* VOLOGDIN, 1963, p. 947 [**T. amgaensis*; OD]. Possible nonspiculate sponge; for discussion, see DEBRENNE and REITNER (2001, p. 312).
- Trifoliophyllum* RADUGIN, 1966, p. 104 [**T. mirabile*; OD; holotype, RADUGIN, 1966, pl. 7,29, collection 61r, specimen 5, TPI, Tomsk] [= *Trifoliophyllum* RADUGIN, 1964, p. 146, *nom. nud.*, invalid genus-group name based on unavailable type species]. Possible anabaritid cross section.
- Trigonophyllum* RADUGIN, 1966, p. 94 [**T. inexpectum*; OD; holotype, RADUGIN, 1966, pl. 7,18, collection 61r, specimen 8-1, TPI, Tomsk] [= *Trigonophyllum* RADUGIN, 1964, p. 146, *nom. nud.*, invalid genus-group name based on unavailable type species]. Possible hyolith transverse section.
- Tuvinia* KRASNOPEEVA, 1972, p. 146 [**T. prima*; OD]. Possible coralomorph.
- TUVINIDAE** KRASNOPEEVA, 1972, p. 146. Possible coralomorphs.
- Yakovlevites* KORDE, 1979, p. 126, *nom. nov. pro Yakovlevia* VOLOGDIN, 1931, p. 36, *non* FREDERICKS, 1925, p. 7, brachiopod [**Yakovlevia granulosa* VOLOGDIN, 1931, p. 36; M] [= *Yakovleviella* KORDE, 1975, p. 246 (type, *Y. tuvaina*; M; = *Yakovlevia granulosa* VOLOGDIN, 1931, p. 36), *non* FOMICHEV, 1953, p. 318, rugosan]. Possible coralomorph; for discussion, see HILL, 1972, p. 132; SAYUTINA, 1985, p. 70, 73; ZHURAVLEV, DEBRENNE, and LAFUSTE, 1993, p. 367.
- a so-called archaeocyatha, and the problem of the Precambrian or Cambrian age of the Nama System (S.W. Africa). Geological Magazine 116:143–144, 2 pl.
- Debrenne, Françoise, & Joachim Reitner. 2001. Sponges, cnidarians, and ctenophores. In A. Yu. Zhuravlev & R. Riding, eds., The Ecology of the Cambrian Radiation. Columbia University Press. New York, p. 301–325, 7 fig.
- Debrenne, Françoise, & A. Yu. Rozanov. 1983. Paleogeographic and stratigraphic distribution of regular Archaeocyatha (Lower Cambrian fossils). Géobios 16:727–736, 1 table.
- Flügel, Erik, & I. B. Singh. 2003. Stromatoporoid-grade and other sponge fossils from the Upper Krol Formation of the Lesser Himalaya (India): Implications for the biotic evolution around the Precambrian-Cambrian boundary interval. Facies 49:351–372, 2 fig., pl. 61–66, 1 table.
- Fomichev, V. D. 1953. Korally Rugosa i Stratigrafiya Sredne-i Verkhne-kamennougol'nykh i Permskikh Otlozheniy Donetskogo Basseyna [Rugose Corals and Stratigraphy of Middle and Upper Carboniferous and Permian Deposits of the Donets Basin]. Vsesoyuzniy Nauchno-Issledovatel'skiy Geologicheskiy Institut, Trudy. Gosudarstvennoe Izdatel'stvo Geologicheskoy Literatury. Moscow. 622 p., 44 pl., atlas.
- Fonin, V. D. 1985. Tenial'nye arkheotsiati Altai-Sayanskoy skladchatoy oblasti [Taenial archaeocyaths of the Altay-Sayan fold region]. Paleontologicheskiy Institut, Akademiya Nauk SSSR, Trudy 209:144 p., 24 fig., 32 pl., 2 tables.
- Fredericks, Georgiy. 1925. Ussuriyskiy verkhniy paleozoy. II. Permskie brachiopody s mysa Kaluzina [Ussuri Upper Paleozoic. II. Permian brachiopods of Cape Kaluzin]. Materialy po Geologii i Poleznyim Iskopayemym Dal'nego Vostoka 40:1–30, 4 pl.
- Glaessner, M. F. 1980. Pseudofossils from the Precambrian, including '*Buschmannia*' and '*Praesolenopora*'. Geological Magazine 117:199–200.
- Han J., Q. Ou, X.-L. Zhang, Z.-F. Zhang, U. J.-N. Li, J.-F. Guo, D. G. Shu, & H.-F. Liu. 2008. Archaeocyaths from the early Cambrian Chengjiang fauna, South China. In T. A. Voronina, ed., The 13th International Field Conference of the Cambrian Stage Subdivision Working Group. The Siberian Platform, Western Yakutia. Yakutsk, July 20th–August 1nd 2008. Sibirskiy Nauchno-issledovatel'skiy Institut Geologii, Geofiziki i Mineral'nogo Syr'ya. Novosibirsk. p. 26.
- Handfield, R. C., & R. H. Hansman. 1967. The genus *Tunkia* Bedford & Bedford. Journal of Paleontology 41:1002–1003, 1 fig.
- Hill, Dorothy. 1972. Archaeocyatha. In C. Teichert, ed., Treatise on Invertebrate Paleontology, Part E, revised, vol. 1. The Geological Society of America & The University of Kansas. Boulder, Colorado & Lawrence, Kansas. xxx + 158 p., 107 fig., 3 tables.
- Jankauskas, T. V. 1969. Pterotsiatidyy nizhnego kembriya Krasnoyarskogo kryazha (Vostochnyy Sayan) [Pterocyathids from the Lower Cambrian of the Krasnoyarsk Range (East Sayan)]. In I. T. Zhuravleva, ed., Biostratigrafiya i Paleontologiya

REFERENCES

- Bedford, R., & J. Bedford. 1936. Further notes on Cyathospongia (Archaeocyathi) and other organisms from the Lower Cambrian of Beltana, South Australia. Kyancutta Museum, Memoirs 3:21–26, fig. 88–105, pl. 21–26.
- Debrenne, Françoise. 1964. Archaeocyatha—Contribution à l'étude des faunes cambriennes du Maroc, de Sardaigne et de France. Service des Mines et de Carte Géologique du Maroc, Notes et Mémoires 179: vol. 1, 265 p., 69 fig., 26 tables; vol. 2, 52 pl.
- Debrenne, Françoise, R. A. Gangloff, & A. Yu. Zhuravlev. 1990. Archaeocyatha from the Krol-Tal succession (Lesser Himalaya): An invalid record. Geological Magazine 127:361–362, 1 fig.
- Debrenne, Françoise, & J. G. Lafuste. 1979. *Buschmannia roeringi* (Kaever & Richter, 1976),

- Nizhnego Kembriya Sibiri i Dal'nego Vostoka [Lower Cambrian Biostratigraphy and Paleontology of Siberia and the Far East]. Nauka. Moscow. p. 114–157, 29 fig., pl. 43–50.
- Kaever, Matthias, & Peter Richter. 1976. *Buschmannia reeringi* n. gen., n. sp. (Archaeocyatha) aus der Nama-Gruppe Südwestafrikas. Paläontologische Zeitschrift 50:27–33, 1 fig., pl. 4.
- Kashina, L. N., & T. V. Jankauskas. 1973. K stratigrafi i korrelyatsii nizhnnekembriyskikh otlozheniy Manskogo progiba (Vostochnyy Sayan) [On the stratigraphy and correlation of the Lower Cambrian deposits of the Mana Depression (East Sayan)]. Institut Geologii i Geofiziki, Sibirskoe Otdelenie, Akademiya Nauk SSSR, Trudy 49:177–186, 2 fig., 1 table.
- Korde, K. B. 1959. Problematicheskie ostatki iz kembriyskikh otlozheniy yugo-vostoka Sibirskoy Platformy [Problematic fossils from Cambrian strata of the southeastern Siberian Platform]. Akademiya Nauk SSSR, Doklady 125:625–627, 1 fig.
- Korde, K. B. 1975. Kembriyskie tselenteraty [Cambrian coelenterates]. In B. S. Sokolov, ed., Drevnie Cnidaria. Tom II [Ancient Cnidaria. Volume II]. Nauka. Novosibirsk. p. 53–56, 246, 2 fig., 2 pl.
- Korde, K. B. 1979. Novoe rodovoe nazvanie *Yakovlevites* dlya arkheotsiat [A new genus name *Yakovlevites* for archaeocyaths]. Paleontologicheskiy Zhurnal 3:126.
- Krasnopeeva, P. S. 1960. K voprosu o sistematiceskem polozenii arkheotsiat [On the question of the systematic position of archaeocyaths]. Tomskiy Gosudarstvennyi Universitet, Trudy, seriya geologicheskaya 146:37–44, 6 pl.
- Krasnopeeva, P. S. 1972. Nekotorye novye okamenelosti kembriya zapadnoy Sibiri [Some new fossils from the Cambrian of western Siberia]. In I. T. Zhuravleva, ed., Problemy Biostrofagi i Paleontologii Nizhnego Kembriya Sibiri [Problems of Lower Cambrian Biostratigraphy and Paleontology of Siberia]. Nauka. Moscow. p. 144–146, pl. 18–19.
- Krasnopeeva, P. S. 1978. Printsipy estestvennoy klassifikatsii arkheotsiat (trubchatye arkheotsiaty) [Principles of the natural classification of archaeocyaths (tubulose archaeocyaths)]. In A. R. Anan'ev, ed., Stratigrafiya i Paleontologiya Sibiri i Urala [Stratigraphy and Paleontology of Siberia and the Urals]. Tomskiy Universitet. Tomsk. p. 76–84, 3 pl.
- Luo Huilin, Jiang Zhiwen, Wu Xiche, Song Xueliang, Ouyang Lin, & others. 1982. [The Sinian-Cambrian Boundary in Eastern Yunnan, China]. People's Publishing House. Kunming. 265 p., 14 fig., 22 pl., 8 tables.
- Matthew, G. F. 1886. IV. Illustrations of the fauna of the St. John group continued, no. III—Descriptions of new genera and species (including a description of a new species of *Solenopleura* by J. W. Whiteaves). Royal Society of Canada, Transactions, 1885, 3, section 4:29–84, pl. 5–7.
- Okulitch, V. J. 1940. Revision of type Pleospongia from eastern Canada. Royal Society of Canada, Transactions (series 3, section 4) 34:75–87, 3 pl.
- Okulitch, V. J. 1943. North American Pleospongia. Geological Society of America, Special Paper 48:vii + 112 p., 19 fig., 18 pl., 1 table.
- Radugin, K. V. 1964. O novoy gruppe drevneyshikh zhivotnykh [On a new group of the oldest animals]. Geologiya i Geofizika 1:145–149, 1 fig., 1 pl.
- Radugin, K. V. 1966. Problema Pozdnego Proterozoya (Materialy k Izucheniyu Geologii Pozdnego Dokembriya Sibiri). Chast' 1: Primitivnye Arkheotsiaty Pozdnego Proterozoya [The Problem of the Late Proterozoic (Materials for the Study of the Geology of the Late Precambrian of Siberia). Part 1: Primitive Archaeocyaths of the Late Proterozoic]. Tomskiy Universitet. Tomsk. 140 p., 7 pl.
- Reitlinger, E. A. 1948. Kembriyskie foraminifery Yakutii [Cambrian foraminifers of Yakutia]. Moskovskoe Obshchestvo Ispytatelei Prirody, Byulleten', Otdel geologicheskiy 23(2):77–81, 1 pl.
- Rozanov, A. Yu. 1973. Zakonomernosti morfologicheskoy evolyutsii arkheotsiat i voprosy yarusnogo raschleneniya nizhnego kembriya [Regularities in the morphological evolution of archaeocyaths and problems of Lower Cambrian stage division]. Geologicheskiy Institut, Akademiya Nauk SSSR, Trudy 241:164 p., 142 fig., 22 pl., 11 tables.
- Rozanov, A. Yu., & Roland Gangloff. 1979. O nekotorykh sluchayakh patologicheskikh izmenenii skeleta u arkheotsiat [On some cases of pathological skeletal development in archaeocyaths]. Institut Geologii i Geofiziki, Sibirskoe Otdelenie, Akademiya Nauk SSSR, Trudy 406:57–58, pl. 11–12.
- Sayutina, T. A. 1985. K revizi rody *Yakovlevites* Korde, 1979 [On revision of the genus *Yakovlevites* Korde, 1979]. Institut Geologii i Geofiziki, Sibirskoe Otdelenie, Akademiya Nauk SSSR, Trudy 632:70–74, 2 fig., pl. 26–27.
- Seguenza, G. 1864. Disquisizione paleontologiche intorno ai corallarii fossili delle rocce terziarie del distretto di Messina. Memorie della Reale Accademia delle Scienze di Torino (series 2) 21:399–560, 15 pl.
- Vologdin, A. G. 1931. Arkheotsiaty Sibiri. Vypusk 1. Fauna i Flora Izvestnyakov Rayona D. Kameshki i Ul. Bey-Buluk Minusinsko-Khakasskogo Kraya i Okamenelosti Izvestnyakov s R. Nizhney Tersi Kuznetskogo Okruga [Archaeocyaths of Siberia. Volume 1. Fauna and Flora of the Limestones in the Vicinity of Kameshki Village and Bey-Buluk Ulus in the Minusinsk-Khakassiya Region and Fossils of the Limestones in the Lower Ters' River of the Kuznetsk District]. Geologicheskoe Izdatel'stvo Glavnogo Geologo-Razvedochnogo Upravleniya. Moscow, Leningrad. 119 p., 44 fig., 24 pl., 2 tables.
- Vologdin, A. G., ed. 1940. Atlas Rukovodyashchikh Form Iskopаемых Faun SSSR. Tom 1, Kembriy [Atlas of Characteristic Forms of the Fossil Faunas of the USSR. Volume 1, Cambrian]. Gosgeolizdat. Moscow, Leningrad. 194 p., 94 fig., 49 pl., 4 tables.
- Vologdin, A. G. 1959. K onto-filogenezu arkheotsiat [On the ontogeny of archaeocyaths]. Institut Morfologii Zhivotnykh, Trudy 27:79–90, 11 fig.

- Vologdin, A. G. 1960. O rode *Ajacicyathus* Bedford et Bedford, 1939 i sem. *Ajacicyathidae* Bedford et Bedford, 1939 [On the genus *Ajacicyathus* Bedford et Bedford, 1939 and the fam. *Ajacicyathidae* Bedford et Bedford, 1939]. Akademiya Nauk SSSR, Doklady 130:421–424, 1 fig.
- Vologdin, A. G. 1961. Arkheotsiaty i ikh stratigraficheskoe znachenie [Archaeocyaths and their stratigraphic significance]. In Mezhdunarodnyy Geologicheskiy Kongress. XX Sessiya, Meksika. Kembriyskaya Sistema, ee Paleogeografiya i Problema Nizhney Granitsy. Tom 3. Zapadnaya Evropa, Afrika, SSSR, Aziya, Amerika. [International Geological Congress. XX Session, Mexico. The Cambrian System, its Paleogeography and Lower Boundary Problem. Volume 3. Western Europe, Africa, USSR, Asia, America]. Akademiya Nauk SSSR. Moscow. p. 173–199, 2 fig., 1 pl., 3 tables.
- Vologdin, A. G. 1962a. Tip Archaeocyatha. Arkheotsiaty [Phylum Archaeocyatha. Archaeocyaths]. In Yu. A. Orlov, ed., Osnovy Paleontologii. Tom 2, Gubki, Arkheotsiaty, Kishechnopolostnye, Cervi [Fundamentals of Paleontology. Volume 2, Sponges, Archaeocyaths, Coelenterates, Worms]. Akademiya Nauk SSSR. Moscow. p. 89–142, 128 fig., 9 pl.
- Vologdin, A. G. 1962b. Arkheotsiaty i vodorosli kembriya Baykal'skogo nabor'ya [Archaeocyaths and algae of the Cambrian of the Baikal Highlands]. Paleontologicheskiy Institut, Akademiya Nauk SSSR, Trudy 93:118 p., 21 fig., 21 pl., 2 tables.
- Vologdin, A. G. 1962c. K anatomii arkheotsiat [On the anatomy of archaeocyaths]. Paleontologicheskiy Zhurnal 2:9–20, 5 fig., 2 pl.
- Vologdin, A. G. 1963. Pozdnesrednekembriyskie arkheotsiaty basseynya reki Amgi (Sibirskaia platforma) [Late Middle Cambrian archaeocyaths from the Amga River basin (Siberian Platform)]. Akademiya Nauk SSSR, Doklady 151:946–949, 3 fig.
- Webby, B. D. 2012. Origins and early evolution of the Paleozoic Stromatoporoidea. Treatise Online 33:1–22, 2 fig.
- Yang Aihua, Zhu Maoyan, Françoise Debrenne, Yuan Kexing, Jean Vannier, Zhang Junming, & Li Guoxiang. 2005. Early Cambrian archaeocyathan zonation of the Yangtze Platform and its biostratigraphic implications. Acta Micropalaeontologica Sinica 22(supplement):205–210.
- Yang Aihua, Zhu Maoyan, Yuan Kexing, & Françoise Debrenne. 2007. Lower Cambrian archaeocyathan zonation of the Yangtze Platform and biostratigraphic implications. New York State Museum Bulletin 510:91.
- Yaroshevich, V. M. 1962. Stratigrafiya siniyskikh i kembriyskikh otlozeneniy Batenevskogo kryazha, khrepta Azyr-Tal i basseyna reki Belyy Iyus (vostochnyy sklon Kuznetskogo Alatau) [Stratigraphy of the Sinian and Cambrian strata of the Batenev Range, Azyr-Tal Range and Belyy Iyus River basin (eastern flank of the Kuznetsk Alatau)]. Institut Geologii i Geofiziki, Sibirske Otdelenie, Akademiya Nauk SSSR, Trudy 17:1–188, 70 fig.
- Zhuravlev, A. Yu., Françoise Debrenne, & Jean Lafuste. 1993. Early Cambrian microstructural diversification of Cnidaria. Courier Forschungsinstitut Senckenberg 164:365–372, 3 fig.
- Zhuravleva, I. T. 1974. Katalog Rodov Arkheotsiat. Chas' 2 [Catalogue of Archaeocyath Genera. Part 2]. Nauka. Novosibirsk. 215 p., 49 fig.
- Zhuravleva, I. T., I. A. Konyaeva, D. V. Osadchaya, & A. S. Boyarinov. 1997. Biostratigraphy of the Kiya River section. Early Cambrian archaeocyaths and spicular sponges from the Kiya River section (Kuznetsk Alatau). Annales de Paléontologie (Vertébrés-Invertébrés) 83:115–200, 1 fig., 14 pl., 1 table.